

# Lampiran

## Hasil Output SPSS Versi 24

### Descriptives

Notes		
Output Created	07-JUL-2021 08:30:03	
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.
Syntax	DESCRIPTIVES VARIABLES=TAX COD /STATISTICS=MEAN STDDEV MIN MAX.	
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,06

### Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
TAX	30	,1831	,9983	,306513	,1696799
COD	30	,0016	,2256	,073460	,0539805
Valid N (listwise)	30				

DESCRIPTIVES VARIABLES=TAX COD  
 /STATISTICS=MEAN STDDEV MIN MAX.

### Descriptives

Notes		
Output Created	07-JUL-2021 08:31:03	
Comments		
Input	Active Dataset	DataSet1

	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.
Syntax		DESCRIPTIVES VARIABLES=TAX COD /STATISTICS=MEAN STDDEV MIN MAX.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,02

### Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
TAX	30	,1831	,9983	,306513	,1696799
COD	30	,0016	,2256	,073460	,0539805
Valid N (listwise)	30				

```

DATASET CLOSE DataSet3.
NEW FILE.
DATASET NAME DataSet4 WINDOW=FRONT.
REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT Y
  /METHOD=ENTER X.

```

## Regression

### Notes

Output Created	07-JUL-2021 08:36:52	
Comments		
Input	Active Dataset	DataSet4
	Filter	<none>
	Weight	<none>
	Split File	<none>

	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Y /METHOD=ENTER X.
Resources	Processor Time	00:00:00,05
	Elapsed Time	00:00:00,19
	Memory Required	2400 bytes
	Additional Memory Required for Residual Plots	0 bytes

[DataSet4]

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	TAX <sup>b</sup>	.	Enter

a. Dependent Variable: COD

b. All requested variables entered.

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,017 <sup>a</sup>	,000	-,035	,0549282

a. Predictors: (Constant), TAX

### ANOVA<sup>a</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	,000	1	,000	,008	,929 <sup>b</sup>
	Residual	,084	28	,003		
	Total	,085	29			

a. Dependent Variable: COD

b. Predictors: (Constant), TAX

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	,075	,021		3,581	,001
	TAX	-,005	,060	-,017	-,090	,929

a. Dependent Variable: COD

```

DATASET ACTIVATE DataSet1.
NEW FILE.
DATASET NAME DataSet5 WINDOW=FRONT.
REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT COD
  /METHOD=ENTER TAX
  /SAVE RESID.
    
```

## Regression

### Notes

Output Created	07-JUL-2021 09:33:57	
Comments		
Input	Active Dataset	DataSet5
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.

Cases Used		Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT COD /METHOD=ENTER TAX /SAVE RESID.
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,83
	Memory Required	2400 bytes
	Additional Memory Required for Residual Plots	0 bytes
Variables Created or Modified	RES_1	Unstandardized Residual

[DataSet5]

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	TAX <sup>b</sup>	.	Enter

a. Dependent Variable: COD

b. All requested variables entered.

### Model Summary<sup>b</sup>

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,017 <sup>a</sup>	,000	-,035	,0549282

a. Predictors: (Constant), TAX

b. Dependent Variable: COD

### ANOVA<sup>a</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	,000	1	,000	,008	,929 <sup>b</sup>
	Residual	,084	28	,003		
	Total	,085	29			

a. Dependent Variable: COD

b. Predictors: (Constant), TAX

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	,075	,021		3,581	,001
	TAX	-,005	,060	-,017	-,090	,929

a. Dependent Variable: COD

### Residuals Statistics<sup>a</sup>

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	,069734	,074125	,073460	,0009140	30
Residual	-,0714728	,1518237	,0000000	,0539728	30
Std. Predicted Value	-4,077	,727	,000	1,000	30
Std. Residual	-1,301	2,764	,000	,983	30

a. Dependent Variable: COD

NPART TESTS  
 /K-S (NORMAL) =RES\_1  
 /MISSING ANALYSIS.

## NPar Tests

### Notes

Output Created	07-JUL-2021 09:35:34	
Comments		
Input	Active Dataset	DataSet5
	Filter	<none>
	Weight	<none>
	Split File	<none>

	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test.
Syntax		NPAR TESTS /K-S(NORMAL)=RES_1 /MISSING ANALYSIS.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,08
	Number of Cases Allowed <sup>a</sup>	786432

a. Based on availability of workspace memory.

### One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		30
Normal Parameters <sup>a,b</sup>	Mean	,0000000
	Std. Deviation	,05397281
Most Extreme Differences	Absolute	,132
	Positive	,132
	Negative	-,093
Test Statistic		,132
Asymp. Sig. (2-tailed)		,196 <sup>c</sup>

a. Test distribution is Normal.

b. Calculated from data.

c. Lilliefors Significance Correction.