

database.php

```
<?php
mysql_connect("localhost","root","rayasukses"
) or die("Tidak bisa tersambung ke Mysql
Server");
mysql_select_db("tupperware1") or die('tidak
bisa tersambung ke database');
?>
```

cek-member.php

```
<?php
session_start();
if(empty($_SESSION['id_user'])){
    echo "<script>alert('Maaf, Silahkan
login terlebih
dahulu');location.href='index.php';</script>";
    exit();
}
?>
```

admin.php

```
<?php
session_start();
if(empty($_SESSION['sesiadmin'])){
    echo "<script>alert('Maaf, silahkan
login terlebih
dahulu');location.href='index.php';</script>";
    exit();
}
?>
```

```
<!DOCTYPE HTML>
```

```
<html lang="en-US">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<title>Tupperware &raquo;
```

```
PT.Cahaya Putri Selatan Palembang</title>
```

```
<link rel="stylesheet"
```

```
href="css/bootstrap.css">
```

```
<link rel="stylesheet"
```

```
href="css/style.css">
```

```
<link rel="stylesheet"
```

```
href="css/jquery.datepick.css">
```

```
<link rel="icon" type="image/x-icon"
```

```
href="img/t.png" />
```

```
<script type="text/javascript" src="js/jquery-
1.8.2.min.js"></script>
```

```
<script type="text/javascript"
```

```
src="js/jquery.datepick.js"></script>
```

```
<script type="text/javascript"
src="js/jquery.datepick-id.js"></script>
```

```
<script type="text/javascript"
src="js/bootstrap.js"></script>
```

```
<script type="text/javascript"
src="js/custom.js"></script>
```

```
<script type="text/javascript">
```

```
$(function(){
    $('#tgl').datepick();
});
```

```
$('#selectAll').click(function(e){
```

```
    var table=
```

```
$(e.target).closest('table');
```

```
    $('td
```

```
input:checkbox',table).prop('checked',this.chec
ked);
```

```
});
```

```
</script>
```

```
</head>
```

```
<body>
```

```
<div id="menu" style="margin-
top:20px;">
```

```
<nav class="navbar navbar-
default" role="navigator">
```

```
<div class="navbar-
header">
```

```
<button
type="button" class="navbar-toggle" data-
toggle="collapse" data-target>
```

```
</button>
```

```
<a
```

```
class="navbar-brand" href="#"></a>
```

```
</div>
```

```
<!-- Collect the nav links, forms, and other
content for toggling -->
```

```
<div class="collapse
navbar-collapse" id="bs-example-navbar-
collapse-1">
```

```
<ul class="nav navbar-
nav">
```

```
<?php
```

```
    $p
=$_GET['p'];
```

```
?>
```

```

        <li <?php
if($p=="") echo 'class="active"';?>><a
href="admin.php">Home</a></li>

        <li <?php
if($p=='data-user') echo 'class="active"';?>><a
href="admin.php?p=data-
user">Member</a></li>

        <li <?php
if($p=='kategori') echo 'class="active"';?>><a
href="admin.php?p=kategori">Kategori</a></l
i>

        <li <?php
if($p=='produk') echo 'class="active"';?>><a
href="admin.php?p=produk">Produk</a></li>

        <li <?php
if($p=='konfirmasi-bayar') echo
'class="active"';?>><a
href="admin.php?p=konfirmasi-
bayar">Konfirmasi</a></li>

        <li <?php
if($p=='pembayaran' )?>></li>
        <li id="logout"><a
href="logout.php">Sign Out</a></li>
        </li>
        </div>

</nav>
</div>

        <div id="container">
        <div id="content">

                <?php
                        if($p==""){
                                include
"default.php";
                                }elseif($p=='data-user'){
                                        include "data-user.php";
                                }elseif($p=='data-user-add'){
                                        include "data-user-add.php";
                                }elseif($p=='data-user-edit'){
                                        include "data-user-edit.php";
                                }elseif($p=='kategori'){
                                        include "kategori.php";
                                }elseif($p=='kategori-edit'){
                                        include "kategori-edit.php";
                                }elseif($p=='produk'){
                                        include "produk.php";
                                }elseif($p=='produk-add'){
                                        include "produk-add.php";
                                }elseif($p=='produk-edit'){
                                        include "produk-edit.php";
                                }elseif($p=='konfirmasi-bayar'){
                                        include "konfirmasi-bayar.php";
                                }elseif($p=='konfirmasi'){
                                        include "konfirmasi.php";
                                }elseif($p==' kirim'){
                                        include 'kirim.php';
                                }
                                elseif($p=='laporan'){
                                        include "laporan.php";
                                }
                                ?>
        </div>
        <div id="sidebar2">
                <h4>Kalender</h4>
                <object
height="200" width="200"><param
name="movie" value="kalender.swf"

```

```

/><embed height="200" src="kalender.swf"
width="200"></embed></object>
    <br>
    <h4>Link Bank</h4>
    
    
    
    <br>
    <h4>Hubungi</h4>
    <br>
    <span class="glyphicon
glyphicon-phone-alt">
(0711) 314-603</span><br>
    <span class="glyphicon
glyphicon-phone-alt">
(0711) 316-716</span><br>
    <span class="glyphicon glyphicon-
envelope"> csplg@indo.net.id</span>
    <span class="glyphicon glyphicon-
envelope"> linasridewi@yahoo.com</span>
    <br>
    <h4>Pengiriman</h4>
    
    </div>
</div>
<div id="footer">
    <h5><b>Copyright &copy; 2014 by
PT Cahaya Putri Selatan </b></h5>
</div>
</body>
</html>

```

login-admin.php

```

<div class="col-md-8">
    <h3> Login Admin</h3>
    <hr>
    <form class="form-horizontal"
action="login-admin-proses.php"
method="post">
        <div class="form-group">
            <label
class="control-label col-sm-
3">Username</label>

```

```

    <div class="col-sm-
5">
        <input type="text"
class="form-control" name="username"
placeholder="Username">
    </div>
    </div>
    <div class="form-group">
        <label
class="control-label col-sm-
3">Password</label>
    <div class="col-sm-
5">
        <input
type="password" class="form-control"
name="password" placeholder="Password">
    </div>
    </div>
    <div class="form-group">
        <div class="col-sm-
offset-3 col-sm-8">
            <button
type="submit" class="btn btn-
primary">Login</button>
            <a href=""><button
type="reset" class="btn btn-
success">Reset</button></a>
        </div>
    </div>
</form>
</div>

```

login-admin-proses.php

```

<?php
session_start();
require "database.php";

//definisi variabel
$username =
strip_tags(mysql_real_escape_string($_POST['
username']));
$password=md5(strip_tags(mysql_real_escape
_string($_POST['password'])));
//validasi data

if(empty($username) or empty($password)){
    echo "<script>alert('Harap isi semua
data');history.go(-1);</script>";

```

```

        exit();
    }

    $sql = "SELECT id_admin,username FROM
    admin WHERE username='$username' AND
    password='$password'";
    $query = mysql_query($sql);

    if($query){
        if(mysql_num_rows($query)>0){

            list($id_admin,$username)=mysql_fet
            ch_row($query);

                $_SESSION['sesiadmin'] =
            $username;
                $_SESSION['id_admin'] =
            $id_admin;

                    echo

            "<script>alert('Login
            Success');location.href='admin.php';</script>";
                    exit();

                }else{

                    echo

            "<script>alert('Username atau password
            salah');history.go(-1);</script>";
                    exit();

                }
            }
        }
    ?>

```

data-user.php

```

<?php
require "database.php";
require "paginator.class.php";
?>

<div>
    <h3>Data Member</h3>
    <form class="form-horizontal"
    role="form" action="#" method="GET">
        <input type="hidden"
    name="p" value="<?php echo $_GET['p'];?>">
        <div class="col-sm-3">
            <select class="form-control"
    name="katsearch">
                <option
    value="">Cari Berdasarkan</option>

```

```

        <option
    value="kode">Id Member</option>
        <option
    value="nama">Nama Member</option>
        <option
    value="no_ktp">No KTP</option>
    </select>
    </div>
    <div class="col-sm-3">
        <input type="text"
    name="keyword" class="form-control"
    placeholder="Cari Data Member">
    </div>
    <div class="col-sm-3">
        <button type="submit"
    class="btn btn-success"><span
    class="glyphicon glyphicon-search"></span>
    Cari</button>
    </div>
    <div class="form-group">
        <a href="admin.php?p=data-user-
    add"><button style="margin-
    bottom:10px;border-radius:0px;"
    type="button" class="btn btn-primary pull-
    right">Add</button></a>
        <br>
    </div>
</form>

```

```

    <table class="table table-hover table-
    bordered">

```

```

        <tr>
            <th>No</th>
            <th>Kode</th>
            <th>Nama</th>
            <th>Alamat</th>
            <th>Action</th>
        </tr>

```

```

    <?php
        $katsearch =
    $_GET['katsearch'];
        $keyword =
    $_GET['keyword'];
        $page = new
    paginator();

```

```

        $page->items_per_page= 5;
        $sql="SELECT
id_user,kode,nama,no_ktp,alamat FROM
users";

        if(!empty($katsearch) AND
!empty($keyword)){
            $sql .= "
WHERE ".$katsearch." LIKE '%$keyword%'
";
        }

        $sql .= " ORDER
BY id_user";

        $page->items_total
= mysql_num_rows(mysql_query($sql));
        $page->paginate();

        $sql .= " $page-
>limit";

        $query=mysql_query($sql);
        $prevPage =
(int)$_GET['page']-1;
        $i =
$prevPage*(int)$_GET['ipp']+1;

        echo mysql_error();

        while(list($id,$kode,$nama,$ktp,$sala
mat)=mysql_fetch_row($query)):
            ?>
            <tr>
                <td><?php echo $i;?></td>
                <td><?php echo
$kode;?></td>
                <td><?php echo $nama;
?></td>
                <td><?php echo
$alamat;?></td>
                <td>
                    <div class="btn-
group">
                        <a
href="admin.php?p=data-user-edit&id=<?php
echo $id; ?>"><span class="glyphicon
glyphicon-pencil"></span></a>
                        <a
href="data-user-detail.php?id=<?php echo
$id;?>" class="modal-btn"><span
class="glyphicon glyphicon-th-
list"></span></a>
                        <a
href="data-user-delete.php?id=<?php echo $id;
?>" onclick="return confirm('Apakah anda
yakin ingin menghapus data ini?');"><span
class="glyphicon glyphicon-
remove"></span></a>
                    </div>
                </td>
            </tr>
            <?php
$i++;
endwhile;
?>
        </table>
        <div id="pagination">
            <ul
class="pagination">
                <?php echo $page-
>display_pages();?>
            </ul>
        </div>
        <div class="modal fade" id="myModal">
            <div class="modal-dialog">
                <div class="modal-content">
                    <div class="modal-header">
                        <button type="button" class="close" data-
dismiss="modal"><span aria-
hidden="true">&times;</span><span
class="sr-only">Close</span></button>
                        <h4 class="modal-title">User Detail</h4>
                    </div>
                    <div class="modal-body">
                        <p>One fine body&hellip;</p>
                    </div>
                </div><!-- /.modal-content -->

```

```

</div><!-- /.modal-dialog -->
</div><!-- /.modal -->

data-user-add.php
<?php
require "database.php";
?>

<h3>Table Add User</h3>
<hr>

<form class="form-horizontal" action="data-
user-add-proses.php" method="post">
    <div class="form-group">
        <label class="control-label
col-sm-2">Nama</label>
        <div class="col-sm-4">
            <input type="text"
class="form-control" name="nama"
placeholder="Nama">
        </div>
    </div>
    <div class="form-group">
        <label class="col-sm-2
control-label">Jenis Kelamin</label>
        <div class="col-sm-4">
            <select name="jk"
class="form-control">
                <option
value="">Jenis Kelamin</option>
                <option
value="Laki-laki">Laki-laki</option>
                <option
value="Perempuan">Perempuan</option>
            </select>
        </div>
    </div>
    <div class="form-group">
        <label class="control-label
col-sm-2">Tanggal Lahir</label>
        <div class="col-sm-4">
            <input type="text"
class="form-control" name="tgl" id="tgl"
placeholder="Tanggal Lahir">
        </div>
    </div>
</div>
<div class="form-group">

```

```

        <label class="control-label
col-sm-2">Nomor KTP</label>
        <div class="col-sm-4">
            <input type="text"
class="form-control" name="no_ktp"
placeholder="Nomor KTP">
        </div>
    </div>
    <div class="form-group">
        <label class="control-label
col-sm-2">Alamat
        </label>
        <div class="col-sm-
4">
            <textarea
type="text" class="form-control" row="3"
name="alamat"></textarea>
        </div>
    </div>
    <div class="form-group">
        <label class="control-label
col-sm-2">Kota</label>
        <div class="col-sm-4">
            <input
type="text" class="form-control" name="kota"
placeholder="Kota">
        </div>
    </div>
    <div class="form-group">
        <label class="control-label
col-sm-2">Kode Pos</label>
        <div class="col-sm-2">
            <input type="text"
class="form-control" name="kode_pos"
placeholder="Kode Pos">
        </div>
    </div>
    <div class="form-group">
        <label class="control-label
col-sm-2">Nomor HP</label>
        <div class="col-sm-4">
            <input type="text"
class="form-control" name="hp"
placeholder="Nomor HP">
        </div>
    </div>
</div>
<div class="form-group">

```

```

        <label class="control-label
col-sm-2">Email</label>
        <div class="col-sm-4">
            <input type="text"
class="form-control" name="email"
placeholder="Email">
        </div>
    </div>
    <div class="form-group">
        <div class="col-sm-offset-2 col-sm-6">
            <button type="submit" class="btn btn-
default btn-primary ">Add</button>
            <a href="admin.php?p=data-
user"><button type="button" class="btn btn-
danger btn-default">Cancel</button></a>
        </div>
    </div>
</form>

```

data-user-add-proses.php

```

<?php
require "database.php";

$nama
=strip_tags(mysql_real_escape_string($_POST
['nama']));
$jkk=strip_tags(mysql_real_escape_string($_PO
ST['jk']));
$no_ktp=strip_tags(mysql_real_escape_string(
$_POST['no_ktp']));
$alamat=strip_tags(mysql_real_escape_string(
$_POST['alamat']));
$tgl =
strip_tags(mysql_real_escape_string($_POST['
tgl']));
$kota=strip_tags(mysql_real_escape_string($_
POST['kota']));
$kode_pos=strip_tags(mysql_real_escape_strin
g($_POST['kode_pos']));
$hp=strip_tags(mysql_real_escape_string($_P
OST['hp']));
$email=strip_tags(mysql_real_escape_string(
$_POST['email']));

if(empty($nama) or empty($jkk) or
empty($no_ktp) or empty($tgl) or
empty($alamat) or empty($kota) or

```

```

empty($kode_pos) or empty($hp) or
empty($email)){
    echo "<script>alert('Harap isi semua
data');history.go(-1);</script>";
    exit();
}
$tgl_lhr=
DateTime::createFromFormat('d/m/Y',$tgl)-
>format('Y-m-d');
$sqlid="SELECT id_user FROM users";
$queryid=mysql_query($sqlid);

if(mysql_num_rows($queryid)>0):
    $sqlidd="SELECT id_user FROM
users ORDER BY id_user DESC LIMIT 1";
    $queryidd=mysql_query($sqlidd);
    list($id)=mysql_fetch_row($queryidd)
;
    $jml_id=$id+1;
    if(strlen($id)== 1):
        $kode = "000000".$jml_id."-
032";
    elseif(strlen($id)== 2):
        $kode = "00000".$jml_id."-
032";
    elseif(strlen($id)== 3):
        $kode = "0000".$jml_id."-
032";
    elseif(strlen($id)== 4):
        $kode = "000".$jml_id."-
032";
    elseif(strlen($id)== 5):
        $kode = "00".$jml_id."-032";
    elseif(strlen($id)== 6):
        $kode = "0".$jml_id."-032";
    endif;
else:
    $sqlReset ="ALTER TABLE users
AUTO_INCREMENT=1";
    $queryReset =mysql_query($sqlReset);
    if($queryReset):
        $kode ="0000001-032";
    endif;
endif;
$sql="INSERT INTO users SET
kode='$kode',nama='$nama',jk='$jkk',no_ktp='$
no_ktp',tgl_lhr='$tgl_lhr',alamat='$alamat',kota

```

```

='$kota',kode_pos='$kode_pos',hp='$hp',email
='$email',date_created=now());
$query=mysql_query($sql);
if($query){
    echo "<script>alert('Data berhasil
    ditambah');location.href='admin.php?p=data-
    user';</script>";
    exit();
}else{
    echo mysql_error();
    exit();
}
?>
data-user-detail.php
<?php
require "database.php";

$id= (int)$_GET['id'];
$sql="SELECT
kode,kota,nama,jk,tgl_lhr,no_ktp,alamat,kode_
pos,hp,email,date_created,date_updated FROM
users WHERE id_user='$id'";
$query=mysql_query($sql);

list($kode,$kotaa,$nama,$jk,$tgl,$no_ktp,$sala
mat,$kode_pos,$hp,$email,$date_created,$date
_updated)=mysql_fetch_row($query);

echo mysql_error();
?>

<table class="table table-condensed table-
bordered table-striped">
    <tr>
        <th>Kode</th>
        <td><?php echo $kode;
?></td>
    </tr>
    <tr>
        <th>Nama</th>
        <td><?php echo $nama;
?></td>
    </tr>
    <tr>
        <th>Jenis Kelamin</th>
        <td><?php echo $jk; ?></td>
    </tr>
    <tr>
        <th>Tanggal Lahir</th>
        <td><?php echo $tgl;
?></td>
    </tr>
    <tr>
        <th>No KTP</th>
        <td><?php echo $no_ktp;
?></td>
    </tr>
    <tr>
        <th>Alamat</th>
        <td><?php echo $alamat;
?></td>
    </tr>
    <tr>
        <th>Kota</th>
        <td><?php echo $kotaa;
?></td>
    </tr>
    <tr>
        <th>Kode Pos</th>
        <td><?php echo $kode_pos;
?></td>
    </tr>
    <tr>
        <th>No HP</th>
        <td><?php echo $hp;
?></td>
    </tr>
    <tr>
        <th>Email</th>
        <td><?php echo $email;
?></td>
    </tr>
    <tr>
        <th>Created</th>
        <td><?php echo
$date_created; ?></td>
    </tr>
    <tr>
        <th>Updated</th>
        <td><?php echo
$date_updated; ?></td>
    </tr>
</table>
data-user-edit.php
<?php

```



```

require "database.php";

$id=strip_tags(mysql_real_escape_string($_GET['id']));

$sqluser="SELECT
kode,nama,jk,no_ktp,alamat,kota,kode_pos,hp,
email FROM users WHERE id_user='$id'";
$queryuser=mysql_query($sqluser);
list($id_user,$nama,$jkel,$no_ktp,$alamat,$kota,$kode_pos,$hp,$email)=mysql_fetch_row($queryuser);
echo mysql_error();
?>

<h3>Table Edit User</h3>
<hr>

<form class="form-horizontal" action="data-user-edit-proses.php" method="post">
    <input type="hidden" value="<?php echo $id;?>" name="id_user">
    <div class="form-group">
        <label class="control-label col-sm-2">Nama</label>
        <div class="col-sm-4">
            <input type="text" class="form-control" name="nama" placeholder="Nama" value="<?php echo $nama;?>">
        </div>
    </div>
    <div class="form-group">
        <label class="control-label col-sm-2">Jenis Kelamin</label>
        <div class="col-sm-4">
            <select name="jk" class="form-control">
                <?php $sqljk="SELECT DISTINCT jk FROM users";
                $queryjk=mysql_query($sqljk);
                while(list($jk)=mysql_fetch_row($queryjk):
                    ?>

```

```

        <option value="<?php echo $jk; ?>" <?php if($jk==$jkel) echo 'Selected="selected"'; ?>><?php echo $jk; ?></option>
    </select>
</div>
<div class="form-group">
    <label class="control-label col-sm-2">Nomor KTP</label>
    <div class="col-sm-4">
        <input type="text" class="form-control" name="no_ktp" placeholder="Nomor KTP" value="<?php echo $no_ktp; ?>">
    </div>
</div>
<div class="form-group">
    <label class="control-label col-sm-2">Alamat
    </label>
    <div class="col-sm-4">
        <textarea type="text" class="form-control" row="3" name="alamat"><?php echo $alamat;?></textarea>
    </div>
</div>
<div class="form-group">
    <label class="control-label col-sm-2">Kota</label>
    <div class="col-sm-4">
        <input type="text" class="form-control" name="kota" value="<?php echo $kota; ?>">
    </div>
</div>
<div class="form-group">
    <label class="control-label col-sm-2">Kode Pos</label>
    <div class="col-sm-2">
        <input type="text" class="form-control" name="kode_pos"

```

```

placeholder="Kode Pos" value="<?php echo
$kode_pos; ?>">
    </div>
</div>
<div class="form-group">
    <label class="control-label
col-sm-2">Nomor HP</label>
    <div class="col-sm-4">
        <input type="text"
class="form-control" name="hp"
placeholder="Nomor HP" value="<?php echo
$hp; ?>">
    </div>
</div>
<div class="form-group">
    <label class="control-label
col-sm-2">Email</label>
    <div class="col-sm-4">
        <input type="text"
class="form-control" name="email"
placeholder="Email" value="<?php echo
$email; ?>">
    </div>
</div>
<div class="form-group">
    <div class="col-sm-offset-2 col-sm-6">
        <button type="submit" class="btn btn-
default btn-primary ">Update</button>
        <a href="admin.php?p=data-
user"><button type="button" class="btn btn-
danger btn-default">Cancel</button></a>
    </div>
</div>
</form>

```

data-user-edit-proses.php

```

<?php
require "database.php";

$id=(int)$_POST['id_user'];
$nama =
strip_tags(mysql_real_escape_string($_POST['
nama']));
$jk =
strip_tags(mysql_real_escape_string($_POST['
jk']));
$no_ktp=strip_tags(mysql_real_escape_string(
$_POST['no_ktp']));

```

```

$alamat
=strip_tags(mysql_real_escape_string($_POST
['alamat']));
$kota=strip_tags(mysql_real_escape_string($_
POST['kota']));
$kode_pos=strip_tags(mysql_real_escape_strin
g($_POST['kode_pos']));
$hp=strip_tags(mysql_real_escape_string($_P
OST['hp']));
$email=strip_tags(mysql_real_escape_string($_
POST['email']));

```

```

if(empty($nama) or empty($jk) or
empty($no_ktp) or empty($alamat) or
empty($kota) or empty($kode_pos) or
empty($hp) or empty($email)):
    echo mysql_error();
    echo "<script>alert('Harap isi semua
data');history.go(-1);</script>";
    exit();
endif;

```

```

$sql="UPDATE users SET nama='$nama',
jk='$jk', no_ktp='$no_ktp', alamat='$alamat',
kota='$kota', kode_pos='$kode_pos', hp='$hp',
email='$email' WHERE id_user='$id'";
$query=mysql_query($sql);
if($query){
    echo "<script>alert('Data berhasil
diedit');location.href='admin.php?p=data-
user';</script>";
    exit();
}else{
    echo "<script>alert('Data gagal
diedit');history.go(-1);</script>";
}
?>

```

user-delete.php

```

<?php
require "database.php";

$id=(int)$_GET['id'];

if($id<=0){
    echo "<script>alert('Invalid
Id');history.go(-1);</script>";
    exit();
}

```

```

        $sql="DELETE FROM users WHERE
        id_user='$id'";
        $query=mysql_query($sql);
        if($query){
            echo "<script>alert('Users Berhasil
            Dihapus');location.href='admin.php?p=data-
            user';</script>";
            exit();
        }else{
            echo "<script>alert('User Gagal
            dihapus');history.go(-1);</script>";
            exit();
        }
    ?>
kategori.php
<?php
require "database.php";
?>

        <h3>Kategori</h3>
<div class="col-md-12">
    <div class="col-md-8">
        <table class="table table-bordered">
            <tr>
                <th>No.</th>
                <th>Kategori</th>
                <th>Action</th>
            </tr>
            <?php
                $sql="SELECT
                id_kategori,kategori FROM kategori";

                $query=mysql_query($sql);

                while(list($id,$kategori)=mysql_fetch
                _row($query)):
                    ?>
                    <tr>
                        <td><?php echo ++$i;
                    ?></td>
                        <td><?php echo
                        $kategori;?></td>
                        <td>
                            <div class="btn-
                            group">
                                <a
                                href="admin.php?p=kategori-edit&id=<?php
                                echo $id;?>"><span class="glyphicon
                                glyphicon-pencil"></span></a>
                                    <a
                                    href="kategori-delete.php?id=<?php echo $id;
                                    ?>" onclick="return confirm('Apakah anda
                                    yakin ingin menghapus data ini?');"><span
                                    class="glyphicon glyphicon-
                                    remove"></span></a>
                                </div>
                            </td>
                        </tr>
                    <?php
                    endwhile;
                    ?>
                </table>
            </div>
            <div class="col-md-4">
                <h4>Tambah Kategori</h4>
                <hr>
                <form class="form-
                horizontal" method="post" action="kategori-
                add-proses.php">
                    <div class="form-group">
                        <label>Kategori</label>
                        <input
                        type="text" class="form-control"
                        placeholder="Kategori" name="kategori">
                    </div>
                    <div class="form-
                    group">
                        <button
                        type="submit" class="btn btn-primary btn-xs
                        btn-block">Add</button>
                    </div>
                </div>
            </form>
        </div>
    </div>
kategori-add-proses.php
<?php
require "database.php";

$kategori=strip_tags(mysql_real_escape_string
($ _POST['kategori']));

```

```

if(empty($kategori)){
    echo "<script>alert('Maaf, harap isi
semua data');history.go(-1);</script>";
    exit();
}

$sqlcek="SELECT kategori FROM kategori
WHERE kategori='$kategori';
$querycek=mysql_query($sqlcek);
if(mysql_num_rows($querycek)>0){
    echo "<script>alert('Maaf kategori
sudah ada, harap gunakan kategori
lain');history.go(-1);</script>";
    exit();
}
$sql="INSERT INTO kategori SET
kategori='$kategori', date_created=now()";
$query=mysql_query($sql);
if($query){
    echo "<script>alert('Kategori berhasil
ditambah');location.href='admin.php?p=kategor
i';</script>";
    exit();
}else{
    echo "<script>alert('Kategori gagal
ditambah');history.go(-1);</script>";
    exit();
}
?>
kategori-edit.php
<?php
require "database.php";

$id=(int)$_GET['id'];

if($id<=0){
    echo "<script>alert('Invalid
ID');location.href='admin.php?p=kategori';</sc
ript>";
    exit();
}

$sql="SELECT kategori FROM kategori
WHERE id_kategori='$id';
$query=mysql_query($sql);
list($kategori)=mysql_fetch_row($query);

```

```

?>
<h4>Edit Kategori</h4>
<hr>
<div class="col-sm-4">

        <form class="form-
horizontal" method="post" action="kategori-
edit-proses.php">
                <input
type="hidden" name="id" value="<?php echo
$id; ?>">
                <div class="form-group">
                        <label>Kategori</label>
                                <input
type="text" class="form-control"
placeholder="Kategori" name="kategori"
value="<?php echo $kategori; ?>">
                                </div>
                <div class="form-
group">
                        <button
type="submit" class="btn btn-primary btn-xs
btn-block">Update</button>
                        </div>
                </div>
</form>
kategori-edit-proses.php
<?php
require "database.php";

$id = (int)$_POST['id'];
$kategori =
strip_tags(mysql_real_escape_string($_POST['
kategori']));

if(empty($kategori) or $id<=0){
    echo "<script>alert('Maaf, harap isi
semua data');history.go(-1);</script>";
    exit();
}

$sql="UPDATE kategori SET
kategori='$kategori',date_updated=now()
WHERE id_kategori='$id';
$query=mysql_query($sql);

```

```

if($query){
    echo "<script>alert('Update Kategori
Berhasil');location.href='admin.php?p=kategori
';</script>";
    exit();
}else{
    echo "<script>alert('Update Kategori
Gagal');history.go(-1);</script>";
    exit();
}
?>
kategori-delete.php
<?php
require "database.php";

$id=(int)$_GET['id'];

if($id<=0){
    echo "<script>alert('Invalid
ID');history.go(-1);</script>";
    exit();
}

$sql="DELETE FROM kategori WHERE
id_kategori='$id'";
$query=mysql_query($sql);
if($query){
    echo "<script>alert('Kategori Berhasil
Dihapus');location.href='admin.php?p=kategori
';</script>";
    exit();
}else{
    echo "<script>alert('Kategori Gagal
dihapus');history.go(-1);</script>";
    exit();
}
?>
produk.php
<?php
require 'database.php';
require "paginator.class.php";
?>

<h3>Daftar Produk</h3>
    <form class="form-horizontal"
role="form" action="#" method="GET">
        <input type="hidden"
name="p" value="<?php echo $_GET['p'];?>">

```

```

<div class="col-sm-3">
    <select class="form-control"
name="katsearch">
        <option
value="">Cari Berdasarkan</option>
        <option
value="kategori">Kategori</option>
        <option
value="jenis">Jenis</option>
        <option
value="nm_produk">Produk</option>
    </select>
</div>
<div class="col-sm-3">
    <input type="text"
name="keyword" class="form-control"
placeholder="Cari Data Produk">
</div>
<div class="col-sm-3">
    <button type="submit"
class="btn btn-success"><span
class="glyphicon glyphicon-search"></span>
Cari</button>
</div>
<a href="admin.php?p=produk-add"><button
type="button" class="btn btn-primary pull-
right" style="border-radius:0px;margin-
bottom:5px;">Add</button></a>
</form>

<table class="table table-bordered">
    <tr>
        <th>No.</th>
        <th>Kategori</th>
        <th>Produk</th>
        <th>Jenis</th>
        <th>Warna</th>
        <th>Stock</th>
        <th>Harga
Diskon</th>
        <th>Keterangan</th>
        <th>Action</th>
    </tr>
</table>
<?php

```

```

        $katsearch = $_GET['katsearch'];
        $keyword =
$_GET['keyword'];
        $page = new
paginator();
        $page-
>items_per_page= 5;
        $sql="SELECT
a.id_produk,b.kategori,a.nm_produk,a.jenis,a.st
ock,a.warna,a.harga,a.hrg_disc,a.ket FROM
produk a, kategori b WHERE
a.id_kategori=b.id_kategori";

        if(!empty($katsearch) AND
!empty($keyword)){
            if($katsearch == 'kategori'){
                $sql .= " AND b.kategori LIKE
'%"$keyword%" ";
            }elseif($katsearch == 'jenis'){
                $sql .= " AND a.jenis LIKE
'%"$keyword%" ";
            }elseif($katsearch == 'nm_produk'){
                $sql .= " AND a.nm_produk LIKE
'%"$keyword%" ";
            }
        }
        //$sql .= " AND
a.id_kategori=b.id_kategori";
        $page->items_total
= mysql_num_rows(mysql_query($sql));
        $page->paginate();
        $sql .= " $page-
>limit";
        $query=mysql_query($sql);
        $prevPage =
(int)$_GET['page']-1;
        $i =
$prevPage*(int)$_GET['ipp']+1;
        echo mysql_error();
        while(list($id,$kat,$produk,$jns,$stoc
k,$wrn,$hrng,$hrng_disc,$ket)=mysql_fetch_row
($query)):
            ?>
            <tr>
                <td><?php echo $i;
                <td><?php echo
$kat; ?></td>
                <td><?php echo
$produk;?></td>
                <td><?php echo
$jns;?></td>
                <td><?php echo
$wrn;?></td>
                <td><?php echo
$stock; ?></td>
                <td><?php echo
"Rp. ".number_format($hrng,2,"","."); ?></td>
                <td><?php echo
"Rp. ".number_format($hrng_disc,2,"",".");
?></td>
                <td><?php echo
$ket; ?></td>
                <td>
                    <a
href="admin.php?p=produk-edit&id=<?php
echo $id; ?>"><span class="glyphicon
glyphicon-pencil"></span></a>
                    <a
href="produk-delete.php?id=<?php echo $id;
?>" onclick="return confirm('Apakah anda
yakin ingin menghapus data ini?');"><span
class="glyphicon glyphicon-
remove"></span></a>
                </td>
            </tr>
            <?php
$i++;
        endwhile;
        ?>

```

```

        </table>
        <div id="pagination">
            <ul
class="pagination">
                <?php echo $page-
>display_pages();?>
            </ul>
        </div>
produk-add.php
<?php
require "database.php";
?>
<div class="col-md-10">
    <h3>Data Produk</h3>
    <hr>
    <form class="form-horizontal"
action="produk-add-proses.php" role="form"
method="post" enctype="multipart/form-
data">
    <div class="form-group">
        <label class="control-label
col-sm-3">Kategori Produk</label>
        <div class="col-sm-
5">
            <select
class="form-control" name="kategori">
                <option value="">Pilih
Kategori</option>
            <?php
                $sqlkat="SELECT
id_kategori,kategori FROM kategori";
                $querykat=mysql_query($sqlkat);
                while(list($id,$skategori)=mysql_fetch
_row($querykat)):
                    ?>
                        <option value="<?php echo $id;
?>"><?php echo $skategori;?></option>
                    <?php
                        endwhile;
                    ?>
                </select>

```

```

        </div>
    </div>
    <div class="form-group">
        <label class="control-label
col-sm-3">Nama Produk</label>
        <div class="col-sm-
5">
            <input
type="text" class="form-control"
name="nm_produk" placeholder="Nama
Produk">
        </div>
    </div>
    <div class="form-group">
        <label class="control-label
col-sm-3">Gambar</label>
        <div class="col-sm-
5">
            <input
type="file" onchange="readURL(this);"
class="btn btn-success" name="foto"
id="foto">
            <img
id="upload1" src="" alt="" style="text-
align:center;float:none;" class="img-
thumbnail" />
        </div>
    </div>
    <div class="form-group">
        <label class="control-label
col-sm-3">Jenis Produk</label>
        <div class="col-sm-
5">
            <select
class="form-control" name="jenis">
                <option value="">Jenis
Produk</option>
                <option value="Tanpa Tas">Tanpa
Tas</option>
                <option value="Tas">Tas</option>
                <option
value="TChef">TChef</option>
            </select>
        </div>

```

```

</div>
<div class="form-group">
  <label class="control-label
col-sm-3">Warna</label>
  <div class="col-sm-5">
    <input type="text"
class="form-control" name="warna"
placeholder="Warna">
  </div>
</div>
<div class="form-group">
  <label class="control-label
col-sm-3">Stock</label>
  <div class="col-sm-5">
    <input type="text"
class="form-control" name="stock"
placeholder="Stock">
  </div>
</div>
<div class="form-group">
  <label class="col-sm-3
control-label">Harga</label>
  <div class="col-sm-5">
    <input type="text"
class="form-control" name="harga"
placeholder="Harga Produk">
  </div>
</div>
<div class="form-group">
  <label class="col-sm-3
control-label">Keterangan</label>
  <div class="col-sm-5">
    <textarea class="form-
control" name="ket"></textarea>
  </div>
</div>
<div class="form-group">
  <div class="col-sm-offset-3
col-sm-10">
    <button
type="submit" class="btn btn-
primary">Add</button>
    <a
href="admin.php?p=produk"><button
type="button" class="btn btn-
danger">Cancel</button></a>
  </div>
</div>

```

```

</form>
</div>
<script type="text/javascript">
  function readURL(input){
    if(input.files &&
input.files[0]){
      var reader = new
      FileReader();
      reader.onload =
      function (e){
        $('#upload1').attr('src', e.target.result);
      }
      reader.readAsDataURL(input.files[0])
    }
  }
</script>

```

produk-add-proses.php

```

<?php
require "database.php";

$kategori =
strip_tags(mysql_real_escape_string($_POST['
kategori']));
$produk =
strip_tags(mysql_real_escape_string($_POST['
nm_produk']));
$foto = $_FILES['foto'];
$foto_nama = rand(0000,9999).$foto['name'];
$foto_temp = $foto['tmp_name'];
$jenis =
strip_tags(mysql_real_escape_string($_POST['
jenis']));
$wrn =
strip_tags(mysql_real_escape_string($_POST['
warna']));
$stock=strip_tags(mysql_real_escape_string($_
POST['stock']));
$hrng=strip_tags(mysql_real_escape_string($_P
OST['harga']));
$ket=strip_tags(mysql_real_escape_string($_P
OST['ket']));
if(empty($kategori) or empty($produk) or
empty($foto_nama) or empty($jenis) or
empty($wrn) or empty($stock) or empty($hrng)
or empty($ket)):

```



```

        echo "<script>alert('Harap isi semua
data');history.go(-1);</script>";
exit();
endif;

$sqlcek="SELECT nm_produk FROM produk
WHERE nm_produk='$produk'";
$querycek=mysql_query($sqlcek);
if(mysql_num_rows($querycek)>0){
    echo "<script>alert('Maaf, Produk
sudah ada, harap input nama produk
lain');history.go(-1);</script>";
    exit();
}

if ($jenis == "Tanpa Tas"){
    $dis=$hrg*0.3;
}elseif ($jenis == "Tas"){
    $dis=$hrg*0.27;
}elseif ($jenis == "TChef"){
    $dis=$hrg*0.2;
}
$disc=$hrg-$dis;

if(move_uploaded_file($foto_temp,
"foto/" . $foto_nama)):
    $sql = "INSERT INTO produk SET
id_kategori='$kategori', nm_produk='$produk',
foto='$foto_nama', jenis='$jenis', warna='$wrn',
stock='$stock', harga='$hrg', hrg_disc='$disc',
ket='$ket', date_created=now()";
    $query=mysql_query($sql);
    if($query):
        echo "<script>alert('Data berhasil
ditambah');location.href='admin.php?p=produk'
;</script>";
        exit();
    else:
        echo mysql_error();
    exit();
    echo "<script>alert('Data Gagal
disimpan');history.go(-1);</script>";
    exit();
endif;
?>
produk-edit.php
<?php

```

```

require "database.php";

$id=(int)$_GET['id'];

if($id<=0){
    echo "<script>alert('Invalid
Id');history.go(-1);</script>";
    exit();
}
$sql = "SELECT
id_kategori,nm_produk,foto,jenis,warna,stock,
harga,ket FROM produk WHERE
id_produk='$id'";
$query = mysql_query($sql);
list($kategori,$nama,$foto,$jns,$wrn,$stock,$h
rg,$ket)=mysql_fetch_row($query);
?>
<div class="col-md-10">
    <h3>Form Edit Produk</h3>
    <form class="form-horizontal"
action="produk-edit-proses.php"
method="post" enctype="multipart/form-
data">
        <input type="hidden"
value="<?php echo $id; ?>"
name="id_produk">
        <div class="form-group">
            <label
class="control-label col-sm-3">Kategori
Produk</label>
            <div class="col-sm-
5">
                <select
class="form-control" name="kategori">
                    <?php
                        $sqlkat="SELECT
id_kategori,kategori FROM kategori ORDER
BY kategori";
                        $querykat=mysql_query($sqlkat);
                        while(list($idkat,$kat)=mysql_fetch_r
ow($querykat)):
                            <option value="<?php echo $idkat;

```

```

?>" <?php if($kategori==$idkat) echo
'selected="selected"'; ?><?php echo
$kat;?></option>

<?php
    endwhile;
        </select>
    </div>
</div>
<div class="form-group">
    <label
class="control-label col-sm-3">Nama
Produk</label>
    <div
class="col-sm-5">
        <input type="text" class="form-
control" name="nm_produk" value="<?php
echo $nama; ?>">
    </div>
</div>
<div class="form-group">
    <label
class="control-label col-sm-
3">Gambar</label>
    <div class="col-sm-
5">
        <input
type="file" onchange="readURL(this);"
class="btn btn-success" name="foto"
id="foto">
        
    </div>
    <div class="form-group">
        <label
class="control-label col-sm-3">Jenis</label>
        <div class="col-sm-
5">
            <select
class="form-control" name="jenis">
                <?php
                    $sqljns="SELECT DISTINCT jenis
FROM produk";
                    $queryjns=mysql_query($sqljns);
                    while(list($jenis)=mysql_fetch_row($
queryjns)):
                        ?>
                            <option value="<?php echo $jenis;?>"
                            <?php if($jns==$jenis) echo
                            'selected="selected"';?><?php echo $jenis;
                            ?></option>
                        <?php
                            endwhile;
                                ?>
                                    </select>
                                </div>
                            </div>
                            <div class="form-group">
                                <label
                                class="control-label col-sm-3">Warna</label>
                                <div class="col-sm-
                                5">
                                    <input
                                    type="text" class="form-control"
                                    name="warna" value="<?php echo $wrn;?>">
                                </div>
                            </div>
                            <div class="form-group">
                                <label
                                class="control-label col-sm-3">Stock</label>
                                <div class="col-sm-
                                5">
                                    <input
                                    type="text" class="form-control"
                                    name="stock" value="<?php echo $stock;?>">
                                </div>
                            </div>
                            <div class="form-group">
                                <label class="col-
                                sm-3 control-label">Harga</label>
                                <div class="col-sm-
                                5">

```

```

        <input
type="text" name="harga" class="form-
control" value="<?php echo $hr; ?>">
        </div>
    </div>
    <div class="form-group">
        <label class="col-
sm-3 control-label">Keterangan</label>
        <div class="col-sm-
5">
            <textarea
type="text" name="ket" class="form-
control"><?php echo $ket; ?></textarea>
            </div>
        </div>
        <div class="form-group">
            <div class="col-sm-
offset-3 col-sm-10">
                <button
type="submit" class="btn btn-
primary">Update</button>
                <a
href="admin.php?p=produk"><button
type="button" class="btn btn-
danger">Cancel</button></a>
            </div>
        </div>
    </form>
</div>
<script type="text/javascript">
    function readURL(input){
        if(input.files &&
input.files[0]){
            var reader = new
FileReader();

            reader.onload=function (e){
                $('#upload1').attr('src', e.target.result);
            }

            reader.readAsDataURL(input.files[0])
        }
    }
</script>
produk-edit-proses.php
<?php

```

```

require "database.php";

$id_produk=(int)$_POST['id_produk'];
$kategori=strip_tags(mysql_real_escape_string(
$_POST['kategori']));
$produk=strip_tags(mysql_real_escape_string(
$_POST['nm_produk']));
$foto=$_FILES['foto']; //untuk mengambil
value input foto
$foto_nama=$foto['name']; //untuk mengambil
nama file foto
$rand_foto_nama=rand(0000,9999).$foto_nam
a; //untuk menambah angka pada belakang
nama foto
$foto_temp=$foto['tmp_name']; // untuk
mengambil alamat file foto
$jenis=strip_tags(mysql_real_escape_string($_
POST['jenis']));
$stock=strip_tags(mysql_real_escape_string($_
POST['stock']));
$harga=strip_tags(mysql_real_escape_string($_
POST['harga']));
$ket=strip_tags(mysql_real_escape_string($_P
OST['ket']));

if(empty($kategori) or empty($produk) or
empty($jenis) or empty($stock) or
empty($harga) or empty($ket)){
    echo "<script>alert('Harap isi semua
data');history.go(-1);</script>";
    exit;
}

if($jenis=='Tanpa Tas'){
    $dis=$harga*0.3;
}elseif($jenis=='Tas'){
    $dis=$harga*0.27;
}elseif($jenis=='TChef'){
    $dis=$harga*0.2;
}
$disc=$harga-$dis;

if(!empty($foto_nama)):
    if(move_uploaded_file($foto_temp,
"foto/".$rand_foto_nama)):
        $sqlfoto="UPDATE produk
SET
id_kategori='$kategori',nm_produk='$produk',f

```

```
oto='$rand_foto_nama',jenis='$jenis',stock='$stock',harga='$harga',hrg_disc='$disc',ket='$ket'
WHERE id_produk='$id_produk";
```

```

$queryfoto=mysql_query($sqlfoto);
if($queryfoto):
    echo
"<script>alert('Data berhasil
disimpan');location.href='admin.php?p=produk'
</script>";
    exit();
else:
    echo
"<script>alert('Data gagal
disimpan');history.go(-1);</script>";
    exit();
endif;
endif;

```

```

else:
    $sql="UPDATE produk SET
id_kategori='$kategori',nm_produk='$produk',j
enis='$jenis',stock='$stock',harga='$harga',hrg_
disc='$disc',ket='$ket' WHERE
id_produk='$id_produk";

```

```

$query=mysql_query($sql);
if($query):
    echo "<script>alert('Data
Berhasil
disimpan');location.href='admin.php?p=produk'
;</script>";
    exit();
else:
    echo "<script>alert('Data
gagal disimpan');history.go(-1);</script>";
    exit();
endif;
endif;
?>

```

produk-delete.php

```

<?php
require "database.php";

$id=(int)$_GET['id'];

if($id<=0){
    echo "<script>alert('Invalid
Id');history.go(-1);</script>";
    exit();
}

```

```

}
$sql="DELETE FROM produk WHERE
id_produk='$id";
$query=mysql_query($sql);
if($query){
    echo "<script>alert('Data berhasil
dihapus');location.href='admin.php?p=produk';
</script>";
    exit();
}else{
    echo "<script>alert('Data gagal
dihapus');history.go(-1);</script>";
}
?>

```

konfirmasi-bayar.php

```

<?php
require "database.php";
require "paginator.class.php";
?>

<h3>Data Transaksi Pemesanan</h3>
<hr>
<div class="scroll">
<div class="inline pull-right">
<a href="admin.php?p=laporan"><button
type="button" class="btn btn-primary"><span
class="glyphicon glyphicon-tasks"></span>
Laporan</button></a>
</div>

```

```

<table class="table table-bordered
table-striped">
<tr>
<th><input
type="checkbox" id="selectAll"></th>
<th>No.
Faktur</th>
<th>Kode
Member</th>
<th>Tanggal
Transaksi</th>
<th>Tanggal
Bayar</th>
<th>Total
Bayar</th>
<th>No. Rekening
Asal</th>

```



```

        <ul
class="pagination">
        <?php echo $page-
>display_pages();?>
        </ul>
        </div>
<script type="text/javascript">
$(function(){
        $('#selectAll').click(function(e){
                var table=
$(e.target).closest('table');
                $('td
input:checkbox',table).prop('checked',this.chec
ked);
                });
                });
</script>
konfirmasi-transaksi-delete.php
<?php
require "database.php";

$id=$_POST['delete'];

if(empty($id)):
        echo "<script>alert('Invalid
ID');history.go(-1);</script>";
        exit();
        endif;

//ulang angka sebanyak id yang diterima.
for($i=0; $i<count($id);$i++){
        //dapatkan delete_id dengan array
        id[$i] dimana i terus mengulang angka dari 0-
jumlah array
        //$id[$i] berarti ambil nilai dari array
        dengan nama id dengan no = $i
        //contoh :
        //$id[0] = 1
        //$id[1] = 2
        // sampai seterusnya.
        $delete_id=$id[$i];
        $sql = "DELETE FROM pembayaran
WHERE id_trans='$delete_id'";
        $query = mysql_query($sql);

```

```

        $querydel=mysql_query("DELETE
FROM transaksi WHERE
id_trans='$delete_id'");
        $queryd=mysql_query("DELETE
FROM trans_detail WHERE
id_trans='$delete_id'");
        if($query):
                echo "<script>alert('Delete
Berhasil');location.href='admin.php?p=konfirm
asi-bayar';</script>";
                exit();
        else:
                echo mysql_error();
                exit();
                echo "<script>alert('Delete
Gagal');history.go(-1);</script>";
                exit();
        endif;
}
?>
konfirmasi.php
<?php
require "database.php";
//
$id=(int)$_GET['id'];

$querycek=mysql_query("SELECT id_trans
FROM transaksi WHERE id_trans='$id'");

if(mysql_num_rows($querycek)>0):
        $query=mysql_query("UPDATE
transaksi SET status='ok' WHERE
id_trans='$id'");
        if($query):
                $querydetail=mysql_query("SELECT
id_produk,qty FROM trans_detail WHERE
id_trans='$id'");
                while(list($id_produk,$qty)=mysql_fetch_row(
$querydetail)):
                        mysql_query("UPDATE produk SET
stock=stock-$qty WHERE
id_produk='$id_produk'");
                endwhile;
                echo "<script>alert('Konfirmasi pembayaran
berhasil');location.href='admin.php?p=konfirm
asi-bayar';</script>";
                exit();
        else:

```

```

echo "<script>alert('Konfirmasi
gagal');history.go(-1);</script>";
exit;
endif;
endif;
?>
 kirim.php
<?php
require "database.php";

$id=(int)$_GET['id'];

$querycek=mysql_query("SELECT id_trans
FROM transaksi WHERE id_trans='$id'");
if(mysql_num_rows($querycek)>0):
$query=mysql_query("UPDATE transaksi SET
status_kirim='ok' WHERE id_trans='$id'");

if($query){
    echo "<script>alert('Status pengiriman
berhasil
diubah');location.href='admin.php?p=konfirma
si-bayar';</script>";
    exit();
}else{
    echo mysql_error();
    exit();
    echo "<script>alert('Status pengiriman
gagal diubah');history.go(-1);</script>";
}
endif;
?>

```

```

 default.php
<div id="carousel-example-generic"
class="carousel slide" data-ride="carousel">
  <!-- Indicators -->
  <ol class="carousel-indicators">
    <li data-target="#carousel-example-generic"
data-slide-to="0" class="active"></li>
    <li data-target="#carousel-example-generic"
data-slide-to="1"></li>
    <li data-target="#carousel-example-generic"
data-slide-to="2"></li>
  </ol>

  <!-- Wrapper for slides -->
  <div class="carousel-inner">
    <div class="item active">

```

```

    
    <div class="carousel-caption">
    </div>
  </div>
  <div class="item">
    
    <div class="carousel-caption">
    </div>
  </div>
  <div class="item">
    
    <div class="carousel-caption">
    </div>
  </div>
  </div>
  </div>

  <!-- Controls -->
  <a class="left carousel-control"
href="#carousel-example-generic" data-
slide="prev">
    <span class="glyphicon glyphicon-chevron-
left"></span>
  </a>
  <a class="right carousel-control"
href="#carousel-example-generic" data-
slide="next">
    <span class="glyphicon glyphicon-chevron-
right"></span>
  </a>
</div>

```

```

 index.php
<?php
require "database.php";
//require "paginator.class.php";
?>

<!DOCTYPE HTML>
<html lang="en-US">
<head>
  <meta charset="UTF-8">
  <title>Tupperware &raquo;
PT.Cahaya Putri Selatan Palembang</title>
  <link rel="stylesheet"
href="css/bootstrap.css">
  <link rel="stylesheet"
href="css/style.css">
  <link rel="stylesheet"
href="css/jquery.datepick.css">

```

```

<link rel="icon" type="image/x-icon"
href="img/t.png" />
<script type="text/javascript" src="js/jquery-
1.8.2.min.js"></script>
<script type="text/javascript"
src="js/jquery.datepick.js"></script>
<script type="text/javascript"
src="js/jquery.datepick-id.js"></script>
<script type="text/javascript"
src="js/bootstrap.js"></script>
<script type="text/javascript"
src="js/custom.js"></script>
<script type="text/javascript">
$(function(){
    $('#tgl').datepick();
});
</script>
</head>
<body>
    <div id="menu" style="margin-
top:20px;">
        <nav class="navbar navbar-
default" role="navigator">
            <div class="navbar-
header">
                <button
type="button" class="navbar-toggle" data-
toggle="collapse" data-target>
                    </button>
                <a
class="navbar-brand" href="#"></a>
            </div>

            <!-- Collect the nav links, forms, and other
content for toggling -->
            <div class="collapse
navbar-collapse" id="bs-example-navbar-
collapse-1">
                <ul class="nav navbar-
nav">
                    <?php
                        $p
                    =$_GET['p'];
                >
                    <li <?php if($p=="
echo 'class="active"';?>><a
href="index.php">Home</a></li>

```

```

<li <?php
if($p=='listproduk-all') echo
'class="active"';?>><a
href="index.php?p=listproduk-
all">Produk</a></li>
<li <?php
if($p=='carabeli') echo 'class="active"';?>><a
href="index.php?p=carabeli">Cara Pembelian
& Pembayaran</a></li>
<li
class="dropdown" <?php if($p=='login') echo
'class="active"';?>><a href="#"
class="dropdown-toggle" data-
toggle="dropdown">Login <span
class="caret"></span></a>
    <ul
class="dropdown-menu"
style="margin:15px;width:220px;">
        <form
class="form-horizontal" action="login.php"
method="post">
            <div class="input-group"
style="margin:10px 20px;">
                <span class="input-group-
addon glyphicon glyphicon-user"></span>
                <input type="text"
class="form-control input-sm"
placeholder="Username" name="kode">
            </div>
            <div class="input-group"
style="margin:10px 20px;">
                <span class="input-group-
addon glyphicon glyphicon-lock"></span>
                <input type="password"
class="form-control input-sm"
placeholder="yyyy-mm-dd" name="tgl_lhr">
            </div>
        <div class="col-
sm-12">

```



```

        type="submit" class="btn btn-primary btn-xs
        btn-block">Login</button>
    </div>
</div>
<div style="margin:15px;">
    <a href="index.php?p=login-admin"
    style="margin-left:160px;"><span
    class="glyphicon glyphicon-
    lock"></span></a>
</div>
</form>
</ul>
</div>
</nav>
</div>
<div id="container">
    <div id="content">
        <?php
            if($p==""){
                include "default.php";
            }elseif($p=="listproduk"){
                include "listproduk.php";
            }elseif($p=="listproduk-all"){
                include "listproduk-all.php";
            }elseif($p=="carabeli"){
                include "carabeli.php";
            }elseif($p=="login-admin"){
                include "login-admin.php";
            }
        }
    }
    </div>
</div>
</div>
<div id="sidebar2">
    <h4>Kategori</h4>
    <ul class="nav nav-pills nav-
    stacked">
        <li><a href=""
        id="kategori">&raquo;<span class="
        glyphicon
        glyphicon-th-large"></span> KATEGORI
        &laquo;</a></li>
        <ul id="kategori-
        child" class="nav nav-pills nav-stacked">
            <?php
                $query=
                mysql_query("SELECT id_kategori,kategori
                FROM kategori");
                while(list($id,$kat)=mysql_fetch_row
                ($query)){
                    ?>
                    <li style="margin-
                    left:15px;" <?php if($p==$id) echo
                    'class="active"'>><a
                    href="index.php?p=listproduk&id=<?php echo
                    $id;?>"><?php echo $kat;?></a></li>
                    <?php
                        }
                    ?>
                </ul>
                </ul>
                <h4>Link Bank</h4>
                
                
                
                <br>
                <h4>Hubungi</h4>
                <br>
                <span class="glyphicon
                glyphicon-phone-alt">
                (0711) 314-603</span><br>
            }
        }
    }

```

```

        <span class="glyphicon
glyphicon-phone-alt">
(0711) 316-716</span><br>
        <span class="glyphicon glyphicon-
envelope"> csplg@indo.net.id</span>
        <span class="glyphicon glyphicon-
envelope"> linasridewi@yahoo.com</span>
        <br>
        <h4>Pengiriman</h4>
        
        </div>
</div>
<div id="footer">
        <h5><b>Copyright &copy; 2014 by
PT Cahaya Putri Selatan </b></h5>
</div>
</body>
</html>

```

login.php

```

<?php
session_start();
require "database.php";

//definisi variabel
$kode =
strip_tags(mysql_real_escape_string($_POST['
kode']));
$ttl_lhr=strip_tags(mysql_real_escape_string(
$_POST['ttl_lhr']));
//validasi data

if(empty($kode) or empty($ttl_lhr)){
        echo "<script>alert('Harap isi semua
data');history.go(-1);</script>";
        exit();
}

$sql = "SELECT id_user,nama FROM users
WHERE kode='$kode' AND
ttl_lhr='$ttl_lhr'";
$query = mysql_query($sql);

if($query){
        if(mysql_num_rows($query)>0){

                list($id_user,$nama,$role)=mysql_fet
ch_row($query);

```

```

        $_SESSION['nama'] =
$nama;
        $_SESSION['id_user'] =
$id_user;
        echo
"<script>alert('Login
Success');location.href='main.php';</script>";
        exit();
        }else{
        echo
"<script>alert('Username atau password
salah');history.go(-1);</script>";
        exit();
        }
}
?>
main.php
<?php
session_start();
if(empty($_SESSION['id_user'])){
        echo "<script>alert('Maaf, Silahkan
login terlebih
dahulu');location.href='index.php';</script>";
        exit();
}
require "database.php";
?>
<!DOCTYPE HTML>
<html lang="en-US">
<head>
        <meta charset="UTF-8">
        <title>Tupperware &raquo;
PT.Cahaya Putri Selatan Palembang</title>
        <link rel="stylesheet"
href="css/bootstrap.css">
        <link rel="stylesheet"
href="css/style.css">
        <link rel="stylesheet"
href="css/jquery.datepick.css">
        <link rel="icon" type="image/x-icon"
href="img/t.png" />
        <script type="text/javascript" src="js/jquery-
1.8.2.min.js"></script>
        <script type="text/javascript"
src="js/jquery.datepick.js"></script>
        <script type="text/javascript"
src="js/jquery.datepick-id.js"></script>

```

```

<script type="text/javascript"
src="js/bootstrap.js"></script>
<script type="text/javascript"
src="js/custom.js"></script>
<script type="text/javascript">
$(function(){
    $('#tgl').datepicker();
});

$('#selectAll').click(function(e){
    var table=
$(e.target).closest('table');
    $('td
input:checkbox',table).prop('checked',this.chec
ked);
    });
</script>
</head>
<body>
<div id="menu" style="margin-
top:20px;">
<nav class="navbar navbar-
default" role="navigator">
<div class="navbar-
header">
<button
type="button" class="navbar-toggle" data-
toggle="collapse" data-target>
</button>
<a
class="navbar-brand" href="#"></a>
</div>

<!-- Collect the nav links, forms, and other
content for toggling -->
<div class="collapse
navbar-collapse" id="bs-example-navbar-
collapse-1">
<ul class="nav navbar-
nav">
<?php
    $p
=$_GET['p'];
    ?>
<li <?php
if($p=="") echo 'class="active"';?><a
href="main.php">Home</a></li>

```

```

<li <?php
if($p=='listproduk-all') echo 'class="active"';
?><a href="main.php?p=listproduk-
all">Produk</a></li>
<li <?php
if($p=='cara-beli') echo 'class="active"';?><a
href="main.php?p=cara-beli">Cara Pembelian
& Pembayaran</a></li>
<li <?php
if($p=='cart') echo 'class="active"';?><a
href="main.php?p=cart">Shopping
cart</a></li>
<li <?php
if($p=='transaksi') echo 'class="active"';?><a
href="main.php?p=transaksi">Transaksi</a></
li>
<li id="logout"><a
href="logout.php">Sign Out</a></li>
</li>
</div>
</nav>
</div>
<div id="container">
<div id="content">
<?php
    if($p==""){
        include
"default.php";
    }elseif($p=='form-beli'){
        include "form-beli.php";
    }elseif($p=='cart-edit'){
        include "cart-edit.php";
    }
    elseif($p=='transaksi'){
        include "transaksi.php";
    }elseif($p=="pembayaran"){

```

```

include "pembayaran.php";
}elseif($p=='listproduk'){
include "listproduk.php";
}elseif($p=='listproduk-all'){
include "listproduk-all.php";
}elseif($p=='cara-beli'){
include "carabeli.php";
}elseif($p=='cart'){
include "cart.php";
}
?>
</div>
<div id="sidebar2">
<h4>Kategori</h4>
<ul class="nav nav-pills nav-
stacked">
<li><a href=""
id="kategori">&raquo;<span class="
glyphicon
glyphicon-th-large"></span> KATEGORI
&laquo;</a></li>
<ul id="kategori-
child" class="nav nav-pills nav-stacked">
<?php
$query=
mysql_query("SELECT id_kategori,kategori
FROM kategori");
while(list($id,$kat)=mysql_fetch_row
($query)){
?>
<li style="margin-
left:15px;" <?php if($p==$id) echo
'class="active"'>><a
href="main.php?p=listproduk&id=<?php echo
$id;?>"><?php echo $kat;?></a></li>
<?php
}
?>
</ul>
</div>
<div id="footer">
<h5><b>Copyright &copy; 2014 by
PT Cahaya Putri Selatan </b></h5>
</div>
</body>
</html>
<script type="text/javascript" src="js/jquery-
1.11.0.min.js"></script>
<script type="text/javascript"
src="js/bootstrap.js"></script>
<script type="text/javascript">
$(document).ready(function(){

```

```

        $('#kategori').on('click',function(){
            $('#kategori-
child').slideToggle("fast");
            return false;
        });
    });
</script>

```

carabeli.php

```

<h3 style="color:#333;">Cara Pembelian dan
Pembayaran</h3>
<br>
<br>
<p>Cara untuk membeli produk Tupperware
ini adalah :</p>
<ol style="margin-left:30px;text-
align:justify;">

```


<p>Jika anda ingin membeli produk Tupperware ini anda Terlebih dahulu harus Login, jika anda tidak mempunyai account, harap mendaftarkan diri anda terlebih dahulu pada PT. Cahaya Putri Selatan Palembang.

<p>Setelah login Pilih produk yang ingin anda pesan dengan mengklik tombol beli</p>

Produk yang anda pesan akan masuk kedalam menu Shopping Cart

Jika anda ingin berbelanja lagi, pilih tombol belanja lagi, jika anda telah selesai belanja pilih tombol checkout

Anda akan langsung mendapatkan Faktur Pemesanan barang dan segera lakukan pembayaran sesuai dengan jumlah pemesanan anda pada opsi rekening dibawah ini

- Mandiri - 1030005072844
- BNI - 0206523675
- BCA - 8940188866

Setelah melakukan pembayaran, silahkan konfirmasi pembayaran yang telah anda lakukan dengan mengklik tombol "Pay" lalu lengkapi data yang ada di form tersebut.

Kami akan mengecek pembayaran yang anda lakukan, jika pembayaran tersebut telah dilakukan maka status pembayaran anda akan kami ganti menjadi "PAID"

Kami akan mengubah status pengiriman pada form transaksi anda menjadi "DELIVER" dan mengirimkan barang yang anda pesan ketempat tujuan

listproduk-all.php

```

<?php
require "database.php";
require "paginator.class.php";
?>

```

```

<h3>Produk Tupperware</h3>
<hr>
<form class="form-horizontal"
role="form" action="#" method="GET">
    <input type="hidden"
name="p" value="<?php echo $_GET['p'];?>">
    <div class="col-sm-3">
        <select class="form-control"
name="katsearch">
            <option
value="">Cari Berdasarkan</option>
            <option
value="nm_produk">Nama Produk</option>
            <option
value="ket">Keterangan</option>
        </select>
    </div>
    <div class="col-sm-3">
        <input type="text"
name="keyword" class="form-control"
placeholder="Cari Data Produk">
    </div>
    <div class="col-sm-3">
        <button type="submit"
class="btn btn-success"><span
class="glyphicon glyphicon-search"></span>
Cari</button>
    </div>

```

```

</form>
    <div class="col-md-12"
style="margin-top:30px;">
        <ul class="listproduk">

                <?php
                    $katsearch =
$_GET['katsearch'];
                    $keyword =
$_GET['keyword'];

                    $page = new
paginator();
                    $page->
items_per_page= 8;

                    $sql="SELECT
id_produk,nm_produk,foto,harga,hrg_disc,stock,id_kategori,ket FROM produk ORDER BY
nm_produk";

                    if(!empty($katsearch) AND
!empty($keyword)){

                        if($katsearch == 'nm_produk'){

                            $sql .= " AND nm_produk LIKE
'%" . $keyword . "%' ";

                        }elseif($katsearch == 'ket'){

                            $sql .= " AND ket LIKE
'%" . $keyword . "%' ";

                        }

                    }

                    $page->items_total
= mysql_num_rows(mysql_query($sql));
                    $page->paginate();

                    $sql .= " $page->
limit";

                    $query = mysql_query($sql);

                $prevPage =
(int)$_GET['page']-1;
                $i =
$prevPage*(int)$_GET['ipp']+1;

                while(list($id,$produk,$foto,$harga,$
disc,$stock,$idket,$ket)=mysql_fetch_row($query)):
                    ?>
                    <li>
                        <h4><?php echo
$produk; ?></h4>
                        
                        Harga Normal : <p
style="text-decoration:line-
through;display:inline;">Rp. <?php echo
number_format($harga,2,"",".");?></p><p>Ha
rga Member : Rp. <?php echo
number_format($disc,2,"",".");?></p>
                        <p>Available stock
: <?php echo $stock; ?>
                        <abbr
title="Beli Produk ini"><a
href="main.php?p=form-beli&id=<?php echo
$id; ?>" class="btn btn-primary btn-sm"><span
class="glyphicon glyphicon-shopping-
cart"></span></a></abbr>&nbsp;<abbr
title="View Produk"><a href="view-
produk.php?id=<?php echo $id; ?>" class="btn
btn-primary btn-sm modal-btn"><span
class="glyphicon glyphicon-
th"></span></a></abbr>
                    </li>
                <?php
                    $i++;
                endwhile;
                ?>
            </ul>

            <div id="pagination">
                <ul
class="pagination">
                    <?php echo $page->
display_pages();?>

```

```

        </ul>
    </div>
</div>
<div class="modal fade" id="myModal">
    <div class="modal-dialog">
        <div class="modal-content">
            <div class="modal-header">
                <button type="button" class="close" data-
dismiss="modal"><span aria-
hidden="true">&times;</span><span
class="sr-only">Close</span></button>
                <h4 class="modal-title">Produk
Detail</h4>
            </div>
            <div class="modal-body">
                <p>One fine body&hellip;</p>
            </div>
        </div><!-- /.modal-content -->
    </div><!-- /.modal-dialog -->
</div><!-- /.modal -->

```

listproduk.php

```

<?php
require "database.php";
require "paginator.class.php";

$id=(int)$_GET['id'];

$q=mysql_query("SELECT kategori FROM
kategori WHERE id_kategori='$id'");
while(list($kate)=mysql_fetch_row($q)):
?>

    <h3>Produk &raquo; <?php echo
$kate; ?></h3>
    <hr>
<?php
endwhile;
?>
    <form class="form-horizontal"
role="form" action="#" method="GET">
        <input type="hidden"
name="p" value="<?php echo $_GET['p'];?>">
        <div class="col-sm-3">
            <select class="form-control"
name="katsearch">
                <option
value="">Cari Berdasarkan</option>

```

```

                <option
value="nm_produk">Nama Produk</option>
                <option
value="ket">Keterangan</option>
            </select>
        </div>
        <div class="col-sm-3">
            <input type="text"
name="keyword" class="form-control"
placeholder="Cari Data Produk">
        </div>
        <div class="col-sm-3">
            <button type="submit"
class="btn btn-success"><span
class="glyphicon glyphicon-search"></span>
Cari</button>
        </div>
    </form>
    <div class="col-md-12"
style="margin-top:30px;">
        <ul class="listproduk">
            <?php
                $katsearch =
$_GET['katsearch'];
                $keyword =
$_GET['keyword'];
                $page = new
paginator();
                $page-
>items_per_page= 8;

                $sql="SELECT
id_produk,nm_produk,foto,harga,hrg_disc,stoc
k,id_kategori FROM produk WHERE
id_kategori='$id' ORDER BY nm_produk";

                if(!empty($katsearch) AND
!empty($keyword)){
                    if($katsearch == 'nm_produk'){
                        $sql .= " AND nm_produk LIKE
 '%$keyword%' ";
                    }elseif($katsearch == 'ket'){

```

```

        $sql .= " AND ket LIKE
'%$keyword%'";
    }
}

$page->items_total
= mysql_num_rows(mysql_query($sql));
$page->paginate();

$sql .= " $page-
>limit";

$query = mysql_query($sql);

$prevPage =
(int)$_GET['page']-1;
$i =
$prevPage*(int)$_GET['ipp']+1;

while(list($id,$produk,$foto,$harga,$
disc,$stock)=mysql_fetch_row($query)):
    ?>
    <li>
        <h4><?php echo
$produk; ?></h4>
        Rp. <?php echo
number_format($harga,2,"",".")?></p><p>Ha
rga Member : Rp. <?php echo
number_format($disc,2,"",".")?></p>
        <p>Available stock
: <?php echo $stock; ?>
        <abbr
title="Beli Produk ini"><a
href="main.php?p=form-beli&id=<?php echo
$id; ?>" class="btn btn-primary btn-sm"><span
class="glyphicon glyphicon-shopping-
cart"></span></a></abbr>&nbsp;<abbr
title="View Produk"><a href="view-
produk.php?id=<?php echo $id; ?>" class="btn
btn-primary btn-sm modal-btn"><span
class="glyphicon glyphicon-
th"></span></a></abbr>
    </li>
    <?php
    $i++;
    endwhile;
    ?>
</ul>
</div>
<div id="pagination">
    <ul
class="pagination">
    <?php echo $page-
>display_pages();?>
    </ul>
</div>
<div class="modal fade" id="myModal">
    <div class="modal-dialog">
    <div class="modal-content">
    <div class="modal-header">
        <button type="button" class="close" data-
dismiss="modal"><span aria-
hidden="true">&times;</span><span
class="sr-only">Close</span></button>
        <h4 class="modal-title">Produk
Detail</h4>
    </div>
    <div class="modal-body">
        <p>One fine body&hellip;</p>
    </div><!-- /.modal-content -->
    </div><!-- /.modal-dialog -->
</div><!-- /.modal -->
listproduk.php
<?php
require "database.php";
require "paginator.class.php";

$id=(int)$_GET['id'];

$q=mysql_query("SELECT kategori FROM
kategori WHERE id_kategori='$id'");
while(list($kate)=mysql_fetch_row($q)):
    ?>
        <h3>Produk &raquo; <?php echo
$skate; ?></h3>

```



```

        <hr>
<?php
endwhile;
    ?>
    <form class="form-horizontal"
role="form" action="#" method="GET">
        <input type="hidden"
name="p" value="<?php echo $_GET['p'];?>">
        <div class="col-sm-3">
            <select class="form-control"
name="katsearch">
                <option
value="">Cari Berdasarkan</option>
                <option
value="nm_produk">Nama Produk</option>
                <option
value="ket">Keterangan</option>
            </select>
        </div>
        <div class="col-sm-3">
            <input type="text"
name="keyword" class="form-control"
placeholder="Cari Data Produk">
        </div>
        <div class="col-sm-3">
            <button type="submit"
class="btn btn-success"><span
class="glyphicon glyphicon-search"></span>
Cari</button>
        </div>
</form>
    <div class="col-md-12"
style="margin-top:30px;">
        <ul class="listproduk">
            <?php
                $katsearch =
                $_GET['katsearch'];
                $keyword =
                $_GET['keyword'];
                $page = new
                paginator();
                $page->items_per_page= 8;

                $sql="SELECT
id_produk,nm_produk,foto,harga,hrg_disc,stoc

```

```

k,id_kategori FROM produk WHERE
id_kategori='$id' ORDER BY nm_produk";

            if(!empty($katsearch) AND
!empty($keyword)){
                if($katsearch == 'nm_produk'){
                    $sql .= " AND nm_produk LIKE
 '%$keyword%' ";
                }elseif($katsearch == 'ket'){
                    $sql .= " AND ket LIKE
 '%$keyword%' ";
                }
            }

            $page->items_total
= mysql_num_rows(mysql_query($sql));
            $page->paginate();

            $sql .= " $page-
>limit";

            $query = mysql_query($sql);

            $prevPage =
(int)$_GET['page']-1;
            $i =
$prevPage*(int)$_GET['ipp']+1;

            while(list($id,$produk,$foto,$harga,$
disc,$stock)=mysql_fetch_row($query)):
                ?>
                <li>
                    <h4><?php echo
$produk; ?></h4>
                    
                    Harga Normal : <p
style="text-decoration:line-
through;display:inline;">Rp. <?php echo
number_format($harga,2,"",".");?></p><p>Ha

```

```

rga Member : Rp. <?php echo
number_format($disc,2,".",");?></p>
        <p>Available stock
: <?php echo $stock; ?>
                <abbr
title="Beli Produk ini"><a
href="main.php?p=form-beli&id=<?php echo
$id; ?>" class="btn btn-primary btn-sm"><span
class="glyphicon glyphicon-shopping-
cart"></span></a></abbr>&nbsp;<abbr
title="View Produk"><a href="view-
produk.php?id=<?php echo $id; ?>" class="btn
btn-primary btn-sm modal-btn"><span
class="glyphicon glyphicon-
th"></span></a></abbr>
                </li>
                <?php
endwhile;
?>
        </ul>
</div>
<div id="pagination">
        <ul
class="pagination">
        <?php echo $page-
>display_pages();?>
        </ul>
</div>
<div class="modal fade" id="myModal">
<div class="modal-dialog">
<div class="modal-content">
<div class="modal-header">
<button type="button" class="close" data-
dismiss="modal"><span aria-
hidden="true">&times;</span><span
class="sr-only">Close</span></button>
<h4 class="modal-title">Produk
Detail</h4>
</div>
<div class="modal-body">
<p>One fine body&hellip;</p>
</div>
</div><!-- /.modal-content -->
</div><!-- /.modal-dialog -->
</div><!-- /.modal -->
view-produk.php

```

```

<?php
require "database.php";

$id= (int)$_GET['id'];
$sql="SELECT
a.nm_produk,a.foto,a.warna,a.stock,a.harga,a.h
rg_disc,a.ket,b.kategori FROM produk a,
kategori b WHERE id_produk='$id' AND
a.id_kategori=b.id_kategori";
$query=mysql_query($sql);

list($produk,$foto,$wrn,$stock,$hrng,$hrng_disc,
$sket,$kat)=mysql_fetch_row($query);

echo mysql_error();
?>

<table class="table table-condensed table-
bordered table-striped">
        <tr>
                <td colspan="2"></td>
                </tr>
                <tr>
                <th>Nama Produk</th>
                <td><?php echo $produk;
?></td>
                </tr>
                <tr>
                <th>Kategori</th>
                <td><?php echo $kat;
?></td>
                </tr>
                <tr>
                <th>Warna</th>
                <td><?php echo $wrn;
?></td>
                </tr>
                <tr>
                <th>Available Stock</th>
                <td><?php echo $stock;
?></td>
                </tr>
                <tr>
                <th>Harga Normal</th>
                <td>Rp. <?php echo
number_format($hrng,"2",".",");?></td>

```

```

        </tr>
        <tr>
            <th>Harga Member</th>
            <td>Rp. <?php echo
number_format($hrg_disc,"2",",",".");?></td>
        </tr>
        <tr>
            <th>Keterangan</th>
            <td><?php echo $sket;
?></td>
        </tr>

```

```

</table>
<script type="text/javascript">
    function readURL(input){
        if(input.files &&
input.files[0]){
            var reader = new
FileReader();

            reader.onload=function (e){

                $('#upload1').attr('src', e.target.result);
            }

            reader.readAsDataURL(input.files[0])
        }
    }
</script>

```

form-beli.php
<?php

```

require "database.php";

$id=(int)$_GET['id'];
//echo $_SESSION['id_user'];
if($id<=0){
    echo "<script>alert('invalid
id');history.go(-1);</script>";
}
$sql = "SELECT
nm_produk,stock,warna,harga,hrg_disc FROM
produk WHERE id_produk='$id'";
$query=mysql_query($sql);
if($query){
    if(mysql_num_rows($query)>0){

```

```

list($produk,$stock,$wrn,$harga,$hrg
_disc)=mysql_fetch_row($query);
if($stock<=0){
    die('<h1>Stock
barang habis</h1>');
}
?>
<script type="text/javascript">
    $(function(){
        $('#qty-
txt').change(function(){
            var jumlah =
parseInt($('#qty-txt').val());
            var harga =
$('#harga').val();
            harga =
harga.replace(".", "");
            harga =
harga.replace(".", "");
            var total =
jumlah*parseInt(harga);
            $('#total-
txt').val(total);
        });
    });
</script>

```

```

<div class="col-md-10">
    <form class="form-
horizontal" method="post" action="form-beli-
proses.php">

```

```

        <legend><?php echo
$produk;?></legend>
        <input
type="hidden" name="id" value="<?php echo
$id;?>">
        <div
class="form-group">
            <label
class="col-sm-3 control-label">Warna</label>
            <div
class="col-sm-6">
                <input
type="text" class="form-control"
readonly="readonly" value="<?php echo $wrn;
?>">

```

```

</div>
</div>
<p
style="font-size:10px;color:red;margin-
left:200px;">*jika tidak ada pilihan warna
harap isi dengan tanda '-</p>
<div
class="form-group">
<label
class="col-sm-3 control-label">Pilih
Warna</label>
<div
class="col-sm-3">
<input
type="text" class="form-control"
name="warna" id="warna" value="-">
</div>
</div>
<div
class="form-group">
<label class="control-label col-sm-
3">Harga Normal</label>
<div class="col-sm-3">
<input
type="text" name="satuan" value="<?php echo
number_format($harga,"2",",",".");?>"
readonly="readonly" class="form-control">
</div>
</div>
<div
class="form-group">
<label class="control-label col-sm-
3">Harga Diskon</label>
<div class="col-sm-3">
<input
type="text" name="satuandisc" id="harga"
value="<?php echo
number_format($hrg_disc,"2",",",".");?>"
class="form-control" readonly="readonly">
</div>
</div>
<div
class="form-group">
<input
type="text" class="form-control"
name="stock" id="stock" readonly="readonly"
value="<?php echo $stock; ?>"
</div>
</div>
<div
class="form-group">
<label
class="col-sm-3 control-label">Jumlah
Beli</label>
<div
class="col-sm-3">
<input
type="text" class="form-control" name="qty"
id="qty-txt" value="1">
</div>
</div>
<div
class="form-group">
<label
class="col-sm-3 control-label">Total</label>
<div
class="col-sm-3">
<input
type="text" class="form-control"
name="hrg_disc" id="total-txt"
readonly="readonly" value="<?php echo
number_format($hrg_disc,"2",",","."); ?>"
</div>
</div>
<div
class="form-group" style="margin-
left:180px;">
<input
type="submit" value="Beli" class="btn btn-
primary">
<a
href="main.php?p=listproduk-all"><input
type="button" value="Batal" class="btn btn-
danger"><a>
</div>
</form>
class="form-group">

```

```

        </div>
        <?php
    }else{
        die('<h1>Produk tidak
ditemukan</h1>');
    }
}else{
    die('<h1>Query Gagal</h1>');
}

```

form-beli-proses.php

```

<?php
require "database.php";
require "cek-member.php";

$Sid=(int)$_POST['id'];
$qty=(int)$_POST['qty'];
$wrn=$_POST['warna'];
$Sid_user= $_SESSION['id_user'];

if($Sid<=0 or $qty<=0){
    echo "<script>alert('Invalid
ID');history.go(-1);</script>";
    exit();
}

$querycek=mysql_query("SELECT id_produk
FROM cart WHERE id_produk='$Sid' AND
id_user='$Sid_user'");
if(mysql_num_rows($querycek)>0):
echo "<script>alert('Maaf, Anda sudah
membeli item ini sebelumnya, cek di keranjang
belanja');location.href='main.php?p=cart';</scri
pt>";
exit();
endif;

$sql="SELECT hrg_disc,stock FROM produk
WHERE id_produk='$Sid'";
$query=mysql_query($sql);
list($hrg_disc,$stock) =
mysql_fetch_row($query);

if($stock<$qty):
    echo "<script>alert('Maaf, Stock tidak
mencukupi, harap masukkan jumlah yang lebih
kecil'); history.go(-1);</script>";
    exit();
endif;

```

```

$total = $hrg_disc*$qty;

$query=mysql_query("INSERT INTO cart
SET id_user='$Sid_user',
id_produk='$Sid',hrg_disc='$hrg_disc',qty='$qty'
,warna='$wrn',total='$total'");
if($query):
    echo "<script>alert('Pembelian
Berhasil');location.href='main.php?p=cart';</sc
ript>";
    exit();
else:
    //echo mysql_error();
    //exit();
    echo "<script>alert('Pembelian gagal, harap
hubungi admin');history.go(-1);</script>";
    exit();
endif;

```

```

?>

```

cart.php

```

<?php
require 'database.php';
?>

<h3>Shopping Cart &raquo; Member
<?php echo $_SESSION['nama']; ?></h3>
<hr>
<table class="table table-bordered
table-striped">
<tr>
<th>Produk</th>
<th>Warna</th>
<th>Harga</th>
<th>Jumlah</th>
<th>Total</th>
<th>Action</th>
</tr>
<?php
    $sql="SELECT
a.id_produk,a.warna,a.hrg_disc,a.qty,a.total,b.n
m_produk FROM cart a, produk b WHERE
a.id_user='$_SESSION[id_user]' AND
b.id_produk=a.id_produk";
    $query=mysql_query($sql);

```

```

        while(list($id,$wrn,$disc,$qty,$total,$
        produk)=mysql_fetch_row($query)):
            ?>
            <tr>
                <td><?php echo
                $produk; ?></td>
                <td><?php echo
                $wrn; ?></td>
                <td><?php echo
                number_format($disc,"0",",",".");?></td>
                <td><?php echo
                $qty;?></td>
                <td><?php echo
                number_format($total,"0",",",".");?></td>
                <td>
                    <div
                    class="btn-group">
                        <a
                        href="main.php?p=cart-edit&id=<?php echo
                        $id;?>" class="btn btn-default btn-
                        xs">Edit</a>
                        <a
                        href="cart-delete.php?id=<?php echo $id;?>"
                        class="btn btn-default btn-xs" onclick="return
                        confirm('Apakah anda yakin ingin menghapus
                        data ini?');">Hapus</a>
                    </div>
                </td>
            </tr>
        <?php

        $grand_tot=$grand_tot+$total;

        endwhile;
        ?>
        <tr>
            <td
            colspan="4">Total Bayar</td>
            <td><?php echo
            number_format($grand_tot,"0",",",".");
            ?></td>
            <td></td>
        </tr>
    </table>
    <div class="well">
        <a
        href="main.php?p=listproduk-all" class="btn
        btn-primary"><span class="glyphicon
        glyphicon-shopping-cart"></span> Belanja
        Lagi</a>
        <a href="checkout.php"
        class="btn btn-primary pull-right"
        onclick="return confirm('Apakah anda yakin
        ingin checkout?')"><span class="glyphicon
        glyphicon-off"></span> Checkout</a>
    </div>
    <b>cart-edit.php</b>
    <?php
    require "database.php";
    require "cek-member.php";

    $id=(int)$_GET['id'];

    if($id<=0){
        echo "<script>alert('Invalid
        ID');history.go(-1);</script>";
        exit();
    }

    $sql="SELECT
    nm_produk,stock,warna,harga,hrg_disc FROM
    produk WHERE id_produk='$id' ";
    $query=mysql_query($sql) or die('<h1>Data
    tidak ditemukan</h1>');
    list($produk,$stock,$warna,$harga,$hrng_disc)=
    mysql_fetch_row($query);

    $querycart=mysql_query("SELECT
    qty,total,warna FROM cart WHERE
    id_user='$_SESSION[id_user]' AND
    id_produk='$id'");
    list($qty,$total,$wrn)=mysql_fetch_row($quer
    ycart);
    ?>
    <script type="text/javascript">
        $(function(){
            $('#qty-
            txt').change(function(){
                var jumlah =
                parseInt($('#qty-txt').val());
                var harga =
                $('#harga').val();

```

```

        harga.replace(".", "");
        harga.replace(".", "");
        jumlah*parseInt(harga);
        $('#total-
txt').val(total);
    });
</script>

<div class="col-md-10">
    <form class="form-horizontal"
method="post" action="cart-edit-proses.php">
        <legend><?php echo
$produk;?></legend>
        <input type="hidden"
name="id" value="<?php echo $id; ?>">
        <div
class="form-group">
            <label
class="col-sm-3 control-label">Warna</label>
            <div
class="col-sm-6">
                <input
type="text" class="form-control"
readonly="readonly" value="<?php echo
$warna; ?>">
            </div>
        </div>
        <div>
            <p
style="font-size:10px;color:red;margin-
left:200px;">*jika tidak ada pilihan warna
harap isi dengan tanda '-</p>
        <div
class="form-group">
            <label
class="col-sm-3 control-label">Pilih
Warna</label>
            <div
class="col-sm-3">
                <input
type="text" class="form-control"
name="warna" id="warna" value="<?php echo
$wrn;?>">
            </div>
        </div>
    </div>
    <div class="form-group">
        <label
class="control-label col-sm-3">Harga
Normal</label>
        <div class="col-sm-
3">
            <input
type="text" class="form-control"
name="satunya" value="<?php echo
number_format($harga,"2",",",".");?>"
readonly="readonly">
        </div>
    </div>
    <div class="form-group">
        <label
class="control-label col-sm-3">Harga
Diskon</label>
        <div class="col-sm-
3">
            <input
type="text" class="form-control"
name="satuandisc" id="harga" value="<?php
echo number_format($hrg_disc,"2",",",".");?>"
readonly="readonly">
        </div>
    </div>
    <div class="form-group">
        <label
class="control-label col-sm-3">Available
Stock</label>
        <div class="col-sm-
3">
            <input
type="text" class="form-control"
name="stock" value="<?php echo $stock;?>"
readonly="readonly">
        </div>
    </div>
    <div class="form-group">
        <label
class="control-label col-sm-3">Jumlah
beli</label>
        <div class="col-sm-
3">
            <input
type="text" class="form-control" name="qty"
id="qty-txt" value="<?php echo $qty;?>">
        </div>
    </div>

```

```

        </div>
        <div class="form-group">
            <label
class="control-label col-sm-3">Total</label>
            <div class="col-sm-
3">
                <input
type="text" class="form-control"
name="hrg_disc" id="total-txt" value="<?php
echo number_format($total,"2",",",".")?>"
readonly="readonly">
            </div>
        </div>
        <div class="form-group"
style="margin-left:180px;">
            <input
type="submit" value="Update" class="btn btn-
primary">
            <a
href="main.php?p=cart"><input type="button"
value="Batal" class="btn btn-danger"><a>
            </div>
        </form>
    </div>

```

cart-edit-proses.php

```

<?php
require "database.php";
require "cek-member.php";

$id=(int)$_POST['id'];
$wrn=$_POST['warna'];
$qty=(int)$_POST['qty'];
$id_user=$_SESSION['id_user'];

if($id<=0 or $qty<=0){
    echo "<script>alert('Invalid
ID');history.go(-1);</script>";
    exit();
}

$sql="SELECT hrg_disc,stock,warna FROM
produk WHERE id_produk='$id'";
$query=mysql_query($sql) or die('<h1>Data
tidak ditemukan</h1>');
list($hrg_disc,$stock)=mysql_fetch_row($quer
y);

if($stock<$qty):

```

```

echo "<script>alert('Maaf, Stock tidak
mencukupi, masukkan jumlah yang lebih
kecil');</script>";
exit();
endif;

$total = $hrg_disc*$qty;

$query = mysql_query("UPDATE cart SET
qty='$qty',total='$total',warna='$wrn' WHERE
id_user='$id_user' AND id_produk='$id'");
if($query){
    echo "<script>alert('Update
Pembelian
Berhasil');location.href='main.php?p=cart'</scr
ipt>";
    exit();
}else{
    echo "<script>alert('Update
Pembelian gagal, harap hubungi
admin');history.go(-1);</script>";
    exit();
}
?>

```

cart-delete.php

```

<?php
require "database.php";
require "cek-member.php";

$id=(int)$_GET['id'];
$id_user=$_SESSION['id_user'];

if($id<=0 or empty($id_user)){
    echo "<script>alert('Invalid
ID');history.go(-1);</script>";
    exit();
}

$query=mysql_query("DELETE FROM cart
WHERE id_produk='$id' AND
id_user='$id_user'");
if($query):
    echo "<script>alert('Data berhasil
dihapus');location.href='main.php?p=cart'</scri
pt>";
    exit();
else:

```



```

echo "<script>alert('Data gagal
dihapus');history.go(-1);</script>";
exit();
endif;
?>
faktur-detail.pdf
<?php
require "database.php";

require "fpdf/fpdf.php";
$id = (int)$_GET['id'];

//ambil data transaksi
$sql = "SELECT DISTINCT
a.qty,a.hrg_disc,a.total,a.warna,b.nm_produk,b.
harga,b.ket,c.tgl_trans,a.id_trans,d.kategori
FROM trans_detail a, produk b,
transaksi c, kategori d WHERE a.id_trans='$id'
AND
a.id_produk=b.id_produk AND
a.id_trans=c.id_trans AND
b.id_kategori=d.id_kategori";
$query = mysql_query($sql);

$i = 0;
$grand_total = 0;
while(list($qty,$hrng_disc,$total,$wrn,$nama,$h
rg,$ket,$tgl,$idtrans,$kat) =
mysql_fetch_row($query)):
    $data[$i]['qty'] = $qty;
    $data[$i]['hrng_disc'] = $hrng_disc;
    $data[$i]['nm_produk'] = $nama;
    $data[$i]['tgl_trans'] = $tgl;
    $data[$i]['warna'] = $wrn;
    $data[$i]['harga'] = $hrng;
    $data[$i]['ket'] = $ket;
    $data[$i]['kategori'] = $kat;
    $data[$i]['id_trans'] = $idtrans;
    $data[$i]['total'] = $total;
    $grand_total = $grand_total+$total;

    $i++;
endwhile;
$pdf = new FPDF('L','mm','A4');
$pdf->AddPage();
$pdf->Ln(10);
$pdf->setFont('Arial','B','16');
$pdf->Image('logo.png',20,15,-140);

$pdf->cell(0,0,'PT. CAHAYA PUTRI
SELATAN PALEMBANG',0,0,'C');
$pdf->Ln(10);
$pdf->setFont('Arial','',14);
$pdf->cell(0,0,'Authorized Distributor of
Tupperware Products',0,0,'C');
$pdf->Ln(10);
$pdf->setFont('Arial','',12);
$pdf->cell(0,0,'JL. R. Sukanto No. 2365
Palembang Telp/Fax (0711) 314603-
316716',0,0,'C');
$pdf->Ln(7);
$pdf->setFont('Arial','',12);
$pdf->cell(0,0,'Website : www.tupperware-
palembang.com email :
csplg@indo.net.id',0,0,'C');
$pdf->Ln(10);
$pdf->Cell(275,1,"','B',1,'L');
$pdf->Ln(0.001);
$pdf->Cell(275,1,"','B',0,'L');
$pdf->Ln(0.001);
$pdf->Cell(275,1,"','B',0,'L');
$pdf->Ln(0.001);
$pdf->Cell(275,1,"','B',0,'L');

$pdf->Ln(10);
$pdf->setFont('Arial','B',14);
$pdf->cell(0,0,'Faktur Pemesanan Barang
Tupperware',0,0,'C');
$pdf->Ln(7);
$pdf->setFont('Arial','B',14);

$pdf->Ln(5);
$tinggi = 10;
$pdf->setFont('Arial','B',11);
$lebar = array(10,20,45,45,20,30,30,20,35);
$pdf->cell(1,0,"");
$pdf->cell($lebar[0],$tinggi,'No',1,0,'C');
$pdf->cell($lebar[1],$tinggi,'No
Faktur',1,0,'C');
$pdf->cell($lebar[2],$tinggi,'Produk',1,0,'C');
$pdf->cell($lebar[3],$tinggi,'Kategori',1,0,'C');
$pdf->cell($lebar[4],$tinggi,'Warna',1,0,'C');
$pdf->cell($lebar[5],$tinggi,'Harga
Normal',1,0,'C');
$pdf->cell($lebar[6],$tinggi,'Harga
Diskon',1,0,'C');

```

```

$pdf->cell($lebar[7],$stinggi,'Jumlah',1,0,'C');
$pdf->cell($lebar[8],$stinggi,'Total',1,0,'C');
$pdf->Ln($stinggi);
$pdf->cell(1,0,"");
$i=1;

$i=1;
foreach($data as $rekap):
    $pdf-
>cell($lebar[0],$stinggi,$i,1,0,'C');
    $pdf-
>cell($lebar[1],$stinggi,$rekap['id_trans'],1,0,'C'
);
    $pdf-
>cell($lebar[2],$stinggi,$rekap['nm_produk'],1,
0,'C');
    $pdf-
>cell($lebar[3],$stinggi,$rekap['kategori'],1,0,'C'
);
    $pdf-
>cell($lebar[4],$stinggi,$rekap['warna'],1,0,'C');
    $pdf->cell($lebar[5],$stinggi,'Rp.
.number_format($rekap['harga']),1,0,'C');
    $pdf->cell($lebar[6],$stinggi,'Rp.
.number_format($rekap['hrg_disc']),1,0,'C');
    $pdf-
>cell($lebar[7],$stinggi,$rekap['qty'],1,0,'C');
    $pdf->cell($lebar[8],$stinggi,'Rp.
.number_format($rekap['total']),1,0,'C');
    $i++;
    $pdf->Ln($stinggi);
    $pdf->cell(1,0,"");
endforeach;

$pdf->cell($lebar[0],$stinggi,"",1,0,'C');
$pdf->cell($lebar[1],$stinggi,"",1,0,'C');
$pdf->cell($lebar[2],$stinggi,'Jumlah
Total',1,0,'C');
$pdf->cell($lebar[3],$stinggi,"",1,0,'C');
$pdf->cell($lebar[4],$stinggi,"",1,0,'C');
$pdf->cell($lebar[5],$stinggi,"",1,0,'C');
$pdf->cell($lebar[6],$stinggi,"",1,0,'C');
$pdf->cell($lebar[7],$stinggi,"",1,0,'C');
$pdf->cell($lebar[8],$stinggi,'Rp. '
.number_format($grand_total),1,0,'C');
$pdf->Ln($stinggi);

$pdf->Ln(5);

$stinggi = 10;
$pdf->setFont('Arial','B','11');
$lebar = array(10,30,230);
$pdf->cell(1,0,"");
$pdf->cell($lebar[0],$stinggi,'No',1,0,'C');
$pdf->cell($lebar[1],$stinggi,'Produk',1,0,'C');
$pdf->cell($lebar[2],$stinggi,'Detail
Produk',1,0,'C');

$pdf->Ln($stinggi);
$pdf->cell(1,0,"");
$i=1;

$i=1;
foreach($data as $faktur):
    $pdf-
>cell($lebar[0],$stinggi,$i,1,0,'C');
    $pdf-
>cell($lebar[1],$stinggi,$faktur['nm_produk'],1,
0,'C');
    $pdf-
>cell($lebar[2],$stinggi,$faktur['ket'],1,0,'L');
    $i++;
    $pdf->Ln($stinggi);
    $pdf->cell(1,0,"");
endforeach;

$pdf->cell(0,10,'Tanggal Transaksi
'. $rekap['tgl_trans'],20,40,'R');

$pdf->Output();
?>

checkout.php
<?php
require "database.php";
require "cek-member.php";

$id_user=$_SESSION['id_user'];

$query=mysql_query("SELECT
id_produk,qty,hrg_disc,total,warna FROM cart
WHERE id_user='$id_user'");
if(!$query):
    echo "<script>alert('Tidak bisa
mengakses data, harap hubungi
admin');history.go(-1);</script>";
exit();
else:

```

```

$grand_total = 0;
$i=0;
while(list($id_produk,$qty,$hrng_disc,$total,$w
rn)=mysql_fetch_row($query)):
    $data[$i]['id_produk'] = $id_produk;
    $data[$i]['qty'] = $qty;
    $data[$i]['hrng_disc'] = $hrng_disc;
    $data[$i]['warna'] = $wrn;
    $data[$i]['total'] = $total;
    $grand_total=$grand_total+$total;
    $i++;
endwhile;
endif;

```

```

$querytrans = mysql_query("INSERT INTO
transaksi SET id_user='$id_user',
total='$grand_total',
tgl_trans=now(),status='no'");
$idTrans=mysql_insert_id(); //mengambil id
dari query terakhir

```

```

foreach($data as $data):
    $queryDetail =
mysql_query("INSERT INTO trans_detail SET
id_trans='$idTrans',id_produk='$data[id_produ
k]',qty='$data[qty]',hrng_disc='$data[hrng_disc]',t
otal='$data[total]',warna='$data[warna]'");
if(!$queryDetail):
    mysql_query("DELETE FROM
transaksi WHERE id_trans='$idTrans'");
echo "<script>alert('Pembelian
gagal');history.go(-1);</script>";
exit();
endif;
endforeach;

```

```

$querydrop=mysql_query("DELETE FROM
cart WHERE id_user='$id_user'");
if($querydrop):
echo "<script>location.href='faktur-detail-
pdf.php?id=$idTrans';</script>";
exit();
else:
    echo "<script>alert('Pembelian
Gagal');history.go(-1);</script>";
exit();
endif;

```

```

?>
transaksi.php
<?php
require "database.php";
$id_user=$_SESSION['id_user'];
?>
<h3>Transaksi &raquo; <?php echo
$_SESSION['nama']; ?></h3>
    <div class="well">
        <table class="table table-
bordered table-striped">
            <tr>
                <th>No.
Faktur</th>
                <th>Tanggal Transaksi</th>
                <th>Total</th>
                <th>Status
Bayar</th>
                <th>Status
Pengiriman</th>
                <th>Action</th>
            </tr>
            <?php
$query =
mysql_query("SELECT
id_trans,tgl_trans,total,status,status_kirim
FROM transaksi WHERE id_user='$id_user'");
            while(list($id,$tgl,$total,$status,$kiri
m)=mysql_fetch_row($query)): ?>
                <tr>
                    <td>#<?php echo $id; ?></td>
                    <td><?php
echo $tgl;?></td>
                    <td>Rp.
<?php echo
number_format($total,"0","",".");?></td>
                    <td><?php
echo ($status=='ok') ? 'PAID' :
'UNPAID';?></td>

```

| | |
|---|---|
| <pre> <td><?php echo (\$ kirim=='ok') ? 'DELIVER' : 'DELAY';?></td> </pre> | <pre> list(\$id,\$total)=mysql_fetch_row(\$query); ?> </pre> |
| <pre> <td> <div class="btn-group"> <?php if(\$status=='no'): echo 'Pay'; else: echo "; endif; echo 'View Faktur'; ?> </div> </td> </tr> <?php endwhile; ?> </table> </div> </pre> | <pre> <div class="well"> <form class="form-horizontal" action="pembayaran-proses.php" method="post"> <legend>Pembayaran</legend> <div class="form-group"> <label class="control-label col-sm-3">No. Faktur</label> <div class="col-sm- 3"> <input type="text" class="form-control" name="id_trans" value="<?php echo \$id;?>" readonly="readonly"> </div> </div> <div class="form-group"> <label class="control-label col-sm-3">Total</label> <div class="col-sm- 3"> <input type="text" class="form-control" name="total" value="<?php echo \$total;?>" readonly="readonly"> </div> </div> <div class="form-group"> <label class="control-label col-sm-3">Tanggal Bayar</label> <div class="col-sm- 3"> <input type="text" class="form-control" name="tgl" id="tgl" placeholder="Tanggal Bayar"> </div> </div> <div class="form-group"> <label class="control-label col-sm-3">No. Rekening Asal</label> </pre> |
| <pre> require "database.php"; \$id=(int)\$_GET['id']; if(\$id<=0){ echo "<script>alert('Invalid ID');history.go(-1);</script>"; exit(); } \$query=mysql_query("SELECT id_trans,total FROM transaksi WHERE id_trans='\$id'"); </pre> | <pre> </pre> |

```

4">
        <div class="col-sm-4">
            <input
            type="text" class="form-control"
            name="no_asal" placeholder="No. Rekening
            Asal">
        </div>
    </div>
    <div class="form-group">
        <label
        class="control-label col-sm-3">Pemilik Rek.
        Asal</label>
        <div class="col-sm-4">
            <input
            type="text" class="form-control"
            name="nama_asal" placeholder="Nama
            Pemilik Rekening">
        </div>
        <div class="form-group">
            <label class="col-sm-3 control-label">No. Rekening
            Tujuan</label>
            <div class="col-sm-4">
                <select
                name="no_tuju" class="form-control">
                    <option
                    value="">No. Rekening Tujuan</option>
                    <option
                    value="Mandiri - 1030005072844">Mandiri -
                    1030005072844</option>
                    <option
                    value="BNI - 0206523675">BNI -
                    0206523675</option>
                    <option
                    value="BCA - 8940188866">BCA -
                    8940188866</option>
                </select>
            </div>
        <div class="form-group">
            <div class="col-sm-offset-3 col-sm-8">
                <button type="submit" class="btn btn-
                default btn-primary ">Bayar</button>

```

```

        <a href="main.php?p=transaksi"><button
        type="button" class="btn btn-danger btn-
        default">Cancel</button></a>
    </div>
</div>
</form>
</div>

```

pembayaran-proses.php

```

<?php
require "database.php";
require "cek-member.php";

$id_user=$_SESSION['id_user'];
$id_trans=strip_tags(mysql_real_escape_string
($_POST['id_trans']));
$tgl=strip_tags(mysql_real_escape_string($_P
OST['tgl']));
$rek_asal=strip_tags(mysql_real_escape_string
($_POST['no_asal']));
$nama_asal=strip_tags(mysql_real_escape_stri
ng($_POST['nama_asal']));
$rek_tuju=strip_tags(mysql_real_escape_string
($_POST['no_tuju']));

if(empty($id_trans) or empty($tgl) or
empty($rek_asal) or empty($nama_asal) or
empty($rek_tuju)){
    echo "<script>alert('Harap isi semua
    data');history.go(-1);</script>";
    exit();
}

$tgl_byr=DateTime::createFromFormat('d/m/Y
', $tgl)->format('Y-m-d');

$queryCek=mysql_query("SELECT id_byr
FROM pembayaran WHERE
id_trans='$id_trans'");
if(mysql_num_rows($queryCek)>0):
echo "<script>alert('Pembayaran untuk Faktur
#$id_trans sudah pernah dilakukan
sebelumnya');history.go(-1);</script>";
exit();
endif;

$queryCek2=mysql_query("SELECT id_trans
FROM transaksi WHERE id_user='$id_user'
AND id_trans='$id_trans'");

```

```

if(mysql_num_rows($queryCek2)>1):
    echo "<script>alert('Faktur dengan
    nomor #\$id_trans tidak ada dalam daftar
    belanja anda');history.go(-1);</script>";
exit();
endif;

$query=mysql_query("INSERT INTO
pembayaran SET
id_user='$id_user',id_trans='$id_trans',tgl_byr
='$tgl_byr',no_rek_asal='$rek_asal',nm_pemili
k='$nama_asal',no_rek_tuju='$rek_tuju");
$query=mysql_query("UPDATE users SET
date_updated='$tgl_byr' WHERE
id_user='$id_user'");
if($query){
    echo "<script>alert('Konfirmasi
    Pembayaran berhasil dilakukan, admin akan
    mengkonfirmasi pembayaran anda, Barang
    akan segera
    dikirim');location.href='main.php?p=transaksi'<
    /script>";
    exit();
}else{
    echo mysql_error();
    exit();
    echo "<script>alert('Pembayaran
    gagal dilakukan, harap hubungi
    admin');history.go(-1);</script>";
    exit();
}
?>
laporan.php
<?php
require "database.php";

date_default_timezone_set("Asia/Jakarta");
?>

<h3>Laporan</h3>
<hr>

<link rel="stylesheet" href="css/style1.css">
<link rel="stylesheet"
href="css/calendar/tcal.css">
<script type="text/javascript"
src="css/calendar/tcal.js"></script>

```

```

<form class="form-inline" method="POST">
<table width="1000" border="0" class="table-
list" style="margin-left:60px;">
<tr>
</tr>
<tr>
<td width="90"><strong>Periode
</strong></td>
<td width="5"><strong>:</strong></td>
<td width="391"><input
name="cmbTglAwal" type="text" class="tcal"
value="" />
s/d
<input name="cmbTglAkhir" type="text"
class="tcal" value="" /></td>
<td><button name="btnTampil"
type="submit" class="btn btn-primary"/><span
class="glyphicon glyphicon-tasks"></span>
Tampilkan</button></td>
</tr>
</table>
</form>
<?php
$filterPeriode = "";
$TglAwal = $_POST['cmbTglAwal'];
$TglAkhir = $_POST['cmbTglAkhir'];
if (isset($_POST['btnTampil'])) {
echo $TglAw;

$query=mysql_query("SELECT
a.id_trans,b.kode,c.tgl_trans,a.tgl_byr,c.total,a.
no_rek_asal,a.nm_pemilik,a.no_rek_tuju,c.stat
us FROM pembayaran a, users b, transaksi c
WHERE a.id_user=b.id_user AND
a.id_trans=c.id_trans AND c.tgl_trans
BETWEEN '$TglAwal' AND '$TglAkhir'");
?>

<table class="table table-bordered
table-striped">
<tr>
<th><input
type="checkbox" id="selectAll"></th>
<th>No.
Faktur</th>
<th>Kode
Member</th>

```

```

        <th>Tanggal
Transaksi</th>                                </tr>
        <th>Tanggal                                <?php
Bayar</th>                                    endwhile;
        <th>Total                                    ?>
Bayar</th>                                    </table>
        <th>No. Rekening                            <form class="form-inline" action="laporan-
Asal</th>                                       pdf.php" method="POST">
        <th>Pemilik Rek.                            <input type="hidden" name="tglawal"
Asal</th>                                       value="<?php echo $tglAwal; ?>">
        <th>No. Rekening                            <input type="hidden" name="tglakhir"
Tujuan</th>                                       value="<?php echo $tglAakhir; ?>">
        <th>Status</th>                            <button class="btn btn-primary"
        <th>Action</th>                            target="_blank">Print Pembayaran</button>
        </tr>                                       </form>
        <?php                                       <br>
        while(list($id,$kode,$tgl_trans,$tgl_b    <form class="form-inline" action="faktur-
yr,$total,$no_asal,$nm_pemilik,$no_tuju,$stat  laporan-pdf.php" method="POST">
us)=mysql_fetch_row($query)):                <input type="hidden" name="tglawal"
        ?>                                       value="<?php echo $tglAwal; ?>">
        <tr>                                       <input type="hidden" name="tglakhir"
            <td><input                               value="<?php echo $tglAakhir; ?>">
            type="checkbox" name="delete[]"           <button class="btn btn-primary"
            value="<?php echo $id; ?>"></td>        target="_blank">Print Pemesanan</button>
            <td><?php echo                            </form>
            $id;?></td>                                }?>
            <td><?php echo                            <script type="text/javascript">
            $kode; ?></td>                                $(function(){
            <td><?php echo                            $('#selectAll').click(function(e){
            $tgl_trans; ?></td>                                var table=
            <td><?php echo                            $(e.target).closest('table');
            $tgl_byr;?></td>                                $('td
            <td><?php echo                            input:checkbox',table).prop('checked',this.chec
            $total; ?></td>                                ked);
            <td><?php echo                                });
            $no_asal; ?></td>                                });
            <td><?php echo
            $nm_pemilik; ?></td>                                </script>
            <td><?php echo                                laporan-pdf.php
            $no_tuju; ?></td>                                <?php
            <td><?php echo                                require "database.php";
            $status; ?></td>                                require "fpdf/fpdf.php";
            <td><?php echo                                // $id = (int)$_GET['id'];
            ($status=='no') ? <a                               $tglawal= $_POST['tglawal'];
            href="konfirmasi.php?id='.$id.'" class="btn btn-
            primary btn-xs">Konfirmasi</a> : ";?></td>

```

```

$stglakhir= $_POST['tglakhir'];

//ambil data transaksi
//$query=mysql_query("SELECT
a.id_trans,b.kode,b.nama,c.tgl_trans,a.tgl_byr,c
.total FROM pembayaran a, users b, transaksi c
WHERE a.id_user=b.id_user AND
a.id_trans=c.id_trans AND c.tgl_trans
BETWEEN '$stglawal' AND '$stglakhir'");

$sql="SELECT
a.id_trans,a.total,b.kode,b.nama FROM
transaksi a, users b WHERE tgl_trans
BETWEEN '$stglawal' AND '$stglakhir'";
$sql .= " AND a.id_user=b.id_user";
$query=mysql_query($sql);
//echo $query;
//exit();
$i = 0;
$grand_total = 0;

while(list($id_trans,$total,$kode,$nama) =
mysql_fetch_row($query)):
    $data[$i]['id_trans'] = $id_trans;
    $data[$i]['kode'] = $kode;
    $data[$i]['nama'] = $nama;
    $data[$i]['total'] = $total;
    $grand_total = $grand_total+$total;

    $i++;
endwhile;
$pdf = new FPDF('L','mm','A4');
$pdf->AddPage();
$pdf->Ln(10);
$pdf->setFont('Arial','B','16');
$pdf->cell(0,0,'PT. CAHAYA PUTRI
SELATAN PALEMBANG',0,0,'C');
$pdf->Ln(10);
$pdf->setFont('Arial','',14);
$pdf->cell(0,0,'Authorized Distributor of
Tupperware Products',0,0,'C');
$pdf->Ln(10);
$pdf->setFont('Arial','',12);
$pdf->cell(0,0,'JL. R. Sukamto No. 2365
Palembang Telp/Fax (0711) 314603-
316716',0,0,'C');

$pdf->Ln(7);
$pdf->setFont('Arial','',12);
$pdf->cell(0,0,'Website : www.tupperware-
palembang.com email :
csp1g@indo.net.id',0,0,'C');
$pdf->Ln(10);
$pdf->Cell(275,1,"','B',1,'L');
$pdf->Ln(0.001);
$pdf->Cell(275,1,"','B',0,'L');
$pdf->Ln(0.001);
$pdf->Cell(275,1,"','B',0,'L');
$pdf->Ln(0.001);
$pdf->Cell(275,1,"','B',0,'L');
$pdf->Ln(0.001);
$pdf->Cell(275,1,"','B',0,'L');

$pdf->Ln(20);
$pdf->setFont('Arial','B','14');
$pdf->cell(0,0,'Laporan Penjualan Tupperware
pada PT. Cahaya Putri Selatan Palembang
Periode '.date('Y'),0,0,'C');
$pdf->Ln(7);
$pdf->setFont('Arial','B','14');
$pdf->cell(0,0,'Dari '$stglawal.' sampai
'$stglakhir',0,0,'C');

$pdf->Ln(10);
$tinggi = 10;
$pdf->setFont('Arial','B','12');
$lebar = array(10,45,65,65,65);
$pdf->cell(10,0,"");
$pdf->cell($lebar[0],$tinggi,'No',1,0,'C');
$pdf->cell($lebar[1],$tinggi,'No
Faktur',1,0,'C');
$pdf->cell($lebar[2],$tinggi,'Kode
Member',1,0,'C');
$pdf->cell($lebar[3],$tinggi,'Nama
Pemesan',1,0,'C');
$pdf->cell($lebar[4],$tinggi,'Total
Belanja',1,0,'C');
$pdf->Ln($tinggi);
$pdf->cell(10,0,"");
$i=1;

$i=1;
foreach($data as $rekap):
    $pdf-
>cell($lebar[0],$tinggi,$i,1,0,'C');

```



```

    $pdf-
>cell($lebar[1],$stinggi,$rekap['id_trans'],1,0,'C'
);
    $pdf-
>cell($lebar[2],$stinggi,$rekap['kode'],1,0,'C');
    $pdf-
>cell($lebar[3],$stinggi,$rekap['nama'],1,0,'C');
    $pdf->cell($lebar[4],$stinggi,'Rp.
.number_format($rekap['total']),1,0,'C');
    $i++;
    $pdf->Ln($stinggi);
    $pdf->cell(10,0,"");
endforeach;

```

```

$pdf->cell($lebar[0],$stinggi,"",1,0,'C');
$pdf->cell($lebar[1],$stinggi,'Jumlah
Total',1,0,'C');
$pdf->cell($lebar[2],$stinggi,"",1,0,'C');
$pdf->cell($lebar[3],$stinggi,"",1,0,'C');
$pdf->cell($lebar[4],$stinggi,'Rp. '
.number_format($grand_total),1,0,'C');
$pdf->Ln($stinggi);

```

```

$pdf->Image('logo.png',20,15,-140);
$pdf->Output();
?>

```

faktur-laporan.pdf

```

<?php
require "database.php";

require "fpdf/fpdf.php";
$tglawal= $_POST['tglawal'];
$tglakhir= $_POST['tglakhir'];

//ambil data transaksi
$sql = "SELECT
a.qty,a.hrg_disc,a.total,a.warna,b.nm_produk,b.
harga,c.tgl_trans,a.id_trans,d.kategori
FROM trans_detail a, produk b,
transaksi c, kategori d WHERE tgl_trans
BETWEEN '$tglawal' AND '$tglakhir'";
$sql .= " AND
a.id_produk=b.id_produk AND
a.id_trans=c.id_trans AND
b.id_kategori=d.id_kategori";
$query = mysql_query($sql);

```

```

$i = 0;

```

```

$grand_total = 0;
while(list($qty,$hrng_disc,$total,$swrn,$nama,$h
rg,$tgl,$idtrans,$kat) =
mysql_fetch_row($query)):
    $data[$i]['qty'] = $qty;
    $data[$i]['hrng_disc'] = $hrng_disc;
    $data[$i]['nm_produk'] = $nama;
    $data[$i]['tgl_trans'] = $tgl;
    $data[$i]['warna'] = $swrn;
    $data[$i]['harga'] = $hrng;
    $data[$i]['kategori'] = $kat;
    $data[$i]['id_trans'] = $idtrans;
    $data[$i]['total'] = $total;
    $grand_total = $grand_total+$total;

```

```

    $i++;
endwhile;
$pdf = new FPDF('L','mm','A4');
$pdf->AddPage();
$pdf->Ln(10);
$pdf->setFont('Arial','B','16');
$pdf->Image('logo.png',20,15,-140);
$pdf->cell(0,0,'PT. CAHAYA PUTRI
SELATAN PALEMBANG',0,0,'C');
$pdf->Ln(10);
$pdf->setFont('Arial','',14);
$pdf->cell(0,0,'Authorized Distributor of
Tupperware Products',0,0,'C');
$pdf->Ln(10);
$pdf->setFont('Arial','',12);
$pdf->cell(0,0,'JL. R. Sukanto No. 2365
Palembang Telp/Fax (0711) 314603-
316716',0,0,'C');
$pdf->Ln(7);
$pdf->setFont('Arial','',12);
$pdf->cell(0,0,'Website : www.tupperware-
palembang.com email :
csplg@indo.net.id',0,0,'C');
$pdf->Ln(10);
$pdf->Cell(275,1,"","B",1,'L');
$pdf->Ln(0.001);
$pdf->Cell(275,1,"","B",0,'L');
$pdf->Ln(0.001);
$pdf->Cell(275,1,"","B",0,'L');
$pdf->Ln(0.001);
$pdf->Cell(275,1,"","B",0,'L');

```

```

$pdf->setFont('Arial','B','14');
$pdf->cell(0,0,'Laporan Pemesanan Barang
Tupperware',0,0,'C');
$pdf->Ln(7);
$pdf->setFont('Arial','B','14');
$pdf->cell(0,0,'Dari '. $stglawal.' sampai
'. $stglakhir,0,0,'C');

$pdf->Ln(10);
$stinggi = 10;
$pdf->setFont('Arial','B','11');
$lebar = array(8,20,45,45,20,30,30,20,35);
$pdf->cell(1,0,"");
$pdf->cell($lebar[0],$stinggi,'No',1,0,'C');
$pdf->cell($lebar[1],$stinggi,'No
Faktur',1,0,'C');
$pdf->cell($lebar[2],$stinggi,'Produk',1,0,'C');
$pdf->cell($lebar[3],$stinggi,'Kategori',1,0,'C');
$pdf->cell($lebar[4],$stinggi,'Warna',1,0,'C');
$pdf->cell($lebar[5],$stinggi,'Harga
Normal',1,0,'C');
$pdf->cell($lebar[6],$stinggi,'Harga
Diskon',1,0,'C');
$pdf->cell($lebar[7],$stinggi,'Jumlah',1,0,'C');
$pdf->cell($lebar[8],$stinggi,'Total',1,0,'C');
$pdf->Ln($stinggi);
$pdf->cell(1,0,"");
$si=1;

$si=1;
foreach($data as $rekap):
    $pdf-
    >cell($lebar[0],$stinggi,$si,1,0,'C');
    $pdf-
    >cell($lebar[1],$stinggi,$rekap['id_trans'],1,0,'C
    ');
    $pdf-
    >cell($lebar[2],$stinggi,$rekap['nm_produk'],1,
    0,'C');
    $pdf-
    >cell($lebar[3],$stinggi,$rekap['kategori'],1,0,'C
    ');
    $pdf-
    >cell($lebar[4],$stinggi,$rekap['warna'],1,0,'C');
    $pdf->cell($lebar[5],$stinggi,'Rp.
.number_format($rekap['harga']),1,0,'C');
    $pdf->cell($lebar[6],$stinggi,'Rp.
.number_format($rekap['hrg_disc']),1,0,'C');

    $pdf-
    >cell($lebar[7],$stinggi,$rekap['qty'],1,0,'C');
    $pdf->cell($lebar[8],$stinggi,'Rp.
.number_format($rekap['total']),1,0,'C');
    $si++;
    $pdf->Ln($stinggi);
    $pdf->cell(1,0,"");
endforeach;

$pdf->cell($lebar[0],$stinggi,"",1,0,'C');
$pdf->cell($lebar[1],$stinggi,"",1,0,'C');
$pdf->cell($lebar[2],$stinggi,'Jumlah
Total',1,0,'C');
$pdf->cell($lebar[3],$stinggi,"",1,0,'C');
$pdf->cell($lebar[4],$stinggi,"",1,0,'C');
$pdf->cell($lebar[5],$stinggi,"",1,0,'C');
$pdf->cell($lebar[6],$stinggi,"",1,0,'C');
$pdf->cell($lebar[7],$stinggi,"",1,0,'C');
$pdf->cell($lebar[8],$stinggi,'Rp. '
.number_format($grand_total),1,0,'C');
$pdf->Ln($stinggi);

// $pdf->Image('logo.png',20,15,-140);
$pdf->Output();
?>
style.css
*{
    margin: 0 auto;
    padding: 0px;
}

body{
    background: url(../img/backg.png)
repeat top center;
font-color:#333;
}

#container{
    *border-radius: 20px 20px 0 0;
font-family: arial,Helvetica,sans-serif;
font-color: #333;
margin-top: 5px;
width: 1100px;
overflow: hidden;
background: rgba(255,255,255,.5);
}

.navbar{
width: 1100px;

```

```

        border-radius: 10px;
    }
    .navbar-header img{
        margin: 5px 20px 0 0;
    }
    .widget h5{
        color:#abaaaa;
        font-size: 16px;
    }

    #content{
        float: left;
        *background: rgba(255,255,255,.4);
        *background: rgba(253,198,254,.4);
        width: 880px;
        margin: 10px;
        padding: 10px;
        box-shadow: 0 2px 5px rgba(0,0,0,.3);
    }
    #sidebar2{
        *background: rgba(208,38,143,.2);
        *background: rgba(253,198,254,.4);
        margin: 10px 0;
        float: right;
        width: 200px;
        *box-shadow: 0 2px 5px
        rgba(0,0,0,.2);
    }
    #footer{
        background: rgba(208,38,143,.4);
        width: 1100px;
        margin-top: 20px;
    }

    #footer h5{
        color: #847e7e;
        text-align: center;
        padding: 7px 0;
    }
    #upload1{
        width:190px;
        height: 240px;
        position: fixed;
        margin: -110px 0 0 350px;
        box-shadow: 0 2px 2px rgba(0,0,0,.2);
        background: rgba(226,244,244,.5);
    }
}

```

```

#sidebar2 h4{
    color:#6f6c6c;
    background: rgba(208,38,143,.3);
    padding: 7px;
}
#sidebar2 img, span{
    margin-left: 5px;
}
ul.listproduk{
    overflow: hidden;
    list-style: none;
}
ul.listproduk li{
    width: 190px;
    margin :0 10px 10px 0;
    float: left;
    padding: 5px;
    border: 4px;
    border-radius: 3px;
    text-align: center;
    box-shadow: 2px 3px 5px
    rgba(0,0,0,0.2);
    font-size: 11px;
}
.scroll{
    overflow-x:auto;
    width: 100%;
}

custom.js
$(function(){
    $('.modal-btn').on('click',function(){
        var urlnyo =
        $(this).attr('href');
        $('#modal-body').html(' loading
        ...').load(urlnyo);
        $('#myModal').modal();
        return false;
    })
});

```