PROCEEDING ICECOS 2017 CONFERENCE

"Sustaining the Cultural Heritage Toward the Smart Environment for Better Future'

August 22-23, 2017

PALEMBANG













INTERNATIONAL CONFERENCE ON ELECTRICAL ENGINEERING AND COMPUTER SCIENCE (ICECOS) 2017

International Advisory Committee

Gopakumar, Indian university of Science Bangalore, (Power Electronics) IEEE fellow Haitham Abu-Rub texas A&M University, Qatar Z. Y. Dong, University of Sidney Akhtar Kalam, Victoria University, Melbourne, Australia Azha binti Mohamed, Universiti Kebangsaan Malaysia Nasrudin bin Abd Rahim, Universiti Malaya

Steering Committee

Yanuarsyah Haroen, Institut Teknologi Bandung Zainal Salam (UTM) Malaysia Satrio Dharmanto, IEEE Indonesia Section (Chair) Ford Lumban Gaol, Bina Nusantara University Zainuddin Nawawi, Universitas Sriwijaya Suwarno, Institut Teknologi Bandung Hussein Ahmad (UTHM) Malaysia

General Chair Siti Nurmaini, Universitas Sriwijaya, Indonesia

General co-Chairs

Muhammad Abu Bakar, Universitas Sriwijaya, Indonesia Rahmat Budiarto, Al-baha University, Saudi Arabia Zolkafle Buntat, Universiti Teknologi Malaysia, Malaysia Iping Supriana Institut Teknologi Bandung, Indonesia Khoirul Anwar Telkom University, Indonesia Kridanto Surendro Institut Teknologi Bandung, Indonesia

Publication Chairs

Deris Stiawan, Universitas Sriwijaya, Indonesia Firdaus, Universitas Sriwijaya, Indonesia Tole Sutikno, Universitas Ahmad Dahlan, Yogyakarta, Indonesia

> Finance Chairs & Treasurer Rizda Fitri Kurnia, Universitas Sriwijaya, Indonesia Caroline, Universitas Sriwijaya, Indonesia

Public Relation Chairs

Muhammad Irfan Jambak, Universitas Sriwijaya, Indonesia Mochammad Facta, Universitas Diponegoro, Semarang, Indonesia Teguh Bharata Aji, Universitas Gadjah Mada, Indonesia Zulfatman, Universitas Muhammadiyah Malang, Malang, Indonesia Yudistira Dwi Wardhana Asna, Institute Teknologi Bandung, Indonesia I Wayan Mustika, Universitas Gadjah Mada, Indonesia Noor Akhmad Setiawan, Universitas Gadjah Mada, Indonesia Muhammad Syafrullah, Universitas Budi Luhur, Jakarta, Indonesia Wikan Danar Sunindiyo, Institute Teknologi Bandung, Indonesia Anton Yudhana, Universitas Ahmad Dahlan, Yogyakarta, Indonesia Endra Pitowarno, Politeknik Elektronika Negeri Surabaya – PENS, Indonesia Feri Chandra Universitas Riau Indonesia

Technical Program Chairs

Reza Firsandaya Malik, Universitas Sriwijaya, Indonesia Ivor Smith Loughborough University, United Kingdom (Great Britain) Munawar A. Riyadi, Universitas Diponegoro, Semarang, Indonesia Iwan Pahendra, Universitas Sriwijaya, Indonesia Imam Much Ibnu Subroto, Universitas Islam Sultan Agung, Semarang, Indonesia

International Scientific Committee

Brian Kurkoski, School of Information Science Japan Advanced Institute of Science and Technology (JAIST), Japan Ahmad Hoirul Basori, King Abdulaziz University, Saudi Arabia Germano Lambert-Torres, Universidade Federal de Itajuba, Brazil Serhat Şeker, Istanbul Technical University, Turkey Wazir Mustafa, Universiti Teknologi Malaysia Mohammed Yahia Alzahrani, Al-baha University, Saudi Arabia Ahmed Alahmadi, Al-baha University, Saudi Arabia Gorakanage Arosha Chandima Gomes (UPM) Malaysia Montserrat Ros (Wolongong University) Australia Malik Elbuluk (The University Of Akron) USA Vernon Coray (Uppsala University) Sweden Mike Inggs, South Africa Ilhan Kocaarslan (Istanbul University) Gamal Abdel Fadeel Khalaf, Faculty of Engineering, Helwan University, Cairo, Egypt Zhong Hu, South Dakota State University, Brookings, United States Serdar Ethem Hamamci, Inonu University, Turkey Gökhan Gökmen, Marmara University, Turkey Mohd. Yazid Idris, Universiti Teknologi Malaysia Audrius Senulis, Klaipeda University, Lithuania Peng Peng, Sr. Development Engineer at Seagate Technology, United States Kamal Bechkoum, School of Science and Technology, Northampton, United Kingdom Simon Xu, Algoma University College, Canada Aydin Nusret Güçlü, METU, Ankara, Turkey Tahir M. Lazimov, Azerbaijan Technical University, Azerbaijan Eleonora Guseinoviene, Klaipeda University, Lithuania Sattar Bader Sadkhan. SMIEEE, University of Babylon, Iraq Tahir Cetin Akinci, Kirklareli University, Turkey Ahmad Salman Universiti Tenaga Nasional, Malaysia Arslan Ahmad University of Cagliari, Italy Awang Jusoh Universiti Teknologi Malaysia, Malaysia Bayu Adhi Tama Pukyong National University, South Korea Ghazali Sulong Universiti Teknologi Malaysia Gundlapalli Satheesh Malla Reddy Engineering College, India Haikal Satria Universiti Teknologi Malaysia Indra Mulvadi Technische Universität Ilmenau, Germanv Ismail Musirin Universiti Teknologi Mara, Malaysia Md Asri Ngadi Universiti Teknologi Malaysia, Malaysia Md Salam Universiti Teknologi Brunei, Brunei Darussalam

Miguel Mira da Silva Technical University of Lisbon, Portugal Mohd Riduan Ahmad Universiti Teknikal Malaysia Melaka, Malaysia Mohd Zainal Abidin Ab Kadir Universiti Putra Malaysia, Malaysia Mona Riza Mohd Esa Universiti Teknologi Malaysia, Malaysia Naebboon Hoonchareon Chulalongkorn University, Thailand Noor Azlinda Ahmad Universiti Teknologi Malaysia, Malaysia Setyawan Widyarto Universiti Selangor, Malaysia Wahyu Utomo Universiti Tun Hussein Onn Malaysia, Malaysia Wazir Mustafa Universiti Teknologi Malaysia, Malaysia Yanuar Arief Unimas, Malaysia

Local Chairs

Bhakti Yudho Suprapto, Universitas Sriwijaya, Indonesia Djulil Amri, Universitas Sriwijaya, Indonesia Irmawan, Universitas Sriwijava, Indonesia Abdul Haris Dalimunthe, Universitas Sriwijaya, Indonesia Dessy Windiasari, Universitas Sriwijaya, Indonesia Hera Hikmarika, Universitas Sriwijava, Indonesia Hermawati, Universitas Sriwijaya, Indonesia Rahmawati, Universitas Sriwijaya, Indonesia Suci Dwi Javanti, Universitas Sriwijava, Indonesia Saparudin, Universitas Sriwijaya, Indonesia Ermatita, Universitas Sriwijava, Indonesia Hadi Purnawan Satria, Universitas Sriwijaya, Indonesia Ade Silvia, Polytechnic State of Sriwijaya, Indonesia Nyanyu Latifah Husni, Polytechnic State of Sriwijaya, Indonesia Syarifah Fitria, Universitas Sriwijaya, Indonesia Sarifah Putri Raflesia, Universitas Sriwijava, Indonesia Rosi Pasarella, Universitas Sriwijava, Indonesia Ahmad Heryanto, Universitas Sriwijaya, Indonesia Rahmat Ihwan Heroza, Universitas Sriwijaya, Indonesia Alfarisi, Universitas Sriwijaya, Indonesia Pacu Putra, Universitas Sriwijaya, Indonesia Rido Zulfahmi, Universitas Sriwijaya, Indonesia Buyung Munir Bina Nusantara University, Indonesia Evizal Abdul Kadir Universitas Islam Riau, Indonesia Hamzah Eteruddin Universitas Lancang Kuning Lovinta Happy Atrinawati Institut Teknologi Kalimantan, Indonesia Lukmanul Hakim Universitas Lampung, Indonesia Mardiyono Politeknik Negeri Semarang, Indonesia Moh Khairudin Universitas Negeri Yogyakarta, Indonesia Muhammad Reza Kahar Aziz Institut Teknologi Sumatera, Indonesia Muhammad Imran Hamid Universitas Andalas, Indonesia Priza PandunataUniversitas Jember, Indonesia Satria Mandara Telkom University, Indonesia Teguh Prakoso, Universitas Diponegoro, Indonesia Pekik Dahono Institut Teknologi Bandung, Indonesia Nesdi Evrilvan Rozanda Universitas Islam Riau Indonesia Andi Adriansyah Universitas Mercubuana Indonesia A. Aulia, Universitas Andalas Indonesia Trias Andromeda Universitas Diponegoro Indonesia

2017 International Conference on Electrical Engineering and Computer Science (ICECOS)

Invited Speaker

Serious Games Discover Game Refinement Measure Hirovuki lida (Japan Advanced Institute of Science and Technology, Japan)	1
Radio Spectrum Maps for Emerging IoT and 5G Networks: Applications to Smart Buildings	I
Eryk Dutkiewicz (University of Technology Sydney, Australia), Beeshanga Abewardana Jayawickrama (University of Technology Sydney, Australia), Ying He (University of Technology	
Sydney, Australia)	7
Generation of a Homogeneous Glow Discharge Using Perforated Aluminium Electrode	
Zolkafle Buntat (Universiti Teknologi Malaysia, Malaysia)	10

Communications and Vehicular Technology

Android-based Application Using Mobile Adhoc Network for Search and Rescue Operation During Disaster Vitri Tundjungsari (Yarsi University, Indonesia), Ahmad Sabiq (YARSI University, Indonesia)	16
Approaches for Improving VoIP QoS in WMNs Mohammad Tariq Meeran (Tallinn University & Kabul University, Estonia), Paul Annus (TTU, Estonia), Yannick Le Moullec (TTU, Estonia)	22
On the Reduction of Interference Effect Using Power Control for Device-to-Device Communication Underlying Cellular Communication Network Misfa Susanto (University of Lampung & University of Lampung, Indonesia), Helmy Fitriawan (Lampung University, Indonesia), Herlinawati Herlinawati (University of Lampung, Indonesia), Andri Abadi (University of Lampung, Indonesia)	28
A Novel Three-Tier SQLi Detection and Mitigation Scheme for Cloud Environments Wahid Rajeh (Huazhong University of Science and Technology & University of Tabuk, P.R. China), Abed Alshreef (Wuhan University of Technology, P.R. China)	33
Improved Bundle Pricing Model on Wireless Internet Pricing Scheme in Serving Multiple QoS Network Based on Quasi-Linier Utility Function Fitri Maya Puspita (University of Sriwijaya, Indonesia), Maijance Oktaryna (Universitas Sriwijaya, Indonesia)	38

Electronics, Circuits, and Systems

Formation Control of Leader-Follower Robot Using Interval Type-2 Fuzzy Logic Controller Gita Fadila Fitriana (Computer Science Faculty, Universitas Sriwijaya, Indonesia), Husnawati Husnawati (Computer Science Faculty, Universitas Sriwijaya, Indonesia), Siti Nurmaini (University of Sriwijaya, Indonesia) 44

Smart Monitoring Apps for Salvaging Neolissochillus Thienemanni Sumateranus (Batak	
Richad Harianja (Del Institute of Technology, Indonesia), Pandapotan Siagian (Del Institute Of Technology, Indonesia), Nickholas Pangaribuan (Del Institute of Technology, Indonesia), Lambok Sinaga (Del Institute of Technology, Indonesia), Baktiar Gultom (Del Institute of Technology, Indonesia), Evita Sembiring (Del Institute of Technology, Indonesia), Kisno Shinoda (Kisno Shinoda, Indonesia)	
Optimization of PID Control Parameters with Genetic Algorithm plus Fuzzy Logic in Stirred Tank Heater Temperature Control Process	
Nurul Ikhlas Septiani (Sriwijaya University, Indonesia), Ike Bayusari (Sriwijaya University, Indonesia), Caroline Herry (Sriwijaya University, Indonesia), Triya Haiyunnisa (Indonesian Institut of Sciences, Indonesia), Bhakti Yudho Suprapto (University of Sriwijaya, Indonesia)	
<i>Vision-Based Multi-Point Sensing for Corridor Navigation of Autonomous Indoor Vehicle</i> Djoko Purwanto (Institut Teknologi Sepuluh Nopember, Indonesia), Muhammad Rivai (Institut Teknologi Sepuluh Nopember, Indonesia), Hendawan Soebhakti (Politeknik Negeri Batam, Indonesia)	
Odor Classification Using Support Vector Machine Nyayu Latifah Husni (Sriwijaya University & Polytechnic of Sriwijaya, Indonesia), Ade Handayani (Polytechnic of Sriwijaya, Indonesia), Siti Nurmaini (University of Sriwijaya, Indonesia), Irsyadi Yani (Sriwijaya University, Indonesia)	
Formation Control Design for Real Swarm Robot Using Fuzzy Logic Ade Handayani, ASH (Politeknik Negeri Sriwijaya & Engineering Electrical, Indonesia), Nyayu Husni (Politeknik Negeri Sriwijaya, Indonesia), Siti Nurmaini (University of Sriwijaya, Indonesia), Irsyadi Yani (University of Sriwijaya, Indonesia)	
<i>Tracking Control Enhancement on Non-Holonomic Leader-Follower Robot</i> Bambang Tutuko (Sriwijaya University, Indonesia), Siti Nurmaini (University of Sriwijaya, Indonesia), Gita Fadila Fitriana (Computer Science Faculty, Universitas Sriwijaya, Indonesia)	
Mobile-Robot Positioning for Wi-Fi Signal Strength Measurement Ade Handayani, ASH (Politeknik Negeri Sriwijaya & Engineering Electrical, Indonesia), Nyayu Latifah Husni (Sriwijaya University & Polytechnic of Sriwijaya, Indonesia), Siti Nurmaini (University of Sriwijaya, Indonesia), Deby Putri (Polytechnic of Sriwijaya, Indonesia)	
Cooperative Searching Strategy for Swarm Robot Nyayu Husni (Politeknik Negeri Sriwijaya, Indonesia), Ade Handayani (Polytechnic of Sriwijaya, Indonesia), Siti Nurmaini (University of Sriwijaya, Indonesia), Irsyadi Yani (University	

Information Technology

An Experimental Study for Detecting Speech	
Punnoose Kuriakose (Private, India), Ravi Shanker (ABV-IIITM GWALIOR, India)	
Car Model Recognition from Frontal Image Using BRISK	
Malisa Huzaifa (Bandung Institute of Technology, Indonesia), Iping Supriana Suwardi	
(Bandung Institute of Technology, Indonesia)	104

(Pukyong National University, Korea), Youngno Park (Pukyong National University, Korea), Kyung Hyune Rhee (Pukyong National University, Korea)	109
Image Enhancement Using the Image Sharpening, Contrast Enhancement, and Standard Median Filter: Noise Removal with Pixel-Based and Human Visual System-Based Measurements	
Erwin Erwin (Universitas Sriwijaya, Indonesia), Adam Nevriyanto (Universitas Sriwijaya, Indonesia), Purnamasari Diah (Universitas Sriwijaya, Indonesia)	114
A Hybrid Cuckoo Search and K-Means for Clustering Problem	
Abba Suganda Girsang (Bina Nusantara University, Indonesia), Ardian Yunanto (Bina Nusantara University, Indonesia), Ayu Aslamiah (Bina Nusantara University, Indonesia)	120
Designing Gamification Framework to Support Social Media Application Based on Game Elements and Cutting-edge Technology	
Meyhart Sitorus (Gadjah Mada University, Indonesia), Ridi Ferdiana (Universitas Gadjah Mada, Indonesia), Teguh Bharata Adji (Gadjah Mada University, Indonesia)	125
Quality Driven Architectural Solutions Selection Approach Through Measuring Impact Factors Md Abdullah Al Imran (University of Malaya, Malaysia), Sai Peck Lee (University Malaya, Malaysia), M A Manazir Ahsan (University of Malaya, Malaysia)	131
Aesthetics of Interaction Design on the Mobile-Based University Website	
Andhika Giri Persada (Universitas Islam Indonesia, Indonesia), Mohamad Waskita Adi Pranata (Universitas Islam Indonesia, Indonesia), Afina Anfa Ana (Universitas Islam Indonesia, Indonesia)	137
A Review on Conditional Random Fields as a Sequential Classifier in Machine Learning	
Dewi Yanti Liliana (Universitas Indonesia, Indonesia), Chan Basaruddin (Universitas Indonesia, Indonesia)	143
Haze Trajectory Clusters in South Sumatra in 2015	
Imas Sukaesih Sitanggang (Bogor Agricultural University, Indonesia), Ajeng Dwi Asti (Bogor Agricultural University, Indonesia), Lailan Syaufina (Bogor Agricultural University, Indonesia), Husnul Khotimah (Bogor Agricultural University, Indonesia)	149
Shape Analysis Using Generalized Procrustes Analysis on Active Appearance Model for Facial Expression Recognition	
Desy Komalasari (Universitas Indonesia & Universitas Indonesia, Indonesia), Chan Basaruddin (Universitas Indonesia, Indonesia), M Rahmad Widyanto (Universitas Indonesia, Indonesia), Dewi Yanti Liliana (Universitas Indonesia, Indonesia)	154
Geofencing Based Technology Towards Child Abuse Prevention	
Sarifah Putri Raflesia (Universitas Sriwijaya, Indonesia), Dinda Lestarini (Bandung Institute of Technology, Indonesia), Taufiqurrahman Taufiqurrahman (Universitas Sriwijaya, Indonesia), Firdaus Firdaus, F (Universitas Sriwijaya & Unsri, Indonesia)	160
The Detection of 3D Object Using a Method of a Harris Corner Detector and Lucas-Kanade Tracker Based on Stereo Image	
Winal Prawira (University of Lampung, Indonesia), Emir Nasrullah (University of Lampung,	

Integration of Spa	atial Online Analytic	al Processing fo	or Agricultural	Commodities with
OpenLayers				

Imas Sukaesih Sitanggang (Bogor Agricultural University, Indonesia), Muhamad Syukur (Bogor Agricultural University, Indonesia), Asep Ginanjar (Bogor Agricultural University, Indonesia), Rina Trisminingsih (Bogor Agricultural University, Indonesia), Husnul Khotimah (Bogor Agricultural University, Indonesia)	167
Design of Pick and Place Robot With Identification and Classification Object Based on RFID Using STM32VLDISCOVERY Munawar A Riyadi (Diponegoro University, Indonesia), Norman Sudira (Diponegoro University, Indonesia), Aris Triwiyatno (Diponegoro University, Indonesia), M Harisuddin Hanif (Diponegoro University, Indonesia)	171
Denial of Service Attack Visualization with Clustering Using K-Means Algorithm Napsiah Amelia Putri (Universitas Sriwijaya, Indonesia), Deris Stiawan (University of Sriwijaya, Indonesia), Ahmad Heryanto (Sriwijaya University, Indonesia), Tri Wanda Septian (University of Sriwijaya, Indonesia), Lelyzar Siregar (Universitas Sumatera Utara, Indonesia), Rahmat Budiarto (Al Baha University, Saudi Arabia)	177
The User Engagement Impact Along Information Technology of Infrastructure Library (ITIL) Adoption Sarifah Putri Raflesia (Universitas Sriwijaya & Institut Teknologi Bandung, Indonesia), Kridanto Surendro (Bandung Institute of Technology, Indonesia), Rossi Passarella (Universitas Sriwijaya, Indonesia)	184
Fuzzy Knuth Moris Pratt Algorithm for Knowledge Management System Model on Knowledge Heavy Metal Content in Oil Plants Ermatita Ermatita (Sriwijaya University & Computer Science Faculty, Indonesia), Dedik Budianta (Universitas Sriwijaya, Indonesia)	188
Multi-Object Face Recognition Using Content Based Image Retrieval Muhammad Fachrurrozi (University of Sriwijaya & Computer Science Faculty, Indonesia), S Saparudin (Fakultas Ilmu Komputer, Universitas Sriwijaya, Indonesia), Erwin Erwin (Universitas Sriwijaya, Indonesia), Anggina Primanita (Universitas Sriwijaya, Indonesia)	193
Spatio-temporal Analysis of South Sumatera Hotspot Distribution Firdaus Firdaus, F (Universitas Sriwijaya & Unsri, Indonesia), Septriani Septriani (Universitas Sriwijaya, Indonesia), Alsella Meiriza (Universitas Sriwijaya, Indonesia), Reza Firsandaya Malik (University of Sriwijaya & Faculty of Computer Science, Indonesia), Siti Nurmaini (University of Sriwijaya, Indonesia)	198
Comparison of a* and Iterative Deepening a* Algorithms for Non-Player Character in Role Playing Game Anggina Primanita (Universitas Sriwijaya, Indonesia), Rusdi Effendi (Universitas Sriwijaya, Indonesia), Wahyu Hidayat (Universitas Sriwijaya, Indonesia)	202

Pervasive Computing and Internet of Thing

Economic Denial of Sustainability (EDoS) Mitigation Approaches in Cloud: Analysis and Open Challenges Fahad Zaman Chowdhury (University of Malaya, Malaysia), Mohd Yamani Idna Idris (University of Malaya, Malaysia), Miss Laiha Mat Kiah (Universiti Malaya, Malaysia), M A

Manazir Ahsan (University of Malaya, Malaysia) 206

	Smart IoT Automatic Water Sprinkle and Monitoring System for Chili Plant Judika Herianto Gultom (Surya University, Indonesia), Maruf Harsono (Surya University,	
	University, Indonesia)	212
4	An Intelligent Smartphone Based Approach Using IoT for Ensuring Safe Driving	
	University, Bangladesh), Amit Kumar Das (East West University, Bangladesh)	217
	Enhancing the Capabilities of IoT Based Fog and Cloud Infrastructures for Time Sensitive Events	
	Fatema Tuz Zohora (East West University, Bangladesh), Md. Rezwanur Rahman Khan (East West University, Bangladesh), Md. Fazla Rabbi Bhuiyan (East West University, Bangladesh), Amit Kumar Das (East West University, Bangladesh)	224
	Automation Control and Monitoring of Public Street Lighting System Based on Internet of Things	
	Andi Adriansyah (Universitas Mercu Buana, Indonesia), Akhmad Wahyu Dani (Universitas Mercu Buana, Indonesia), Gerri Irman Nugraha (Universitas Sriwijaya, Indonesia)	231

Power Systems

Transformer Paper Condition Assessment Using Adaptive Neuro-Fuzzy Inference System Model	
Rahman Prasojo (Institut Teknologi Bandung, Indonesia), Karunika Diwyacitta (Institut Teknologi Bandung, Indonesia), Suwarno Suwarno (Institut Teknologi Bandung, P.R. China), Harry Gumilang (PLN, Indonesia)	237
Effects of Lifetime and Loading Factor on Dissolved Gases in Power Transformers Karunika Diwyacitta (Institut Teknologi Bandung, Indonesia), Rahman Prasojo (Institut Teknologi Bandung, Indonesia), Suwarno Suwarno (Institut Teknologi Bandung, P.R. China), Harry Gumilang (PLN, Indonesia)	243
Effect of the Presence of Metal Box on Partial Discharge Detected by Internal Loop Antenna Mukhlisah Yunus (Bandung Institute of Technology, Indonesia), Fendi Fatoni (Bandung Institute of Technology, Indonesia), Umar Khayam (Institut Teknologi Bandung, Indonesia)	248
Monitoring System of Stand Alone Solar Photovoltaic Data Harmini Harmini (Semarang University, Indonesia), Titik Nurhayati (Semarang University, Indonesia)	254
Study on Leakage Current Characteristics of Naturally Aged Silicon Rubber Coated Ceramic Insulator	
Heldi Alfiadi (Institut Teknologi Banduung, Indonesia), Dini Fauziah (Institut Teknologi Bandung, Indonesia), Suwarno Suwarno (Institut Teknologi Bandung, P.R. China)	259
Comparison of the Effect of Fixed Metallic Defects in Coaxial Gas Insulated Switch-gear Condition Monitoring	
Visa Musa Ibrahim (FKE UTM JOHOR BAHRU, Malaysia), Zulkurnain Abdul-Malek (University Technology Malaysia, Malaysia), Nor Asiah Muhamad (Universiti Sains Malaysia, Malaysia), Mohammed Imran Mousa (University Technology Malaysia, Malaysia), Zainuddin Nawawi (Universitas Sriwijaya, Indonesia), Muhammad Abu Bakar Sidik (Faculty of Engineering, Universitas Sriwijaya Ogan Ilir, Indonesia), Muhammad Irfan Jambak (Faculty of Engineering,	
Universitas Sriwijaya Ugan IIIr, Malaysia)	264

Sulphur Hexafluoride Gas Decomposition Products of Fixed Metallic Defect in Coaxial Gas Insulated Switchgear	
Visa Musa Ibrahim (FKE UTM JOHOR BAHRU, Malaysia), Zulkurnain Abdul-Malek (University Technology Malaysia, Malaysia), Nor Asiah Muhamad (Universiti Sains Malaysia, Malaysia), Mohammed Imran Mousa (University Technology Malaysia, Malaysia), Zainuddin Nawawi (Universitas Sriwijaya, Indonesia), Muhammad Abu Bakar Sidik (Faculty of Engineering, Universitas Sriwijaya Ogan Ilir, Indonesia), Muhammad Irfan Jambak (Faculty of Engineering, Universitas Sriwijaya Ogan Ilir, Malaysia)	270
Evaluation and Mitigation of Underground Gas Pipeline Coating Stress Due to Nearby Lightning Stroke Mohammed Imran Mousa (University Technology Malaysia, Malaysia), Zulkurnain Abdul-Malek	
Malaysia), Ali I Elgayar (UTM, University Technologi Malaysia, Ali I Elgayar (UTM, University Technologi Malaysia, Malaysia, Malaysia, College of Electrical and Electronics Technology-Benghazi-Libya, Libya), Zainuddin Nawawi (Universitas Sriwijaya, Indonesia), Muhammad Abu Bakar Sidik (Faculty of Engineering, Universitas Sriwijaya Ogan Ilir, Indonesia), Muhammad Irfan Jambak (Faculty of Engineering, Universitas Sriwijaya Ogan Ilir, Malaysia)	275
Wavelet Analysis of Narrow Bipolar Pulses in Tropical Region	
Zaini Zakaria (Universiti Teknologi Malaysia, Malaysia), Noor Azlinda Ahmad (Universiti Teknologi Malaysia, Malaysia), Mona Riza Mohd Esa (Universiti Teknologi Malaysia, Malaysia), Zuraimy Adzis (Institute of High Voltage & High Current, Universiti Teknologi Malaysia, Malaysia), Muhammad Abu Bakar Sidik (Faculty of Engineering, Universitas Sriwijaya Ogan Ilir, Indonesia), Zainuddin Nawawi (Universitas Sriwijaya, Indonesia), Muhammad Irfan Jambak (Faculty of Engineering, Universitas Sriwijaya Ogan Ilir, Malaysia)	280
Recovery Voltage Study of Capacitor Bank Switching for 150kV Electrical System in Indonesia	
Putu Agus Aditya Pramana (PLN Research Institute, Indonesia), Buyung Sofiarto Munir (Bina Nusantara University & PT PLN (PERSERO), Indonesia), Aristo Adi Kusuma (PLN Research Institute, Indonesia)	285
AC Breakdown Strength Enhancement of LDPE Nanocomposites Using Atmospheric Pressure Plasma	
Noor 'Aliaa Awang (Universiti Teknologi Malaysia, Malaysia), Mohd Hafizi Ahmad (Universiti Teknologi Malaysia, Malaysia), Zulkurnain Abdul-Malek (University Technology Malaysia, Malaysia), Muhammad Abu Bakar Sidik (Faculty of Engineering, Universitas Sriwijaya Ogan Ilir, Indonesia), Zainuddin Nawawi (Universitas Sriwijaya, Indonesia), Muhammad Irfan Jambak (Faculty of Engineering, Universitas Sriwijaya Ogan Ilir, Malaysia), Eka Waldi (Andalas University, Indonesia), Aulia Aulia (Universiti Andalas, Indonesia)	290
Effect of Traction Substation for High Speed Railway in Indonesia	
Aristo Adi Kusuma (PLN Research Institute, Indonesia), Buyung Sofiarto Munir (Bina Nusantara University & PT PLN (PERSERO), Indonesia), Putu Agus Aditya Pramana (PLN Research Institute, Indonesia)	295
Lightning Data Mapping of West Java Province	
Brian Bramantyo Harsono (PLN Indonesia, Indonesia), Buyung Sofiarto Munir (Bina Nusantara	
Indonesia)	300

<i>Emission Heights of Narrow Bipolar Events in a Tropical Storm over the Malacca Strait</i> Mohd Riduan Ahmad (Universiti Teknikal Malaysia Melaka, Malaysia), Dinesh Periannan (Universiti Teknikal Malaysia Melaka, Malaysia), Muhammad Haziq Mohammad Sabri (Universiti Teknikal Malaysia Melaka, Malaysia), Mohamad Zoinol Abidin Bin Abd Aziz (Universiti Teknikal Malaysia Melaka & Hang Tuah Jaya, Malaysia), Mona Riza Mohd Esa (Universiti Teknologi Malaysia, Malaysia), Gaopeng Lu (Chinese Academy of Sciences & Institute of Atmospheric Physics, P.R. China), Zhang Hongbo (Institute of Atmospheric Physics, Chinese Academy of Sciences, P.R. China), Vernon Cooray (Uppsala University, Sweden)	305
On the Interaction of 132 kV Transmission System with Communication Line: Street Cabinet Resistivity Evaluation Zainuddin Nawawi (Universitas Sriwijaya, Indonesia), Hussein Ahmad (Universiti Tun Hussein Onn Malaysia, Malaysia), David Caulker (Universiti Teknologi Malaysia, Malaysia), Annuar Ramli (TM R&D SDN BHD, Malaysia), Muhammad Abu Bakar Sidik (Faculty of Engineering, Universitas Sriwijaya Ogan Ilir, Indonesia), Samsul Haimi Dahlan (Universiti Tun Hussien Onn Malaysia, Malaysia)	310
 Small Scale Test Model to Study Impulse Flashover and Attachment Pattern of Protected Building Structures Muhammad Abu Bakar Sidik (Faculty of Engineering, Universitas Sriwijaya Ogan Ilir, Indonesia), Hussein Ahmad (Universiti Tun Hussein Onn Malaysia, Malaysia), Irshad Ullah (Universiti Tun Hussein Onn Malaysia, Malaysia), Md Ramdon Baharom (UTHM, Malaysia), Luqman Hakim (Universiti Tun Hussein Onn Malaysia, Malaysia), Zainab Zainal (UTHM, Malaysia) 	316
Evaluation of Grounding System for AC Substation Using Sub-Ground(SG) Software for Novice Professionals: Interpretation Based on IEEE Std. 80-1986 Muhammad Irfan Jambak (Faculty of Engineering, Universitas Sriwijaya Ogan Ilir, Malaysia), Hussein Ahmad (Universiti Tun Hussein Onn Malaysia, Malaysia), Mohamad Amirul Hafiz Mohammed (Universiti Tun Hussein Onn Malaysia, Malaysia), Siti Amely Jumaat (Universiti Tun Hussein Onn Malaysia, Malaysia), Muhammad Abu Bakar Sidik (Faculty of Engineering, Universitas Sriwijaya Ogan Ilir, Indonesia)	321
Modelling and Optimization of Simultaneous AC-DC Transmission to Enhance Power Transfer Capacity of the Existing Transmission Lines Uvais Mustafa (Aligarh Muslim University, India), M Saad Bin Arif (Universiti Teknologi Malaysia, Malaysia), H. Rahman (Aligarh Muslim University, India), Muhammad Abu Bakar Sidik (Faculty of Engineering, Universitas Sriwijaya Ogan Ilir, Indonesia)	328
AC Breakdown Strength Performance of Plasma Treated Mineral Oil-Based Nanofluids Izzah Zakaria (Universiti Teknologi Malaysia, Malaysia), Mohd Hafizi Ahmad (Universiti Teknologi Malaysia, Malaysia), Zulkurnain Abdul-Malek (University Technology Malaysia, Malaysia), Muhammad Abu Bakar Sidik (Faculty of Engineering, Universitas Sriwijaya Ogan Ilir, Indonesia), Zainuddin Nawawi (Universitas Sriwijaya, Indonesia), Muhammad Irfan Jambak (Faculty of Engineering, Universitas Sriwijaya Ogan Ilir, Malaysia)	333
Wireless Electrical Source for Mobile Application Tresna Dewi (Politeknik Negeri Sriwijaya, Indonesia), Pola Risma (Sriwijaya Polytechnic, Indonesia), Yurni Oktarina (Polytechnic Sriwijaya Palembang-Indonesia, Indonesia), Ahmad Taqwa (State Polytechnic of Sriwijaya, Indonesia)	338

Cooperative Searching Strategy for Swarm Robot

Nyayu Latifah Husni, Ade Silvia Handayani Electrical Department, State Polytechnic of Sriwijaya, Palembang, Indonesia nyayu_latifah@polsri.ac.id ade silvia@polsri.ac.id Siti Nurmaini Robotic and Control Research Lab, Faculty of Computer Science, University of Sriwijaya, Palembang, Indonesia siti nurmaini@unsri.ac.id

Irsyadi Yani Mechanical Engineering Department, Faculty of Engineering, University of Sriwijaya, Palembang, Indonesia yani_irs@yahoo.com

Abstract—This paper represents a cooperative searching strategy of swarm robot in finding and localizing odor source. 3 robots, namely: Cyborg G11, Cyborg G12, and Cyborg G13 were used as agents that form the swarm in this research. The cooperation among the robots trough communication has shown the success of the swarm in odor searching. When one of the agents in swarm robot detected a high concentration of odor in its place, it will use the data of this concentration as its own information in order to decide what position it should go. Moreover, this data was also shared to the other robot trough wireless communication such that they can compare their own data with the data shared to them. By having the information, each agent can decide what solution they should take. The experimental work in this research shows that using communication among the robot can support the robots in searching and finding the odor source.

Keywords—communication; cooperative searching strategy; PSO; swarm robot; X Bee.

I. INTRODUCTION

Since a single robot implementation cannot fulfill the human satisfaction due to the increasing of task requirements, many scientists developed multi robots to accomplish a complicated task, either in the homogenous [1], [2] or heterogeneous [3] [4], [5], [6] forms. For the homogenous forms, researchers usually used a group of autonomous robots that solves a problem using a distributed approach. These robots are usually called as a swarm robot. Swarm has been applied in a variety of tasks, such as: aggregation, flocking, foraging, object clustering and sorting, navigation, path formation, deployment, collaborative manipulation and task allocation problems [7]. In other word, a swarm employs some simple agents to perform different types of tasks to reach the target

In its application, the individual agents of swarm are not informed about the global status of the colony [8]. There is no leader that guides all of individual agents of swarm to reach their goals. The knowledge of the swarm is distributed throughout all the agents. The goal will only be able to be reached by using cooperative behavior among individual agents. Thus, the individuals will not be able to accomplish their tasks without the help or interaction of the individuals with the other agents. In accomplishing odor localization tasks, swarm robots should have a special skill for moving in their environment, interacting with other robots, perceiving and processing the information of their environments [9]. The swarm shares information about the environment and the individual agents interact with each other, therefore a distinction between the sensing and the communication network is made [10]. Due to no central coordination within their task execution, their cooperative behavior becomes an essential part in swarm research. The effectiveness of the coordination among the individual agents of swarm can be achieved using information sharing. This information sharing can reduce the duration of time searching.

To control robots through communication is not an easy way. There are some factors should be paid attention [11], such as: communication architecture, the amount of computation, and communication bandwidth [12]. Therefore, some researchers develop distributed robotic sensor network in order to achieve a robust communication with low computation and low communication burden [13], [14], [15]. This paper applies a distributed robotic system in order to achieve a good communication performance in searching, tracking, and finding odor source.

II. SEARCHING STRATEGY

A. Definition

Searching strategy is defined as algorithm that manages the interactions among individual agent to its environment and to other agents in swarm robots through communication. The use of this communication will improve the effectiveness of target searching task. In this research, the target of the searching is odor. This odor searching has a tight correlation with the odor localization. In odor localization, there are 3 steps that should be accomplished by the robots, such as plume finding, plume tracking and plume declaration. This research only focuses on the plume tracking where the robot has already been in the coverage area of plume dispersion. The searching strategy was applied in order to track the source of the odor. The cooperation of individual agents in this research was analyzed to see the effectiveness of the communication among the systems.

In this research, swarm robot behavior was managed by an X-bee wireless communication. This wireless communication

gathers and communicates all information and data related to the swarm. In uncertain environment, the main purpose of cooperative searching strategy using wireless communication is to let the robot to coordinate the position of the searching target. When a robot has sensed a high concentration of the odor source, it will send the information to the server. The server then continued to transmit the information got from this robot to the other robots. In this research, 3 robots were used. Each of the robots in the swarm has a chance to be a leader. It depends on the concentration that it senses. When it senses higher concentration more than the stated threshold concentration and higher than the other two robots, it may claim that it has found the source and may become the leader. The follower robot (other 2 robots) only followed this temporary leader robot that is closer enough to the odor source.

B. Algorithm

In this research, a Fuzzy logic and Particle Swarm Optimization (PSO) were used to decide which trajectory to take and to optimize the searching strategy of swarm robot in localizing odor sources. Fuzzy logic was used as the artificial intelligence of robots when they meet obstacles. Two behavior based of robots were implemented using this fuzzy logic, such as wall following and obstacles avoidance. Although fuzzy logic is a part of this research, however, in this paper it will not be discussed. It is due to fuzzy logic does not include in the communication established among the agents of the swarm discussed in this paper. The fuzzy logic only relates to each individual agent in the swarm. It manages the individual behavior of the agents in following the wall and avoiding the obstacles. The information of the wall or the obstacles met by the agents and what decision made by the agents will not be shared to the other agent trough communication. The decision made by the agents depends on the individual agents themselves. Therefore, this fuzzy logic was not discussed in this paper.

In this research, the process of PSO algorithm was begun with an initialization of a group of random agents, N. These agents are usually called as particle in PSO algorithm. Based on its position, the *ith* particle in this research was recognized as a point in an experimental space that the robots can occupy. Each particle tried to optimize its fitness function by considering the information from itself or from other particles among its group of swarm. The information was got during its exploration in searching space. The fitness function value determined the decision taken. In odor localization application, the fitness function is got from the odor concentration detected by the robot. The higher the fitness function value (higher concentration) means that the closer the particle to the final solution (in this case to the source). Therefore, the particles should be directed to keep in the track of its best position. Each particle should follow the track points by comparing current position to its next position until it achieved the final solution. The best position got by particle in its each track is called local best (lbest) or personal best (pbest). From this explanation, it is really clear that the communication of each particle to other particles is really

necessary in order to get its personal best position. Besides personal best, the success of swarm trajectory in target searching is also influenced by the global best (gbest). A global best is the position with highest value among all the personal best. A global best can be achieved by each particle by having communication about each personal best position among particles in the swarm.

III. EXPERIMENTAL SETUP

In this research, swarm robot consists of 3 agents, namely: Cyborg-G11 (Blue Agent), Cyborg-G12 (Yellow agent), and Cyborg-G13 (Green Agent). These 3 robots were designed to do odor localization task. A cyborg-G1x is a cylindrical robot with diameter 15 cm. It has 3 and half layers. In the first layer, there are 4 DC motors 12 v as the wheels mover. In the bottom of second layer, there are 2 DC motor drivers, L298D and one DC converter that will convert the 12 v battery supply to 5 v voltage as the input of other components, such as sensors and microcontrollers. On the top of second layer, there are Arduino ATmega 2560 and 3 ultrasonic sensors SRF04. At the bottom of third layer, there is Raspberry pi3 type B while on the top, there are X-bee Pro S2, TGS 2600, TGS 2602, and TGS 2620, and a compasss HMC5883. Finally, on the half of uppermost layer, there is an LCD as the display of the gas concentration, position, and type of the gas sensed by the robots. The physical shape of the Cyborg-G1x can be seen in Fig. 1.

In this research, the relation between updated velocity and its personal best and global best was represented using equation (1), as follows [16]:

$$v_i^{t+1} = w_i(v_i^t + c_1.Rand().(p_i^t - x_i^t) + c_2.rand()(p_g^t - x_i^t))$$
(1)

While each particle updated its position using the equation (2):

$$x_i^{t+1} = x_i^t + v_i^{t+1} \tag{2}$$



Fig. 1. 3 Agents used as swarm robot, Cyborg-G11, Cyborg-G12, and Cyborg-G13

The description of parameters used in equation (1) and (2) can be seen in Table I. The value of w is extremely important to ensure convergent behavior, and to optimally tradeoff exploration and exploitation [17]. The flowchart of

algorithm in this research can be seen in fig. 2 and the pseudocode of the PSO can be seen in Fig. 3.

Parameters	Desciption
x_i^t	Current position
	$x_i^t = x_{i1}, x_{i2}, x_{i3}, \dots, x_{i1n}$
x_i^{t+1}	Updated position
v_i^t	Current velocity
	$v_i^t = v_{i1}, v_{i2}, v_{i3}, \dots, v_{i1n}$
v_i^{t+1}	Updated velocity
p_i^t	Best local position relates to highest
	concentration that a particle got from its own
	or other particles' information.
	$p_i^t = p_{i1}, p_{i2}, p_{i3}, \ldots, p_{in}$
p_g^t	Best global position relates to highest
	concentration that a particle got from the
	pbest information.
	$p_g^t = p_{g1}, p_{g2}, p_{g3}, \dots, p_{gn}$
Wi	Inertia weight that has function to improve
	the drawback of prior velocity occur on the
	current velocity [18]
c_1 and c_2	two positive constants, learning factors [17].
Rand() and	two random generator functions, the return
rand()	value are between 0 and 1 [16].

TABLE I. DESCRIPTION OF PARAMETERS USED IN PSO ALGORITHM BASED ON EQUATION (2) AND (3)



Fig. 2. Flowchart of PSO algorithm

For each particle { Initialize particle } Do until maximum iterations or minimum error criteria { For each particle { Calculate Data fitness value If the fitness value is better than pBest ł Set pBest = current fitness value If pBest is better than gBest Set gBest = pBest } } For each particle { Calculate particle Velocity Use equation (1) and (2)

Fig. 3. Pseudo code of PSO algorithm

As stated before, communication is the most important aspect of swarm robots. Using this communication, every individuals of swarm can share information. An X-Bee wireless module with 2.4 GHz frequency, a range of approximately 90 m indoor and power transmitted 50 mW (17 dBm) was used in this research. This communication module can relate a robot to other robots and to the server. The block diagram of communication relationship can be seen in Fig. 4.

The purpose of using camera in this experiment is to make easy the coordination among the swarm agents. This camera has function to show the position of each robot.



Fig. 4. The block diagram of coordination among the

It was mounted on the top of the experimental area. A pi camera type was used in this experiment. A Hue Saturation Value (HSV) model was applied to this camera in order to filter the colors of the robots so that they can still work although their colours are not Red, Green, and Blue. The camera mounted on the top of the experimental work can be seen in Fig. 5.



Fig. 5. A camera mounted on the top of the experimental work.

A pi camera that was used in this research (Fig. 5) has task to monitor and take the picture of the robots. The data that the camera got was then transmitted to the server. The data was then transmitted by the server to the raspberry that is embedded to the robot. Then, the raspberry, as the mini computer in this experiment, will process the data. In the experimental work, the computer used has been inputted a coding to activate the camera detection. Thus, when the camera detected and found the robot, the next process is determining the position of each robots using the coordination between server and the raspberry. This raspberry does the image processing and determine the coordinate x and y of each robot based on the colors. The x and y data as the robot position coordinates is then sent to the server using LAN network.

IV. RESULT AND DISCUSSION

A real experiment was conducted in 2 x 2 m room. This scaled room is necessary to achieve a valid data. Working with a gas sensor is a quite complicated. The characteristic of odor that can easily disperse limit the area of experiment. Three agents were deployed to the searching area. One odor source consist of ethanol was placed in one of the side of experimental area. Each of the robot can share information about the concentration in order to get its pbest and gbest. When a robot found a best position, it will share the location information to the others. The other robot will update its velocity and position and follow the robot with its best position. This action will continue until a convergence of the algorithm achieved.

At the beginning of the deployment, all of the agents were placed in different position. The position of Cyborg-G11 was at the coordinate 20,10; Cyborg-G12 was 22,165.; and Cyborg-G13 was 215,12 (See Fig. 6). In the first 30 second, every agents started to find the source. Each of them moved randomly and searched best position by using its local and global knowledge trough communication among them.



Fig. 6. Initial position of the robots and odor source. Each of them were placed in different side.

In this situation, G11 moved to 15,12; G12 22,155; and G13 in the position 210,11. Their positions can be seen in Fig. 7

When G11 got minimum position to the source, it informed its position to G12 and G13 using X Bee communication. G13 that stayed in the position 140,12 at t=180 s, started to move to G11 with a new position at 210, 140 at t =210 s. It continued to get really closer to G11 that has new position at 190,165. It also happerned to G12, trough the communication, it got position at 110,165 (Fig. 10).



Fig. 7. Swarm robots' position in the first 30 second.



Fig. 8. All of the agents still searched the minimum position to the source.



Fig. 9. G11 has found the minimum position of the gas at t = 180 s.



Fig. 10. G13 followed the G11 that has got best position at t=210 s



Fig. 11. G12 also came to gather to other agents after got information from its surrounding and from G11 and G13.

 TABLE II.
 SIGNAL STRENGTH OF INDIVIDUAL ROBOTS TO THE SERVER

	Signal Strength (dBm)			Time Delay for Sending Data (s)		
Time (S)	G11 to Server	G12 to server	G13 to server	Server to G11	Server to G12	Server to G13
30	-56	-48	-57	3.5	3.1	3.5
60	-58	-50	-56	3.6	3.2	3.5
120	-50	-54	-58	3.2	3.4	3.6
180	-52	-52	-51	3.3	3.3	3.3
210	-52	-52	-52	3.3	3.3	3.3
240	-52	-52	-52	3.3	3.3	3.3

At the last second, G12 that stayed at coordinate 110,165 started to follow the G11 and G13 that already got their best position. It ran until it arrived at coordinate 193,16. Fig. 11 showed the situation when every agents came together near the source location.

The signal strength of the communication is presented in Table II. As shown in Table II at first 30 second, each robot stayed at the opposite position with a same distance, the signal strength value is almost the same, i.e. between -48 until -57 dBm. The signal strength changed with the change of the distance among the robots to the server. Due to the experimental environment was not so large, the signal strength had almost the same value. It also happened to the time needed by the server to send the data to each robots. The rate of the time delay is between 3.3 until 3.6 s. However, the system has run well, the cooperation among the robots has been achieved and the target could be found. The area in this research is only 2 x 2 m due to the target searching was a gas that has charateristic easily to be disperesed. Thus, to overcome the dispersion uncertainty, the experimental area was limited only to 2 x 2 m.

V. CONCLUSION

In this research, one of the factors that support the success of the experiment were the communication among the individual robots of swarm. The research result shows that the communication support the success of the odor searching and finding. The cooperation of the individuals robots trough communication can increase the performance of the swarm. Howeve, in this research, some difficulties occured, such as unstability of the environment that disturbed the result of the experiment. One of them is the odor characteristic that disperse easily due to wind or other effect of environment internally or externally. The wind that can change easily causes difficulties in odor experiment. Some times, the agent will lost contact to the odor and it forces it to start the odor searching from the beginning. This process is not so easily, due to it need more time to finally find the source. However, the approach proposed in this research showed a great success. The method has been successful accomplishing odor searching task. The communication among agents in the swarm supported the success of odor searching task.

ACKNOWLEDGMENT

Authors thank to the Indonesian Ministry of Research, Technology and National Education (RISTEKDIKTI) and State Polytechnic of Sriwijaya under Research Collaboration for their financial supports in Competitive Grants Project. This paper is also one of our Ph.D. projects. Our earnest gratitude also goes to team researchers of Cyborg IT Center and all researchers in Signal Processing and Control Laboratory, Electrical Engineering, State Polytechnic of Sriwijaya who provided companionship and sharing of their knowledge.

REFERENCES

- [1] J. Z. and Z. C. Liping Xie *, Gangjun Yang, "Swarm robots search based on artificial physics optimisation algorithm," vol. 4, no. 1, pp. 62–71, 2013.
- [2] Y. Katada, A. Nishiguchi, K. Moriwaki, and R. Watakabe, "Swarm Robotic Network Using L ' evy Flight in Target Detection Problem," pp. 310–315, 2015.
- [3] M. Dorigo, D. Floreano, L. M. Gambardella, F. Mondada, S. Nolfi, T. Baaboura, M. Birattari, M. Bonani, M. Brambilla, A. Brutschy, D. Burnier, A. Campo, A. L. Christensen, A. Decugniere, G. Di Caro, F. Ducatelle, E. Ferrante, A. Förster, J. M. Gonzales, J. Guzzi, V. Longchamp, S. Magnenat, N. Mathews, M. Montes De Oca, R. O'Grady, C. Pinciroli, G. Pini, P. Rétornaz, J. Roberts, V. Sperati, T. Stirling, A. Stranieri, T. Stützle, V. Trianni, E. Tuci, A. E. Turgut, and F. Vaussard, "Swarmanoid: A novel concept for the study of heterogeneous robotic swarms," *IEEE Robot. Autom. Mag.*, vol. 20, no. 4, pp. 60–71, 2013.
- [4] R. Rahimi, F. Abdollahi, and K. Naqshi, "Time-varying formation control of a collaborative heterogeneous multi agent system," *Rob. Auton. Syst.*, vol. 62, no. 12, pp. 1799–1805, 2014.
- [5] T. Gunna and J. Anderson, "Dynamic heterogeneous team formation for robotic urban search and rescue," *Proceedia Comput. Sci.*, vol. 19, no. Ant, pp. 22–31, 2013.
- [6] Z. Beck, L. Teacy, A. Rogers, and N. R. Jennings, "Online Planning for Collaborative Search and Rescue by Heterogeneous Robot Teams," no. Aamas, 2016.
- [7] L. Bay, "A Review of Swarm Robotics Tasks," vol. 90, no. 442, pp. 1–112.

- [8] I. Navarro and F. Matía, "An Introduction to Swarm Robotics," ISRN Robot., vol. 2013, pp. 1–10, 2013.
- [9] S. Nurmainia, B. Tutukoa, and A. Pp, "A New Swarm Source Seeking Behavior based-on Pattern Recognition Approach," vol. 9, no. 1, pp. 71–76.
- [10] S. Nurmaini, S. Z. M. Hashim, A. Zarkasi, B. Tutuko, and A. Triadi, "Target Localization With Fuzzy-Swarm Behavior," pp. 21–24, 2014.
- [11] T. Shih, S. Yeh, and P. Hsu, "DEVELOPMENT OF A BEHAVIOR-BASED COOPERATIVE SEARCH STRATEGY FOR DISTRIBUTED AUTONOMOUS MOBILE ROBOTS USING ZIGBEE WIRELESS SENSOR NETWORK," vol. 16, no. 2, pp. 421–430, 2014.
- [12] P. E. Rybski, S. Member, S. A. Stoeter, M. Gini, D. F. Hougen, N. P. Papanikolopoulos, and S. Member, "Performance of a Distributed Robotic System Using Shared Communications Channels," vol. 18, no. 5, pp. 713–727, 2002.
- [13] Y. Kantaros and M. M. Zavlanos, "Automatica Distributed

communication-aware coverage control by mobile sensor," *Automatica*, vol. 63, pp. 209–220, 2016.

- [14] Y. Kantaros and M. M. Zavlanos, "A Distributed LTL-based Approach for Intermittent Communication in Mobile Robot Networks," pp. 5557–5562, 2016.
- [15] S. Li, R. Kong, Y. Guo, and S. Member, "Cooperative Distributed Source Seeking by Multiple Robots: Algorithms and Experiments," vol. 19, no. 6, pp. 1810–1820, 2014.
- [16] W. Jatmiko, F. Jovan, R. Y. S. Dhiemas, a M. Sakti, F. M. Ivan, a Febrian, T. Fukuda, and K. Sekiyama, "Robots implementation for odor source localization using PSO algorithm," WSEAS Trans. Circuits Syst., vol. 10, no. 4, pp. 115–125, 2011.
- [17] A. P. Engelbrecht, "Computational Intelligence." John Wiley & Sons, Ltd, 2007.
- [18] S. Nurmaini and S. Z. M. Hashim, "Swarm Robots Control System based," no. August, pp. 20–21, 2014.



INTERNATIONAL CONFERENCE

ON ELECTRICAL ENGINEERING AND COMPUTER SCIENCE 2017

August 22-23, 2017

PALEMBANG, INDONESIA

CERTIFICATE OF APPRECIATION

present to

Nyayu Latifah Husni

In recognition and appreciation of your contribution as

PRESENTER



Prof. Dr. Ir. Anis Saggaff. MSCE Rector of Universitas Sriwijaya



Organized by :



Co-Organized by :

AISI

@ **U**

Technical co-Sponsored by:



Supported by:



