

ISBN : 978-1-5386-5719-5

# ICECOS

2018 INTERNATIONAL CONFERENCE  
ON ELECTRICAL ENGINEERING  
AND COMPUTER SCIENCE



## PROCEEDING

### ICECOS 2018 CONFERENCE

**“Future energy brings the quality of human life through  
applied techniques and ICT Innovations”**



**October 02-04, 2018**  
Province of Bangka-Belitung  
Indonesia

Organized by :



Co-Organized by :



Partner :



Technical Co-Sponsored by :



**INTERNATIONAL CONFERENCE ON ELECTRICAL ENGINEERING  
AND COMPUTER SCIENCE (ICECOS) 2018**

**Organizing Committee**

**International Advisory Committee**

Gopakumar, Indian University of Science Bangalore, (Power Electronics) IEEE fellow  
Haitham Abu-Rub texas A&M University, Qatar  
Z. Y. Dong, University of Sidney  
Akhtar Kalam, Victoria University, Melbourne, Australia  
Azha binti Mohamed, Universiti Kebangsaan Malaysia  
Nasrudin bin Abd Rahim, Universiti Malaya

**Steering Committee**

Yanuarsyah Haroen, Institut Teknologi Bandung  
Zainal Salam (UTM) Malaysia  
Zainuddin Nawawi, Universitas Sriwijaya  
Suwarno, Institut Teknologi Bandung  
Hussein Ahmad, (UTHM) Malaysia  
Anton Satria Prabuwono, King Abdulaziz University

**General Chair**

Siti Nurmaini, Universitas Sriwijaya, Indonesia

**General co-Chairs**

Hiroyuki Iida, Japan Advanced Institute of Science and Technology  
Muhammad Abu Bakar, Universitas Sriwijaya, Indonesia  
Rahmat Budiarto, Al-baha University, Saudi Arabia  
Zolkafle Buntat, Universiti Teknologi Malaysia, Malaysia

**Publication Chairs**

Deris Stiawan, Universitas Sriwijaya, Indonesia  
Firdaus, Universitas Sriwijaya, Indonesia  
Tole Sutikno, Universitas Ahmad Dahlan, Yogyakarta, Indonesia

**Finance Chairs & Treasurer**

Rizda Fitri Kurnia, Universitas Sriwijaya, Indonesia  
Caroline, Universitas Sriwijaya, Indonesia

**Public Relation Chairs**

Muhammad Irfan Jambak, Universitas Sriwijaya, Indonesia  
Mochammad Facta, Universitas Diponegoro, Semarang, Indonesia  
Teguh Bharata Aji, Universitas Gadjah Mada, Indonesia  
Zulfatman, Universitas Muhammadiyah Malang, Malang, Indonesia  
Noor Akhmad Setiawan, Universitas Gadjah Mada, Indonesia  
Muhammad Syafrullah, Universitas Budi Luhur, Jakarta, Indonesia  
Anton Yudhana, Universitas Ahmad Dahlan, Yogyakarta, Indonesia

Endra Pitowarno, Politeknik Elektronika Negeri Surabaya – PENS, Indonesia  
Rudi Kuriyanto, Universitas Tanjungpura, Indonesia

### **Technical Program Chairs**

Reza Firsandaya Malik, Universitas Sriwijaya, Indonesia  
Mohd. Riduan Ahmad, Universiti Teknikal Malaysia Melaka, Malaysia  
Munawar A. Riyadi, Universitas Diponegoro, Semarang, Indonesia  
Herlina Wahab Universitas Sriwijaya, Indonesia  
Imam Much Ibnu Subroto, Universitas Islam Sultan Agung, Semarang, Indonesia

### **International Scientific Committee**

Brian Kurkoski, School of Information Science Japan Advanced Institute of Science and  
Technology (JAIST), Japan  
Dejan Gjorgjevikj, SS Cyril and Methodius University, Skopje, Macedonia  
Ion Tutanescu, University of Pitesti, Romania  
Ahmad Hoirul Basori, King Abdulaziz University, Saudi Arabia  
Germano Lambert-Torres, Universidade Federal de Itajuba, Brazil  
Serhat Şeker, Istanbul Technical University, Turkey  
Ildar Z Batyrshin, Mexican Petroleum Institute, Mexico  
Wazir Mustafa, Universiti Teknologi Malaysia  
Mohammed Yahia Alzahrani, Al-baha University, Saudi Arabia  
Ahmed Alahmadi, Al-baha University, Saudi Arabia  
Gorakanage Arosha Chandima Gomes (UPM) Malaysia  
Montserrat Ros (Wolongong University) Australia  
Malik Elbuluk (The University Of Akron) USA  
Rudi Heriansyah (Umm Al-Qura University) Saudi Arabia  
Vernon Coray (Uppsala University) Sweden  
Mike Inggs, South Africa  
Ilhan Kocaarslan (Istanbul University)  
Gamal Abdel Fadeel Khalaf, Faculty of Engineering, Helwan University, Cairo, Egypt  
Dana Prochazkova. PhD., DrSc, Czech Technical University, Czech Republic  
Serdar Ethem Hamamci, Inonu University, Turkey  
Gökhan Gökmen, Marmara University, Turkey  
Mohd. Yazid Idris, Universiti Teknologi Malaysia  
Audrius Senulis, Klaipeda University, Lithuania  
Peng Peng, Sr. Development Engineer at Seagate Technology, United States  
Kamal Bechkoum, School of Science and Technology, Northampton, United Kingdom  
Simon Xu, Algoma University College, Canada  
Aydin Nusret Güçlü, METU, Ankara, Turkey  
Sultan Noman Qasem, Al- Imam Muhammad Ibn Saud Islamic University, Saudi Arabia  
Tahir M. Lazimov, Azerbaijan Technical University, Azerbaijan  
Tahir Cetin Akinci, Kirklareli University, Turkey  
Siti Zaiton Mohd Hashim, Universiti Teknologi Malaysia, Malaysia

### **Local Chairs**

Bhakti Yudho Suprpto, Universitas Sriwijaya, Indonesia  
Djulil Amri, Universitas Sriwijaya, Indonesia  
Irmawan, Universitas Sriwijaya, Indonesia  
Abdul Haris Dalimunthe, Universitas Sriwijaya, Indonesia  
Dessy Windiasari, Universitas Sriwijaya, Indonesia  
Hera Hikmarika, Universitas Sriwijaya, Indonesia  
Hermawati, Universitas Sriwijaya, Indonesia  
Rahmawati, Universitas Sriwijaya, Indonesia  
Suci Dwi Jayanti, Universitas Sriwijaya, Indonesia  
Saparudin, Universitas Sriwijaya, Indonesia  
Ermatita, Universitas Sriwijaya, Indonesia  
Hadi Purnawan Satria, Universitas Sriwijaya, Indonesia  
Ade Silvia, Polytechnic State of Sriwijaya, Indonesia  
Nyanyu Latifah Husni, Polytechnic State of Sriwijaya, Indonesia  
Syarifah Fitria, Universitas Sriwijaya, Indonesia  
Dina Yunika, Universitas Sriwijaya, Indonesia  
Sarifah Putri Raflesia, Universitas Sriwijaya, Indonesia  
Samsuryadi, Universitas Sriwijaya, Indonesia  
Rosi Pasarella, Universitas Sriwijaya, Indonesia  
Sutarno, Universitas Sriwijaya, Indonesia  
Sukemi, Universitas Sriwijaya, Indonesia  
Ahmad Heryanto, Universitas Sriwijaya, Indonesia  
Alfarisi, Universitas Sriwijaya, Indonesia  
Pacu Putra, Universitas Sriwijaya, Indonesia

# 2018 International Conference on Electrical Engineering and Computer Science (ICECOS)

## Table of Content

<b>RFI Suppression Based on Time-Frequency Spectrogram for FMCW Radar</b>	<b>1</b>
<i>Oktanto Dedi Winarko (Labs247); Andrian Andaya Lestari (Labs247, Indonesia)</i>	1
<b>Performance Consideration in Signal Acquisition for High Dynamic Application in Tropical Environment</b>	<b>7</b>
<i>Syed Mohd Fairuz Syed Mohd Dardin and Akram Abdul Azid (Universiti Pertahanan Nasional Malaysia, Malaysia); Zuhairi Abdul Rashid (Universiti Pertahanan Nasional Malaysia ; Engineering Faculty, Malaysia); Asnor Mazuan Ishak and Ahmad Shukri Abu Hasim (Universiti Pertahanan Nasional Malaysia, Malaysia)</i>	7
<b>Benchmarking Low Latency Kernel and Xenomai for a Network Gateway Encryption Application</b>	<b>13</b>
<i>Mastura Diana Marieska (Sriwijaya University, Indonesia); Achmad Imam Kistijantoro (Bandung Institute of Technology, Indonesia)</i>	13
<b>Dual Circular-Polarized Slot Antenna Design for Wireless MIMO System at 2.4 GHz</b>	<b>19</b>
<i>Nornikman Hassan and Badrul Hisham Ahmad (Universiti Teknikal Malaysia Melaka, Malaysia); Mohamad Zoinol Abidin Bin Abd Aziz (Universiti Teknikal Malaysia Melaka ; Hang Tuah Jaya, Malaysia); Mohd Riduan Ahmad, Zahriladha Zakaria and Chew Siang (Universiti Teknikal Malaysia Melaka, Malaysia); Mona Riza Mohd Esa (Universiti Teknologi Malaysia, Malaysia)</i>	19
<b>Application of WSNs for Detection Land and Forest Fire in Riau Province Indonesia</b>	<b>25</b>
<i>Evizal Abdul Kadir, Sri Listia Rosa and Ana Yulianti (Universitas Islam Riau, Indonesia)</i>	25
<b>Optimization of Coffee Bean Drying Using Hybrid Solar Systems and Wi-Fi Data Communication</b>	<b>29</b>
<i>Devita Ayu Larasati and Ike Fibiriani (University of Jember, Indonesia); Dedy Wahyu Herdiyanto and Guido Kalandro (Universitas Jember, Indonesia); Widnyono Hadi and Catur Suko Sarwono (University of Jember, Indonesia)</i>	29
<b>Fabrication of Integrated Power Divider and Filter for X Band Radar Applications</b>	<b>33</b>
<i>Folin Oktafiani (Indonesian Institute of Sciences (LIPI), Indonesia); Yuyu Wahyu (Indonesia Institute of Science LIPI, Indonesia); Yussi Saputera (Indonesian Institute of Sciences, Indonesia)</i>	33
<b>Object Position Estimation Using Naive Bayes Classifier Algorithm</b>	<b>39</b>
<i>Reza Firsandaya Malik (University of Sriwijaya ; Faculty of Computer Science, Indonesia); Eko Pratama, Huda Ubaya and Rido Zulfahmi (Universitas Sriwijaya, Indonesia); Deris Stiawan (University of Sriwijaya, Indonesia); Kemahyanto Exaudi (Universitas Sriwijaya, Indonesia)</i>	39
<b>Optimal Route Driving for Leader-Follower Using Dynamic Particle Swarm Optimization</b>	<b>45</b>
<i>Bambang Tutuko (Sriwijaya University, Indonesia); Siti Nurmaini (University of Sriwijaya, Indonesia); Putri Sahayu (Intelligent System Research Group, Universitas Sriwijaya, Indonesia)</i>	45

<b>Electronic Transaction Device Based on Contact Smart Card Using Programmable System-on-Chip</b>	<b>51</b>
<i>Trio Adiono (Institut Teknologi Bandung, Indonesia); Reynhart Malingkas and Adi Candra Swastika (Bandung Institute of Technology, Indonesia); Syifaul Fuada (Institut Teknologi Bandung, Indonesia)</i>	
	51
<b>Visual Servoing Design and Control for Agriculture Robot; a Review</b>	<b>57</b>
<i>Tresna Dewi (Politeknik Negeri Sriwijaya, Indonesia); Pola Risma (Sriwijaya Polytechnic, Indonesia); Yurni Oktarina (Polytechnic Sriwijaya Palembang-Indonesia, Indonesia); Selamat Muslimin (State Polytechnic of Sriwijaya, Indonesia)</i>	
	57
<b>Design and Implementation of Analog Transceiver Circuit for Patient Monitoring System Based on OWC</b>	<b>63</b>
<i>Trio Adiono and Radhian Fereh Armansyah (Institut Teknologi Bandung, Indonesia); Amy Hamidah Salman (Institut Teknologi Bandung, Korea); Syifaul Fuada (Institut Teknologi Bandung, Indonesia)</i>	
	63
<b>Multistage Scanning Method on 64-Channels ECVT Sensor</b>	<b>69</b>
<i>Arbai Yusuf (Universitas Indonesia ; C-Tech Labs Edwar Technology, Indonesia); Agus Santoso Tamsir, Dodi Sudiana and Harry Sudibyo (Universitas Indonesia, Indonesia)</i>	
	69
<b>Enhancement of the Fuzzy Control Response with Particle Swarm Optimization in Mobile Robot System</b>	<b>73</b>
<i>Siti Nurmaini (University of Sriwijaya, Indonesia); Febrina Setianingsih (Universitas Sriwijaya, Indonesia)</i>	
	73
<b>A Comparison of Back Propagation Neural Network and Elman Recurrent Neural Network Algorithms on Altitude Control of Heavy-lift Hexacopter Based on Direct Inverse Control</b>	<b>79</b>
<i>Bhakti Yudho Suprpto (University of Sriwijaya, Indonesia); Benyamin Kusumoputro (Universitas Indonesia, Indonesia)</i>	
	79
<b>Multisensors System for Real Time Detection of Length, Weight, and Heartbeat of Premature Baby in the Incubator</b>	<b>85</b>
<i>Sri Purwiyanti (Unila, Indonesia); Sri Ratna Sulistiyanti and Arinto Setyawan (University of Lampung, Indonesia); Helmy Fitriawan, Billy Wibisono and Ketut Atmaja (Lampung University, Indonesia)</i>	
	85
<b>Using Pressure Sensors Towards Pipeline Leakage Detection</b>	<b>89</b>
<i>Kemahyanto Exaudi, Rossi Passarella, Rendyansyah Rendyansyah and Rido Zulfahmi (Universitas Sriwijaya, Indonesia)</i>	
	89
<b>Different Types of Fuzzy Logic in Obstacles Avoidance of Mobile Robot</b>	<b>93</b>
<i>Ade Handayani, ASH (Politeknik Negeri Sriwijaya ; Engineering Electrical, Indonesia); Andry Meylani (Politeknik Negeri Sriwijaya, Indonesia); Ciksadan Dansadan (State of Polytechnic Sriwijaya, Indonesia); Nyayu Latifah Husni (Politeknik Negeri Sriwijaya, Indonesia); Siti Nurmaini (University of Sriwijaya, Indonesia); Irsyadi Yani (Universitas Sriwijaya, Indonesia); Carlos Sitompul (Politeknik Negeri Sriwijaya, Indonesia)</i>	
	93
<b>Development of Computational Intelligence-based Control System Using Backpropagation Neural Network for Wheeled Robot</b>	<b>101</b>

<i>Karlisa Priandana, Iqbal Abiyoga, Wulandari Wulandari, Sri Wahjuni, Medria Hardhienata and Agus Buono (Bogor Agricultural University, Indonesia)</i>	101
<b>Optimal Kernel Classifier in Mobile Robots for Determining Gases Type</b>	<b>107</b>
<i>Nyayu Latifah Husni and Muhammad Muhaajir (Politeknik Negeri Sriwijaya, Indonesia); Ekawati Prihatini (State Polytechnic of Sriwijaya, Indonesia); Ade Handayani, ASH (Politeknik Negeri Sriwijaya ; Engineering Electrical, Indonesia); Siti Nurmaini (University of Sriwijaya, Indonesia); Irsyadi Yani (Universitas Sriwijaya, Indonesia)</i>	107
<b>Optimal Gas Sensors Arrangement in Odor Searching Robot</b>	<b>111</b>
<i>Nyayu Latifah Husni (Politeknik Negeri Sriwijaya, Indonesia); Ade Handayani, ASH (Politeknik Negeri Sriwijaya ; Engineering Electrical, Indonesia); Siti Nurmaini (University of Sriwijaya, Indonesia); Irsyadi Yani (Universitas Sriwijaya, Indonesia)</i>	111
<b>Smart Parking Using Wireless Sensor Network System</b>	<b>117</b>
<i>Anggi Sahfutri (State Polytechnic of Sriwijaya, Indonesia); Nyayu Latifah Husni (Politeknik Negeri Sriwijaya, Indonesia); Muhammad Nawawi, Iskandar Lutfi and Evelina Ginting (State Polytechnic of Sriwijaya, Indonesia); Ade Handayani, ASH (Politeknik Negeri Sriwijaya ; Engineering Electrical, Indonesia); Ekawati Prihatini (State Polytechnic of Sriwijaya, Indonesia)</i>	117
<b>Safety Communicational System Using Shifting Cryptography in Smart Parking</b>	<b>123</b>
<i>Wulan Dari (State Polytechnic of Sriwijaya, Indonesia); Nyayu Latifah Husni (Politeknik Negeri Sriwijaya, Indonesia); Evelina Ginting, Iskandar Lutfi and Muhammad Nawawi (State Polytechnic of Sriwijaya, Indonesia); Ade Handayani, ASH (Politeknik Negeri Sriwijaya ; Engineering Electrical, Indonesia); Dewi Permata Sari (State Polytechnic of Sriwijaya, Indonesia); Adella Rialita (Politeknik Negeri Sriwijaya, Indonesia)</i>	123
<b>Analyzing of Different Features Using Haar Cascade Classifier</b>	<b>129</b>
<i>Ratna Yustiwati (State Polytechnic Of Sriwijaya, Indonesia); Nyayu Latifah Husni (Politeknik Negeri Sriwijaya, Indonesia); Evelina Ginting (State Polytechnic of Sriwijaya, Indonesia); Sabilal Rasyad (State Polytechnic Of Sriwijaya, Indonesia); Iskandar Lutfi (State Polytechnic of Sriwijaya, Indonesia); Ade Handayani, ASH (Politeknik Negeri Sriwijaya ; Engineering Electrical, Indonesia); Niksen Alfarizal (State Polytechnic Of Sriwijaya, Indonesia); Adella Rialita (Politeknik Negeri Sriwijaya, Indonesia)</i>	129
<b>Power Consumption Optimization in Cooling System Using Knowledge Base Temperature System</b>	<b>135</b>
<i>Andi Adriansyah, Akhmad Wahyu Dani and Krisna Brotoatmodjo (Universitas Mercu Buana, Indonesia)</i>	135
<b>A Secure Voice Channel Using Chaotic Cryptography Algorithm</b>	<b>141</b>
<i>Munawar A Riyadi, M Reza Khafid, Natanael Pandapotan and Teguh Prakoso (Diponegoro University, Indonesia)</i>	141
<b>Image Steganography Using Combine of Discrete Wavelet Transform and Singular Value Decomposition for More Robustness and Higher Peak Signal Noise Ratio</b>	<b>147</b>
<i>Adam Nevriyanto and Erwin E (Universitas Sriwijaya, Indonesia); Sutarno Sutarno (University of Sriwijaya, Indonesia); Sri Desy Siswanti (Universitas Sriwijaya, Indonesia)</i>	147

<b>Game Complexity Factor: A Collaborative Study of LeBlanc Taxonomy and Function Points Method</b>	<b>153</b>
<i>Renny Sari Dewi (Universitas Internasional Semen Indonesia, Indonesia); Sholiq Sholiq and Apol Pribadi Subriadi (Institut Teknologi Sepuluh Nopember, Indonesia)</i>	
	153
<b>Removal of Modulo as Hashing Modification Process in Essay Scoring System Using Rabin-Karp</b>	<b>159</b>
<i>Errissya Rasywir (Sekolah Tinggi Ilmu Komputer Dinamika Bangsa Jambi, Indonesia); Yovi Pratama (Stikom Dinamika Bangsa, Indonesia); Hendrawan Hendrawan and Marrylinteri Istoningtyas (Sekolah Tinggi Ilmu Komputer Dinamika Bangsa Jambi, Indonesia)</i>	
	159
<b>Real Time Detection on Face Side Image with Ear Biometric Imaging Using Integral Image and Haar-Like Feature</b>	<b>165</b>
<i>Fachruddin Fachruddin (Sekolah Tinggi Ilmu Komputer Dinamika Bangsa Jambi, Indonesia); Yovi Pratama (Stikom Dinamika Bangsa, Indonesia); Errissya Rasywir, Desi Kisbianty, Hendrawan Hendrawan and Maria Borroek (Sekolah Tinggi Ilmu Komputer Dinamika Bangsa Jambi, Indonesia)</i>	
	165
<b>Automatic Cost Estimation Analysis on Datawarehouse Project with Modified Analogy Based Method</b>	<b>171</b>
<i>Yovi Pratama (Stikom Dinamika Bangsa, Indonesia); Errissya Rasywir (Sekolah Tinggi Ilmu Komputer Dinamika Bangsa Jambi, Indonesia)</i>	
	171
<b>Analysis on Knowledge Layer Application for Knowledge Based System</b>	<b>177</b>
<i>Maria Borroek and Errissya Rasywir (Sekolah Tinggi Ilmu Komputer Dinamika Bangsa Jambi, Indonesia); Yovi Pratama (Stikom Dinamika Bangsa, Indonesia); Fachruddin Fachruddin and Marrylinteri Istoningtyas (Sekolah Tinggi Ilmu Komputer Dinamika Bangsa Jambi, Indonesia)</i>	
	177
<b>Fast Fourier Transform (FFT) Data Sampling Using Hamming and Blackman Method for Radar</b>	<b>183</b>
<i>Sulis Tyaningsih (Indonesian Institute of Science (LIPI), Indonesia); Prasetyo Putranto, Winy Desvasari and Pamungkas Daud (Indonesian Institute of Sciences, Indonesia)</i>	
	183
<b>Radar Software Development for the Surveillance of Indonesian Aerospace Sovereignty</b>	<b>189</b>
<i>Yussi Saputera (Indonesian Institute of Sciences, Indonesia); Sulis Tyaningsih (Indonesian Institute of Science (LIPI), Indonesia); Topik Teguh Estu (PPET LIPI, Indonesia); Mashury Wahab (PPET-LIPI, Indonesia)</i>	
	189
<b>Quality Assessment Level of Quality of Cocoa Beans Export Quality Using Hybrid Adaptive Neuro - Fuzzy Inference System (ANFIS) and Genetic Algorithm</b>	<b>195</b>
<i>Gayatri Dwi Santika, Diah Ayu Wulandari, DARW and Fitriyana Dewi (Jember University, Indonesia)</i>	
	195
<b>Automated Examination Timetabling Optimization Using Greedy-Late Acceptance-Hyperheuristic Algorithm</b>	<b>201</b>
<i>Ahmad Muklason, Putri C Bwananesia and Sasmi Hidayatul Y T (Institut Teknologi Sepuluh Nopember, Indonesia); Nisa Angresti (Sepuluh Nopember Institute of Technology, Indonesia); Vicha Azthanty Supoyo (Institut Teknologi Sepuluh Nopember, Indonesia)</i>	
	201

<b>Artificial Neural Network for Health Data Forecasting, Case Study: Number of Dengue Hemorrhagic Fever Cases in Malang Regency, Indonesia</b>	<b>207</b>
<i>Wiwik Anggraeni, Graha Pramudita and Edwin Riksakomara (Institut Teknologi Sepuluh Nopember, Indonesia); Radityo Prasetyanto Wibowo (Institut Teknologi Sepuluh Nopember, Indonesia); Febriliyan Samopa (Institut Teknologi Sepuluh Nopember, Indonesia); Puji Adi (Ministry of Health, Indonesia); Renny Sari Dewi (Universitas Internasional Semen Indonesia, Indonesia)</i>	
	207
<b>Using Metadata in Detection Spam Email with Pornography Content</b>	<b>213</b>
<i>Dewi Wardani (Universitas Sebelas Maret, Indonesia); Retisa Siwi (Badan Pemeriksa Keuangan, Indonesia); Bambang Harjito (Sebelas Maret University, Indonesia); Maysa Marshallia (Universitas Sebelas Maret, Indonesia)</i>	
	213
<b>Automatic Features Extraction Using Autoencoder in Intrusion Detection System</b>	<b>219</b>
<i>Yesi Novaria Kunang (Universitas Sriwijaya, Indonesia); Siti Nurmaini and Deris Stiawan (University of Sriwijaya, Indonesia); Ahmad Zarkasi and Firdaus Firdaus (Universitas Sriwijaya, Indonesia); Jasmir Jasmir (STIKOM Dinamika Bangsa Jambi, Indonesia)</i>	
	219
<b>Emotional Design on User Experience-based Development System</b>	<b>225</b>
<i>Andhika Giri Persada (Universitas Islam Indonesia, Indonesia)</i>	
	225
<b>Review of Automatic Emotion Recognition Through Facial Expression Analysis</b>	<b>231</b>
<i>Dewi Yanti Liliana (Universitas Indonesia ; State Polytechnic of Jakarta, Indonesia); Chan Basaruddin (Universitas Indonesia, Indonesia)</i>	
	231
<b>Breast Cancer Classification Using Deep Learning</b>	<b>237</b>
<i>Jasmir Jasmir (STIKOM Dinamika Bangsa Jambi, Indonesia); Siti Nurmaini (University of Sriwijaya, Indonesia); Reza Firsandaya Malik (University of Sriwijaya ; Faculty of Computer Science, Indonesia); Dodo Abidin (STIKOM Dinamika Bangsa Jambi, Indonesia); Ahmad Zarkasi, Yesi Novaria Kunang and Firdaus Firdaus (Universitas Sriwijaya, Indonesia)</i>	
	237
<b>Techno-Economic Analysis of Sea Floating PV/Diesel Hybrid Power Plant with Battery Arrangement Scheme for Residential Load at Remote Area in Indonesia (Case Study: Small Kei Island, South East Moluccas)</b>	<b>243</b>
<i>Achmad Tofani and Iwa Garniwa (University of Indonesia, Indonesia); Fidel Rezki Fajry (Universitas Indonesia, Indonesia)</i>	
	243
<b>A 250 kW Three Phase Induction Motor Design for Electric Bow Thruster</b>	<b>247</b>
<i>Asep Andi Suryandi (BPPT ; ITB, Indonesia); Cuk Supriyadi Ali Nandar (Agency for the Assessment and Application of Technology, Indonesia); Dewi Rianti Mandasari and Katri Yulianto (BPPT, Indonesia)</i>	
	247
<b>Comparative Analysis of Applications Off-Grid PV System and On-Grid PV System for Households in Indonesia</b>	<b>253</b>
<i>Aryulius Jasuan (University of Sriwijaya, Indonesia); Zainuddin Nawawi (Universitas Sriwijaya, Indonesia); Hazairin Samaulah (Universitas Tridianti Palembang, Indonesia)</i>	
	253
<b>Techniques for Analysis of Chaotic Pulse Trains Generated by Lightning: A Review</b>	<b>259</b>

<i>Chin-Leong Wooi (Universiti Malaysia Perlis, Malaysia); Zulkurnain Abdul-Malek (UTM, Malaysia); M. N. K. H. Rohani (University Malaysia Perlis ; UNIMAP, Malaysia); Syahrudin Nizam Md Arshad Hashim (Universiti Malaysia Perlis, Malaysia); Ahmad Muhiddin Bin Yusof (Faculty of Engineering Technology, Universiti Malaysia Perlis (Unimap), Malaysia)</i>	259
<b>Comparative Study; Different Types of PWM Control Scheme in Three-Phase Four-Wire Shunt Active Power Filter (APF) Topology</b>	<b>265</b>
<i>Ahmad Shukri Abu Hasim (Universiti Pertahanan Nasional Malaysia, Malaysia); Zulkiflie Bin Ibrahim (Universiti Teknikal Malaysia Melaka, Malaysia); Syed Mohd Fairuz Syed Mohd Dardin, Akram Abdul Aziz and Asnor Mazuan Ishak (Universiti Pertahanan Nasional Malaysia, Malaysia)</i>	265
<b>An Improved Circuit-Based Grounding Electrode Considering Frequency Dependence of Soil Parameters</b>	<b>271</b>
<i>Ruqayyah Othman (Universiti Teknologi Malaysia ; Faculty of Electrical Engineering, Malaysia); Zulkurnain Abdul-Malek (University Technology Malaysia, Malaysia)</i>	271
<b>Selection of Single-tuned Filter and High Pass Damped Filter with Changes of Inverter Type to Reduce Harmonics on Microgrid AC-DC</b>	<b>275</b>
<i>Rudy Setiabudy (Universitas Indonesia (UI), Indonesia); Guru Wibowo (Universitas Indonesia, Indonesia); Herlina Wahab (Sriwijaya University ; University of Indonesia, Indonesia)</i>	275
<b>Distance Effect on Lightning Electromagnetic Pulse over Lossy Ground</b>	<b>281</b>
<i>Muhammad Irfan Jambak (Faculty of Engineering, Universitas Sriwijaya Ogan Ilir, Malaysia); Mohammed Imran Mousa and Zulkurnain Abdul-Malek (University Technology Malaysia, Malaysia); Mona Riza Mohd Esa (Universiti Teknologi Malaysia, Malaysia); Zainuddin Nawawi (Universitas Sriwijaya, Indonesia); Muhammad Abu Bakar Sidik (Faculty of Engineering, Universitas Sriwijaya Ogan Ilir, Indonesia)</i>	281
<b>Power Generation from Wave Energy Using Floating Device</b>	<b>287</b>
<i>Asnor Mazuan Ishak, Ahmad Shukri Abu Hasim, Syed Mohd Fairuz Syed Mohd Dardin and Akram Abdul Aziz (Universiti Pertahanan Nasional Malaysia, Malaysia)</i>	287
<b>Electricity Demand Forecasting of Household Sector in Papua Province 2050</b>	<b>291</b>
<i>Yosef Lefaan and Rinaldy Dalimi (Universitas Indonesia, Indonesia)</i>	291
<b>Wavelet Analysis of the Onset of VHF and Microwave Radiation Emitted by Lightning</b>	<b>297</b>
<i>Shamsul Ammar Shamsul Baharin, Mohd Riduan Ahmad, Dinesh Periannan, Muhammad Haziq Mohammad Sabri and Seah Boon York (Universiti Teknikal Malaysia Melaka, Malaysia); Mohamad Zoinol Abidin Bin Abd Aziz (Universiti Teknikal Malaysia Melaka ; Hang Tuah Jaya, Malaysia); Mohd Muzafar Ismail (University Tecnical Malaysia Melaka, Malaysia); Mona Riza Mohd Esa and Sulaiman Ali Mohammad (Universiti Teknologi Malaysia, Malaysia); Zulkurnain Abdul-Malek (UTM, Malaysia); Norbayah Yusop (Utem, Malaysia); Vernon Cooray (Uppsala University, Sweden); Gaopeng Lu (Chinese Academy of Sciences ; Institute of Atmospheric Physics, P.R. China)</i>	297
<b>VHF Emissions Prior to the Onset of Initial Electric Field Changes of Intracloud Flashes</b>	<b>301</b>
<i>Muhammad Haziq Mohammad Sabri, Mohd Riduan Ahmad, Dinesh Periannan and Seah Boon York (Universiti Teknikal Malaysia Melaka, Malaysia); Mohamad Zoinol Abidin Bin Abd Aziz (Universiti Teknikal Malaysia Melaka ; Hang Tuah Jaya, Malaysia); Mohd Muzafar Ismail (University Tecnical Malaysia Melaka,</i>	

<i>Malaysia); Mona Riza Mohd Esa and Sulaiman Ali Mohammad (Universiti Teknologi Malaysia, Malaysia); Zulkurnain Abdul-Malek (UTM, Malaysia); Norbayah Yusop (Utem, Malaysia); Vernon Cooray (Uppsala University, Sweden); Gaopeng Lu (Chinese Academy of Sciences ; Institute of Atmospheric Physics, P.R. China)</i>	301
<b>Performance Analysis of Stacked Capacitive Antenna for Lightning Remote Sensing</b>	<b>305</b>
<i>Jin Ying Ong and Mohd Riduan Ahmad (Universiti Teknikal Malaysia Melaka, Malaysia); Mona Riza Mohd Esa (Universiti Teknologi Malaysia, Malaysia); Muhammad Haziq Mohammad Sabri, Dinesh Periannan and Seah Boon York (Universiti Teknikal Malaysia Melaka, Malaysia); Sulaiman Ali Mohammad (Universiti Teknologi Malaysia, Malaysia); Gaopeng Lu (Chinese Academy of Sciences ; Institute of Atmospheric Physics, P.R. China); Norbayah Yusop (Utem, Malaysia); Mohd Muzafar Ismail (University Tecnical Malaysia Melaka, Malaysia); Vernon Cooray (Uppsala University, Sweden); Mohamad Zoinol Abidin Bin Abd Aziz (Universiti Teknikal Malaysia Melaka ; Hang Tuah Jaya, Malaysia); Zulkurnain Abdul-Malek (UTM, Malaysia)</i>	305
<b>Shaft Mechanical Design of 250 kW Electric Motor</b>	<b>309</b>
<i>Budi Fadjrin and Harry Purnama (BPPT, Indonesia); Muhammad Adhynugraha (The Agency for the Assessment and Application of Technology, Indonesia); Cuk Supriyadi Ali Nandar (Agency for the Assessment and Application of Technology, Indonesia)</i>	309
<b>Development and Validation of Rogowski Coil with Commercial High Frequency Current Transformer for Partial Discharge Detection</b>	<b>315</b>
<i>Chaganti Lakshmana Geetha Pavan Kumar, Nur Hazirah Abdul Khalid and Mohd Hafizi Ahmad (Universiti Teknologi Malaysia, Malaysia); Zainuddin Nawawi (Universitas Sriwijaya, Indonesia); Muhammad Abu Bakar Sidik (Faculty of Engineering, Universitas Sriwijaya Ogan Ilir, Indonesia); Muhammad Irfan Jambak (Faculty of Engineering, Universitas Sriwijaya Ogan Ilir, Malaysia); Eka Waldi (Andalas University, Indonesia); Aulia Aulia (Universitas Andalas, Indonesia); Rizda Kurnia (University of Sriwijaya, Indonesia)</i>	315
<b>The Effect of Surface Mounted Device (SMD) Configuration Array on Light Distribution on LED Lamp</b>	<b>321</b>
<i>Herlina Wahab (Sriwijaya University ; University of Indonesia, Indonesia); Rudy Setiabudy (Universitas Indonesia (UI), Indonesia); Muhammad Rully Syahputra (Universitas Indonesia, Indonesia)</i>	321
<b>Power Transistor 2N3055 as a Solar Cell Device</b>	<b>327</b>
<i>Yohandri Bow, Tresna Dewi, Ahmad Taqwa, Rusdianasari Rusdianasari and Zulkarnain Zulkarnain (Politeknik Negeri Sriwijaya, Indonesia)</i>	327
<b>Face Movement Detection Using Template Matching</b>	<b>333</b>
<i>Ahmad Zarkasi (Universitas Sriwijaya, Indonesia); Siti Nurmaini and Deris Stiawan (University of Sriwijaya, Indonesia); Firdaus Firdaus and Huda Ubaya (Universitas Sriwijaya, Indonesia); Yogie Sanjaya (Institut Teknologi Bandung, Indonesia); Yesi Novaria Kunang (Universitas Sriwijaya, Indonesia)</i>	333
<b>Measurement of Component Performance (Sensor) on Internet of Thing (IoT)</b>	<b>339</b>
<i>Sharipuddin Sharipuddin and Kurniabudi Kurniabudi (STIKOM Dinamika Bangsa, Indonesia); Benni Purnama (STIKOM Dinamika Bangsa Jambi ; STIKOM Dinamika Bangsa Jambi, Indonesia); Deris Stiawan (University of Sriwijaya, Indonesia); Darmawijoyo Hanapi (Sriwijaya University, Indonesia); Rahmat Budiarto (Al Baha University, Saudi Arabia); Dimas Wahyudi, Fepiliana Fepiliana and Sri Suryani (Universitas Sriwijaya, Indonesia)</i>	339

<b>Preprocessing and Framework for Unsupervised Anomaly Detection in IoT: Work on Progress</b>	<b>345</b>
<i>Kurniabudi Kurniabudi (STIKOM Dinamika Bangsa, Indonesia); Benni Purnama (STIKOM Dinamika Bangsa Jambi ; STIKOM Dinamika Bangsa Jambi, Indonesia); Sharipuddin Sharipuddin (STIKOM Dinamika Bangsa, Indonesia); Deris Stiawan (University of Sriwijaya, Indonesia); Darmawijoyo Hanapi (Sriwijaya University, Indonesia); Rahmat Budiarto (Al Baha University, Saudi Arabia)</i>	
<b>Monitoring Connectivity of Internet of Things Device on Zigbee Protocol</b>	<b>351</b>
<i>Benni Purnama (STIKOM Dinamika Bangsa Jambi ; STIKOM Dinamika Bangsa Jambi, Indonesia); Sharipuddin Sharipuddin and Kurniabudi Kurniabudi (STIKOM Dinamika Bangsa, Indonesia); Deris Stiawan (University of Sriwijaya, Indonesia); Darmawijoyo Hanapi (Sriwijaya University, Indonesia); Rahmat Budiarto (Al Baha University, Saudi Arabia)</i>	
<b>An Analysis of Points System of Hotel Loyalty Program Based on the Return on Investment</b>	<b>357</b>
<i>Long Zuo and Hiroyuki Iida (Japan Advanced Institute of Science and Technology, Japan); Shuo Xiong (Huazhong University of Science and Technology, P.R. China)</i>	
<b>MSME Recommendation Application Using Collaborative Filtering Method and Realtime Database (Case Study: Salatiga City)</b>	<b>361</b>
<i>Radius Tanone and Yoga Adi Dharma (Satya Wacana Christian University, Indonesia)</i>	
<b>Function Points Method in Game Casual Context</b>	<b>367</b>
<i>Renny Sari Dewi and Trias Andari (Universitas Internasional Semen Indonesia, Indonesia); Apol Pribadi Subriadi and Sholiq Sholiq (Institut Teknologi Sepuluh Nopember, Indonesia)</i>	
<b>Analysis of Counter-Strike: Global Offensive</b>	<b>373</b>
<i>Muhammad Nazhif Rizani and Hiroyuki Iida (Japan Advanced Institute of Science and Technology, Japan)</i>	
<b>An Integrated Child Safety Using Geo-fencing Information on Mobile Devices</b>	<b>379</b>
<i>Dinda Lestarini (Sriwijaya University, Indonesia); Sarifah Putri Raflesia (Universitas Sriwijaya ; Institut Teknologi Bandung, Indonesia); Firdaus Firdaus (Universitas Sriwijaya, Indonesia)</i>	
<b>Web Scraping Techniques to Collect Weather Data in South Sumatera</b>	<b>385</b>
<i>Fatmasari Asmuni (Universitas Binadarma, Indonesia); Yesi Novaria Kunang (Universitas Sriwijaya, Indonesia); Susan Purnamasari (Universitas Bina Darma, Indonesia)</i>	
<b>Modified Logistic Maps for Discrete Time Chaos Based Random Number Generator</b>	<b>391</b>
<i>Magfirawaty Magfirawaty (Universitas Indonesia, Indonesia); Andriani Adi Lestari (Sekolah Tinggi Sandi Negara, Indonesia); Suryadi Suryadi and Kalamullah Ramli (Universitas Indonesia, Indonesia)</i>	
<b>Conceptual Modeling for Intelligent Knowledge-Based System in Agriculture: Case Study of Indonesia</b>	<b>397</b>
<i>Sarifah Putri Raflesia (Universitas Sriwijaya ; Institut Teknologi Bandung, Indonesia); Dinda Lestarini (Sriwijaya University, Indonesia); Firdaus Firdaus (Universitas Sriwijaya, Indonesia); Siti Nurmaini (University of Sriwijaya, Indonesia); Anugrah Pamosoaji (Universitas Atma Jaya Yogyakarta, Indonesia)</i>	

<b>Measuring Customer Satisfaction Using CRM Scorecard in Canteen FASILKOM UNSRI</b>	<b>403</b>
<i>Ali Ibrahim (Sriwijaya University, Indonesia); Aris Pratiwi, Devi Indra Meytri, Madri Madri, Muhammad Aziz Kurniawan and Nadia Yuniarti (Universitas Sriwijaya, Indonesia)</i>	
	403
<b>Identification of the Reproductive Apparatus of Tarantula Genus Brachypelma Using Linear Discriminant Analysis Method</b>	<b>409</b>
<i>Apriandy Angdresey and Meylan Wongkar (De La Salle Catholic University, Indonesia)</i>	
	409
<b>Acoustic Partial Discharge Detection Using Low-cost Pre-amplified Piezoelectric Transducer and Coated Optical Fiber Sensor</b>	<b>415</b>
<i>Chaganti Lakshmana Geetha Pavan Kumar, Izzul Hilmi Arizu and Mohd Hafizi Ahmad (Universiti Teknologi Malaysia, Malaysia); Zainuddin Nawawi (Universitas Sriwijaya, Indonesia); Muhammad Abu Bakar Sidik (Faculty of Engineering, Universitas Sriwijaya Ogan Ilir, Indonesia); Muhammad Irfan Jambak (Faculty of Engineering, Universitas Sriwijaya Ogan Ilir, Malaysia); Rizda Kurnia (University of Sriwijaya, Indonesia); Muhammad Yusof Mohd Noor (Universiti Teknologi Malaysia, Malaysia); Asrul Izam Azmi (Universiti Teknologi Malaysia ; The University of New South Wales, Malaysia); Eka Waldi (Andalas University, Indonesia); Aulia Aulia (Universitas Andalas, Indonesia)</i>	
	415
<b>Comparison Double Dielectric Barrier Using Perforated Aluminium for Ozone Generation</b>	<b>419</b>
<i>Syarifa Fitria and Zainuddin Nawawi (Universitas Sriwijaya, Indonesia); Muhammad Abu Bakar Sidik (Faculty of Engineering, Universitas Sriwijaya Ogan Ilir, Indonesia); Dwirina Yuniarti (Universitas Sriwijaya, Indonesia); Rizda Kurnia (University of Sriwijaya, Indonesia); Zolkafle Buntat (Universiti Teknologi Malaysia, Malaysia)</i>	
	419
<b>Evaluation of the Existence of Initial Breakdown Process for Cloud-to-Ground Flashes</b>	<b>425</b>
<i>Mohd Riduan Ahmad (Universiti Teknikal Malaysia Melaka, Malaysia); Muhammad Abu Bakar Sidik (Faculty of Engineering, Universitas Sriwijaya Ogan Ilir, Indonesia); Muhammad Zikri (Universitas Sriwijaya, Indonesia); Mona Riza Mohd Esa (Universiti Teknologi Malaysia, Malaysia); Muhammad Haziq Mohammad Sabri and Dinesh Periannan (Universiti Teknikal Malaysia Melaka, Malaysia); Gaopeng Lu (Chinese Academy of Sciences ; Institute of Atmospheric Physics, P.R. China); Zhang Hongbo (Institute of Atmospheric Physics, Chinese Academy of Sciences, P.R. China)</i>	
	425
<b>Enhancement of Cogging Torque Reduction on Inset Permanent Magnet Generator by Using Magnet Edge Shaping Method</b>	<b>429</b>
<i>Tajuddin Nur (Atma Jaya Catholic University, Indonesia); Herlina Wahab (Sriwijaya University ; University of Indonesia, Indonesia)</i>	
	429
<b>Variation of Pattern and Cavity Diameter of Aluminium Perforated with Single Glass Dielectric Barrier for Ozone Generation</b>	<b>435</b>
<i>Muhammad Abu Bakar Sidik (Faculty of Engineering, Universitas Sriwijaya Ogan Ilir, Indonesia); Akhbar Wista Arum and Zainuddin Nawawi (Universitas Sriwijaya, Indonesia); Muhammad Irfan Jambak (Faculty of Engineering, Universitas Sriwijaya Ogan Ilir, Malaysia); Rizda Kurnia (University of Sriwijaya, Indonesia); Zolkafle Buntat (Universiti Teknologi Malaysia, Malaysia); Syarifa Fitria (Universitas Sriwijaya, Indonesia)</i>	
	435
<b>Effects of Cold Plasma Treatment on the Growth Rate of Corn and Eggplant</b>	<b>441</b>

*Muhammad Abu Bakar Sidik (Faculty of Engineering, Universitas Sriwijaya Ogan Ilir, Indonesia); Zolkafle Buntat (Universiti Teknologi Malaysia, Malaysia); Zainuddin Nawawi (Universitas Sriwijaya, Indonesia); Muhammad Irfan Jambak (Faculty of Engineering, Universitas Sriwijaya Ogan Ilir, Malaysia); Yahya Buntat and Fatin Musa (Universiti Teknologi Malaysia, Malaysia)* 441

**Non-thermal Plasma for Removal of NO<sub>x</sub> from Diesel Engine Vehicle: A Simulation Study** 447

*Muhammad Abu Bakar Sidik (Faculty of Engineering, Universitas Sriwijaya Ogan Ilir, Indonesia); Zolkafle Buntat (Universiti Teknologi Malaysia, Malaysia); Zainuddin Nawawi (Universitas Sriwijaya, Indonesia); Muhammad Irfan Jambak (Faculty of Engineering, Universitas Sriwijaya Ogan Ilir, Malaysia); Hafezaidi Mat Saman and Fatin Musa (Universiti Teknologi Malaysia, Malaysia)* 447

**Design of a Solar Micro Power Plant for Home Lighting** 453

*Julie Rante, Lianly Rompis and Alexander Patras (Universitas Katolik De La Salle Manado, Indonesia)* 453

**The Performance Evaluation of Capacitive Antenna with Various Structures and Permittivity Values** 454

*Seah Boon York and Mohd Riduan Ahmad (Universiti Teknikal Malaysia Melaka, Malaysia); Mona Riza Mohd Esa (Universiti Teknologi Malaysia, Malaysia); Dinesh Periannan and Muhammad Haziq Mohammad Sabri (Universiti Teknikal Malaysia Melaka, Malaysia); Sulaiman Ali Mohammad (Universiti Teknologi Malaysia, Malaysia); Gaopeng Lu (Chinese Academy of Sciences ; Institute of Atmospheric Physics, P.R. China); Mohamad Zoinol Abidin Bin Abd Aziz (Universiti Teknikal Malaysia Melaka ; Hang Tuah Jaya, Malaysia); Norbayah Yusop (Utem, Malaysia); Mohd Muzafar Ismail (University Tecnical Malaysia Melaka, Malaysia); Vernon Cooray (Uppsala University, Sweden); Zulkurnain Abdul-Malek (UTM, Malaysia); Noor Azwan Shairi (Universiti Teknikal Malaysia Melaka, Malaysia)* 454

# Optimal Gas Sensors Arrangement in Odor Searching Robot

<sup>1</sup>Nyayu Latifah Husni, <sup>2</sup>Ade Silvia

*Electrical Engineering  
Politeknik Negeri Sriwijaya  
Palembang, Indonesia*

<sup>1</sup>[nyayu\\_latifah@polsri.ac.id](mailto:nyayu_latifah@polsri.ac.id),

<sup>2</sup>[ade\\_silvia@polsri.ac.id](mailto:ade_silvia@polsri.ac.id)

<sup>3</sup>Siti Nurmaini

*Intelligent System Research Group  
Faculty of Computer Science  
Universitas Sriwijaya*

Palembang, Indonesia

<sup>3</sup>[siti\\_nurmaini@unsri.ac.id](mailto:siti_nurmaini@unsri.ac.id)

<sup>4</sup>Irsyadi Yani

*Mechanical Engineering Department  
Faculty of Engineering  
Universitas Sriwijaya*

Palembang, Indonesia

<sup>4</sup>[yani\\_irs@yahoo.com](mailto:yani_irs@yahoo.com)

**Abstract**— This paper presents an analysis of an optimal sensor arrangement in Odor Searching Robot (OSR). 5 gas sensors integrated in OSR can help the OSR to navigate to the source. Since low cost, low computation and robust robot is preferred in swarm robot application, the OSR, as an individual robot of swarm in this study, is designed to be able to switch into the mode 3 or the mode 5 in order to analyze the optimal distance of the gas sensors arrangement that can be integrated in the OSR. By knowing the optimal sensor arrangement, the low cost and or the low computation OSR can be established. Algorithms of fuzzy logic for 3 and 5 gas sensors are tested in open environment. The concentration of gas is used as the input of the fuzzy logic. The robot uses the concentration, as its parameters in determining which way that it should take. From this research, it can be concluded that there was no significant difference between using 3 gas sensors or 5 gas sensors.

**Keywords**—fuzzy logic, gas sensor, mobile robot, navigation.

## I. INTRODUCTION

To find odor source in uncertain environment became one of the most interesting robotic research [1]. Some strategies were developed in order to localize the odor source more quickly and easily [2]–[9]. In navigating to the source, the mobile robot should be able to avoid the obstacles and to follow the target with minimal time consumption. However, this condition could not be achieved easily. The output of the previous odor searching research experiments still showed some drawbacks, namely: i. the research cannot be implemented in real situation. Some of the robots were tested using very scalable areas with so many limitations and conditions [1], [10]–[12]; ii. the robot used in the research needed more cost and more computation. One of the examples is research that implement the probabilistic approach [13]–[17]. This research used a map to reduce the uncertainty of the task. The map, of course, can reduce the uncertainty occurred in the searching task and can lead the robot to the odor source. However, the complexity of algorithm computation will increase. This will cause the enhancement of the size, cost, and the movement of the Odor Searching Robot (OSR).

To overcome the drawback of computation, some research still kept on developing various basic approaches, such as: i. gradient ascent, ii. Bio inspired, and iii. Probabilistic inference [18]. The gradients ascent depended on the wind direction. Biased Random Walk was one of the examples of gradient ascent approach. It was simple and easy to be implemented, however, it had bad performance [18]. Bio inspired in general imitated the behavior of animal, such as male moth and leaf-eating insects that relied on the female pheromone and plant scent respectively. However,

this approach was inefficient, inaccurate, and It really depended on the wind [19]. In infotaxis approach, Moraud [20] stated that to enhance the capability of robot in finding the odor source a probabilistic approach was needed. It worked using exploiting and exploiting strategies. Exploiting in this approach has purpose to collect environmental information, while exploiting intended to analyze the information obtained during the exploration and moved the odor searching robot to target location based on that information [20]. This algorithm allowed the peaky structure of the odor plume to be transferred to smoother function [18] to make easy the calculation of probability distribution. However, this algorithm was implemented only in simulation.

When implementing the robot in real experiment that especially relates to the plume of the the source, some difficulties usually occurred, namely: i) the concentration of the plume sensed normally would not be the same with the surrounding. The environment uncertainty sometimes broke the odor into some different concentrations. Normally, where no disturbance, the high concentration of odor can be sensed near the source, however, this condition cannot be achieved in the environment with high uncertainties, where wind or other substances may occur in that place. ii) the gas was not always in continuous one, except in the form of random pieces of concentration. In general, the OSR only received infrequent signal and patchy information, however, they should be able to track and navigate to the source. They might surge upwind when they received an indication of the existing of odor plume. When they lost contact with it, they could cast cross-wind. However, these strategies are only effective in dense conditions, i.e., close to the source where the odor plume can be considered as a continuous cloud [21].

In this research, a fuzzy logic for 3 and 5 gas sensor was proposed as the controller of the OSR. An integration of intelligences to the robots will give advantages for OSR performance. By complementing intelligences to the OSR, they will have an ability to decide which way should be followed, relying on their intellectual capability [22]. This research has purposes to analyze the optimal gas sensor arrangement in order to achieve the robustness of the individual robot and to analyze the possibility of decreasing the number of gas sensors that should be used in the system. Basically, using more number of sensors, of course, will increase the price and also the number of computation. This research has an aim to analyze whether this additional gas sensors is really needed or not. Therefore, a comparison between 3 and 5 gas sensors arrangement was analyzed. In uncertain environment, at the beginning of odor searching,

there is no information about the odor concentration. The OSR in this study will iterate in order to make connection to the odor plume. When they have connected to the odor, they would activate their gas sensors and the fuzzy logic would work based on the gas sensors data. The 3 and 5 gas sensors were introduced to the robots. Each of their performance than was analyzed in this paper.

## II. APPROACHES IN ODOR SEARCHING ROBOT

Recently, some of research in OSR have been conducted in various of applications. Kowadlo and Russel [23], Ishida [10] and Thomas Lochmatter [12] described the detail work in these research. G. Kowadlo and R.A. Russell provided the odor localization approaches in a Venn diagram [23]. The OSR approaches were divided into 3 categories: 1. Early work, 2. Reactive Gradient Climbing, and 3. Turbulence Dominated Fluid Flow.

According to Ali Marjovi [24], previous works has proposed many approaches implementing in OSR, such as: Chemotaxis (concentration gradient climbing) [25], [26], [27], anemotaxis [28], [29], BESA (biasing expansion swarm approaches) [30], BRW (biased random walk) [31], Particle Swarm Optimization [32], Modified PSO [33], Learning PSO [34], Niching PSO [35], Glow-Worm Swarm Optimization (GSO) [36], [37], [38]. Most of these studies made assumption that the robots started their search near or within the plume or in other word the robots only tracked the odor to the source.

This research focused on fuzzy algorithm. Fuzzy logic is very useful in many areas of odor localization applications. It can be used as the network controller and input sensors information processor. In this research, the information from the TGS sensors was collected and processed using fuzzy algorithm. After fuzzification, fuzzy inferencing, and defuzzification process, the PWM of the robots can be controlled in such a way so that it can reach the odor source as the final target of the robot. Some Fuzzy and their combination methods/algorithms used by the researchers of localization using fuzzy algorithm in recent years is presented in Table I.

TABLE I. RECENT ODOR LOCALIZATION RESEARCH USING FUZZY

Year	Methods/Algorithm	References
2014	Fuzzy	[39]
2015	Fuzzy Fuzzy control based	[40] [2][7]
2016	Fuzzy-PSO	[41]
2017	Fuzzy-Kohonen	[42]

The research in [41] was only a simulation one, while the rest was done in real experimental environment. The fuzzy in [2], [7], [39], and [40] were successful in localizing the odor. The fuzzy logic in [42] was combined with PSO in order to control the swarm robot to the target. It was successful in localizing the odor source in short time. However, none of them used gas sensors as the inputs of fuzzy logic. Moreover, none of them analyzed the optimal distance of the gas sensors arrangement.

## III. EXPERIMENTAL SET-UP

### A. Block Diagram

In this study, a robot with two modes were built. It was equipped with a 5 TGS 2600 gas sensors that could be switched into 3 and 5 gas sensors modes. When the mode 3 was selected and the 3 fuzzy algorithm was used, then the 3 sensors will be activated. It also happened to the mode 5, for activating 5 gas sensors, the step was only switch the toggle to the mode 5.




Fig. 1. (a) Block Diagram of the OSR, (b) OSR

The robot has diameter of 20 cm with round shape and it was also equipped with DC-DC converter that has function to convert 12V DC voltage into 5V DC voltage, 5 HC-SR04 ultrasonic sensors as the distance sensors that can manage the distance of the robot to the obstacles and the wall, Arduino Mega 2560 as the controller of the robot, 4 DC motors with 2 L298D motor drivers as the mover of the robot, HMC5883L compass that has function to show the direction of the robot, and X bee module for robot communication. The diagram block of the robot is shown in Fig. 1.

### B. Sensor arrangement

The arrangement of the gas sensors was shown in Fig. 2. For the 3 gas sensors mode, each of the sensor was placed in  $0^\circ$ ,  $90^\circ$ , and  $180^\circ$ , while for the 5 gas sensors was placed in  $0^\circ$ ,  $45^\circ$ ,  $90^\circ$ ,  $135^\circ$ , and  $180^\circ$ .




Fig. 2. Sensor arrangement

### C. Experimental Environment

The experiments in this study were conducted in a room with 3 m x 3 m arena. This arena was intended to limit the dispersion of the experimental gases. The experimental environments were set up using 4 scenarios, i.e.




Fig. 3. Experimental Environment (a) No Obstacles, (b) 1 Obstacle, (c) 2 Obstacles, and (D) 3 Obstacles

#### D. Fuzzy Logic

The fuzzy logic in this study was implemented in 2 modes experiments, mode 3 and mode 5. Each of the fuzzy logic coding could be changed easily by pushing the switch button on the top of the OSR. The overall of the systems is almost the same. Each mode was consisted of the fuzzyfication, fuzzy rules, and the defuzzyfication process. However, the number of fuzzy rules of mode 5 was more than the mode 3. The fuzzy rules for mode 3 consisted of only 27 rules, while mode 5 needed 243 rules. The number of membership functions that was used can be calculated using the equation:  $y^x$ , where  $y$  is number of membership functions, and  $x$  is the number of input sensors. Thus, for 5 input sensors with 3 membership functions, the fuzzy rules was 243..




Fig. 4. Input membership function




Fig. 5. Output membership function

In this research, 3 membership functions were used as the gas sensors input, i.e. Low, Medium, and High. The memberships functions of input and output can be seen in Fig. 3 and Fig. 4. The overall process of mode 3 fuzzy logic in this study can be seen in our previous project [43]. As stated above, the fuzzy logic process for mode 5 was the same with mode 3 fuzzy logic. The difference was only in the number of fuzzy rules. The Linguistic variable for gas sensors input and output can be seen in Table II. The membership functions of the output were in the singleton form, namely: Slow, Medium, and Fast. PWM 50 indicated Slow motion, while PWM 150 and 250 indicated Medium and Fast motion respectively. The defuzzification in this research used Sugeno method. The implication function that was used in this research was Max-Min operation to certain membership function.

TABLE II. GAS SENSOR INPUT AND OUTPUT LINGUISTIC VARIABLE

INPUT		OUTPUT	
Gas Concentration (ADC)	Linguistic Variable	PWM Motor	Linguistic Variable
0-449	Low	50	Slow
50-849	Medium	150	Medium
450-900	High	250	High

#### IV. RESULT AND DISCUSSION

The experiment in this study was done in 4 scenarios, the trajectories of the robot were shown in Fig. 6 – Fig.9. The data of each experiment was shown in Table III – Table VI.




Fig. 6. OSR Trajectory in No Obstacle




Fig. 7. OSR Trajectory in 1 Obstacle




Fig. 8. OSR Trajectory in 2 Obstacle




Fig. 9. OSR Trajectory in 3 Obstacle

TABLE III. OSR SEARCHING TIME IN NO OBSTACLES

Fuzzy Type	Starting Point	Time (s)			
		1.5	2.0	2.5	3.0
Mode 3	Right	32 (L)	35 (I)	42 (F)	48 (C)
	Middle	74 (K)	36 (H)	65 (E)	52 (B)
	Left	34 (J)	40 (G)	80 (D)	60 (A)
Mode 5	Right	25 (L)	85 (I)	38 (F)	41 (C)
	Middle	40 (K)	25 (H)	70 (E)	58 (B)
	Left	43 (J)	30 (G)	78 (D)	59 (A)

TABLE IV. OSR SEARCHING TIME IN 1 OBSTACLE

Fuzzy Type	Starting Point	Time (s)			
		1.5	2.0	2.5	3.0
Mode 3	Right	28 (L)	29 (I)	38 (F)	54 (C)
	Middle	32 (K)	36 (H)	42 (E)	47 (B)
	Left	34 (J)	38 (G)	45 (D)	63 (A)
Mode 5	Right	15 (L)	29 (I)	25 (F)	48 (C)
	Middle	21 (K)	47 (H)	31 (E)	39 (B)
	Left	33 (J)	43 (G)	52 (D)	48 (A)

TABLE V. OSR SEARCHING TIME IN 2 OBSTACLES

Fuzzy Type	Starting Point	Time (s)			
		1.5	2.0	2.5	3.0
Mode 3	Right	50 (L)	50 (I)	52 (F)	48 (C)
	Middle	40 (K)	50 (H)	57 (E)	56 (B)
	Left	38 (J)	50 (G)	76 (D)	52 (A)
Mode 5	Right	28 (L)	37 (I)	36 (F)	37 (C)
	Middle	39 (K)	29 (H)	30 (E)	48 (B)
	Left	38 (J)	43 (G)	45 (D)	59 (A)

TABLE VI. OSR SEARCHING TIME IN 3 OBSTACLES

Fuzzy Type	Starting Point	Time (s)			
		1.5	2.0	2.5	3.0
Mode 3	Right	32 (L)	35 (I)	42 (F)	48 (C)
	Middle	74 (K)	36 (H)	65 (E)	52 (B)
	Left	34 (J)	40 (G)	80 (D)	60 (A)
Mode 5	Right	70 (L)	25 (I)	24 (F)	36 (C)
	Middle	22 (K)	33 (H)	39 (E)	57 (B)
	Left	28 (J)	37 (G)	42 (D)	58 (A)

In each scenarios, the robot was placed in the 12 starting points, In Fig. 6 – Fig. 9, the starting points of experiments were represented in the arrows (in the right side of each figures) that showed 1.5 m, 2.0 m, 2.5 m, and 3.0 m away from the source. Each distances had 3 sub positions of starting point, i.e, Left, Middle, and Right. They were named A, B, C for the 3 m distance; D, E, and F for 2.5 m distance; G, H, and I for 2.0 m distance; and J, K, and L for 1.5 m distance. The position labels (A-L) were shown in the middle of each circles in Fig. 6 – Fig. 9.

In Fig. 6 – Fig.9, Some of OSR trajectories showed a deviation. For example in Fig. 6 (a) position D, Fig. 6 (b) position I, Fig. 8 (a) position F, Fig. 9 (a) position F and I, and Fig. 9 (b) position L, the OSR navigated to the backside of the source and followed the experimental wall, however it could finish their task in about 60 - 86 s (Table V and Table VI). The condition might occur due to the OSR have not detected the occurrence of the source in that place and tried to iterate by following the wall. However, when they had found the odor, they activated their fuzzy logic and navigated to the source by relying on the concentration of the odor that they sensed.

In Fig. 6 (a) in K position (Table III), the OSR needed more time in reaching the source (74 s), the OSR moved backward and continued to go forward until the position B, then made U turned and moved back to search the odor source. It happened due to at first minute, it sensed the odor concentration at its backside, however, when it moved back, it lost the odor, therefore, it continued to go forward about 22 s. This OSR was programmed to move back when it did not sense the odor for 20 s, therefore, it made u turned and continued to go forward to the source, when it sensed the odor, it activated the fuzzy logic, and finally found the odor source. In Fig. 6 (b), in I position (Table III), the same problem in position K of Fig 6 (a) happened, the OSR did not went forward, except turned backward, however, it could finally finished the searching task in 85 s.

In Fig. 7 (a) and 7 (b), the OSR seemed to be successful in navigating to the odor source in every position of starting points without any difficulties. The OSR in this environment (in 1 obstacle) could reach the target more quickly than the no obstacles environment (See Fig. 7 and Table IV). The OSR moved forward since it started its searching task. Although, there is an obstacle set up in this environment, the OSR could find the location of the source. It is due to, the OSR have sensed the occurrence of the odor at the first time it started the searching task, and therefore, it did not move its direction. It just navigated forward using the concentration data. Although both of the mode 3 and mode 5 have been successful in finding the odor, however, mode 5 represented faster and simpler path than mode 3.

In Fig. 8 (a) there were deviation in position D and position L. In position D, the OSR did not moved forward but moved to its right side, it changed its direction when it sensed the odor and continued move forward until it reach the odor. In position L, the OSR have found the location of the source in its first 20 s searching (See Fig. 8 and Table V), however it did not stop, it seemed that the concentration it sensed was not reach the source setting concentration, therefore, it just kept to move. In Fig 8 (b), the OSR could reach the source with only a few errors. Most of the position of OSR starting point gave the best result. In this experiment (Fig. 8 (b)), the OSR also gave the faster and simpler navigation.

In Fig. 9 (a) a deviation occurred in position F, H, and K (See also Table VI). In position F, the OSR moved to the left side first before it continued to navigate to the odor source, however, it was still able to reach the source. The big error occurred in K position, although its starting point was really closed to the target, it itinerated to the opposite side of the source. It seemed that it got misinformation about the odor concentration that it should follow. Therefore, it wasted a long time travelling not to the source. In H position, although the OSR had time to turned back its position, however, its error was not so fatal. In Fig 9 (b), only the position L gave an error, although its starting point was so closed to the source, however, it needed 70 s to reach it. It seemed that it could not detect the odor; therefore, its trajectory was out of the determined path.

## V. CONCLUSION

From the experiments, it can be concluded that there was no significant difference between using 3 gas sensors or 5 gas sensors. Both of them gave advantage. If it needs low cost and low computation, an OSR equipped with 3 gas sensors could be used. However, if it needs a faster and simpler navigation, a 5 gas OSR could be used. Although in 5 gas OSR, there were a lot of fuzzy rules than 3 gas OSR, however, the computation was not so high, the micro controller that was used, was still able to manage it. It was proved by the faster time that the OSR needed in finding the source.

## ACKNOWLEDGMENT

Authors thank to the Indonesian Ministry of Research, Technology and National Education (RISTEKDIKTI) and State Polytechnic of Sriwijaya under Research Collaboration for their financial supports in Competitive Grants Project. This paper is also one of our Ph.D. projects. Our earnest gratitude also goes to all researchers in Signal Processing and Control Laboratory, Electrical Engineering, State Polytechnic of Sriwijaya and Cyborg IT Center who provided companionship and sharing of their knowledge.

## REFERENCE

- [1] G. Kowadlo and R. A. Russell, "Robot Odor Localization: A Taxonomy and Survey," *Int. J. Robot. Res.*, vol. 27, no. 8, pp. 869–894, 2008.
- [2] P. Jiang, Y. Wang, and A. Ge, "Multivariable Fuzzy Control Based Mobile Robot Odor Source Localization via Semitensor Product," vol. 2015, 2015.
- [3] Z. Zhao and J. Fang, "Robot odor localization based on evolutionary gradient algorithm under the Gaussian plume model," no. 1, pp. 323–327, 2015.
- [4] Y. Zhang, X. Ma, and Y. Miao, "Multiple Chemical Sources Localization Using Virtual Physics-Based Robots with Release Strategy," vol. 2015, 2015.
- [5] J. M. Soares, A. P. Aguiar, A. M. Pascoal, and A. Martinoli, "A distributed formation-based odor source localization algorithm: design, implementation, and wind tunnel evaluation," *IEEE Int. Conf. Robot. Autom.*, pp. 1830–1836, 2015.
- [6] D. P. P. Neumann, *Gas Source Localization and Gas Distribution Mapping with a Micro-Drone*. 2013.
- [7] S. Nurmaini, S. Z. M. Hashim, A. Zarkasi, B. Tutuko, and A. Triadi, "Target Localization With Fuzzy-Swarm Behavior," pp. 21–24, 2014.
- [8] Q. Li, Z. Liu, and X. Xiao, "A Gas Source Localization Algorithm Based on Particle Filter in Wireless Sensor Network," vol. 2015, 2015.
- [9] H. Kwon, D. Kim, and K. Hong, "Multiple Odor Recognition and Source Direction Estimation with an Electronic Nose System," vol. 2013, 2013.
- [10] H. Ishida, Y. Wada, and H. Matsukura, "Chemical Sensing in Robotic Applications :," vol. 12, no. 11, pp. 3163–3173, 2012.
- [11] A. Marjovi and L. Marques, "Optimal Coverage of Multiple Robotic Gas Sensors in Finding Odor Plumes," 2012.
- [12] T. Lochmatter, "Bio-Inspired and Probabilistic Algorithms for Distributed Odor Source Localization using Mobile Robots," vol. 4628, 2010.
- [13] G. Cabrita and L. Marques, "Divergence-based odor source declaration," *2013 9th Asian Control Conf. ASCC 2013*, 2013.
- [14] P. P. Neumann, S. Asadi, A. J. Lilienthal, M. Bartholmai, and J. H. Schiller, "Micro-Drone for Wind Vector Estimation and Gas Distribution Mapping," vol. 6, no. 1, pp. 1–11, 2011.
- [15] M. Reggente and A. J. Lilienthal, "Using local wind information for gas distribution mapping in outdoor environments with a mobile robot," *Proc. IEEE Sensors*, pp. 1715–1720, 2009.
- [16] A. Loutfi, S. Coradeschi, A. J. Lilienthal, and J. Gonzalez, "Gas distribution mapping of multiple odour sources using a mobile robot," *Robotica*, vol. 27, p. 311, 2009.
- [17] V. H. Bennetts, A. J. Lilienthal, and M. Trincavelli, "Creating true gas concentration maps in presence of multiple heterogeneous gas sources," *Proc. IEEE Sensors*, 2012.
- [18] T. Lochmatter, "Bio-Inspired and Probabilistic Algorithms for Distributed Odor Source Localization using Mobile Robots," vol. 4628, p. 135, 2010.
- [19] J. Fang, "The Fuzzy Logic Algorithm of Space Odor Source Localization to Mobile Robot," *J. Inf. Comput. Sci.*, vol. 12, no. 8, pp. 3173–3183, 2015.
- [20] E. M. Moraud and D. Martinez, "Effectiveness and robustness of robot infotaxis for searching in dilute conditions," vol. 4, no. March, pp. 1–8, 2010.
- [21] J. a. Farrell, S. P. S. Pang, and W. L. W. Li, "Chemical plume tracing via an autonomous

- underwater vehicle,” *IEEE J. Ocean. Eng.*, vol. 30, no. 2, pp. 428–442, 2005.
- [22] P. Jiang, M. Zeng, Q. Meng, F. Li, and Y. Li, “A Novel Object Recognition Method for Mobile Robot Localizing a Single Odor / Gas Source in Complex Environments,” pp. 2–6, 2008.
- [23] G. Kowadlo and R. a. Russell, “Robot Odor Localization: A Taxonomy and Survey,” *Int. J. Rob. Res.*, vol. 27, no. 8, pp. 869–894, 2008.
- [24] “ali marjovi\_optimal swarm formation for odor plume finding.pdf.”
- [25] R. A. Russell, A. Bab-Hadiashar, R. L. Shepherd, and G. G. Wallace, “A comparison of reactive robot chemotaxis algorithms,” *Rob. Auton. Syst.*, vol. 45, no. 2, pp. 83–97, 2003.
- [26] F. W. Grasso, T. R. Consi, D. C. Mountain, and J. Atema, “Biomimetic robot lobster performs chemorientation in turbulence using a pair of spatially separated sensors: Progress and challenges,” *Rob. Auton. Syst.*, vol. 30, no. 1, pp. 115–131, 2000.
- [27] A. Lilienthal and T. Duckett, “Approaches to Gas Source Tracing and Declaration by Pure Chemotaxis.”
- [28] L. Marques and A. T. De Almeida, “ThermalSkin: A distributed sensor for anemotaxis robot navigation,” *Proc. IEEE Sensors*, pp. 1515–1518, 2006.
- [29] H. Ishida, A. Kobayashi, T. Nakamoto, and T. Moriizumi, “Three-Dimensional Odor Compass,” vol. 15, no. 2, pp. 251–257, 1999.
- [30] X. Cui, C. T. Hardin, R. K. Ragade, and A. S. Elmaghraby, “A Swarm Approach for Emission Sources Localization,” no. Ictai, 2004.
- [31] L. Marques, U. Nunes, and A. Dealmeida, “Olfaction-based mobile robot navigation,” *Thin Solid Films*, vol. 418, no. 1, pp. 51–58, 2002.
- [32] W. Jatmiko, F. Jovan, R. Y. S. Dhiemas, a M. Sakti, F. M. Ivan, a Febrian, T. Fukuda, and K. Sekiyama, “Robots implementation for odor source localization using PSO algorithm,” *WSEAS Trans. Circuits Syst.*, vol. 10, no. 4, pp. 115–125, 2011.
- [33] D. Gong, C. Qi, Y. Zhang, and M. Li, “Modified particle swarm optimization for odor source localization of multi-robot,” *2011 IEEE Congr. Evol. Comput.*, pp. 130–136, 2011.
- [34] Q. Lu and P. Luo, “A learning particle swarm optimization algorithm for odor source localization,” *Int. J. Autom. Comput.*, vol. 8, no. August, pp. 371–380, 2011.
- [35] J. Zhang, D. Gong, and Y. Zhang, “A niching PSO-based multi-robot cooperation method for localizing odor sources,” *Neurocomputing*, vol. 123, pp. 308–317, 2014.
- [36] K. N. Krishnanand, P. Amruth, M. H. Guruprasad, S. V. Bidargaddi, and D. Ghose, “Glowworm-inspired robot swarm for simultaneous taxis towards multiple radiation sources,” *Proc. - IEEE Int. Conf. Robot. Autom.*, vol. 2006, no. May, pp. 958–963, 2006.
- [37] K. N. Krishnanand and D. Ghose, “Glowworm swarm based optimization algorithm for multimodal functions with collective robotics applications,” *Int. J.*, vol. 2, pp. 209–222, 2006.
- [38] K. N. Krishnanand and D. Ghose, “Theoretical foundations for rendezvous of glowworm-inspired agent swarms at multiple locations,” *Rob. Auton. Syst.*, vol. 56, no. 7, pp. 549–569, 2008.
- [39] S. Nurmaini and S. Z. M. Hashim, “Swarm Robots Control System based Fuzzy-PSO,” no. August, pp. 20–21, 2014.
- [40] J. Fang, “The Fuzzy Logic Algorithm of Space Odor Source Localization to Mobile Robot,” *J. Inf. Comput. Sci.*, vol. 12, no. 8, pp. 3173–3183, 2015.
- [41] S. N. Husnawati, Gita Fadila F, “Optimisasi Mobile Robot Pendeteksi Sumber Gas Menggunakan Metode Hybrid,” vol. 2, no. 1, pp. 56–59, 2016.
- [42] S. Nurmaini, B. Tutukoa, and A. Pp, “A New Swarm Source Seeking Behavior based-on Pattern Recognition Approach,” *J. Telecommun. Electron. Comput. Eng.*, vol. 9, no. 1, pp. 71–76, 2016.
- [43] N. L. Husni and A. S. Handayani, “Odor Localizat on using Gas Sensor for Mobile Robot.”



**ICECOS**  
**2018**

INTERNATIONAL CONFERENCE  
ON ELECTRICAL ENGINEERING  
AND COMPUTER SCIENCE

**INTERNATIONAL CONFERENCE**

**ON ELECTRICAL ENGINEERING AND COMPUTER SCIENCE 2018**

**October 02-04, 2018**

Province of Bangka-Belitung  
Indonesia

**CERTIFICATE OF APPRECIATION**

present to


**Nyayu Latifah Husni**

In recognition and appreciation of your contribution as

**PRESENTER**

For paper entitled :

**Optimal Gas Sensors Arrangement in Odor Searching Robot**



**Prof. Dr. Ir. Anis Saggaff, MSCE**  
Rector of Universitas Sriwijaya




*Siti Nurmaini*  
**Prof. Dr. Ir. Siti Nurmaini**  
Chair of ICECOS 2018

Organized by :



Co-Organized by :



Partner :



Technical Co-Sponsored by :

