

Index.php

```
<?php
// Untuk mengecek session apakah masih ada atau tidak
session_start();

include "koneksi/ceksession.php";
?>
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>Penyimpanan Arsip Teknik Komputer</title>
<meta name="description" content="Free Bootstrap Theme by
BootstrapMade.com">
<meta name="keywords" content="free website templates, free bootstrap themes,
free template, free bootstrap, free website template">
<!-- untuk manggil link ke bootstrap -->
<link rel="stylesheet" type="text/css"
href="https://fonts.googleapis.com/css?family=Roboto:400,300|Raleway:300,400,
900,700italic,700,300,600">
<link rel="stylesheet" type="text/css" href="css/jquery.bxslider.css">
<link rel="stylesheet" type="text/css" href="css/font-awesome.min.css">
<link rel="stylesheet" type="text/css" href="css/bootstrap.min.css">
<link rel="stylesheet" type="text/css" href="css/animate.css">
<link rel="stylesheet" type="text/css" href="css/style.css">
<link rel="shortcut icon" href="img/icon.ico">

</head>
<body>

<div class="loader"></div>
<div id="myDiv">
<!--HEADER-->
<div class="header">
<div class="bg-color">
<header id="main-header">
<nav class="navbar navbar-default navbar-fixed-top">
<div class="container">
<div class="navbar-header">
<button type="button" class="navbar-toggle" data-toggle="collapse" data-
target="#myNavbar">
<span class="icon-bar"></span>
```

```

<span class="icon-bar"></span>
<span class="icon-bar"></span>
</button>
<a class="navbar-brand" href="#">E-ARSIP <span class="logo-
dec">POLITEKNIK SRIWIJAYA</span></a>
</div>
<div class="collapse navbar-collapse" id="myNavbar">
<ul class="nav navbar-nav navbar-right">
<!-- Untuk menghubungkan navigasi ke masing linknya -->
<li class="active"><a href="#main-header">Beranda</a></li>
<li class=""><a href="#feature">Tentang</a></li>
<li class=""><a href="#portfolio">Tri-Dharma</a></li>
<ul class="nav navbar-nav navbar-right">
<li class="">
<a href="javascript:;" class="user-profile dropdown-toggle" data-
toggle="dropdown" aria-expanded="false">
<img src="" alt="">Masuk
<span class=" fa fa-angle-down"></span>
</a>
<ul class="dropdown-menu dropdown-usermenu pull-right">
<li><a href="admin/login"><i class="fa fa-sign-out pull-right"></i>
Admin</a></li>
<li><a href="bagian/login"><i class="fa fa-sign-out pull-right"></i>
Dosen</a></li>
</ul>
</li>
</ul>
</ul>
</div>
</div>
</nav>
</header>
<!-- Batas Header -->
<div class="wrapper">
<div class="container">
<div class="row">
<div class="banner-info text-center wow fadeIn delay-05s">
<h2 class="bnr-sub-title"></h2>
<div class="logo">

</div>
<h3 class="bnr-sub-title">SISTEM INFORMASI PENGARSIPAN </h3>
<h3 class="bnr-sub-title"><span class="logo-dec">POLITEKNIK
SRIWIJAYA</span></h3>
</div>
</div>

```

```

</div>
</div>
</div>
</div>
<!--/ HEADER-->
<!-->

<!-- Section Untuk Navigasi Tentang-->
<section id="feature" class="section-padding wow fadeIn delay-05s">
<div class="container">
<div class="row">
<div class="col-md-12 text-center">
<h2 class="service-title pad-bt15">Tentang</h2>
<p class="sub-title pad-bt15">Website ini berguna untuk pengarsipan berkas
Tridharma di POLITEKNIK SRIWIJAYA</p><p>Berkas Pengarsipan
diarsipkan dalam format PDF.</p>
<hr class="bottom-line">
<p class="sub-title pad-bt15">Pengarsipan terbagi jadi 4 jenis yaitu Arsip
Penelitian, Publikasi Jurnal, Pengabdian Dan Penunjang</p>
<hr class="bottom-line">
</div>
<div class="col-md-2">
</div>
<div class="col-md-2 col-sm-6 col-xs-12">
<div class="wrap-item text-center">
<div class="item-img">

</div>
<h3 class="pad-bt15">Penelitian</h3>
</div>
</div>
<div class="col-md-2 col-sm-6 col-xs-12">
<div class="wrap-item text-center">
<div class="item-img">

</div>
<h3 class="pad-bt15">Publikasi Jurnal</h3>
</div>
</div>
<div class="col-md-2 col-sm-6 col-xs-12">
<div class="wrap-item text-center">
<div class="item-img">

</div>
<h3 class="pad-bt15">Pengabdian</h3>
</div>
</div>

```

```

</div>
<div class="col-md-2 col-sm-6 col-xs-12">
<div class="wrap-item text-center">
<div class="item-img">

</div>
<h3 class="pad-bt15">Penunjang</h3>
</div>
</div>
<div class="col-md-2">
</div>
</div>
</div>
</section>
<!-- Akhir Dari Navigasi Tentang -->
<!-->
<!-->
<!-- Awal Navigasi Tridharma -->
<section id="portfolio" class="section-padding wow fadeInUp delay-05s">
<div class="container">
<div class="row">
<div class="col-md-12 text-center">
<h2 class="service-title pad-bt15">Tri-Dharma</h2>
<p class="sub-title pad-bt15">Tri Dharma adalah tiga kewajiban yang ada dalam
perguruan tinggi. Tiga kewajiban yang dimaksud adalah pendidikan dan
pengajaran, penelitian, dan pengabdian kepada masyarakat.</p>
<hr class="bottom-line">
</div>
<div class="col-md-3"></div>
<div class="col-md-6 col-sm-6 col-xs-12 portfolio-item padding-right-zero mr-
btn-15">
<figure>

<figcaption>
<h2>Nisa</h2>
<p>"ILMU KOMPUTER POLSRI"</p>
<p>"Never put off till tomorrow what you can do today"</p>
</figcaption>
</figure>
</div>
<div class="col-md-3"></div>
</div>
<hr class="bottom-line">
</div>
</section>
<!-- Akhir Navigasi Tridharma -->

```

```

<!-->
<!-->
<footer id="footer">
<div class="container">
<div class="row text-center">
<p>&copy; TEKNIK KOMPUTER POLSRI. All Rights Reserved.</p>
<div class="credits">
<!--
        All the links in the footer should remain intact.
        You can delete the links only if you purchased the pro version.
        Licensing information: https://bootstrapmade.com/license/
        Purchase the pro version with working PHP/AJAX contact form:
https://bootstrapmade.com/buy/?theme=Baker
-->
        Designed by <a href="https://bootstrapmade.com/">Bootstrap
Themes</a>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<script src="js/jquery.min.js"></script>
<script src="js/jquery.easing.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/wow.js"></script>
<script src="js/jquery.bxslider.min.js"></script>
<script src="js/custom.js"></script>
<script src="contactform/contactform.js"></script>

</body>
</html>

```

Koneksi.php

```

<?php
$server = "localhost";
$username = "root";
$password = "";
// Untuk menghubungkan ke database yang kita punya
$dbase = "db_arsip";

$db = mysqli_connect($server, $username, $password, $database);

// cek koneksi

```

```
if (!$db) {
    die('Koneksi Database Gagal : ' . mysqli_connect_error());
}
?>
```

Index.php

```
<!DOCTYPE html>
<!-- Index untuk halaman LOGIN -->
<?php
    session_start();
    include "ceksessionn.php";
?>
<html lang="en">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<!-- Meta, title, CSS, favicons, etc. -->
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1">

<title>E-Arsip Teknik Komputer</title>

<!-- Bootstrap -->
<link href="../../assets/vendors/bootstrap/dist/css/bootstrap.min.css"
rel="stylesheet">
<!-- Font Awesome -->
<link href="../../assets/vendors/font-awesome/css/font-awesome.min.css"
rel="stylesheet">
<!-- NProgress -->
<link href="../../assets/vendors/nprogress/nprogress.css" rel="stylesheet">
<!-- Animate.css -->
<link href="../../assets/vendors/animate.css/animate.min.css" rel="stylesheet">

<!-- Custom Theme Style -->
<link href="../../assets/build/css/custom.min.css" rel="stylesheet">
<link rel="shortcut icon" href="../../img/icon.ico">
</head>

<body class="login">
<div>
<a class="hiddenanchor" id="signin"></a>

<div class="login_wrapper">
<div class="animate form login_form">
```

```
<section class="login_content">
<form action="proses_login.php" id="login" name="login" method="post">
<h1>Login Admin</h1>
<div class="form-group has-feedback">
<input type="text" id="username" name="username_admin" class="form-control"
autocomplete="off"          maxlength="50"          placeholder="Username"
required="username" />
<span class="glyphicon glyphicon-user form-control-feedback"></span>
</div>
<div class="form-group has-feedback">
<input type="password" id="password" name="password" class="form-control"
autocomplete="off"          maxlength="50"          placeholder="Password"
required="password" />
<span class="glyphicon glyphicon-lock form-control-feedback"></span>
</div>
<div>
<a href="../../index.php"><button type="button" class="btn btn-success"><span
class="glyphicon glyphicon-arrow-left"></span> Kembali</button></a>
<button type="submit" class="btn btn-primary"><span class="glyphicon
glyphicon-lock"></span> Masuk</button>
</div>

<div class="clearfix"></div>

<div class="separator">
<div>
<h2><i class="fa fa-institution"></i> Politeknik Negeri Sriwijaya</h2>
<p>©2021 D3 Teknik Komputer</p>
</div>
</div>
</form>
</section>
</div>
</div>
</div>
</body>
</html>
```

proses_login.php

```
<?php
//koneksi ke database
session_start();
include "../koneksi/koneksi.php";

//validasi login
$username =
mysql_real_escape_string($db,
$_POST['username_admin']);
$password =
mysql_real_escape_string($db,
sha1($_POST['password']));
$query =
mysql_query($db,"SELECT *
FROM tb_admin WHERE username_admin='$username' AND
password='$password'");
$data = $query->fetch_array();
$jumlah=$query->num_rows;

if ($jumlah>0){
    echo "login berhasil ! ";
    $nama=$data['nama_admin'];
    $id =$data['id_admin'];
    $_SESSION['r3su'] = 'dmn';
    $_SESSION['id'] = $id;
    $_SESSION['username'] = $username;
    $_SESSION['nama'] = $nama;
    header('location:../');
}
else{
    echo "<center>Username atau Password anda salah<br><br><h3>Silahkan
Ulangi </h3></center>";
    echo "<meta http-
equiv='refresh' content='2;url=../login/'>";
}
?>
```

index.php

```
<!DOCTYPE html>
<?php
    session_start();
```



```
        include "ceksessionn.php";
    ?>
<html lang="en">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<!-- Meta, title, CSS, favicons, etc. -->
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1">

<title>E-Arsip Teknik Komputer</title>

<!-- Bootstrap -->
<link href="../../assets/vendors/bootstrap/dist/css/bootstrap.min.css"
rel="stylesheet">
<!-- Font Awesome -->
<link href="../../assets/vendors/font-awesome/css/font-awesome.min.css"
rel="stylesheet">
<!-- NProgress -->
<link href="../../assets/vendors/nprogress/nprogress.css" rel="stylesheet">
<!-- Animate.css -->
<link href="../../assets/vendors/animate.css/animate.min.css" rel="stylesheet">

<!-- Custom Theme Style -->
<link href="../../assets/build/css/custom.min.css" rel="stylesheet">
<link rel="shortcut icon" href="../../img/icon.ico">
</head>

<body class="login">
<div>
<a class="hiddenanchor" id="signin"></a>

<div class="login_wrapper">
<div class="animate form login_form">
<section class="login_content">
<form action="proses_login.php" id="login" name="login" method="post">
<h1>Login Dosen</h1>
<div class="form-group has-feedback">
<input type="text" id="username" name="username_admin_bagian" class="form-
control" autocomplete="off" maxlength="50" placeholder="Username"
required="username" />
<span class="glyphicon glyphicon-user form-control-feedback"></span>
</div>
<div class="form-group has-feedback">
<input type="password" id="password" name="password_bagian" class="form-
control" autocomplete="off" maxlength="50" placeholder="Password"
```

```

required="password" />
<span class="glyphicon glyphicon-lock form-control-feedback"></span>
</div>
<div>
<a href="../../index.php"><button type="button" class="btn btn-success"><span
class="glyphicon glyphicon-arrow-left"></span> Kembali</button></a>
<button type="submit" class="btn btn-primary"><span class="glyphicon
glyphicon-lock"></span> Masuk</button>
</div>

<div class="clearfix"></div>

<div class="separator">
<div>
<h2><i class="fa fa-institution"></i> Politeknik Negeri Sriwijaya</h2>
<p>©2021 D3 Teknik Komputer</p>
</div>
</div>
</form>
</section>
</div>
</div>
</div>
</body>
</html>

```

data_penelitian.php

```

<!DOCTYPE html>
<?php
session_start();
include "login/ceksession.php";
?>
<html lang="en">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<!-- Meta, title, CSS, favicons, etc. -->
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1">

<title>Arsip Penelitian Politeknik Sriwijaya </title>

<!-- Bootstrap -->
<link href="../../assets/vendors/bootstrap/dist/css/bootstrap.min.css"
rel="stylesheet">

```

```

<!-- Font Awesome -->
<link href="../../assets/vendors/font-awesome/css/font-awesome.min.css"
rel="stylesheet">
<!-- NProgress -->
<link href="../../assets/vendors/nprogress/nprogress.css" rel="stylesheet">
<!-- iCheck -->
<link href="../../assets/vendors/iCheck/skins/flat/green.css" rel="stylesheet">
<!-- Datatables -->
<link href="../../assets/vendors/datatables.net-bs/css/dataTables.bootstrap.min.css"
rel="stylesheet">
<link href="../../assets/vendors/datatables.net-buttons-
bs/css/buttons.bootstrap.min.css" rel="stylesheet">
<link href="../../assets/vendors/datatables.net-fixedheader-
bs/css/fixedReader.bootstrap.min.css" rel="stylesheet">
<link href="../../assets/vendors/datatables.net-responsive-
bs/css/responsive.bootstrap.min.css" rel="stylesheet">
<link href="../../assets/vendors/datatables.net-scroller-
bs/css/scroller.bootstrap.min.css" rel="stylesheet">
<link rel="shortcut icon" href="../../img/icon.ico">
<!-- Custom Theme Style -->
<link href="../../assets/build/css/custom.min.css" rel="stylesheet">
</head>

<body class="nav-md">
<div class="container body">
<div class="main_container">
<!-- Profile and Sidebarmenu -->
<?php
    include("sidebarmenu.php");
    ?>
<!-- /Profile and Sidebarmenu -->

<!-- top navigation -->
<?php
    include("header.php");
    ?>
<!-- /top navigation -->

<!-- page content -->
<div class="right_col" role="main">
<div class="">
<div class="page-title">
<div class="title_right">
<h2>Arsip Masuk <small>Data Arsip Penelitian Masuk</small></h2>
</div>
</div>

```

```

<div class="clearfix"></div>

<div class="row">
<div class="col-md-12 col-sm-12 col-xs-12">
<div class="x_panel">
<div class="x_title">
<h2>Data<small>Arsip Masuk</small></h2>
<div class="clearfix"></div>
</div>
<form action="downloadlaporan_suratmasuk.php"
name="download_suratmasuk" method="post" enctype="multipart/form-data"
id="demo-form2" data-parsley-validate class="form-horizontal form-label-left">
<!-- <div class="col-md-2 col-sm-2 col-xs-6">
<select name="bulan" class="select2_single form-control" tabindex="-1">
<option>Pilih Bulan</option>
<option value="01">Januari</option>
<option value="02">Februari</option>
<option value="03">Maret</option>
<option value="04">April</option>
<option value="05">Mei</option>
<option value="06">Juni</option>
<option value="07">Juli</option>
<option value="08">Agustus</option>
<option value="09">September</option>
<option value="10">Oktober</option>
<option value="11">November</option>
<option value="12">Desember</option>
</select>
</div>
<div class="col-md-2 col-sm-2 col-xs-6">
<select name="tahun" class="select2_single form-control" tabindex="-1">
<option>Pilih Tahun</option>
<?php
                for ($tahun=2017;$tahun<=2022;$tahun++)
                {
                    echo '<option value="'. $tahun. "'>'. $tahun. '</option>';
                }
            ?>
</select>
</div>
<button type="submit" class="btn btn-success"><i class="fa fa-download"></i>
Unduh Laporan Arsip Masuk</button></a -->
<a href="input_penelitian.php"><button type="button" class="btn btn-
success"><i class="fa fa-plus"></i> Tambah Penelitian Masuk</button></a>
</form>

```

```

<div class="x_content">
<div class="x_content">
<?php
    include '../koneksi/koneksi.php';
    $sql1          = "SELECT * FROM tb_penelitian order by
                    id_penelitian asc";
    $query1        = mysqli_query($db, $sql1);
    $total         = mysqli_num_rows($query1);
    if ($total == 0) {
        echo"<center><h2>Belum Ada Data Arsip
Masuk</h2></center>";
    }
    else{ ?>
<table id="datatable" class="table table-striped table-bordered">
<thead>
<tr>
<th width="3%">No Urut</th>
<th width="10%">Tanggal Masuk</th>
<th width="3%">Kode Penelitin</th>
<th width="10%">Tanggal Penelitian</th>
<th width="14%">NIP</th>
<th width="14%">Dosen</th>
<th width="15%">Judul Penelitian</th>
<th width="25%">Lokasi Penelitian</th>
<th width="10%">Tempat Pengabdian</th>
<th width="10%">Lama Penelitian</th>
<th width="10%">Biaya</th>
<th width="15%">Aksi</th>
</tr>
</thead>

<tbody>
<?php
    while($data = mysqli_fetch_array($query1)){
        echo'<tr>
<td>                '. $data['nomorurut_penelitian'].'    </td>
<td>                '. $data['tanggalmasuk_penelitian'].'    </td>
<td>                '. $data['kode_penelitian'].'    </td>
<td>                '. $data['tanggalpenelitian_penelitianmasuk'].'
</td>
<td>                '. $data['nip'].'    </td>
<td>                '. $data['nama'].'    </td>
<td>                '. $data['judul_penelitian'].'    </td>
<td>                '. $data['lokasi_penelitian'].'    </td>
<td>                '. $data['tempat_pengabdian'].'    </td>

```

```

<td>                                '. $data['lama'].'                                </td>
<td>                                '. $data['biaya'].'                                </td>
<td style="text-align:center;">
<a href= ../admin/tdarma_penelitian/'.$data['file_suratmasuk'].><button
type="button" title="Unduh File" class="btn btn-success btn-xs"><i class="fa fa-
download"></i></button></a>

</tr>;
                                }
                                ?>

</tbody>
</table>
<?php } ?>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<!-- /page content -->

<!-- footer content -->
<footer>
<div class="pull-right">
    Gentelella - Bootstrap Admin Template by <a
href="https://colorlib.com">Colorlib</a>
</div>
<div class="clearfix"></div>
</footer>
<!-- /footer content -->
</div>
</div>

<!-- jQuery -->
<script src="../assets/vendors/jquery/dist/jquery.min.js"></script>
<!-- Bootstrap -->
<script src="../assets/vendors/bootstrap/dist/js/bootstrap.min.js"></script>
<!-- FastClick -->
<script src="../assets/vendors/fastclick/lib/fastclick.js"></script>
<!-- NProgress -->
<script src="../assets/vendors/nprogress/nprogress.js"></script>
<!-- iCheck -->
<script src="../assets/vendors/iCheck/ichack.min.js"></script>
<!-- Datatables -->
<script

```

```

src="../assets/vendors/datatables.net/js/jquery.dataTables.min.js"></script>
<script src="../assets/vendors/datatables.net-
bs/js/dataTables.bootstrap.min.js"></script>
<script src="../assets/vendors/datatables.net-
buttons/js/dataTables.buttons.min.js"></script>
<script src="../assets/vendors/datatables.net-buttons-
bs/js/buttons.bootstrap.min.js"></script>
<script src="../assets/vendors/datatables.net-
buttons/js/buttons.flash.min.js"></script>
<script src="../assets/vendors/datatables.net-
buttons/js/buttons.html5.min.js"></script>
<script src="../assets/vendors/datatables.net-
buttons/js/buttons.print.min.js"></script>
<script src="../assets/vendors/datatables.net-
fixedheader/js/dataTables.fixedHeader.min.js"></script>
<script src="../assets/vendors/datatables.net-
keytable/js/dataTables.keyTable.min.js"></script>
<script src="../assets/vendors/datatables.net-
responsive/js/dataTables.responsive.min.js"></script>
<script src="../assets/vendors/datatables.net-responsive-
bs/js/responsive.bootstrap.js"></script>
<script src="../assets/vendors/datatables.net-
scroller/js/dataTables.scroller.min.js"></script>
<script src="../assets/vendors/jszip/dist/jszip.min.js"></script>
<script src="../assets/vendors/pdfmake/build/pdfmake.min.js"></script>
<script src="../assets/vendors/pdfmake/build/vfs_fonts.js"></script>

<!-- Custom Theme Scripts -->
<script src="../assets/build/js/custom.min.js"></script>
<script type="text/javascript" language="JavaScript">
    function konfirmasi()
    {
        tanya = confirm("Anda Yakin Akan Menghapus Data ?");
        if (tanya == true) return true;
        else return false;
    }
</script>

</body>
</html>

```

edit_penelitian.php

```

<!DOCTYPE html>
<?php
session_start();

```

```
include "login/ceksession.php";
?>
<html lang="en">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<!-- Meta, title, CSS, favicons, etc. -->
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1">

<title>Arsip Penelitian Politeknik Sriwijaya </title>

<!-- Bootstrap -->
<link href="../assets/vendors/bootstrap/dist/css/bootstrap.min.css"
rel="stylesheet">
<!-- Font Awesome -->
<link href="../assets/vendors/font-awesome/css/font-awesome.min.css"
rel="stylesheet">
<!-- NProgress -->
<link href="../assets/vendors/nprogress/nprogress.css" rel="stylesheet">
<!-- iCheck -->
<link href="../assets/vendors/iCheck/skins/flat/green.css" rel="stylesheet">
<!-- bootstrap-wysiwyg -->
<link href="../assets/vendors/google-code-prettify/bin/prettify.min.css"
rel="stylesheet">
<!-- Select2 -->
<link href="../assets/vendors/select2/dist/css/select2.min.css" rel="stylesheet">
<!-- Switchery -->
<link href="../assets/vendors/switchery/dist/switchery.min.css" rel="stylesheet">
<!-- bootstrap-daterangepicker -->
<link href="../assets/vendors/bootstrap-daterangepicker/daterangepicker.css"
rel="stylesheet">
<!-- bootstrap-datetimepicker -->
<link href="../assets/vendors/bootstrap-datetimepicker/build/css/bootstrap-
datetimepicker.css" rel="stylesheet">
<!-- starr -->
<link href="../assets/vendors/starr/dist/starr.css" rel="stylesheet">
<!-- bootstrap-daterangepicker -->
<link href="../assets/vendors/bootstrap-daterangepicker/daterangepicker.css"
rel="stylesheet">
<link rel="shortcut icon" href="../img/icon.ico">

<!-- Custom Theme Style -->
<link href="../assets/build/css/custom.min.css" rel="stylesheet">
</head>
```



```

<body class="nav-md">
<div class="container body">
<div class="main_container">
<!-- Profile and Sidebarmenu -->
<?php
    include("sidebarmenu.php");
    ?>
<!-- /Profile and Sidebarmenu -->

<!-- top navigation -->
<?php
    include("header.php");
    ?>
<!-- /top navigation -->

<!-- page content -->
<div class="right_col" role="main">
<div class="">
<div class="page-title">
<div class="title_left">
<h3>Arsip Masuk</h3>
</div>
</div>
<div class="clearfix"></div>
<div class="row">
<div class="col-md-12 col-sm-12 col-xs-12">
<div class="x_panel">
<div class="x_title">
<h2>Arsip Masuk <small>Edit Arsip Penelitian Masuk</small></h2>
<div class="clearfix"></div>
</div>
<div class="x_content">
<br />
<form action="proses/proses_editpenelitian.php" method="post"
enctype="multipart/form-data" id="demo-form2" data-parsley-validate
class="form-horizontal form-label-left">
<?php include '../koneksi/koneksi.php';
    $id =
mysqli_real_escape_string($db,$_GET['id_penelitian']);
    $sql = "SELECT * FROM
tb_penelitian where id_penelitian='".$id."'";
    $query = mysqli_query($db, $sql);
    $data =
mysqli_fetch_array($query);
    $tgl_masuk = $data['tanggalmasuk_penelitian'];
    $tgl_masuk = date('m-d-Y H:i:s', strtotime($tgl_masuk));

```

```
$tgl_surat = $data['tanggalpenelitian_penelitianmasuk'];  
$tgl_surat = date('m-d-Y', strtotime($tgl_surat));  
?>
```

```
<input type=hidden name="id_penelitian" value="<?php echo $id;?>">  
<div class="form-group">  
<label class="control-label col-md-3 col-sm-3 col-xs-12" for="first-  
name">Tanggal Masuk <span class="required">*</span>  
</label>  
<div class="col-md-9 col-sm-9 col-xs-12">  
<div class='input-group date' id='myDatepicker4'>  
<input value="<?php echo "$tgl_masuk" ?>" type='text'  
id="tanggalmasuk_penelitian" name="tanggalmasuk_penelitian"  
required="required" class="form-control" required="required"  
readonly="readonly" />  
<span class="input-group-addon">  
<span class="glyphicon glyphicon-calendar"></span>  
</span>  
</div>  
</div>  
</div>  
<div class="form-group">  
<label class="control-label col-md-3 col-sm-3 col-xs-12" for="last-name">Kode  
Penelitian <span class="required">*</span>  
</label>  
<div class="col-md-9 col-sm-9 col-xs-12">  
<input value="<?php echo $data['kode_penelitian'];?>" type="text"  
onkeyup="validAngka(this)" id="kode_penelitian" name="kode_penelitian"  
required="required" maxlength="7" placeholder="Masukkan Kode Surat"  
class="form-control col-md-7 col-xs-12" >  
</div>  
</div>  
<div class="form-group">  
<label class="control-label col-md-3 col-sm-3 col-xs-12" for="last-name">Nomor  
Urut <span class="required">*</span>  
</label>  
<div class="col-md-9 col-sm-9 col-xs-12">  
<input value="<?php echo $data['nomorurut_penelitian'];?>" type="text"  
onkeyup="validAngka(this)" id="nomorurut_penelitian"  
name="nomorurut_penelitian" required="required" maxlength="4"  
placeholder="Masukkan Nomor Urut Surat" class="form-control col-md-7 col-xs-  
12" readonly>  
</div>  
</div>  
<div class="form-group">  
<label class="control-label col-md-3 col-sm-3 col-xs-12" for="last-name">Nomor
```

```

Arsip Penelitian<span class="required">*</span>
</label>
<div class="col-md-9 col-sm-9 col-xs-12">
<input value="<?php echo $data['nomor_penelitian'];?>" type="text"
id="nomor_penelitian" name="nomor_penelitian" required="required"
maxlength="35" placeholder="Masukkan Nomor Arsip" class="form-control col-
md-7 col-xs-12">
</div>
</div>
<div class="form-group">
<label class="control-label col-md-3 col-sm-3 col-xs-12" for="first-
name">Tanggal Penelitian <span class="required">*</span>
</label>
<div class="col-md-9 col-sm-9 col-xs-12">
<fieldset>
<div class="control-group">
<div class="controls">
<input value="<?php echo "$tgl_surat" ?>" type="text" class="form-control has-
feedback-left" id="single_cal3" name="tanggalpenelitian_penelitianmasuk"
placeholder="First Name" aria-describedby="inputSuccess2Status3"
required="required" readonly="readonly">
<span class="fa fa-calendar-o form-control-feedback left" aria-
hidden="true"></span>
<span id="inputSuccess2Status3" class="sr-only">(success)</span>
</div>
</div>
</fieldset>
</div>
</div>
<div class="form-group">
<label class="control-label col-md-3 col-sm-3 col-xs-12" for="last-name">NIP
<span class="required">*</span>
</label>
<div class="col-md-9 col-sm-9 col-xs-12">
<input value="<?php echo $data['nip'];?>" type="text" id="pengirim" name="nip"
required="required" placeholder="Masukkan Asal/Pengirim Surat" class="form-
control col-md-7 col-xs-12">
</div>
</div>
<div class="form-group">
<label class="control-label col-md-3 col-sm-3 col-xs-12" for="last-name">Nama
<span class="required">*</span>
</label>
<div class="col-md-9 col-sm-9 col-xs-12">
<input value="<?php echo $data['nama'];?>" type="text" id="kepada_penelitian"
name="dosen" required="required" placeholder="Masukkan Tujuan Surat"

```

```

class="form-control col-md-7 col-xs-12">
</div>
</div>
<div class="form-group">
<label class="control-label col-md-3 col-sm-3 col-xs-12">Judul Penelitian <span
class="required">*</span>
</label>
<div class="col-md-9 col-sm-9 col-xs-12">
<input id="perihal_penelitian" name="judulpenelitian" required="required"
class="form-control" rows="" placeholder='Masukkan Perihal Surat'
value="<?php echo $data['judul_penelitian'];?>">
</div>
</div>
<div class="form-group">
<label class="control-label col-md-3 col-sm-3 col-xs-12">File <span
class="required">*</span>
</label>
<div class="col-md-9 col-sm-9 col-xs-12">
<input name="file_suratmasuk" accept="application/pdf" type="file"
id="file_penelitian" class="form-control" autocomplete="off"/><a href= "<?php
echo 'tdarma_penelitian/'.$data['file_suratmasuk'].'?>"><b>Lihat File
Sebelumnya</b></a></input> (Maksimal 10 MB )
</div>
</div>
<div class="form-group">
<label class="control-label col-md-3 col-sm-3 col-xs-12" for="last-
name">Operator </label>
<div class="col-md-9 col-sm-9 col-xs-12">
<input value="<?php echo $_SESSION['nama'];?>" type="text" id="operator"
name="operator" readonly="readonly" class="form-control col-md-7 col-xs-12">
</div>
</div>
<div class="form-group">
<label class="control-label col-md-3 col-sm-3 col-xs-12" for="last-name">Lokasi
Penelitian <span class="required">*</span>
</label>
<div class="col-md-9 col-sm-9 col-xs-12">
<input value="<?php echo $data['lokasi_penelitian'];?>" type="text" id="lokasi"
name="lokasi" required="required" placeholder="Masukkan Lokasi Penelitian"
class="form-control col-md-7 col-xs-12">
</div>
</div>
<div class="form-group">
<label class="control-label col-md-3 col-sm-3 col-xs-12" for="last-
name">Tempat Pengabdian <span class="required">*</span>
</label>

```

```

<div class="col-md-9 col-sm-9 col-xs-12">
<input value="<?php echo $data['tempat_pengabdian'];?>" type="text"
id="tempat" name="tempat" required="required" placeholder="Masukkan
Tempat Pengabdian" class="form-control col-md-7 col-xs-12">
</div>
</div>
<div class="form-group">
<label class="control-label col-md-3 col-sm-3 col-xs-12" for="last-name">Lama
Penelitian <span class="required">*</span>
</label>
<div class="col-md-9 col-sm-9 col-xs-12">
<input value="<?php echo $data['lama'];?>" type="text" id="lama" name="lama"
required="required" placeholder="Masukkan Lama Penelitian" class="form-
control col-md-7 col-xs-12">
</div>
</div>
<div class="form-group">
<label class="control-label col-md-3 col-sm-3 col-xs-12" for="last-name">Biaya
<span class="required">*</span>
</label>
<div class="col-md-9 col-sm-9 col-xs-12">
<input value="<?php echo $data['biaya'];?>" type="text" id="biaya"
name="biaya" required="required" placeholder="Masukkan Biaya Penelitian"
class="form-control col-md-7 col-xs-12">
</div>
</div>
<div class="ln_solid"></div>
<div class="form-group">
<div class="col-md-6 col-sm-6 col-xs-12 col-md-offset-3">
<a href="data_penelitian.php" class="btn btn-success"><span class="glyphicon
glyphicon-arrow-left"></span> Batal</a>
<button type="submit" name="update" value="Update" class="btn btn-
primary"><i class="glyphicon glyphicon-plus"></i> Simpan</button>
</div>
</div>

</form>
</div>
</div>

</div>
</div>
</div>
</div>
<!-- /page content -->

```

```
<!-- footer content -->
<footer>
<div class="pull-right">

</div>
<div class="clearfix"></div>
</footer>
<!-- /footer content -->
</div>
</div>

<!-- jQuery -->
<script src="../assets/vendors/jquery/dist/jquery.min.js"></script>
<!-- Bootstrap -->
<script src="../assets/vendors/bootstrap/dist/js/bootstrap.min.js"></script>
<!-- FastClick -->
<script src="../assets/vendors/fastclick/lib/fastclick.js"></script>
<!-- NProgress -->
<script src="../assets/vendors/nprogress/nprogress.js"></script>
<!-- bootstrap-progressbar -->
<script src="../assets/vendors/bootstrap-progressbar/bootstrap-progressbar.min.js"></script>
<!-- iCheck -->
<script src="../assets/vendors/iCheck/ichack.min.js"></script>
<!-- bootstrap-daterangepicker -->
<script src="../assets/vendors/moment/min/moment.min.js"></script>
<script src="../assets/vendors/bootstrap-daterangepicker/daterangepicker.js"></script>
<!-- bootstrap-wysiwyg -->
<script src="../assets/vendors/bootstrap-wysiwyg/js/bootstrap-wysiwyg.min.js"></script>
<script src="../assets/vendors/jquery.hotkeys/jquery.hotkeys.js"></script>
<script src="../assets/vendors/google-code-prettify/src/prettify.js"></script>
<!-- jQuery Tags Input -->
<script src="../assets/vendors/jquery.tagsinput/src/jquery.tagsinput.js"></script>
<!-- Switchery -->
<script src="../assets/vendors/switchery/dist/switchery.min.js"></script>
<!-- Select2 -->
<script src="../assets/vendors/select2/dist/js/select2.full.min.js"></script>
<script src="../assets/vendors/bootstrap-daterangepicker/daterangepicker.js"></script>
<!-- bootstrap-datetimepicker -->
<script src="../assets/vendors/bootstrap-datetimepicker/build/js/bootstrap-datetimepicker.min.js"></script>
<!-- Parsley -->
```



```
a.value.substring(0,a.value.length-1000);  
a.value =  
}  
}  
</script>  
</body>  
</html>
```