

## DAFTAR PUSTAKA

- De, S., Saha, B., Luque, R., 2015. Hydrodeoxygenation Processes: Advances on Catalytic Transformations of Biomass-Derived Platform Chemicals into Hydrocarbon Fuels. *Bioresource Technology*. 178 (2015):108-118.
- Douvartzides, S.L., Charisiou, N.D., Papageridis, K.N., Goula, M.A. 2019. Green Diesel: Biomass Feedstock, Production Technologies, Catalytic Research, Fuel Properties and Performances in Compression Ignition, Internal Combustion Engines. *Energies*. 12 (5):809-851.
- Dunford, N. 2019. Diesel Fuels Derived from Renewable Sources. URL: <https://extension.okstate.edu/fact-sheets/diesel-fuels-derived-from-renewable-sources.html>. Diakses pada 15 April 2022.
- Gousi, M., Kordouli, E., Bourikas, K., Simianakis, E., Ladas, S. Panagiotou, G.D., Kordulis, C., Lycourghiotis, A. 2019. Green Diesel Production Over Nickel/Alumina Nanostuctured Catalysts Promoted by Zinc. *Catalysis Today*. 355:903-909.
- Gousi, M., Andriopoulou, C., Bourikas, K., Ladas, S., Sotiriou, M., Kordulis, C., Lycourghiotis, A. 2017. Green Diesel Production over Nickel/Alumina Co-Precipitated Catalysts. *Applied Catalysis A: General*. 536:45-56.
- Hachemi, I., Kumar, N., Mäki-Arvela, P., Roine, J., Peurla, M., Hemming, J., Salonen, J., & Murzin, D. Y. (2017). Sulfur-free Ni catalyst for production of green diesel by hydrodeoxygenation. *Journal of Catalysis*, 347, 205–221. <https://doi.org/10.1016/j.jcat.2016.12.009>
- Hudaya, T. dan Wiratama, I.G.P. 2015. Laporan Penelitian: Kajian Kinerja Katalis Ni-Mo-S/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> Proses Hidrotreating Minyak Biji Kapok (Ceiba pentandra) untuk Sintesa Biohidrokarbon. *Hibah Monodisiplin*. Universitas Katolik Parahyangan.
- Humas EBTKE . 2019. *Kebijakan Strategis Pemanfaatan EBT, Berbasis Produktivitas dan Inovasi*. [ebt.berbasis.produktivitas.dan.inovasi](http://ebt.berbasis.produktivitas.dan.inovasi). Diakses tanggal 16 Maret 2022.
- KESDM. 2020. Standar dan Mutu (Spesifikasi) Bahan Bakar Minyak Jenis Solar yang Dipasarkan di Dalam Negeri. *Keputusan Direktur Jenderal Minyak dan Gas Bumi*.
- Kordouli, E., Pawelec, B., Bourikas, K., Kordulis, C., Fierro, J.L.G., Lycourghiotis, A. 2018. Mo Promoted Ni-Al<sub>2</sub>O<sub>3</sub> Co-Precipitated Catalysts for Green Diesel Production. *Catalysis. B Environment*. 229:139-154.

- Kumar, P., Yenumala, S.R., Maity, S.K., Shee, D. 2014. Kinetics of Hydrodeoxygenations of Stearic Acid Using Supported Nickel Catalysts: Effect of Support. *Appl. Catal. A-Gen.* 471:28-38.
- Lovás, P., Hudec, P., Hadvinová, M., Ház, A. 2015. Conversion of Rapeseed Oil Via Catalytic Cracking: Effect of The ZSM-5 Catalyst on The Deoxygenation Process. *Fuel Process. Technol.* 134:223–230.
- Mahmudah, K. dan Nopiyanti, V. 2019. Penetapan Kadar Asam Lemak Bebas (ALB) Pada Minyak Goreng Kemasan Dan Minyak Goreng Curah Dengan Perlakuan Berdasarkan Lama Waktu Pemanasan. *Cerata Jurnal Ilmu Farmasi.* 10(1):1-4.
- Mannu, A., Vlahopoulou, G., Urgehe, P., Fero, M., Caro, A.D., Taras, A., Garroni, S., Rourke, J.P., Cabizza, R., Petreto, G.L. 2019. Variation of the Chemical Composition of Waste Cooking Oils upon Bentonite Filtrations. *Resources.* 8 (2):108-123.
- Mohammad, M., Hari, T.K., Yaakob, Z., Sharma, Y.G., Sopian, K. 2013. Overview on The Production of Paraffin Based-Biofuels Via Catalytic Hydrodeoxygenation. *Renewable and Sustainable Energy Reviews.* 22 (2013): 121–132.
- Nugraha, L. 2016. Penggunaan Katalis Logam Transisi (Co, Ni, Cu, Zn) yang Diimbangkan pada Zeolit Fluka untuk Proses Konversi Etanol Menjadi Fraksi Bensin. *Skripsi.* Fakultas Sains dan Teknologi Universitas Islam Negeri Syarif Hidayatullah, Jakarta.
- Nugraha, R.A., Zikri, A., Ridwan, K.A., Ningsih, A.S. 2021. Konversi Minyak Jelantah Menjadi Green Diesel Dengan Proses Hydrotreating Menggunakan Katalis NiMo/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub>. *Jurnal Pendidikan dan Teknologi Indonesia.* 1(12):475480.
- Patel, M. dan Kumar, A. 2016. Production of Renewable Diesel Through The Hydroprocessing of Lignocellulosic Biomass-Derived Bio-Oil: A Review. *Renewable and Sustainable Energy Reviews.* 58:1293-1307.
- Purwanto, E. 2020. Produksi dan Karakterisasi Bahan Bakar Green Diesel Dari Pirolisis Minyak Jelantah Berbantuan Gelombang Mikro. *Skripsi.* Universitas Negeri Semarang, Semarang.
- Salamah, S. dan Setyawan, M. 2013. Karakteristik Reaktor Hidrogenasi Minyak Biji Kapuk untuk Pembuatan Green Diesel. *Skripsi.* Universitas Ahmad Dahlan, Yogyakarta.

- Suroso, A.S. 2013. Kualitas Minyak Goreng Habis Pakai Ditinjau dari Bilangan Peroksida, Bilangan Asam dan Kadar Air. *Jurnal Kefarmasian Indonesia*. Vol 3.2.2013: 77-88
- Syahni, D. 2020. *Diesel 100% Hasil Olah Sawit, Energi Berkelanjutan?* URL: <https://coaction.id/en/diesel-100-hasil-olah-sawit-energi-berkelanjutan/>. Diakses tanggal 16 Maret 2022.
- Taromi, A.A. dan Kaliaguine, S. 2018. Green Diesel Producton via Continous Hydrotratment of Triglycerdes over Mestructured  $\gamma$ -Alumina Supported NiMo/CoMo Catlysts. *Fuel Processing Technology*. 171:20-30.
- Toba, M., Abe, Y., Kurmochi, H., Osaka, M., Mochizuki, T., Yoshimmura, Y. 2011. Hydrodeoxygenations of Watse Vegetable Oils over Sulfids Catlysts. *Catalysist Today* 164:533-537.
- Utami, M., Wijaya, K., Trisunaryanti, W. 2018. PtPromoted Sulfat Zirconia as Catlyst for Hydrocrcking of LDPE Plstic Watse into Liquid Fuels. *Materials Chmistry and Physics*. 213:548-555.