



International Conference
on Science, Infrastructure Technology and Regional Development
2018

ICoSITeR
· 2018

**The Industrial Revolution 4.0's Concept
for a Better Energy & Infrastructure Development**

**19-20
Oct 2018**

Institut Teknologi Sumatera

Important Dates

Abstract Submission Deadline : 09 July, 2018
Notification of Acceptance : 06 August, 2018
Full Paper Submission : 03 September, 2018
Early Bird Registration Deadline : 10 September, 2018
Registration Deadline : 15 October, 2018
Conference Date : 19-20 October, 2018

Relevant Topics :

01. Fundamental Science
02. Information and Communication Technology (ICT)
03. Science and Applicative Technology
04. Agricultural Technology and Smart Farm
05. Smart and Advanced Materials
06. Environmental Science and Sustainable Development
07. Atmospheric Science
08. Energy System
09. Smart and Green Infrastructure

Selected papers will be published
in **IOP Conference Series:**
Earth and Environmental Science
(Indexed by Scopus) or Journal of Science
and Applicative Technology

Participant	Early Bird up to 10 Sept 2018		Regular 11 Sept to 18 Oct 2018		On Site Registration 19-20 Oct 2018	
	International (USD)	Local (IDR)	International (USD)	Local (IDR)	International (USD)	Local (IDR)
Presenter*						
Student	50	250.000	75	350.000	100	400.000
Academic/ researcher	100	500.000	150	750.000	200	1.000.000
Non Presenter*						
Student	35	200.000	40	250.000	50	300.000
Academic/ researcher	50	350.000	75	450.000	100	600.000

*excluded publication fee

Registration Information

For more information
please contact ICoSITeR Committee :

☎ : Soni Satiawan +62 82114048867
 ☎ : Nono Agus Santoso +62 85646752221
 ☎ : Zulfikar A. Nadzir +62 87885931139
 ✉ : icositer@itera.ac.id
 🌐 : www.icositer.itera.ac.id
 🌐 : www.itera.ac.id

Plenary Speaker



Assoc. Prof. Rohan Fisher
Charles Darwin University,
Australia



Dr. Oki Mursaza
King Fahd University
of Petroleum & Minerals



Archandras Tjahj
Vice Minister of Energy and
Mineral Resources



Assoc. Prof. Zainovia Lockman
Universiti Sains Malaysia



Prof. Ir. I. Geoe. Wentan, Ph.D.
Institut Teknologi Bandung



Prof. Mikra Damaj
Vice Rector ITERA



Prof. Yusaku Fuji
Dumma University, Japan



Prof. Dr. Jakkrapong Kaewkao
Mahachulalongkornrajavidyalaya
Nakhon Phanom, Thailand



M. Horprathum, PhD
National Electronics
and Computer
Technology Center, Thailand

ICoSITeR 2018

Distinguished Guests, Ladies and Gentlemen,

First of all, I like to thank to the Rector ITERA/Institut Teknologi Sumatera for a great support of making ICoSITeR/International Conference on Science, Infrastructure Technology and Regional Development 2018 possible and realized.

ICoSITeR 2018 is being held at 19-20 October 2018 in ITERA Campus to bring all researchers in the field of Science, Infrastructure Technology and Regional Development to share their recent research progress to support the theme of the conference which is The Industrial Revolution 4.0's Concept for a Better energy and Infrastructure Development. Here, we have 7 Plenary Speakers from Gunma University, Japan; Institut Teknologi Bandung, Indonesia; Universiti Sains Malaysia, Malaysia; Institut Teknologi Sumatera, Indonesia; King Fahd University of Petroleum and Minerals; Nakhon Pathom Rajabhat University, Thailand; National Electronics and Computer Technology Center, Thailand.

There are 10 parallel sessions which cover 10 different topics, Fundamental Science, Information and Communication Technology, Science and Applicative Technology, Agricultural Technology and Smart Farm, Smart and Advance Materials, Environmental Science and Sustainable Development, Atmospheric Science, Energy System, Smart and Green Infrastructure, and Other related topics.

All the contributed papers of ICoSITeR 2018 will be published in Scopus indexed international proceeding and journal.

We hope that ICoSITeR 2018 will bring together the scientific atmosphere among to further research collaboration and future development for the advancement of Science and Technology, and related applications.



Finally, Last, but not least, I also like to thank the Organizing Committee team for a continuous and never-ending support to prepare and finally be ready running the meeting and conference.

Thank you.

Warmest Regards,

Lampung, 19 October 2018,

Toto Winata

Advisory Board

Prof., Ir. Ofyar Z. Tamin, M.Sc (Eng), Ph.D – *Rector of Institut Teknologi Sumatera, Indonesia*

Prof. Dr.Ing Mitra Djamal –*Vice Rector, Institut Teknologi Sumatera, Indonesia*

Prof. Dr. Sukrasno, M.S. – *Vice Rector, Institut Teknologi Sumatera, Indonesia*

Steering Committee

Prof. Dr. Leo Hari Wiryanto, M.S. –*Dean of Science Faculty, Institut Teknologi Sumatera, Indonesia*

Dr. Rahayu Sulistyorini, M.T. –*Dean of Infrastructure and Regional Technology Faculty, Institut Teknologi Sumatera, Indonesia*

Organizing Committee

Prof. Dr. Toto Winata. – *Conference Chair*

Dr. Eng. Feerzet Achmad, M.T. – *Conference Co-Chair*

Monna Rozana, S.T., M.Phil, Ph.D – *Secretary*

Dr. Sri Efrinita Irwan, M.Si. – *Treasurer*

Rika Rosmalasari, A. Md. – *Treasurer*

Hendra Saputra, S.Tp., M.P. – *Sponsorship*

Dr. Nono Agus Santoso, S.Si., M.T. – *Publication Information and Public Relation*

Soni Satiawan, S.T., M.Sc. – *Publication Information and Public Relation*

Zulfikar Adlan Nadzir, S.T., M.Sc. – *Publication Information and Public Relation*

Endo Pebri Dani Putra, S.TP., M.P. – *Technical*

Elfa Susanti Thamrin, S.TP., M.P. – *Technical*

Dr. Eng. Lukman Nulhakim, S.Si, M.T. – *Editor*

Nike Dwi Grevika Drantantiyas, S.Si., M.T. – *Editor*

Rifqi Ikhwanuddin, M.T. – *Editor*

Dr. Sunarsih, S.S, M.A. – *Editor*

Hadi Teguh Yudistira, S.T., Ph.D – *Editor*

Office

Telp : (0721) 8030188, (0721) 8030189

Email : icositer@itera.ac.id

Website : www.icositer.itera.ac.id/ www.itera.ac.id

Venue

Institut Teknologi Sumatera

Jalan Terusan Ryacudu, Way Hui, Kecamatan Jati Agung

Lampung Selatan, Provinsi Lampung, Indonesia 35365



Table of contents

Volume 258

2019

[◀ Previous issue](#) [Next issue ▶](#)

International Conference on Science, Infrastructure Technology and Regional Development 19–20 October 2018, Institut Teknologi Sumatera campus, Lampung Selatan, Indonesia

Accepted papers received: 12 March 2019

Published online: 10 May 2019

[Open all abstracts](#)

Preface

OPEN ACCESS 011001

International Conference on Science, Infrastructure Technology and Regional Development

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 011002

Peer review statement

[+ Open abstract](#) [View article](#) [PDF](#)

Papers

OPEN ACCESS 012001

Study of pH and Magnetic Susceptibility to Fertility Rate of Agricultural Soil around Institut Teknologi Sumatera, Lampung, Indonesia

N A Santoso, M Iqbal, G Ekawati and R Firdaus

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012002

Study of making and characteristics of instant pindang seasoning powder using foam - mat drying method

D T Mareta, W Setiaboma and V Fitriani

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012003

Chemical and Physical Charaterization of Cereal Flakes Formulated with Broken Rice and Banana Flour

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our [Privacy and Cookies policy](#).



[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012004

Characterization of fruit leather with carrageenan addition with various bananas

W Setiaboma, V Fitriani and D T Mareta

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012005

Atmospheric drag effect on LAPAN A1 orbit during geomagnetic storm 2017

Nindhita Pratiwi, Robiatul Muztaba, Annisa Novia Indra Putri and Rhorom Priyatikanto

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012006

Estimation Wind Energy Potential Using Artificial Neural Network Model in West Lampung Area

W. S. Putro, R. A. Prahmana, H. T. Yudistira, M. Y. Darmawan, D. Triyono and W. Birastru

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012007

HHO Gas Generation in Hydrogen Generator using Electrolysis

Rusdianasari, Yohandri Bow and Tresna Dewi

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012008

Energy Monitoring System Based on Internet of Things Toward Smart Campus in Institut Teknologi Sumatera

H Yuliansyah, D Corio, R A Yunmar and M R K Aziz

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012009

Performance Characterization of Diesel Engine Generator Set with the addition of clove oil as Bio-Additives for Diesel fuel

A Muhyi, D J Silitonga, D G C. Alfian, D Supriyadi and R A Prahmana

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012010

Performance Characterization of Gasoline Engine with Patchouli Oil as Bio-Additive for Gasoline with an Octane Number 90

D G C Alfian, R A Prahmana, D J Silitonga, A Muhyi and D Supriyadi

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012011

Conversion of Hand Phone Case Waste into Liquid Fuels in a Microwave Reactor

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our [Privacy and Cookies policy](#).



[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012012

Development of information systems in integrated management systems in order to increase organisational performance in a construction company

Ringgy Masuin, Yusuf Latief and Teuku Yuri Zagloel

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012013

Peat Water Treatment by Electrocoagulation using Aluminium Electrodes

Rusdianasari, Y Bow and T Dewi

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012014

Sharia-compliant Financing of Infrastructure Development in Rural Area

AD Rarasati and FF Bahwal

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012015

Greenhouse gas emission of household plastic biogas digester using life cycle assessment approach

A Haryanto and D Cahyani

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012016

Critical Success Factors to Improve Safety Culture on Construction Project in Indonesia

R A Machfudiyanto, Y Latief and Robert

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012017

Life cycle assessment of biogas digester in small scale tapioca industry

D Cahyani, A Haryanto, G A Putra, R Fil'aini and D S S Marpaung

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012018

Liquefaction Potential Based on Cone Penetration Test (CPT) : Case Study in Institut Teknologi Sumatera, Lampung

A Yudi, N B Wirawan, S A Fauzan and R Nadeak

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012019

Land Subsidence Induced by the Rate of Consolidation of Marine Clay in Kamal Muara Northern Jakarta

Privata, D K R M Siringa, T. Ilyas and W.A Prakoso

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our

Privacy and Cookies Policy



[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012020

Site Characterization of Marine Clay Consolidation Ratio on Kamal Muara Area, Northern Jakarta

L.E Hutabarat, D. Rainaldo, T. Ilyas and W.A. Prakoso

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012021

Sedimentation Analysis Based on River Hydrological Discharge at Cipunagara Estuary, Subang, Indonesia

Hendra Achiari and Muhammad Irham Dinan

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012022

The Mapping of Contamination Potential Surrounding Bakung Landfill Based on Geological Studies

Bilal Al Farishi and Muhamad Ragil Setiawan

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012023

Identification Of Geological Structure In Betung Mountain, Case Study: Itera Observatory Area

H Saputra, L P Siringorongo, C Suhendi and L K Agustina

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012024

Ichthyofaunal Diversity in Mangrove Based Estuary of Way Kambas National Park

Y Ariyanti, S S Leksikowati, I Oktaviani and R Wardani

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012025

Evaluation of kinetics adsorption models from Lampung ethnic textile industry wastewater for removal chromium onto modified activated sludge and zeolite adsorbent

D Supriyadi, Darmansyah, A C Farhani, A Sanjaya and F Soraya

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012026

Amount of soil phosphate solubilizing bacteria in the Reservoir of ITERA and its environmental conditions.

M Asril and Y Lisafitri

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012027

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our [Privacy and Cookies policy](#).



[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012028

Production of natural dyes powder based on chemo-physical technology for textile application

Adhi Kusumastuti, Samsudin Anis and Dewi Selvia Fardhyanti

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012029

The Measurement of Luwak Content in Coffee Blends Using UV-Visible Spectroscopy Combined with Support Vector Machine Regression (SVMR)

D Suhandy and M Yulia

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012030

Guidelines for effective Variation Order determination strategy

Henri Desyardi, Yusuf Latief and Budi Susilo Soepandji

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012031

Pillar K-Means Clustering Algorithm Using MapReduce Framework

A L Ramdani and H B Firmansyah

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012032

Design of Ontology-based Question Answering System for Incompleted Sentence Problem

Rajif Agung Yunmar and I Wayan Wiprayoga Wisesa

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012033

A Techno-economic Analysis of Simulation-based 5G Femtocell Implementation at ITERA

U A Ramadhani, W Febrianti and H Najemi

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012034

Web Based Information System Development Of Maintenance Work To Improve Government Building Maintenance Performance

M Rizki Samudra and Yusuf Latief

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012035

Fault detection algorithm based on accelerometer and gyroscope sensor data using Recurrent Neural Networks



[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012036

Delineation of Recharge and Discharge Area for Geothermal Energy in Natar

Mochamad Iqbal, Wijayanti Ashuri, Bella Restu Juliarka, Bilal Al Farishi and Danni Gathot Harbowo

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012037

Automatic Event Identification From Tectonic Earthquakes with Modified Akaike Information Criterion (mAIC)

Cahli Suhendi, Maria R.P. Sudibyoy, I.F. Erlangga and Arliandy P. Arbad

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012038

***Piper betle* leaf extract as a green inhibitor of calcium sulphate (CaSO₄) scale formation**

P Santoso, M R Setiawan and Suharso

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012039

A Review of Factors Affecting the Efficiency and Output of a PV System Applied in Tropical Climate

Tresna Dewi, Pola Risma and Yurni Oktarina

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012040

Mapping of culinary tourism distribution based on web data mining information. Case Study: Bandar Lampung City

Isye Susana Nurhasanah and Raidah Hanifah

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012041

Horizontal-to-vertical spectral ratio of ambient noise vibrations for local site effects estimation in ITERA

M R P Sudibyoy, E I Fattah, C Suhendi and R Rizki

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012042

Potential application of UV-visible spectroscopy and PLS-DA method to discriminate Indonesian CTC black tea according to grade levels

D Suhandy and M Yulia

[+ Open abstract](#) [View article](#) [PDF](#)



The authentication of peaberry and civet ground roasted robusta coffee using UV-visible spectroscopy and PLS-DA method with two different particle sizes

Diding Suhandy, Meinilwita Yulia and Kusumiyati

[+ Open abstract](#) [View article](#) [PDF](#)

The Feasibility of Geographical Origin Discrimination of Lampung Robusta Coffee Using UV-Visible Spectroscopy and Chemometric Methods

M Yulia and D Suhandy

[+ Open abstract](#) [View article](#) [PDF](#)

DFT Investigation on the Adsorption of KCl on the Surface of ZnO

Listra Yehezkiel Ginting, Andam Deatama Refino and Lukman Nulhakim

[+ Open abstract](#) [View article](#) [PDF](#)

Production of Sago (*Metroxylon* Sp.) Starch Nanoparticles Using Hydrolysis-High Shear Homogenization (HSH) Method

Maryam, Anwar Kasim, Novelina and Emriadi

[+ Open abstract](#) [View article](#) [PDF](#)

Effect of Dragon Fruit Skin Extract (*Hylocereus costaricensis*) on Bio-plastic Physical and Mechanical Properties of Cassava Starch and Polyvinyl Alcohol

Endo Pebri Dani Putra, Elfa Susanti Thamrin and Hendra Saputra

[+ Open abstract](#) [View article](#) [PDF](#)

The effect of cross-shaped line width on the absorbance performance of terahertz metamaterial based on paper as spacer

Hadi Teguh Yudistira, Listra Yehezkiel Ginting and Kiki Kananda

[+ Open abstract](#) [View article](#) [PDF](#)

Estimation model of Jakarta MRT phase 1 project cost overrun for the risk based next phase project funding purpose

Barru Danisworo and Yusuf Latief

[+ Open abstract](#) [View article](#) [PDF](#)

Development of Standardized Work Breakdown Structure (WBS) Based on Risk for Cost Estimate at Dam Project



[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012051

Development of WBS (Work Breakdown Structure) Risk Based Standard for Planning Cost Estimation at Port Project

Citra Pradipta Hudoyo, Yusuf Latief and Leni Sagita

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012052

Development of Risk-Based Work Breakdown Structure (WBS) Standard to Improve Scheduling Planning of Airport Construction Work

Daniel Sitohang, Yusuf Latief and Leni Sagita Riantini

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012053

Smart-Room Technology Implementation Based on Internet of Things Toward Smart Campus in Institut Teknologi Sumatera

Harry Yuliansyah, Dean Corio, Rajif Agung Yunmar and Muhammad Reza Kahar Aziz

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012054

Development of Risk-Based Standardized Work Breakdown Structure (WBS) to Improve Quality Planning of Drainage Construction Work

Budiarto Pasaribu, Yusuf Latief and Leni Sagita Riantini

[+ Open abstract](#) [View article](#) [PDF](#)

JOURNAL LINKS

[Journal home](#)

[Journal scope](#)

[Information for organizers](#)

[Information for authors](#)

[Contact us](#)

[Reprint services from Curran Associates](#)



Peat Water Treatment by Electrocoagulation using Aluminium Electrodes

Rusdianasari^{1*}, Y Bow¹, T Dewi²

¹ Chemical Engineering Department, Politeknik Negeri Sriwijaya, Palembang, Indonesia.

² Electrical Engineering Department, Politeknik Negeri Sriwijaya, Palembang, Indonesia

*Corresponding author: rusdianasari@polsri.ac.id

Abstract. Peat water is surface water that flooded an area formed by the files of organic material over a long period. The characteristics of the peat water is a low pH (3-4) that is highly acidic, has a high organic content, high levels of iron (Fe) and manganese (Mn), as well as yellow or dark brown (concentrated). One of the peats is formed in the Integrated Independent City, Ogan Ilir Regency, South Sumatera. The formed peat water contains Fe and Mn high enough for it to be analyzed for the peat water treatment to reduce the levels of Fe and Mn metal using electrocoagulation. The electrocoagulation is performed in batch with electrodes dimensions are 18cm x 6.5cm x 0.2cm and the distance between is the electrodes 1cm. The aluminum electrodes are contacted with peat water by varying the current density of 20 A/m², 40 A/m², 60 A/m² and 80 A/m² and varying the processing time is 30 minutes, 60 minutes, 90 minutes and 120 minutes. The result showed that the optimum pH rise occurs at 40 A/m² current density with a time of 30 minutes and decrease the effectiveness of each parameter occurs at 20 A/m² current density with the processing time of 120 minutes. The decrement of TDS effectiveness is 42.09%, BOD5 34.36% and COD 88.89%, while the decrement of the effectiveness of the Fe and Mn metal content were 55.2 % and 90 %, respectively. The results indicate that electrocoagulation method can reduce water pollutants contained in the peat water. The results of this processing have fulfilled the standards of the Ministry of Health.

1. Introduction

Water is a basic need for human life. In daily life, humans always need water especially for drinking, cooking, bathing, washing, etc. The regions that have not yet received clean water services, residents usually use dug well water, river water which sometimes or often does not fulfill the standard of safe drinking water, even for regions that has an inferior quality of groundwater and river water, residents only use rainwater to fulfill the need of drinking water. Especially for residents who live in peat swamps in parts of Sumatera and Kalimantan have difficulty in providing clean water due to the water contained in that regions is acidic (low pH), brown color and contains organic [1].

The potential of peatlands in Indonesia is enormous, which is around 14,905 million hectares. Most of them are spread in Kalimantan, Papua, and Sumatera. This condition allows people living around the area who experience difficulties in the availability of clean water using peat water to fulfill their needs [2]. The principle is that peat water is surface water or groundwater which is widely found in tidal areas, swampy and lowland areas, brownish red, acidic (high acidity), and has high organic content. Peat is defined as an organic material which is formed from the imperfect decomposition of plants in wet areas and very humid conditions and lack of oxygen [3].



Peat water has a quite high Fe and Mn composition which is indicated by the red and brown color of peat water. Because the Fe and Mn content is quite high, it is necessary to do processing using electrocoagulation [4, 5].

Based on these studies it can be seen that the electrocoagulation method has the potential in purifying peat water and decreasing the metal content contained in peat water such as Fe and Mn without the addition of coagulants [6].

Metal content such as Fe (iron) and Mn (manganese) in water can cause the color of cloudy and brown water. The effect of manganese if consumed by humans in excessive doses will lead to chronic poisoning and can cause weakness in the legs and muscles, whereas iron if consumed in large quantities, can have a detrimental effect on the intestinal wall and reduced lung function. Therefore, it is necessary to process heavy metals Mn and Fe so that the water quality is following drinking water quality standards [7].

Electrocoagulation is an electrochemical water treatment method wherein anoda occurred the release of active coagulant as a metallic ion, while in cathode occurred the electrolysis reaction in the form of the release of hydrogen gas [8,10,15]. Electrocoagulation is a complex process that involves chemical and physical phenomena by using electrodes to produce ions used to treat wastewater. Currently, the use of electrocoagulation technology is developed to improve the quality of wastewater effluent. Electrocoagulation is used to treat effluents from several sources of wastewater from the food industry, textile waste, household waste, waste containing arsenic compounds, water containing fluoride, and water containing fine particles, bentonite and kaolinite [9,11]. Electrocoagulation can process a variety of pollutants including suspended solids, heavy metals, ink, organic materials (such as domestic waste), oils and fats, ions and radionuclides. The characteristics of pollutants affect the processing mechanism, for example, ion-shaped pollutants will be reduced through a precipitation process while the suspended solids will be absorbed into the charged coagulant [12-14].

2. Methodology

The peat water treatment research conducted using electrocoagulation method. The coagulation used is an aluminum electrode. The data collection process was taken 16 times with variations in current density and processing time in waste treatment. The research carried out has an experimental design as follows:

- The sampling of peat water comes from Integrated Independent City, Ogan Ilir Regency, South Sumatera.
- The initial characteristics of peat water with parameters measured by pH, TDS, BOD₅, COD, Fe metal content, and Mn metal content.
- Electrocoagulation process using an aluminum electrode.
- Measurement of increase in pH value and the decrease in TDS, BOD₅, COD, Fe metal content and Mn metal content.

The electrocoagulation process was carried out on an electrocoagulation reactor using aluminum electrodes on the anode and cathode. The electrocoagulation reactor is equipped with DC Power Supply and hot plate so that it can use a magnetic stirrer to stir and homogenize peat water. The scheme of the electrocoagulation process with an electrocoagulation reactor can be seen in Figure 1.




Figure 1. Electrocoagulation Reactor

3. Results and Discussion

Preliminary analysis was carried out on peat water taken from Integrated Independent City, Ogan Ilir Regency, South Sumatera. The analysis was carried out before the treatment process by electrocoagulation method by analyzing the values of pH, TDS, BOD₅, COD, Fe content and Mn content. The results of the analysis can be seen in Table 1.

Table 1. Characteristics of Peat Water

No.	Type of Analysis	Quality Standards	Analysis Results
1.	pH	6 – 9	5.59
2.	TDS (mg/L)	50	49.8
3.	BOD ₅ (mg/L)	2	1.95
4.	COD (mg/L)	10	9
5.	Kadar Fe (mg/L)	0.3	1.25
6.	Kadar Mn (mg/L)	0.1	0.09

Source: Environmental Quality Standard based on South Sumatra Governor Regulation No. 16 of 2012

3.1 Characteristics of Peat Water after Processing

This test was conducted to determine the effect of the best current density variation and processing time in terms of increasing the pH value and decreasing the value of TDS, BOD₅, COD, Fe levels and Mn levels by comparing the results of the final analysis of each treatment with the results of the initial analysis so that it can the most effective conditions that have the highest pollutant removal values are known.

From the results of the initial analysis of peat water in Table 1, the values of TDS, BOD₅, COD, and Mn levels did not exceed the standard of clean water quality. However, the pH value needs to be raised to reach the normal pH value of 7 because the pH value which is not normal can interfere with the life of organisms in the water such as fish and other animals and are corrosive to metals which cause rust and cause tooth decay and abdominal pain. Excessive levels of Fe in water can stain fabric and kitchen

utensils, causing the color of the water to become brownish red, and can cause health problems such as intestinal disorders, unpleasant odors and can cause cancer.

3.2 Results of Peat Water Treatment with Electrocoagulation Method

3.2.1 Effect of Current and Process Time on pH Increase

In Figure 2, it can be seen that the increase in pH in peat water with an initial pH of 5.59 which is still in the acid category, after processing, there was a significant increase in pH which reached pH 7.87. The increase in pH in the electrocoagulation process occurs because of the alkalization process of Al_3^+ ions added in water so that a reaction with hydroxy ions occurs from the hydrolysis of water which produces $Al(OH)_3$ and hydrogen ions.

In addition to hydrogen gas, it will also produce hydroxide ions (OH^-), the smaller the current density is used, the faster the reaction will occur, and the OH^- produced will increase so that it will increase the pH in the water. During the electrocoagulation process, these reactions occur which will increase pH. In Figure 2 it can be seen that pH tends to increase with increasing processing time with a pH range of 7-8. The best result in pH increase is that it occurs at a current density of $40 A/m^2$ with a processing time of 30 minutes which produces a pH of 7.87.




Figure 2. Effect of Current and Processing Time on pH Increase

3.2.2 Effect of Current and Process Time on Total Dissolved Suspended (TDS)

Decreasing the TDS value of electrocoagulation is very effective where electrocoagulation will produce less affluent with less TDS content. This decrease in TDS value can occur when double-layer compression occurs around the charged species due to the interaction with the ion formed from oxidation at the electrode. These ions cause reduced repulsion between particles in water so that the coagulation process can take place.

In Figure 3 it can be seen that the best decrease in TDS value is at a current density of $20 A/m^2$ with a processing time of 120 minutes where the TDS value in that state is 28.84 mg/L from the initial state of 49.8 mg/L, and this result meets the standard quality.




Figure 3. Effect of Current and Processing Time on TDS Value

3.2.3 Effect of Current and Process Time on BOD₅

In Figure 4 the results of peat water electrocoagulation on BOD₅ values appear to be decreasing. From the graph, it can be seen that the best results for the decrease in BOD₅ value occur at a current density of 20 A/m² with a processing time of 120 minutes. At the time of the process, there was a decrease in the BOD₅ value of 1.95 mg/L to 1.28 mg/L.

The results of this BOD₅ analysis determine the quality of the water body which is the amount of oxygen needed by the organism to destroy the organic material at a particular time. High BOD₅ values play an essential role in determining the ability of water bodies to support the growth of algae and aquatic organisms which will lead to increased growth. If the number of bacterial populations is getting higher, then the level of water pollution is higher.




Figure 4. Effect of Current and Processing Time on BOD₅ Values

3.2.4 Effect of Current and Process Time Meetings on COD

COD was the quantity or number of oxidants that react with samples under certain conditions. The amount of oxidant used was proportional to oxygen demand. Organic and inorganic compounds in the sample were oxidized subjects, but organic compounds were more dominant. COD was often used as a measure of the number of pollutants in water.

In Figure 5 the results of peat water research before processing were obtained COD values of 9 mg / L, after processing the value of COD decreased. Significantly decreased COD values occur at the same current density of 20 A/m² at a 120 minute processing time of 1 mg/L. The standard threshold for COD quality was 10 mg/L.

The process of decreasing the COD value in electrocoagulation occurs through destabilization. Colloidal destabilization was carried out by metal cations which form polyvalent polyhydroxide. This complex compound had a high adsorption side so that it could facilitate the aggregation process with various pollutants that form floc which was easily separated by flotation techniques because the floc density becomes smaller.




Figure 5. Effect of Current and Processing Time on COD Value

3.2.5 Effect of Current and Process Time on Fe and Mn Content

From the experiments that had been carried out obtained data that every change in current density and length of processing time would result in different electrocoagulation efficiency. The processing time dramatically affects the Fe content found in peat water, the longer the processing time, the lower the Fe content in the filtrate obtained, this happens for every variation of current density. From Figure 6 it could be seen that the reduction in Fe content in the largest peat water was achieved at 120 minutes at 20 A/m². In this condition, the Fe content in the filtrate was 0.56 mg/L, and the Mn content in the filtrate was 0.009 mg/L.




Figure 6. Effect of Current and Processing Time on Fe Content

Decrease in Fe and Mn content in the electrocoagulation process could occurred due to changed in electric current so that a magnetic field occurred around the electrode, Fe and Mn ions would move with a helix-shaped path around the electrode plate so that at that time there was a tendency for Fe²⁺ ions to

stick to the whole surface of the electrode plate. In the electrochemical process, at the same time there was an electric current at the anode an oxidation reaction would occur against the anion (negative ion), the anode made of aluminum metal would undergo an oxidation reaction to form Al^{3+} ions and would bound ions (OH^-) to form floc $\text{Al}(\text{OH})_3$ which could bound Fe_2^+ ions and capture some Fe and Mn metal that was not deposited on the cathode stem. Effect of current and processing time on Fe and Mn content can be seen in Figure 6 and Figure 7.




Figure 7. Effect of Current and Processing Time on Mn Content

3.3 Effectiveness of Electrocoagulation Methods in Processing Peat Water

The effectiveness of the electrocoagulation method in processing peat water with parameters of decreasing content of TDS, BOD₅, COD, Fe content and Mn content as well as an increased in pH value in this experiment occurred at a current density of 20 A/m² with a time of 120 minutes. The smaller the current density, the higher the electrode area so that peat water could be electrocoagulated properly. The processing time also determined the results of peat water process, the longer the processing time, the peat water produced would become more evident. This condition was due to the more prolonged contact with peat water with electrodes. The decreased in the effectiveness of TDS was 42.09%, BOD₅ 34.36%, and COD 88.89%, while the effectiveness of decreasing Fe metal content and Mn metal content was 55.2% and 90%.




Figure 8. Electrocoagulation Effectiveness on Time at a Current Density of 20 A/m²

4. Conclusion

Peat water contained in the Integrated Independent City, Ogan Ilir Regency, South Sumatera still requires special processing before being used as a source of water for domestic purposes. Based on the results of the analysis, the pH value and metal content of Fe exceed the environmental quality standards based on the Regulation of the Governor of South Sumatera No. 16 of 2012. The peat water had a slightly acidic pH of 5.59 and a high dissolved Fe metal content of 1.25 mg/L. The TDS value of the peat water was 49.8 mg/L, the BOD5 value was 1.95 mg/L, COD value was 9 mg/L and the Mn content contained was 0.09 mg/L.

One method used to process peat water was by electrocoagulation method. It could be seen, the effectiveness of the reduction of each parameter occurs at a current density of 20 A/m² with a processing time of 120 minutes. The decreased in the effectiveness of TDS was 42.09%, BOD5 34.36%, and COD 88.89%, while the effectiveness of decreasing Fe metal content and Mn metal content was 55.2% and 90%.

5. References

- [1] Rusdianasari, Taqwa, A., Jaksen, Syakdani, A. 2017. *Matec Web of Conference*. **101.02010**
- [2] Muhammad S, Susila A, Marsi, and Salni 2015 *Asian J. Chem.* **27(1)** pp 3951-3955
- [3] Firda A, Andre S, Nurdian D, and Eko S 2016 *Int. J. Pharm. and Clinical Res* **814** pp 216-220
- [4] Mahmud, Chairul A, Badaruddin M 2013 *J. Wetlands Env. Management* **1**
- [5] Rusdianasari, Meidinariasty, A., Purnamasari, I. 2015. *Int. J. Advanved Sci. Eng. and Information Technology* **5** 6 pp 387-391
- [6] Hu Jinming and Ma Xuehui 1989 Physical and Chemical Properties of Peat. *Encyclopedia of Life Support System (EOLSS)*
- [7] Bow, Y., Sutriyono, E., Nasir, S., and Iskandar I. 2017 *Matec Web of Conference*. **101.01002**
- [8] Rahman, J.A, Mohammad R, and Gheethi 2018 *Earth and Env. Sci.* **140(2018)012087**
- [9] Ministry of Health, Decree of the Minister of Health RI No. 492/MENKES/Per/IV/ 2010 Quality Requirements for Drinking Water and Clean Water
- [10] Rusdianasari, Bow, T., Taqwa, A. 2014 *Advanced Material Research* **896(2014)** pp 145-148
- [11] Wetlands International 2004 Sebaran Gambut dan Kandungan Karbon di Sumatera dan Kalimantan
- [12] Rusdianasari, Taqwa, A., Jaksen, Syakdani, A. 2017 *J. Eng. Technol. Sci.* **49** 5 pp 604-617
- [13] Jonathan P, Michael B 2016 *Scientific Reports* **6**
- [14] Indonesian Institute of Sciences Limnology Research Center (LIPI) 2012
- [15] Bow, Y., Sutriyono, E., Nasir, S., and Iskandar I. 2017 *Int. J. Advanved Sci. Eng. and Information Technology* **7** 2 pp 662-668



INSTITUT TEKNOLOGI SUMATERA



Certificate

THIS CERTIFICATE IS PRESENTED TO

.....
YOHANDRI BOW
.....
HAS PARTICIPATED AS

PARTICIPANT

.....
IN INTERNATIONAL CONFERENCE OF SCIENCE,
INFRASTRUCTURE TECHNOLOGY AND REGIONAL DEVELOPMENT 2017
"ENERGY SECURITY FOR ENHANCING NATIONAL COMPETITIVENESS"


ICoSITeR

Prof. Dr. Leo Hari Wiryanto M.S.
HEAD OF CONFERENCE


Prof. Ir. Ofyar Z. Tamin M.Sc., Ph.D.
RECTOR, INSTITUT TEKNOLOGI SUMATERA

