

Coding Website

Controllers

AuthController.php

```
<?php
namespace App\Http\Controllers\Auth;
use App\Http\Controllers\Controller;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Auth;
use Session;
use App\Models\User;
use Hash;
class AuthController extends Controller
{
    /**
     * Write code on Method
     *
     * @return response()
     */
    public function index()
    {
        return view('auth.login');
    }
    /**
     * Write code on Method
     *
     * @return response()
     */
    public function registration()
    {
        return view('auth.registration');
    }
    /**
     * Write code on Method
     *
     * @return response()
     */
    public function postLogin(Request $request)
    {
        $request->validate([
            'email' => 'required',
            'password' => 'required',
        ]);
        $credentials = $request->only('email',
'password');
        if (Auth::attempt($credentials)) {
```

```

        if (Auth::user()->hasRole('Admin')){
            return redirect()->intended('dashboard')->withSuccess('You have
Successfully loggedin');
        }else{
            return redirect()->intended('profile')->withSuccess('You have
Successfully loggedin');
        }
    }
    return redirect("login")->withSuccess('Oppes!
You have entered invalid credentials');
}
/**
 * Write code on Method
 *
 * @return response()
 */
public function postRegistration(Request $request)
{
    $request->validate([
        'name' => 'required',
        'email' => 'required|email|unique:users',
        'password' => 'required|min:6',
    ]);
    $data = $request->all();
    $check = $this->create($data);
    return redirect("dashboard")->withSuccess('Great! You have
Successfully loggedin');
}
/**
 * Write code on Method
 *
 * @return response()
 */
public function dashboard()
{
    if(Auth::check()){
        return view('auth.dashboard');
    }
    return redirect("login")->withSuccess('Opps!
You do not have access');
}
/**
 * Write code on Method
 *
 * @return response()
 */
public function create(array $data)
{

```

```

return User::create([
    'name' => $data['name'],
    'email' => $data['email'],
    'password' => Hash::make($data['password'])
]);
}
/**
 * Write code on Method
 *
 * @return response()
 */
public function logout() {
    Session::flush();
    Auth::logout();
    return Redirect('login');
}
}

```

AdminController.php

```

<?php
namespace App\Http\Controllers;
use App\Models\Admin;
use App\Models\Buku;
use App\Models\Peminjaman;
use App\Models\Pengunjung;
use Illuminate\Http\Request;
use PDF;
use Auth;
use DataTables;
use Illuminate\Support\Facades\Mail;
class AdminController extends Controller
{
    /**
     * Display a listing of the resource.
     *
     * @return \Illuminate\Http\Response
     */
    function __construct()
    {
        $this->middleware('permission:admin-list| admin-create| admin-
edit| admin-delete', ['only' => ['index', 'show']]);
        $this->middleware('permission:admin-create', ['only' =>
['create', 'store']);
        $this->middleware('permission:admin-edit', ['only' => ['edit',
'update']);
        $this->middleware('permission:admin-delete', ['only' =>
['destroy']);
    }
}

```

```

    }
    public function dashboard(){
        $jumlah_pengunjung = sizeof(Pengunjung::all());
        $jumlah_buku = sizeof(Buku::all());
        $jumlah_peminjaman = sizeof(Peminjaman::all());
        return view('admins.dashboard',
compact('jumlah_pengunjung', 'jumlah_buku', 'jumlah_peminjaman'));
    }
    public function profile(){
        if(Auth::user()->hasRole('Admin')){
            $profil = Auth::user()->admin()->first();
        }else{
            $profil = Auth::user()->pengunjung()->first();
        }
        return view('admins.profile', compact('profil'));
    }
}

public function index_old()
{
    //
    // echo json_encode(Buku);
    $admins = Admin::latest()->paginate(5);
    // echo json_encode ($Admin);
    return view('admins.index', compact('admins'))
        ->with('i', (request()->input('page', 1) - 1) * 5);
}
/**
 * Show the form for creating a new resource.
 *
 * @return \Illuminate\Http\Response
 */
public function index(Request $request)
{
    if ($request->ajax()) {
        // $data = Admin::select('*');
        $query_data= new Admin();
        if ($request->sSearch) {
            $search_value = '%' . $request->sSearch . '%';
            $query_data = $query_data->where(function ($query) use
($search_value) {
                $query->where('nama', 'like', $search_value)
                    ->orWhere('nip', 'like', $search_value);
            });
        }
        $data = $query_data->orderBy('id', 'asc')->get();
        return Datatables::of($data)
            ->addIndexColumn()
            ->addColumn('action', function ($row) {

```

```

        // $btn = '<a href="javascript:void(0)" class="edit
btn btn-primary btn-sm">View</a>';
        $btn = '
            <form action="" . route('admins.destroy',
$row->id) . ""
                method="POST">
                <a class="btn btn-info" href="" .
route('admins.show', $row->id) . "">Show</a> ';
                if (Auth::user()->can('admin-edit')) {
                    $btn = $btn . '<a class="btn btn-
primary" href="" . route('admins.edit', $row->id) . "">Edit</a>';
                }
                if (Auth::user()->can('admin-delete')) {
                    $btn = $btn . csrf_field() .
method_field('DELETE') . '<button type="submit" class="btn btn-
danger">Delete</button>';
                }
                $btn = $btn . '
            </form> '
        ;
        return $btn;
    })
    ->rawColumns(['action'])
    ->make(true);
}
return view('admins.index');
}
public function create()
{
    return view('admins.create');
}
/**
 * Store a newly created resource in storage.
 *
 * @param \Illuminate\Http\Request $request
 * @return \Illuminate\Http\Response
 */
public function store(Request $request)
{
    $request->validate([
        'nama' => 'required',
        'nip' => 'required',
        'alamat' => 'required',
        'jenis_kelamin' => 'required',
        'tanggal_lahir' => 'required',
        'foto_admin' =>
'required|image|mimes:jpeg,png,jpg,gif,svg|max:2048',
        'email' => 'required',
    ]);
}

```

```

        'username' => 'required',
        'password' => 'required',
    ]);
    $input = $request->all();
    if ($image = $request->file('foto_admin')) {
        $destinationPath = 'image/';
        $profileImage = date('YmdHis') . "." . $image-
>getClientOriginalExtension();
        $image->move($destinationPath, $profileImage);
        $input['foto_admin'] = "$profileImage";
    }
    Admin::create($input);
    return redirect()->route('admins.index')
        ->with('success', 'Admin sukses diupdate');
}
/**
 * Display the specified resource.
 *
 * @param \App\Models\Admin $admin
 * @return \Illuminate\Http\Response
 */
public function show(Admin $admin)
{
    return view('admins.show', compact('admin'));
}
/**
 * Show the form for editing the specified resource.
 *
 * @param \App\Models\Admin $admin
 * @return \Illuminate\Http\Response
 */
public function edit(Admin $admin)
{
    return view('admins.edit', compact('admin'));
}
/**
 * Update the specified resource in storage.
 *
 * @param \Illuminate\Http\Request $request
 * @param \App\Models\Admin $admin
 * @return \Illuminate\Http\Response
 */
public function update(Request $request, Admin $admin)
{
    $request->validate([
        'nama' => 'required',
        'nip' => 'required',
        'alamat' => 'required',
    ]);
}

```

```

        'jenis_kelamin' => 'required',
        'tanggal_lahir' => 'required',
        'foto_admin' =>
'image|mimes:jpeg,png,jpg,gif,svg|max:2048',
        'email' => 'required',
        'username' => 'required',
        'password' => 'required',
    ]);
    $input = $request->all();
    if ($image = $request->file('foto_admin')) {
        $destinationPath = 'image/';
        $profileImage = date('YmdHis') . "." . $image-
>getClientOriginalExtension();
        $image->move($destinationPath, $profileImage);
        $input['foto_admin'] = "$profileImage";
    } else {
        unset($input['foto_admin']);
    }
    $admin->update($input);
    return redirect()->route('admins.index')
        ->with('success', 'Admin sukses diupdate');
}
/**
 * Remove the specified resource from storage.
 *
 * @param \App\Models\Admin $admin
 * @return \Illuminate\Http\Response
 */
public function destroy(Admin $admin)
{
    $admin->delete();
    return redirect()->route('admins.index')
        ->with('success', 'Admin sukses dihapus');
}
public function exportPDF()
{
    $admins = Admin::all();
    $pdf = PDF::loadview('admins.exportadmin-pdf', ['admins' =>
$admins]);
    $pdf->setPaper('A4', 'landscape');
    return $pdf->stream('laporan_admin_pdf.pdf');
}
}

```

BukuController.php

```

<?php
namespace App\Http\Controllers;
use App\Models\Buku;

```

```

use Illuminate\Http\Request;
use PDF;
use DataTables;
use QrCode;
use Auth;
class BukuController extends Controller
{
    /**
     * Display a listing of the resource.
     *
     * @return \Illuminate\Http\Response
     */
    function __construct()
    {
        $this->middleware('permission:buku-list|buku-create|buku-
edit|buku-delete', ['only' => ['index', 'show']]);
        $this->middleware('permission:buku-create', ['only' =>
['create', 'store']]);
        $this->middleware('permission:buku-edit', ['only' => ['edit',
'update']]);
        $this->middleware('permission:buku-delete', ['only' =>
['destroy']]);
    }
    public function index_old()
    {
        //
        // echo json_encode(Buku);
        $bukus = Buku::latest()->paginate(5);
        // echo json_encode ($Buku);
        return view('bukus.index', compact('bukus'))
->with('i', (request()->input('page', 1) - 1) * 5);
    }
    public function cetak_qr($id){
        echo QRCode::size(150)->generate($id);
        echo "<script>window.print();</script>";
    }
    /**
     * Show the form for creating a new resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function index(Request $request)
    {
        if ($request->ajax()) {
            // $data = Buku::select('*');
            $query_data = new Buku();

```



```

        if ($request->sSearch) {
            $search_value = '%' . $request->sSearch . '%';
            $query_data=$query_data->where(function ($query) use
($search_value) {
                $query->where('judul', 'like', $search_value)
                    ->orWhere('pengarang', 'like',
$search_value)
                    ->orWhere('penerbitan', 'like',
$search_value);
            });
        }
        $data = $query_data->orderBy('id', 'asc');
        return Datatables::of($data)
            ->addIndexColumn()
            ->addColumn('action', function($row){
                //$btn = '<a href="javascript:void(0)"
class="edit btn btn-primary btn-sm">View</a>';
                $btn='
                <form action="" . route('bukus.destroy', $row-
>id).'""
                    method="POST">
                    <a class="btn btn-info"
href="" . route('bukus.show', $row->id).'"">Show</a> ';

                    if (Auth::user()->can('buku-edit')) {
                        $btn = $btn . ' <a class="btn btn-warning"
href="" . route('print_book', $row->id) . "" target="_blank">Print
QR</a><a class="btn btn-primary" href="" . route('bukus.edit', $row-
>id) . "">Edit</a>';
                    }
                    if (Auth::user()->can('buku-delete')) {
                        $btn = $btn . csrf_field() .
method_field('DELETE') . ' <button type="submit" class="btn btn-
danger">Delete</button>';
                    }
                    $btn = $btn . '
                </form> '
                ;
                return $btn;
            })
            ->addColumn('qrcode', function($row){
                //$btn = '<a href="javascript:void(0)" class="edit
btn btn-primary btn-sm">View</a>';
                return QrCode::size(250)->generate($row->id);
            })
            ->rawColumns(['action'])
            ->make(true);

```

```

    }
    return view('bukus.index');
}
public function create()
{
    return view ('bukus.create');
}
/**
 * Store a newly created resource in storage.
 *
 * @param \Illuminate\Http\Request $request
 * @return \Illuminate\Http\Response
 */
public function store(Request $request)
{
    $request->validate([
        'judul' => 'required',
        'cover' =>
'required|image|mimes:jpeg,png,jpg,gif,svg,webp|max:2048',
        'pengarang' => 'required',
        'penerbitan' => 'required',
        'edisi' => 'required',
        'deskripsi_fisik' => 'required',
        'no_eksemplar' => 'required',
        'isbn' => 'required',
        'bahasa' => 'required',
        'subjek' => 'required',
        'lokasi' => 'required',
    ]);
    $input = $request->all();
    if ($image = $request->file('cover')) {
        $destinationPath = 'image/';
        $profileImage = date('YmdHis') . "." . $image-
>getClientOriginalExtension();
        $image->move($destinationPath, $profileImage);
        $input['cover'] = "$profileImage";
    }
    Buku::create($input);
    return redirect()->route('bukus.index')
->with('success','Buku sukses diupdate');
}
/**
 * Display the specified resource.
 *
 * @param \App\Models\Buku $buku
 * @return \Illuminate\Http\Response
 */
public function show(Buku $buku)

```

```

{
    return view('bukus.show',compact('buku'));
}
/**
 * Show the form for editing the specified resource.
 *
 * @param \App\Models\Buku $buku
 * @return \Illuminate\Http\Response
 */
public function edit(Buku $buku)
{
    return view('bukus.edit',compact('buku'));
}
/**
 * Update the specified resource in storage.
 *
 * @param \Illuminate\Http\Request $request
 * @param \App\Models\Buku $buku
 * @return \Illuminate\Http\Response
 */
public function update(Request $request, Buku $buku)
{
    $request->validate([
        'judul' => 'required',
        'cover' =>
'imagemimetypes:jpeg,png,jpg,gif,svg,webp|max:2048',
        'pengarang' => 'required',
        'penerbitan' => 'required',
        'edisi' => 'required',
        'deskripsi_fisik' => 'required',
        'no_eksemplar' => 'required',
        'isbn' => 'required',
        'bahasa' => 'required',
        'subjek' => 'required',
        'lokasi' => 'required',
    ]);
    $input = $request->all();
    if ($image = $request->file('cover')) {
        $destinationPath = 'image/';
        $profileImage = date('YmdHis') . "." . $image-
>getClientOriginalExtension();
        $image->move($destinationPath, $profileImage);
        $input['cover'] = "$profileImage";
    } else {
        unset($input['cover']);
    }
    $buku->update($input);
    return redirect()->route('bukus.index')

```

```

        ->with('success','Buku sukses diupdate');
    }
    /**
     * Remove the specified resource from storage.
     *
     * @param \App\Models\Buku $buku
     * @return \Illuminate\Http\Response
     */
    public function destroy(Buku $buku)
    {
        $buku->delete();
        return redirect()->route('bukus.index')
        ->with('success','Buku sukses dihapus');
    }
    public function exportPDF(){
        $bukus=Buku::all();
        $pdf= PDF::loadview('bukus.exportbuku-pdf', ['bukus'=>$bukus]);
        $pdf->setPaper('A4', 'landscape');
        return $pdf->stream('laporan_buku_pdf.pdf');
    }
}

```

Dashboard.php

```

<?php
namespace App\Http\Controllers;
use App\Models\Buku;
use App\Models\Peminjaman;
use App\Models\Pengunjung;
use Illuminate\Http\Request;
class Dashboard extends Controller
{
    //
    public function index(Request $request){
        $jumlah_pengunjung = sizeof(Pengunjung::all());
        $jumlah_buku = sizeof(Buku::all());
        $jumlah_peminjaman = sizeof(Peminjaman::all());
        return view('admins.dashboard',
compact('$jumlah_pengunjung', '$jumlah_buku', '$jumlah_peminjaman'));
    }
}

```

Detail_PeminjamanController.php

```

<?php
namespace App\Http\Controllers;
use App\Models\Detail_Peminjaman;
use App\Models\Peminjaman;

```

```

use App\Models\Buku;
use Illuminate\Http\Request;
use PDF;
use Auth;
use DataTables;
class Detail_PeminjamanController extends Controller
{
    /**
     * Display a listing of the resource.
     *
     * @return \Illuminate\Http\Response
     */
    function __construct()
    {
        $this->middleware('permission:detail_peminjaman-
list|detail_peminjaman-create|detail_peminjaman-edit|detail_peminjaman-
delete', ['only' => ['index', 'show']]);
        $this->middleware('permission:detail_peminjaman-create',
['only' => ['create', 'store']]);
        $this->middleware('permission:detail_peminjaman-edit', ['only'
=> ['edit', 'update']]);
        $this->middleware('permission:detail_peminjaman-delete',
['only' => ['destroy']]);
    }
    public function index_old()
    {
        //
        // echo json_encode(Detail_Peminjaman);
        $detail_peminjamans = Detail_Peminjaman::latest()->paginate(5);
        // echo json_encode ($Detail_Peminjaman);
        return
view('detail_peminjamans.index',compact('detail_peminjamans'))
->with('i', (request()->input('page', 1) - 1) * 5);
    }
    /**
     * Show the form for creating a new resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function index(Request $request)
    {
        if ($request->ajax()) {
            // $data = Detail_Peminjaman::select('*');
            $query_data = new Detail_Peminjaman();
            if ($request->sSearch) {
                $search_value = '%'.$request->sSearch.'%';
                $query_data=$query_data->where(function ($query) use
($search_value) {

```

```

        $query->where('id_peminjaman', 'like',
$search_value)
        ->orWhere('id_buku', 'like',
$search_value);
    });
}
$data = $query_data->orderBy('id_peminjaman', 'asc')->get();
return Datatables::of($data)
    ->addIndexColumn()
    ->addColumn('action', function($row){
        //$btn = '<a href="javascript:void(0)"
class="edit btn btn-primary btn-sm">View</a>';
        $btn='
        <form
action="" . route('detail_peminjamans.destroy', $row->id). ""
method="POST">
        <a class="btn btn-info"
href="" . route('detail_peminjamans.show', $row->id). "">Show</a> ';
        if (Auth::user()->can('detail_peminjaman-
edit')) {
            $btn = $btn . '<a class="btn btn-primary"
href="" . route('detail_peminjamans.edit', $row->id) . "">Edit</a>';
        }
        if (Auth::user()->can('detail_peminjaman-
delete')) {
            $btn = $btn . csrf_field() .
method_field('DELETE') . ' <button type="submit" class="btn btn-
danger">Delete</button>';
        }
        $btn = $btn . '
        </form> '
        ;
        return $btn;
    })
    ->rawColumns(['action'])
    ->make(true);
}
return view('detail_peminjamans.index');
}
public function create()
{
    /*$peminjamans = Detail_Peminjaman::latest();
return view ('detail_peminjamans.create',
compact('peminjamans'));*/
    $peminjamans = Detail_Peminjaman::all();
    $bukus = Buku::all();
    return view('detail_peminjamans.create', compact('peminjamans',
'bukus'));
}

```

```

}
/**
 * Store a newly created resource in storage.
 *
 * @param \Illuminate\Http\Request $request
 * @return \Illuminate\Http\Response
 */
public function store(Request $request)
{
    $request->validate([
        'id_peminjaman' => 'required',
        'id_buku' => 'required',
        'tanggal_pengambilan' => 'required',
        'tanggal_pengembalian_seharusnya' => 'required',
        'tanggal_pengembalian' => 'required',
        'denda' => 'required',
    ]);

    Detail_Peminjaman::create($request->all());

    return redirect()->route('detail_peminjamans.index')
        ->with('success', 'Detail_Peminjaman sukses diupdate');
}
/**
 * Display the specified resource.
 *
 * @param \App\Models\Detail_Peminjaman $detail_peminjaman
 * @return \Illuminate\Http\Response
 */
public function show(Detail_Peminjaman $detail_peminjaman)
{
    return
view('detail_peminjamans.show',compact('detail_peminjaman'));
}
/**
 * Show the form for editing the specified resource.
 *
 * @param \App\Models\Detail_Peminjaman $detail_peminjaman
 * @return \Illuminate\Http\Response
 */
public function edit(Detail_Peminjaman $detail_peminjaman)
{
    return
view('detail_peminjamans.edit',compact('detail_peminjaman'));
}
/**
 * Update the specified resource in storage.
 *

```

```

    * @param \Illuminate\Http\Request $request
    * @param \App\Models\Detail_Peminjaman $detail_peminjaman
    * @return \Illuminate\Http\Response
    */
    public function update(Request $request, Detail_Peminjaman
    $detail_peminjaman)
    {
        $request->validate([
            'id_peminjaman' => 'required',
            'id_buku' => 'required',
            'tanggal_pengambilan' => 'required',
            'tanggal_pengembalian_seharusnya' => 'required',
            'tanggal_pengembalian' => 'required',
            'denda' => 'required',
        ]);

        $detail_peminjaman->update($request->all());

        return redirect()->route('detail_peminjamans.index')
        ->with('success','Detail_Peminjaman sukses diupdate');
    }
    /**
     * Remove the specified resource from storage.
     *
     * @param \App\Models\Detail_Peminjaman $detail_peminjaman
     * @return \Illuminate\Http\Response
     */
    public function destroy(Detail_Peminjaman $detail_peminjaman)
    {
        $detail_peminjaman->delete();
        return redirect()->route('detail_peminjamans.index')
        ->with('success','Detail_Peminjaman sukses dihapus');
    }
    public function exportPDF(){
        $detail_peminjamans=Detail_Peminjaman::all();
        $pdf= PDF::loadview('detail_peminjamans.exportdetailpeminjaman-
        pdf', ['detail_peminjamans'=>$detail_peminjamans]);
        $pdf->setPaper('A4', 'landscape');
        return $pdf->stream('laporan_detail_peminjaman_pdf.pdf');
    }
}

```

PeminjamanController.php

```

<?php
namespace App\Http\Controllers;
use App\Models\Peminjaman;

```



```

use App\Models\Pengunjung;
use App\Models\Buku;
use App\Models\Detail_Peminjaman;
use App\Models\Perpanjangan;
use Carbon\Carbon;
use Illuminate\Http\Request;
use PDF;
use DataTables;
use Illuminate\Support\Facades\Auth;
class PeminjamanController extends Controller
{
    public function index_old()
    {
        //
        // echo json_encode(Buku);
        $peminjamans = Peminjaman::latest()->paginate(5);
        // echo json_encode ($Peminjaman);
        return view('peminjamans.index', compact('peminjamans'))
            ->with('i', (request()->input('page', 1) - 1) * 5);
    }
    public function pengembalian($id)
    {
        // dd($id);
        $peminjaman = Peminjaman::find($id);
        $input['tanggal_pengembalian'] = date('Y-m-d');
        $date2 = date_create($peminjaman-
>tanggal_pengembalian_seharusnya);
        $date1 = date_create(date('Y-m-d'));
        $diff = date_diff($date2, $date1);
        // dd($diff->invert);
        // $input['denda'] = 0;
        if ($diff->invert == 0 && $diff->d > 0) {
            $input['denda'] = ($diff->d) * 10000;
        }
        // dd($input);
        $peminjaman->update($input);
        return redirect()->route('peminjamans.index');
    }
    public function perpanjangan($id)
    {
        // dd($id);
        $peminjaman = Peminjaman::find($id);
        if ($peminjaman->tanggal_pengembalian == '') {
            $date = date_create($peminjaman-
>tanggal_pengembalian_seharusnya);
            $input['tanggal_pengembalian_seharusnya'] = date_add($date,
date_interval_create_from_date_string("3 days"));
            $peminjaman->update($input);
        }
    }
}

```

```

        $data['id_peminjaman'] = $id;
        Perpanjangan::create($data);
        // dd(Perpanjangan::create($data));
        return redirect()->route('peminjamans.index')-
>with('success', 'Perpanjangan Berhasil Dilakukan');
    } else {
        return redirect()->route('peminjamans.index')-
>with('success', 'Perpanjangan Tidak Boleh Dilakukan.');
```

```

    }
    // dd($input);
}
/**
 * Show the form for creating a new resource.
 *
 * @return \Illuminate\Http\Response
 */
public function index(Request $request)
{
    if ($request->ajax()) {
        // $data = Peminjaman::select('*');
        $query_data = new Peminjaman();
        if(Auth::user()->hasRole('Admin'))
        {
            //do something
        }else{
            $query_data = $query_data-
>where('id_mahasiswa', '=', Auth::user()->pengunjung->id);
        }

        if ($request->sSearch) {
            $search_value = '%' . $request->sSearch . '%';
            $query_data = $query_data->where(function ($query) use
($search_value) {
                $query->where('id_mahasiswa', 'like',
$search_value)
                ->orWhere('tanggal_pinjam', 'like',
$search_value);
            });
        }

        $data = $query_data->orderBy('id_mahasiswa', 'asc')->get();
        return Datatables::of($data)
            ->addIndexColumn()
            ->addColumn('nama_pengunjung', function ($row) {
                return $row->pengunjung?->nama;
            })
            ->addColumn('action', function ($row) {

```

```

        $btn = ' <form action="" .
route('peminjamans.destroy', $row->id) . '" method="POST">
        <a class="btn btn-info" href="" .
route('peminjamans.show', $row->id) . '">Show</a> ';
        // dd(Auth::user());
        if (Auth::user()->can('peminjaman-edit')) {
            $btn = $btn . '<a class="btn btn-primary"
href="" .
            route('peminjamans.edit', $row->id) .
            '">Edit</a>';
            $btn = $btn . '<a class="btn btn-warning"
href="" . route('pengembalian', $row->id) . '">Kembalikan</a>
            <a class="btn btn-primary" href="" .
route('perpanjangan', $row->id) . '">Perpanjangan</a>';
        }
        if (Auth::user()->can('peminjaman-delete')) {
            $btn = $btn . csrf_field() .
method_field('DELETE') . ' <button type="submit" class="btn btn-
danger">Delete</button>';
        }
        $btn = $btn . ' </form> ';
        return $btn;
    })
    ->rawColumns(['action'])
    ->make(true);
}
return view('peminjamans.index');
}
public function create()
{
    $data_pengunjungs = Pengunjung::All();
    $bukus = Buku::All();
    //dd($pengunjungs);
    return view('peminjamans.create', compact('data_pengunjungs',
'bukus'));
}
/**
 * Store a newly created resource in storage.
 *
 * @param \Illuminate\Http\Request $request
 * @return \Illuminate\Http\Response
 */
public function store(Request $request)
{
    $request->validate([
        'id_mahasiswa' => 'required',
        'tanggal_pinjam' => 'required',
    ]);
}

```

```

        $input = $request->all();
        $input['denda'] = '0';
        $date = date_create($input['tanggal_pinjam']);
        $input['tanggal_pengembalian_seharusnya'] = date_add($date,
date_interval_create_from_date_string("3 days"));
        // dd($input);
        $hasil = Peminjaman::create($input);
        // dd($hasil->id);
        // dd($request->id_buku);
        $buku_yang_dipinjams = $request->id_buku;
        foreach ($buku_yang_dipinjams as $x) {
            $data['id_peminjaman'] = $hasil->id;
            $data['id_buku'] = $x;
            // $data['tanggal_pengambilan'] = '';
            // $data['tanggal_pengembalian_seharusnya'] = '';
            // $data['tanggal_pengembalian'] = '';
            Detail_Peminjaman::create($data);
        }
        return redirect()->route('peminjamans.index')
            ->with('success', 'Peminjamans created successfully.');
```

```

}
/**
 * Display the specified resource.
 *
 * @param \App\Peminjaman $peminjaman
 * @return \Illuminate\Http\Response
 */
public function show(Peminjaman $peminjaman)
{
    // dd($peminjaman->details);
    return view('peminjamans.show', compact('peminjaman'));
}
/**
 * Show the form for editing the specified resource.
 *
 * @param \App\Peminjaman $peminjaman
 * @return \Illuminate\Http\Response
 */
public function edit(Peminjaman $peminjaman)
{
    return view('peminjamans.edit', compact('peminjaman'));
}
/**
 * Update the specified resource in storage.
 *
 * @param \Illuminate\Http\Request $request
 * @param \App\Peminjaman $peminjaman
 * @return \Illuminate\Http\Response
 */

```

```

*/
public function update(Request $request, Peminjaman $peminjaman)
{
    $request->validate([
        'id_mahasiswa' => 'required',
        'tanggal_pinjam' => 'required',
    ]);

    $peminjaman->update($request->all());

    return redirect()->route('peminjamans.index')
        ->with('success', 'Peminjaman updated successfully');
}
/**
 * Remove the specified resource from storage.
 *
 * @param \App\Peminjaman $peminjaman
 * @return \Illuminate\Http\Response
 */
public function destroy(Peminjaman $peminjaman)
{
    $peminjaman->delete();

    return redirect()->route('peminjamans.index')
        ->with('success', 'Peminjaman deleted successfully');
}
public function exportPDF()
{
    $peminjamans = Detail_Peminjaman::all();
    $pdf = PDF::loadview('peminjamans.exportpeminjaman-pdf',
['peminjamans' => $peminjamans]);
    $pdf->setPaper('A4', 'landscape');
    return $pdf->stream('laporan_peminjaman_pdf.pdf');
}
}

```

PengunjungController.php

```

<?php
namespace App\Http\Controllers;
use App\Models\Pengunjung;
use App\Models\User;
use Illuminate\Http\Request;
use PDF;
use DataTables;
use Illuminate\Support\Facades\Mail;
use QrCode;
use Auth;

```

```

use Hash;
use Illuminate\Support\Arr;
use Illuminate\Support\Facades\DB;
use Spatie\Permission\Models\Role;
class PengunjungController extends Controller
{
    function __construct()
    {
        $this->middleware('permission:pengunjung-list|pengunjung-
create|pengunjung-edit|pengunjung-delete', ['only' => ['index',
'show']]);
        $this->middleware('permission:pengunjung-create', ['only' =>
['create', 'store']]);
        $this->middleware('permission:pengunjung-edit', ['only' =>
['edit', 'update']]);
        $this->middleware('permission:pengunjung-delete', ['only' =>
['destroy']]);
    }
    public function index_old()
    {
        //
        // echo json_encode(Pengunjung);
        $pengunjungs = Pengunjung::latest()->paginate(5);
        // echo json_encode ($Pengunjung);
        return view('pengunjungs.index', compact('pengunjungs'))
            ->with('i', (request()->input('page', 1) - 1) * 5);
    }
    public function cetak_qr($id)
    {
        echo QRCode::size(150)->generate($id);
        echo "<script>window.print();</script>";
    }
    /**
     * Show the form for creating a new resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function index(Request $request)
    {
        if ($request->ajax()) {
            // $data = Pengunjung::select('*');
            $query_data = new Pengunjung();
            if (Auth::user()->hasRole('Admin'))
            {
                // do something
            }else{
                $query_data = $query_data->where('id', '=',
Auth::user()->pengunjung->id);
            }
        }
    }
}

```

```

    }
    if ($request->sSearch) {
        $search_value = '%' . $request->sSearch . '%';
        $query_data = $query_data->where(function ($query) use
($search_value) {
            $query->where('id', '=', $search_value)
                ->orWhere('nim_nip', 'like', $search_value);
        });
    }
    $data = $query_data->orderBy('created_at', 'asc')->get();
    //dd($data);
    //{!! QrCode::size(250)->generate('ItSolutionStuff.com');
!!}

    return Datatables::of($data)
        ->addIndexColumn()
        ->addColumn('action', function ($row) {
            //$btn = '<a href="javascript:void(0)" class="edit
btn btn-primary btn-sm">View</a>';
            $btn = '
                <form action="" . route('pengunjungs.destroy',
$row->id) . ""
                    method="POST">
                        <a class="btn btn-info" href="" .
route('pengunjungs.show', $row->id) . "">Show</a> ';
                        if (Auth::user()->can('pengunjung-edit')) {
                            $btn = $btn . '<a class="btn btn-primary"
href="" . route('pengunjungs.edit', $row->id) . "">Edit</a>';
                        }
                        if (Auth::user()->can('pengunjung-delete')) {
                            $btn = $btn . csrf_field() .
method_field('DELETE') . ' <button type="submit" class="btn btn-
danger">Delete</button> <a class="btn btn-warning" href="" .
route('print_pengunjung', $row->nim_nip) . "" target="_blank">Print
QR</a>';
                        }
                    $btn = $btn . '
                        </form> ';
                    return $btn;
                })
        ->addColumn('qrcode', function ($row) {
            //$btn = '<a href="javascript:void(0)" class="edit
btn btn-primary btn-sm">View</a>';
            return QrCode::size(250)->generate($row->nim_nip);
        })
        ->rawColumns(['action'])
        ->make(true);
    }
    return view('pengunjungs.index');

```

```

}
public function create()
{
    //
    $roles = Role::pluck('name', 'name')->all();
    return view('pengunjungs.create', compact('roles'));
}
/**
 * Store a newly created resource in storage.
 *
 * @param \Illuminate\Http\Request $request
 * @return \Illuminate\Http\Response
 */
public function store(Request $request)
{
    $request->validate([
        'nama' => 'required',
        'nim_nip' => 'required',
        'kelas' => 'required',
        'alamat' => 'required',
        'jenis_kelamin' => 'required',
        'jabatan' => 'required',
        'email' => 'required',
        'username' => 'required',
        'password' => 'required|same:password_confirmation',
        'foto' =>
'required|image|mimes:jpeg,png,jpg,gif,svg,webp|max:2048',
        'roles' => 'required'
    ]);
    $input = $request->all();

    if ($image = $request->file('foto')) {
        $destinationPath = 'image/';
        $profileImage = date('YmdHis') . "." . $image-
>getClientOriginalExtension();
        $image->move($destinationPath, $profileImage);
        $input['foto'] = "$profileImage";
    } else {
        unset($input['foto']);
    }
    $input['password'] = Hash::make($input['password']);
    $input['name'] = ($input['nama']);
    Pengunjung::create($input);
    $user = User::create($input);
    $user->assignRole($request->input('roles'));

    // Pengunjung::create($request->all());
    $input = $request->all();

```



```

        $details = [
            'title' => 'Mail from Perpustakaan Jurusan Teknik Elektro',
            'body' => 'Selamat Anda Telah Berhasil Teraftar Sebagai
Anggota'
        ];
        // Mail::to($input['email'])->send(new
\App\Mail\MyTestMail($details));

        return redirect()->route('pengunjungs.index')
            ->with('success', 'Pengunjungs created successfully.');
```

```

    }
    /**
```

```

    * Display the specified resource.
    *
    * @param \App\Pengunjung $pengunjung
    * @return \Illuminate\Http\Response
    */
```

```

public function show(Pengunjung $pengunjung)
{
    return view('pengunjungs.show', compact('pengunjung'));
}

```

```

/**
 * Show the form for editing the specified resource.
 *
 * @param \App\Pengunjung $pengunjung
 * @return \Illuminate\Http\Response
 */
```

```

public function edit(Pengunjung $pengunjung)
{
    // dd($pengunjung->email);
    $user = User::where('email', '=', $pengunjung->email)->first();
    // dd($user);
    $roles = Role::pluck('name', 'name')->all();
    $userRole = "";
    if ($user) {
        $userRole = $user->roles->pluck('name', 'name')->all();
    }
    return view('pengunjungs.edit', compact('pengunjung', 'roles',
'UserRole'));
}

```

```

/**
 * Update the specified resource in storage.
 *
 * @param \Illuminate\Http\Request $request
 * @param \App\Pengunjung $pengunjung
 * @return \Illuminate\Http\Response
 */
```

```

public function update(Request $request, Pengunjung $pengunjung)

```

```

{
    $request->validate([
        'nama' => 'required',
        'nim_nip' => 'required',
        'kelas' => 'required',
        'alamat' => 'required',
        'jenis_kelamin' => 'required',
        'jabatan' => 'required',
        'email' => 'required',
        'username' => 'required',
        'password' => 'required',
        'foto' => 'image|mimes:jpeg,png,jpg,gif,svg,webp|max:2048',
    ]);
    $input = $request->all();
    if ($image = $request->file('foto')) {
        $destinationPath = 'image/';
        $profileImage = date('YmdHis') . "." . $image->
>getClientOriginalExtension();
        $image->move($destinationPath, $profileImage);
        $input['foto'] = "$profileImage";
        // dd($request);
    } else {
        unset($input['foto']);
    }
    $pengunjung->update($input);
    $details = [
        'title' => 'Mail from Website Perpustakaan Jurusan Teknik
Elektro',
        'body' => 'Selamat Anda Telah Berhasil Terdaftar Sebagai
Anggota'
    ];
    Mail::to($input['email']->send(new
\App\Mail\MyTestMail($details));
    $input = $request->all();
    if (!empty($input['password'])) {
        $input['password'] = Hash::make($input['password']);
    } else {
        $input = Arr::except($input, array('password'));
    }
    $user = User::where('email', '=', $input['email']->first();
    // dd($user);
    if ($user) {
        $user->update($input);
        DB::table('model_has_roles')->where('model_id', $user->id)-
>delete();
        $user->assignRole($request->input('roles'));
    } else {

```

```

        $data_input['email'] = $input['email'];
        $data_input['password'] = $input['password'];
        $data_input['name'] = $input['nama'];
        // dd($input);
        // $input['name'] = $input['nama'];
        $user = User::create($data_input);
        $user->assignRole($request->input('roles'));
    }
    return redirect()->route('pengunjungs.index')
        ->with('success', 'Pengunjung updated successfully');
}
/**
 * Remove the specified resource from storage.
 *
 * @param \App\Peminjaman $peminjaman
 * @return \Illuminate\Http\Response
 */
public function destroy(Pengunjung $pengunjung)
{
    $pengunjung->delete();

    return redirect()->route('pengunjungs.index')
        ->with('success', 'Pengunjung deleted successfully');
}
public function exportPDF()
{
    $pengunjungs = Pengunjung::all();
    $pdf = PDF::loadview('pengunjungs.exportpengunjung-pdf',
['pengunjungs' => $pengunjungs]);
    $pdf->setPaper('A4', 'landscape');
    return $pdf->stream('laporan_pengunjung_pdf.pdf');
}
}

```

PerpanjanganController.php

```

<?php
namespace App\Http\Controllers;
use App\Models\Perpanjangan;
use App\Models\Detail_Peminjaman;
use App\Models\Peminjaman;
use App\Models\Pengunjung;
use Illuminate\Http\Request;
use PDF;
use DataTables;
use Illuminate\Support\Facades\Auth;
use Illuminate\Support\Facades\Mail;
use DB;

```

```

class PerpanjanganController extends Controller
{
    public function index_old()
    {
        //
        // echo json_encode(Perpanjangan);
        $perpanjangans = Perpanjangan::latest()->paginate(5);
        // echo json_encode ($Perpanjangan);
        return view('perpanjangans.index', compact('perpanjangans'))
            ->with('i', (request()->input('page', 1) - 1) * 5);
    }
    /**
     * Show the form for creating a new resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function index(Request $request)
    {
        if ($request->ajax()) {
            // $data = Perpanjangan::select('*');
            $query_data = new Perpanjangan();
            if (Auth::user()->hasRole('Admin')) {
                //do something
            } else {
                $id_pengunjung = Auth::user()->pengunjung->id;
                $query_data = $query_data-
>whereHas('peminjaman',function($q) use ($id_pengunjung){
                    $q-
>where('id_mahasiswa','=', $id_pengunjung);
                });
            }
            if ($request->sSearch) {
                $search_value = '%' . $request->sSearch . '%';
                $query_data = $query_data->where(function ($query) use
($search_value) {
                    $query->where('id_peminjaman', 'like',
$search_value);
                });
            }
            $data = $query_data->orderBy('created_at', 'desc')->get();
            //dd($data);
            return Datatables::of($data)
                ->addIndexColumn()
                ->addColumn('nama_pengunjung', function ($row) {
                    return $row->peminjaman->pengunjung->nama;
                })
                ->addColumn('action', function ($row) {

```

```

        $btn = ' <form action="" .
route('perpanjangans.destroy', $row->id) . '" method="POST">
        <a class="btn btn-info" href="" .
route('perpanjangans.show', $row->id) . '">Show</a> ' ;
        // dd(Auth::user());
        if (Auth::user()->can('perpanjangan-edit')) {
            $btn = $btn . '<a class="btn btn-primary"
href="" .
                route('perpanjangans.edit', $row->id) .
            '">Edit</a>';
        }
        if (Auth::user()->can('perpanjangan-delete')) {
            $btn = $btn . csrf_field() .
method_field('DELETE') . ' <button type="submit" class="btn btn-
danger">Delete</button>';
        }
        $btn = $btn . ' </form> ' ;

        return $btn;
    })
    ->rawColumns(['action'])
    ->make(true);
}
return view('perpanjangans.index');
}
public function create()
{
    $peminjamans = Peminjaman::all();
    return view('perpanjangans.create', compact('peminjamans'));
}
/**
 * Store a newly created resource in storage.
 *
 * @param \Illuminate\Http\Request $request
 * @return \Illuminate\Http\Response
 */
public function store(Request $request)
{
    $request->validate([
        'id_detail_peminjaman' => 'required',
    ]);
    Perpanjangan::create($request->all());

    return redirect()->route('perpanjangans.index')
        ->with('success', 'Perpanjangans created successfully.');
```

```

        // dd($perpanjangan->details);
        return view('perpanjangans.show', compact('perpanjangan'));
    }
    public function edit(Perpanjangan $perpanjangan)
    {
        return view('perpanjangans.edit', compact('perpanjangan'));
    }
    /**
     * Remove the specified resource from storage.
     *
     * @param \App\Perpanjangan $perpanjangan
     * @return \Illuminate\Http\Response
     */
    public function destroy(Perpanjangan $perpanjangan)
    {
        $perpanjangan->delete();
        return redirect()->route('perpanjangans.index')
            ->with('success', 'Perpanjangan deleted successfully');
    }
    public function exportPDF()
    {
        $perpanjangans = Perpanjangan::all();
        $pdf = PDF::loadview('perpanjangans.exportperpanjangan-pdf',
['perpanjangans' => $perpanjangans]);
        $pdf->setPaper('A4', 'landscape');
        return $pdf->stream('laporan_perpanjangan_pdf.pdf');
    }
}

```

RoleController.php

```

<?php
namespace App\Http\Controllers;
use Illuminate\Http\Request;
use App\Http\Controllers\Controller;
use Spatie\Permission\Models\Role;
use Spatie\Permission\Models\Permission;
use DB;
class RoleController extends Controller
{
    /**
     * * Display a listing of the resource.
     * *
     * * @return \Illuminate\Http\Response
     * */ function __construct()
    {
        $this->middleware('permission:role-list|role-create|role-
edit|role-delete', ['only' => ['index', 'store']]);
    }
}

```

```

        $this->middleware('permission:role-create', ['only' =>
['create', 'store']]);
        $this->middleware('permission:role-edit', ['only' => ['edit',
'update']]);
        $this->middleware('permission:role-delete', ['only' =>
['destroy']]);
    }
    /**
     * * Display a listing of the resource.
     * *
     * * @return \Illuminate\Http\Response
     * */
    public function index(Request $request)
    {
        $roles = Role::orderBy('id', 'DESC')->paginate(5);
        return view('roles.index', compact('roles'))->with('i',
($request->input('page', 1) - 1) * 5);
    }
    /**
     * * Show the form for creating a new resource.
     * *
     * * @return \Illuminate\Http\Response
     * */
    public function create()
    {
        $permission = Permission::get();
        return view('roles.create', compact('permission'));
    }
    /** * Store a newly created resource in storage.
     * *
     * * @param \Illuminate\Http\Request $request
     * * @return \Illuminate\Http\Response
     * */
    public function store(Request $request)
    {
        $this->validate($request, ['name' =>
'required|unique:roles,name', 'permission' => 'required',]);
        $role = Role::create(['name' => $request->input('name')]);
        $role->syncPermissions($request->input('permission'));
        return redirect()->route('roles.index')->with('success', 'Role
created successfully');
    }
    /** * Display the specified resource. * * @param int $id * @return
\Illuminate\Http\Response */ public function show($id)
    {
        $role = Role::find($id);
    }

```

```

        $rolePermissions = Permission::join("role_has_permissions",
"role_has_permissions.permission_id", "=", "permissions.id")-
>where("role_has_permissions.role_id", $id)->get();
        return view('roles.show', compact('role', 'rolePermissions'));
    }
    /**
     * Show the form for editing the specified resource.
     *
     * @param int $id
     * @return \Illuminate\Http\Response
     */
    public function edit($id)
    {
        $role = Role::find($id);
        $permission = Permission::get();
        $rolePermissions = DB::table("role_has_permissions")-
>where("role_has_permissions.role_id", $id)-
>pluck('role_has_permissions.permission_id',
'role_has_permissions.permission_id')->all();
        return view('roles.edit', compact('role', 'permission',
'rolePermissions'));
    }
    /**
     * Update the specified resource in storage.
     *
     * @param \Illuminate\Http\Request $request
     * @param int $id
     * @return \Illuminate\Http\Response
     */
    public function update(Request $request, $id)
    {
        $this->validate($request, ['name' => 'required', 'permission'
=> 'required',]);
        $role = Role::find($id);
        $role->name = $request->input('name');
        $role->save();
        $role->syncPermissions($request->input('permission'));
        return redirect()->route('roles.index')
            ->with('success', 'Role updated successfully');
    }
    /** * Remove the specified resource from storage.
     *
     * @param int $id
     * @return \Illuminate\Http\Response
     */
    public function destroy($id)
    {
        DB::table("roles")->where('id', $id)->delete();
    }

```



```

        return redirect()->route('roles.index')
            ->with('success', 'Role deleted successfully');
    }
}

```

UserController.php

```

<?php
namespace App\Http\Controllers;
use Illuminate\Http\Request;
use App\Models\User;
use Spatie\Permission\Models\Role;
use DB; use Hash;
use Illuminate\Support\Arr;
class UserController extends Controller
{
    //
    public function index(Request $request)
    {
        $data = User::orderBy('id', 'DESC')->paginate(5);
        return view('users.index', compact('data'))
            ->with('i', ($request->input('page', 1) - 1) * 5);
    }
    /**
     * Show the form for creating a new resource. *
     * @return \Illuminate\Http\Response
     */
    public function create()
    {
        $roles = Role::pluck('name', 'name')->all();
        return view('users.create', compact('roles'));
    }
    /**
     * * Store a newly created resource in storage.
     * *
     * * @param \Illuminate\Http\Request $request
     * * @return \Illuminate\Http\Response
     * */
    public function store(Request $request)
    {
        $this->validate($request, [
            'name' => 'required',
            'email' => 'required|email|unique:users,email',
            'password' => 'required|same:confirm-password',
            'roles' => 'required'
        ]);
        $input = $request->all();
        $input['password'] = Hash::make($input['password']);
    }
}

```

```

    $user = User::create($input);
    $user->assignRole($request->input('roles'));

    return redirect()->route('users.index')
        ->with('success', 'User created successfully');
}
/**
 * * Display the specified resource.
 * *
 * * @param int $id
 * * @return \Illuminate\Http\Response
 * */
public function show($id)
{
    $user = User::find($id);
    return view('users.show', compact('user'));
}
/**
 * * Show the form for editing the specified resource.
 * *
 * * @param int $id
 * * @return \Illuminate\Http\Response
 * */
public function edit($id)
{
    $user = User::find($id);
    $roles = Role::pluck('name', 'name')->all();
    $userRole = $user->roles->pluck('name', 'name')->all();
    return view('users.edit', compact('user', 'roles', 'userRole'));
}
/**
 * * Update the specified resource in storage.
 * *
 * * @param \Illuminate\Http\Request $request
 * * @param int $id
 * * @return \Illuminate\Http\Response
 * */
public function update(Request $request, $id)
{
    $this->validate($request, [
        'name' => 'required',
        'email' => 'required|email|unique:users,email, '.$id,
        'password' => 'same:confirm-password',
        'roles' => 'required'
    ]);
    $input = $request->all();
    if(!empty($input['password'])){

```

```

        $input['password'] = Hash::make($input['password']);
    }else{
        $input = Arr::except($input,array('password'));
    }
    $user = User::find($id);
    $user->update($input);
    DB::table('model_has_roles')->where('model_id',$id)->delete();

    $user->assignRole($request->input('roles'));

    return redirect()->route('users.index')
        ->with('success','User updated successfully');
}
/**
 * * Remove the specified resource from storage.
 * *
 * * @param int $id
 * * @return \Illuminate\Http\Response
 * */
public function destroy($id)
{
    User::find($id)->delete();
    return redirect()->route('users.index')
        ->with('success','User deleted successfully');
}
}
}

```

Models

Admin.php

```

<?php
namespace App\Models;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
class Admin extends Model
{
    use HasFactory;
    protected $fillable = [
        'nama',
        'nip',
        'alamat',
        'jenis_kelamin',
        'tanggal_lahir',
        'foto_admin',
        'email',
        'username',
        'password',
    ]
}

```

```
    ];  
}
```

Buku.php

```
<?php  
namespace App\Models;  
use Illuminate\Database\Eloquent\Factories\HasFactory;  
use Illuminate\Database\Eloquent\Model;  
class Buku extends Model  
{  
    use HasFactory;  
    protected $fillable = [  
        'judul',  
        'cover',  
        'pengarang',  
        'penerbitan',  
        'edisi',  
        'deskripsi_fisik',  
        'no_eksemplar',  
        'isbn',  
        'bahasa',  
        'subjek',  
        'lokasi',  
    ];  
}
```

Detail_Peminjaman.php

```
<?php  
namespace App\Models;  
use Illuminate\Database\Eloquent\Factories\HasFactory;  
use Illuminate\Database\Eloquent\Model;  
class Detail_Peminjaman extends Model  
{  
    use HasFactory;  
    protected $table='detail_peminjamans';  
    protected $fillable = [  
        'id_peminjaman',  
        'id_buku',  
    ];  
    public function buku(){  
        return $this->hasOne(Buku::class, 'id', 'id_buku');  
    }  
    public function peminjaman(){  
        return $this->hasOne(Peminjaman::class, 'id',  
        'id_peminjaman');  
    }  
}
```

```
}
```

Peminjaman.php

```
<?php
namespace App\Models;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
class Peminjaman extends Model
{
    use HasFactory;
    protected $table='peminjamans';
    protected $fillable = [
        'id_mahasiswa',
        'tanggal_pinjam',
        'tanggal_pengambilan',
        'tanggal_pengembalian_seharusnya',
        'tanggal_pengembalian',
        'denda',
    ];
    public function pengunjung(){
        return $this->hasOne(Pengunjung::class, 'id', 'id_mahasiswa');
    }
    public function details(){
        return $this->hasMany(Detail_Peminjaman::class,
'id_peminjaman', 'id');
    }
}
```

Pengunjung.php

```
<?php
namespace App\Models;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
class Pengunjung extends Model
{
    use HasFactory;
    protected $fillable = [
        'nama',
        'nim_nip',
        'kelas',
        'alamat',
        'jenis_kelamin',
        'jabatan',
        'email',
        'username',
        'password',
    ];
}
```

```
        'foto'
    ];
}
```

Perpanjangan.php

```
<?php
namespace App\Models;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
class Perpanjangan extends Model
{
    use HasFactory;
    protected $fillable = [
        'id_peminjaman',
    ];
    public function peminjaman(){
        return $this->hasOne(Peminjaman::class, 'id',
'id_peminjaman');
    }
}
```

User.php

```
<?php
namespace App\Models;
use Illuminate\Contracts\Auth\MustVerifyEmail;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Foundation\Auth\User as Authenticatable;
use Illuminate\Notifications\Notifiable;
use Laravel\Sanctum\HasApiTokens;
use Spatie\Permission\Traits\HasRoles;
class User extends Authenticatable
{
    use HasApiTokens, HasFactory, Notifiable;
    use HasRoles;
    /**
     * The attributes that are mass assignable.
     *
     * @var array<int, string>
     */
    protected $fillable = [
        'name',
        'email',
        'password',
    ];
    /**
     * The attributes that should be hidden for serialization.
     */
}
```

```

*
* @var array<int, string>
*/
protected $hidden = [
    'password',
    'remember_token',
];
/**
 * The attributes that should be cast.
 *
 * @var array<string, string>
 */
protected $casts = [
    'email_verified_at' => 'datetime',
];
function pengunjung(){
    return $this->hasOne(Pengunjung::class, 'email', 'email');
}
function admin(){
    return $this->hasOne(Admin::class, 'email', 'email');
}
}

```

Routes

Web.php

```

<?php
use Illuminate\Support\Facades\Route;
use App\Http\Controllers\RoleController;
use App\Http\Controllers\UserController;
Route::resource('users', UserController::class);
Route::resource('roles', RoleController::class);
use App\Http\Controllers\AdminController;
Route::resource('admins', AdminController::class);
Route::get('exportadmin-pdf', [AdminController::class, 'exportPDF'])->name('exportadmin-pdf');
use App\Http\Controllers\BukuController;
Route::resource('bukus', BukuController::class);
Route::get('exportbuku-pdf', [BukuController::class, 'exportPDF'])->name('exportbuku-pdf');
use App\Http\Controllers\Detail_PeminjamanController;
Route::resource('detail_peminjamans',
Detail_PeminjamanController::class);
Route::get('exportdetailpeminjaman-pdf',
[Detail_PeminjamanController::class, 'exportPDF'])->name('exportdetailpeminjaman-pdf');
use App\Http\Controllers\PeminjamanController;

```

```

Route::resource('peminjamans', PeminjamanController::class);
// use App\Http\Controllers\Dashboard;
// Route::resource('dashboard', Dashboard::class);
Route::get('exportpeminjaman-pdf',
[PeminjamanController::class, 'exportPDF'])->name('exportpeminjaman-
pdf');
Route::get('pengembalian/{id}', [PeminjamanController::class,
'pengembalian'])->name('pengembalian');
Route::get('perpanjangan/{id}', [PeminjamanController::class,
'perpanjangan'])->name('perpanjangan');
use App\Http\Controllers\PerpanjanganController;
Route::resource('perpanjangans', PerpanjanganController::class);
Route::get('exportperpanjangan-pdf',
[PerpanjanganController::class, 'exportPDF'])->name('exportperpanjangan-
pdf');
use App\Http\Controllers\PengunjungController;
Route::resource('pengunjungs', PengunjungController::class);
Route::get('exportpengunjung-pdf',
[PengunjungController::class, 'exportPDF'])->name('exportpengunjung-
pdf');
use App\Http\Controllers\Auth\AuthController;
Route::get('dashboard', [AdminController::class, 'dashboard'])->
>name('dashboard');
Route::get('profile', [AdminController::class, 'profile'])->
>name('profile');
Route::get('login', [AuthController::class, 'index'])->name('login');
Route::post('post-login', [AuthController::class, 'postLogin'])->
>name('login.post');
Route::get('registration', [AuthController::class, 'registration'])->
>name('register');
Route::post('post-registration', [AuthController::class,
'postRegistration'])->name('register.post');
// Route::get('dashboard', [AuthController::class, 'dashboard']);
Route::get('logout', [AuthController::class, 'logout'])->
>name('logout');
/*
|-----
|-----
| Web Routes
|-----
|-----
| Here is where you can register web routes for your application. These
| routes are loaded by the RouteServiceProvider within a group which
| contains the "web" middleware group. Now create something great!
|
*/
Route::get('/', function () {

```



```

        return view('welcome');
    });
Route::get('print_book/{id}', [BukuController::class, 'cetak_qr'])-
>name('print_book');
Route::get('print_pengunjung/{id}', [PengunjungController::class,
'cetak_qr']->name('print_pengunjung'));
Route::get('send-mail', function () {
    $details = [
        'title' => 'Mail from nillawatibella@yahoo.com',
        'body' => 'Selamat Datang'
    ];
    Mail::to('ikap2827@gmail.com')->send(new
\App\Mail\MyTestMail($details));
    dd("Email is Sent.");
});

```

Views

Admins

Create.blade.php

```

@extends('layout')
@section('content')
<div class="row">
    <div class="col-lg-12 margin-tb">
        <div class="pull-left">
            <h2>Add New Admin</h2>
        </div>
        <div class="pull-right">
            <a class="btn btn-primary" href="{{ route('admins.index')
}}"> Back</a>
        </div>
    </div>
</div>
@if ($errors->any())
<div class="alert alert-danger">
    <strong>Whoops!</strong> There were some problems with your
input.<br><br>
    <ul>
        @foreach ($errors->all() as $error)
            <li>{{ $error }}</li>
        @endforeach
    </ul>
</div>
@endif
<form action="{{ route('admins.store') }}" method="POST"
enctype="multipart/form-data">
    @csrf

```

```

<div class="row">
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Nama:</strong>
      <input type="text" name="nama" class="form-control"
placeholder="Nama">
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>NIP:</strong>
      <input type="text" name="nip" class="form-control"
placeholder="Nip">
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Alamat:</strong>
      <input type="text" name="alamat" class="form-control"
placeholder="Alamat">
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Jenis Kelamin:</strong>
      <input type="text" name="jenis_kelamin" class="form-
control" placeholder="Jenis_Kelamin">
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Tanggal Lahir:</strong>
      <input type="date" name="tanggal_lahir" class="form-
control" placeholder="Tanggal_Lahir">
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Foto Admin:</strong>
      <input type="file" name="foto_admin" class="form-
control" placeholder="Foto_Admin">
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Email:</strong>

```

```

        <input type="text" name="email" class="form-control"
placeholder="Email">
    </div>
</div>
<div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
        <strong>Username:</strong>
        <input type="text" name="username" class="form-control"
placeholder="Username">
    </div>
</div>
<div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
        <strong>Password:</strong>
        <input type="text" name="password" class="form-control"
placeholder="Password">
    </div>
</div>
<div class="col-xs-12 col-sm-12 col-md-12 text-center">
    <button type="submit" class="btn
btnprimary">Submit</button>
</div>
</div>

</form>
@endsection

```

Dashboard.blade.php

```

@extends('layout')
@section('content')
<div class="row">
    <div class="col-md-12">
        <div class="white-box">
            <h1 class=""><center> Welcome</center></h1>
        </div>
    </div>
</div>
<div class="row">
    <!--col -->
    <div class="col-lg-4 col-md-4 col-sm-12 col-xs-12">
        <div class="white-box">
            <div class="col-in row">
                <div class="col-md-6 col-sm-6 col-xs-6"> <i data-
icon="E" class="linea-icon linea-basic"></i>
                <h5 class="text-muted vb">Jumlah Pengunjung</h5>
            </div>

```

```

        <div class="col-md-6 col-sm-6 col-xs-6">
            <h3 class="counter text-right m-t-15 text-
danger">{{ $jumlah_pengunjung}}</h3>
        </div>
        <div class="col-md-12 col-sm-12 col-xs-12">
            <div class="progress">
                <div class="progress-bar progress-bar-danger"
role="progressbar" aria-valuenow="40" aria-valuemin="0" aria-
valuemax="100" style="width: 40%">
                    <span class="sr-only">40% Complete
(success)</span>
                </div>
            </div>
        </div>
    </div>
</div>
<!-- /.col -->
<!--col -->
<div class="col-lg-4 col-md-4 col-sm-12 col-xs-12">
    <div class="white-box">
        <div class="col-in row">
            <div class="col-md-6 col-sm-6 col-xs-6"> <i
class="linea-icon linea-basic" data-icon="☞"></i>
                <h5 class="text-muted vb">Jumlah Buku</h5>
            </div>
            <div class="col-md-6 col-sm-6 col-xs-6">
                <h3 class="counter text-right m-t-15 text-
megna">{{ $jumlah_buku}}</h3>
            </div>
            <div class="col-md-12 col-sm-12 col-xs-12">
                <div class="progress">
                    <div class="progress-bar progress-bar-megna"
role="progressbar" aria-valuenow="40" aria-valuemin="0" aria-
valuemax="100" style="width: 40%">
                        <span class="sr-only">40% Complete
(success)</span>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
<!-- /.col -->
<!--col -->
<div class="col-lg-4 col-md-4 col-sm-12 col-xs-12">
    <div class="white-box">
        <div class="col-in row">

```

```

        <div class="col-md-6 col-sm-6 col-xs-6"> <i
class="linea-icon linea-basic" data-icon="☹"></i>
        <h5 class="text-muted vb">Jumlah Peminjaman</h5>
        </div>
        <div class="col-md-6 col-sm-6 col-xs-6">
        <h3 class="counter text-right m-t-15 text-
primary">{{$jumlah_peminjaman}}</h3>
        </div>
        <div class="col-md-12 col-sm-12 col-xs-12">
        <div class="progress">
            <div class="progress-bar progress-bar-primary"
role="progressbar" aria-valuenow="40" aria-valuemin="0" aria-
valuemax="100" style="width: 40%">
                <span class="sr-only">40% Complete
(success)</span>
            </div>
        </div>
        </div>
        </div>
        </div>
        </div>
        </div>
        </div>
        <!-- /.col -->
    </div>

<div class="row">
    <div class="col-md-12">
        <div class="white-box">
            <h1 class=""><center> Welcome</center></h1>

        </div>
    </div>
</div>
</div>

@endsection

```

Edit.blade.php

```

@extends('layout')
@section('content')
<div class="row">
    <div class="col-lg-12 margin-tb">
        <div class="pull-left">
            <h2>Edit Admin</h2>
        </div>
        <div class="pull-right">
            <a class="btn btn-primary" href="{{ route('admins.index')
}}"> Back</a>
        </div>
    </div>
</div>

```

```

        </div>
    </div>
</div>
@if ($errors->any())
<div class="alert alert-danger">
    <strong>Whoops!</strong> There were some problems with your
    input.<br><br>
    <ul>
        @foreach ($errors->all() as $error)
        <li>{{ $error }}</li>
        @endforeach
    </ul>
</div>
@endif
<form action="{{ route('admins.update',$admin->id) }}" method="POST"
enctype="multipart/form-data">
    @csrf
    @method('PUT')
    <div class="row">
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Nama:</strong>
                <input type="text" name="nama" value="{{ $admin-
>nama}}" class="form-control" placeholder="Nama">
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>NIP:</strong>
                <input type="text" name="nip" value="{{ $admin->nip}}"
class="form-control" placeholder="Nip">
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Alamat:</strong>
                <input type="text" name="alamat" value="{{ $admin-
>alamat}}" class="form-control" placeholder="Alamat">
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Jenis Kelamin:</strong>
                <input type="text" name="jenis_kelamin" value="{{
$admin->jenis_kelamin}}" class="form-control"
placeholder="Jenis_Kelamin">
            </div>
        </div>
    </div>

```

```

        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Tanggal Lahir:</strong>
                <input type="date" name="tanggal_lahir" value="{{
$admin->tanggal_lahir}}" class="form-control"
placeholder="Tanggal_Lahir">
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Foto Admin:</strong>
                <input type="file" name="foto_admin" value="{{ $admin-
>foto_admin}}" class="form-control" placeholder="Foto_Admin">
                
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Email:</strong>
                <input type="text" name="email" value="{{ $admin-
>email}}" class="form-control" placeholder="Email">
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Username:</strong>
                <input type="text" name="username" value="{{ $admin-
>email}}" class="form-control" placeholder="Username">
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Password:</strong>
                <input type="text" name="password" value="{{ $admin-
>password}}" class="form-control" placeholder="Password">
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12 text-center">
            <button type="submit" class="btn btn-
primary">Submit</button>
        </div>
    </div>
</form>
@endsection

```

Exportadmin-pdf.blade.php

```

<div class="row">
  <div class="col-lg-12 margin-tb">
    <div class="pull-center">
      <center>
        <h2>DATA ADMIN PERPUSTAKAAN JURUSAN TEKNIK ELEKTRO</h2>
      </center>
    </div>
    <table width=100% border="2" style="border: 1px solid #000; font-
family: serif;" class="table">
      <tr>
        <th>No</th>
        <th>Nama</th>
        <th>NIP</th>
        <th>Alamat</th>
        <th>Jenis Kelamin</th>
        <th>Tanggal Lahir</th>
        <th>Foto</th>
        <th>Email</th>
        <th>Username</th>
        <th>Password</th>
        <th width="280px">Action</th>
      </tr>
      <?php $i=0?>
      @foreach ($admins as $admin)
      <tr>
      <td>{{ ++$i }}</td>
      <td>{{ $admin->nama }}</td>
      <td>{{ $admin->nip }}</td>
      <td>{{ $admin->alamat }}</td>
      <td>{{ $admin->jenis_kelamin }}</td>
      <td>{{ $admin->tanggal_lahir }}</td>
      <td>{{ $admin->foto_admin }}</td>
      <td>{{ $admin->email }}</td>
      <td>{{ $admin->username }}</td>
      <td>{{ $admin->password }}</td>
      <td></td>
      <!-- <td></td> -->
      <td>
      </td>
      </tr>
      @endforeach
    </table>

```

Index.blade.php


```

@extends('layout')
@section('content')
<div class="row">
  <div class="col-lg-12 margin-tb">
    <div class="pull-center">
      <h2 class="text-center">DATA ADMIN PERPUSTAKAAN JURUSAN
TEKNIK ELEKTRO</h2>
    </div>
    <div class="pull-right">
      <a class="btn btn-success" href="{{route('admins.create')
}}"> Create New Admin</a>
      <a class="btn btn-danger" href="{{ route('exportadmin-pdf')
}}"> Export PDF</a>
    </div>
  </div>
</div>
@if ($message = Session::get('success'))
<div class="alert alert-success">
  <p>{{ $message }}</p>
</div>
@endif
<table class="table table-bordered data-table">
  <thead>
    <tr>
      <th>No</th>
      <th>Nama</th>
      <th>NIP</th>
      <th>Alamat</th>
      <th>Jenis Kelamin</th>
      <th>Tanggal Lahir</th>
      <th>Foto</th>
      <th>Email</th>
      <th>Username</th>
      <th>Password</th>
      <th width="280px">Action</th>
    </tr>
  </thead>
  <tbody>
</tbody>
</table>
<script type="text/javascript">
  $(function() {
    var table = $('<code>.data-table</code>').DataTable({
      processing: true,
      serverSide: true,
      scrollX: true,
      ajax: "{{ route('admins.index') }}",
      columnDefs: [

```

```

    {
      "targets": 6,
      "data": 'foto',
      "render": function(data, type, row, meta) {
        return '';
      }
    }
  ],
  columns: [
    {
      data: 'DT_RowIndex',
      name: 'DT_RowIndex',
      orderable: false, searchable: false
    },
    {
      data: 'nama',
      name: 'nama'
    },
    {
      data: 'nip',
      name: 'nip'
    },
    {
      data: 'alamat',
      name: 'alamat'
    },
    {
      data: 'jenis_kelamin',
      name: 'jenis_kelamin'
    },
    {
      data: 'tanggal_lahir',
      name: 'tanggal_lahir'
    },
    {
      data: 'foto_admin',
      name: 'foto_admin'
    },
    {
      data: 'email',
      name: 'email'
    },
    {
      data: 'username',
      name: 'username'
    }
  ]
}

```

```

        data: 'password',
        name: 'password'
    },
    {
        data: 'action',
        name: 'action',
        orderable: false,
        searchable: false
    },
    ]
});
</script>
@endsection

```

Profile.blade.php

```

@extends('layout')
@section('content')
<div class="row bg-title">
    <div class="col-lg-3 col-md-4 col-sm-4 col-xs-12">
        <h4 class="page-title">Profile</h4>
    </div>
    <!-- <div class="col-lg-9 col-sm-8 col-md-8 col-xs-12"> <a
href="http://wrappixel.com/templates/pixeladmin/" target="_blank"
class="btn btn-danger pull-right m-l-20 btn-rounded btn-outline hidden-
xs hidden-sm waves-effect waves-light">Upgrade
to Pro</a> -->
    <ol class="breadcrumb">
        <li><a href="#">Dashboard</a></li>
        <li class="active">Profile</li>
    </ol>
</div>
</div>
<!-- /.row -->
<!-- .row -->
<div class="row">
    <div class="col-md-4 col-xs-12">
        <div class="white-box">
            <div class="user-bg"> 
            <div class="overlay-box">
                <div class="user-content">
                    <!-- <a href="javascript:void(0)"></a>
                    <h4 class="text-white">User Name</h4> -->

```

```

        <?php
            if(Auth::user()->hasRole('Admin')){
?>
                <a class="profile-pic" href="#"> </a>
<?php
                    }else{
?>
                        <a class="profile-pic" href="#"> </a>
<?php
                            }
                    ?>
                </div>
            </div>
        </div>
        <div class="user-btm-box">
            <div class="col-md-4 col-sm-4 text-center">
                <p class="text-purple"><i class="ti-
facebook"></i></p>
                    <!-- <h1>258</h1> -->
                </div>
                <div class="col-md-4 col-sm-4 text-center">
                    <p class="text-blue"><i class="ti-twitter"></i></p>
                    <!-- <h1>125</h1> -->
                </div>
                <div class="col-md-4 col-sm-4 text-center">
                    <p class="text-danger"><i class="ti-
dribbble"></i></p>
                    <!-- <h1>556</h1> -->
                </div>
            </div>
        </div>
        <div class="col-md-8 col-xs-12">
            <div class="white-box">
                <form class="form-horizontal form-material">
                    <div class="form-group">
                        <label class="col-md-12">Nama</label>
                        <div class="col-md-12">
                            <input type="text" value="{{ $profil->nama }}"
class="form-control form-control-line">
                        </div>
                    </div>
                </form>
            </div>
        </div>
    </div>

```

```

        <label class="col-md-12">NIM/NIP</label>
        <div class="col-md-12">
            <input type="text" value="{{ $profil->nim_nip }}"
class="form-control form-control-line">
        </div>
    </div>
    <div class="form-group">
        <label class="col-md-12">Program Studi</label>
        <div class="col-md-12">
            <input type="text" value="{{ $profil->kelas }}"
class="form-control form-control-line">
        </div>
    </div>
    <div class="form-group">
        <label class="col-md-12">Status</label>
        <div class="col-md-12">
            <input type="text" value="{{ $profil->jabatan }}"
class="form-control form-control-line">
        </div>
    </div>
    <div class="form-group">
        <label for="example-email" class="col-md-
12">Email</label>
        <div class="col-md-12">
            <input type="email" value="{{ $profil->email }}"
class="form-control form-control-line" name="example-email"
id="example-email">
        </div>
    </div>
    <div class="form-group">
        <label class="col-md-12">Password</label>
        <div class="col-md-12">
            <input type="password" value="{{ $profil-
>password }}" class="form-control form-control-line">
        </div>
    </div>
</div>
</div>
</div>

```

@endsection

Show.blade.php

@extends('layout')

```

@section('content')
<div class="row">
  <div class="col-lg-12 margin-tb">
    <div class="pull-left">
      <h2> Show Admin</h2>
    </div>
    <div class="pull-right">
      <a class="btn btn-primary" href="{{ route('admins.index')
}}"> Back</a>
    </div>
  </div>
</div>
<div class="row">
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Nama:</strong>
      {{ $admin->nama }}
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>NIP:</strong>
      {{ $admin->nip }}
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Alamat:</strong>
      {{ $admin->alamat }}
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Jenis Kelamin:</strong>
      {{ $admin->Jenis_Kelamin }}
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Tanggal Lahir:</strong>
      {{ $admin->Tanggal_Lahir }}
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Foto Admin:</strong>
      
    </div>
  </div>
</div>

```

```

</div>
<div class="col-xs-12 col-sm-12 col-md-12">
  <div class="form-group">
    <strong>Email:</strong>
    {{ $admin->email }}
  </div>
</div>
<div class="col-xs-12 col-sm-12 col-md-12">
  <div class="form-group">
    <strong>Username:</strong>
    {{ $admin->username }}
  </div>
</div>
<div class="col-xs-12 col-sm-12 col-md-12">
  <div class="form-group">
    <strong>Password:</strong>
    {{ $admin->password }}
  </div>
</div>
</div>
@endsection

```

Auth

Dashboard.blade.php

```

@extends('layout')
@section('content')
<div class="container">
  <div class="row justify-content-center">
    <div class="col-md-8">
      <div class="card">
        <div class="card-header">{{__( 'Dashboard' ) }}</div>

        <div class="card-body">
          @if (session('success'))
            <div class="alert alert-success" role="alert">
              {{ session('success') }}
            </div>
          @endif

          You are Logged In
        </div>
      </div>
    </div>
  </div>
</div>
</div>
@endsection

```

Login.blade.php

```
<!DOCTYPE html>
<html lang="en">
<head>
    <title>Login E-LAB</title>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-
scale=1">
<!--
=====
----->
    <link rel="icon" type="image/png"
href="assets/images/icons/favicon.ico"/>
<!--
=====
----->
    <link rel="stylesheet" type="text/css"
href="assets/vendor/bootstrap/css/bootstrap.min.css">
<!--
=====
----->
    <link rel="stylesheet" type="text/css" href="assets/fonts/font-
awesome-4.7.0/css/font-awesome.min.css">
<!--
=====
----->
    <link rel="stylesheet" type="text/css"
href="assets/fonts/ionic/css/material-design-ionic-font.min.css">
<!--
=====
----->
    <link rel="stylesheet" type="text/css"
href="assets/vendor/animate/animate.css">
<!--
=====
----->
    <link rel="stylesheet" type="text/css" href="assets/vendor/css-
hamburgers/hamburgers.min.css">
<!--
=====
----->
    <link rel="stylesheet" type="text/css"
href="assets/vendor/animation/css/animation.min.css">
<!--
=====
----->
```



```

    <link rel="stylesheet" type="text/css"
href="assets/vendor/select2/select2.min.css">
<!--
=====
=====-->
    <link rel="stylesheet" type="text/css"
href="assets/vendor/daterangepicker/daterangepicker.css">
<!--
=====
=====-->
    <link rel="stylesheet" type="text/css" href="assets/css/util.css">
    <link rel="stylesheet" type="text/css" href="assets/css/main.css">
<!--
=====
=====-->
</head>
<body>

    <div class="limiter">
        <div class="container-login100" style="background-image:
url('assets/images/ilustrasi-perpustakaan-2.jpg');">
            <div class="wrap-login100">
                <form action="{ route('login.post') }" method="POST"
class="login100-form validate-form">
                    @csrf
                    <span class="login100-form-logo">
                        <!-- <i class="zmdi zmdi-landscape"></i -->
                        
                    </span>

                    <span class="login100-form-title p-b-34 p-t-27">
                        <h1>E-LAB</h1>
                        selamat datang
                    </span>
                    <span class="login100-form-title p-b-34 p-t-27">

                    </span>

                    <div class="wrap-input100 validate-input" data-
validate = "Enter username">
                        <input class="input100" type="text"
name="email" placeholder="Email">
                        <span class="focus-input100" data-
placeholder="&#xf207;"></span>
                    </div>

```

```

        <div class="wrap-input100 validate-input" data-
validate="Enter password">
            <input class="input100" type="password"
name="password" placeholder="Password">
            <span class="focus-input100" data-
placeholder="&#xf191;"></span>
        </div>

        <!-- <div class="contact100-form-checkbox">
            <input class="input-checkbox100" id="ckb1"
type="checkbox" name="remember-me">
            <label class="label-checkbox100" for="ckb1">
                Remember me
            </label>
        </div -->

        <div class="container-login100-form-btn">
            <button class="login100-form-btn">
                Login
            </button>
        </div>

        <div class="text-center p-t-90">
            <a class="txt1" href="#">
                <!-- Forgot Password? -->
            </a>
        </div>
    </form>
</div>
<div id="dropDownSelect1"></div>
<!--
=====
----->
    <script src="vendor/jquery/jquery-3.2.1.min.js"></script>
<!--
=====
----->
    <script src="vendor/ansition/js/ansition.min.js"></script>
<!--
=====
----->
    <script src="vendor/bootstrap/js/popper.js"></script>
    <script src="vendor/bootstrap/js/bootstrap.min.js"></script>
<!--
=====
----->

```

```

        <script src="vendor/select2/select2.min.js"></script>
<!--
=====
=====-->
        <script src="vendor/daterangepicker/moment.min.js"></script>
        <script src="vendor/daterangepicker/daterangepicker.js"></script>
<!--
=====
=====-->
        <script src="vendor/countdowntime/countdowntime.js"></script>
<!--
=====
=====-->
        <script src="js/main.js"></script>

</body>
</html>

```

Bukus

Create.blade.php

```

@extends('layout')
@section('content')
<div class="row">
    <div class="col-lg-12 margin-tb">
        <div class="pull-left">
            <h2>Add New Buku</h2>
        </div>
        <div class="pull-right">
            <a class="btn btn-primary" href="{{ route('bukus.index') }}"> Back</a>
        </div>
    </div>
</div>
@if ($errors->any())
<div class="alert alert-danger">
    <strong>Whoops!</strong> There were some problems with your
    input.<br><br>
    <ul>
        @foreach ($errors->all() as $error)
            <li>{{ $error }}</li>
        @endforeach
    </ul>
</div>
@endif
<form action="{{ route('bukus.store') }}" method="POST"
enctype="multipart/form-data">

```

@csrf

```
<div class="row">
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Judul:</strong>
      <input type="text" name="judul" class="form-control"
placeholder="Judul">
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Cover:</strong>
      <input type="file" name="cover" class="form-control"
placeholder="Cover">
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Pengarang:</strong>
      <input type="text" name="pengarang" class="form-
control" placeholder="Pengarang">
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Penerbitan:</strong>
      <input type="text" name="penerbitan" class="form-
control" placeholder="Penerbitan">
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Edisi:</strong>
      <input type="text" name="edisi" class="form-control"
placeholder="Edisi">
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Deskripsi Fisik:</strong>
      <input type="text" name="deskripsi_fisik" class="form-
control" placeholder="Deskripsi_Fisik">
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>No Eksemplar:</strong>
```

```

                <input type="text" name="no_eksemplar" class="form-
control" placeholder="No_Eksemplar">
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>ISBN:</strong>
                <input type="text" name="isbn" class="form-control"
placeholder="Isbn">
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Bahasa:</strong>
                <input type="text" name="bahasa" class="form-control"
placeholder="Bahasa">
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Subjek:</strong>
                <input type="text" name="subjek" class="form-control"
placeholder="Subjek">
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Lokasi:</strong>
                <input type="text" name="lokasi" class="form-control"
placeholder="Lokasi">
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12 text-center">
            <button type="submit" class="btn
btnprimary">Submit</button>
        </div>
    </div>
</form>
@endsection

```

Edit.blade.php

```

@extends('layout')
@section('content')
<div class="row">
    <div class="col-lg-12 margin-tb">

```

```

        <div class="pull-left">
            <h2>Edit Buku</h2>
        </div>
        <div class="pull-right">
            <a class="btn btn-primary" href="{{ route('bukus.index')
}}"> Back</a>
        </div>
    </div>
</div>
@if ($errors->any())
<div class="alert alert-danger">
    <strong>Whoops!</strong> There were some problems with your
    input.<br><br>
    <ul>
        @foreach ($errors->all() as $error)
            <li>{{ $error }}</li>
        @endforeach
    </ul>
</div>
@endif
<form action="{{ route('bukus.update', $buku->id) }}" method="POST"
enctype="multipart/form-data">
    @csrf
    @method('PUT')

    <div class="row">
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Judul:</strong>
                <input type="text" name="judul" value="{{ $buku->judul
}}> class="form-control" placeholder="Judul">
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Cover:</strong>
                <input type="file" name="cover" value="{{ $buku->cover
}}> class="form-control" placeholder="Cover">
                
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Pengarang:</strong>
                <input type="text" name="pengarang" value="{{ $buku-
>pengarang }}" class="form-control" placeholder="Pengarang">
            </div>
        </div>
    </div>

```

```

<div class="col-xs-12 col-sm-12 col-md-12">
  <div class="form-group">
    <strong>Penerbitan:</strong>
    <input type="text" name="penerbitan" value="{{ $buku-
>penerbitan }}" class="form-control" placeholder="Penerbitan">
  </div>
</div>
<div class="col-xs-12 col-sm-12 col-md-12">
  <div class="form-group">
    <strong>Edisi:</strong>
    <input type="text" name="edisi" value="{{ $buku->edisi
}}" class="form-control" placeholder="Edisi">
  </div>
</div>
<div class="col-xs-12 col-sm-12 col-md-12">
  <div class="form-group">
    <strong>Deskripsi Fisik:</strong>
    <input type="text" name="deskripsi_fisik" value="{{
$buku->deskripsi_fisik}}" class="form-control"
placeholder="Deskripsi_Fisik">
  </div>
</div>
<div class="col-xs-12 col-sm-12 col-md-12">
  <div class="form-group">
    <strong>No Eksemplar:</strong>
    <input type="text" name="no_eksemplar" value="{{ $buku-
>no_eksemplar }}" class="form-control" placeholder="Eksemplar">
  </div>
</div>
<div class="col-xs-12 col-sm-12 col-md-12">
  <div class="form-group">
    <strong>ISBN:</strong>
    <input type="text" name="isbn" value="{{ $buku->isbn
}}" class="form-control" placeholder="Isbn">
  </div>
</div>
<div class="col-xs-12 col-sm-12 col-md-12">
  <div class="form-group">
    <strong>Bahasa:</strong>
    <input type="text" name="bahasa" value="{{ $buku-
>bahasa }}" class="form-control" placeholder="Bahasa">
  </div>
</div>
<div class="col-xs-12 col-sm-12 col-md-12">
  <div class="form-group">
    <strong>Subjek:</strong>
    <input type="text" name="subjek" value="{{ $buku-
>subjek }}" class="form-control" placeholder="Subjek">

```

```

        </div>
    </div>
    <div class="col-xs-12 col-sm-12 col-md-12">
        <div class="form-group">
            <strong>Lokasi:</strong>
            <input type="text" name="lokasi" value="{{ $buku-
>lokasi }}" class="form-control" placeholder="Lokasi">
        </div>
    </div>
    <div class="col-xs-12 col-sm-12 col-md-12 text-center">
        <button type="submit" class="btn btn-
primary">Submit</button>
    </div>
</div>

</form>
@endsection

```

Exportbuku-pdf.blade.php

```

<div class="row">
    <div class="col-lg-12 margin-tb">
        <div class="pull-center">
            <center>
                <h2>DATA BUKU PERPUSTAKAAN JURUSAN TEKNIK ELEKTRO</h2>
            </center>
        </div>

        <table width=100% border="2" style="border: 1px solid #000; font-
family: serif;" class="table">
            <tr>
                <th>No</th>
                <th>Judul</th>
                <th>Pengarang</th>
                <th>Penerbitan</th>
                <th>Edisi</th>
                <th>Deskripsi Fisik</th>
                <th>No Eksemplar</th>
                <th>ISBN</th>
                <th>Bahasa</th>
                <th>Subjek</th>
                <th>Lokasi</th>
                <th>Cover</th>
                <th width="280px">Action</th>
            </tr>
            <?php $i=0?>
            @foreach ($bukus as $buku)

```



```

<tr>
  <td>{{ ++$i }}</td>
  <td>{{ $buku->judul }}</td>
  <td>{{ $buku->pengarang }}</td>
  <td>{{ $buku->penerbitan }}</td>
  <td>{{ $buku->edisi }}</td>
  <td>{{ $buku->deskripsi_fisik }}</td>
  <td>{{ $buku->no_eksemplar }}</td>
  <td>{{ $buku->isbn }}</td>
  <td>{{ $buku->bahasa }}</td>
  <td>{{ $buku->subjek }}</td>
  <td>{{ $buku->lokasi }}</td>
  <td></td>
  <!-- <td></td> -->
  <td>
  </td>
</tr>
@endforeach
</table>

```

Index.blade.php

```

@extends('layout')
@section('content')
<div class="row">
  <div class="col-lg-12 margin-tb">
    <div class="pull-center">
      <h2 class="text-center">DATA BUKU PERPUSTAKAAN JURUSAN
TEKNIK ELEKTRO</h2>
    </div>
    @can('pengunjung-create')
    <div class="pull-right">
      <a class="btn btn-success" href="{{route('bukus.create')}}"> Create New Buku</a>
      <a class="btn btn-danger" href="{{ route('exportbuku-pdf')}}"> Export PDF</a>
    </div>
    @endcan
  </div>
</div>
@if ($message = Session::get('success'))
<div class="alert alert-success">
  <p>{{ $message }}</p>
</div>
@endif

```

```

<div class="container">
<table class="table table-bordered data-table">
  <thead>
    <tr>
      <th>DT_RowIndex</th>
      <th>Judul</th>
      <th>Cover</th>
      <th>Pengarang</th>
      <th>Penerbitan</th>
      <th>Edisi</th>
      <th>Deskripsi Fisik</th>
      <th>No Eksemplar</th>
      <th>ISBN</th>
      <th>Bahasa</th>
      <th>Subjek</th>
      <th>Lokasi</th>
      <th>QRCODE</th>
      <th>ID</th>
      <th width="280px">Action</th>
    </tr>
  </thead>
  <tbody>
  </tbody>
</table>
</div>
<script type="text/javascript">
  $(function() {

    var admin = "<?php echo Auth::user()->hasRole('Admin'); ?>";
    console.log(admin);
    var table = $('<table>').DataTable({
      processing: true,
      serverSide: true,
      scrollX: true,
      ajax: "{{ route('buku.index') }}",
      columnDefs: [
        {
          "targets": 2,
          "data": 'cover',
          "render": function(data, type, row, meta) {
            return '';
          }
        }
      ],
      columns: [
        {
          data: 'DT_RowIndex',

```

```
    name: 'DT_RowIndex',
    orderable: false, searchable: false
  },
  {
    data: 'judul',
    name: 'judul',
    orderable: false, searchable: false
  },
  {
    data: 'cover',
    name: 'cover',
    orderable: false, searchable: false
  },
  {
    data: 'pengarang',
    name: 'pengarang',
    orderable: false, searchable: false
  },
  {
    data: 'penerbitan',
    name: 'penerbitan',
    orderable: false, searchable: false
  },
  {
    data: 'edisi',
    name: 'edisi',
    orderable: false, searchable: false
  },
  {
    data: 'deskripsi_fisik',
    name: 'deskripsi_fisik',
    orderable: false, searchable: false
  },
  {
    data: 'no_eksemplar',
    name: 'no_eksemplar',
    orderable: false, searchable: false
  },
  {
    data: 'isbn',
    name: 'ISBN',
    orderable: false, searchable: false
  },
  {
    data: 'bahasa',
    name: 'bahasa',
    orderable: false, searchable: false
  },
},
```

```

        {
            data: 'subjek',
            name: 'subjek',
            orderable: false, searchable: false
        },
        {
            data: 'lokasi',
            name: 'lokasi',
            orderable: false, searchable: false
        },
        {
            data: 'qrkode',
            name: 'qrkode',
            visible: admin==""?false:true,
            orderable: false, searchable: false
        },
        {
            data: 'id',
            name: 'id',
            visible: false,
        },
        {
            data: 'action',
            name: 'action',
            orderable: false,
            searchable: false
        },
    ],
    });
</script>
@endsection

```

Show.blade.php

```

@extends('layout')

@section('content')
<div class="row">
    <div class="col-lg-12 margin-tb">
        <div class="pull-left">
            <h2> Show Buku</h2>
        </div>
        <div class="pull-right">
            <a class="btn btn-primary" href="{{ route('bukus.index')
}}"> Back</a>
        </div>
    </div>

```

```

    </div>
</div>
<div class="row">
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Judul:</strong>
      {{ $buku->judul }}
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Cover:</strong>
      
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Pengarang:</strong>
      {{ $buku->pengarang }}
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Penerbitan:</strong>
      {{ $buku->penerbitan }}
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Edisi:</strong>
      {{ $buku->edisi }}
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Deskripsi Fisik:</strong>
      {{ $buku->deskripsi_fisik }}
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>No Eksemplar:</strong>
      {{ $buku->no_eksemplar }}
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>ISBN:</strong>

```

```

        {{ $buku->isbn }}
    </div>
</div>
<div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
        <strong>Bahasa:</strong>
        {{ $buku->bahasa }}
    </div>
</div>
<div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
        <strong>Subjek:</strong>
        {{ $buku->subjek }}
    </div>
</div>
<div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
        <strong>Lokasi:</strong>
        {{ $buku->lokasi }}
    </div>
</div>
</div>
@endsection

```

Detail_Peminjamans

Create.blade.php

```

@extends('layout')
@section('content')
<div class="row">
    <div class="col-lg-12 margin-tb">
        <div class="pull-left">
            <h2>Add New Detail Peminjaman</h2>
        </div>
        <div class="pull-right">
            <a class="btn btn-primary" href="{{
route('detail_peminjamans.index')
}}"> Back</a>
        </div>
    </div>
</div>
@if ($errors->any())
<div class="alert alert-danger">
    <strong>Whoops!</strong> There were some problems with your
input.<br><br>
    <ul>
        @foreach ($errors->all() as $error)

```

```

        <li>{{ $error }}</li>
    @endforeach
</ul>
</div>
@endif
<form action="{{ route('detail_peminjamans.store') }}" method="POST">
    @csrf

    <div class="row">
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Id Peminjaman:</strong>
                <!-- <input type="text" name="id_peminjaman"
class="form-control" placeholder="Id_Peminjaman"> -->
                <select name="id_peminjaman" class="form-
control">

                    <?php
                        foreach($peminjamans as $peminjaman){
                            echo "<option
value='". $peminjaman['id'] ."'>". $peminjaman['nama'] ."</option>";
                        }
                    ?>
                </select>
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Id Buku:</strong>
                <!--<input type="text" name="id_buku" class="form-
control" placeholder="Id_Buku"-->
                <select name="id_buku" class="form-
control">

                    <?php
                        foreach($bukus as $buku){
                            echo "<option
value='". $buku['id'] ."'>". $buku['judul'] . " |
". $buku['pengarang'] . "</option>";
                        }
                    ?>
                </select>
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Tanggal Pengambilan:</strong>
                <input type="text" name="tanggal_pengambilan"
class="form-control" placeholder="Tanggal_Pengambilan">
            </div>
        </div>
    </div>

```

```

    </div>
    <div class="col-xs-12 col-sm-12 col-md-12">
        <div class="form-group">
            <strong>Tanggal Pengembalian Seharusnya:</strong>
            <input type="text"
name="tanggal_pengembalian_seharusnya" class="form-control"
placeholder="Tanggal Pengembalian Seharusnya">
        </div>
    </div>
    <div class="col-xs-12 col-sm-12 col-md-12">
        <div class="form-group">
            <strong>Tanggal Pengembalian:</strong>
            <input type="text" name="tanggal_pengembalian"
class="form-control" placeholder="Tanggal Pengembalian">
        </div>
    </div>
    <div class="col-xs-12 col-sm-12 col-md-12">
        <div class="form-group">
            <strong>Denda:</strong>
            <input type="text" name="denda" class="form-control"
placeholder="Denda">
        </div>
    </div>
    <div class="col-xs-12 col-sm-12 col-md-12 text-center">
        <button type="submit" class="btn
btnprimary">Submit</button>
    </div>
</div>
</form>
@endsection

```

Edit.blade.php

```

@extends('layout')
@section('content')
<div class="row">
    <div class="col-lg-12 margin-tb">
        <div class="pull-left">
            <h2>Edit Detail Peminjaman</h2>
        </div>
        <div class="pull-right">
            <a class="btn btn-primary" href="{{
route('detail_peminjamans.index')
}}"> Back</a>
        </div>
    </div>
</div>

```



```

@if ($errors->any())
<div class="alert alert-danger">
  <strong>Whoops!</strong> There were some problems with your
  input.<br><br>
  <ul>
    @foreach ($errors->all() as $error)
    <li>{{ $error }}</li>
    @endforeach
  </ul>
</div>
@endif
<form action="{{ route('detail_peminjamans.update',$detail_peminjaman-
>id) }}" method="POST">
  @csrf
  @method('PUT')

  <div class="row">
    <div class="col-xs-12 col-sm-12 col-md-12">
      <div class="form-group">
        <strong>Id Peminjaman:</strong>
        <input type="text" name="id_peminjaman" value="{{
$detail_peminjaman->id_peminjaman }}" class="form-control"
placeholder="Id_Peminjaman">
      </div>
    </div>
    <div class="col-xs-12 col-sm-12 col-md-12">
      <div class="form-group">
        <strong>Id Buku:</strong>
        <input type="text" name="id_buku" value="{{
$detail_peminjaman->id_buku }}" class="form-control"
placeholder="Id_Buku">
      </div>
    </div>
    <div class="col-xs-12 col-sm-12 col-md-12">
      <div class="form-group">
        <strong>Tanggal Pengambilan:</strong>
        <input type="text" name="tanggal_pengambilan" value="{{
$detail_peminjaman->tanggal_pengambilan }}" class="form-control"
placeholder="Tanggal_Pengambilan">
      </div>
    </div>
    <div class="col-xs-12 col-sm-12 col-md-12">
      <div class="form-group">
        <strong>Tanggal Pengembalian Seharusnya:</strong>
        <input type="text"
name="tanggal_pengembalian_seharusnya" value="{{ $detail_peminjaman-
>tanggal_pengembalian_seharusnya }}" class="form-control"
placeholder="Tanggal_Pengembalian_Seharusnya">

```

```

        </div>
    </div>
    <div class="col-xs-12 col-sm-12 col-md-12">
        <div class="form-group">
            <strong>Tanggal Pengembalian:</strong>
            <input type="text" name="tanggal_pengembalian"
value="{{ $detail_peminjaman->tanggal_pengembalian }}" class="form-
control" placeholder="Tanggal Pengembalian">
        </div>
    </div>
    <div class="col-xs-12 col-sm-12 col-md-12">
        <div class="form-group">
            <strong>Denda:</strong>
            <input type="text" name="denda" value="{{
$detail_peminjaman->denda }}" class="form-control" placeholder="Denda">
        </div>
    </div>
    <div class="col-xs-12 col-sm-12 col-md-12 text-center">
        <button type="submit" class="btn btn-
primary">Submit</button>
    </div>
</div>
</form>
@endsection

```

Exportdetailpeminjaman-pdf.blade.php

```

<div class="row">
    <div class="col-lg-12 margin-tb">
        <div class="pull-center">
            <center>
                <h2>Data Detail Peminjaman</h2>
            </center>
        </div>
        <table width=100% border="2" style="border: 1px solid #000; font-
family: serif;" class="table">
            <tr>
                <th>No</th>
                <th>Id Peminjaman</th>
                <th>Id Buku</th>
                <th>Tanggal Pengambilan</th>
                <th>Tanggal Pengembalian Seharusnya</th>
                <th>Tanggal Pengembalian</th>
                <th>Denda</th>
                <th width="280px">Action</th>
            </tr>
            <?php $i=0?>

```

```

@foreach ($detail_peminjamans as $detail_peminjaman)
<tr>
    <td>{{ ++$i }}</td>
    <td>{{ $detail_peminjaman->id_peminjaman }}</td>
    <td>{{ $detail_peminjaman->id_buku }}</td>
    <td>{{ $detail_peminjaman->tanggal_pengambilan }}</td>
    <td>{{ $detail_peminjaman->tanggal_pengembalian_seharusnya }}</td>
    <td>{{ $detail_peminjaman->tanggal_pengembalian }}</td>
    <td>{{ $detail_peminjaman->denda }}</td>
    <td>
    </td>
</tr>
@endforeach
</table>

```

Index.blade.php

```

@extends('layout')
@section('content')
<div class="row">
    <div class="col-lg-12 margin-tb">
        <div class="pull-left">
            <h2>Data Detail Peminjaman</h2>
        </div>
        <div class="pull-right">
            <a class="btn btn-success"
href="{{route('detail_peminjamans.create')}}"> Create New Detail
Peminjaman</a>
            <a class="btn btn-danger" href="{{
route('exportdetailpeminjaman-pdf')}}"> Export PDF</a>
        </div>
    </div>
</div>
@if ($message = Session::get('success'))
<div class="alert alert-success">
    <p>{{ $message }}</p>
</div>
@endif
<table class="table table-bordered data-table">
    <thead>
        <tr>
            <th>DT_RowIndex</th>
            <th>Id Peminjaman</th>
            <th>Id Buku</th>
            <th>Tanggal Pengambilan</th>
            <th>Tanggal Pengembalian Seharusnya</th>
            <th>Tanggal Pengembalian</th>

```

```

        <th>Denda</th>
        <th width="280px">Action</th>
    </tr>
</thead>
<tbody>
</tbody>
</table>
<script type="text/javascript">
    $(function() {
        var table = $('#data-table').DataTable({
            processing: true,
            serverSide: true,
            ajax: "{{ route('detail_peminjamans.index') }}",

            columns: [
                {
                    data: 'DT_RowIndex',
                    name: 'DT_RowIndex',
                    orderable: false, searchable: false
                },
                {
                    data: 'id_peminjaman',
                    name: 'id_peminjaman'
                },
                {
                    data: 'id_buku',
                    name: 'id_buku'
                },
                {
                    data: 'tanggal_pengembalian',
                    name: 'tanggal_pengembalian'
                },
                {
                    data: 'tanggal_pengembalian_seharusnya',
                    name: 'tanggal_pengembalian_seharusnya'
                },
                {
                    data: 'tanggal_pengembalian',
                    name: 'tanggal_pengembalian'
                },
                {
                    data: 'denda',
                    name: 'denda'
                },
                {
                    data: 'action',
                    name: 'action',
                    orderable: false,

```

```

        searchable: false
    },
    ]
});
</script>
@endsection

```

Show.blade.php

```

@extends('layout')
@section('content')
<div class="row">
    <div class="col-lg-12 margin-tb">
        <div class="pull-left">
            <h2> Show Detail Peminjaman</h2>
        </div>
        <div class="pull-right">
            <a class="btn btn-primary" href="{
route('detail_peminjamans.index')
}"> Back</a>
        </div>
    </div>
</div>
<div class="row">
    <div class="col-xs-12 col-sm-12 col-md-12">
        <div class="form-group">
            <strong>Id Peminjaman:</strong>
            {{ $detail_peminjaman->id_peminjaman }}
        </div>
    </div>
    <div class="col-xs-12 col-sm-12 col-md-12">
        <div class="form-group">
            <strong>Id Buku:</strong>
            {{ $detail_peminjaman->id_buku }}
        </div>
    </div>
    <div class="col-xs-12 col-sm-12 col-md-12">
        <div class="form-group">
            <strong>Tanggal Pengambilan:</strong>
            {{ $detail_peminjaman->tanggal_pengambilan }}
        </div>
    </div>
    <div class="col-xs-12 col-sm-12 col-md-12">
        <div class="form-group">
            <strong>Tanggal Pengembalian Seharusnya:</strong>
            {{ $detail_peminjaman->tanggal_pengembalian_seharusnya }}
        </div>
    </div>
</div>

```

```

        </div>
    </div>
    <div class="col-xs-12 col-sm-12 col-md-12">
        <div class="form-group">
            <strong>Tanggal Pengembalian:</strong>
            {{ $detail_peminjaman->tanggal_pengembalian }}
        </div>
    </div>
    <div class="col-xs-12 col-sm-12 col-md-12">
        <div class="form-group">
            <strong>Denda:</strong>
            {{ $detail_peminjaman->denda }}
        </div>
    </div>
</div>
@endsection

```

Emails

MyTestMail.blade.php

```

<!DOCTYPE html>
<html>
<head>
<title>Perpustakaan Jurusan Teknik Elektro</title>
</head>
<body>
    <h1>{{ $details['title'] }}</h1>
    <p>{{ $details['body'] }}</p>
    <p>Terima Kasih</p>
</body>
</html>

```

Peminjamans

```

@extends('layout')
@section('content')
<style>
    .autocomplete {
        /*the container must be positioned relative:*/
        position: relative;
        display: inline-block;
    }
    input {
        border: 1px solid transparent;
        background-color: #f1f1f1;
        padding: 10px;
    }

```

```

        font-size: 16px;
    }
    input[type=text] {
        background-color: #f1f1f1;
        width: 100%;
    }
    input[type=submit] {
        background-color: DodgerBlue;
        color: #fff;
    }
    .autocomplete-items {
        position: absolute;
        border: 1px solid #d4d4d4;
        border-bottom: none;
        border-top: none;
        z-index: 99;
        /*position the autocomplete items to be the same width as the
container:*/
        top: 100%;
        left: 0;
        right: 0;
    }
    .autocomplete-items div {
        padding: 10px;
        cursor: pointer;
        background-color: #fff;
        border-bottom: 1px solid #d4d4d4;
    }
    .autocomplete-items div:hover {
        /*when hovering an item:*/
        background-color: #e9e9e9;
    }
    .autocomplete-active {
        /*when navigating through the items using the arrow keys:*/
        background-color: DodgerBlue !important;
        color: #ffffff;
    }
}
</style>
<div class="row">
  <div class="col-lg-12 margin-tb">
    <div class="pull-left">
      <h2>Add New Peminjaman</h2>
    </div>
    <div class="pull-right">
      <a class="btn btn-primary" href="{
route('peminjamans.index')
}"> Back</a>
    </div>
  </div>

```

```

        </div>
    </div>
    @if ($errors->any())
    <div class="alert alert-danger">
        <strong>Whoops!</strong> There were some problems with your
        input.<br><br>
        <ul>
            @foreach ($errors->all() as $error)
            <li>{{ $error }}</li>
            @endforeach
        </ul>
    </div>
@endif
<form action="{ route('peminjamins.store') }" method="POST">
    @csrf
    <div class="row">
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Nama Peminjam:</strong>
                <!-- <input type="text" name="id_mahasiswa"
class="form-control" placeholder="Id_Mahasiswa"> -->
                <!-- <select name="id_mahasiswa" class="form-control">
                <?php
                    foreach ($data_pengunjungs as $pengunjung) {
                        echo "<option value='" . $pengunjung['id'] .
''>" . $pengunjung['id_mahasiswa'] . $pengunjung['nama'] . "</option>";
                    }
                ?>
                </select> -->
                <input type="hidden" name="id_mahasiswa"
id="id_mahasiswa" class="form-control" placeholder="ketik di sini">

                <input type="text" id="myInput2" name="cari_mahasiswa"
class="form-control" placeholder="ketik di sini">
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Tanggal Pinjam:</strong>
                <input type="date" name="tanggal_pinjam" class="form-
control" placeholder="Tanggal_Pinjam">
            </div>
        </div>
        <div class="card " style="width: 100%;">
            <div class="card-header">
                Buku Ingin di Pinjam
            <div class="row">
                <div class="col-xs-12 col-sm-12 col-md-11">

```



```

        <div class="form-group">
            <input type="text" id="myInput"
name="barcode" class="form-control" placeholder="ketik di sini">
        </div>
    </div>
    <div class="col-xs-12 col-sm-12 col-md-1">
        <div class="form-group">
            <button id="add_row" class="btnprimary
form-control">+</button>
        </div>
    </div>
</div>
<div class="card-body">
    <table class="table" id="bukus_table">
        <thead>
            <tr>
                <th>Id Buku</th>
                <th>Judul Buku</th>
                <th>Pengarang</th>
                <th>Penerbitan</th>
                <th>Edisi</th>
                <th>Lokasi</th>
                <th>Aksi</th>
                <!-- <th>Tahun Buku</th> -->
            </tr>
        </thead>
        <tbody>
        </tbody>
    </table>
    <div class="row">
    </div>
</div>
<div class="col-xs-12 col-sm-12 col-md-12 text-center">
    <button type="submit" class="btn
btnprimary">Submit</button>
</div>
</div>
</form>
<script>
    var data_buku = <?php echo json_encode($bukus); ?>;
    var data_pengunjung = <?php echo json_encode($data_pengunjungs);
?>;
    data_buku.forEach(element => {
        var judul_panjang = element.judul + "(" + element.pengarang + "
| " + element.penerbitan + " | " + element.edisi + " )";
        element.judul_panjang = judul_panjang;

```

```

        // console.log(element);
    });
    var id_buku_terpilih = [];

    let row_number = 1;
    console.log(data_pengunjung);
    function hapus_buku(id) {
        document.getElementById(id).remove();
    }
    $(document).ready(function() {
        $("#add_row").click(function(e) {
            e.preventDefault();
            console.log('masuk sini');
            console.log(document.getElementById("myInput"));
            var id_buku =
document.getElementById("myInput").getAttribute('book_id');
            data_buku.forEach(element => {
                if (element.id == id_buku) {
                    console.log(element);
                    let new_row_number = row_number - 1;
                    var id_baris = "buku" + (row_number + 1)
                    var isi_tabel = '<tr id="buku" + (row_number + 1) +
"><input type="hidden" name="id_buku[]" value="' + element.id + "'
/><td>' +
                    element.id + '</td><td>' + element.judul +
                    '</td><td>' + element.pengarang + '</td><td>' +
                    element.penerbitan + '</td><td>' +
                    element.edisi + '</td><td>' + element.lokasi + '</td><td><button
onclick="hapus_buku(\'' + (id_baris) + '\')" class="pull-right btn btn-
danger">Hapus</button></td></tr>';
                    // $('#buku' + row_number).html($('#buku' +
new_row_number).html()).find('td:first-child');
                    $('#bukus_table').append(isi_tabel);
                    row_number++;
                    document.getElementById("myInput").value = "";
                    document.getElementById("myInput").setAttribute("bo
ok_id", "");
                }
            });
        });
        $("#delete_row").click(function(e) {
            e.preventDefault();
            if (row_number > 1) {
                $('#buku' + (row_number - 1)).html('');
                row_number--;
            }
        });
    });
});

```

```

function autocomplete(inp, arr) {
    /*the autocomplete function takes two arguments,
    the text field element and an array of possible autocompleted
values:*/
    var currentFocus;
    /*execute a function when someone writes in the text field:*/
    inp.addEventListener("input", function(e) {
        console.log(e);
        var a, b, i, val = this.value;
        /*close any already open lists of autocompleted values*/
        closeAllLists();
        if (!val) {
            return false;
        }
        currentFocus = -1;
        /*create a DIV element that will contain the items
(values):*/
        a = document.createElement("DIV");
        a.setAttribute("id", this.id + "autocomplete-list");
        a.setAttribute("class", "autocomplete-items");
        /*append the DIV element as a child of the autocomplete
container:*/
        this.parentNode.appendChild(a);
        /*for each item in the array...*/
        for (i = 0; i < arr.length; i++) {
            // console.log(arr[i].judul);
            /*check if the item starts with the same letters as the
text field value:*/
            if (arr[i].judul_panjang.substr(0,
val.length).toUpperCase() == val.toUpperCase()) {
                /*create a DIV element for each matching element:*/
                b = document.createElement("DIV");
                /*make the matching letters bold:*/
                b.innerHTML = "<strong>" +
arr[i].judul_panjang.substr(0, val.length) + "</strong>";
                b.innerHTML +=
arr[i].judul_panjang.substr(val.length);
                /*insert a input field that will hold the current
array item's value:*/
                b.innerHTML += "<input type='hidden' value='" +
arr[i].id + "' judul='" + arr[i].judul_panjang + "'>";
                /*execute a function when someone clicks on the
item value (DIV element):*/
                b.addEventListener("click", function(e) {
                    /*insert the value for the autocomplete text
field:*/
                    inp.value =
this.getElementsByTagName("input")[0].getAttribute('judul');

```

```

        inp.setAttribute("book_id",
this.getElementsByTagName("input")[0].value);
        // inp.value =
this.getElementsByTagName("input")[0].judul;
        /*close the list of autocompleted values,
(or any other open lists of autocompleted
values:*/
        closeAllLists();
    });
    a.appendChild(b);
}
});
/*execute a function presses a key on the keyboard:*/
inp.addEventListener("keydown", function(e) {
    var x = document.getElementById(this.id + "autocomplete-
list");
    if (x) x = x.getElementsByTagName("div");
    if (e.keyCode == 40) {
        /*If the arrow DOWN key is pressed,
increase the currentFocus variable:*/
        currentFocus++;
        /*and and make the current item more visible:*/
        addActive(x);
    } else if (e.keyCode == 38) { //up
        /*If the arrow UP key is pressed,
decrease the currentFocus variable:*/
        currentFocus--;
        /*and and make the current item more visible:*/
        addActive(x);
    } else if (e.keyCode == 13) {
        console.log("masuk pak eko");

        var a, b, i, val = this.value;
        console.log(val);
        for (i = 0; i < arr.length; i++) {
            if (arr[i].id == val.toUpperCase()) {
                var element = data_buku[i];
                let new_row_number = row_number - 1;
                var id_baris = "buku" + (row_number + 1)
                var isi_tabel = '<tr id="buku' + (row_number +
1) + "'><input type="hidden" name="id_buku[]" value="' + element.id +
'" /><td>' +
                    element.id + '</td><td>' + element.judul +
                    '</td><td>' + element.pengarang +
                    '</td><td>' +
                    element.penerbitan + '</td><td>' +
                    element.edisi + '</td><td>' + element.lokasi + '</td><td><button

```

```

onclick="hapus_buku(\' + (id_baris) + '\')" class="pull-right btn btn-
danger">Hapus</button></td></tr>;
// $('#buku' + row_number).html($('#buku' +
new_row_number).html()).find('td:first-child');
$('#bukus_table').append(isi_tabel);
row_number++;
document.getElementById("myInput").value = "";
document.getElementById("myInput").setAttribute
("book_id", "");
    }
}

/*If the ENTER key is pressed, prevent the form from
being submitted,*/
e.preventDefault();
// if (currentFocus > -1) {
//     /*and simulate a click on the "active" item:*/
//     if (x) x[currentFocus].click();
// }
}
});
function addActive(x) {
    /*a function to classify an item as "active":*/
    if (!x) return false;
    /*start by removing the "active" class on all items:*/
    removeActive(x);
    if (currentFocus >= x.length) currentFocus = 0;
    if (currentFocus < 0) currentFocus = (x.length - 1);
    /*add class "autocomplete-active":*/
    x[currentFocus].classList.add("autocomplete-active");
}
function removeActive(x) {
    /*a function to remove the "active" class from all
autocomplete items:*/
    for (var i = 0; i < x.length; i++) {
        x[i].classList.remove("autocomplete-active");
    }
}
function closeAllLists(elmnt) {
    /*close all autocomplete lists in the document,
except the one passed as an argument:*/
    var x = document.getElementsByClassName("autocomplete-
items");
    for (var i = 0; i < x.length; i++) {
        if (elmnt != x[i] && elmnt != inp) {
            x[i].parentNode.removeChild(x[i]);
        }
    }
}

```

```

    }
    /*execute a function when someone clicks in the document:*/
    document.addEventListener("click", function(e) {
        closeAllLists(e.target);
    });
}
function autocomplete2(inp, arr) {
    /*the autocomplete function takes two arguments,
    the text field element and an array of possible autocompleted
values:*/
    var currentFocus;
    /*execute a function when someone writes in the text field:*/
    inp.addEventListener("input", function(e) {
        // console.log(e);
        var a, b, i, val = this.value;
        /*close any already open lists of autocompleted values*/
        closeAllLists();
        if (!val) {
            return false;
        }
        currentFocus = -1;
        /*create a DIV element that will contain the items
(values):*/
        a = document.createElement("DIV");
        a.setAttribute("id", this.id + "autocomplete-list");
        a.setAttribute("class", "autocomplete-items");
        /*append the DIV element as a child of the autocomplete
container:*/
        this.parentNode.appendChild(a);
        /*for each item in the array...*/
        for (i = 0; i < arr.length; i++) {
            // console.log(arr[i].judul);
            /*check if the item starts with the same letters as the
text field value:*/
            if (arr[i].nama.substr(0, val.length).toUpperCase() ==
val.toUpperCase()) {
                /*create a DIV element for each matching element:*/
                b = document.createElement("DIV");
                /*make the matching letters bold:*/
                b.innerHTML = "<strong>" + arr[i].nama.substr(0,
val.length) + "</strong>";
                b.innerHTML += arr[i].nama.substr(val.length);
                /*insert a input field that will hold the current
array item's value:*/
                b.innerHTML += "<input type='hidden' value='" +
arr[i].id + "' judul='" + arr[i].nama + "'>";
                /*execute a function when someone clicks on the
item value (DIV element):*/

```

```

        b.addEventListener("click", function(e) {
            /*insert the value for the autocomplete text
field:*/
            inp.value =
this.getElementsByTagName("input")[0].getAttribute('judul');
            inp.setAttribute("id_peminjam",
this.getElementsByTagName("input")[0].value);
            document.getElementById("id_mahasiswa").value =
this.getElementsByTagName("input")[0].value;
            // inp.value =
this.getElementsByTagName("input")[0].judul;
            /*close the list of autocompleted values,
(or any other open lists of autocompleted
values:*/
            closeAllLists();
        });
        a.appendChild(b);
    }
}
});
/*execute a function presses a key on the keyboard:*/
inp.addEventListener("keydown", function(e) {
    var x = document.getElementById(this.id + "autocomplete-
list");
    if (x) x = x.getElementsByTagName("div");
    if (e.keyCode == 40) {
        /*If the arrow DOWN key is pressed,
increase the currentFocus variable:*/
        currentFocus++;
        /*and and make the current item more visible:*/
        addActive(x);
    } else if (e.keyCode == 38) { //up
        /*If the arrow UP key is pressed,
decrease the currentFocus variable:*/
        currentFocus--;
        /*and and make the current item more visible:*/
        addActive(x);
    } else if (e.keyCode == 13) {
        console.log("masuk pak eko 2");

        var a, b, i, val = this.value;
        console.log(val);
        for (i = 0; i < arr.length; i++) {
            if (arr[i].nim_nip == val.toUpperCase()) {
                var element = data_pengunjung[i];
                document.getElementById("id_mahasiswa").value =
element.id;

```

```

        document.getElementById("myInput2").value =
element.nama;
        document.getElementById("myInput2").setAttribute("id_pengunjung", element.id);
    }
}
/*If the ENTER key is pressed, prevent the form from
being submitted,*/
e.preventDefault();
// if (currentFocus > -1) {
//     /*and simulate a click on the "active" item:*/
//     if (x) x[currentFocus].click();
// }
}
});
function addActive(x) {
    console.log("masuk sini kk");
    /*a function to classify an item as "active":*/
    if (!x) return false;
    /*start by removing the "active" class on all items:*/
    removeActive(x);
    if (currentFocus >= x.length) currentFocus = 0;
    if (currentFocus < 0) currentFocus = (x.length - 1);
    /*add class "autocomplete-active":*/
    x[currentFocus].classList.add("autocomplete-active");
}
function removeActive(x) {
    /*a function to remove the "active" class from all
autocomplete items:*/
    for (var i = 0; i < x.length; i++) {
        x[i].classList.remove("autocomplete-active");
    }
}
function closeAllLists(elmnt) {
    /*close allautocomplete lists in the document,
except the one passed as an argument:*/
    var x = document.getElementsByClassName("autocomplete-
items");
    for (var i = 0; i < x.length; i++) {
        if (elmnt != x[i] && elmnt != inp) {
            x[i].parentNode.removeChild(x[i]);
        }
    }
}
/*execute a function when someone clicks in the document:*/
document.addEventListener("click", function(e) {
    closeAllLists(e.target);
});

```



```
}
@endsection
```

Edit.blade.php

```
@extends('layout')
@section('content')
<div class="row">
    <div class="col-lg-12 margin-tb">
        <div class="pull-left">
            <h2>Edit Peminjaman</h2>
        </div>
        <div class="pull-right">
            <a class="btn btn-primary" href="{{
route('peminjamans.index')
}}"> Back</a>
        </div>
    </div>
</div>
@if ($errors->any())
<div class="alert alert-danger">
    <strong>Whoops!</strong> There were some problems with your
input.<br><br>
    <ul>
        @foreach ($errors->all() as $error)
            <li>{{ $error }}</li>
        @endforeach
    </ul>
</div>
@endif

<form action="{{ route('peminjamans.update',$peminjaman->id) }}"
method="POST">
    @csrf
    @method('PUT')
    <div class="row">
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Id Pengunjung:</strong>
                <input type="text" name="id_mahasiswa" value="{{
$peminjaman->id_mahasiswa }}" class="form-control"
placeholder="Id_Mahasiswa">
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Tanggal Pinjam:</strong>
```

```

                <input type="text" name="tanggal_pinjam" value="{{
$peminjaman->tanggal_pinjam }}" class="form-control"
placeholder="Tanggal_Pinjam">
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12 text-center">
            <button type="submit" class="btn btn-
primary">Submit</button>
        </div>
    </div>
</form>
@endsection

```

Exportpeminjaman-pdf.blade.php

```

<div class="row">
    <div class="col-lg-12 margin-tb">
        <div class="pull-center">
            <center>
                <h2>Laporan Data Peminjaman Buku</h2>
            </center>
        </div>

        <table width=100% border="2" style="border: 1px solid #000; font-
family: serif;" class="table">
            <tr>
                <th>No</th>
                <th>Id Peminjam</th>
                <th>Nama Peminjam</th>
                <th>Judul Buku</th>
                <th>Pengarang</th>
                <th>Penerbitan</th>
                <th>Edisi</th>
                <th>Tanggal Pinjam</th>
                <th>Denda</th>
            </tr>
            @foreach ($peminjamans as $peminjaman)
            <?php $i=0?>
            <tr>
                <td>{{ ++$i }}</td>
                <td>{{ $peminjaman->peminjaman->id }}</td>
                <td>{{ $peminjaman->peminjaman->pengunjung->nama }}</td>
                <td>{{ $peminjaman->buku->judul }}</td>
                <td>{{ $peminjaman->buku->pengarang }}</td>
                <td>{{ $peminjaman->buku->penerbitan }}</td>
                <td>{{ $peminjaman->buku->edisi }}</td>
                <td>{{ $peminjaman->peminjaman->tanggal_pinjam }}</td>
            </tr>
            @endforeach
        </table>
    </div>
</div>

```

```

        <td>{{ $peminjaman->peminjaman->denda }}</td>
        <td>
        </td>
    </tr>
@endforeach
</table>

```

Index.blade.php

```

@extends('layout')
@section('content')
<div class="row">
    <div class="col-lg-12 margin-tb">
        <div class="pull-center">
            <h2 class="text-center">DATA PEMINJAMAN BUKU PERPUSTAKAAN
JURUSAN TEKNIK ELEKTRO</h2>
        </div>
        @can('peminjaman-create')
        <div class="pull-right">
            <a class="btn btn-success"
href="{{route('peminjamans.create')}}"> Create New Peminjaman</a>
            <a class="btn btn-danger" href="{{ route('exportpeminjaman-
pdf') }}"> Export PDF</a>
        </div>
        @endcan
    </div>
</div>
@if ($message = Session::get('success'))
<div class="alert alert-success">
    <p>{{ $message }}</p>
</div>
@endif
<table class="table table-bordered data-table">
    <thead>
        <tr>
            <th>DT_RowIndex</th>
            <th>Nama Peminjam</th>
            <th>Tanggal Pinjam</th>
            <th>Tanggal Pengembalian Seharusnya</th>
            <th>Tanggal Pengembalian</th>
            <th>Denda</th>
            <th width="280px">Action</th>
        </tr>
    </thead>
    <tbody>
    </tbody>
</table>

```

```

<script type="text/javascript">
    $(function() {
        var table = $('<div>.data-table</div>').DataTable({
            processing: true,
            serverSide: true,
            ajax: "{{ route('peminjamans.index') }}",
            columns: [
                {
                    data: 'DT_RowIndex',
                    name: 'DT_RowIndex',
                    orderable: false, searchable: false
                },
                {
                    data: 'nama_pengunjung',
                    name: 'nama_pengunjung'
                },
                {
                    data: 'tanggal_pinjam',
                    name: 'tanggal_pinjam'
                },
                {
                    data: 'tanggal_pengembalian_seharusnya',
                    name: 'tanggal_pengembalian_seharusnya'
                },
                {
                    data: 'tanggal_pengembalian',
                    name: 'tanggal_pengembalian'
                },
                {
                    data: 'denda',
                    name: 'denda',
                    render: $.fn.dataTable.render.number( '.', ',', 0,
'Rp ' )
                },
                {
                    data: 'action',
                    name: 'action',
                    orderable: false,
                    searchable: false
                }
            ]
        });
    });
</script>
@endsection

```

Show.blade.php

```

@extends('layout')
@section('content')
<div class="row">
  <div class="col-lg-12 margin-tb">
    <div class="pull-left">
      <h2> Show Peminjaman</h2>
    </div>
    <div class="pull-right">
      <a class="btn btn-primary" href="{{
route('peminjamans.index') }}"> Back</a>
    </div>
  </div>
</div>
<div class="row">
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Nama Peminjam:</strong>
      {{ $peminjaman->pengunjung->nama }}
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Tanggal Pinjam:</strong>
      {{ $peminjaman->tanggal_pinjam }}
    </div>
  </div>
  <div class="card-body">
    <table class="table" id="bukus_table">
      <thead>
        <tr>
          <th>Id Buku</th>
          <th>Judul Buku</th>
          <th>Pengarang</th>
          <th>Penerbitan</th>
          <th>Edisi</th>
          <th>Lokasi</th>
          <!-- <th>Aksi</th> -->
          <!-- <th>Tahun Buku</th> -->
        </tr>
      </thead>
      <tbody>
        <?php
foreach ($peminjaman->details as $x) {
  # code...
  // echo $x->buku;
?>
        <tr>

```

```

        <td>{{ $x->buku->id }}</td>
        <td>{{ $x->buku->judul }}</td>
        <td>{{ $x->buku->pengarang }}</td>
        <td>{{ $x->buku->penerbitan }}</td>
        <td>{{ $x->buku->edisi }}</td>
        <td>{{ $x->buku->lokasi }}</td>
    </tr>
<?php
}
?>
</tbody>
</table>
</div>
</div>
@endsection

```

Pengunjungs

Create.blade.php

```

@extends('layout')
@section('content')
<div class="row">
    <div class="col-lg-12 margin-tb">
        <div class="pull-left">
            <h2>Add New Anggota</h2>
        </div>
        <div class="pull-right">
            <a class="btn btn-primary" href="{{
route('pengunjungs.index')
}}"> Back</a>
        </div>
    </div>
</div>
@if ($errors->any())
<div class="alert alert-danger">
    <strong>Whoops!</strong> There were some problems with your
input.<br><br>
    <ul>
        @foreach ($errors->all() as $error)
            <li>{{ $error }}</li>
        @endforeach
    </ul>
</div>
@endif
<form action="{{ route('pengunjungs.store') }}" method="POST"
enctype="multipart/form-data">
    @csrf

```

```

<div class="row">
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Nama:</strong>
      <input type="text" name="nama" class="form-control"
placeholder="Nama">
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>NIM_NIP:</strong>
      <input type="text" name="nim_nip" class="form-control"
placeholder="Nim_Nip">
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Program Studi:</strong>
      <input type="text" name="kelas" class="form-control"
placeholder="Kelas">
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Alamat:</strong>
      <input type="text" name="alamat" class="form-control"
placeholder="Alamat">
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Jenis Kelamin:</strong>
      <input type="text" name="jenis_kelamin" class="form-
control" placeholder="Jenis_Kelamin">
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Status:</strong>
      <select id="jabatan" name="jabatan">
        <option value="Mahasiswa">Mahasiswa</option>
        <option value="Dosen">Dosen</option>
        <option value="Tamun">Tamun</option>
      </select>
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">

```

```

                <strong>Email:</strong>
                <input type="email" name="email" class="form-control"
placeholder="Email">
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Username:</strong>
                <input type="text" name="username" class="form-control"
placeholder="Username">
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Password:</strong>
                <input type="password" name="password" class="form-
control" placeholder="Password">
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Foto:</strong>
                <input type="file" name="foto" class="form-control"
placeholder="Foto">
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Konfirmasi Password:</strong>
                <input type="password" name="password_confirmation"
class="form-control" placeholder="password">
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Role:</strong>
                {!! Form::select('roles[]', $roles, array('class' =>
'form-control', 'multiple')) !!}
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12 text-center">
            <button type="submit" class="btn
btnprimary">Submit</button>
        </div>
    </div>

</form>
@endsection

```


Edit.blade.php

```
@extends('layout')
@section('content')
<div class="row">
    <div class="col-lg-12 margin-tb">
        <div class="pull-left">
            <h2>Edit Data Anggota</h2>
        </div>
        <div class="pull-right">
            <a class="btn btn-primary" href="{{
route('pengunjungs.index')
}}"> Back</a>
        </div>
    </div>
</div>

@if ($errors->any())
<div class="alert alert-danger">
    <strong>Whoops!</strong> There were some problems with your
input.<br><br>
    <ul>
        @foreach ($errors->all() as $error)
            <li>{{ $error }}</li>
        @endforeach
    </ul>
</div>
@endif
<form action="{{ route('pengunjungs.update',$pengunjung->id) }}"
method="POST" enctype="multipart/form-data">
    @csrf
    @method('PUT')
    <div class="row">
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Nama:</strong>
                <input type="text" name="nama" value="{{ $pengunjung-
>nama }}" class="form-control" placeholder="Nama">
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>NIM_NIP:</strong>
                <input type="text" name="nim_nip" value="{{
$pengunjung->nim_nip }}" class="form-control" placeholder="Nim_Nip">
            </div>
        </div>
    </div>
</form>
```

```

</div>
<div class="col-xs-12 col-sm-12 col-md-12">
  <div class="form-group">
    <strong>Program Studi:</strong>
    <input type="text" name="kelas" value="{{ $pengunjung-
>kelas }}" class="form-control" placeholder="Kelas">
  </div>
</div>
<div class="col-xs-12 col-sm-12 col-md-12">
  <div class="form-group">
    <strong>Alamat:</strong>
    <input type="text" name="alamat" value="{{ $pengunjung-
>alamat }}" class="form-control" placeholder="Alamat">
  </div>
</div>
<div class="col-xs-12 col-sm-12 col-md-12">
  <div class="form-group">
    <strong>Jenis Kelamin:</strong>
    <input type="text" name="jenis_kelamin" value="{{
$pengunjung->jenis_kelamin }}" class="form-control"
placeholder="Jenis_Kelamin">
  </div>
</div>
<div class="col-xs-12 col-sm-12 col-md-12">
  <div class="form-group">
    <strong>Status:</strong>
    <input type="text" name="jabatan" value="{{
$pengunjung->jabatan }}" class="form-control" placeholder="Jabatan">
  </div>
</div>
<div class="col-xs-12 col-sm-12 col-md-12">
  <div class="form-group">
    <strong>Email:</strong>
    <input type="text" name="email" value="{{ $pengunjung-
>email }}" class="form-control" placeholder="Email">
  </div>
</div>
<div class="col-xs-12 col-sm-12 col-md-12">
  <div class="form-group">
    <strong>Username:</strong>
    <input type="text" name="username" value="{{
$pengunjung->username }}" class="form-control" placeholder="Username">
  </div>
</div>
<div class="col-xs-12 col-sm-12 col-md-12">
  <div class="form-group">
    <strong>Password:</strong>

```

```

        <input type="text" name="password" value="{{
$pengunjung->password }}" class="form-control" placeholder="Password">
    </div>
</div>
<div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
        <strong>Konfirmasi Password:</strong>
        <input type="password" name="password_confirmation"
class="form-control" placeholder="password">
    </div>
    <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
        <strong>Foto:</strong>
        <input type="file" name="foto" value="{{ $pengunjung-
>cover }}" class="form-control" placeholder="Foto">
        
    </div>
    </div>
</div>
</div>
<div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
        <strong>Role:</strong>
        {!! Form::select('roles[]', $roles,$userRole,
array('class' => 'form-control','multiple')) !!}
    </div>
</div>
<div class="col-xs-12 col-sm-12 col-md-12 text-center">
    <button type="submit" class="btn btn-
primary">Submit</button>
</div>
</div>
</form>
@endsection

```

Exportpengunjung-pdf.blade.php

```

<div class="row">
    <div class="col-lg-12 margin-tb">
        <div class="pull-center">
            <center>
                <h2>DATA ANGGOTA PERPUSTAKAAN JURUSAN TEKNIK ELEKTRO</h2>
            </center>
        </div>

        <table width=100% border="2" style="border: 1px solid #000; font-
family: serif;" class="table">

```

```

<tr>
  <th>No</th>
  <th>Nama</th>
  <th>NIM_NIP</th>
  <th>Kelas</th>
  <th>Jabatan</th>
  <th>Email</th>
  <th>Username</th>
  <th>Foto</th>
  <th width="280px">Action</th>
</tr>
<?php $i=0?>
@foreach ($pengunjungs as $pengunjung)
<tr>
  <td>{{ ++$i }}</td>
  <td>{{ $pengunjung->nama }}</td>
  <td>{{ $pengunjung->nim_nip }}</td>
  <td>{{ $pengunjung->kelas }}</td>
  <td>{{ $pengunjung->jabatan }}</td>
  <td>{{ $pengunjung->email }}</td>
  <td>{{ $pengunjung->username }}</td>
  <td>{{ $pengunjung->foto }}</td>
  <td></td>
<!-- <td></td> -->
  <td>
  </td>
</tr>
@endforeach
</table>

```

Index.blade.php

```

@extends('layout')
@section('content')
<div class="row">
  <div class="col-lg-12 margin-tb">
    <div class="pull-center">
      <h2 class="text-center">DATA ANGGOTA PERPUSTAKAAN JURUSAN
TEKNIK ELEKTRO</h2>
    </div>
    @can('pengunjung-create')
    <div class="pull-right">
      <a class="btn btn-success"
href="{{route('pengunjungs.create') }}"> Create New Anggota</a>

```

```

                <a class="btn btn-danger" href="{ route('exportpengunjung-
pdf') }}"> Export PDF</a>
            </div>
        @endcan
    </div>
</div>
@if ($message = Session::get('success'))
<div class="alert alert-success">
    <p>{{ $message }}</p>
</div>
@endif
<table class="table table-bordered data-table">
    <thead>
        <tr>
            <th>No</th>
            <th>Id</th>
            <th>Nama</th>
            <th>NIM_NIP</th>
            <th>Program Studi</th>
            <th>Alamat</th>
            <th>Jenis Kelamin</th>
            <th>Status</th>
            <th>Email</th>
            <th>Username</th>
            <th>Password</th>
            <th>Foto</th>
            <th>QRCODE</th>

            <th width="280px">Action</th>
        </tr>
    </thead>
    <tbody>
    </tbody>
</table>
<script type="text/javascript">
    $(function() {
        var admin = "<?php echo Auth::user()->hasRole('Admin'); ?>";
        console.log(admin);
        var table = $('<table>').DataTable({
            processing: true,
            serverSide: true,
            scrollX:true,
            ajax: "{ route('pengunjungs.index') }",
            columnDefs: [
                {
                    "targets": 11,
                    "data": 'foto',
                    "render": function(data, type, row, meta) {

```

```

        return '';
    }
}
],
columns: [
    {
        data: 'DT_RowIndex',
        name: 'DT_RowIndex',
        orderable: false, searchable: false
    },
    {
        data: 'id',
        name: 'id',
        visible: false
    },
    {
        data: 'nama',
        name: 'nama',
    },
    {
        data: 'nim_nip',
        name: 'nim_nip'
    },
    {
        data: 'kelas',
        name: 'kelas',
        searchable: false
    },
    {
        data: 'alamat',
        name: 'alamat',
        searchable: false
    },
    {
        data: 'jenis_kelamin',
        name: 'jenis_kelamin',
        searchable: false
    },
    {
        data: 'jabatan',
        name: 'jabatan',
        searchable: false
    },
    {
        data: 'email',
        name: 'email',
        searchable: false
    }
]

```

```

        },
        {
            data: 'username',
            name: 'username',
            searchable: false
        },
        {
            data: 'password',
            name: 'password',
            searchable: false
        },
        {
            data: 'foto',
            name: 'foto',
            searchable: false
        },
        {
            data: 'qrcode',
            name: 'qrcode',
            visible: admin==""?false:true
        },
        {
            data: 'action',
            name: 'action',
            orderable: false,
            searchable: false
        },
    ],
    });
</script>
@endsection

```

Show.blade.php

```

@extends('layout')
@section('content')
<div class="row">
    <div class="col-lg-12 margin-tb">
        <div class="pull-left">
            <h2> Show Data Anggota</h2>
        </div>
        <div class="pull-right">
            <a class="btn btn-primary" href="{{
route('pengunjungs.index')
}}"> Back</a>
        </div>
    </div>
</div>

```

```
</div>
<div class="row">
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Nama:</strong>
      {{ $penganjung->nama }}
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>NIM_NIP:</strong>
      {{ $penganjung->nim_nip }}
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Program Studi:</strong>
      {{ $penganjung->kelas }}
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Alamat:</strong>
      {{ $penganjung->alamat }}
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Jenis Kelamin:</strong>
      {{ $penganjung->jenis_kelamin }}
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Status:</strong>
      {{ $penganjung->jabatan }}
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Email:</strong>
      {{ $penganjung->email }}
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Username:</strong>
      {{ $penganjung->username }}
    </div>
  </div>
</div>
```



```

        </div>
    </div>
    <div class="col-xs-12 col-sm-12 col-md-12">
        <div class="form-group">
            <strong>Password:</strong>
            {{ $pengunjung->password }}
        </div>
    </div>
    <div class="col-xs-12 col-sm-12 col-md-12">
        <div class="form-group">
            <strong>Foto:</strong>
            
        </div>
    </div>
</div>
@endsection

```

Perpanjangan

Create.blade.php

```

@extends('layout')
@section('content')
<div class="row">
    <div class="col-lg-12 margin-tb">
        <div class="pull-left">
            <h2>Add New Perpanjangan</h2>
        </div>
        <div class="pull-right">
            <a class="btn btn-primary" href="{{
route('perpanjangan.index') }}"> Back</a>
        </div>
    </div>
</div>
@if ($errors->any())
<div class="alert alert-danger">
    <strong>Whoops!</strong> There were some problems with your
    input.<br><br>
    <ul>
        @foreach ($errors->all() as $error)
            <li>{{ $error }}</li>
        @endforeach
    </ul>
</div>
@endif
<form action="{{ route('perpanjangan.store') }}" method="POST">
    @csrf
    <div class="row">

```

```

        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Peminjaman:</strong>
                <!-- <input type="text" name="id_detail_peminjaman"
class="form-control" placeholder="Id_Detail_Peminjaman"> -->
                <select name="id_peminjaman" class="form-
control">
                    <?php
                        foreach($peminjamans as $peminjaman){
                            echo "<option
value='".$peminjaman['id']."'>".$peminjaman."</option>";
                        }
                    ?>
                </select>
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12 text-center">
            <button type="submit" class="btn
btnprimary">Submit</button>
        </div>
    </div>
</form>
@endsection

```

Edit.blade.php

```

@extends('layout')
@section('content')
<div class="row">
    <div class="col-lg-12 margin-tb">
        <div class="pull-left">
            <h2>Edit Perpanjangan</h2>
        </div>
        <div class="pull-right">
            <a class="btn btn-primary" href="{{
route('perpanjangans.index')
}}"> Back</a>
        </div>
    </div>
</div>
@if ($errors->any())
<div class="alert alert-danger">
    <strong>Whoops!</strong> There were some problems with your
input.<br><br>
    <ul>
        @foreach ($errors->all() as $error)
            <li>{{ $error }}</li>
        @endforeach
    </ul>
</div>

```

```

        @endforeach
    </ul>
</div>
@endif
<form action="{{ route('perpanjangans.update', $perpanjangan->id) }}"
method="POST">
    @csrf
    @method('PUT')
    <div class="row">
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Id Peminjaman:</strong>
                <input type="text" name="id_peminjaman" value="{{
$perpanjangan->id_peminjaman }}" class="form-control"
placeholder="Id_Peminjaman">
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12 text-center">
            <button type="submit" class="btn btn-
primary">Submit</button>
        </div>
    </div>

</form>
@endsection

```

Exportperpanjangan-pdf.blade.php

```

<div class="row">
    <div class="col-lg-12 margin-tb">
        <div class="pull-center">
            <center>
                <h2>Data Perpanjangan</h2>
            </center>
        </div>

        <table width=100% border="2" style="border: 1px solid #000; font-
family: serif;" class="table">
            <tr>
                <th>No</th>
                <th>Id Detail Peminjaman</th>
                <th width="280px">Action</th>
            </tr>
            <?php $i=0?>
            @foreach ($perpanjangans as $perpanjangan)
            <tr>
                <td>{{ ++$i }}</td>

```

```

        <td>{{ $perpanjangan->id_detail_peminjaman }}</td>
        <td>
        </td>
    </tr>
@endforeach
</table>

```

Index.blade.php

```

@extends('layout')
@section('content')
<div class="row">
    <div class="col-lg-12 margin-tb">
        <div class="pull-center">
            <h2 class="text-center">DATA PERPANJANGAN BUKU PERPUSTAKAAN
JURUSAN TEKNIK ELEKTRO</h2>
        </div>
        <div class="pull-right">
            <!-- <a class="btn btn-success"
href="{{route('perpanjangans.create')}}> Create New Perpanjangan</a>
-->
            @can('perpanjangan-edit')
                <a class="btn btn-danger" href="{{
route('exportperpanjangan-pdf')}}> Export PDF</a>
            @endcan
        </div>
    </div>
</div>
@if ($message = Session::get('success'))
<div class="alert alert-success">
    <p>{{ $message }}</p>
</div>
@endif
<table class="table table-bordered data-table">
    <thead>
        <tr>
            <th>DT_RowIndex</th>
            <th>Nama Peminjam</th>
            <th>Tanggal</th>
            <th width="280px">Action</th>
        </tr>
    </thead>
    <tbody>
    </tbody>
</table>
<script type="text/javascript">
    $(function() {

```

```

var table = $('<div class="data-table">').DataTable({
  processing: true,
  serverSide: true,
  ajax: "{{ route('perpanjangans.index') }}",

  columns: [
    {
      data: 'DT_RowIndex',
      name: 'DT_RowIndex',
      orderable: false, searchable: false
    },
    {
      data: 'nama_pengunjung',
      name: 'nama_pengunjung'
    },
    {
      data: 'created_at',
      name: 'created_at'
    },
    {
      data: 'action',
      name: 'action',
      orderable: false,
      searchable: false
    }
  ]
});
</script>
</div>
@endsection

```

Show.blade.php

```

@extends('layout')
@section('content')
<div class="row">
  <div class="col-lg-12 margin-tb">
    <div class="pull-left">
      <h2> Show Perpanjangan</h2>
    </div>
    <div class="pull-right">
      <a class="btn btn-primary" href="{{
route('perpanjangans.index')
}}"> Back</a>
    </div>
  </div>
</div>

```

```

<div class="row">
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Nama Peminjam:</strong>
      {{ $perpanjangan->peminjaman->pengujung->nama }}
    </div>
  </div>
</div>
@endsection

```

Roles

Create.blade.php

```

@extends('layout')
@section('content')
<div class="row">
  <div class="col-lg-12 margin-tb">
    <div class="pull-left">
      <h2>Create New Role</h2>
    </div>
    <div class="pull-right">
      <a class="btn btn-primary" href="{{ route('roles.index') }}"> Back</a>
    </div>
  </div>
</div>
@if (count($errors) > 0)
  <div class="alert alert-danger">
    <strong>Whoops!</strong> There were some problems with your
input.<br><br>
    <ul>
      @foreach ($errors->all() as $error)
        <li>{{ $error }}</li>
      @endforeach
    </ul>
  </div>
@endif
{!! Form::open(array('route' => 'roles.store', 'method'=>'POST')) !!}
<div class="row">
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Name:</strong>
      {!! Form::text('name', null, array('placeholder' =>
'Name', 'class' => 'form-control')) !!}
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">

```

```

        <div class="form-group">
            <strong>Permission:</strong>
            <br/>
            @foreach($permission as $value)
                <label>{{ Form::checkbox('permission[]', $value->id,
false, array('class' => 'name')) }}
                {{ $value->name }}</label>
            <br/>
            @endforeach
        </div>
    </div>
    <div class="col-xs-12 col-sm-12 col-md-12 text-center">
        <button type="submit" class="btn btn-primary">Submit</button>
    </div>
</div>
{!! Form::close() !!}
@endsection

```

Edit.blade.php

```

@extends('layout')
@section('content')
<div class="row">
    <div class="col-lg-12 margin-tb">
        <div class="pull-left">
            <h2>Edit Role</h2>
        </div>
        <div class="pull-right">
            <a class="btn btn-primary" href="{{ route('roles.index')
}}"> Back</a>
        </div>
    </div>
</div>
@if (count($errors) > 0)
    <div class="alert alert-danger">
        <strong>Whoops!</strong> There were some problems with your
input.<br><br>
        <ul>
            @foreach ($errors->all() as $error)
                <li>{{ $error }}</li>
            @endforeach
        </ul>
    </div>
@endif
{!! Form::model($role, ['method' => 'PATCH', 'route' => ['roles.update',
$role->id]]) !!}
<div class="row">

```

```

        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Name:</strong>
                {!! Form::text('name', null, array('placeholder' =>
'Name', 'class' => 'form-control')) !!}
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Permission:</strong>
                <br/>
                @foreach($permission as $value)
                    <label>{!! Form::checkbox('permission[]', $value->id,
in_array($value->id, $rolePermissions) ? true : false, array('class' =>
'name')) !!}
                    {!! $value->name !!}</label>
                <br/>
                @endforeach
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12 text-center">
            <button type="submit" class="btn btn-primary">Submit</button>
        </div>
    </div>
    {!! Form::close() !!}
@endsection

```

Index.blade.php

```

@extends('layout')
@section('content')
<div class="row">
    <div class="col-lg-12 margin-tb">
        <div class="pull-left">
            <h2>Role Management</h2>
        </div>
        <div class="pull-right">
            @can('role-create')
                <a class="btn btn-success" href="{{ route('roles.create')
}}"> Create New Role</a>
            @endcan
        </div>
    </div>
</div>
@if ($message = Session::get('success'))
    <div class="alert alert-success">
        <p>{!! $message !!}</p>
    </div>
@endif

```



```

        </div>
@endif
<table class="table table-bordered">
  <tr>
    <th>No</th>
    <th>Name</th>
    <th width="280px">Action</th>
  </tr>
  @foreach ($roles as $key => $role)
  <tr>
    <td>{{ ++$i }}</td>
    <td>{{ $role->name }}</td>
    <td>
      <a class="btn btn-info" href="{{ route('roles.show',$role-
>id) }}">Show</a>
      @can('role-edit')
        <a class="btn btn-primary" href="{{
route('roles.edit',$role->id) }}">Edit</a>
      @endcan
      @can('role-delete')
        {!! Form::open(['method' => 'DELETE','route' =>
['roles.destroy', $role->id],'style'=>'display:inline']) !!}
        {!! Form::submit('Delete', ['class' => 'btn btn-
danger']) !!}
        {!! Form::close() !!}
      @endcan
    </td>
  </tr>
  @endforeach
</table>
{!! $roles->render() !!}
@endsection

```

Show.blade.php

```

@extends('layout')
@section('content')
<div class="row">
  <div class="col-lg-12 margin-tb">
    <div class="pull-left">
      <h2> Show Role</h2>
    </div>
    <div class="pull-right">
      <a class="btn btn-primary" href="{{ route('roles.index')
}}"> Back</a>
    </div>
  </div>

```

```

</div>
<div class="row">
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Name:</strong>
      {{ $role->name }}
    </div>
  </div>
  <div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
      <strong>Permissions:</strong>
      @if(!empty($rolePermissions))
        @foreach($rolePermissions as $v)
          <label class="label label-success">{{ $v->name
        }},</label>
        @endforeach
      @endif
    </div>
  </div>
</div>
@endsection

```

Users

Create.blade.php

```

@extends('layout')
@section('content')
<div class="row">
  <div class="col-lg-12 margin-tb">
    <div class="pull-left">
      <h2>Add New User</h2>
    </div>
    <div class="pull-right">
      <a class="btn btn-primary" href="{{ route('users.index')
    }}"> Back</a>
    </div>
  </div>
</div>
@if ($errors->any())
<div class="alert alert-danger">
  <strong>Whoops!</strong> There were some problems with your
  input.<br><br>
  <ul>
    @foreach ($errors->all() as $error)
      <li>{{ $error }}</li>
    @endforeach
  </ul>

```

```

</div>
@endif
<form action="{{ route('users.store') }}" method="POST"
enctype="multipart/form-data">
    @csrf

    <div class="row">
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Nama:</strong>
                <input type="text" name="name" class="form-control"
placeholder="Nama">
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Email:</strong>
                <input type="email" name="email" class="form-control"
placeholder="email@gmail.com">
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Password:</strong>
                <input type="text" name="password" class="form-control"
placeholder="password">
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Confirm Password:</strong>
                <input type="text" name="confirm-password" class="form-
control" placeholder="Ulangi Password">
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12">
            <div class="form-group">
                <strong>Role:</strong>
                {!! Form::select('roles[]', $roles,[], array('class' =>
'form-control','multiple')) !!}
            </div>
        </div>
        <div class="col-xs-12 col-sm-12 col-md-12 text-center">
            <button type="submit" class="btn btn-
primary">Submit</button>
        </div>
    </div>
</form>

```

```
@endsection
```

Edit.blade.php

```
@extends('layout')
@section('content')
<div class="row">
    <div class="col-lg-12 margin-tb">
        <div class="pull-left">
            <h2>Edit New User</h2>
        </div>
        <div class="pull-right">
            <a class="btn btn-primary" href="{{ route('users.index')
}}"> Back</a>
        </div>
    </div>
</div>
@if (count($errors) > 0)
    <div class="alert alert-danger">
        <strong>Whoops!</strong> There were some problems with your
input.<br><br>
        <ul>
            @foreach ($errors->all() as $error)
                <li>{{ $error }}</li>
            @endforeach
        </ul>
    </div>
@endif
{!! Form::model($user, ['method' => 'PATCH', 'route' => ['users.update',
$user->id]]) !!}
<div class="row">
    <div class="col-xs-12 col-sm-12 col-md-12">
        <div class="form-group">
            <strong>Name:</strong>
            {!! Form::text('name', null, array('placeholder' =>
'Name', 'class' => 'form-control')) !!}
        </div>
    </div>
    <div class="col-xs-12 col-sm-12 col-md-12">
        <div class="form-group">
            <strong>Email:</strong>
            {!! Form::text('email', null, array('placeholder' =>
'Email', 'class' => 'form-control')) !!}
        </div>
    </div>
    <div class="col-xs-12 col-sm-12 col-md-12">
        <div class="form-group">
```

```

        <strong>Password:</strong>
        {!! Form::password('password', array('placeholder' =>
'Password','class' => 'form-control')) !!}
    </div>
</div>
<div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
        <strong>Confirm Password:</strong>
        {!! Form::password('confirm-password', array('placeholder'
=> 'Confirm Password','class' => 'form-control')) !!}
    </div>
</div>
<div class="col-xs-12 col-sm-12 col-md-12">
    <div class="form-group">
        <strong>Role:</strong>
        {!! Form::select('roles[]', $roles,$userRole, array('class'
=> 'form-control','multiple')) !!}
    </div>
</div>
<div class="col-xs-12 col-sm-12 col-md-12 text-center">
    <button type="submit" class="btn btn-primary">Submit</button>
</div>
</div>
{!! Form::close() !!}
@endsection

```

Index.blade.php

```

@extends('layout')
@section('content')
<div class="row">
    <div class="col-lg-12 margin-tb">
        <div class="pull-left">
            <h2>Users Management</h2>
        </div>
        <div class="pull-right">
            <a class="btn btn-success" href="{{ route('users.create')
}}"> Create New User</a>
        </div>
    </div>
</div>
<div class="alert alert-success">
    <p>{{ $message }}</p>
</div>
@endif
<table class="table table-bordered">

```

```

<tr>
  <th>No</th>
  <th>Name</th>
  <th>Email</th>
  <th>Roles</th>
  <th width="280px">Action</th>
</tr>
@foreach ($data as $key => $user)
  <tr>
    <td>{{ ++$i }}</td>
    <td>{{ $user->name }}</td>
    <td>{{ $user->email }}</td>
    <td>
      @if(!empty($user->getRoleNames()))
        @foreach($user->getRoleNames() as $v)
          <label class="badge badge-success">{{ $v }}</label>
        @endforeach
      @endif
    </td>
    <td>
      <form action="{{ route('users.destroy',$user->id) }}"
method="POST">
        <a class="btn btn-info" href="{{
route('users.show',$user->id) }}">Show</a>
        <a class="btn btn-primary" href="{{
route('users.edit',$user->id) }}">Edit</a>
        @csrf
        @method('DELETE')
        <button type="submit" class="btn btn-
danger">Delete</button>
      </form>
    </td>
  </tr>
@endforeach
</table>
{!! $data->render() !!}
@endsection

```

Show.blade.php

```

@extends('layout')
@section('content')
<div class="row">
  <div class="col-lg-12 margin-tb">
    <div class="pull-left">
      <h2> Show User</h2>
    </div>

```



```

    <meta name="description" content="Pixel Admin is powerful and clean
admin dashboard template, inspired from Bootstrap Framework">
    <meta name="robots" content="noindex,nofollow">
    <title>E-LAB</title>
    <link rel="canonical"
href="https://www.wrappixel.com/templates/pixel-admin-lite/" />
    <!-- Favicon icon -->
    <link rel="icon" type="image/png" sizes="16x16"
href="https://wrappixel.com/demos/free-admin-templates/all-lite-
landing-pages/assets/images/logos/pixel-favicon.png">
    <!-- Bootstrap Core CSS -->
    <link
href="{{url('/assets/bootstrap/dist/css/bootstrap.min.css')}}"
rel="stylesheet">
    <!-- Menu CSS -->
    <link href="{{url('assets/plugins/bower_components/sidebar-
nav/dist/sidebar-nav.min.css')}}" rel="stylesheet">
    <!-- toast CSS -->
    <link href="{{url('assets/plugins/bower_components/toast-
master/css/jquery.toast.css')}}" rel="stylesheet">
    <!-- morris CSS -->
    <link
href="{{url('assets/plugins/bower_components/morrisjs/morris.css')}}"
rel="stylesheet">
    <!-- animation CSS -->
    <link href="{{url('assets/css/animate.css')}}" rel="stylesheet">
    <!-- Custom CSS -->
    <link href="{{url('assets/css/style.css')}}" rel="stylesheet">
    <!-- color CSS -->
    <link href="{{url('assets/css/colors/blue-dark.css')}}" id="theme"
rel="stylesheet">
    <link
href="https://cdn.datatables.net/1.10.16/css/jquery.dataTables.min.css"
rel="stylesheet">
    <link
href="https://cdn.datatables.net/1.10.19/css/dataTables.bootstrap4.min.
css" rel="stylesheet">
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.js"></sc
ript>
    <script src="https://cdnjs.cloudflare.com/ajax/libs/jquery-
validate/1.19.0/jquery.validate.js"></script>
    <script
src="https://cdn.datatables.net/1.10.16/js/jquery.dataTables.min.js"></
script>
    <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/js/bootstrap.mi
n.js"></script>

```



```

        <script
src="https://cdn.datatables.net/1.10.19/js/dataTables.bootstrap4.min.js
"></script>
</head>
<body>
    <!-- Preloader -->
    <div class="preloader">
        <div class="cssload-speeding-wheel"></div>
    </div>
    <div id="wrapper">
        <!-- Navigation -->
        <nav class="navbar navbar-default navbar-static-top m-b-0">
            <div class="navbar-header"> <a class="navbar-toggle hidden-
sm hidden-md hidden-lg " href="javascript:void(0)" data-
toggle="collapse" data-target=".navbar-collapse"><i class="fa fa-
bars"></i></a>
                <div class="top-left-part"><a class="logo"
href="index.html">
                    <b>
                        </b>
                        <span class="hidden-xs">
                            E-LAB
                            <!--  -->
                        </span>
                    </a>
                </div>
                <ul class="nav navbar-top-links navbar-left m-l-20
hidden-xs">
                    <li>
                        <!-- <form role="search" class="app-search
hidden-xs">
                            <input type="text" placeholder="Search..."
class="form-control"> <a href=""><i class="fa fa-search"></i></a>
                        </form> -->
                    </li>
                </ul>
                <ul class="nav navbar-top-links navbar-right pull-
right">
                    <li>
                        <?php
                            if(Auth::user()->hasRole('Admin')){
?>
                                <a class="profile-pic" href="#"> <b class="hidden-xs"><?php
echo Auth::user()->name; ?></b> </a>

```

```

<?php
                                }else{
?>
                                <a class="profile-pic" href="#"> <b class="hidden-xs"><?php
echo Auth::user()->name; ?></b> </a>
<?php
                                }
                                ?>
                                </li>
                                </ul>
                                </div>
                                <!-- /.navbar-header -->
                                <!-- /.navbar-top-links -->
                                <!-- /.navbar-static-side -->
                                </nav>
                                <!-- Left navbar-header -->
                                <div class="navbar-default sidebar" role="navigation">
                                <div class="sidebar-nav navbar-collapse slimscrollsidebar">
                                <ul class="nav" id="side-menu">
                                <li style="padding: 10px 0 0;">
                                <?php
                                if(Auth::user()->hasRole('Admin')){
?>
                                <a href="{{ route('dashboard') }}" class="waves-
effect"><i class="fa fa-clock-o fa-fw" aria-hidden="true"></i><span
class="hide-menu">Dashboard</span></a>
                                <?php
                                }else{
?>
                                <?php
                                }
                                ?>
                                </li>

                                @can('role-list')
                                <li>
                                <a class="waves-effect" href="{{
route('roles.index') }}"><i class="fa fa-user fa-fw" aria-
hidden="true"></i><span class="hide-menu">Manage Roles</span></a>
                                </li>
                                @endcan
                                @can('user-list')
                                <li>
                                <a class="waves-effect" href="{{
route('users.index') }}"><i class="fa fa-user fa-fw" aria-
hidden="true"></i><span class="hide-menu">Manage Users</span></a>

```

```

        </li>
        @endcan
        <?php
        if(Auth::user()->hasRole('Admin')){
        ?>
        @can('admin-list')
        <li>
            <a class="waves-effect" href="{{
route('admins.index') }}"><i class="fa fa-lock fa-fw" aria-
hidden="true"></i><span class="hide-menu">Admin</span></a>
        </li>
        @endcan
        <?php
        }else{
        ?>
        <li>
            <a class="waves-effect" href="{{
route('profile') }}"><i class="fa fa-user fa-fw" aria-
hidden="true"></i><span class="hide-menu">Profil</span></a>
        </li>
        <?php
        }
        ?>
        <?php
        if(Auth::user()->hasRole('Admin')){
        ?>
        <li>
            <a class="waves-effect" href="{{
route('pengunjungs.index') }}"><i class="fa fa-user fa-fw" aria-
hidden="true"></i><span class="hide-menu">Data Anggota</span></a>
        </li>
        <?php
        }else{
        ?>
        <?php
        }
        ?>
        <li>
            <a class="nav-link" href="{{
route('bukus.index') }}"><i class="fa fa-book fa-fw" aria-
hidden="true"></i><span class="hide-menu">Buku</span></a>
        </li>
        <li>
            <a class="nav-link" href="{{
route('peminjamans.index') }}"><i class="fa fa-list fa-fw" aria-
hidden="true"></i><span class="hide-menu">Peminjaman</span></a>
        </li>
        <li>

```

```

                <a class="nav-link" href="{
route('perpanjangans.index') }}"><i class="fa fa-list fa-fw" aria-
hidden="true"></i><span class="hide-menu">Perpanjangan</span></a>
                </li>
                <li>
                    <a class="nav-link scrollto" href="{
route('logout') }}"><i class="fa fa-sign-out fa-fw" aria-
hidden="true"></i><span class="hide-menu">Logout</span></a>
                </li>
            </div>
        </div>
        <!-- Left navbar-header end -->
        <!-- Page Content -->
        <div id="page-wrapper">
            <div class="container-fluid">
                <div class="row bg-title">
                </div>
                @yield('content')
                <!-- /.row -->
            </div>
            <!-- /.container-fluid -->
            <footer class="footer text-center"> 2022 &copy; Ika
Pratiwi</footer>
        </div>
        <!-- /#page-wrapper -->
    </div>
    <!-- /#wrapper -->
    <!-- jQuery -->
    <!-- <script
src="assets/plugins/bower_components/jquery/dist/jquery.min.js"></scrip
t> -->
    <!-- Bootstrap Core JavaScript -->
    <!-- <script
src="assets/bootstrap/dist/js/bootstrap.min.js"></script> -->
    <!-- Menu Plugin JavaScript -->
    <script src="{url('assets/plugins/bower_components/sidebar-
nav/dist/sidebar-nav.min.js')}"></script>
    <!--slimscroll JavaScript -->
    <script src="{url('assets/js/jquery.slimscroll.js')}"></script>
    <!--Wave Effects -->
    <script src="{url('assets/js/waves.js')}"></script>
    <!--Counter js -->
    <script
src="{url('assets/plugins/bower_components/waypoints/lib/jquery.waypoi
nts.js')}"></script>
    <script
src="{url('assets/plugins/bower_components/counterup/jquery.counterup.
min.js')}"></script>

```

```

    <!--Morris JavaScript -->
    <script
src="{{url('assets/plugins/bower_components/raphael/raphael-
min.js')}}"></script>
    <!-- <script
src="assets/plugins/bower_components/morrisjs/morris.js"></script> -->
    <!-- Custom Theme JavaScript -->
    <script src="{{url('assets/js/custom.min.js')}}"></script>
    <!-- <script src="assets/js/dashboard1.js"></script> -->
</html>

```

Welcome.blade.php

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta content="width=device-width, initial-scale=1.0"
name="viewport">
    <title>E-LAB</title>
    <meta content="" name="description">
    <meta content="" name="keywords">
    <!-- Favicons -->
    <link href="assets/img/favicon.png" rel="icon">
    <link href="assets/img/apple-touch-icon.png" rel="apple-touch-icon">
    <!-- Google Fonts -->
    <link
href="https://fonts.googleapis.com/css?family=Open+Sans:300,300i,400,40
0i,600,600i,700,700i|Roboto:300,300i,400,400i,500,500i,600,600i,700,700
i|Poppins:300,300i,400,400i,500,500i,600,600i,700,700i"
rel="stylesheet">
    <!-- Vendor CSS Files -->
    <link href="assets/vendor/aos/aos.css" rel="stylesheet">
    <link href="assets/vendor/bootstrap/css/bootstrap.min.css"
rel="stylesheet">
    <link href="assets/vendor/bootstrap-icons/bootstrap-icons.css"
rel="stylesheet">
    <link href="assets/vendor/boxicons/css/boxicons.min.css"
rel="stylesheet">
    <link href="assets/vendor/glightbox/css/glightbox.min.css"
rel="stylesheet">
    <link href="assets/vendor/swiper/swiper-bundle.min.css"
rel="stylesheet">
    <!-- Template Main CSS File -->
    <link href="assets/css/style2.css" rel="stylesheet">
</head>
<body>

```

```

<!-- ===== Header ===== -->
<header id="header" class="d-flex align-items-center">
  <div class="container d-flex align-items-center justify-content-between">
    <h1 class="logo">
      
      
      <a href="index.html">E-LAB</a></h1>
      <!-- Uncomment below if you prefer to use an image logo -->
      <!-- <a href="index.html" class="logo"></a-->
    <nav id="navbar" class="navbar">
      <ul>
        <li><a class="nav-link scrollto active" href="#hero">Home</a></li>
        <li><a class="nav-link scrollto" href="#profil">Profil</a></li>
        <li><a class="nav-link scrollto" href="#layanan">Layanan</a></li>
        <li><a class="nav-link scrollto " href="{ route('login') }}">Login</a></li>
      </ul>
    </nav><!-- .navbar -->
  </div>
</header><!-- End Header -->
<!-- ===== Hero Section ===== -->
<section id="hero" class="d-flex align-items-center">
  <div class="container" data-aos="zoom-out" data-aos-delay="100">
    <h1>Welcome to <span>E-LAB</span></h1>
    <h2>Electro Library Application Web</h2>
    <h3>TUGAS AKHIR IKA PRATIWI 061930330061</h3>
    <h4>Dosen Pembimbing I : Nasron, S.T., M.T.</h4>
    <h5>Dosen Pembimbing II : Ir. Jon Endri, M.T. </h5>
    <div class="d-flex">
    </div>
  </div>
</section><!-- End Hero -->
<main id="main">
  <div class="container">
    <!-- ===== Featured Services Section ===== -->
    <section id="featured-services" class="featured-services">
      <div class="container" data-aos="fade-up">
      </section><!-- End Featured Services Section -->
    <!-- ===== About Section ===== -->
    <section id="profil" class="profil section-bg">

```

```

    <div class="container" data-aos="fade-up">
      <div class="section-title">
        <h2>About Us</h2>
        <h3>Selamat Datang di <span>Perpustakaan Jurusan Teknik
Elektro</span></h3>
        <!-- <p>Jam Buka</p> -->
      </div>
      <div class="row">
        <div class="col-lg-6" data-aos="fade-right" data-aos-
delay="100">
          
        </div>
        <div class="col-lg-6 pt-4 pt-lg-0 content d-flex flex-column
justify-content-center" data-aos="fade-up" data-aos-delay="100">
          <h3>Perpustakaan Jurusan Teknik Elektro Politeknik Negeri
Sriwijaya</h3>
          <p class="fst-italic">
            Selamat datang di situs Perpustakaan Jurusan Teknik
Elektro Politeknik Negeri Sriwijaya.
            Di zaman globalisasi sekarang ini kebutuhan akan
informasi sangat meningkat, oleh sebab itu dengan membangun situs ini
yang ditujukan anggota Perpustakaan Jurusan Teknik Elektro Politeknik
Negeri Sriwijaya secara khusus.
            Layanan dan informasi jarak jauh disediakan pada situs
ini untuk memberikan kemudahan bagi Pemustaka guna mendapatkan
informasi.
          </p>
          <ul>
            <li>
              <i class="bx bx-store-alt"></i>
              <div>
                <h5>Visi</h5>
                <p>Menjadi sumber ilmu pengetahuan, teknologi, dan
seni (IPTEKS) bagi seluruh pemustaka Jurusan Teknik Elektro Politeknik
Negeri Sriwijaya.</p>
              </div>
            </li>
            <li>
              <i class="bx bx-store-alt"></i>
              <div>
                <h5>Misi</h5>
                <p>1. Menyediakan Teknologi Informasi</p>
                <p>2. Menyediakan Layanan Berbasis Digital</p>
                <p>3. Mengedepankan Layanan Prima bagi Pemustaka</p>
              </div>
            </li>
            <li>

```

```

        <i class="bx bx-timer"></i>
        <div>
            <h5>Jam Buka</h5>
            <p>Setiap Hari Kerja</p>
            <p>Senin - Kamis :</p>
            <p>07.30 WIB - 16.00 WIB</p>
            <p>Jumat :</p>
            <p>07.30 WIB - 11.00 WIB</p>
            <p>14.00 WIB - 16.00 WIB</p>
        </div>
    </div>
</section><!-- End About Section -->
<section id="layanan" class="layanan section-bg">
    <div class="container" data-aos="fade-up">
        <div class="section-title">
            <h2>Keanggotaan<span></h2>
            <p>Untuk dapat menggunakan fasilitas perpustakaan, anggota perpustakaan harus memiliki Kartu Anggota Perpustakaan (KAP).</p>
        </div>
        <div class="row justify-content-center">
            <div class="col-xl-10">
                <ul class="faq-list">
                    <li>
                        <div data-bs-toggle="collapse" class="collapsed question" href="#faq1">Keanggotaan Perpustakaan Jurusan Teknik Elektro Polstri terdiri dari : <i class="bi bi-chevron-down icon-show"></i><i class="bi bi-chevron-up icon-close"></i></div>
                        <div id="faq1" class="collapse" data-bs-parent=".faq-list">
                            <p>1. Seluruh mahasiswa yang mendaftar sebagai Anggota dengan membuat Kartu Anggota Perpustakaan</p>
                            <p>2. Seluruh dosen/karyawan Jurusan Teknik Elektro Polstri</p>
                        </div>
                    </li>
                    <li>
                        <div data-bs-toggle="collapse" href="#faq2" class="collapsed question">Prosedur Pembuatan KAP : <i class="bi bi-chevron-down icon-show"></i><i class="bi bi-chevron-up icon-close"></i></div>
                        <div id="faq2" class="collapse" data-bs-parent=".faq-list">
                            <p>1. Mengisi formulir pendaftaran</p>
                            <p>2. Menyerahkan pasfoto berwarna ukuran 2x3 sebanyak 2 lembar</p>
                            <p>3. Menyerahkan copy Kartu mahasiswa</p>
                            <p>4. Membayar Uang Pendaftaran</p>
                        </div>
                    </li>
                </ul>
            </div>
        </div>
    </div>

```



```

        </li>
        <li>
            <div data-bs-toggle="collapse" href="#faq3"
class="collapsed question">Masa Berlaku Keanggotaan : <i class="bi bi-
chevron-down icon-show"></i><i class="bi bi-chevron-up icon-
close"></i></div>
            <div id="faq3" class="collapse" data-bs-parent=".faq-
list">
                <p>Masa berlaku keanggotaan sesuai dengan masa normal
perkuliahannya bagi tiap jenjang</p>
            </div>
        </li>
        <li>
            <div data-bs-toggle="collapse" href="#faq3"
class="collapsed question">Staff <i class="bi bi-chevron-down icon-
show"></i><i class="bi bi-chevron-up icon-close"></i></div>
            <div id="faq3" class="collapse" data-bs-parent=".faq-
list">
                <p>Nilawati, S.E.</p>
                <p>Kepala Perpustakaan Jurusan Teknik Elektro
Politeknik Negeri Sriwijaya</p>
            </div>
        </li>
    </ul>
</div>
</section><!-- End Frequently Asked Questions Section -->
<section id="contact" class="contact">
    <div class="container" data-aos="fade-up">
        <div class="section-title">
            <h2>Contact</h2>
            <h3><span>Contact Us</span></h3>
        </div>
        <div class="row" data-aos="fade-up" data-aos-delay="100">
            <div class="col-lg-4 col-md-6">
                <div class="info-box mb-4">
                    <i class="bx bx-envelope"></i>
                    <h3>Email Us</h3>
                    <p>info@polsri.ac.id</p>
                </div>
            </div>
            <div class="col-lg-4">
                <div class="info-box mb-4">
                    <i class="bx bx-map"></i>
                    <h3>Our Address</h3>
                    <p>Jl Srijaya Negara Bukit Besar Palembang 30139</p>
                    <p>Gedung Kuliah V Jurusan Teknik Elektro</p>
                </div>
            </div>
        </div>
    </div>

```

```

        <div class="col-lg-4 col-md-6">
            <div class="info-box mb-4">
                <i class="bx bx-phone-call"></i>
                <h3>Call Us</h3>
                <p>+62 813 7796 9323</p>
            </div>
        </div>
    </div>
    <div class="row" data-aos="fade-up" data-aos-delay="100">
        <center>
            <div class="col-lg-12 ">
                <iframe class="mb-4 mb-lg-0"
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3984.4111334
579384!2d104.73129156401687!3d-
2.983292390670974!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2!1s0x2
e3b75ec2f95e45f%3A0x7d0e9c6c95db543a!2sTeknik%20Elektro%2C%20Polisri!5e0
!3m2!1sid!2sid!4v1655189628579!5m2!1sid!2sid" frameborder="0"
style="border:0; width: 100%; height: 384px;" allowfullscreen></iframe>
                </div>
            </center>
        <center>
            <div class="container py-4">
                <div class="copyright">
                    &copy; Copyright <strong><span>Ika Pratiwi
2022</span></strong>. All Rights Reserved
                </div>
                <div class="credits">
                    Designed by <a href="https://bootstrapmade.com/">Ika Pratiwi &
Bootstrap</a>
                </div>
            </div>
        </center>
    </footer><!-- End Footer -->
    <div id="preloader"></div>
    <a href="#" class="back-to-top d-flex align-items-center justify-
content-center"><i class="bi bi-arrow-up-short"></i></a>

    <!-- Vendor JS Files -->
    <script src="assets/vendor/purecounter/purecounter.js"></script>
    <script src="assets/vendor/aos/aos.js"></script>
    <script
src="assets/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
    <script src="assets/vendor/glightbox/js/glightbox.min.js"></script>
    <script src="assets/vendor/isotope-
layout/isotope.pkgd.min.js"></script>
    <script src="assets/vendor/swiper/swiper-bundle.min.js"></script>
    <script
src="assets/vendor/waypoints/noframework.waypoints.js"></script>

```

```

    <script src="assets/vendor/php-email-form/validate.js"></script>
    <script src="assets/js/main2.js"></script>
</body>
</html>
return Datatables::of($data)
    ->addIndexColumn()
    ->addColumn('action', function ($row) {
        $btn = '
            <form action="' . route('pengunjungs.destroy',
$row->id) . '"
                method="POST">
                <a class="btn btn-info" href="' .
route('pengunjungs.show', $row->id) . '">Show</a> ';
                if (Auth::user()->can('pengunjung-edit')) {
                    $btn = $btn . '<a class="btn btn-primary"
href="' . route('pengunjungs.edit', $row->id) . '">Edit</a>';
                }
                if (Auth::user()->can('pengunjung-delete')) {
                    $btn = $btn . csrf_field() .
method_field('DELETE') . ' <button type="submit" class="btn btn-
danger">Delete</button> <a class="btn btn-warning" href="' .
route('print_pengunjung', $row->nim_nip) . '" target="_blank">Print
QR</a>';
                }
                $btn = $btn . '
            </form> ';
        return $btn;
    })
    ->addColumn('qrcode', function ($row) {
        return QrCode::size(250)->generate($row->nim_nip);
    })
    ->rawColumns(['action'])
    ->make(true);
}

```