

```

File login.php
<?php
session_start();

// if (isset($_SESSION["ssLoginPIT"])) {
// header("location: dashboard.php");
// exit();
// }

require "config/config.php";

if (isset($_POST['login'])) {
    $username = mysqli_real_escape_string($koneksi, $_POST['username']);
    $password = mysqli_real_escape_string($koneksi, $_POST['password']);

    $queryLogin = mysqli_query($koneksi, "SELECT * FROM tb_user where username = '$username'");

    if (mysqli_num_rows($queryLogin) > 0) {
        $row = mysqli_fetch_assoc($queryLogin);
        if ($password === $row['password']) {
            // set sesi
            // $_SESSION['ssLoginPIT'] = true;
            // $_SESSION['ssUserPIT'] = $username;

            header("location: dashboard.php");
        } else {
            echo "<script>alert('password salah');</script>";
        }
    } else {
        echo "<script></script>";
    }
}

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Login - Monitoring AR</title>

    <!-- Google Font: Source Sans Pro -->
    <link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,400i,700&display=fallback">

    <!-- Font Awesome ->

```

```

<link
rel="stylesheet"
href="<?=$main_url
?>asset/AdminLTE-
3.2.0/plugins/fontawe
some-
free/css/all.min.css">
<!-- icheck bootstrap
-->
<link
rel="stylesheet"
href="<?=$main_url
?>asset/AdminLTE-
3.2.0/plugins/icheck-
bootstrap/icheck-
bootstrap.min.css">
<!-- Theme style -->
<link
rel="stylesheet"
href="<?=$main_url
?>asset/AdminLTE-
3.2.0/dist/css/adminlte
.min.css">
<!-- icon -->
<link rel="shortcut
icon" href="<?=$main_url
?>asset/image/logo_dj
p.png"
type="image/x-icon">

```

```

<link
rel="stylesheet"
href="style.css">
</head>
<body class="hold-
transition login-page"
id="bg-login">
<div class="login-box
slide-down"
style="margin-top: -
70px;">
<!-- /.login-logo -->
<div class="card
card-outline card-
primary">
<div class="card-
header text-center">
<a
class="h1"><b>Monit
oring AR</b></a>
</div>
<div class="card-
body">
<p class="login-
box-msg">Silahkan
log in untuk memulai
sesi</p>
<form
method="POST"
action="<?php echo

```

```

$_SERVER['PHP_SE
LF']; ?>">
<div
class="input-group
mb-4">
<input
type="text"
name="username"
class="form-control"
placeholder="Userna
me">
<div
class="input-group-
append">
<div
class="input-group-
text">
<span
class="fas fas
user"></span>
</div>
</div>
</div>
<div
class="input-group
mb-4">
<input
type="password"
name="password"
class="form-control"

```

| | | |
|-----------------------------|-------------------------|---------------------------|
| placeholder="Passwor d"> | Iir Timur <?= | </body> |
| | date('Y') ?> | </html> |
| <div | </p> | |
| class="input-group- | </div> | File dashboard.php |
| append"> | <!-- /.card-body --> | <?php |
| <div | </div> | |
| class="input-group- | <!-- /.card --> | session_start(); |
| text"> | </div> | header("Cache- |
| <span | <!-- /.login-box --> | Control: no-store, no- |
| class="fas fa- | | cache, must- |
| lock"> | <!-- jQuery --> | revalidate, max- |
| </div> | <script src="<?= | age=0"); |
| </div> | \$main_url | header("Cache- |
| </div> | ?>asset/AdminLTE- | Control: post- |
| <div class="mb- | 3.2.0/plugins/jquery/j | check=0, pre- |
| 4"> | query.min.js"></script | check=0", false); |
| <button | > | header("Pragma: no- |
| type="submit" | <!-- Bootstrap 4 --> | cache"); |
| name="login" | <script src="<?= | |
| class="btn btn- | \$main_url | if |
| primary btn- | ?>asset/AdminLTE- | (!isset(\$_SESSION["s |
| block">Log | 3.2.0/plugins/bootstra | sUserPIT"])) { |
| In</button> | p/js/bootstrap.bundle. | header("location: |
| </div> | min.js"></script> | login.php"); |
| </form> | <!-- AdminLTE App - | exit(); |
| | -> | } |
| <p class="my-3 | <script src="<?= | |
| text-center"> | \$main_url | require |
| <a>© KPP | ?>asset/AdminLTE- | "config/config.php"; |
| Pratama Palembang | 3.2.0/dist/js/adminlte. | |
| | min.js"></script> | |

```

require                                <div class="row                                </div>
"config/functions.php                 mb-2">                                <!-- /.content-
";                                     <div class="col-                            header -->
                                       sm-6">
$title = "Dashoard -                   <h1 class="m-                            <!-- Main content -->
Monitoring AR";                       0">Dashboard</h1>                            <section
require                                </div><!-- /.col                            class="content">
"template/header.php"                 -->                                     <div
;                                       <div class="col-                            class="container-
require                                sm-6">                                    fluid">
"template/navbar.php"                 <ol                                       <div
;                                       class="breadcrumb                            class="row">
require                                float-sm-right">                            <div class="col-
"template/sidebar.php                 <li                                       md-6">
";                                     class="breadcrumb-
                                       item"><a href="<?=                            </div>
?>                                     $main_url                                <!-- /.col
<!-- Content                           ?>dashboard.php">H                            (LEFT) -->
Wrapper. Contains                       ome</a></li>                            <div
page content -->                       <li                                       class="col-md-12">
<div class="content-                  class="breadcrumb-                            <!-- BAR
wrapper">                               item
<!-- Content Header                   active">Dashboard</l                            <div
(Page header) -->                       i>                                       class="card card-
<div                                   </ol>                                    success">
class="content-                         </div><!-- /.col                            <div
header">                                -->                                       class="card-header">
<div                                   </div><!-- /.row -                            <h3
class="container-                       ->                                       class="card-
fluid">                                  </div><!--                                    title">Grafik
                                       /.container-fluid -->                            Penerimaan</h3>

```

```

max-height: 250px;
max-width: 100%;"></canvas>
<div
class="card-tools">
    <button
type="button"
class="btn btn-tool"
data-card-
widget="collapse">
        <i
class="fas fa-
minus"></i>
    </button>
    <button
type="button"
class="btn btn-tool"
data-card-
widget="remove">
        <i
class="fas fa-
times"></i>
    </button>
</div>
<div
class="card-body">
    <div
class="chart">
        <canvas
id="barChart"
style="min-height:
250px; height: 250px;
max-height: 250px;
max-width: 100%;"></canvas>
    </div>
<!-- /.card-
body -->
</div>
<!-- /.card -->
<i
class="fas fa-
minus"></i>
    <div
class="card">
        <div
class="card-header">
            <h3
class="card-title"><i
class="fas fa-list fa-
sm mr-2 my-
2"></i>Pertumbuhan
Penerimaan</h3>
        </div>
        <div
class="card-body
table-responsive p-3">
            <table
id="fungsiTopTable"
class="table table-
bordered table-hover
text-nowrap">
                <thead>
                    <tr>
                        <th>No</th>
                        <th>Seksi</th>
                        <th>NIP</th>
                        <th>Nama</th>
                        <th>Target</th>
                        <th>Penerimaan
Tahun Berjalan</th>
                        <th>Persentase
Penerimaan</th>
                    </tr>
                </thead>
                <tbody>
                    <?php
                    $no = 1;
                    $penerimaan =

```

```

getData("SELECT *
FROM penerimaan");

foreach($penerimaan
as $penerimaan) :

$persen =
($penerimaan['peneri
maan_thnberjalan']/$p
enerimaan['target'])*1
00;

?>

<tr>

<td><?=$no++
?></td>

<td>

<?php

if
($penerimaan['seksi_p
engawasan'] == 'Seksi
Pengawasan I'){

echo "Seksi
Pengawasan 1";

} elseif

($penerimaan['seksi_p
engawasan'] == 'Seksi
Pengawasan II'){

echo "Seksi
Pengawasan 2";

} elseif
($penerimaan['seksi_p
engawasan'] == 'Seksi
Pengawasan III'){

echo "Seksi
Pengawasan 3";

} elseif
($penerimaan['seksi_p
engawasan'] == 'Seksi
Pengawasan IV'){

echo "Seksi
Pengawasan 4";

} elseif
($penerimaan['seksi_p
engawasan'] == 'Seksi
Pengawasan V'){

echo "Seksi
Pengawasan 5";

} else {

echo "Seksi
Pengawasan 6";

}

?>

<td><?=$penerimaan['nip']
?></td>

<td><?=$penerimaan['nama']
?></td>

<td>Rp. <?=$number_format($pene
rimaan['target'])
?></td>

<td>Rp. <?=$number_format($pene
rimaan['penerimaan_t
hnberjalan']) ?></td>

<td>

```

| | | |
|---------------------------------|------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| <?php | <!-- ./wrapper --> | <!-- Page specific script --> |
| echo number_format(\$persen); | <!-- jQuery --> | <script> |
| ?> | <script src="asset/AdminLTE 3.2.0/plugins/jquery/jquery.min.js"></script> | \$(function () { |
| % | > | /* ChartJS |
| </td> | <!-- Bootstrap 4 --> | * ----- |
| </tr> | <script src="asset/AdminLTE 3.2.0/plugins/boostrap/js/bootstrap.bundle.min.js"></script> | * Here we will create a few charts using ChartJS |
| <?php endforeach; ?> | <!-- ChartJS --> | */ |
| </tbody> | <script src="asset/AdminLTE 3.2.0/plugins/chart.js/Chart.min.js"></script> | //----- |
| </table> | <!-- AdminLTE App --> | //- BAR CHART - |
| </div> | <script src="asset/AdminLTE 3.2.0/dist/js/adminlte.min.js"></script> | //----- |
| </div> | <!-- AdminLTE App --> | <?php |
| <!-- /col (RIGHT) --> | <!-- AdminLTE App --> | \$qry = |
| </div> | <script src="asset/AdminLTE 3.2.0/dist/js/adminlte.min.js"></script> | \$koneksi->query("SELECT * FROM penerimaan GROUP BY target, penerimaan_thnberjalan, nama "); |
| <!-- /row --> | <!-- AdminLTE App --> | while(\$data = \$qry->fetch_assoc()){ |
| </div><!-- /container-fluid --> | <!-- AdminLTE App --> | \$dataLabel[] = |
| </section> | <!-- AdminLTE App --> | \$data['target']; |
| <!-- /content --> | <!-- AdminLTE App --> | \$dataLabel2[] = |
| </div> | <!-- AdminLTE App --> | |

```

$data['penerimaan_therjalan'];
        pointColor      :      pointHighlightFill
        '#3b8bba',      : '#fff',
        pointStrokeColor
        pointHighlightStroke:
        : 'rgba(60,141,188,1)', pointHighlightStroke:
        pointHighlightFill   'rgba(220,220,220,1)',
        : '#fff',           data      :
    }                       <?php      echo
        foreach($qry        pointHighlightStroke:  json_encode($dataLabel2);?>
as $data) :                'rgba(60,141,188,1)',
    ?>                       data      :      },
        <?php      echo      ]
        json_encode($dataLabel) ?>
    }
    var barChartCanvas
    =
    $('#barChart').get(0).getContext('2d')
        label      :      responsive      :
        'Penerimaan Tahun Berjalan', true,
        backgroundColor maintainAspectRatio
        : 'rgba(210, 214, 222, : false,
1)', datasetFill      :
        {               borderColor      :      false
            label      :      'rgba(210, 214, 222, }
            'Target Penerimaan', 1)',
            backgroundColor pointRadius      :      new
            : false, Chart(barChartCanvas
            'rgba(60,141,188,0.9)', pointColor      :      , {
            borderColor      :      'rgba(210, 214, 222, type: 'bar',
            'rgba(60,141,188,0.8)', 1)',
            pointRadius      :      pointStrokeColor
            false,                : '#c1c7d1',
            barChartData,

```


| | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <pre> options: barChartOptions }) <?php endforeach; ?> }) </script> <?php require "template/footer.php"; ?> </pre> | <pre> \$password = \$_POST['password']; \$sql = "SELECT * FROM tb_user WHERE username = '\$username'"; \$query = \$db- >query(\$sql); \$hasil = \$query- >fetch_assoc(); if(\$query- >num_rows == 0) { echo "<div align='center'> <b r>Username Belum Terdaftar! Kembali</div>"; } else { if(\$pass <> \$hasil['password']) { echo "<div align='center'> <b r>Password salah! Kembali</div>"; } else { \$_SESSION['usern ame'] = \$hasil['username']; </pre> | <pre> header('location: dashboard.php'); } } ?> </pre> <p>File aksi.php</p> <pre> <? require "../vendor/autoload.ph p"; require "../config/config.php"; if (isset(\$_POST['submi t'])) { \$err = ""; \$ekstensi = ""; \$success = ""; \$file_name = \$_FILES['filexls']['na me']; // utk get nama file \$file_data = \$_FILES['filexls']['tm p_name']; // utk get temporary data </pre> |
| <p>File logout.php</p> <pre> <?php session_start(); session_unset(); session_destroy(); header("location: login.php"); ?> </pre> | <pre> echo "<div align='center'> <b r>Username Belum Terdaftar! Kembali</div>"; } else { if(\$pass <> \$hasil['password']) { echo "<div align='center'> <b r>Password salah! Kembali</div>"; } else { \$_SESSION['usern ame'] = \$hasil['username']; </pre> | |
| <p>File proseslogin.php</p> <pre> <?php session_start(); require "config/config.php"; \$username = \$_POST['username']; </pre> | <pre> } else { if(\$pass <> \$hasil['password']) { echo "<div align='center'> <b r>Password salah! Kembali</div>"; } else { \$_SESSION['usern ame'] = \$hasil['username']; </pre> | |

```

        if
(empty($file_name)) {
            $err
            .=
"<li>Silahkan
masukkan file</li>";
        } else {
            $ekstensi
            =
pathinfo($file_name)['
extension'];
        }

$ekstensi_allowed
=
array("xls", "xlsx");
        if
(!in_array($ekstensi,$
ekstensi_allowed)) {
            $err
            .=
"<li>Silahkan
masukkan file tipe xls
atau xlsx. File yang di
upload
<b>$file_name</b>
dengan tipe
<b>$ekstensi</b></li
>";
        }

        if ($err) {
            ?>

```

File mode-ar.php

```

<div
class="alert alert-
danger">
    <ul><?php
echo $err ?></ul>
</div>
<?php
}
if ($success) {
    ?>
    <div
class="alert alert-
primary">
        <ul><?php
echo $success ?></ul>
</div>
<?php
}
?>
function
insert($data){
    global $koneksi;
    $nip
    =
mysqli_real_escape_st
ring($koneksi, $data
['nip']);
    $nama
    =
mysqli_real_escape_st
ring($koneksi, $data
['nama']);
    $seksi_pengawasan
    =
mysqli_real_escape_st
ring($koneksi, $data
['seksi_pengawasan']);
    // cek username
    $cekNamaAR
    =
mysqli_query($konek
si, "SELECT * FROM
tb_ar WHERE nama =
'$nama'");
    if
(mysqli_num_rows($
cekNamaAR) > 0) {
        echo "<script>
alert('nama
sudah ada,
pendaftaran gagal!');
</script>";
        return false;
    }
    $sqlUser
    =
"INSERT INTO tb_ar

```

```

VALUES(null,'$nip','
$nama','$seksi_penga
wasan)");

mysql_query($konek
si, $sqlUser);

return
mysql_affected_rows
($koneksi);
}

function
selectSeksi1($seksi_p
engawasan){
    $result = null;
    if
($seksi_pengawasan
== 'Seksi Pengawasan
I') {
        $result =
"selected";
    }
    return $result;
}

function
selectSeksi2($seksi_p
engawasan){
    $result = null;
    if
($seksi_pengawasan
== 'Seksi Pengawasan
II') {
        $result =
"selected";
    }
    return $result;
}

function
selectSeksi3($seksi_p
engawasan){
    $result = null;
    if
($seksi_pengawasan
== 'Seksi Pengawasan
III') {
        $result =
"selected";
    }
    return $result;
}

function
selectSeksi4($seksi_p
engawasan){
    $result = null;
    if
($seksi_pengawasan
== 'Seksi Pengawasan
IV') {
        $result =
"selected";
    }
    return $result;
}

function
selectSeksi5($seksi_p
engawasan){
    $result = null;
    if
($seksi_pengawasan
== 'Seksi Pengawasan
V') {
        $result =
"selected";
    }
    return $result;
}

function
selectSeksi6($seksi_p
engawasan){
    $result = null;
    if
($seksi_pengawasan
== 'Seksi Pengawasan
VI') {

```

```

        $result      =      $queryNama      =      </script>";
"selected";        mysqli_query($konek      return false;
    }              si, "SELECT * FROM      }
    return $result; tb_ar WHERE id_ar =      }
    }              $id_ar");
                  $dataNama      =
function          mysqli_fetch_assoc($      mysqli_query($konek
update($data){    queryNama);        si, "UPDATE tb_ar
    global $koneksi;        $curNama      =      SET
                  $dataNama['nama'];        nip      =
                  // cek nama baru        '$nip',
                  $newNama      =        nama      =
                  mysqli_query($konek        '$nama',
si, "SELECT * FROM      seksi_pengawasan =
tb_ar WHERE nama =        '$seksi_pengawasan'
'$nama'");        WHERE id_ar =
                  if ($nama !==        $id_ar;
                  $curNama) {        ");
                    if      return
                    (mysqli_num_rows($      mysqli_affected_rows
                    newNama)) {        ($koneksi);
                    echo      }
                    "<script>        ?>
                    alert('nama
                    sudah ada, update data
                    ar gagal!');
                    document.location.href = 'data-ar.php';

```

File **mode-**
kinerja.php
<?php

```

function
selectSeksi1($seksi_p
engawasan){
    $result = null;
    if
($seksi_pengawasan
== 'Seksi Pengawasan
I') {
        $result =
"selected";
    }
    return $result;
}

function
selectSeksi2($seksi_p
engawasan){
    $result = null;
    if
($seksi_pengawasan
== 'Seksi Pengawasan
II') {
        $result =
"selected";
    }
    return $result;
}

function
selectSeksi3($seksi_p
engawasan){
    $result = null;
    if
($seksi_pengawasan
== 'Seksi Pengawasan
III') {
        $result =
"selected";
    }
    return $result;
}

function
selectSeksi4($seksi_p
engawasan){
    $result = null;
    if
($seksi_pengawasan
== 'Seksi Pengawasan
IV') {
        $result =
"selected";
    }
    return $result;
}

function
selectSeksi5($seksi_p
engawasan){
    $result = null;
    if
($seksi_pengawasan
== 'Seksi Pengawasan
V') {
        $result =
"selected";
    }
    return $result;
}

function
selectSeksi6($seksi_p
engawasan){
    $result = null;
    if
($seksi_pengawasan
== 'Seksi Pengawasan
VI') {
        $result =
"selected";
    }
    return $result;
}
?>

File mode-  
pencapaian.php
<?php
function
insert($data){
    global $koneksi;

```

```

    $npwp      = ring($koneksi, $data == 'Seksi Pengawasan
mysqli_real_escape_st ring($koneksi, $data I') {
ring($koneksi, $data $thnpajak = $result =
['npwp']); mysqli_real_escape_st "selected";
    $wp      = ring($koneksi, $data }
mysqli_real_escape_st ring($koneksi, $data return $result;
ring($koneksi, $data ['wp']); }

    $seksi_pengawasan = $sqlPencapaian function
mysqli_real_escape_st = "INSERT INTO selectSeksi2($seksi_p
ring($koneksi, $data pencapaian engawasan){
ring($koneksi, $data VALUES(null,$npwp $result = null;
ring($koneksi, $data ', $wp', $seksi_pengaw if
ring($koneksi, $data asan', $nama', $nip', $d ($seksi_pengawasan
ring($koneksi, $data pp', $sp2dk', $lhp2dk', ' == 'Seksi Pengawasan
ring($koneksi, $data $thnpajak)"; II') {
ring($koneksi, $data $nama'); $result =
ring($koneksi, $data $nip = mysqli_query($konek "selected";
ring($koneksi, $data mysqli_real_escape_st si, $sqlPencapaian); }
ring($koneksi, $data ['nip']); return return $result;
ring($koneksi, $data $dpp = mysqli_affected_rows }
ring($koneksi, $data ($koneksi); function
ring($koneksi, $data ['dpp']); } selectSeksi3($seksi_p
ring($koneksi, $data $sp2dk = function engawasan){
ring($koneksi, $data mysqli_real_escape_st $result = null;
ring($koneksi, $data ring($koneksi, $data if
ring($koneksi, $data ['sp2dk']); ring($koneksi, $data ($seksi_pengawasan
ring($koneksi, $data $lhp2dk = ring($koneksi, $data == 'Seksi Pengawasan
mysqli_real_escape_st ring($koneksi, $data III') {
ring($koneksi, $data ($seksi_pengawasan

```

```

        $result = return $result;
"selected";
    }
    return $result;
}

function
selectSeksi4($seksi_p
engawasan){
    $result = null;
    if
($seksi_pengawasan
== 'Seksi Pengawasan
IV') {
        $result =
"selected";
    }
    return $result;
}

function
selectSeksi5($seksi_p
engawasan){
    $result = null;
    if
($seksi_pengawasan
== 'Seksi Pengawasan
V') {
        $result =
"selected";
    }
}

function
selectSeksi6($seksi_p
engawasan){
    $result = null;
    if
($seksi_pengawasan
== 'Seksi Pengawasan
VI') {
        $result =
"selected";
    }
    return $result;
}

function
update($data){
    global $koneksi;

    $id_pencapaian
=
mysql_real_escape_st
ring($koneksi, $data
['id_pencapaian']);
    $npwp =
mysql_real_escape_st
ring($koneksi, $data
['npwp']);

    $wp =
mysql_real_escape_st
ring($koneksi, $data
['wp']);

    $seksi_pengawasan =
mysql_real_escape_st
ring($koneksi, $data
['seksi_pengawasan']);
    $nama =
mysql_real_escape_st
ring($koneksi, $data
['nama']);
    $nip =
mysql_real_escape_st
ring($koneksi, $data
['nip']);
    $dpp =
mysql_real_escape_st
ring($koneksi, $data
['dpp']);
    $sp2dk =
mysql_real_escape_st
ring($koneksi, $data
['sp2dk']);
    $lhp2dk =
mysql_real_escape_st
ring($koneksi, $data
['lhp2dk']);
    $thnpajak =
mysql_real_escape_st
ring($koneksi, $data
['thnpajak']);
}

```

```

ring($koneksi, $data
['thnpajak']);

// cek nama
sekarang
$queryNama =
mysqli_query($konek
si, "SELECT * FROM
pencapaian WHERE
id_pencapaian =
$Sid_pencapaian");
$dataNama =
mysqli_fetch_assoc($
queryNama);
$curNama =
$dataNama['nama'];

// cek nama baru
$newNama =
mysqli_query($konek
si, "SELECT * FROM
pencapaian WHERE
nama = '$nama'");

if ($nama !==
$curNama) {
    if
(mysqli_num_rows($
newNama)) {
        echo
"<script>
                    alert('nama
                    lhp2dk
                    =
                    sudah ada, update data
                    $lhp2dk',
                    thnpajak
                    =
                    pencapaian ar gagal!');
                    $thnpajak',
                    WHERE
                    id_pencapaian
                    =
                    $Sid_pencapaian;
                    </script>";
                    return false;
                }
            }

mysqli_query($konek
si, "UPDATE into
pencapaian SET
        npwp
        =
        '$npwp',
        wp
        =
        '$wp',
        seksi_pengawasan
        =
        '$seksi_pengawasan',
        nip
        =
        '$nip',
        nama
        =
        '$nama',
        dpp
        =
        '$dpp',
        sp2dk
        =
        '$sp2dk',
        ?>

```

File mode- penerimaan.php

```

<?php

function
insert($data){
    global $koneksi;
    $seksi_pengawasan
    =
    mysqli_real_escape_st
    ring($koneksi, $data
    ['seksi_pengawasan']);
    $nip
    =
    mysqli_real_escape_st

```



```

ring($koneksi, $data
['nip']);
    $nama
=
mysqli_real_escape_st
ring($koneksi, $data
['nama']);
    $target
=
mysqli_real_escape_st
ring($koneksi, $data
['target']);

$penerimaan_thnberja
lan =
mysqli_real_escape_st
ring($koneksi, $data
['penerimaan_thnberja
lan']);

$penerimaan_thnlalu
=
mysqli_real_escape_st
ring($koneksi, $data
['penerimaan_thnlalu']
);

// cek username
    $cekNamaAR =
mysqli_query($konek
si, "SELECT * FROM
penerimaan WHERE
nama = '$nama'");
    if
(mysqli_num_rows($
cekNamaAR) > 0) {
        echo "<script>
alert('nama
sudah ada,
pendaftaran gagal!');
</script>";
        return false;
    }

    $sqlUser =
"INSERT INTO
penerimaan
VALUES(null,'$seksi
_pengawasan','$nip','$
nama','$target','$pener
imaan_thnberjalan','$p
enerimaan_thnlalu)";

mysqli_query($konek
si, $sqlUser);

return
mysqli_affected_rows
($koneksi);
}

function
selectSeksi1($seksi_p
engawasan){
    $result = null;
    if
($seksi_pengawasan
== 'Seksi Pengawasan
I') {
        $result =
"selected";
    }
    return $result;
}

function
selectSeksi2($seksi_p
engawasan){
    $result = null;
    if
($seksi_pengawasan
== 'Seksi Pengawasan
II') {
        $result =
"selected";
    }
    return $result;
}

function
selectSeksi3($seksi_p
engawasan){

```

```

        $result = null;
        if
($seksi_pengawasan
== 'Seksi Pengawasan
III') {
            $result =
"selected";
        }
        return $result;
    }

    function
selectSeksi4($seksi_p
engawasan){
        $result = null;
        if
($seksi_pengawasan
== 'Seksi Pengawasan
IV') {
            $result =
"selected";
        }
        return $result;
    }

    function
selectSeksi5($seksi_p
engawasan){
        $result = null;
        if
($seksi_pengawasan
== 'Seksi Pengawasan
V') {
            $result =
"selected";
        }
        return $result;
    }

    function
selectSeksi6($seksi_p
engawasan){
        $result = null;
        if
($seksi_pengawasan
== 'Seksi Pengawasan
VI') {
            $result =
"selected";
        }
        return $result;
    }

    function
update($data){
        global $koneksi;

        $id_penerimaan
=
mysqli_real_escape_st
ring($koneksi, $data
['id_penerimaan']);

        $seksi_pengawasan =
mysqli_real_escape_st
ring($koneksi, $data
['seksi_pengawasan']);
        $nama =
mysqli_real_escape_st
ring($koneksi, $data
['nama']);
        $nip =
mysqli_real_escape_st
ring($koneksi, $data
['nip']);
        $nip =
mysqli_real_escape_st
ring($koneksi, $data
['target']);
        $nama =
mysqli_real_escape_st
ring($koneksi, $data
['penerimaan_thnberja
lan']);

        $seksi_pengawasan =
mysqli_real_escape_st
ring($koneksi, $data
['penerimaan_thnlalu']
);

        // cek nama
        sekarang

```

```

$queryNama =
mysqli_query($koneksi, "SELECT * FROM
penerimaan WHERE
id_penerimaan =
$id_penerimaan");
$dataNama =
mysqli_fetch_assoc($
queryNama);
$curNama =
$dataNama['nama'];

// cek nama baru
$newNama =
mysqli_query($koneksi, "SELECT * FROM
penerimaan WHERE
nama = '$nama'");

if ($nama !==
$curNama) {
    if
(mysqli_num_rows($
newNama)) {
        echo
        "<script>
        alert('nama
        sudah ada, update data
        ar gagal!');
    }
}

return
mysqli_affected_rows
($koneksi);
?>
}
}

<?php
function
insert($data){
    global $koneksi;
    $username =
    strtolower(mysqli_rea
    l_escape_string($kone
    ksi, $data
    ['username']));
    $password =
    mysqli_real_escape_st
    ring($koneksi, $data
    ['password']);
    $password2
    =
    mysqli_real_escape_st
    ring($koneksi, $data
    ['password']);
    $level =
    mysqli_real_escape_st
    ring($koneksi, $data
    ['level']);

    if ($password
    !== $password2) {
        echo "<script>
        alert('konfirmasi
        password tidak sesuai,
        pendaftaran gagal!');
    }
}

```

File mode-user.php

```

        </script>";
    }

    // cek username
    $cekUsername =
mysql_query($konek
si, "SELECT * FROM
tb_user WHERE
username =
'$username'");
    if
(mysql_num_rows($
cekUsername) > 0) {
        echo "<script>

alert('username sudah
ada, pendaftaran
gagal!');

        </script>";
        return false;
    }

    $sqlUser =
"INSERT INTO
tb_user
VALUES(null,'$usern
ame','$password','$lev
el')";

mysql_query($konek
si, $sqlUser);

```

```

        return
mysql_affected_rows
($koneksi);
    }

    function
delete($id){
        global $koneksi;

        $sqlDel =
"DELETE FROM *
tb_user WHERE id =
$id";

        mysql_query($konek
si, $sqlDel);

        return
mysql_affected_rows
($koneksi);
    }

    function
selectUser1($level){
        $result = null;
        if ($level == 1) {
            $result =
"selected";
        }
        return $result;
    }

    function
selectUser2($level){
        $result = null;
        if ($level == 2) {
            $result =
"selected";
        }
        return $result;
    }

    function
selectUser3($level){
        $result = null;
        if ($level == 3) {
            $result =
"selected";
        }
        return $result;
    }

    function
update($data){
        global $koneksi;

        $id =
mysql_real_escape_st
ring($koneksi, $data
['id']);

```

```

$username = mysqli_query($koneksi, "SELECT * FROM tb_user WHERE username = '$username'");
$level = mysqli_real_escape_string($koneksi, $data['level']);

// cek username sekarang
$queryUsername = mysqli_query($koneksi, "SELECT * FROM tb_user WHERE id = $id");
$dataUsername = mysqli_fetch_assoc($queryUsername);
$curUsername = $dataUsername['username'];

// cek username baru
$newUsername = mysqli_query($koneksi, "SELECT * FROM tb_user WHERE id = $id");
if ($username !== $curUsername) {
    if (mysqli_num_rows($newUsername)) {
        echo "<script>
alert('username sudah ada, update data user gagal!');
document.location.href = 'data-user.php';
</script>";
return false;
    }
}

mysqli_query($koneksi, "UPDATE tb_user SET username = '$username',

```