

Admin.php

```
<!DOCTYPE html>

<html lang="en">

<?php session_start(); ?>

<head>

<meta charset="utf-8">

<title>ADMIN - Apkemik</title>

<meta content="width=device-width, initial-scale=1.0" name="viewport">

<meta content="" name="keywords">

<meta content="" name="description">

<!-- Favicon -->

<link href="foto/logo.jpg" rel="icon">

<!-- Google Web Fonts -->

<link rel="preconnect"
href="https://fonts.googleapis.com">

<link rel="preconnect"
href="https://fonts.gstatic.com" crossorigin>

<link
href="https://fonts.googleapis.com/css2?family=Heebo:wght@400;500;600&family=Nunito:wght@600;700;800&family=Pacifico&display=swap"
rel="stylesheet">

<link
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css" rel="stylesheet">

<link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css"
rel="stylesheet">

<link href="assets/home/css/bootstrap.min.css"
rel="stylesheet">

<link href="assets/home/css/style.css"
rel="stylesheet"> </head>

<body>

<div class="container-xxl bg-white p-0">

<div class="container-xxl position-relative p-0">
```

```
<nav class="navbar navbar-expand-lg navbar-dark
bg-dark px-4 px-lg-5 py-3 py-lg-0">

<a href="" class="navbar-brand p-0">

<h1 class="text-primary m-0"></h1></a>

<button class="navbar-toggler" type="button" data-
bs-toggle="collapse" data-bs-
target="#navbarCollapse">

<span class="fa fa-bars"></span> </button>

<div class="collapse navbar-collapse"
id="navbarCollapse">

<div class="navbar-nav ms-auto py-0 pe-4">

<a href="login.php" class="nav-item nav-link
active">Home</a>

<a href="tentang.php" class="nav-item nav-
link">Tentang</a>

<a href="kontak.php" class="nav-item nav-
link">Kontak</a></div></div>

<div class="container-xxl py-5 bg-dark hero-
header mb-5">

<div class="container my-5 py-5">

<div class="row align-items-center g-5">

<div class="col-lg-6 text-center text-lg-start">

<h1 class="display-5 text-white animated
slideInLeft text-left">Selamat Datang Di
<br>Aplikasi<br>Pemilihan Kepala Mandor
Terbaik<br>(APKEMIK)</h1></div>

<div class="col-md-6 bg-dark d-flex align-items-
center">

<div class="p-5 ">

<h5 class="section-title ff-secondary text-start text-
primary fw-normal">apkemik</h5>

<h1 class="text-white mb-4">Login</h1>

<form method="POST">

<div class="row g-3">

<div class="col-md-12">
```

```

<div class="form-floating">

<input type="email" class="form-control"
name="email" aria-describedby="emailHelp"
placeholder="Email">

<label for="inputEmail">Email</label></div>

<div class="col-md-12">

<div class="form-floating date" id="date3" data-
target-input="nearest">

<input type="password" class="form-control"
name="password" placeholder="Password">

<label for="inputPassword">Password</label>

</div>

</div>

<div class="col-12">

<button type="submit" class="btn btn-primary w-
100 py-3" name="login"
value="login">Login</button></div></div>

</form>

<div class="container-fluid bg-dark text-light
footer pt-5 mt-5">

<div class="container">

<div class="copyright">

<div class="row">

<div class="col-md-6 text-center text-md-start mb-
3 mb-md-0">

&copy; <a href="#">Apkemik, Aplikasi Pemilihan
Kepala Mandor Terbaik</a>

</div> </div> </div> </div> </div>

<script src="https://code.jquery.com/jquery-
3.4.1.min.js"></script>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/
dist/js/bootstrap.bundle.min.js"></script>

<script
src="assets/home/lib/wow/wow.min.js"></script>

```

```

<script
src="assets/home/lib/easing/easing.min.js"></script
>

<script
src="assets/home/lib/waypoints/waypoints.min.js">
</script>

<script
src="assets/home/lib/counterup/counterup.min.js">
</script>

<script
src="assets/home/lib/owlcarousel/owl.carousel.min
.js"></script>

<script
src="assets/home/lib/tempusdominus/js/moment.mi
n.js"></script>

```

Index.php

```

<?php include 'header.php';

include('koneksi.php'); if (isset($_POST['submit']))
{

    $tahun = $_POST['tahun'];

} else {

    $tahun = date('Y');

}

if (isset($_POST['caritanggal'])) {

    $tanggal = $_POST['tanggal'];

} else {

    $tanggal = date('Y-m-d');

}

$idpengguna =
$_SESSION['pengguna']['idpengguna'];

if ($sesi == "Admin") {

    $admin = $koneksi->query("SELECT *FROM
pengguna where level='Admin'");

    $jumlahadmin = mysqli_num_rows($admin);

```

```

$mandor = $koneksi->query("SELECT*FROM
pengguna where level='Mandor'");

} else {

$manager = $koneksi->query("SELECT*FROM
pengguna where level='Manager'");

$jumlahmanager = mysqli_num_rows($manager);
} ?>

<script
src="https://canvasjs.com/assets/script/canvasjs.mi
n.js"></script>

<div class="container-fluid px-4">

<h3 class="mt-4">Dashboard</h3>

<div class="right_col" role="main">

<?php

if ($sesi == "Admin") { ?>

<div class="row">

<div class="col-md-3">

<div class="card bg-warning text-white mb-4">

<div class="card-body">Data Kriteria</div>

<div class="card-footer d-flex align-items-center
justify-content-between">

<a class="small text-white stretched-link"
href="kriteriadaftar.php">Selengkapnya</a>

<div class="small text-white"><i class="fas fa-
angle-right"></i></div> </div> </div> </div>

<div class="col-md-3">

<div class="card bg-primary text-white mb-4">

<div class="card-body">Data Sub Kriteria</div>

<div class="card-footer d-flex align-items-center
justify-content-between">

<a class="small text-white stretched-link"
href="subkriteriadaftar.php">Selengkapnya</a>

<div class="small text-white"><i class="fas fa-
angle-right"></i></div> </div> </div> </div>

<div class="col-md-3">

```

```

<div class="card bg-secondary text-white mb-4">

<div class="card-body">Alternatif & Nilai</div>

<div class="card-footer d-flex align-items-center
justify-content-between">

<a class="small text-white stretched-link"
href="nilidaftar.php">Selengkapnya</a>

<div class="small text-white"><i class="fas fa-
angle-right"></i></div></div></div></div>

<div class="col-md-3">

<div class="card bg-danger text-white mb-4">

<div class="card-body">Hasil Perhitungan</div>

<div class="card-footer d-flex align-items-center
justify-content-between">

<a class="small text-white stretched-link"
href="perhitungan.php">Selengkapnya</a>

<div class="small text-white"><i class="fas fa-
angle-right"></i></div> </div> </div> </div>

<div class="col-md-6">

<div class="card bg-info text-white mb-4">

<div class="card-body">Jumlah Akun
Admin</div>

<div style="padding-left: 20px;"
class="count"><?= $jumlahadmin ?></div>

<div class="card-footer d-flex align-items-center
justify-content-between">

<a class="small text-white stretched-link"
href="penggunadaftar.php">Selengkapnya</a>

<div class="small text-white"><i class="fas fa-
angle-right"></i></div> </div> </div> </div>

<div class="col-md-6">

<div class="card bg-success text-white mb-4">

<div class="card-body">Jumlah Akun
Mandor</div>

<div style="padding-left: 20px;"
class="count"><?= $jumlahmandor ?></div>

```

```

<div class="card-footer d-flex align-items-center justify-content-between">
<a class="small text-white stretched-link" href="penggunadafar.php">Selengkapnya</a>
<div class="small text-white"><i class="fas fa-angle-right"></i></div> </div> </div> </div>
<div class="col-md-12">
<div class="card bg-success text-white mb-4">
<div class="card-body">Jumlah Akun Manager</div>
<div style="padding-left: 20px;" class="count"><?= $jumlahmanager ?></div>
<div class="card-footer d-flex align-items-center justify-content-between">
<a class="small text-white stretched-link" href="penggunadafar.php">Selengkapnya</a>
<div class="small text-white"><i class="fas fa-angle-right"></i></div></div></div></div>
<?php } elseif ($sesi == 'Mandor'){ ?>
<div class="row">
<div class="col-md-12">
<div class="card bg-success text-white mb-4">
<div class="card-body">Jumlah Mandor</div>
<div style="padding-left: 20px;" class="count"><?= $jumlahmandor ?></div>
<br></div> </div>
<div class="col-md-12">
<div class="card bg-danger text-white mb-4">
<div class="card-body">Hasil Perhitungan</div>
<div class="card-footer d-flex align-items-center justify-content-between">
<a class="small text-white stretched-link" href="perhitungan.php">Selengkapnya</a>
<div class="small text-white"><i class="fas fa-angle-right"></i></div> </div> </div> </div>

```

```

<div class="card-body">Hasil Perhitungan</div>
<div class="card-footer d-flex align-items-center justify-content-between">
<a class="small text-white stretched-link" href="perhitungan.php">Selengkapnya</a>
<div class="small text-white"><i class="fas fa-angle-right"></i></div> </div>

```

Database.php

```

SET SQL_MODE =
"NO_AUTO_VALUE_ON_ZERO";

START TRANSACTION;

SET time_zone = "+00:00";

/*!40101 SET
@OLD_CHARACTER_SET_CLIENT=@@CHA
RACTER_SET_CLIENT */;

/*!40101 SET
@OLD_CHARACTER_SET_RESULTS=@@CH
ARACTER_SET_RESULTS */;

/*!40101 SET
@OLD_COLLATION_CONNECTION=@@COL
LATION_CONNECTION */;

/*!40101 SET NAMES utf8mb4 */;

-- Database: `pemilihanmandor`

INSERT INTO `alternatif` (`idalternatif`,
`idpengguna`, `nama_alternatif`, `c1`, `c2`, `c3`,
`c4`) VALUES
(14, 26, 'Misiyadi', '3', '1', '4', '2'),
(15, 27, 'Tradimi Swike', '4', '2', '4', '3'),
(16, 28, 'Iwan Sudarto', '2', '3', '3', '2'),
(17, 29, 'Jonner Nababan', '4', '2', '3', '4'),
(18, 30, 'Karim Amrullah', '1', '1', '3', '4'),
(19, 31, 'Haris Wanto', '2', '2', '3', '3'),
(20, 32, 'Kartika', '2', '1', '4', '1'),
(21, 33, 'Indra Gunawan', '2', '3', '4', '1'),

```

```

(22, 34, 'Hamzah', '4', '3', '3', '2'),
(23, 35, 'Riki Romansa', '2', '2', '4', '4');
--
-- Table structure for table `kriteria`
--
CREATE TABLE `kriteria` (
  `idkriteria` int(11) NOT NULL,
  `kriteria` varchar(80) NOT NULL,
  `bobot` varchar(25) NOT NULL,
  `tipe` varchar(25) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8;

INSERT INTO `kriteria` (`idkriteria`, `kriteria`,
`bobot`, `tipe`) VALUES
(1, 'Pendidikan', '0.2', 'Benefit'),
(2, 'Lama Bekerja', '0.25', 'Benefit'),
(3, 'Absensi', '0.25', 'Cost'),
(4, 'Hasil Panen Sawit (Ton)', '0.3', 'Benefit');

CREATE TABLE `pengguna` (
  `idpengguna` int(11) NOT NULL,
  `nama` text NOT NULL,
  `jeniskelamin` varchar(30) NOT NULL,
  `email` text NOT NULL,
  `nohp` varchar(255) NOT NULL,
  `password` text NOT NULL,
  `level` text NOT NULL
) ENGINE=InnoDB DEFAULT
CHARSET=latin1;

INSERT INTO `pengguna` (`idpengguna`, `nama`,
`jeniskelamin`, `email`, `nohp`, `password`, `level`)
VALUES
(6, 'Admin', 'Laki - Laki', 'admin@gmail.com',
'084192849122', 'admin', 'Admin'),

```

```

(26, 'Misiyadi', 'Laki - Laki',
'misiyadi11@gmail.com', '082276329992',
'misiyadi', 'Mandor'),
(27, 'Tradimi Swike', 'Laki - Laki',
'tridimiswikee15@gmail.com', '089976834526',
'tri', 'Mandor'),
(28, 'Iwan Sudarto', 'Laki - Laki',
'iwansudarto@gmail.com', '081256453627', 'iwan',
'Mandor'),
(29, 'Jonner Nababan', 'Laki - Laki',
'jonnernab@gmail.com', '089567231265', 'jon',
'Mandor'),
(30, 'Karim Amrullah', 'Laki - Laki',
'karimamrul77@gmail.com', '083156879045',
'085267238738', 'Mandor'),
(31, 'Haris Wanto', 'Laki - Laki',
'hariswanto@gmail.com', '087756342321', 'haris',
'Mandor'),
(32, 'Kartika', 'Laki - Laki', 'kartika@gmail.com',
'089976872148', 'kartika', 'Mandor'),
(33, 'Indra Gunawan', 'Laki - Laki',
'indraguna@gmail.com', '085345362039', 'indra',
'Mandor'),
(34, 'Hamzah', 'Laki - Laki', 'hamzah@gmail.com',
'082279873445', 'ham', 'Mandor'),
(35, 'Riki Romansa', 'Laki - Laki',
'rikiromansa@gmail.com', '089578904378', 'riki',
'Mandor');

CREATE TABLE `subkriteria` (
  `idsubkriteria` int(11) NOT NULL,
  `idkriteria` int(11) NOT NULL,
  `subkriteria` varchar(80) NOT NULL,
  `bobot` varchar(25) NOT NULL
) ENGINE=InnoDB DEFAULT
CHARSET=utf8mb4;

INSERT INTO `subkriteria` (`idsubkriteria`,
`idkriteria`, `subkriteria`, `bobot`) VALUES
(2, 1, 'S2', '5'),
(3, 1, 'S1/D4', '4'),

```

```

(4, 1, 'D3', '3'),
(5, 1, 'SMK/SMA', '2'),
(6, 1, 'SMP', '1'),
(7, 2, '9 -10 Tahun', '5'),
(8, 2, '7 - 8 Tahun', '4'),
(9, 2, '5 - 6 Tahun', '3'),
(10, 2, '3 - 4 Tahun', '2'),
(11, 2, '1 - 2 Tahun', '1'),
(12, 3, '100%', '5'),
(13, 3, '96%', '4'),
(14, 3, '92%', '3'),
(15, 3, '88%', '2'),
(16, 3, '< 84%', '1'),
(17, 4, '> 65 Ton', '5'),
(18, 4, '45 Ton', '4'),
(19, 4, '30 Ton', '3'),
(20, 4, '15 Ton', '2'),
(21, 4, '< 10 Ton', '1');

ALTER TABLE `subkriteria`
--
-- Constraints for dumped tables
--
--
-- Constraints for table `alternatif`
--
ALTER TABLE `alternatif`
--
-- Constraints for table `subkriteria`
--
ALTER TABLE `subkriteria`

```

```

ADD CONSTRAINT `subkriteria_ibfk_1`
FOREIGN KEY (`idkriteria`) REFERENCES
`kriteria` (`idkriteria`) ON DELETE CASCADE
ON UPDATE CASCADE;

COMMIT;

```

Penggunadaftar.php

```

<?php include('header.php'); ?>

<main>

<div class="container-fluid px-4">

<h3 class="mt-4">Daftar Akun</h3><br>

<table class="table table-bordered table-striped"
id="tabel">

<thead class="bg-success text-white"> <tr>

<th>No</th>

<th>Nama</th>

<th>Email</th>

<th>No. HP</th>

<th>Role Akun</th>

<th>Aksi</th></tr></thead>

<tbody>

<?php $ambil = $koneksi-
>query("SELECT *FROM pengguna"); ?>

<?php while ($data = $ambil->fetch_assoc()) { ?>

<tr>

<td><?php echo $nomor; ?></td>

<td><?php echo $data['nama'] ?></td>

<td><?= $data['email'] ?></td>

<td><?= $data['nohp'] ?></td>

<td><?= $data['level'] ?></td>

<td>

```

```
<a href="penggunaedit.php?id=<?php echo
$data['idpengguna']; ?>" class="btn btn-success m-
1">Edit</a>
```

```
<?php $nomor++; ?>
```

```
</main>
```

```
<?php include('footer.php'); ?>
```

Footer.php

```
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/
dist/js/bootstrap.bundle.min.js"
crossorigin="anonymous"></script>
```

```
<script src="admin/dist/js/scripts.js"></script>
```

```
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/
dist/js/bootstrap.min.js" integrity="sha384-
+sLIOodYLS7CIrQpBjl+C7nPvqq+FbNUBDunl/
OZv93DB7Ln/533i8e/mZXLi/P+"
crossorigin="anonymous"></script>
```

```
<script src="https://code.jquery.com/jquery-
3.5.1.js"></script>
```

```
<script
src="https://cdn.datatables.net/1.13.1/js/dataTables.
bootstrap5.min.js"></script>
```

```
<script>
```

```
$(document).ready(function() {
```

```
$('#tabel').DataTable();
```

```
});
```

```
var t = $('#tabelmonitoring').DataTable({
```

```
order: [
```

```
[2, 'desc'], });
```

```
t.on('order.dt search.dt', function() { let i = 1;
```

```
});
```

```
}).draw();
```

```
</script>
```

```
</html>
```

Kriteriadaftar.php

```
<?php include('header.php'); ?>
```

```
<main> <div class="container-fluid px-4">
```

```
<h3 class="mt-4">Data Kriteria</h3><br>
```

```
<div class="right_col" role="main">
```

```
<div class="x_panel">
```

```
<div class="table-responsive">
```

```
<table class="table table-bordered table-striped"
id="tabel">
```

```
<thead class="bg-success text-white">
```

```
<th>No</th>
```

```
<th>Kriteria</th>
```

```
<th>Bobot</th>
```

```
<th>Tipe</th>
```

```
<th>Aksi</th>
```

```
</tr> </thead> <tbody>
```

```
<?php $nomor = 1; ?>
```

```
<?php $ambil = $koneksi-
```

```
>query("SELECT*FROM kriteria"); ?>
```

```
<?php while ($data = $ambil->fetch_assoc()) { ?>
```

```
<tr> <td><?php echo $nomor; ?></td>
```

```
<td><?php echo $data['kriteria'] ?></td>
```

```
<td><?php echo $data['bobot'] ?></td>
```

```
<td><?php echo $data['tipe'] ?></td>
```

```
<td>
```

```
<a href="kriteriaedit.php?id=<?php echo
$data['idkriteria']; ?>" class="btn btn-success m-
1">Edit</a>
```

```

<?php } ?>
</tbody></table></div>
</main>
<?php include('footer.php'); ?>

```

Subkriteriatambah.php

```

<?php include 'header.php';
include('koneksi.php'); ?>
<main> <div class="container-fluid px-4">
<h3 class="mt-4">Tambah Sub Kriteria</h3><br>
<div class="right_col" role="main">
<div class="x_panel">
<form method="post" enctype="multipart/form-
data">
<div class="form-group">
<label class="mb-1">Kriteria</label>
<select required class="form-control"
name="idkriteria">
<?php
$ambilkriteria = $koneksi-
>query("SELECT*FROM kriteria");
while ($kriteria = $ambilkriteria->fetch_assoc()) {
?>
<?php } ?>
</select> </div>
<br> <div class="form-group">
<label class="mb-1">Sub Kriteria</label>
<input type="text" required class="form-control"
name="subkriteria" placeholder="Kriteria"> </div>
<br> <div class="form-group">
<label class="mb-1">Bobot</label>

```

```

<input type="text" required class="form-control"
name="bobot" placeholder="Bobot"> </div>
<button type="submit" required class="btn btn-
primary float-end mt-3"
name="tambah">Simpan</button> </form>
<?php
if (isset($_POST['tambah'])) {
$idkriteria = $_POST['idkriteria'];
$subkriteria = $_POST["subkriteria"];
$bobot = $_POST["bobot"];
$koneksi->query("INSERT INTO
subkriteria(idkriteria, subkriteria, bobot)
</main>
<br>
<?php include 'footer.php'; ?>

```

Profile.php

```

<?php include 'header.php';
include('koneksi.php');
$idpengguna =
$_SESSION['pengguna']['idpengguna'];
$ambil = $koneksi->query("SELECT * FROM
pengguna WHERE idpengguna='$idpengguna'");
$data = $ambil->fetch_assoc();
?> <div class="container-fluid px-4">
<h3 class="mt-4">Edit Profil</h3><br>
<div class="right_col" role="main">
<div class="x_panel">
<form method="post" enctype="multipart/form-
data">
<div class="card-body">
<?php if ($_SESSION['pengguna']['level'] ==
"Admin") { ?>
<div class="form-group">

```

```

<label class="mb-2">Nama</label>

<input value="<?=$data['nama'] ?>" type="text"
required class="form-control" name="nama"
placeholder="Nama"> </div>

<?php } else { ?>

<div class="form-group">

<label class="mb-2">Nama</label>

<input value="<?=$data['nama'] ?>" type="text"
required class="form-control" name="nama"
placeholder="Nama" readonly>

<?php } ?> <br>

<div class="form-group">

<label class="mb-2">Email</label>

<input value="<?=$data['email'] ?>" type="text"
required class="form-control" name="email"
placeholder="Email">

<br> <div class="form-group">

<label class="mb-2">No. HP</label>

<input value="<?=$data['nohp'] ?>" type="text"
required class="form-control" name="nohp"
placeholder="No. HP">

<br> <div class="form-group">

<label class="mb-2">Password</label>

<input value="<?=$data['password'] ?>"
type="text" required class="form-control"
name="password" placeholder="Password">

<span class="text-danger">* Biarkan jika tidak
ingin mengganti password</span> </div>

<button type="submit" required class="btn btn-
primary float-end"
name="simpan">Simpan</button> </div> </form>

<?php

if (isset($_POST['simpan'])) {

$koneksi->query("UPDATE pengguna SET
nama='$_POST[nama]',email='$_POST[email]',
password='$_POST[password]";

```

```

$ambil = $koneksi->query("SELECT * FROM
pengguna

WHERE email='$_POST[email]' limit 1");

$akun = $ambil->fetch_assoc();

$_SESSION['pengguna'] = $akun;

if ($data['level'] == 'Mandor') {

$koneksi->query("UPDATE alternatif SET
nama_alternatif='$_POST[nama]' WHERE
idpengguna='$_GET[id]'") or
die(mysqli_error($koneksi)); }

echo "<script> alert('Profil Berhasil Di
Ubah');</script>";

echo "<script> location ='profil.php';</script>";

} ?>

</div> </div> </div>

<?php include 'footer.php'; ?>

```