

```

<?php
include('login.php');

/*
session_start();
require('connection.php');
include('admin/functions.php');
include('admin/siteidentity.php');
include('pages/header.php');
;
include('pages/navbar.php');
;
$file=htmlentities($_GET['p']);
$folder=htmlentities($_GET['m']);
$pagefolder=
"$folder/$file.php";
if(!empty($file) and
file_exists($pagefolder)){
include("$pagefolder");
}elseif(!empty($file) and
!file_exists($pagefolder)){
include("pages/404.php");
}else{
include('pages/dashboard.php');
}
include('pages/footer.php');
*/?>

<?php
include('admin/functions.php');
include('admin/siteidentity.php'); ?>

```

```

<!DOCTYPE html>
<html lang="en-us">
<head>
<link rel="shortcut icon"
href="<?php echo $logo;
?>">
<title><?php echo
$company_name; ?></title>
<link rel="stylesheet"
href="assets2/style.css">
</head>
<body>
<div class="container bg">
<div class="form-wrapper">
<div class="form-content">
<div class="header">
<div class="logo"
style="width: 50px; height:
50px;">

</div>
<div class="separator"
style="margin-left:
50px;"></div>
<h1
class="title">Login</h1>
<!--<div class="separator"
style="margin-left:
50px;"></div>
<h3 class="title"><a
href="daftar.php">Daftar
Perusahaan</a></h3-->
</div>
<div class="subtitle"
style="text-align: center;">

```

```

<p><strong><?php echo
strtoupper($app_name);
?></strong></p>
</div>
<form role="form"
class="needs-validation"
novalidate process="login"
id="mightywebForm">
<input type="hidden"
value="data_pegawai"
name="table[]">
<input type="hidden"
value="email"
name="keylog">
<input type="hidden"
value="admin"
name="direction">
<div class="form-control">
<div class="input-base">
<input type="email"
placeholder="Email"
id="email" name="valog"
class="input input__email"
required />
<label class="label
label__email"
for="email">Email*</label>
<fieldset>
<legend>
<span>Email*</span>
</legend>
</fieldset>
<div class="control-error">
<svg stroke="currentColor"
fill="currentColor" stroke-
width="0" viewBox="0 0 24
24" height="1em"
width="1em"

```

```

xmlns="http://www.w3.org
/2000/svg">
<path d="M12 2C6.48 2 2
6.48 2 12s4.48 10 10 10 10-
4.48 10-10S17.52 2 12 2zm1
15h-2v-2h2v2zm0-4h-
2V7h2v6z">
</path>
</svg>
<span>This is not a valid
Email.</span>
</div>
</div>
</div>
<div class="form-control">
<div class="input-base">
<input type="password"
minlength="4"
maxlength="8"
placeholder="Password"
id="password"
name="password"
class="input
input__password" required
/>
<label class="label
label__passwords"
for="password">Password*
</label>
<fieldset>
<legend>
<span>Password*</span>
</legend>
</fieldset>
<div class="control-error">
<svg stroke="currentColor"
fill="currentColor" stroke-
width="0" viewBox="0 0 24

```

```

24" height="1em"
width="1em"
xmlns="http://www.w3.org
/2000/svg">
<path d="M12 2C6.48 2 2
6.48 2 12s4.48 10 10 10 10-
4.48 10-10S17.52 2 12 2zm1
15h-2v-2h2v2zm0-4h-
2V7h2v6z">
</path>
</svg>
<span>This is not a valid
Password.</span>
</div>
</div>
</div>
<div class="actions-
buttons">
<button id="submit"
type="submit" id="login"
class="btn">
<span
class="btn__text">Log
in</span>
<div class="loader">
<div class="cir"></div>
<div class="cir"></div>
<div class="cir"></div>
</div>
</button>
</div>
</form>
</div>
</div>
</div>

```

```

<!-- JS Global Compulsory --
>
<script src="<?php echo
path('dist/');
?>plugins/jquery/jquery.mi
n.js"></script>
<script>
$(document).ready(function
()){
    $('.needs-
validation').on('submit',
function(e) {
        if
(!this.checkValidity()) {
            e.preventDefault();
            e.stopPropagation()
;
        }else{
            e.preventDefault();
            var id =
$(this).attr('id');
            forms =
$('#'+id)[0];
            datas = new
FormData(forms);
            var acts =
$('#'+id).attr('process');
            $.ajax({
                type: "POST",
                dataType: "JSON",
                enctype:
"multipart/form-data",

```

```

        url:
"admin/actions.php?act="+
acts,

    data: datas,
    processData: false,
    contentType: false,
    cache: false,
    timeout: 60000,

    beforeSend:
function(data){

    $('#button[type="su
bmit"]').text('Connecting...')
;

    $(':input').attr("disa
bled",true);

    },

    success:
function(response){

    if(response.status
== 'valid'){

        setTimeout(funcio
n(){

            window.location =
"+response.direction;+";

        }, 3000);
        $('#box-
msg').html("<span
style='color:green'>"+respo
nse.message+"</span>");

```

```

        $('#button[type="su
bmit"]').text('Connected');

    }else
if(response.status ==
'invalid'){

        $('#box-
msg').html("<span
style='color:red'>"+respons
e.message+"</span>");

        $('#login-
box').effect('shake');

        $(':input').attr("disa
bled",false);

        $('#button[type="su
bmit"]').text('Login');

    }

});

    $(this).addClass('wa
s-validated');

    }

    $(this).addClass('wa
s-validated');

    });

});

</script>
</body>
</html>

```

```

<?php
session_start();
session_destroy();

echo
"<script>>window.location.re
place('./');</script>";
?>

<?php
session_start();
require('../connection.php')
;

include('functions.php');
include('siteidentity.php');

if(!empty($_SESSION["table
"])){

    $sql = $conn-
>query('SELECT * FROM
`".$_SESSION["table"].'
WHERE
`".$_SESSION["keylog"].' =
"'".$_SESSION["valog"].'"');

    $session = $sql-
>fetch_array();
}else{

    header('Location:../'
);
}

include('pages/header.php')
;

include('pages/navbar.php')
;

include('pages/sidebar.php'
);
?>

```

```

<div class="content-
wrapper pt-3 pb-3">
<section class="content">
<div class="container-
fluid">
<?php
$file=htmlentities($_GET['p
']);
$folder=htmlentities($_GET
['m']);
$pagefolder=
"$folder/$file.php";

if(!empty($file) and
file_exists($pagefolder)){
    include("$pagefolde
r");
}elseif(!empty($file) and
!file_exists($pagefolder)){
    include("pages/404.
php");
}else{
    include('pages/dash
board.php');
}
?>
</div>
</section>
</div>
<?php
include('pages/footer.php');
?>
<?php
// parsing json prepare site
data

$site_setup =
json_decode(file_get_conte
nts(dirname(__FILE__).'/site
_setup.txt'), true);

// information extraction

$company_name =
$site_setup['data'][0]['com
pany_name'];

$company_alt =
$site_setup['data'][0]['com
pany_alt'];

$company_address =
$site_setup['data'][0]['addr
ess'];

$app_name =
$site_setup['data'][0]['app_
name'];

$title_tags =
$site_setup['data'][0]['title_
tags'];

$description =
$site_setup['data'][0]['descr
iption'];

$logo =
$site_setup['data'][0]['logo'
];

$favicon =
$site_setup['data'][0]['favic
on'];

$copyright =
$site_setup['data'][0]['copy
right'];

$created =
$site_setup['data'][0]['creat
ed'];

$phone =
$site_setup['data'][0]['phon
e'];

$email =
$site_setup['data'][0]['email
'];

$openoffice =
$site_setup['data'][0]['open
office'];

// settings extraction

>Loading =
$site_setup['settings'][0]['lo
ading'];

?> <p>
<button type="button"
class="btn btn-outline-
primary"
onclick="location.href='?m=
modules/data_lokasi_tujuan
/&p=input&act=insert';">
Insert Record
</button>
</p>
<div class="card">
<div class="card-
header"><h3 class="card-
title">Data Lokasi
Tujuan</h3></div>
<div class="card-body">
<?php
$table =
"data_lokasi_tujuan";

$result = $conn-
>query("SELECT * FROM
`$table`"); ?>
<table id="dataMightyWeb"
class="table table-sm table-
striped table-bordered
nowrap" width="100%">
<thead>
<tr>
<th>NO</th>

```

```

<th>Nama Tujuan</th>
<th>Trier</th>
<th>Id Trier</th>
<th>Minyak</th>
<th>Tarif</th>
<th>Uang Jalan</th>
<th>Keterangan</th>
<th>Actions</th></tr>
</thead>
<tbody>
<?php $no=1;
while($row = $result-
>fetch_assoc()) { ?><tr>
<td><?php echo $no;
?></td>
<td><?php echo
$row["nama_tujuan"];
?></td>
<td><?php echo
idkey_to_name('data_perus
ahaan','id_perusahaan',$ro
w["id_trier"],'nama_perusa
haan'); ?></td>
<td><?php echo
$row["id_trier"]; ?></td>
<td><?php echo
$row["minyak"]; ?></td>
<td><?php echo
$row["tarif"]; ?></td>
<td>Rp. <?php echo
number_format($row["uan
g_jalan"]); ?></td>
<td><?php echo
$row["keterangan"];
?></td>
<td><a
href="?m=modules/data_lo
kasi_tujuan/&p=input&act=
update&key=id_lokasi_tuju
an&val=<?php echo
$row["id_lokasi_tujuan"];
?>" class="btn btn-info btn-
xs" title="Update"><i
class="fas fa-edit"></i></a>
<a
href="javascript:delData('<?
php echo
$row["id_lokasi_tujuan"];
?>')" class="btn btn-danger
btn-xs" title="Delete"><i
class="far fa-trash-
alt"></i></a></td>
</tr><?php $no++; } ?>
</tbody>
</table>
</div></div>
<?php ob_start(); ?>
<?php $setDTcolvis =
"{extend: 'colvis', text: '<i
class=\"fas fa-
columns\"></i>'}"; ?>
<?php $setDTenties =
"{extend: 'pageLength',
text: '<i class=\"fas fa-
eye\"></i>'}"; ?>
<?php $setTableStyle =
""responsive": true; ?>
<?php $setScriptTools =
""searching": true,
"paging": true,
lengthMenu: [[ 10, 25, 50, -
1 ],[ "10", "25", "50", "Show
all" ]],
"ordering": true,
"info": true,
"; ?>
<?php $setDTbuttons =
"{extend: 'copyHtml5',
exportOptions: { columns:
':visible' }},
{extend: 'excelHtml5',
exportOptions: { columns:
':visible' }},
{extend: 'pdfHtml5',
download: 'open',
exportOptions: { columns:
':visible' },orientation:
'landscape',pageSize:
'legal',title: 'Laporan'},
"; ?>
<?php $setDTSearchCol =
""; ?>
<?php $setDTfooterScript =
"; ?>
<?php
include('pages/dtscripts.ph
p'); ?>
<?php
$footerCTcallScript_custom
= ob_get_contents();
ob_clean(); ?>
<?php
$stable =
"data_lokasi_tujuan";
if(!empty($_GET['key']) &&
!empty($_GET['val'])){
$sqlupdate = $conn-
>query("SELECT * FROM
`$stable` WHERE
`$_GET[key]` =
'$_GET[val]'");
$row = $sqlupdate-
>fetch_array();

```

```

$inputkey = '<input
type="hidden" name="key"
value="'.$_GET['key'].'" />';

$inputval = '<input
type="hidden" name="val"
value="'.$_GET['val'].'" />';

$action = 'process="update"';
} else
if(!empty($_GET['act'])) {
$action =
'process="'.$_GET['act'].'"';
} else {
$action = 'process="insert"';
} ?>

<div class="col-12"><div
class="card card-outline
card-primary">

<div class="card-
header"><h3 class="card-
title"> Input Data Lokasi
Tujuan </h3></div>

<form class="needs-
validation mb-0" novalidate
enctype="multipart/form-
data" id="mightywebForm"
<?php echo $action; ?>>

<input type="hidden"
name="table" value="<?php
echo $table; ?>">

<?php echo $inputkey; ?>

<?php echo $inputval; ?>

<div class="card-body">

<div class="form-group"
id="fg_id_trier">

<label for="id_trier">Nama
Trier</label>

```

```

<select name="id_trier"
class="form-control
select2">

    <option value="">-- Pilih --
</option>

    <?php
select_data('data_perusaha
an','id_perusahaan','nama_
perusahaan',$row['id_perus
ahaan']); ?>

</select><div class="invalid-
feedback">Error: this field is
required.</div></div>

<div class="form-group"
id="fg_nama_tujuan">

<label
for="nama_tujuan">Nama
Tujuan</label>

<input type="text"
class="form-control"
required="required"
name="nama_tujuan"
id="nama_tujuan"
value="<?php echo
$row['nama_tujuan']; ?>">

<div class="invalid-
feedback">Error: this field is
required.</div></div>

<div class="form-group"
id="fg_minyak">

<label
for="minyak">Minyak</lab
el>

<input type="number"
class="form-control"
required="required"
name="minyak"
id="minyak" value="<?php
echo $row['minyak']; ?>">

```

```

<div class="invalid-
feedback">Error: this field is
required.</div></div>

<div class="form-group"
id="fg_tarif">

<label
for="tarif">Tarif</label>

<input type="number"
class="form-control"
required="required"
name="tarif" id="tarif"
value="<?php echo
$row['tarif']; ?>">

<div class="invalid-
feedback">Error: this field is
required.</div></div>

<div class="form-group"
id="fg_uang_jalan">

<label
for="uang_jalan">Uang
Jalan</label>

<input type="number"
class="form-control"
required="required"
name="uang_jalan"
id="uang_jalan"
value="<?php echo
$row['uang_jalan']; ?>">

<div class="invalid-
feedback">Error: this field is
required.</div></div>

<div class="form-group"
id="fg_keterangan">

<label
for="keterangan">Keterang
an</label>

```

```

<select name="keterangan"
class="form-control"
selected="selected"
required="">

<option value="">-- Pilih --
</option>

<?php echo
enum_Toselect($table,'kete
rangan',$row['keterangan'])
; ?>

</select>

<div class="invalid-
feedback">Error: this field is
required.</div></div>

</div>

<div class="card-footer">

<a class="btn border-dark"
onClick="history.back()">Ca
ncel</a>

<button type="submit"
class="btn btn-primary
float-
right">Submit</button>

</div>

</form>

</div></div>

<?php ob_start(); ?>

<?php
include('pages/forminsert.p
hp'); ?>

<?php
include('pages/formcall.php
'); ?>

<?php
$footerCTcallScript_custom
= ob_get_contents();
ob_clean(); ?>

```

```

<?php
if($session['jabatan']=='Ad
min'){ ?>

<p>

<a class="btn btn-outline-
dark"
href="?m=modules/data_m
obil/&p=input&act=insert">
<i class="fa fa-plus"></i>
Insert Record

</a>

</p>

<?php } ?>

<div class="card card-
outline card-dark">

<div class="card-
header"><h3 class="card-
title">Data
Mobil</h3></div>

<div class="card-body">

<?php
$table = "data_mobil";

$result = $conn-
>query("SELECT * FROM
`$table`"); ?>

<table id="dataMightyWeb"
class="table table-striped
table-bordered
nowrap"width="100%">

<thead>

<tr><th>Nopol</th>

<th>Type Mobil</th>

<th>Kapasitas Mobil</th>

<?php
if($session['jabatan']=='Ad
min'){ ?>

<th>Actions</th>

```

```

<?php } ?>

</tr>

</thead>

<tbody>

<?php while($row = $result-
>fetch_assoc()) { ?><tr>

<td><?php echo
$row["nopol"]; ?></td>

<td><?php echo
$row["type_mobil"];
?></td>

<td><?php echo
$row["kapasitas_mobil"];
?></td>

<?php
if($session['jabatan']=='Ad
min'){ ?>

<td><a
href="?m=modules/data_m
obil/&p=input&act=update
&key=nopol&val=<?php
echo $row["nopol"]; ?>"
class="btn btn-info btn-xs"
title="Update"><i class="fas
fa-edit"></i></a>

<a
href="javascript:delData('<?
php echo $row["nopol"];
?>')" class="btn btn-danger
btn-xs" title="Delete"><i
class="far fa-trash-
alt"></i></a></td>

<?php } ?>

</tr><?php } ?>

</tbody>

</table>

</div></div>

<?php ob_start(); ?>

```

```

<?php $setDTcolvis =
"{extend: 'colvis', text: '<i
class="fas fa-
columns"></i>'," ; ?>

<?php $setDTenties =
"{extend: 'pageLength',
text: '<i class="fas fa-
eye"></i>'," ; ?>

<?php $setTableStyle =
"\"responsive\": true, ; ?>

<?php $setScriptTools =
"\"searching\": true,

\"paging\": true,

lengthMenu: [[ 10, 25, 50, -
1 ],[ \"10\", \"25\", \"50\", \"Show
all\" ]],

\"ordering\": true,

\"info\": true,

'; ?>

<?php $setDTbuttons =
"{extend: 'copyHtml5',
exportOptions: { columns:
':visible' }},

{extend: 'excelHtml5',
exportOptions: { columns:
':visible' }},

{extend: 'pdfHtml5',
download: 'open',
exportOptions: { columns:
':visible' }, orientation:
'landscape', pageSize:
'legal', title: 'Laporan Data
Mobil'},

"; ?>

<?php $setDTSearchCol =
""; ?>

<?php $customSCBottom =
""; ?>

```

```

<?php $setDTfooterScript =
"; ?>

<?php
include('pages/dtscripts.ph
p'); ?>

<?php
$footerCTcallScript_custom
= ob_get_contents();
ob_clean(); ?>

<?php
$table = "data_mobil";

if(!empty($_GET['key']) &&
!empty($_GET['val'])){

$sqlupdate = $conn-
>query("SELECT * FROM
`$table` WHERE
`$_GET[key]` =
'$_GET[val]'");

$row = $sqlupdate-
>fetch_array();

$inputkey = '<input
type="hidden" name="key"
value="$_GET[key]'" />';

$inputval = '<input
type="hidden" name="val"
value="$_GET[val]'" />';

$act = 'process="update"';

}else
if(!empty($_GET['act'])){

$act =
'process="$_GET[act]'. ""';

}else{

$act = 'process="insert"';

}?>

<div class="col-12"><div
class="card card-outline
card-dark">

```

```

<div class="card-
header"><h3 class="card-
title"> Input Data Mobil
</h3></div>

<form class="needs-
validation mb-0" novalidate
enctype="multipart/form-
data" id="mightywebForm"
<?php echo $act; ?>>

<input type="hidden"
name="table" value="<?php
echo $table; ?>">

<?php echo $inputkey; ?>

<?php echo $inputval; ?>

<div class="card-body">

<div class="form-group"
id="fg_nopol">

<label
for="nopol">Nopol</label>
<input type="text"
class="form-control"
required="required"
name="nopol" id="nopol"
value="<?php echo
$row['nopol']; ?>"><div
class="invalid-
feedback">Error: this field is
required.</div></div>

<div class="form-group"
id="fg_type_mobil">

<label
for="type_mobil">Type
Mobil</label><textarea
class="form-control"
required="required"
name="type_mobil"
id="type_mobil"><?php
echo $row['type_mobil'];

```



```
?></textarea><div class="invalid-feedback">Error: this field is required.</div></div>
```

```
<div class="form-group" id="fg_kapasitas_mobil"><label for="kapasitas_mobil">Kapasitas Mobil</label><input type="number" class="form-control" required="required" name="kapasitas_mobil" id="kapasitas_mobil" value="<?php echo $row['kapasitas_mobil']; ?>"><div class="invalid-feedback">Error: this field is required.</div></div>
```

```
<div class="card-footer"><a class="btn border-dark" onClick="history.back()">Cancel</a><button type="submit" class="btn btn-primary float-right">Submit</button></div>
```

```
</form></div></div>
```

```
<?php ob_start(); ?><?php include('pages/forminsert.php'); ?><?php include('pages/formcall.php'); ?><?php $footerCTcallScript_custom
```

```
= ob_get_contents(); ob_clean(); ?><p><button type="button" class="btn btn-outline-primary" onClick="location.href='?m=modules/data_pegawai/&p=input&act=insert';">Insert Record</button></p>
```

```
<div class="card"><div class="card-header"><h3 class="card-title">Data Pegawai</h3></div><div class="card-body"><?php $table = "data_pegawai"; $result = $conn->query("SELECT * FROM `".$table.""); ?><table id="dataMightyWeb" class="table table-sm table-striped table-bordered nowrap" width="100%">
```

```
<thead><tr><th>No</th><th>Nama Lengkap</th><th>Photo</th><th>Jenis Kelamin</th><th>Alamat</th><th>Jabatan</th><th>Email</th>
```

```
<th>Password</th><th>Actions</th></tr></thead><tbody><?php $no=1; while($row = $result->fetch_assoc()) { ?><tr><td><?php echo $no; ?></td><td><?php echo $row["nama_lengkap"]; ?></td><td><a href="admin/<?php echo $row["photo"]; ?>">" width="30" height="30"/></a></td><td><?php echo $row["jenis_kelamin"]; ?></td><td><?php echo $row["alamat"]; ?></td><td><?php echo $row["jabatan"]; ?></td><td><?php echo $row["email"]; ?></td><td><?php echo $row["password"]; ?></td><td><a href="?m=modules/data_pegawai/&p=input&act=update&key=id_pegawai&val=<?php echo $row["id_pegawai"]; ?>" class="btn btn-info btn-xs" title="Update"><i class="fas fa-edit"></i></a>
```

```

<a
href="javascript:delData('<?
php echo
$row["id_pegawai"]; ?>')"
class="btn btn-danger btn-
xs" title="Delete"><i
class="far fa-trash-
alt"></i></a></td>

</tr><?php $no++; } ?>

</tbody>
</table>

</div></div>

<?php ob_start(); ?>

<?php $setDTcolvis =
"{extend: 'colvis', text: '<i
class=\"fas fa-
columns\"></i>',"; ?>

<?php $setDTenties =
"{extend: 'pageLength',
text: '<i class=\"fas fa-
eye\"></i>', "; ?>

<?php $setTableStyle =
"\"responsive\": true,; ?>

<?php $setScriptTools =
"\"searching\": true,
\"paging\": true,

lengthMenu: [[ 10, 25, 50, -
1 ],[ \"10\", \"25\", \"50\", \"Show
all\" ]],

\"ordering\": true,

\"info\": true,

'; ?>

<?php $setDTbuttons =
"{extend: 'copyHtml5',
exportOptions: { columns:
':visible' }},

{extend: 'excelHtml5',
exportOptions: { columns:
':visible' }},

```

```

{extend: 'pdfHtml5',
download: 'open',
exportOptions: { columns:
':visible' },orientation:
'landscape',pageSize:
'legal',title: 'Laporan'},
"; ?>

<?php $setDTSearchCol =
""; ?>

<?php $setDTfooterScript =
"; ?>

<?php
include('pages/dtscripts.php'); ?>

<?php
$footerCTcallScript_custom
= ob_get_contents();
ob_clean(); ?>

<?php
$table = "data_pegawai";

if(!empty($_GET['key']) &&
!empty($_GET['val'])){

$sqlupdate = $conn-
>query("SELECT * FROM
`$table` WHERE
`$_GET[key]` =
'$_GET[val]'");

$row = $sqlupdate-
>fetch_array();

$inputkey = '<input
type="hidden" name="key"
value="$_GET[key]'" />';

$inputval = '<input
type="hidden" name="val"
value="$_GET[val]'" />';

$act = 'process="update"';

}else
if(!empty($_GET['act'])){

```

```

$act =
'process="$_GET[act]'. ""';
}else{
$act = 'process="insert"';
}?>

<div class="col-12"><div
class="card card-outline
card-primary">

<div class="card-
header"><h3 class="card-
title"> Input Data Pegawai
</h3></div>

<form class="needs-
validation mb-0" novalidate
enctype="multipart/form-
data" id="mightywebForm"
<?php echo $act; ?>>

<input type="hidden"
name="table" value="<?php
echo $table; ?>>

<?php echo $inputkey; ?>

<?php echo $inputval; ?>

<div class="card-body">

<div class="form-group"
id="fg_nama_lengkap">

<label
for="nama_lengkap">Nama
Lengkap</label><input
type="text" class="form-
control"
required="required"
name="nama_lengkap"
id="nama_lengkap"
value="<?php echo
$row['nama_lengkap'];
?>"><div class="invalid-
feedback">Error: this field is
required.</div></div><div
class="form-group"
id="fg_photo">

```

```

<label
for="photo">Photo</label>
<div class="input-group">
<div class="input-group-
prepend "><span
class="input-group-text p-
0"
id="imgphoto"></span></di
v>
<div class="custom-file">
<input type="file"
class="custom-file-input"
id="photo" name="photo">
<label class="custom-file-
label" for="photo"><?php
echo $row["photo"];
?></label>
</div>
</div><div class="invalid-
feedback">Error: this field is
required.</div></div><div
class="form-group"
id="fg_jenis_kelamin">
<label>Jenis
Kelamin</label><div
class="col-12">
<div class="custom-control
custom-radio custom-
control-inline">
<input class="custom-
control-input" type="radio"
id="jenis_kelamin-1"
name="jenis_kelamin"
value="Laki-laki"
required="required" <?php
if ($row['jenis_kelamin'] ==
'Laki-laki'){ echo 'checked'; }
?> />
<label class="custom-
control-label"
for="jenis_kelamin-1">Laki-
laki</label>

```

```

</div>
<div class="custom-control
custom-radio custom-
control-inline">
<input class="custom-
control-input" type="radio"
id="jenis_kelamin-2"
name="jenis_kelamin"
value="Perempuan"
required="required" <?php
if ($row['jenis_kelamin'] ==
'Perempuan'){ echo
'checked'; } ?> />
<label class="custom-
control-label"
for="jenis_kelamin-
2">Perempuan</label>
</div>
</div><div class="invalid-
feedback">Error: this field is
required.</div></div><div
class="form-group"
id="fg_alamat">
<label
for="alamat">Alamat</label>
<textarea class="form-
control"
required="required"
name="alamat"
id="alamat"><?php echo
$row['alamat'];
?></textarea><div
class="invalid-
feedback">Error: this field is
required.</div></div><div
class="form-group"
id="fg_jabatan">
<label
for="jabatan">Jabatan</lab
el><select class="form-
control" name="jabatan"
required="required">

```

```

<option <?php if
($row['jabatan']==
'Direktur'){ echo 'selected'; }
?>
value="Direktur">Direktur<
/option>
<option <?php if
($row['jabatan']== 'Admin'){
echo 'selected'; } ?>
value="Admin">Admin</op
tion>
</select>
<div class="invalid-
feedback">Error: this field is
required.</div>
</div><div class="form-
group" id="fg_email">
<label
for="email">Email</label><i
nput type="text"
class="form-control"
required="required"
name="email" id="email"
value="<?php echo
$row['email']; ?>"><div
class="invalid-
feedback">Error: this field is
required.</div></div><div
class="form-group"
id="fg_password">
<label
for="password">Password<
/label><input type="text"
class="form-control"
required="required"
name="password"
id="password"
value="<?php echo
$row['password']; ?>"><div
class="invalid-
feedback">Error: this field is
required.</div></div>
</div>

```

```

<div class="card-footer">
<a class="btn border-dark"
onClick="history.back()">Ca
ncel</a>

<button type="submit"
class="btn btn-primary
float-
right">Submit</button>

</div>

</form>

</div></div>

<?php ob_start(); ?>

<?php
include('pages/forminsert.p
hp'); ?>

<?php
include('pages/formcall.php
'); ?>

<script>$(document).on('ch
ange', 'input[type="file"]',
function() {
var target =
$(this).parents('.input-
group').find('.input-group-
text').attr('id');

$('#'+target).empty();

$('#'+target).append("<img
src='"+URL.createObjectURL
(this.files[0])+"' width='35'
height='35' />");
});</script>

<?php
$footerCTcallScript_custom
= ob_get_contents();
ob_clean(); ?>

<p>

<button type="button"
class="btn btn-outline-
primary"

```

```

onClick="location.href='?m=
modules/data_perjalanan/
&p=input&act=insert';">

Input Perjalanan Baru

</button>

</p>

<div class="card">

<div class="card-
header"><h3 class="card-
title">Data
Perjalanan</h3></div>

<div class="card-body">

<?php

$table = "data_perjalanan";

$result = $conn-
>query("SELECT * FROM
`$table` ORDER BY
tanggal_pengiriman ASC");
?>

<table id="dataMightyWeb"
class="table table-sm table-
striped table-bordered
nowrap" width="100%">

<thead>

<tr>

<th>NO</th>

<th>Tanggal
Pengiriman</th>

<th>No Surat Jalan</th>

<th>NOPOL</th>

<th>Sopir</th>

<th>Jumlah Liter</th>

<th>Tarif</th>

<th>Total</th>

<th>Km Awal</th>

<th>Km Akhir</th>

```

```

<th>Minyak</th>

<th>Uang Jalan</th>

<th>Saldo</th>

<th>Asal</th>

<th>Tujuan</th>

<th>Trier</th>

<th>Id Trier</th>

<th>Nama Penerima</th>

<th>Nomor Telepon</th>

<th>No SO</th>

<th>No LO</th>

<th>Keterangan</th>

<th>Actions</th></tr>

</thead>

<tbody>

<?php $no=1;

while($row = $result-
>fetch_assoc()) { ?><tr>

<td><?php echo $no;
?></td>

<td><?php echo date("d F
Y",
strtotime($row["tanggal_pe
ngiriman"])); ?></td>

<td><?php echo
$row["no_surat_jalan"];
?></td>

<td><?php echo
$row["nopol"]; ?></td>

<td><?php echo
idkey_to_name('data_sopir'
,'id_sopir',$row["id_sopir'],'
nama_lengkap'); ?></td>

<td><?php echo
number_format($row["juml
ah_liter"]); ?></td>

```

```

<td><?php echo
number_format(idkey_to_n
ame('data_lokasi_tujuan','id
_lokasi_tujuan',$row["id_lo
kasi_tujuan'],'tarif'));
?></td>

<td><?php echo
number_format($row["jumla
h_liter"]*idkey_to_name('
data_lokasi_tujuan','id_loka
si_tujuan',$row["id_lokasi_t
ujuan'],'tarif')); ?></td>

<td><?php echo
number_format($row["km_
awal"]); ?></td>

<td><?php echo
number_format($row["km_
akhir"]); ?></td>

<td><?php echo
idkey_to_name('data_lokasi
_tujuan','id_lokasi_tujuan',$
row["id_lokasi_tujuan'],'mi
nyak'); ?></td>

<td><?php echo
number_format(idkey_to_n
ame('data_lokasi_tujuan','id
_lokasi_tujuan',$row["id_lo
kasi_tujuan'],'uang_jalan'));
?></td>

<td><?php echo
$row["saldo"]; ?></td>

<td><?php echo
$row["asal_pengiriman"];
?></td>

<td><?php echo
idkey_to_name('data_lokasi
_tujuan','id_lokasi_tujuan',$
row["id_lokasi_tujuan'],'na
ma_tujuan'); ?></td>

<td>
<?php

$result3 = $conn-
>query("SELECT
`data_perusahaan`.`nama_p
erusahaan` FROM
`data_perusahaan` INNER
JOIN `data_lokasi_tujuan`
ON
`data_perusahaan`.`id_peru
sahaan` =
`data_lokasi_tujuan`.`id_tri
er`

WHERE
`data_lokasi_tujuan`.`id_lok
asi_tujuan` =
'$row[id_lokasi_tujuan]');

while ($row3 = $result3-
>fetch_assoc()) {

echo
$row3['nama_perusahaan'];

}
?>
</td>

<td><?php echo
idkey_to_name('data_lokasi
_tujuan','id_lokasi_tujuan',$
row["id_lokasi_tujuan'],'id_
trier'); ?></td>

<td><?php echo
$row["nama_penerima"];
?></td>

<td><?php echo
$row["nomor_telepon"];
?></td>

<td><?php echo
$row["no_so"]; ?></td>

<td><?php echo
$row["no_lo"]; ?></td>

<td><?php echo
idkey_to_name('data_lokasi
_tujuan','id_lokasi_tujuan',$
row["id_lokasi_tujuan'],'ket
erangan'); ?></td>

<td>
<a
href="?m=modules/data_p
erjalanan/&p=input&act=up
date&key=no_surat_jalan&
val=<?php echo
$row["no_surat_jalan"]; ?>"
class="btn btn-info btn-xs"
title="Update"><i class="fas
fa-edit"></i></a>

<a
href="javascript:delData('<?
php echo
$row["no_surat_jalan"];
?>)" class="btn btn-danger
btn-xs" title="Delete"><i
class="far fa-trash-
alt"></i></a>

</td>

</tr><?php $no++; } ?>

</tbody>

</table>

</div></div>

<?php ob_start(); ?>

<?php $setDTcolvis =
"{extend: 'colvis', text: '<i
class=\"fas fa-
columns\"></i>'}"; ?>

<?php $setDTenties =
"{extend: 'pageLength',
text: '<i class=\"fas fa-
eye\"></i>'}"; ?>

<?php $setTableStyle =
""scrollX": true,
"fixedColumns": false, '; ?>

<?php $setScriptTools =
""searching": true,
"paging": true,

```

```

lengthMenu: [[ 10, 25, 50, -
1 ],[ "10", "25", "50", "Show
all" ]],

"ordering": true,

"info": true,

'; ?>

<?php $setDTbuttons =
"{extend: 'copyHtml5',
exportOptions: { columns:
':visible' }},

{extend: 'excelHtml5',
exportOptions: { columns:
':visible' }},

{extend: 'pdfHtml5',
download: 'open',
exportOptions: { columns:
':visible' },orientation:
'landscape',pageSize:
'legal',title: 'Laporan'},

"; ?>

<?php $setDTSearchCol =
""; ?>

<?php $setDTfooterScript =
"; ?>

<?php
include('pages/dtscripts.ph
p'); ?>

<?php
$footerCTcallScript_custom
= ob_get_contents();
ob_clean(); ?>

<div class="card">

<div class="card-
header"><h3 class="card-
title">Data
Perjalanan</h3></div>

<div class="card-body">

<?php
$stable = "data_perjalanan";

```

```

$result = $conn-
>query("SELECT * FROM
`$stable` "); ?>

<table id="dataMightyWeb"
class="table table-sm table-
striped table-bordered
nowrap" width="100%">

<thead>

<tr>

<th>NO</th>

<th>Tanggal
Pengiriman</th>

<th>No Surat Jalan</th>

<th>NOPOL</th>

<th>Sopir</th>

<th>Jumlah Liter</th>

<th>Asal</th>

<th>Tujuan</th>

<th>Trier</th>

<th>Id Trier</th>

<th>Nama Penerima</th>

<th>Nomor Telepon</th>

<th>No SO</th>

<th>No LO</th>

<th>Status</th>

<?php
if($_GET[s]=='Berangkat'
AND $_SESSION["table"]==
'data_sopir'){ ?>

<th>Actions</th>

<?php } ?>

</tr>

</thead>

<tbody>

```

```

<?php $no=1;

$result = $conn-
>query("SELECT * FROM
`$stable` WHERE id_sopir =
$_SESSION[id_sopir] AND
status = '$_GET[s]' ORDER
BY tanggal_pengiriman
ASC");

while($row = $result-
>fetch_assoc()) {

?><tr>

<td><?php echo $no;
?></td>

<td><?php echo date("d F
Y",
strtotime($row["tanggal_pe
ngiriman"])); ?></td>

<td><?php echo
$row["no_surat_jalan"];
?></td>

<td><?php echo
$row["nopol"]; ?></td>

<td><?php echo
idkey_to_name('data_sopir'
,'id_sopir',$row["id_sopir"],'
nama_lengkap'); ?></td>

<td><?php echo
number_format($row["juml
ah_liter"]); ?></td>

<td><?php echo
$row["asal_pengiriman"];
?></td>

<td><?php echo
idkey_to_name('data_lokasi
_tujuan','id_lokasi_tujuan',$
row["id_lokasi_tujuan'],'na
ma_tujuan'); ?></td>

<td>

<?php

```

```

    $result3 = $conn-
>query("SELECT
`data_perusahaan`.`nama_p
erusahaan` FROM
`data_perusahaan` INNER
JOIN `data_lokasi_tujuan`
ON
`data_perusahaan`.`id_peru
sahaan` =
`data_lokasi_tujuan`.`id_tri
er`

                WHERE
`data_lokasi_tujuan`.`id_lok
asi_tujuan` =
'$row[id_lokasi_tujuan]');

    while ($row3 = $result3-
>fetch_assoc()) {

        echo
        $row3['nama_perusahaan'];

    }

?>

</td>

<td><?php echo
idkey_to_name('data_lokasi
_tujuan','id_lokasi_tujuan',$
row['id_lokasi_tujuan'],'id_
trier'); ?></td>

<td><?php echo
$row["nama_penerima"];
?></td>

<td><?php echo
$row["nomor_telepon"];
?></td>

<td><?php echo
$row["no_so"]; ?></td>

<td><?php echo
$row["no_lo"]; ?></td>

<td><?php echo
$row["status"]; ?></td>

<?php
if($_GET[s]=='Berangkat'

```

```

AND $_SESSION["table"] ==
'data_sopir'){ ?>

<td><a class="btn btn-sm
btn-outline-success btn-
selesai" href="#"
data-status="Selesai" data-
no_surat_jalan="<?php
echo
$row["no_surat_jalan"];
?>">Selesai</i></a></td>

<?php } ?>

</tr><?php $no++; } ?>

</tbody>

</table>

</div></div>

<form
id="mightywebForm3">

    <input type="hidden"
id="no_surat_jalan"
name="no_surat_jalan"
value="<?php echo
$row["no_surat_jalan"];
?>">

    <!-- Sisipkan input lainnya
yang diperlukan dalam
formulir Anda di sini -->

</form>

<?php ob_start(); ?>

<?php $setDTcolvis =
"{extend: 'colvis', text: '<i
class=\"fas fa-
column\"></i>'}"; ?>

<?php $setDTenties =
"{extend: 'pageLength',
text: '<i class=\"fas fa-
eye\"></i>', "; ?>

<?php $setTableStyle =
"scrollX": true,
"fixedColumns": false, '; ?>

```

```

<?php $setScriptTools =
"searching": true,

"paging": true,

lengthMenu: [[ 10, 25, 50, -
1 ],[ "10", "25", "50", "Show
all" ]],

"ordering": true,

"info": true,

'; ?>

<?php $setDTbuttons =
"{extend: 'copyHtml5',
exportOptions: { columns:
':visible' }},

{extend: 'excelHtml5',
exportOptions: { columns:
':visible' }},

{extend: 'pdfHtml5',
download: 'open',
exportOptions: { columns:
':visible' },orientation:
'landscape',page_size:
'legal',title: 'Laporan'},

"; ?>

<?php $setDTSearchCol =
""; ?>

<?php $setDTfooterScript =
"; ?>

<?php
include('pages/dtscripts.ph
p'); ?>

<script>

function getData(ID){

$('#mightywebModal').mod
al('show');

$('#mightywebForm').attr('
process','update');

var val = ID;

```

```

var key = '<?php echo
$pri_name; ?>';

var tbl = '<?php echo
$table; ?>';

$('input[name="key"]').val('
<?php echo $pri_name;
?>');

$('input[name="val"]').val(I
D);

$.ajax({
type      : "POST",
url       :
"modules/actions.php?act=
getdata",
data      :
"key="+key+"&val="+val+"&
table="+tbl,
dataType  : "json",
success   : function(data){
$('input[name="nama_pene
rima"]').val(data.nama_pen
erima);

$('input[name="nomor_tele
pon"]').val(data.nomor_tele
pon); ;

return false; }); }
</script>
<script>
    $(document).on('click',
'.btn-selesai', function() {
        var no_surat_jalan =
$(this).data('no_surat_jalan'
);

$('#no_surat_jalan').val(no_
surat_jalan);

var status =
$(this).data('status');

var pilih =
confirm("Ubah status
pengajuan jadi ' + status +
'?");

if (pilih == true) {
    var form =
$('#mightywebForm3')[0];

    var data = new
FormData(form);

    console.log(data);

    $.ajax({
        type: "POST",
        enctype:
"multipart/form-data",
        url:
"./actions.php?act=proses-
selesai",
        data: data,
        processData: false,
        contentType: false,
        cache: false,
        timeout: 600000,
        beforeSend:
function(response) {
            $("body").LoadingOverlay("
show", {
                background:
'rgba(244, 246, 249, 0.5)',
                image: "",
                fontawesome:
'fa fa-cog fa-spin'
            });
        },
        complete:
function() {
            $("body").LoadingOverlay("
hide", true);
        },
        success:
function(data) {
            window.location.reload();

            console.log(data);
        },
        error:
function(data) {
            toastr.warning(data);
        }
    })
};
</script>
<?php
include('pages/forminsert.p
hp'); ?>
<?php
include('pages/formcall.php
'); ?>
<?php
$footerCTcallScript_custom
= ob_get_contents();
ob_clean(); ?>
<div class="card">
<div class="card-
header"><h3 class="card-
title">Data
Perjalanan</h3></div>

```



```

<div class="card-body">
<?php
    $table = "data_perjalanan";

    $result = $conn-
>query("SELECT * FROM
`$table` "); ?>

<table id="dataMightyWeb"
class="table table-sm table-
striped table-bordered
nowrap" width="100%">

<thead>
<tr>
<th>NO</th>
<th>Tanggal
Pengiriman</th>
<th>No Surat Jalan</th>
<th>NOPOL</th>
<th>Sopir</th>
<th>Jumlah Liter</th>
<th>Asal</th>
<th>Tujuan</th>
<th>Trier</th>
<th>Id Trier</th>
<th>Nama Penerima</th>
<th>Nomor Telepon</th>
<th>No SO</th>
<th>No LO</th>
<th>Actions</th>
</tr>
</thead>
<tbody>
<?php $no=1;

```

```

$result = $conn-
>query("SELECT * FROM
`$table` WHERE id_sopir =
$session[id_sopir] ORDER
BY tanggal_pengiriman
ASC");

/*$result = $conn-
>query("SELECT * FROM
`$table` WHERE
`id_lokasi_tujuan` IN
(SELECT `id_lokasi_tujuan`
FROM `data_lokasi_tujuan`
WHERE `id_trier` =
'{$session['id_perusahaan']}'
) ORDER BY
tanggal_pengiriman
ASC");*/

while($row = $result-
>fetch_assoc()) {
?><tr>
<td><?php echo $no;
?></td>
<td><?php echo date("d F
Y",
strtotime($row["tanggal_pe
ngiriman"])); ?></td>
<td><?php echo
$row["no_surat_jalan"];
?></td>
<td><?php echo
$row["nopol"]; ?></td>
<td><?php echo
idkey_to_name('data_sopir'
,'id_sopir',$row["id_sopir"],'
nama_lengkap'); ?></td>
<td><?php echo
number_format($row["juml
ah_liter"]); ?></td>
<td><?php echo
$row["asal_pengiriman"];
?></td>

```

```

<td><?php echo
idkey_to_name('data_lokasi
_tujuan','id_lokasi_tujuan',$
row["id_lokasi_tujuan'],'na
ma_tujuan'); ?></td>
<td>
<?php
    $result3 = $conn-
>query("SELECT
`data_perusahaan`.`nama_p
erusahaan` FROM
`data_perusahaan` INNER
JOIN `data_lokasi_tujuan`
ON
`data_perusahaan`.`id_peru
sahaan` =
`data_lokasi_tujuan`.`id_tri
er`
                WHERE
`data_lokasi_tujuan`.`id_lok
asi_tujuan` =
'$row[id_lokasi_tujuan]");
    while ($row3 = $result3-
>fetch_assoc()) {
        echo
$row3['nama_perusahaan'];
    }
?>
</td>
<td><?php echo
idkey_to_name('data_lokasi
_tujuan','id_lokasi_tujuan',$
row["id_lokasi_tujuan'],'id_
trier'); ?></td>
<td><?php echo
$row["nama_penerima"];
?></td>
<td><?php echo
$row["nomor_telepon"];
?></td>

```

```

<td><?php echo
$row["no_so"]; ?></td>

<td><?php echo
$row["no_lo"]; ?></td>

<td><a class="btn btn-
warning btn-xs btn-
perjalanan"
href='javascript:getData("<?
php echo
$row["no_surat_jalan"];
?>")'>

    <i class="fas fa-edit">
Update</i></a></td>

</tr><?php $no++; } ?>

</tbody>

</table>

</div></div>

```

```

<div class="modal fade"
id="mightywebModal"
data-backdrop="static"
data-keyboard="false">

<form class="needs-
validation mb-0" novalidate
enctype="multipart/form-
data" id="mightywebForm"
process="insert">

<div class="modal-dialog
modal-lg">

<div class="modal-
content">

<div class="modal-header">

<h4 class="modal-
title">Update Data
Perjalanan</h4>

<button type="button"
class="close" data-
dismiss="modal" aria-
label="Close">

```

```

<span aria-
hidden="true">&times;</sp
an>

</button></div>

<div class="modal-body">

<input type="hidden"
name="key" />

<input type="hidden"
name="val" />

<input type="hidden"
name="table"
value="data_perjalanan">

<div class="card-body p-0">

<div class="form-group"
id="fg_nama_penerima">

<label
for="nama_penerima">Na
ma Penerima</label>

<input type="text"
class="form-control"
required="required"
name="nama_penerima"
id="nama_penerima"
value="<?php echo
$row['nama_penerima'];
?>">

<div class="invalid-
feedback">Error: this field is
required.</div></div>

<div class="form-group"
id="fg_nomor_telepon">

<label
for="nomor_telepon">Nom
or Telepon</label>

<input type="text"
class="form-control"
required="required"

```

```

name="nomor_telepon"
id="nomor_telepon"
value="<?php echo
$row['nomor_telepon'];
?>">

<div class="invalid-
feedback">Error: this field is
required.</div></div>

</div>

</div>

<div class="modal-footer
justify-content-between
border-dark">

<button type="reset"
class="btn btn-default"
data-
dismiss="modal">Cancel</b
utton>

<button type="submit"
class="btn btn-
primary">Submit</button>

</div>

</div></div></form></div>

<?php ob_start(); ?>

<?php $setDTcolvis =
"{extend: 'colvis', text: '<i
class=\"fas fa-
columns\"></i>'}"; ?>

<?php $setDTenties =
"{extend: 'pageLength',
text: '<i class=\"fas fa-
eye\"></i>'}"; ?>

<?php $setTableStyle =
""scrollX": true,
"fixedColumns": false, '; ?>

<?php $setScriptTools =
""searching": true,
"paging": true,

```

```

lengthMenu: [[ 10, 25, 50, -
1 ],[ "10", "25", "50", "Show
all" ]],
"ordering": true,
"info": true,

'; ?>

<?php $setDTbuttons =
"{extend: 'copyHtml5',
exportOptions: { columns:
':visible' }},
{extend: 'excelHtml5',
exportOptions: { columns:
':visible' }},
{extend: 'pdfHtml5',
download: 'open',
exportOptions: { columns:
':visible' },orientation:
'landscape',pageSize:
'legal',title: 'Laporan'}
"; ?>

<?php $setDTSearchCol =
""; ?>

<?php $setDTfooterScript =
"; ?>

<?php
include('pages/dtscripts.ph
p'); ?>

<script>

function getData(ID){

$('#mightywebModal').mod
al('show');

$('#mightywebForm').attr('
process','update');

var val = ID;

var key = '<?php echo
$pri_name; ?>';

```

```

var tbl = '<?php echo
$table; ?>';

$('input[name="key"]').val('
<?php echo $pri_name;
?>');

$('input[name="val"]').val(I
D);

$.ajax({

type          : "POST",

url           :
"modules/actions.php?act=
getdata",

data         :
"key="+key+"&val="+val+"&
table="+tbl,

dataType     : "json",

success : function(data){

$('input[name="nama_pene
rima"]').val(data.nama_pen
erima);

$('input[name="nomor_tele
pon"]').val(data.nomor_tele
pon); ;

return false; } }); }

</script>

<?php
include('pages/forminsert.p
hp'); ?>

<?php
include('pages/formcall.php
'); ?>

<?php
$footerCTcallScript_custom
= ob_get_contents();
ob_clean(); ?>

<?php
$table = "data_perjalanan";

```

```

if(!empty($_GET['key']) &&
!empty($_GET['val'])){

$sqlupdate = $conn-
>query("SELECT * FROM
`$table` WHERE
`$_GET[key]` =
'$_GET[val]'");

$row = $sqlupdate-
>fetch_array();

$inputkey = '<input
type="hidden" name="key"
value="'. $_GET['key']. "' />';

$inputval = '<input
type="hidden" name="val"
value="'. $_GET['val']. "' />';

$act = 'process="update"';

$nomor =
$row['no_surat_jalan'];

} else if
(!empty($_GET['act'])) {

$act =
'process="'. $_GET['act']. "'";

$nomor =
strval(rand(1000000000000
0, 99999999999999));

} else{

$act = 'process="insert"';

$nomor =
strval(rand(1000000000000
0, 99999999999999));

}

?>

<div class="col-12"><div
class="card card-outline
card-primary">

<div class="card-
header"><h3 class="card-

```

```

title"> Input Data
Perjalanan </h3></div>

<form class="needs-
validation mb-0" novalidate
enctype="multipart/form-
data" id="mightywebForm"
<?php echo $act; ?>>

<input type="hidden"
name="table" value="<?php
echo $table; ?>">

<?php echo $inputkey; ?>

<?php echo $inputval; ?>

<div class="card-body">

<p class="text-right mb-
3"><strong>Nomor Surat
Jalan : <?php echo $nomor;
?></strong></p>

<input type="hidden"
value="<?php echo
$nomor; ?>"
name="no_surat_jalan">

<div class="form-group mb-
2"
id="fg_asal_pengiriman">

<label
for="asal_pengiriman">Asal
Pengiriman</label>

<select
name="asal_pengiriman"
class="form-control">

    <option value="PT.
Pertamina Persero (TBBM
Kertapati Palembang)">

        PT. Pertamina Persero
(TBBM Kertapati
Palembang)</option>

    <option value="PT.
Kalingga Energi
Sriwijaya">PT. Kalingga
Energi Sriwijaya</option>

```

```

</select>

<div class="invalid-
feedback">Error: this field is
required.</div></div>

<div class="form-group mb-
2"
id="fg_id_lokasi_tujuan">

<label
for="id_lokasi_tujuan">Tuju
an Pengiriman</label>

<select
name="id_lokasi_tujuan"
class="form-control select2"
id="id_lokasi_tujuan">

    <option value="">-- Pilih --
</option>

    <?php

        $sqllok = $conn-
>query("SELECT * FROM
`data_lokasi_tujuan`
GROUP BY keterangan");

        while($row1 =
$sqllok->fetch_array()) {

            echo "<optgroup
label='$row1[keterangan]'"
";

            $sqllok2 = $conn-
>query("SELECT * FROM
`data_lokasi_tujuan`
WHERE keterangan =
'$row1[keterangan]'");

            while($row2 =
$sqllok2->fetch_array()) {

                if($row1['id_lokasi_tujuan']=
=$row2['id_lokasi_tujuan']){

                    echo "<option
value='\$row2[id_lokasi_tu

```

```

juan]\" data-
idp="\$row2[id_trier]\"

                data-
ket="\$row2[keterangan]\"
selected>$row2[nama_tuju
an]</option>";

                echo "\n";

            }else{

                echo "<option
value='\$row2[id_lokasi_tu
juan]\" data-
idp='\$row2[id_trier]\"

                data-
ket='\$row2[keterangan]\"
>$row2[nama_tujuan]</opt
ion>";

                echo "\n";

            }

        }

        echo "</optgroup>";

    }

    ?>

</select>

<div class="invalid-
feedback">Error: this field is
required.</div></div>

<div id="fg_so_lo">

<div class="form-group mb-
2" id="fg_no_so">

<label for="no_so">Nomor
SO</label>

<select name="no_so"
class="form-control select2"
id="no_so" required>

</select>

```

```
<div class="invalid-feedback">Error: this field is required.</div></div>
```

```
<div class="form-group mb-2" id="fg_no_lo">
```

```
<label for="no_lo">Nomor LO</label>
```

```
<select class="form-control select2" name="no_lo[]" id="no_lo" value="<?php echo $row['no_lo']; ?>" required="required" multiple="multiple">
```

```
</select>
```

```
<div class="invalid-feedback">Error: this field is required.</div></div>
```

```
</div>
```

```
<div class="form-group" id="fg_no_po" style="display:none;">
```

```
<label for="no_po">Nomor PO</label>
```

```
<input type="text" class="form-control" name="no_po" id="no_po" value="<?php echo $row['no_po']; ?>" required>
```

```
<div class="invalid-feedback">Error: this field is required.</div></div>
```

```
<div class="row">
```

```
<div class="col-6">
```

```
<div class="form-group mb-2" id="fg_tanggal_pengiriman">
```

```
<label for="tanggal_pengiriman">Tanggal Pengiriman</label>
```

```
<input type="date" class="form-control" required="required" name="tanggal_pengiriman" id="tanggal_pengiriman" value="<?php echo $row['tanggal_pengiriman']; ?>">
```

```
<div class="invalid-feedback">Error: this field is required.</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-6">
```

```
<div class="form-group mb-2" id="fg_jumlah_liter">
```

```
<label for="jumlah_liter">Jumlah Liter</label>
```

```
<input type="number" class="form-control" required="required" name="jumlah_liter" id="jumlah_liter" value="<?php echo $row['jumlah_liter']; ?>">
```

```
<div class="invalid-feedback">Error: this field is required.</div></div>
```

```
</div>
```

```
<div class="col-6">
```

```
<div class="form-group mb-2" id="fg_nopol">
```

```
<label for="nopol">NOPOL</label>
```

```
<select name="nopol" class="form-control select2">
```

```
<option value="">--  
Pilih --</option>
```

```
<?php  
select_data('data_mobil','nopol','nopol',$row['nopol']);  
?>
```

```
</select>
```

```
<div class="invalid-feedback">Error: this field is required.</div></div>
```

```
</div>
```

```
<div class="col-6">
```

```
<div class="form-group mb-2" id="fg_id_sopir">
```

```
<label for="id_sopir">Sopir</label>
```

```
<select name="id_sopir" class="form-control select2">
```

```
<option value="">--  
Pilih --</option>
```

```
<?php  
select_data('data_sopir','id_sopir','nama_lengkap',$row['id_sopir']);  
?>
```

```
</select>
```

```
<div class="invalid-feedback">Error: this field is required.</div></div>
```

```
</div>
```

```
<div class="col-4">
```

```
<div class="form-group mb-2" id="fg_km_awal">
```

```

        <label
for="km_awal">Km
Awal</label>

        <input type="number"
class="form-control"
required="required"
name="km_awal"
id="km_awal"
value="<?php echo
$row['km_awal']; ?>">

        <div class="invalid-
feedback">Error: this field is
required.</div></div>

    </div>

    <div class="col-4">

        <div class="form-group
mb-2" id="fg_km_akhir">

            <label
for="km_akhir">Km
Akhir</label>

            <input type="number"
class="form-control"
required="required"
name="km_akhir"
id="km_akhir"
value="<?php echo
$row['km_akhir']; ?>">

            <div class="invalid-
feedback">Error: this field is
required.</div></div>

        </div>

        <div class="col-4">

            <div class="form-group
mb-2" id="fg_saldo">

                <label
for="saldo">Saldo</label>

                <input type="text"
class="form-control"
required="required"
name="saldo" id="saldo"
value="<?php echo
isset($row['saldo']) ?
$row['saldo'] : 'TRANSFER';
?>">

                <div class="invalid-
feedback">Error: this field is
required.</div></div>

            </div>

            <div class="form-group"
id="fg_nama_penerima">

                <label
for="nama_penerima">Na
ma Penerima</label><input
type="text" class="form-
control"
required="required"
name="nama_penerima"
id="nama_penerima"
value="<?php echo
$row['nama_penerima'];
?>"><div class="invalid-
feedback">Error: this field is
required.</div></div>

            <div class="form-group"
id="fg_nomor_telepon">

                <label
for="nomor_telepon">Nom
or Telepon</label><input
type="text" class="form-
control"
required="required"
name="nomor_telepon"
id="nomor_telepon"
value="<?php echo
$row['nomor_telepon'];
?>"><div class="invalid-
feedback">Error: this field is
required.</div></div>

        </div></div>

        <div class="card-footer">

            <a class="btn border-dark"
onClick="history.back()">Ca
ncel</a>

            <button type="submit"
class="btn btn-primary
float-
right">Submit</button>

        </div>

    </form>

</div></div>

<?php ob_start(); ?>

<script>

$('select#id_lokasi_tujuan').
on('change', function() {

    var ket =
$(this).find('option:selected')
.data('ket');

    var idp =
$(this).find('option:selected')
.data('idp');

    if(ket==='KES'){

        $('#fg_no_po').css('display','
block');

        $('#no_po').attr('required',t
rue);

        $('#fg_so_lo').css('display','
none');

        $('#no_so').attr('required',f
alse);

```

```

        dataType: 'json',
        data: postData1,
        beforeSend:
function(){
        $("body").LoadingOverlay("show", {
        background
: 'rgba(244, 246, 249, 0.5)',
        image: "", fontawesome : 'fa
fa-cog fa-spin'
});
        },
        complete:
function() {
        $("body").LoadingOverlay("
hide", true); },
        success:
function(data) {
        console.log(data)
                var select =
        $('#no_so');
                select.empty();
                select.append('<option
value="">-Pilih-</option>');
                $.each(data,
function(key, value) {
                select.append('<option
value="">'+key+''+value+'</
option>');
                });
        }
    });
});
});

$('#no_lo').attr('required',false);

    }else if(ket==='BES'){

        $('#fg_so_lo').css('display','
block');

        $('#no_so').attr('required',true);

        $('#no_lo').attr('required',true);

        $('#fg_no_po').css('display','
none');

        $('#no_po').attr('required',false);

        var postData1 = {
            'table' :
'data_sales_order',
            'val' : idp,
            'key' :
'id_perusahaan',
            'optval' : 'no_so',
            'opttext' : 'no_so'
        };
        $.ajax({
            url:
'/actions.php?act=onchage
-tujuan',
            type: 'POST',
            dataType: 'json',
            data: postData1,
            beforeSend:
function(){
                $("body").LoadingO
verlay("show", {
                    background
: 'rgba(244, 246, 249, 0.5)',
                    image: "", fontawesome : 'fa
fa-cog fa-spin'
                });
            },
            complete:
function() {
                $("body").LoadingO
verlay("hide", true);
            },
            success:
function(data) {
                console.log(data)
                var select =
                $('#no_so');
                select.empty();
                select.append('<option
value="">-Pilih-</option>');
                $.each(data,
function(key, value) {
                select.append('<option
value="">'+key+''+value+'</
option>');
                });
            },
            error:
function() {
                console.log('Gagal');
            }
        });
    }
}

```

```

        complete:
function() {
$("body").LoadingOverlay("
hide", true); },

        success:
function(data) {

        var select =
$('#no_lo');

        select.empty();

        $.each(data,
function(key, value) {

select.append('<option
value="'+key+'"'>'+value+'</
option>');

        });

        }

        });

        });

</script>

<style>

.text-sm .select2-container--
default .select2-selection--
single, select.form-control-
sm~.select2-container--
default .select2-selection--
single{height: 38px;padding:
10px;}

</style>

<!-- Select2 -->

<script src="<?php echo
path('dist/');
?>plugins/select2/js/select2
.full.min.js"></script>

<script>

        $(function () {

// test editor

$('#html5Editor').summern
ote();

//Initialize Select2 Elements

$('.select2').select2();

//Initialize Select2 Elements

$('.select2bs4').select2({
theme: 'bootstrap4'
});

});

</script>

<?php
include('pages/forminsert.p
hp'); ?>

<?php
include('pages/formcall.php
'); ?>

<?php
$footerCTcallScript_custom
= ob_get_contents();
ob_clean(); ?>

<p>

<button type="button"
class="btn btn-outline-
primary"
onclick="location.href='?m=
modules/data_perusahaan/
&p=input&act=insert';">

Insert Record

</button>

</p>

<div class="card">

<div class="card-
header"><h3 class="card-
title">Data
Perusahaan</h3></div>

<div class="card-body">

<?php

$stable =
"data_perusahaan";

$result = $conn-
>query("SELECT * FROM
`$stable`"); ?>

<table id="dataMightyWeb"
class="table table-sm table-
striped table-bordered
nowrap" width="100%">

<thead>

<tr>

<th>NO</th>

<th>Nama Perusahaan</th>

<th>Alamat</th>

<th>Actions</th></tr>

</thead>

<tbody>

<?php $no=1;

while($row = $result-
>fetch_assoc()) { ?><tr>

<td><?php echo $no;
?></td>

<td><?php echo
$row["nama_perusahaan"];
?></td>

<td><?php echo
$row["alamat"]; ?></td>

<td><a
href="?m=modules/data_p
erusahaan/&p=input&act=u
pdate&key=id_perusahaan
&val=<?php echo
$row["id_perusahaan"]; ?>"
class="btn btn-info btn-xs"
title="Update"><i class="fas
fa-edit"></i></a>


```



```

<a
href="javascript:delData('<?
php echo
$row["id_perusahaan"];
?>)" class="btn btn-danger
btn-xs" title="Delete"><i
class="far fa-trash-
alt"></i></a></td>

</tr><?php $no++; } ?>

</tbody>
</table>

</div></div>

<?php ob_start(); ?>

<?php $setDTcolvis =
"{extend: 'colvis', text: '<i
class=\ "fas fa-
columns\ "></i>',"; ?>

<?php $setDTenties =
"{extend: 'pageLength',
text: '<i class=\ "fas fa-
eye\ "></i>',"; ?>

<?php $setTableStyle =
"\"responsive\": true;\"; ?>

<?php $setScriptTools =
"\"searching\": true,
\"paging\": true,
lengthMenu: [[ 10, 25, 50, -
1 ],[ \"10\", \"25\", \"50\", \"Show
all\" ]],
\"ordering\": true,
\"info\": true,
'; ?>

<?php $setDTbuttons =
"{extend: 'copyHtml5',
exportOptions: { columns:
':visible' }},
{extend: 'excelHtml5',
exportOptions: { columns:
':visible' }},
{extend: 'pdfHtml5',
download: 'open',
exportOptions: { columns:
':visible' },orientation:
'landscape',pageSize:
'legal',title: 'Laporan'},
"; ?>

<?php $setDTSearchCol =
""; ?>

<?php $setDTfooterScript =
"; ?>

<?php
include('pages/dtscripts.ph
p'); ?>

<?php
$footerCTcallScript_custom
= ob_get_contents();
ob_clean(); ?>

<?php
$table =
"data_perusahaan";

if(!empty($_GET['key']) &&
!empty($_GET['val'])){

$sqlupdate = $conn-
>query("SELECT * FROM
`$table` WHERE
`$_GET[key]` =
'$_GET[val]'");

$row = $sqlupdate-
>fetch_array();

$inputkey = '<input
type="hidden" name="key"
value="$_GET['key']." />';

$inputval = '<input
type="hidden" name="val"
value="$_GET['val']." />';

$act = 'process="update"';
}else
if(!empty($_GET['act'])){

$act =
'process="$_GET['act'].'";
}else{
$act = 'process="insert"';
}?>

<div class="col-12"><div
class="card card-outline
card-primary">

<div class="card-
header"><h3 class="card-
title"> Data Perusahaan
</h3></div>

<form class="needs-
validation mb-0" novalidate
enctype="multipart/form-
data" id="mightywebForm"
<?php echo $act; ?>>

<input type="hidden"
name="table" value="<?php
echo $table; ?>">

<?php echo $inputkey; ?>

<?php echo $inputval; ?>

<div class="card-body">

<div class="form-group"
id="fg_nama_perusahaan">

<label
for="nama_perusahaan">N
ama
Perusahaan</label><input
type="text" class="form-
control"
required="required"
name="nama_perusahaan"
id="nama_perusahaan"
value="<?php echo
$row['nama_perusahaan'];
?>"><div class="invalid-
feedback">Error: this field is
required.</div></div></div>

```

```

class="form-group"
id="fg_alamat">
<label
for="alamat">Alamat</label>
<textarea class="form-
control"
required="required"
name="alamat"
id="alamat"><?php echo
$row['alamat'];
?></textarea><div
class="invalid-
feedback">Error: this field is
required.</div></div>
</div>
<div class="card-footer">
<a class="btn border-dark"
onClick="history.back()">Ca
ncel</a>
<button type="submit"
class="btn btn-primary
float-
right">Submit</button>
</div>
</form>
</div></div>
<?php ob_start(); ?>
<?php
include('pages/forminsert.p
hp'); ?>
<?php
include('pages/formcall.php
'); ?>
<?php
$footerCTcallScript_custom
= ob_get_contents();
ob_clean(); ?>
<p>
<!--<button type="button"
class="btn btn-outline-

```

```

primary btn-add" data-
toggle="modal" data-
target="#mightywebModal"
><i class="fa fa-plus"></i>
Insert Record</button>-->
<a class="btn btn-outline-
primary btn-add"
href="./?m=modules/data_
sales_order&p=input-
inline&act=insert-so"><i
class="fa fa-plus"></i>
Insert Record</a>
</p>
<div class="card card-
outline card-primary">
<div class="card-
header"><h3 class="card-
title">Data Sales
Order</h3></div>
<div class="card-body">
<table id="dataMightyWeb"
class="table table-sm table-
striped table-bordered
nowrap" width="100%">
<thead>
<tr>
<th>Nama Perusahaan</th>
<th>No So</th>
<th>No Lo</th>
<th>Tanggal Terbit So</th>
<th>Actions</th></tr>
</thead>
<tbody>
<?php
$stable =
"data_sales_order"; $sql =
"SELECT * FROM `stable`";

```

```

$result = $conn-
>query($sql);
while($row = $result-
>fetch_assoc()) {
$perusahaan =
idkey_to_name('data_perus
ahaan','id_perusahaan',$ro
w['id_perusahaan'],'nama_
perusahaan');
?><tr>
<td><?php echo
$perusahaan; ?></td>
<td><b>NO SO:</b> <?php
echo $row['no_so'];
?></td>
<td><?php echo
$row['no_lo']; ?></td>
<td><?php echo
$row['tanggal_terbit_so'];
?></td>
<td><a class="btn btn-xs
btn-outline-primary"
href='javascript:getData("<?
php echo $row['no_lo'];
?>")'>Edit</i></a>
<a class="btn btn-xs btn-
outline-warning"
href='javascript:delData("<?
php echo $row['no_lo'];
?>")'>Delete</a></td>
</tr><?php } ?>
</tbody>
</table>
</div></div>
<?php include("input-
modal.php"); ?>
<?php ob_start(); ?>
<?php $setDTColvis =
"{extend: 'colvis', text: '<i

```

```

class=\fas fa-
columns"></i>'," ; ?>
<?php $setDTenties =
"{extend: 'pageLength',
text: '<i class=\fas fa-
eye\ "></i>', " ; ?>
<?php $setTableStyle =
""responsive": true, ; ?>
<?php $setScriptTools =
""searching": true,
"paging": true,
lengthMenu: [[ 10, 25, 50, -
1 ], [ "10", "25", "50", "Show
all" ]],
"ordering": true,
"info": true,
order: [[3, "desc"]],
"rowGroup": { "dataSrc": [
0,1 ]},
"columnDefs": [{
"targets": [0,1],
"visible": false,
"searchable": true
}], ; ?>
<?php $setDTbuttons =
"{extend: 'copyHtml5',
exportOptions: { columns:
':visible' }},
{extend: 'excelHtml5',
exportOptions: { columns:
':visible' }},
{extend: 'pdfHtml5',
download: 'open',
exportOptions: { columns:
':visible' }, orientation:
'landscape', pageSize:
'legal', title: 'Laporan Data
Sales Order'},
"; ?>
<?php $setDTSearchCol =
"" ; ?>
<?php $customSCBottom =
"" ; ?>
<?php $setDTfooterScript =
"" ; ?>
<?php
include('pages/dtscripts.ph
p'); ?>
<script>
function getData(ID){
$('#mightywebModal').mod
al('show');
$('.needs-
validation').attr('process', 'u
pdate');
var val = ID;
var key = '<?php echo
$pri_name; ?>';
var tbl = '<?php echo
$table; ?>';
$('input[name="key"]').val(
<?php echo $pri_name;
?>');
$('input[name="val"]').val(I
D);
$.ajax({
type : "POST",
url :
"actions.php?act=getdata",
data :
"key="+key+"&val="+val+"&
table="+tbl,
dataType : "json",
beforeSend :
function(response){
$("body").LoadingOverlay("
show", {
<?php echo $loading; ?>
});
},
complete : function() {
$("body").LoadingOverlay("
hide", true); },
success : function(data){
$('input[name="no_lo"]').va
l(data.no_lo);
$('input[name="no_so"]').v
al(data.no_so);
$('input[name="id_perusah
aan"]').val(data.id_perusaha
an);
$('input[name="tanggal_ter
bit_so"]').val(data.tanggal_t
erbit_so);
return false; }); }
</script>
<?php
include('pages/forminsert.p
hp'); ?>
<?php
include('pages/formcall.ph
p'); ?>
<?php
$footerCTcallScript_custom
= ob_get_contents();
ob_clean(); ?>
<?php
$table =
"data_sales_order";
if(!empty($_GET['key']) &&
!empty($_GET['val'])){
$sqlupdate = $conn-
>query("SELECT * FROM

```

```

`$table` WHERE
`$_GET[key]` =
'$_GET[val]');

$row = $sqlupdate-
>fetch_array();

$inputkey = '<input
type="hidden" name="key"
value="'. $_GET['key']. "' />';

$inputval = '<input
type="hidden" name="val"
value="'. $_GET['val']. "' />';

$act = 'process="update"';

} else
if(!empty($_GET['act'])){

$act =
'process="'. $_GET['act']. '";

} else{

$act = 'process="insert"';

} ?>

<div class="col-12"><div
class="card card-outline
card-primary">

<div class="card-
header"><h3 class="card-
title"> Input Data Sales
Order </h3></div>

<form class="needs-
validation mb-0" novalidate
enctype="multipart/form-
data" id="mightywebForm"
<?php echo $act; ?>>

<input type="hidden"
name="table" value="<?php
echo $table; ?>">

<?php echo $inputkey; ?>

<?php echo $inputval; ?>

<div class="card-body">

```

```

<div class="form-group mb-
3" id="fg_id_perusahaan">

<label
for="id_perusahaan">Nama
Perusahaan</label>

<?php
if($_SESSION['table']=='data
_perusahaan'){ ?>

<input type="hidden"
name="id_perusahaan"
value="<?php echo
$_SESSION['id_perusahaan'];
?>">

<input type="text"
class="form-control"
value="<?php echo
$_SESSION['nama_perusaha
an']; ?>" readonly>

<?php } else{ ?>

<select
name="id_perusahaan"
class="form-control
select2">

    <option value="">- Pilih -
</option>

    <?php
select_data('data_perusaha
an','id_perusahaan','nama_
perusahaan',$row['id_perus
ahaan']); ?>

</select>

<?php } ?>

<div class="invalid-
feedback">Error: this field is
required.</div></div>

<div class="row">

<div class="form-group mb-
3 col" id="fg_no_so">

```

```

<label for="no_so">(SO)
Sales Order </label>

<input type="text"
class="form-control"
required="required"
name="no_so" id="no_so"
value="<?php echo
$row['no_so']; ?>">

<div class="invalid-
feedback">Error: this field is
required.</div></div>

<div class="form-group mb-
3 col"
id="fg_tanggal_terbit_so">

<label
for="tanggal_terbit_so">(S
O) Tanggal Terbit </label>

<input type="date"
class="form-control"
required="required"
name="tanggal_terbit_so"
id="tanggal_terbit_so"
value="<?php echo
$row['tanggal_terbit_so'];
?>">

<div class="invalid-
feedback">Error: this field is
required.</div>

</div>

<div class="card card-
outline card-info">

<header class="card-
header">

<h3 class="card-
title">Loading Order</h3>

</header>

<div class="card-body">

```



```

= ob_get_contents();
ob_clean(); ?>

<div class="modal fade"
id="mightywebModal"
data-backdrop="static"
data-keyboard="true">

<form class="needs-
validation mb-0" novalidate
enctype="multipart/form-
data" id="mightywebForm"
process="insert">

<div class="modal-dialog
modal-md">

<div class="modal-
content">

<div class="modal-header">

<h4 class="modal-
title">Input Data Sales
Order</h4>

<button type="button"
class="close" data-
dismiss="modal" aria-
label="Close">

<span aria-
hidden="true">&times;</sp
an>

</button></div>

<div class="modal-body">

<div class="form-group mb-
3" id="fg_id_perusahaan">

<label
for="id_perusahaan">Nama
Perusahaan</label>

<?php
if($_SESSION['table']=='data
_perusahaan'){ ?>

<input type="hidden"
name="id_perusahaan"
value="<?php echo
$session['id_perusahaan'];
?>">

<input type="text"
class="form-control"
value="<?php echo
$session['nama_perusaha
an']; ?>" readonly>

<?php }else{ ?>

<select
name="id_perusahaan"
class="form-control
select2">

    <option value="">- Pilih -
</option>

    <?php
select_data('data_perusaha
an','id_perusahaan','nama_
perusahaan',$row['id_perus
ahaan']); ?>

</select>

<?php } ?>

<div class="invalid-
feedback">Error: this field is
required.</div></div>

<div class="row">

<div class="form-group mb-
3 col" id="fg_no_so">

<label for="no_so">(SO)
Sales Order </label>

<input type="text"
class="form-control"
required="required"
name="no_so" id="no_so"
value="<?php echo
$row['no_so']; ?>">

<div class="invalid-
feedback">Error: this field is
required.</div></div>

<div class="form-group mb-
3 col"
id="fg_tanggal_terbit_so">

<label
for="tanggal_terbit_so">(S
O) Tanggal Terbit </label>

<input type="date"
class="form-control"
required="required"
name="tanggal_terbit_so"
id="tanggal_terbit_so"
value="<?php echo
$row['tanggal_terbit_so'];
?>">

<div class="invalid-
feedback">Error: this field is
required.</div>

</div>

</div>

<div class="card card-
outline card-info">

<header class="card-
header">

<h3 class="card-
title">Loading Order</h3>

</header>

<div class="card-body">

<div id="insert-new">

<div class="row mb-2"
id="elm">

<div class="form-group col"
id="fg_1">

<div class="input-group">

<input type="text"
class="form-control col"
id="no_lo_1"
name="no_lo[]"
placeholder="Nomor LO"
required>

```

```

</div>
</div>
</div>
<div class="row mb-2"
id="elm-copy">
<div class="form-group col"
id="fg_1">
<div class="input-group">
<input type="text"
class="form-control col"
id="no_lo_1"
name="no_lo[]"
placeholder="Nomor LO"
required>
</div>
</div>
<div class="form-group col-2" id="fg_trash">
<button type="button"
class="btn btn-danger btn-block" id="trash"
onclick="removeDiv(this)">
  <i class="fas fa-trash"></i></button>
</div>
</div>
</div>
<div class="row">
<div class="col-12 mt-2">
<button type="button"
class="btn btn-secondary btn-sm btn-block" id="btn-copy"><i class="fas fa-plus"></i>
Tambah</button>
</div>
</div>
</div>
</div>
</div>
</div>
<div class="modal-footer
justify-content-between
border-dark">
<button type="reset"
class="btn btn-default"
data-dismiss="modal">Cancel</button>
<button type="submit"
class="btn btn-primary">Submit</button>
</div>
</div></div></form></div>
<?php ob_start(); ?>
<script>
function removeDiv(elem){
  $(elem).parents('#elm-copy').remove();
}
$(document).ready(function () {
  $('#btn-copy').click(function() {
    var clonedRow = $('#elm-copy').last().clone();
    clonedRow.insertAfter($('#elm-copy').last());
  });
});
</script>
<?php
$footerCTcallScript_customs = ob_get_contents();
ob_clean(); ?>
<p>
<button type="button"
class="btn btn-outline-primary"
onclick="location.href='?m=modules/data_sopir/&p=input&act=insert';">
Insert Record
</button>
</p>
<div class="card">
<div class="card-header"><h3 class="card-title">Data
Sopir</h3></div>
<div class="card-body">
<?php
$table = "data_sopir";
$result = $conn->query("SELECT * FROM `\$table`"); ?>
<table id="dataMightyWeb"
class="table table-sm table-striped table-bordered nowrap" width="100%">
<thead>
<tr><th>Nama
Lengkap</th>
<th>Photo</th>
<th>Jenis Kelamin</th>
<th>Alamat</th>
<th>Nomor Telepon</th>
<th>Nomor Rekening</th>
<th>Nama Bank</th>
<th>Email</th>
<th>Password</th>

```

```

<th>Actions</th></tr>
</thead>
<tbody>
<?php while($row = $result-
>fetch_assoc()) {
$file =
'uploads/'.$row["photo"];
if(!file_exists($file)){
    $img =
    path('dist/').'img/avatar.png
';
}
else{
    $img = $file;
}
?>
<tr>
<td><?php echo
$row["nama_lengkap"];
?></td>
<td><a href="<?php echo
$img; ?>">
</a></td>
<td><?php echo
$row["jenis_kelamin"];
?></td>
<td><?php echo
$row["alamat"]; ?></td>
<td><?php echo
$row["nomor_telepon"];
?></td>
<td><?php echo
$row["nomor_rekening"];
?></td>

```

```

<td><?php echo
$row["nama_bank"];
?></td>
<td><?php echo
$row["email"]; ?></td>
<td><?php echo
$row["password"]; ?></td>
<td><a
href="?m=modules/data_so
pir/&p=input&act=update&
key=id_sopir&val=<?php
echo $row["id_sopir"]; ?>"
class="btn btn-info btn-xs"
title="Update"><i class="fas
fa-edit"></i></a>
<a
href="javascript:delData('<?
php echo $row["id_sopir"];
?>')" class="btn btn-danger
btn-xs" title="Delete"><i
class="far fa-trash-
alt"></i></a></td>
</tr><?php } ?>
</tbody>
</table>
</div></div>
<?php ob_start(); ?>
<?php $setDTcolvis =
"{extend: 'colvis', text: '<i
class=\"fas fa-
columns\"></i>'}"; ?>
<?php $setDTenties =
"{extend: 'pageLength',
text: '<i class=\"fas fa-
eye\"></i>'}"; ?>
<?php $setTableStyle =
""responsive": true;"; ?>
<?php $setScriptTools =
""searching": true,
"paging": true,

```

```

lengthMenu: [[ 10, 25, 50, -
1 ],[ "10", "25", "50", "Show
all" ]],
"ordering": true,
"info": true,
'; ?>
<?php $setDTbuttons =
"{extend: 'copyHtml5',
exportOptions: { columns:
':visible' }},
{extend: 'excelHtml5',
exportOptions: { columns:
':visible' }},
{extend: 'pdfHtml5',
download: 'open',
exportOptions: { columns:
':visible' },orientation:
'landscape',page_size:
'legal',title: 'Laporan'},
"; ?>
<?php $setDTSearchCol =
""; ?>
<?php $setDTfooterScript =
"; ?>
<?php
include('pages/dtscrip.ts.ph
p'); ?>
<?php
$footerCTcallScript_custom
= ob_get_contents();
ob_clean(); ?>
<?php
$table = "data_sopir";
if(!empty($_GET['key']) &&
!empty($_GET['val'])){
$sqlupdate = $conn-
>query("SELECT * FROM
`$table` WHERE

```



```

`$_GET[key]` =
'$_GET[val]');

$row = $sqlupdate-
>fetch_array();

$inputkey = '<input
type="hidden" name="key"
value="'. $_GET['key']. "' />';

$inputval = '<input
type="hidden" name="val"
value="'. $_GET['val']. "' />';

$act = 'process="update"';

}else
if(!empty($_GET['act'])){

$act =
'process="'. $_GET['act']. '";

}else{

$act = 'process="insert"';

}??>

<div class="col-12"><div
class="card card-outline
card-primary">

<div class="card-
header"><h3 class="card-
title"> Input Data Sopir
</h3></div>

<form class="needs-
validation mb-0" novalidate
enctype="multipart/form-
data" id="mightywebForm"
<?php echo $act; ??>

<input type="hidden"
name="table" value="<?php
echo $table; ??>"

<?php echo $inputkey; ??>

<?php echo $inputval; ??>

<div class="card-body">

<div class="form-group"
id="fg_nama_lengkap">

```

```

<label
for="nama_lengkap">Nama
Lengkap</label><input
type="text" class="form-
control"
required="required"
name="nama_lengkap"
id="nama_lengkap"
value="<?php echo
$row['nama_lengkap'];
?>"><div class="invalid-
feedback">Error: this field is
required.</div></div><div
class="form-group"
id="fg_photo">

<label
for="photo">Photo</label>
<div class="input-group">

<div class="input-group-
prepend "><span
class="input-group-text p-
0"
id="imgphoto"></span></di
v>

<div class="custom-file">

<input type="file"
class="custom-file-input"
id="photo" name="photo">

<label class="custom-file-
label" for="photo"><?php
echo $row["photo"];
?></label>

</div>

</div><div class="invalid-
feedback">Error: this field is
required.</div></div><div
class="form-group"
id="fg_jenis_kelamin">

<label>Jenis
Kelamin</label><div
class="col-12">

```

```

<div class="custom-control
custom-radio custom-
control-inline">

<input class="custom-
control-input" type="radio"
id="jenis_kelamin-1"
name="jenis_kelamin"
value="Laki-laki"
required="required" <?php
if ($row['jenis_kelamin'] ==
'Laki-laki'){ echo 'checked'; }
?> />

<label class="custom-
control-label"
for="jenis_kelamin-1">Laki-
laki</label>

</div>

<div class="custom-control
custom-radio custom-
control-inline">

<input class="custom-
control-input" type="radio"
id="jenis_kelamin-2"
name="jenis_kelamin"
value="Perempuan"
required="required" <?php
if ($row['jenis_kelamin'] ==
'Perempuan'){ echo
'checked'; } ?? />

<label class="custom-
control-label"
for="jenis_kelamin-
2">Perempuan</label>

</div>

</div><div class="invalid-
feedback">Error: this field is
required.</div></div><div
class="form-group"
id="fg_alamat">

<label
for="alamat">Alamat</label>
<textarea class="form-
control"

```

```

required="required"
name="alamat"
id="alamat"><?php echo
$row['alamat'];
?></textarea><div
class="invalid-
feedback">Error: this field is
required.</div></div><div
class="form-group"
id="fg_nomor_telepon">
<label
for="nomor_telepon">Nom
or Telepon</label><input
type="text" class="form-
control"
required="required"
name="nomor_telepon"
id="nomor_telepon"
value="<?php echo
$row['nomor_telepon'];
?>"><div class="invalid-
feedback">Error: this field is
required.</div></div><div
class="form-group"
id="fg_nomor_rekening">
<label
for="nomor_rekening">No
mor
Rekening</label><input
type="text" class="form-
control"
required="required"
name="nomor_rekening"
id="nomor_rekening"
value="<?php echo
$row['nomor_rekening'];
?>"><div class="invalid-
feedback">Error: this field is
required.</div>
</div>
<div class="form-group"
id="fg_nama_bank">
<label
for="nama_bank">Nama
Bank</label><select

```

```

class="form-control"
name="nama_bank"
required="required"><optio
n <?php if
($row['nama_bank']==
'bca'){ echo 'selected'; } ?>
value="BCA">BCA</option>
<option <?php if
($row['nama_bank']==
'mandiri'){ echo 'selected'; }
?>
value="MANDIRI">MANDIRI
</option>
<option <?php if
($row['nama_bank']==
'bni'){ echo 'selected'; } ?>
value="BNI">BNI</option>
<option <?php if
($row['nama_bank']==
'bsi'){ echo 'selected'; } ?>
value="BSI">BSI</option>
<option <?php if
($row['nama_bank']==
'sumsel babel'){ echo
'selected'; } ?>
value="SUMSEL
BABEL">SUMSEL
BABEL</option>
</select>
<div class="invalid-
feedback">Error: this field is
required.</div>
</div>
<div class="form-group"
id="fg_email">
<label
for="email">Email</label><i
nput type="text"
class="form-control"
required="required"
name="email" id="email"
value="<?php echo
$row['email']; ?>"><div

```

```

class="invalid-
feedback">Error: this field is
required.</div></div>
<div class="form-group"
id="fg_password">
<label
for="password">Password<
/label><input type="text"
class="form-control"
required="required"
name="password"
id="password"
value="<?php echo
$row['password']; ?>"><div
class="invalid-
feedback">Error: this field is
required.</div></div>
</div>
</div>
<div class="card-footer">
<a class="btn border-dark"
onClick="history.back()">Ca
ncel</a>
<button type="submit"
class="btn btn-primary
float-
right">Submit</button>
</div>
</form>
</div></div>
<?php ob_start(); ?>

```