

## LISTING PROGRAM

```
<!doctype html>
<html class="no-
js" lang="en">

<head>
  <meta
charset="utf-8">

  <meta http-
equiv="x-ua-
compatible"
content="ie=edge
">

  <title>Login
Administrator |
Sistem Informasi
Arsip
Digital</title>

  <meta
name="descriptio
n" content="">

  <meta
name="viewport"
content="width=d
evice-width,
initial-scale=1">

  <link
rel="shortcut
icon"
type="image/x-
icon"
href="img/favicon
.ico">

  <link
href="https://font
s.googleapis.com/
css?family=Play:4
00,700"
rel="stylesheet">

  <link
rel="stylesheet"
href="assets/css/
bootstrap.min.css"
>

  <link
rel="stylesheet"
href="assets/css/f
ont-
awesome.min.css"
>

  <link
rel="stylesheet"
href="assets/css/
owl.carousel.css">

  <link
rel="stylesheet"
href="assets/css/
owl.theme.css">

  <link
rel="stylesheet"
href="assets/css/
owl.transitions.css
">

  <link
rel="stylesheet"
href="assets/css/a
nimate.css">

  <link
rel="stylesheet"
href="assets/css/
normalize.css">

  <link
rel="stylesheet"
href="assets/css/
main.css">

  <link
rel="stylesheet"
href="assets/css/
morrisjs/morris.cs
s">

  <link
rel="stylesheet"
href="assets/css/
main.css">

  <link
rel="stylesheet"
href="assets/css/s
crollbar/jquery.m
CustomScrollbar.
min.css">

  <link
rel="stylesheet"
href="assets/css/
metisMenu/metis
Menu.min.css">

  <link
rel="stylesheet"
href="assets/css/
metisMenu/metis
Menu-
vertical.css">

  <link
rel="stylesheet"
href="assets/css/c
alendar/fullcalend
ar.min.css">

  <link
rel="stylesheet"
href="assets/css/c
alendar/fullcalend
ar.print.min.css">

  <link
rel="stylesheet"
href="assets/css/f
orm/all-type-
forms.css">

  <link
rel="stylesheet"
href="assets/style.
css">

  <link
rel="stylesheet"
href="assets/css/r
esponsive.css">

  <script
src="assets/js/ven
dor/modernizr-
```

```

2.8.3.min.js"></scr
ipt>
</head>

<body>
  <div
class="error-
pagewrap">
    <div
class="error-
page-int">
      <div
class="text-center
m-b-md custom-
login">

<h3>ARSIP
DIGITAL</h3>

<h4>Sistem
Informasi Arsip
Digital</h4>

      <br>

<p>Silahkan login
untuk mengakses
arsip.</p>

      </div>
      <div
class="content-
error">
        <?php
                // pesan
                ?>
                <div
class="hpanel">
                <div
class="panel-
body">
                if(isset($_GET['al
ert']))){
                if($_GET['alert']
== "gagal"){
                echo "<div
class='alert alert-
danger'>LOGIN
GAGAL!
USERNAME DAN
PASSWORD
SALAH!</div>";
                }else
                if($_GET['alert']
== "logout"){
                echo "<div
class='alert alert-
success'>ANDA
TELAH BERHASIL
LOGOUT</div>";
                }else
                if($_GET['alert']
==
"belum_login"){
                echo "<div
class='alert alert-
warning'>ANDA
HARUS LOGIN
UNTUK
MENGAKSES
DASHBOARD</di
v>";
                }
                }
        </div>
        <form
action="periksa_l
ogin.php"
method="POST"
id="loginForm">
        <div class="form-
group">
        <label
class="control-
label"
for="username">

```



```

ery-price-
slider.js"></script>
    <script
src="assets/js/jqu
ery.meanmenu.js"
></script>
    <script
src="assets/js/owl
.carousel.min.js"><
/script>
    <script
src="assets/js/jqu
ery.sticky.js"></scr
ipt>
    <script
src="assets/js/jqu
ery.scrollUp.min.js
"></script>
    <script
src="assets/js/scr
ollbar/jquery.mCu
stomScrollbar.con
cat.min.js"></scrip
t>
    <script
src="assets/js/scr
ollbar/mCustomS
crollbar-
active.js"></script
>
    <script
src="assets/js/me
tisMenu/metisMen
u.min.js"></script
>
    <script
src="assets/js/me
tisMenu/metisMen
u-
active.js"></script
>
    <script
src="assets/js/tab
.js"></script>
    <script
src="assets/js/ich
eck/icheck.min.js"
></script>
    <script
src="assets/js/ich
eck/icheck-
active.js"></script
>
    <script
src="assets/js/plu
gins.js"></script>
    <script
src="assets/js/mai
n.js"></script>
    <body
class="hold-
transition login-
page"
style="backgroun
d:url(gambar/dep
an/bg.jpg)
no-repeat center
center fixed;
background-size:
cover;
    -webkit-
background-size:
cover;
    -moz-
background-size:
cover; -o-
background-size:
cover;">
    </body>
</html> <?php
//
menghubungkan
dengan koneksi
include
'koneksi.php';
// menangkap
data yang dikirim
dari form
$username =
$_POST['usernam
e'];
$password =
md5($_POST['pa
ssword']);
$akses =
$_POST['akses'];
if($akses ==
"admin"){
    $login =
mysqli_query($ko
neksi, "SELECT *
FROM admin
WHERE
admin_username
='$username'
AND
admin_password=
'$password'");
    $cek =
mysqli_num_rows
($login);
    if($cek >
0){

```

```

        session_start();

        $data = mysqli_fetch_assoc($login);

        $_SESSION['id'] = $data['admin_id'];

        $_SESSION['nama'] = $data['admin_nama'];

        $_SESSION['username'] = $data['admin_username'];

        $_SESSION['status'] = "admin_login";

        header("location:admin/");
    }else{

        header("location:login.php?alert=gagal");
    }
}

        session_start();

        $data = mysqli_fetch_assoc($login);

        $_SESSION['id'] = $data['user_id'];

        $_SESSION['nama'] = $data['user_nama'];

        $_SESSION['username'] = $data['user_username'];

        $_SESSION['status'] = "user_login";

        header("location:user/");
    }else{

        header("location:user_login.php?alert=gagal");
    }
}

        <?php include 'header.php'; ?>

        <div class="breadcome-area">

            <div class="container-fluid">

                <div class="row">

                    <div class="col-lg-12 col-md-12 col-sm-12 col-xs-12">

```

```
<div
class="breadcome
-list">
```

```
<div
class="row">
```

```
<div class="col-lg-
6 col-md-6 col-
sm-6 col-xs-12">
```

```
<div
class="breadcome
-heading">
```

```
<h4
style="margin-
bottom:
0px">Dashboard<
/h4>
```

```
</div>
```

```
</div>
```

```
<div class="col-lg-
6 col-md-6 col-
sm-6 col-xs-12">
```

```
<ul
class="breadcome
-menu"
style="padding-
top: 0px">
```

```
<li><a
href="#">Home</
a> <span
class="bread-
slash">/</span><
/li>
```

```
<li><span
class="bread-
blod">Dashboard
</span></li>
```

```
</ul>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div
class="traffice-
source-area mg-
b-30">
```

```
<div
class="container-
fluid">
```

```
<div
class="row">
```

```
<div
class="col-lg-3
col-md-6 col-sm-
6 col-xs-12">
```

```
<div
class="white-box
analytics-info-
cs">
```

```
<h3
class="box-
title">Total
Pengajuan</h3>
```

```
<ul
class="list-inline
two-part-sp">
```

```
<li>
```

```
<div
id="sparklinedash
"></div>
```

```
</li>
```

```
<li
class="text-right
graph-two-ctn">
```

```
<i class="fa fa-
level-up" aria-
hidden="true"></i
>
```

```
<span
class="counter
text-purple">
```

```
<?php
```

```
$jumlah_arsip =
mysqli_query($ko
neksi,"select *
from arsip");
```

```
?>
```

```
<span
class="counter"><
?php echo
mysqli_num_rows
($jumlah_arsip);
?></span>
```

```
</span>
```

```

</li>
    </ul>
</div>
</div>
<div
class="col-lg-3
col-md-6 col-sm-
6 col-xs-12">
    <div
class="white-box
analytics-info-cs
res-mg-t-30
table-mg-t-pro-
n">
        <h3
class="box-
title">User</h3>
        <ul
class="list-inline
two-part-sp">
            <li>
                <div
id="sparklinedash
2"></div>
            </li>
            <li
class="text-right
graph-two-ctn">
                <i class="fa fa-
level-up" aria-
hidden="true"></i
>
                    <span
class="counter
text-purple">
                        <?php
                            $jumlah_user =
mysql_query($ko
neksi,"select *
from user");
                            ?>
                        <span
class="counter"><
?php echo
mysql_num_rows
($jumlah_user);
?></span>
                    </span>
                </li>
            </ul>
        </div>
    </div>
    <div
class="col-lg-3
col-md-6 col-sm-
6 col-xs-12">
        <div
class="white-box
analytics-info-cs
res-mg-t-30 res-
tablet-mg-t-30
dk-res-t-pro-30">
            <h3
class="box-
title">Arsip
Cuti</h3>
            <ul
class="list-inline
two-part-sp">
                <li>
                    <div
id="sparklinedash
3"></div>
                </li>
                <li
class="text-right
graph-three-ctn">
                    <i class="fa fa-
level-up" aria-
hidden="true"></i
>
                        <span
class="counter
text-info">
                            <?php
                                $jumlah_arsip_cut
i =
mysql_query($ko
neksi,"select *
from arsip where
arsip_kategori =
3");
                                ?>
                            <span
class="counter"><
?php echo

```

```

mysql_num_rows
($jumlah_arsip_c
uti); ?></span>

</span>

</li>
        </ul>
    </div>
</div>
    <div
class="col-lg-3
col-md-6 col-sm-
6 col-xs-12">
        <div
class="white-box
analytics-info-cs
res-mg-t-30 res-
tablet-mg-t-30
dk-res-t-pro-30">
            <h3
class="box-
title">Arsip
Pegawai</h3>
            <ul
class="list-inline
two-part-sp">
                <li>
                    <div
id="sparklinedash
4"></div>
                </li>
            </ul>
        </div>
    </div>
    <div
class="text-right
graph-four-ctn">
        <div
class="fa fa-
level-down" aria-
hidden="true"></i
>
        <span class="text-
danger">
            <?php
                $jumlah_arsip_pe
gawai =
                mysql_num_rows($ko
neksi,"select *
from arsip where
arsip_kategori =
4");
            ?>
            <span
class="counter"><
?php echo
mysql_num_rows
($jumlah_arsip_p
egawai);
?></span>
        </span>
    </li>
</div>
    </div>
    <div
class="traffice-
source-area mg-
b-30">
        <div
class="container-
fluid">
            <div
class="row">
                <div
class="col-lg-3
col-md-6 col-sm-
6 col-xs-12">
                    <div
class="white-box
analytics-info-cs
res-mg-t-30 res-
tablet-mg-t-30
dk-res-t-pro-30">
                        <h3
class="box-
title">Arsip
Pensiunan</h3>
                        <ul
class="list-inline
two-part-sp">
                            <li>
                                <div
id="sparklinedash
"><canvas width
="67" height="30"
style="display:
inline-block;
width:67px;
height: 30px;
vertical-align:top;"
></div>
                            </li>
                        </ul>
                    </div>
                </div>
            </div>
        </div>
    </li>

```

```

        <li
class="text-right
graph-four-ctn ">
        </div>
        </div>
        k pengunduhan
arsip</b></span>
        </div>
        </div>
        <i class="fa fa-
level-down" aria-
hidden="true"></i>
        >
        <div
class="product-
sales-area mg-tb-
30">
        <div class="col-lg-
6 col-md-6 col-
sm-6 col-xs-12">
        <div
class="container-
fluid">
        <div
class="row">
        <div
class="col-lg-9
col-md-12 col-sm-
12 col-xs-12">
        <p>Grafik jumlah
unduh arsip
perhari selama
sebulan</p>
        </div>
        </div>
        <div
class="product-
sales-chart">
        </div>
        </div>
        <div
class="portlet-
title">
        </div>
        </div>
        <div class="row">
        </div>
        <div class="col-lg-
6 col-md-6 col-
sm-6 col-xs-12">
        <ul
class="list-inline
cus-product-sl-
rp">
        <li>
        </li>
        </ul>
        </div>
        </div>
        </div>
        </div>
        <div
class="caption
pro-sl-hd">
        </div>
        <span
class="caption-
subject"><b>Grafik

```

```

        umlah
        Unduhan</h5>
    </li>
</ul>
<div
    id="extra-area-
    chart"
    style="height:
    356px;"></div>
<div
    id="morris-area-
    chart"></div>
</div>
</div>
<div
    class="col-lg-3
    col-md-3 col-sm-
    3 col-xs-12">
    <?php
        $id =
        $_SESSION['id'];
        $saya =
        mysqli_query($ko
        neksi,"select *
        from admin where
        admin_id='$id'");
        $s =
        mysqli_fetch_ass
        oc($saya);
    ?>
    <div
        class="single-
        cards-item">
        ?>
        <div
            class="single-
            product-image">
            <a
                href="#">
                
                <?php
                    }
                ?>
            </a>
            
            </div>
            <h4><a
                class="cards-hd-
                dn"
                href="#"><?php
                echo
                $s['admin_nama'];
                ?></a></h4>
            <h5>Admin</h5>
            <p
                class="ctn-
                cards">Pengelola
                an arsip jadi lebih
                mudah dengan
                sistem informasi
                arsip digital.</p>
            </div>
            </div>
            </div>
            </div>
        }else{

```

```
</div>
```

```
</div>
```

```
<div class="traffice-source-area mg-b-30">
```

```
<?php include 'footer.php'; ?>  
<?php include 'header.php'; ?>
```

```
</div>
```

```
<div class="col-lg-6 col-md-6 col-sm-6 col-xs-12">
```

```
<div class="container-fluid">
```

```
<div class="row">
```

```
<div class="breadcome-area">
```

```
<ul class="breadcome-menu" style="padding-top: 0px">
```

```
<div class="col-lg-3 col-md-6 col-sm-6 col-xs-12">
```

```
<div class="container-fluid">
```

```
<li><a href="#">Home</a> <span class="bread-slash">/</span></li>
```

```
<div class="white-box analytics-info-cs">
```

```
<div class="row">
```

```
<li><span class="bread-blod">Dashboard</span></li>
```

```
<h3 class="box-title">Total Pengajuan</h3>
```

```
<div class="col-lg-12 col-md-12 col-sm-12 col-xs-12">
```

```
<div class="breadcome-list">
```

```
</ul>
```

```
<ul class="list-inline two-part-sp">
```

```
<div class="row">
```

```
</div>
```

```
<div id="sparklinedash"></div>
```

```
<div class="col-lg-6 col-md-6 col-sm-6 col-xs-12">
```

```
</div>
```

```
</li>
```

```
<div class="breadcome-heading">
```

```
</div>
```

```
<li class="text-right graph-two-ctn">
```

```
</div>
```

```
</div>
```

```
<h4 style="margin-bottom: 0px">Dashboard</h4>
```

```
</div>
```

```
<i class="fa fa-level-up" aria-hidden="true"></i>>
```

```
</div>
```

```

        <span
        class="counter
        text-purple">
        <?php
        $jumlah_arsip =
        mysqli_query($ko
        neksi,"select *
        from arsip");
        ?>
        <span
        class="counter"><
        ?php echo
        mysqli_num_rows
        ($jumlah_arsip);
        ?></span>
        </span>
        </li>
        </ul>
        </div>
        <div
        class="col-lg-3
        col-md-6 col-sm-
        6 col-xs-12">
        <div
        class="white-box
        analytics-info-cs
        res-mg-t-30
        table-mg-t-pro-
        n">
        <span
        class="counter"><
        ?php echo
        mysqli_num_rows
        <h3
        class="box-
        title">User</h3>
        <ul
        class="list-inline
        two-part-sp">
        <li>
        </ul>
        </div>
        </div>
        <div
        class="col-lg-3
        col-md-6 col-sm-
        6 col-xs-12">
        <div
        class="white-box
        analytics-info-cs
        res-mg-t-30 res-
        tablet-mg-t-30
        dk-res-t-pro-30">
        <h3
        class="box-
        title">Arsip
        Cuti</h3>
        <ul
        class="list-inline
        two-part-sp">
        <li>
        <div
        id="sparklinedash
        3"></div>
        </li>
        <li
        class="text-right
        graph-three-ctn">
        <i class="fa fa-

```







<pre>                 &lt;div class="analytics- sparkle-line reso- mg-b-30"&gt;                 &lt;div class="analytics- content"&gt; &lt;h5&gt;Computer Technologies&lt;/h5 &gt; &lt;h2&gt;\${&lt;span class="counter"&gt;5 000&lt;/span&gt; &lt;span class="tuition- fees"&gt;Tuition Fees&lt;/span&gt;&lt;/h2 &gt; &lt;span class="text- success"&gt;20%&lt;/s pan&gt; &lt;div class="progress m-b-0"&gt; &lt;div class="progress- bar progress-bar- success" role="progressbar " aria- valuenow="50" aria-valuemin="0" aria- valuemax="100" style="width:20%; "&gt; &lt;span class="sr- only"&gt;20% </pre>	<pre> Complete&lt;/span&gt; &lt;/div&gt; &lt;/div&gt; &lt;/div&gt; &lt;/div&gt; &lt;div class="col-lg-3 col-md-6 col-sm- 6 col-xs-12"&gt; &lt;div class="analytics- sparkle-line reso- mg-b-30"&gt; &lt;div class="analytics- content"&gt; &lt;h5&gt;Accounting Technologies&lt;/h5 &gt; &lt;h2&gt;\${&lt;span class="counter"&gt;3 000&lt;/span&gt; &lt;span class="tuition- fees"&gt;Tuition Fees&lt;/span&gt;&lt;/h2 &gt; &lt;span class="text- danger"&gt;30%&lt;/sp an&gt; &lt;div class="progress m-b-0"&gt; </pre>	<pre> &lt;div class="progress- bar progress-bar- danger" role="progressbar " aria- valuenow="50" aria-valuemin="0" aria- valuemax="100" style="width:30%; "&gt; &lt;span class="sr- only"&gt;230% Complete&lt;/span&gt; &lt;/div&gt; &lt;/div&gt; &lt;/div&gt; &lt;/div&gt; &lt;div class="col-lg-3 col-md-6 col-sm- 6 col-xs-12"&gt; &lt;div class="analytics- sparkle-line reso- mg-b-30 table- mg-t-pro dk-res- t-pro-30"&gt; &lt;div class="analytics- content"&gt; &lt;h5&gt;Electrical Engineering&lt;/h5&gt; &lt;h2&gt;\${&lt;span </pre>
--	---	--

```

class="counter">2
000</span>
<span
class="tuition-
fees">Tuition
Fees</span></h2
>
<span class="text-
info">60%</span
>
<div
class="progress
m-b-0">
<div
class="progress-
bar progress-bar-
info"
role="progressbar"
aria-
valuenow="50"
aria-valuemin="0"
aria-
valuemax="100"
style="width:60%;
"> <span
class="sr-
only">20%
Complete</span>
</div>
</div>
</div>
</div>
</div>
<div
class="col-lg-3
col-md-6 col-sm-
6 col-xs-12">
<div
class="analytics-
sparkle-line table-
mg-t-pro dk-res-
t-pro-30">
<div
class="analytics-
content">
<h5>Chemical
Engineering</h5>
<h2>${<span
class="counter">3
500</span>
<span
class="tuition-
fees">Tuition
Fees</span></h2
>
<span class="text-
inverse">80%</sp
an>
<div
class="progress
m-b-0">
<div
class="progress-
bar progress-bar-
inverse"
role="progressbar"
aria-
valuenow="50"
aria-valuemin="0"
aria-
valuemax="100"
style="width:80%;
"> <span
class="sr-
only">230%
Complete</span>
</div>
</div>
</div>
</div>

```



```

                <h3
class="box-
title">Page
Views</h3>
                <ul
class="list-inline
two-part-sp">
                <li>
                <div
id="sparklinedash
2"></div>
                </li>
                <li>
                <div
id="sparklinedash
3"></div>
                </li>
                <li>
                <div
id="sparklinedash
4"></div>
                </li>
                </ul>
                </div>
                <div
class="white-box
analytics-info-cs
mg-b-10 res-mg-
b-30 tb-sm-res-d-
n dk-res-t-d-n">
                <h3
class="box-
title">Unique
Visitor</h3>
                <ul
class="list-inline
two-part-sp">
                <li>
                <div
id="sparklinedash
2"></div>
                </li>
                <li>
                <div
id="sparklinedash
3"></div>
                </li>
                <li>
                <div
id="sparklinedash
4"></div>
                </li>
                </ul>
                </div>
                <div
class="white-box
analytics-info-cs
table-dis-n-pro
tb-sm-res-d-n dk-
res-t-d-n">
                <div
class="text-right
graph-two-
ctn"><i class="fa
fa-level-up" aria-
hidden="true"></i
> <span
class="counter
text-
purple">3000</s
pan></li>
                </ul>
                </div>
                <div
class="white-box
analytics-info-cs
mg-b-10 res-mg-
b-30 tb-sm-res-d-
n dk-res-t-d-n">
                <div
class="text-right
graph-three-
ctn"><i class="fa
fa-level-up" aria-
hidden="true"></i
> <span
class="counter
text-
info">5000</span
></li>
                </ul>
                </div>
                <div
class="white-box
analytics-info-cs
table-dis-n-pro
tb-sm-res-d-n dk-
res-t-d-n">
                <div
class="text-right
graph-four-
ctn"><i class="fa
fa-level-down"
aria-
hidden="true"></i
> <span
class="text-
danger"><span
class="counter">1
8</span>%</span
>
                </li>
                </ul>
                </div>
                </div>
                </div>
                <div
class="container-
fluid">
                <div
class="row">
                <div
class="col-lg-3
col-md-6 col-sm-
6 col-xs-12">
                <div
class="social-
media-edu">
                <i
class="fa fa-
facebook"></i>

```

```
<div class="social-edu-ctn">
```

```
<h3>50k Likes</h3>
```

```
<p>You main list growing</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-lg-3 col-md-6 col-sm-6 col-xs-12">
```

```
<div class="social-media-edu twitter-cl res-mg-t-30 table-mg-t-pro-n">
```

```
<i class="fa fa-twitter"></i>
```

```
<div class="social-edu-ctn">
```

```
<h3>30k followers</h3>
```

```
<p>You main list growing</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-lg-3 col-md-6 col-sm-6 col-xs-12">
```

```
<div class="social-media-edu linkedin-cl res-mg-t-30 res-tablet-mg-t-30 dk-res-t-pro-30">
```

```
<i
```

```
class="fa fa-linkedin"></i>
```

```
<div class="social-edu-ctn">
```

```
<h3>7k Connections</h3>
```

```
<p>You main list growing</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-lg-3 col-md-6 col-sm-6 col-xs-12">
```

```
<div class="social-media-edu youtube-cl res-mg-t-30 res-tablet-mg-t-30 dk-res-t-pro-30">
```

```
<i
```

```
class="fa fa-youtube"></i>
```

```
<div class="social-edu-ctn">
```

```
<h3>50k Subscribers</h3>
```

```
<p>You main list growing</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="library-book-area mg-t-30">
```

```
<div class="container-fluid">
```

```
<div class="row">
```

```
<div class="col-lg-4 col-md-6 col-sm-6 col-xs-12">
```

```
<div class="single-cards-item">
```

```
<div class="single-product-image">
```



```
<div
class="single-
review-st-text">
```

```

```

```
<div
class="review-ctn-
hf">
```

```
<h3>Sarah
Graves</h3>
```

```
<p>Highly
recommend</p>
```

```
</div>
```

```
<div
class="review-
item-rating">
```

```
<i class="educate-
icon educate-
star"></i>
```

```
<i class="educate-
icon educate-
star"></i>
```

```
<i class="educate-
icon educate-
star"></i>
```

```
<i class="educate-
icon educate-
star"></i>
```

```
<i class="educate-
icon educate-star-
half"></i>
```

```
</div>
```

```
</div>
```

```
<div
class="single-
review-st-text">
```

```

```

```
<div
class="review-ctn-
hf">
```

```
<h3>Garbease
sha</h3>
```

```
<p>Awesome
Pro</p>
```

```
</div>
```

```
<div
class="review-
item-rating">
```

```
<i class="educate-
icon educate-
star"></i>
```

```
<i class="educate-
icon educate-
star"></i>
```

```
<i class="educate-
icon educate-
star"></i>
```

```
<i class="educate-
icon educate-
star"></i>
```

```
<i class="educate-
icon educate-star-
half"></i>
```

```
</div>
```

```
</div>
```

```
<div
class="single-
review-st-text">
```

```

```

```
<div
class="review-ctn-
hf">
```

```
<h3>Gobetro
pro</h3>
```

```
<p>Great
Website</p>
```

```
</div>
```

```
<div
class="review-
item-rating">
```



```

</div>
        <div
class="single-
review-st-text">

<div
class="review-ctn-
hf">
<h3>Julsha
Grav</h3>
<p>Sei Hoise
bro</p>
</div>
<div
class="review-
item-rating">
<i class="educate-
icon educate-
star"></i>
<i class="educate-
icon educate-
star"></i>
<i class="educate-
icon educate-
star"></i>
<i class="educate-
icon educate-
star"></i>
<i class="educate-
icon educate-
star"></i>
</div>
        icon educate-
star"></i>
        href="#">Title
Demo
Here</a></h4>
        <i class="educate-
icon educate-star-
half"></i>
</div>
</div>
        </div>
        </div>
        <div
class="col-lg-4
col-md-4 col-sm-
4 col-xs-12">
        <div
class="single-
product-item res-
mg-t-30 table-
mg-t-pro-n tb-
sm-res-d-n dk-
res-t-d-n">
        <div
class="single-
product-image">
        <a
href="#"></a>
</div>
        <div
class="single-
product-text edu-
pro-tx">
<h4><a
        href="#">Title
Demo
Here</a></h4>
        <h5>Lorem ipsum
dolor sit amet,
this is a consec
tetur adipisicing
elit</h5>
        <div
class="product-
price">
<h3>$45</h3>
        <div
class="single-
item-rating">
        <i class="educate-
icon educate-
star"></i>
        <i class="educate-
icon educate-
star"></i>
        <i class="educate-
icon educate-
star"></i>
        <i class="educate-
icon educate-star-
half"></i>
        </div>

```



```

</div>
</div>
</div>
<ul
class="list-inline
cus-product-sl-
rp">
<li>
<h5><i class="fa
fa-circle"
style="color:
#006DF0;"></i>P
ython</h5>
</li>
<li>
<h5><i class="fa
fa-circle"
style="color:
#933EC5;"></i>P
HP</h5>
</li>
<li>
<h5><i class="fa
fa-circle"
style="color:
#65b12d;"></i>Ja
va</h5>
</li>
</ul>
<div
id="morris-area-
chart"></div>
</div>
</div>
<div
class="col-lg-3
col-md-3 col-sm-
3 col-xs-12">
<div
class="analysis-
progrebar res-
mg-t-30 mg-ub-
10 res-mg-b-30
table-mg-t-pro-n
tb-sm-res-d-n dk-
res-t-d-n">
<div
class="analysis-
progrebar-
content">
<h5>Usage</h5>
<h2
class="storage-
right"><span
class="counter">9
0</span>%</h2>
<div
class="progress
progress-mini ug-
1">
<div style="width:
68%;"
class="progress-
bar"></div>
</div>
<div
class="m-t-sm
small">
<p>Server down
since 1:32
pm.</p>
</div>
</div>
</div>
<div
class="analysis-
progrebar reso-
mg-b-30 res-mg-
b-30 mg-ub-10
tb-sm-res-d-n dk-
res-t-d-n">
<div
class="analysis-
progrebar-
content">
<h5>Memory</h5>
<h2
class="storage-
right"><span
class="counter">7
0</span>%</h2>
<div
class="progress
progress-mini ug-
2">
<div style="width:
78%;"
class="progress-
bar"></div>
</div>
<div
class="m-t-sm
small">

```

```

<p>Server down
since 12:32
pm.</p>

</div>

</div>

</div>

<div
class="analysis-
progrebar reso-
mg-b-30 res-mg-
b-30 res-mg-t-30
mg-ub-10 tb-sm-
res-d-n dk-res-t-
d-n">

<div
class="analysis-
progrebar-
content">

<h5>Data</h5>

<h2
class="storage-
right"><span
class="counter">5
0</span>%</h2>

<div
class="progress
progress-mini ug-
3">

<div style="width:
38%;"
class="progress-
bar progress-bar-
danger"></div>

</div>

<div
class="m-t-sm
small">

<p>Server down
since 8:32
pm.</p>

</div>

</div>

</div>

<div
class="analysis-
progrebar res-
mg-t-30 table-
dis-n-pro tb-sm-
res-d-n dk-res-t-
d-n">

<div
class="analysis-
progrebar-
content">

<h5>Space</h5>

<h2
class="storage-
right"><span
class="counter">4
0</span>%</h2>

<div
class="progress
progress-mini ug-
4">

<div style="width:
28%;"
class="progress-
bar progress-bar-
danger"></div>

</div>

</div>

</div>

<p>Server down
since 5:32
pm.</p>

</div>

</div>

</div>

<div
class="courses-
area mg-b-15">

<div
class="container-
fluid">

<div
class="row">

<div
class="col-lg-4
col-md-6 col-sm-
6 col-xs-12">

<div
class="white-
box">

<h3
class="box-
title">Browser
Status</h3>

```

<pre>&lt;ul class="basic-list"&gt;</pre>	<pre>label"&gt;26.8%&lt;/sp an&gt;&lt;/li&gt;</pre>	<pre>ctn-ic- 1"&gt;&lt;/i&gt;&lt;/div&gt;</pre>
<pre>&lt;li&gt;Google Chrome &lt;span class="pull-right label-danger label-1 label"&gt;95.8%&lt;/sp an&gt;&lt;/li&gt;</pre>	<pre>&lt;li&gt;Safari &lt;span class="pull-right label-purple label- 7 label"&gt;31.8%&lt;/spa n&gt;&lt;/li&gt;  &lt;/ul&gt;</pre>	<pre>&lt;div class="progress"&gt;  &lt;div class="progress- bar progress-bar- danger ctn-vs-1" role="progressbar " aria- valuenow="50" aria-valuemin="0" aria- valuemax="100" style="width:75%; "&gt; &lt;span class="sr- only"&gt;75% Complete&lt;/span&gt; &lt;/div&gt;</pre>
<pre>&lt;li&gt;Mozilla Firefox &lt;span class="pull- right label-purple label-2 label"&gt;85.8%&lt;/sp an&gt;&lt;/li&gt;</pre>	<pre>&lt;/div&gt;  &lt;div class="col-lg-4 col-md-6 col-sm- 6 col-xs-12"&gt;</pre>	<pre>&lt;/div&gt;  &lt;div&gt;</pre>
<pre>&lt;li&gt;Apple Safari &lt;span class="pull- right label- success label-3 label"&gt;23.8%&lt;/spa n&gt;&lt;/li&gt;</pre>	<pre>&lt;div class="white-box res-mg-t-30 table-mg-t-pro- n"&gt;</pre>	<pre>&lt;/div&gt;</pre>
<pre>&lt;li&gt;Internet Explorer &lt;span class="pull-right label-info label-4 label"&gt;55.8%&lt;/spa n&gt;&lt;/li&gt;</pre>	<pre>&lt;h3 class="box- title"&gt;Visits from countries&lt;/h3&gt;  &lt;ul class="country- state"&gt;  &lt;li&gt;</pre>	<pre>&lt;/li&gt;  &lt;li&gt;  &lt;h2&gt;&lt;span class="counter"&gt;1 050&lt;/span&gt;&lt;/h2&gt; &lt;small&gt;From USA&lt;/small&gt;</pre>
<pre>&lt;li&gt;Opera mini &lt;span class="pull- right label- warning label-5 label"&gt;28.8%&lt;/sp an&gt;&lt;/li&gt;</pre>	<pre>&lt;h2&gt;&lt;span class="counter"&gt;1 250&lt;/span&gt;&lt;/h2&gt; &lt;small&gt;From Australia&lt;/small&gt;</pre>	<pre>&lt;div class="pull- right"&gt;48% &lt;i class="fa fa-level- up text-success ctn-ic- 2"&gt;&lt;/i&gt;&lt;/div&gt;</pre>
<pre>&lt;li&gt;Mozilla Firefox &lt;span class="pull- right label-purple label-6</pre>	<pre>&lt;div class="pull- right"&gt;75% &lt;i class="fa fa-level- up text-danger</pre>	<pre>&lt;div class="progress"&gt;</pre>

```

<div
class="progress-
bar progress-bar-
info ctn-vs-2"
role="progressbar
" aria-
valuenow="50"
aria-valuemin="0"
aria-
valuemax="100"
style="width:48%;
"> <span
class="sr-
only">48%
Complete</span>
</div>
</div>
</li>
<li>
<h2><span
class="counter">6
350</span></h2>
<small>From
Canada</small>
<div class="pull-
right">55% <i
class="fa fa-level-
up text-success
ctn-ic-
3"></i></div>
<div
class="progress">
<div
class="progress-
bar progress-bar-
inverse ctn-vs-5"
role="progressbar
" aria-
valuenow="50"
aria-valuemin="0"
aria-
valuemax="100"
success ctn-vs-3"
role="progressbar
" aria-
valuenow="50"
aria-valuemin="0"
aria-
valuemax="100"
style="width:55%;
"> <span
class="sr-
only">55%
Complete</span>
</div>
</div>
</li>
<li>
<h2><span
class="counter">9
50</span></h2>
<small>From
India</small>
<div class="pull-
right">33% <i
class="fa fa-level-
down text-
success ctn-ic-
4"></i></div>
<div
class="progress">
<div
class="progress-
bar progress-bar-
inverse ctn-vs-5"
role="progressbar
" aria-
valuemin="0"
aria-
valuemax="100"
style="width:33%;
"> <span
class="sr-
only">33%
Complete</span>
</div>
</li>
<li>
<h2><span
class="counter">3
250</span></h2>
<small>From
Bangladesh</sma
ll>
<div class="pull-
right">60% <i
class="fa fa-level-
up text-success
ctn-ic-
5"></i></div>
<div
class="progress">
<div
class="progress-
bar progress-bar-
inverse ctn-vs-5"
role="progressbar
" aria-
valuenow="50"
aria-valuemin="0"
aria-
valuemax="100"

```

```
style="width:60%;
"> <span
class="sr-
only">60%
Complete</span>
</div>
```

```
</div>
```

```
</li>
```

```
</ul>
```

```
</div>
```

```
</div>
```

```
<div
class="col-lg-4
col-md-4 col-sm-
4 col-xs-12">
```

```
<div
class="courses-
inner res-mg-t-30
table-mg-t-pro-n
tb-sm-res-d-n dk-
res-t-d-n">
```

```
<div
class="courses-
title">
```

```
<a
href="#"></a>
```

```
<h2>Apps
Development</h2
>
```

```
</div>
```

```
<div
class="courses-
alaltic">
```

```
<span class="cr-
ic-r"><span
class="course-
icon"><i class="fa
fa-
clock"></i></spa
n> 1 Year</span>
```

```
<span class="cr-
ic-r"><span
class="course-
icon"><i class="fa
fa-
heart"></i></span
> 50</span>
```

```
<span class="cr-
ic-r"><span
class="course-
icon"><i class="fa
fa-
dollar"></i></spa
n> 500</span>
```

```
</div>
```

```
<div
class="course-
des">
```

```
<p><span><i
class="fa fa-
clock"></i></spa
n>
<b>Duration:</b>
6 Months</p>
```

```
<p><span><i
class="fa fa-
```

```
clock"></i></spa
n>
<b>Professor:</b>
Jane Doe</p>
```

```
<p><span><i
class="fa fa-
clock"></i></spa
n>
<b>Students:</b>
100+</p>
```

```
</div>
```

```
<div
class="product-
buttons">
```

```
<button
type="button"
class="button-
default cart-
btn">Read
More</button>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<?php include
'footer.php'; ?>
```