

```

<?php
session_start();
include "config/koneksi.php";
if ($_POST['tipe']=="operator" || $_POST['tipe']=="kabar" ) {
$username=$_POST['username'];
$password=$_POST['password'];

$login=mysqli_query(
    $koneksi,"SELECT *
    FROM admins
    WHERE
    username='$username'
    AND
    password='$password'
    ");

$ketemu=mysqli_num_rows($login);

$r=mysqli_fetch_array($login);
}
}else {
$username=$_POST['username'];
$password=$_POST['password'];

$login=mysqli_query(
    $koneksi,"SELECT *
    FROM pegawai
    WHERE
    username='$username'
    AND
    password='$password'
    ");

$ketemu=mysqli_num_rows($login);

$r=mysqli_fetch_array($login);
}

// Apabila username dan password ditemukan
if ($ketemu > 0){
    header('location:media.php?module=home');
}

// Apabila username dan password ditemukan
if ($ketemu > 0){
    session_start();
}

```



```
href=media.php?mod
ule=pegawai><img
src=images/user.jpg
border=none><br
/><b>Data
Pegawai</b></a></td
>
```

```
href=media.php?mod
ule=sppd><img
src=images/download.
png border=none><br
/><b>Manajemen
SPPD</b></a></td>
```

```
align=center><a
href=media.php?mod
ule=password><img
src=images/password.
png border=none><br
/><b>Ganti
Password</b></a></t
d>
```

```
<td width=120
align=center><a
href=media.php?mod
ule=nppt><img
src=images/modul.pn
g border=none><br
/><b>Manajemen
NPPD</b></a></td>
```

```
<td width=120
align=center><a
href=media.php?mod
ule=lpd><img
src=images/agenda.pn
g border=none><br
/><b>Manajemen
LPD</b></a></td>
```

```
</tr>
</table></div>";
```

```
<td width=120
align=center><a
href=media.php?mod
ule=spt><img
src=images/berita.png
border=none><br
/><b>Manajemen
SPT</b></a></td>
```

```
<td width=120
align=center><a
href=media.php?mod
ule=kwitansi><img
src=images/banner.pn
g border=none><br
/><b>Manajemen
Kwitansi</b></a></td>
```

```
}elseif($_SESSION['l
evel']=="kabag") {
echo "<div
align='center'>
<table
style='background:wh
ite'><thead>
<th class='center'
colspan=10
style='padding-
bottom:20px'><center
><h3><b>Control
Panel<hr width=30%
/></b></h3></center>
</th></thead>
```

```
<td width=120
align=center><a
```

```
<td width=120
```

```
<tr>
```



```

elseif ($mod=='ttdkwitansi')
{
    include
    "modul/mod_ttdkwitansi/ttdkwitansi.php";
}
elseif ($mod=='lpd'){
    include
    "modul/mod_lpd/lpd.php";
}
elseif ($mod=='password'){
    include
    "modul/mod_password/password.php";
}

// Apabila modul tidak
ditemukan
else{
    echo "<b>MODUL
    BELUM ADA ATAU
    BELUM
    LENGKAP</b>";
}
?>

<!DOCTYPE html>
<html>
    <head>
        <meta charset="utf-
        8">
        <meta http-
        equiv="X-UA-
        Compatible"
        content="IE=edge">
        <title>Sistem
        Informasi
        SPPD</title>
        <!-- Tell the
        browser to be
        responsive to screen
        width -->
        <meta
        content="width=device-
        width, initial-
        scale=1, maximum-
        scale=1, user-
        scalable=no"
        name="viewport">
        <!-- Bootstrap 3.3.5
        -->
        <link
        rel="stylesheet"
        href="theme/bootstrap
        /css/bootstrap.min.css
        ">
        <!-- Font Awesome
        -->
    </head>
    <body>
        <!--
        <div class="container">
            <div class="row">
                <div class="col-md-12">
                    <div class="text-align-center">
                        <h1>Sistem
                        Informasi
                        SPPD</h1>
                    </div>
                </div>
            </div>
        </div>
        <!--
        <div class="text-align-center">
            <img alt="Logo" data-bbox="100px 100px 150px 150px"/>
        </div>
        <!--
        <div class="text-align-center">
            <p>Sistem Informasi SPPD</p>
        </div>
        <!--
        <div class="text-align-center">
            <p>Copyright © 2018</p>
        </div>
        <!--
    </body>
</html>

```

```

<!-- WARNING:
Respond.js doesn't
work if you view the
page via file:// -->
<!--[if lt IE 9]>
  <script
src="https://oss.maxcdn
dn.com/html5shiv/3.7.
3/html5shiv.min.js"><
/scrip>
  <script
src="https://oss.maxcdn
dn.com/respond/1.4.2/
respond.min.js"></scr
ipt>
  <![endif]-->
  <script
type="text/javascript"
>
$(document).ready(fu
nction() {
  $(".text").val("");

$("#username").focus
());
});
function
validasi(form){
  if
(form.username.value
== ""){
    alert("Anda belum
mengisikan
Username.");

    form.username.focus(
);
    return (false);
  }

  if
(form.password.value
== ""){
    alert("Anda belum
mengisikan
Password.");

    form.password.focus()
;
    return (false);
  }
  return (true);
}
</script>
</head>
<body class="hold-
transition login-page"
style="background:#
DBEAF9">
</style>
<div class="login-
box">
  <div class="login-
logo">
    Sistem
Informasi<br/><b>SP
PD</b>
  </div><!-- /.login-
logo -->
  <div class="login-
box-body">
    <p class="login-
box-msg">Sign in to
start your session</p>
<?php
$log=
isset($_GET['log']) ?
$_GET['log'] : "";
    if ($log
== 2) {
      echo
"<div class='alert
alert-

```

```

danger'><strong>Logi
n gagal, Silahkan coba
kembali.</strong></di
v>";
        }elseif
($log == 1) {
            echo
"<div    class='alert
alert-
danger'><strong>Kam
i Mendeteksi Anda
Belum
Login.</strong></div
>";
        }
        ?>
        <form
name="form"
action="cek_login.ph
p"    method="POST"
onSubmit="return
validasi(this)">
        <div
class="form-group
has-feedback">
            <input
type="text"
class="form-control"
placeholder="Userna
me"
name="username">
                <span
class="glyphicon
glyphicon-envelope
form-control-
feedback"></span>
            </div>
            <div
class="form-group
has-feedback">
                <input
type="password"
class="form-control"
placeholder="Passwor
d" name="password">
                <span
class="glyphicon
glyphicon-lock form-
control-
feedback"></span>
            </div>
            <div
class="form-group
has-feedback">
                <select
name="tipe" id="tipe"
class="form-control">
                    <option
value="operator">Op
erator</option>
                    <option
value="user">Pegawa
i</option>
                    <option
value="kabag">Kaba
g</option>
                </select>
            </div>
            <div
class="row">
                <div
class="col-xs-4">
                    <button
type="submit"
class="btn    btn-
primary btn-block btn-
flat">Sign
In</button>
                </div><!--
/.col -->
            </div>
        </form>
    </div><!-- /.login-
box-body -->
</div><!-- /.login-
box -->
<!-- jQuery 2.1.4 --
>

```


| | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <pre> <script src="../../plugins/jQuery/jQuery- 2.1.4.min.js"></script > <!-- Bootstrap 3.3.5 --> <script src="../../bootstrap/js/ bootstrap.min.js"></s cript> <!-- iCheck --> <script src="../../plugins/iChe ck/ichack.min.js"></s cript> <script> \$(function () { \$('input').iCheck({ checkboxClass: 'icheckbox_square- blue', radioClass: 'iradio_square-blue', increaseArea: '20%' // optional }); }); </script> </body> </pre> | <pre> </html> <?php session_start(); // Apabila user belum login if (empty(\$_SESSION[' namauser']) AND empty(\$_SESSION['p assuser'])) { header('location:index .php?log=1'); } // Apabila user sudah login dengan benar, maka terbentuklah session else { include "config/koneksi.php"; include "config/library.php"; include "config/fungsi_indotg l.php"; ?> <!DOCTYPE html> <html> </pre> | <pre> <head> <meta charset="utf- 8"> <meta http- equiv="X-UA- Compatible" content="IE=edge"> <title>E- SPPD</title> <!-- Tell the browser to be responsive to screen width --> <meta content="width=device- width, initial- scale=1, maximum- scale=1, user- scalable=no" name="viewport"> <!-- Bootstrap 3.3.7 - -> <link rel="stylesheet" href="bower_compon ents/bootstrap/dist/css /bootstrap.min.css"> <!-- Font Awesome - -> <link rel="stylesheet" href="bower_compon </pre> |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

```

ents/font-
awesome/css/font-
awesome.min.css">
<!-- Ionicons -->
<link
rel="stylesheet"
href="bower_compon
ents/Ionicons/css/ioni
cons.min.css">
<!-- Theme style -->
<link
rel="stylesheet"
href="dist/css/Admin
LTE.min.css">
<!-- AdminLTE
Skins. Choose a skin
from the css/skins
folder instead of
downloading all of
them to reduce the
load. -->
<link
rel="stylesheet"
href="dist/css/skins/_
all-skins.min.css">
<!-- Morris chart -->
<link
rel="stylesheet"
href="bower_compon
ents/morris.js/morris.c
ss">
<!-- jvectormap -->
<link
rel="stylesheet"
href="bower_compon
ents/jvectormap/jquer
y-jvectormap.css">
<!-- Date Picker -->
<link
rel="stylesheet"
href="bower_compon
ents/bootstrap-
datepicker/dist/css/bo
otstrap-
datepicker.min.css">
<!-- Daterange picker
-->
<link
rel="stylesheet"
href="bower_compon
ents/bootstrap-
daterangepicker/dater
angepicker.css">
<!-- bootstrap
wysihtml5 - text editor
-->
<link
rel="stylesheet"
href="plugins/bootstra
p-
wysihtml5/bootstrap3
-wysihtml5.min.css">
<!-- DataTables -->
<link
rel="stylesheet"
href="bower_compon
ents/datatables.net-
bs/css/dataTables.boot
strap.min.css">
<!-- Select2 -->
<link
rel="stylesheet"
href="bower_compon
ents/select2/dist/css/se
lect2.min.css">
<link rel="shortcut
icon" type="text/css"
href="logo.png">
<style>
.example-modal
.modal {
position: relative;
top: auto;
bottom: auto;
right: auto;
left: auto;
display: block;
z-index: 1;
}

```

```

    .example-modal
    .modal {
        background:
transparent
!important;
    }
</style>
<!-- <link
href="css/style_prope
rti.css"
rel="stylesheet"
type="text/css" /> -->
<!-- HTML5 Shim
and Respond.js IE8
support of HTML5
elements and media
queries -->
<!-- WARNING:
Respond.js doesn't
work if you view the
page via file:// -->
<!--[if lt IE 9]>
<script
src="https://oss.maxc
dn.com/html5shiv/3.7.
3/html5shiv.min.js"><
/script>
<script
src="https://oss.maxc
dn.com/respond/1.4.2/

```

```

respond.min.js"></scr
ipt>
<![endif]-->
<!-- Google Font -->
<link
rel="stylesheet"
href="https://fonts.go
ogleapis.com/css?fam
ily=Source+Sans+Pro
:300,400,600,700,300
italic,400italic,600itali
c">
</head>
<body class="hold-
transition skin-blue
sidebar-mini">
<div
class="wrapper">
<header
class="main-header">
<!-- Logo -->
<a
href="?module=home
" class="logo">
<!-- mini logo for
sidebar mini 50x50
pixels -->
<span
class="logo-

```

```

mini"><b>E-
</b>SPPD</span>
<!-- logo for
regular state and
mobile devices -->
<span
class="logo-
lg"><b>E-
</b>SPPD</span>
</a>
<!-- Header Navbar:
style can be found in
header.less -->
<nav class="navbar
navbar-static-top">
<!-- Sidebar toggle
button-->
<a href="#"
class="sidebar-toggle"
data-toggle="push-
menu" role="button">
<span class="sr-
only">Toggle
navigation</span>
</a>
<div
class="navbar-
custom-menu">
<ul class="nav
navbar-nav">

```

```

        <li
class="dropdown user
user-menu">
        <a href="#"
class="dropdown-
toggle" data-
toggle="dropdown">
        
        <span
class="hidden-
xs"><?php echo
"$_SESSION[namaus
er]"; ?></span>
        </a>
        <ul
class="dropdown-
menu">
        <!-- User
image -->
        <li
class="user-header">
        
        <p>
        <?php
        WIB</p>;
        echo
        ?>
        </div>
        </div>
        <!-- /.row --
        >
        </li>
        <!-- Menu
Footer-->
        <li
class="user-footer">
        <!-- <div
class="pull-left">
        <a
href="#" class="btn
btn-default btn-
flat">Profile</a>
        </div> -->
        <div
class="pull-right">
        <a
href="logout.php"
class="btn btn-default
btn-flat"
onClick="return
confirm('Anda Yakin
Ingin Keluar')">Sign
out</a>
        </div>
        </li>
        </p>
        </li>
        <!-- Menu
Body -->
        <li
class="user-body">
        <div
class="row">
        <div
class="col-xs-12 text-
center">
        <?php
        echo "
        <p
align=right>Login :
$hari_ini, ";
        echo
        tgl_indo(date("Y m
d"));
        echo " |
";
        echo
        date("H:i:s");

```

```

        </ul>
    </li>
</ul>
</div>
</nav>
</header>

<!--
=====
=====
===== -
->

<!-- Left side
column. contains the
sidebar -->
<aside
class="main-
sidebar">
    <!-- sidebar: style
can be found in
sidebar.less -->
    <section
class="sidebar">
        <!-- sidebar
menu: : style can be
found in sidebar.less --
>
        <?php
            if
            ($_SESSION['level']=
            ="operator"){
                ?>
                <ul
                class="sidebar-menu"
                data-widget="tree">
                    <li>
                        <a
                        href="?module=home
                        ">
                            <i class="fa
                            fa-dashboard"></i>
                            <span>Dashboard</sp
                            an>
                                </a>
                            </li>
                            <li
                            class="treeview">
                                <a href="#">
                                    <i class="fa
                                    fa-folder"></i>
                                    <span>SPPD</span>
                                    <span
                                    class="pull-right-
                                    container">
                                        <i
                                        class="fa fa-angle-left
                                        pull-right"></i>
                                        </span>
                                </a>
                            </li>
                            <li><a
                            href="?module=nppt"
                            ><i class="fa fa-
                            circle-o"></i>
                            NPPD</a></li>
                            <li><a
                            href="?module=spt">
                                <i class="fa fa-circle-
                                o"></i> SPT</a></li>
                            <li><a
                            href="?module=sppd"
                            ><i class="fa fa-
                            circle-o"></i>
                            SPPD</a></li>
                            </ul>
                            </li>
                            <li
                            class="treeview">
                                <a href="#">
                                    <i class="fa
                                    fa-folder"></i>
                                    <span>Data
                                    Master</span>
                                    <span
                                    class="pull-right-
                                    container">

```

```
<i
class="fa fa-angle-left
pull-right"></i>
</span>
</a>
<ul
class="treeview-
menu">
<li><a
href="?module=pega
wai"><i class="fa fa-
circle-o"></i> Data
Pegawai</a></li>
<li><a
href="?module=golon
gan"><i class="fa fa-
circle-o"></i>
Golongan</a></li>
<li><a
href="?module=tujua
n"><i class="fa fa-
circle-
o"></i>Tujuan</a></l
i>
<!-- <li><a
href="?module=biaya
"><i class="fa fa-
```

```
circle-o"></i> Biaya
Perjalanan</a></li>--
>
<li><a
href="?module=transp
ortasi"><i class="fa
fa-circle-o"></i> Jenis
Transportasi</a></li>
</ul>
</li>
<li
class="treeview">
<a href="#">
<i class="fa
fa-folder"></i>
<span>Laporan</span>
>
<span
class="pull-right-
container">
<i
class="fa fa-angle-left
pull-right"></i>
</span>
</a>
<ul
class="treeview-
menu">
<li><a
href="?module=kwita
nsi"><i class="fa fa-
```

```
circle-o"></i>
Kwitansi</a></li>
<li><a
href="?module=lpd">
<i class="fa fa-circle-
o"></i> L.Perjalanan
Dinas</a></li>
</ul>
</li>
<li
class="treeview">
<a href="#">
<i class="fa
fa-gears"></i>
<span>Setting</span>
<span
class="pull-right-
container">
<i
class="fa fa-angle-left
pull-right"></i>
</span>
</a>
<ul
class="treeview-
menu">
<!-- <li><a
href="?module=ttdkw
itansi"><i class="fa
fa-circle-o"></i>TTD
Kwitansi</a></li> -->
```

```
<li><a
href="?module=passw
ord"><i class="fa fa-
circle-
o"></i>Password</a>
</li>
</ul>
</li>
<li><a
href="logout.php"
onClick="return
confirm('Anda Yakin
Ingin Keluar')"><i
class="fa fa-arrow-
left"></i>
<span>Logout</span
></a></li>
</ul>
<?php
}elseif($_SESSION['l
evel']=="kabag") { ?>
<ul
class="sidebar-menu"
data-widget="tree">
<li
class="header">MAI
N
NAVIGATION</li>
<li
class="active
treeview">
```

```
<a href="#">
<i class="fa
fa-folder"></i>
<span>SPPD</span>
<span
class="pull-right-
container">
<i
class="fa fa-angle-left
pull-right"></i>
</span>
</a>
<ul
class="treeview-
menu">
<li><a
href="?module=nppt"
><i class="fa fa-
circle-o"></i>
NPPD</a></li>
<li><a
href="?module=lpd">
<i class="fa fa-circle-
o"></i> L. Perjalanan
Dinas</a></li>
<li><a
href="?module=kwita
nsi"><i class="fa fa-
circle-o"></i>
Kwintasi</a></li>
```

```
<!-- <li><a
href="?module=tbk">
<i class="fa fa-circle-
o"></i>
TBK</a></li>
Sengaja di non
aktifkan modul TBK--
>
<li><a
href="?module=passw
ord"><i class="fa fa-
circle-o"></i>
Password</a></li>
<li><a
href="logout.php"
onClick="return
confirm('Anda Yakin
Ingin Keluar')"><i
class="fa fa-circle-
o"></i>
Logout</a></li>
</ul>
</li>
</ul>
<?php }else{ ?>
<ul
class="sidebar-menu"
data-widget="tree">
<li
class="header">MAI
```

| | | |
|-------------------------|-------------------------|-----------------------|
| N | <a | <!-- |
| NAVIGATION | href="?module=lpd"> | ===== |
| <li | <i class="fa fa-circle- | ===== |
| class="active | o"></i> L. Perjalanan | ===== - |
| treeview"> | Dinas | --> |
| | <a | <!-- Content |
| <i class="fa | href="?module=kwita | Wrapper. Contains |
| fa-folder"></i> | nsi"><i class="fa fa- | page content --> |
| Data | circle-o"></i> | <div |
| Master | Kwitansi | class="content- |
| <span | <a | wrapper"> |
| class="pull-right- | href="?module=passw | <!-- Main content |
| container"> | ord"><i class="fa fa- | --> |
| <i | circle-o"></i> | <section |
| class="fa fa-angle-left | Password | class="content"> |
| pull-right"></i> | <a | <?php include |
| | href="logout.php" | "content.php"; ?> |
| | onClick="return | </section><!-- |
| <ul | confirm('Anda Yakin | /.content --> |
| class="treeview- | Ingin Keluar')"><i | </div><!-- |
| menu"> | class="fa fa-circle- | /.content-wrapper --> |
| <a | o"></i> | |
| href="?module=spt"> | Logout | |
| <i class="fa fa-circle- | | <footer |
| o"></i> SPT | | class="main-footer"> |
| <a | | <div class="pull- |
| href="?module=sppd" | <?php } ?> | right hidden-xs"> |
| ><i class="fa fa- | </section> | Created |
| circle-o"></i> | <!-- /.sidebar --> | By SALSABILA |
| SPPD | </aside> | WISA PUTRI |
| | | </div> |


```

<strong>Copyright
&copy; 2023 <a
href="#">Sekretariat
DPRD Kota
Palembang</a>.</stro
ng> All rights
reserved.
</footer>

<div
class="control-
sidebar-bg"></div>
</div><!--
./wrapper -->

<!-- jQuery 3 -->
<script
src="bower_compone
nts/jquery/dist/jquery.
min.js"></script>
<!-- jQuery UI
1.11.4 -->
<script
src="bower_compone
nts/jquery-ui/jquery-
ui.min.js"></script>
<!-- Resolve
conflict in jQuery UI
tooltip with Bootstrap
tooltip -->
<script>
<script>
$.widget.bridge('uibut
ton', $.ui.button);
</script>
<!-- Bootstrap 3.3.7
-->
<script
src="bower_compone
nts/bootstrap/dist/js/b
ootstrap.min.js"></scr
ipt>
<!-- Morris.js charts
-->
<script
src="bower_compone
nts/raphael/raphael.mi
n.js"></script>
<script
src="bower_compone
nts/morris.js/morris.m
in.js"></script>
<!-- Sparkline -->
<script
src="bower_compone
nts/jquery-
sparkline/dist/jquery.s
parkline.min.js"></scr
ipt>
<!-- jvectormap -->
<script
src="plugins/jvectorm
ap/jquery-jvectormap-
1.2.2.min.js"></script
>
<script
src="plugins/jvectorm
ap/jquery-jvectormap-
world-mill-
en.js"></script>
<!-- jQuery Knob
Chart -->
<script
src="bower_compone
nts/jquery-
knob/dist/jquery.knob
.min.js"></script>
<!--
daterangepicker -->
<script
src="bower_compone
nts/moment/min/mom
ent.min.js"></script>
<script
src="bower_compone
nts/bootstrap-
daterangepicker/dater
angepicker.js"></scri
pt>
<!-- datepicker -->

```

```

<script
src="bower_components/bootstrap-datepicker/dist/js/bootstrap-datepicker.min.js"></script>
<!-- Bootstrap WYSIHTML5 -->
<script
src="plugins/bootstrap-wysihtml5/bootstrap3-wysihtml5.all.min.js"></script>
<!-- Slimscroll -->
<script
src="bower_components/jquery-slimscroll/jquery.slimscroll.min.js"></script>
<!-- FastClick -->
<script
src="bower_components/fastclick/lib/fastclick.js"></script>
<!-- AdminLTE App -->

```

```

<script
src="dist/js/adminlte.min.js"></script>
<!-- AdminLTE dashboard demo (This is only for demo purposes) -->
<script
src="dist/js/pages/dashboard.js"></script>
<!-- AdminLTE for demo purposes -->
<script
src="dist/js/demo.js"></script>
<!-- Select2 -->
<script
src="bower_components/select2/dist/js/select2.full.min.js"></script>
<!-- DataTables -->
<script
src="bower_components/datatables.net/js/jquery.dataTables.min.js"></script>
<script
src="bower_components/datatables.net-bs/js/dataTables.bootstrap.min.js"></script>

```

```

bs/js/dataTables.bootstrap.min.js"></script>
<!-- page script -->
<script>
$(function () {
$('.select2').select2()

$('#example1').DataTable()

$('#example2').DataTable({
    'paging'      : true,
    'lengthChange':
false,
    'searching'   :
false,
    'ordering'    : true,
    'info'        : true,
    'autoWidth'   :
false
})

$('input[type="checkbox"]').minimal-red,

```

```
input[type="radio"].m
inimal-red').iCheck({
    checkboxClass:
'checkbox_minimal-
red',
    radioClass    :
'radio_minimal-red'
    })
})
</script>

</body>
</html>
<?php } ?>
```