

DAFTAR PUSTAKA

- Setyawan, M. Y. H., & Munari, A. S. (2020). *Panduan lengkap membangun sistem monitoring kinerja mahasiswa internship berbasis web dan global positioning system*. Kreatif Industri Nusantara.
- Ragil, R. W., Saefudin, S., & Saputra, A. D. (2023). PENGEMBANGAN APLIKASI TAMU WAJIB LAPOR DI DESA KARANGSALAM BATURADEN BERBASIS ANDROID. *Informatics and Computer Engineering Journal*, 3(1), 79-87.
- Pasaribu, J. S. (2021). Pembuatan aplikasi pemesanan banner di warna print kota cimahi. *Jurnal Ilmiah Teknologi Infomasi Terapan*, 7(2), 138-147.
- Salsabila, R. (2022). *SISTEM INFORMASI LABORATORIUM BATUBARA PADA DINAS ENERGI DAN SUMBER DAYA MINERAL PROVINSI SUMATERA SELATAN BERBASIS WEBSITE* (Doctoral dissertation, Politeknik Negeri Sriwijaya).
- Sari, Y. R., Fransiska, G., & Batubara, M. D. (2019). Aplikasi Penentuan Penerbit Buku Sekolah Terbaik Dengan Menggunakan Metode Topsis Berbasis Web. *Query: Journal of Information Systems*, 3(1).
- Herlambang, A., & Indriatmoko, R. H. (2005). Pengelolaan air tanah dan intrusi air laut. *Jurnal Air Indonesia*, 1(2).
- Kurniyawan, G. (2019). *Aplikasi Pengolahan Data Servis Kendaraan Mobil Dan Motor Pada PT. Penerbit Erlangga Cabang Palembang Berbasis Website* (Doctoral dissertation, Politeknik Negeri Sriwijaya).
- Silvana, E. S. (2016). *Analisis dan Perancangan Sistem Informasi Pelayanan di Hotel Ponty Bandung* (Doctoral dissertation, Fakultas Ekonomi dan Bisnis Universitas Islam Bandung (UNISBA)).
- Sugiyanto, S., & Prabowo, Y. (2018). Pembuatan Kekasaran Permukaan Material ST 37 terhadap Kecepatan Pemakanan pada Milling Machine. *Jurnal Engine: Energi, Manufaktur, dan Material*, 2(1), 1-6.
- Apriliyanto, A. (2019). *Aplikasi Pengolahan Data Inventory Pada 212 Mart Bukit Besar Palembang Berbasis Website* (Doctoral dissertation, Politeknik Negeri Sriwijaya).
- Rusmawan, U. (2019). *Teknik penulisan tugas akhir dan skripsi pemrograman*. Elex media komputindo.
- Paruwansyah, G. A. (2018). *Aplikasi Pemesanan Catering Berbasis Website Menggunakan Metode Rapid Application Development (RAD) Pada CV Maharani* (Doctoral dissertation, POLITEKNIK NEGERI SRIWIJAYA).
- Fazliena, J. (2019). *SISTEM INFORMASI PENJUALAN MATERIAL KONTRUKSI PADA PT MUARA DUA BERBASIS WEB* (Doctoral dissertation, POLITEKNIK NEGERI SRIWIJAYA).
- Salamah, I., Said, M. R. A., & Soim, S. (2022). Perancangan Alat Identifikasi Wajah Dengan Algoritma You Only Look Once (YOLO) Untuk Presensi Mahasiswa. *JURNAL MEDIA INFORMATIKA BUDIDARMA*, 6(3), 1492-1500.
- Hawali, M. F. (2022). *APLIKASI PENCATATAN BAHAN BAKU DAN PRODUK MIE INSTAN DI BAGIAN WAREHOUSE BERBASIS WEBSITE PADA PT INDOFOOD CBP SUKSES MAKMUR TBK PALEMBANG* (Doctoral dissertation, Politeknik Negeri Sriwijaya).

Supardi, I. Y. (2021). *Semua bisa menjadi programmer JavaScript & Node. js*. Elex Media Komputindo.

Supardi, Y., Kurniawan, I., & Kom, S. (2020). *Koleksi Program Web PHP*. Elex Media Komputindo.

Fajriansyah, A. (2019). *Sistem Informasi Geografis Pengguna Narkoba Pada Badan Narkotika Nasional Kabupaten Ogan Ilir Berbasis Website* (Doctoral dissertation, Politeknik Negeri Sriwijaya).

SYAPUTRA, D. F. D. (2021). *APLIKASI DATA KEPENDUDUKAN PADA KANTOR CAMAT KECAMATAN GELUMBANG* (Doctoral dissertation, Politeknik Negeri Sriwijaya).

```

<!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <!-- Always force latest IE rendering engine or request Chrome Frame -->
    <meta content="IE=edge,chrome=1" http-equiv="X-UA-Compatible">
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <!-- Use title if it's in the page YAML frontmatter -->
    <title>404 Not Found</title>
    <link href="/dashboard/stylesheets/normalize.css" rel="stylesheet" type="text/css"
/><link href="/dashboard/stylesheets/all.css" rel="stylesheet" type="text/css" />
    <link href="//cdnjs.cloudflare.com/ajax/libs/font-awesome/3.1.0/css/font-
awesome.min.css" rel="stylesheet" type="text/css" />
    <script src="/dashboard/javascripts/modernizr.js" type="text/javascript"></script>
    <link href="/dashboard/images/favicon.png" rel="icon" type="image/png" /
</head>

  <body class="x404">
    <div id="fb-root"></div>
    <script>(function(d, s, id) {
      var js, fjs = d.getElementsByTagName(s)[0];
      if (d.getElementById(id)) return;
      js = d.createElement(s); js.id = id;
      js.src = "//connect.facebook.net/en_US/all.js#xfbml=1&appId=277385395761685";
      fjs.parentNode.insertBefore(js, fjs);
    })(document, 'script', 'facebook-jssdk');</script>
    <div class="contain-to-grid">
      <nav class="top-bar" data-topbar>
        <ul class="title-area">
          <li class="name">
            <h1><a href="/dashboard/index.html">Apache Friends</a></h1>
          </li>
          <li class="toggle-topbar menu-icon">
            <a href="#">
              <span>Menu</span>
            </a>
          </li>
        </ul>

        <section class="top-bar-section">
          <!-- Right Nav Section -->
          <ul class="right">
            <li class=""><a href="/applications.html">Applications</a></li>
            <li class=""><a href="/dashboard/faq.html">FAQs</a></li>
            <li class=""><a href="/dashboard/howto.html">HOW-TO Guides</a></li>
            <li class=""><a target="_blank"
href="/dashboard/phpinfo.php">PHPInfo</a></li>
            <li class=""><a href="/phpmyadmin/">phpMyAdmin</a></li>
          </ul>
        </section>
      </nav>
    </div>

```

```

    <div id="wrapper">
      <div class="hero">
    <div class="row">
      <div class="large-12 columns">
        <h1>404 <span>Not Found</span></h1>
      </div>
    </div>
  </div>
</div>
<div class="row">
  <div class="large-12 columns">
    <h2>The page you were looking for doesn't exist.</h2>
    <p>Think this is an error? Please <a href="mailto:%20hello@apachefriends.org">let
us know</a>.</p>
    <form action="/dashboard/search.html" method="get">
    <div class="row">
      <div class="large-8 small-9 columns">
        <input type="text" name="q" placeholder="Search..">
      </div>
      <div class="large-4 small-3 columns">
        <input type="submit" class="success button postfix expand" value="Search"/>
      </div>
    </div>
  </form>
</div>
</div>
</div>

<footer>
  <div class="row">
    <div class="large-12 columns">
      <div class="row">
        <div class="large-8 columns">
          <ul class="social">
            <li class="twitter"><a href="https://twitter.com/apachefriends">Follow us on
Twitter</a></li>
            <li class="facebook"><a href="https://www.facebook.com/we.are.xampp">Like us on
Facebook</a></li>
            <li class="google"><a href="https://plus.google.com/+xampp/posts">Add us to your G+
Circles</a></li>
          </ul>

          <ul class="inline-list">
            <li><a href="https://www.apachefriends.org/blog.html">Blog</a></li>
            <li><a
href="https://www.apachefriends.org/privacy_policy.html">Privacy Policy</a></li>
            <li>
<a target="_blank" href="http://www.fastly.com/">CDN provided by
              
            </li>
          </ul>
        </div>
      </div>
    </div>
  </div>
</div>

```



```

        </li>
    </ul>

    <section class="top-bar-section">
        <!-- Right Nav Section -->
        <ul class="right">
            <li class=""><a href="/applications.html">Applications</a></li>
            <li class=""><a href="/dashboard/faq.html">FAQs</a></li>
            <li class=""><a href="/dashboard/howto.html">HOW-TO Guides</a></li>
            <li class=""><a target="_blank"
href="/dashboard/phpinfo.php">PHPInfo</a></li>
            <li class=""><a href="/phpmyadmin/">phpMyAdmin</a></li>
        </ul>
    </section>
</nav>
</div>

<div id="wrapper">
    <div class="hero">
<div class="row">
    <div class="large-12 columns">
        <h1>404 <span>Not Found</span></h1>
    </div>
</div>
</div>
<div class="row">
    <div class="large-12 columns">
        <h2>The page you were looking for doesn't exist.</h2>
        <p>Think this is an error? Please <a href="mailto:%20hello@apachefriends.org">let
us know</a>.</p>
        <form action="/dashboard/search.html" method="get">
            <div class="row">
                <div class="large-8 small-9 columns">
                    <input type="text" name="q" placeholder="Search..">
                </div>
                <div class="large-4 small-3 columns">
                    <input type="submit" class="success button postfix expand" value="Search"/>
                </div>
            </div>
        </form>
    </div>
</div>
</div>

<div>

<div class="row">
    <div class="large-12 columns">
        <div class="row">
            <div class="large-8 columns">
                <ul class="social">
                    <li class="twitter"><a href="https://twitter.com/apachefriends">Follow us on
Twitter</a></li>

```



```

<body class="howto_shared_links">
  <div id="fb-root"></div>
  <script>(function(d, s, id) {
    var js, fjs = d.getElementsByTagName(s)[0];
    if (d.getElementById(id)) return;
    js = d.createElement(s); js.id = id;
    js.src = "//connect.facebook.net/en_US/all.js#xfbml=1&appId=277385395761685";
    fjs.parentNode.insertBefore(js, fjs);
  })(document, 'script', 'facebook-jssdk');</script>
  <div class="contain-to-grid">
    <nav class="top-bar" data-topbar>
      <ul class="title-area">
        <li class="name">
          <h1><a href="/dashboard/index.html">Apache Friends</a></h1>
        </li>
        <li class="toggle-topbar menu-icon">
          <a href="#">
            <span>Menu</span>
          </a>
        </li>
      </ul>

      <section class="top-bar-section">
        <!-- Right Nav Section -->
        <ul class="right">
          <li class=""><a href="/applications.html">Applications</a></li>
          <li class=""><a href="/dashboard/faq.html">FAQs</a></li>
          <li class="active"><a href="/dashboard/howto.html">HOW-TO
Guides</a></li>
          <li class=""><a target="_blank"
href="/dashboard/phpinfo.php">PHPInfo</a></li>
          <li class=""><a href="/phpmyadmin/">phpMyAdmin</a></li>
        </ul>
      </section>
    </nav>
  </div>

  <div id="wrapper">
    <h5><a href="/dashboard/docs/backup-restore-mysql.html">Backup and Restore
MySQL/MariaDB Databases</a></h5>
    <h5><a href="/dashboard/docs/transfer-files-ftp.html">Configure FTP Access</a></h5>
    <h5><a href="/dashboard/docs/configure-vhosts.html">Configure Virtual Hosts</a></h5>
    <h5><a href="/dashboard/docs/configure-wildcard-subdomains.html">Configure Wildcard-
Based Subdomains</a></h5>
    <h5><a href="/dashboard/docs/deploy-git-app.html">Deploy an Application Using
Git</a></h5>
    <h5><a href="/dashboard/docs/install-wordpress.html">Get Started Quickly with
WordPress</a></h5>
    <h5><a href="/dashboard/docs/reset-mysql-password.html">Reset the MySQL/MariaDB Root
Password</a></h5>
    <h5><a href="/dashboard/docs/send-mail.html">Send Mail with PHP</a></h5>
    <h5><a href="/dashboard/docs/use-sqlite.html">Use SQLite with PHP</a></h5>

```



```
<h5><a href="/dashboard/docs/activate-use-xdebug.html">Activate and Use
Xdebug</a></h5>
<h5><a href="/dashboard/docs/create-framework-project-zf1.html">Start a New Zend
Framework 1.x Project</a></h5>
<h5><a href="/dashboard/docs/create-framework-project-zf2.html">Start a New Zend
Framework 2.x Project</a></h5>
<h5><a href="/dashboard/docs/troubleshoot-apache.html">Troubleshoot Apache Startup
Problems</a></h5>
<h5><a href="/dashboard/docs/change-mysql-temp-dir.html">Change the MySQL Temporary
Files Directory</a></h5>
<h5><a href="/dashboard/docs/increase-php-file-upload-limit.html">Increase the PHP
File Upload Limit</a></h5>
<h5><a href="/dashboard/docs/access-phpmyadmin-remotely.html">Enable Remote Access to
phpMyAdmin</a></h5>
<h5><a href="/dashboard/docs/auto-start-xampp.html">Auto-Start XAMPP</a></h5>
```

```
</div>
```

```
<footer>
```

```
<div class="row">
```

```
<div class="large-12 columns">
```

```
<div class="row">
```

```
<div class="large-8 columns">
```

```
<ul class="social">
```

```
<li class="twitter"><a href="https://twitter.com/apachefriends">Follow us on
Twitter</a></li>
```

```
<li class="facebook"><a href="https://www.facebook.com/we.are.xampp">Like us on
Facebook</a></li>
```

```
<li class="google"><a href="https://plus.google.com/+xampp/posts">Add us to your G+
Circles</a></li>
```

```
</ul>
```

```
<ul class="inline-list">
```

```
<li><a href="https://www.apachefriends.org/blog.html">Blog</a></li>
```

```
<li><a
```

```
href="https://www.apachefriends.org/privacy_policy.html">Privacy Policy</a></li>
```

```
<li>
```

```
<a target="_blank" href="http://www.fastly.com/">
```

```
CDN provided by
```

```

```

```
</a>
```

```
</li>
```

```
</ul>
```

```
</div>
```

```
<div class="large-4 columns">
```

```
<p class="text-right">Copyright (c) 2018, Apache Friends</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</footer>
```

```
<!-- JS Libraries -->
```

```
<script src="//code.jquery.com/jquery-1.10.2.min.js"></script>
```

```

    <script src="/dashboard/javascripts/all.js" type="text/javascript"></script>
  </body>
</html>

<!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8">

    <!-- Always force latest IE rendering engine or request Chrome Frame -->
    <meta content="IE=edge,chrome=1" http-equiv="X-UA-Compatible">
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />

    <!-- Use title if it's in the page YAML frontmatter -->
    <title>XAMPP howto guides</title>

    <meta name="description" content="XAMPP is an easy to install Apache distribution
containing MariaDB, PHP and Perl." />
    <meta name="keywords" content="xampp, apache, php, perl, mysql, open source
distribution" />

    <link href="/dashboard/stylesheets/normalize.css" rel="stylesheet" type="text/css"
/><link href="/dashboard/stylesheets/all.css" rel="stylesheet" type="text/css" />
    <link href="//cdnjs.cloudflare.com/ajax/libs/font-awesome/3.1.0/css/font-
awesome.min.css" rel="stylesheet" type="text/css" />

    <script src="/dashboard/javascripts/modernizr.js" type="text/javascript"></script>

    <link href="/dashboard/images/favicon.png" rel="icon" type="image/png" />

</head>

<body class="howto">
  <div id="fb-root"></div>
  <script>(function(d, s, id) {
    var js, fjs = d.getElementsByTagName(s)[0];
    if (d.getElementById(id)) return;
    js = d.createElement(s); js.id = id;
    js.src = "//connect.facebook.net/en_US/all.js#xfbml=1&appId=277385395761685";
    fjs.parentNode.insertBefore(js, fjs);
  })(document, 'script', 'facebook-jssdk');</script>
  <div class="contain-to-grid">
    <nav class="top-bar" data-topbar>
      <ul class="title-area">
        <li class="name">
          <h1><a href="/dashboard/index.html">Apache Friends</a></h1>
        </li>
        <li class="toggle-topbar menu-icon">
          <a href="#">
            <span>Menu</span>
          </a>
        </li>
      </ul>
    </nav>
  </div>

```

```

    </li>
</ul>

<section class="top-bar-section">
  <!-- Right Nav Section -->
  <ul class="right">
    <li class=""><a href="/applications.html">Applications</a></li>
    <li class=""><a href="/dashboard/faq.html">FAQs</a></li>
    <li class="active"><a href="/dashboard/howto.html">HOW-TO
Guides</a></li>
    <li class=""><a target="_blank"
href="/dashboard/phpinfo.php">PHPInfo</a></li>
    <li class=""><a href="/phpmyadmin/">phpMyAdmin</a></li>
  </ul>
</section>
</nav>
</div>

<div id="wrapper">
  <div class="hero">
<div class="row">
  <div class="large-12 columns">
    <h1>Windows <span>HOW-TO Guides</span></h1>
  </div>
</div>
</div>
<div class="row">
  <div class="large-12 columns">
    <h5><a href="/dashboard/docs/backup-restore-mysql.html">Backup and Restore
MySQL/MariaDB Databases</a></h5>
<h5><a href="/dashboard/docs/transfer-files-ftp.html">Configure FTP Access</a></h5>
<h5><a href="/dashboard/docs/configure-vhosts.html">Configure Virtual Hosts</a></h5>
<h5><a href="/dashboard/docs/configure-wildcard-subdomains.html">Configure Wildcard-
Based Subdomains</a></h5>
<h5><a href="/dashboard/docs/deploy-git-app.html">Deploy an Application Using
Git</a></h5>
<h5><a href="/dashboard/docs/install-wordpress.html">Get Started Quickly with
WordPress</a></h5>
<h5><a href="/dashboard/docs/reset-mysql-password.html">Reset the MySQL/MariaDB Root
Password</a></h5>
<h5><a href="/dashboard/docs/send-mail.html">Send Mail with PHP</a></h5>
<h5><a href="/dashboard/docs/use-sqlite.html">Use SQLite with PHP</a></h5>
<h5><a href="/dashboard/docs/activate-use-xdebug.html">Activate and Use
Xdebug</a></h5>
<h5><a href="/dashboard/docs/create-framework-project-zf1.html">Start a New Zend
Framework 1.x Project</a></h5>
<h5><a href="/dashboard/docs/create-framework-project-zf2.html">Start a New Zend
Framework 2.x Project</a></h5>
<h5><a href="/dashboard/docs/troubleshoot-apache.html">Troubleshoot Apache Startup
Problems</a></h5>
<h5><a href="/dashboard/docs/change-mysql-temp-dir.html">Change the MySQL Temporary
Files Directory</a></h5>

```

```
<h5><a href="/dashboard/docs/increase-php-file-upload-limit.html">Increase the PHP
File Upload Limit</a></h5>
<h5><a href="/dashboard/docs/access-phpmyadmin-remotely.html">Enable Remote Access to
phpMyAdmin</a></h5>
<h5><a href="/dashboard/docs/auto-start-xampp.html">Auto-Start XAMPP</a></h5>
```

```
    <h5><a href="/dashboard/docs/use-different-php-version.html">Use a Different PHP
Version</a></h5>
<h5><a href="/dashboard/docs/use-php-fcgi.html">Run PHP under FastCGI</a></h5>
<h5><a href="/dashboard/docs/configure-use-tomcat.html">Configure and Use Apache
Tomcat</a></h5>
```

```
</div>
</div>
```

```
</div>
```

```
<footer>
  <div class="row">
    <div class="large-12 columns">
      <div class="row">
        <div class="large-8 columns">
          <ul class="social">
            <li class="twitter"><a href="https://twitter.com/apachefriends">Follow us on
Twitter</a></li>
            <li class="facebook"><a href="https://www.facebook.com/we.are.xampp">Like us on
Facebook</a></li>
            <li class="google"><a href="https://plus.google.com/+xampp/posts">Add us to your G+
Circles</a></li>
          </ul>
```

```
            <ul class="inline-list">
              <li><a href="https://www.apachefriends.org/blog.html">Blog</a></li>
              <li><a
href="https://www.apachefriends.org/privacy_policy.html">Privacy Policy</a></li>
              <li>
```

```
<a target="_blank" href="http://www.fastly.com/">CDN provided by
              
            </a>
          </li>
```

```
        </ul>
      </div>
    <div class="large-4 columns">
      <p class="text-right">Copyright (c) 2018, Apache Friends</p>
    </div>
  </div>
</div>
</footer>
```

```
<!-- JS Libraries -->
```

```
<script src="//code.jquery.com/jquery-1.10.2.min.js"></script>
```

```
<script src="/dashboard/javascripts/all.js" type="text/javascript"></script>
```

```

    </body>
</html>

<!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8">

    <!-- Always force latest IE rendering engine or request Chrome Frame -->
    <meta content="IE=edge,chrome=1" http-equiv="X-UA-Compatible">
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />

    <!-- Use title if it's in the page YAML frontmatter -->
    <title>Welcome to XAMPP</title>

    <meta name="description" content="XAMPP is an easy to install Apache distribution
containing MariaDB, PHP and Perl." />
    <meta name="keywords" content="xampp, apache, php, perl, mariadb, open source
distribution" />

    <link href="/dashboard/stylesheets/normalize.css" rel="stylesheet" type="text/css"
/><link href="/dashboard/stylesheets/all.css" rel="stylesheet" type="text/css" />
    <link href="//cdnjs.cloudflare.com/ajax/libs/font-awesome/3.1.0/css/font-
awesome.min.css" rel="stylesheet" type="text/css" />

    <script src="/dashboard/javascripts/modernizr.js" type="text/javascript"></script>

    <link href="/dashboard/images/favicon.png" rel="icon" type="image/png" />

</head>

<body class="index">
  <div id="fb-root"></div>
  <script>(function(d, s, id) {
    var js, fjs = d.getElementsByTagName(s)[0];
    if (d.getElementById(id)) return;
    js = d.createElement(s); js.id = id;
    js.src = "//connect.facebook.net/en_US/all.js#xfbml=1&appId=277385395761685";
    fjs.parentNode.insertBefore(js, fjs);
  })(document, 'script', 'facebook-jssdk');</script>
  <div class="contain-to-grid">
    <nav class="top-bar" data-topbar>
      <ul class="title-area">
        <li class="name">
          <h1><a href="/dashboard/index.html">Apache Friends</a></h1>
        </li>
        <li class="toggle-topbar menu-icon">
          <a href="#">
            <span>Menu</span>
          </a>
        </li>
      </ul>
    </nav>
  </div>

```

```

</ul>

<section class="top-bar-section">
  <!-- Right Nav Section -->
  <ul class="right">
    <li class=""><a href="/applications.html">Applications</a></li>
    <li class=""><a href="/dashboard/faq.html">FAQs</a></li>
    <li class=""><a href="/dashboard/howto.html">HOW-TO Guides</a></li>
    <li class=""><a target="_blank"
href="/dashboard/phpinfo.php">PHPInfo</a></li>
    <li class=""><a href="/phpmyadmin/">phpMyAdmin</a></li>
  </ul>
</section>
</nav>
</div>

<div id="wrapper">
  <div class="hero">
<div class="row">
  <div class="large-12 columns">
    <h1>XAMPP <span>Apache + MariaDB +
PHP + Perl</span></h1>
  </div>
</div>
</div>
<div class="row">
  <div class="large-12 columns">
    <h2>Welcome to XAMPP for Windows 7.3.10</h2>
  </div>
</div>
<div class="row">
  <div class="large-12 columns">
    <p>
      You have successfully installed XAMPP on this system! Now you can start using
      Apache, MariaDB, PHP and other components.
      You can find more info in the <a href="/dashboard/faq.html">FAQs</a> section or
      check the <a href="/dashboard/howto.html">HOW-TO Guides</a> for getting started with
      PHP applications.
    </p>
    <p>
      XAMPP is meant only for development purposes. It has certain configuration
      settings that make it easy to develop locally but that are insecure if you want to
      have your installation accessible to others.
      If you want have your XAMPP accessible from the internet, make sure you
      understand the implications and you checked the <a href="/dashboard/faq.html">FAQs</a>
      to learn how to protect your site. Alternatively you can use <a
      href="https://bitnami.com/stack/wamp">WAMP</a>, <a
      href="https://bitnami.com/stack/mamp">MAMP</a> or <a
      href="https://bitnami.com/stack/lamp">LAMP</a> which are similar packages which are
      more suitable for production.
    </p>
    <p>
      Start the XAMPP Control Panel to check the server status.
    </p>
  </div>
</div>

```

```
    </p>
  </div>
</div>
<div class="row">
  <div class="large-12 columns">
    <h3>Community</h3>
  </div>
</div>
<div class="row">
  <div class="large-12 columns">
    <p>
      XAMPP has been around for more than 10 years &ndash; there is a huge community
      behind it. You can get involved by joining our <a
      href="https://community.apachefriends.org">Forums</a>, adding yourself to the <a
      href="https://www.apachefriends.org/community.html#mailing_list">Mailing List</a>, and
      liking us on <a href="https://www.facebook.com/we.are.xampp">Facebook</a>, following
      our exploits on <a href="https://twitter.com/apachefriends">Twitter</a>, or adding us
      to your <a href="https://plus.google.com/+xampp/posts">Google+</a> circles.
    </p>
  </div>
</div>
<div class="row">
  <div class="large-12 columns">
    <h3>Contribute to XAMPP translation at <a
      href="https://translate.apachefriends.org/">translate.apachefriends.org</a>.</h3>
  </div>
</div>
<div class="row">
  <div class="large-12 columns">
    <p>
      Can you help translate XAMPP for other community members? We need your help to
      translate XAMPP into different languages. We have set up a site, <a
      href="https://translate.apachefriends.org/">translate.apachefriends.org</a>, where
      users can contribute translations.
    </p>
  </div>
</div>
<div class="row">
  <div class="large-12 columns">
    <h3>Install applications on XAMPP using Bitnami</h3>
  </div>
</div>
<div class="row">
  <div class="large-12 columns">
    <p>
      Apache Friends and Bitnami are cooperating to make dozens of open source
      applications available on XAMPP, for free. Bitnami-packaged applications include
      Wordpress, Drupal, Joomla! and dozens of others and can be deployed with one-click
      installers.
      Visit the <a target="_blank"
      href="http://bitnami.com/stack/xampp?utm_source=bitnami&utm_medium=installer&u
      tm_campaign=XAMPP%2BModule">Bitnami XAMPP page</a> for details on the currently
      available apps.
    </p>
  </div>
</div>
```

```

    </p>
  </div>
</div>
<div class="row">
  <div class="large-12 columns">
    <a
href="http://bitnami.com/stack/xampp?utm_source=bitnami&utm_medium=installer&utm_campaign=XAMPP%2BModule" target="_blank"></a>
    </div>
  </div>

</div>

<footer>
  <div class="row">
    <div class="large-12 columns">
      <div class="row">
        <div class="large-8 columns">
          <ul class="social">
            <li class="twitter"><a href="https://twitter.com/apachefriends">Follow us on
Twitter</a></li>
            <li class="facebook"><a href="https://www.facebook.com/we.are.xampp">Like us on
Facebook</a></li>
            <li class="google"><a href="https://plus.google.com/+xampp/posts">Add us to your G+
Circles</a></li>
          </ul>

          <ul class="inline-list">
            <li><a href="https://www.apachefriends.org/blog.html">Blog</a></li>
            <li><a
href="https://www.apachefriends.org/privacy_policy.html">Privacy Policy</a></li>
            <li>
<a target="_blank" href="http://www.fastly.com/">CDN provided by
              
            </li>
          </ul>
        </div>
        <div class="large-4 columns">
          <p class="text-right">Copyright (c) 2018, Apache Friends</p>
        </div>
      </div>
    </div>
  </div>
</footer>

<!-- JS Libraries -->
<script src="//code.jquery.com/jquery-1.10.2.min.js"></script>
<script src="/dashboard/javascripts/all.js" type="text/javascript"></script>
</body>
</html>

```



```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
  <title>Bitnami: Open Source. Simplified</title>
  <link href="bitnami.css" media="all" rel="Stylesheet" type="text/css" />
  <link href="/dashboard/stylesheets/all.css" rel="stylesheet" type="text/css" />
</head>
<body>
  <div class="contain-to-grid">
    <nav class="top-bar" data-topbar>
      <ul class="title-area">
        <li class="name">
          <h1><a href="/dashboard/index.html">Apache Friends</a></h1>
        </li>
        <li class="toggle-topbar menu-icon">
          <a href="#">
            <span>Menu</span>
          </a>
        </li>
      </ul>

      <section class="top-bar-section">
        <!-- Right Nav Section -->
        <ul class="right">
          <li class="active"><a href="/applications.html">Applications</a></li>
          <li class=""><a href="/dashboard/faq.html">FAQs</a></li>
          <li class=""><a href="/dashboard/howto.html">HOW-TO Guides</a></li>
          <li class=""><a target="_blank"
href="/dashboard/phpinfo.php">PHPInfo</a></li>
          <li class=""><a href="/phpmyadmin/">phpMyAdmin</a></li>
        </ul>
      </section>
    </nav>
  </div>
  <div id="wrapper">
    <div class="hero">
      <div class="row">
        <div class="large-12 columns">
          <p>Apache Friends and Bitnami are cooperating to make dozens of open
source applications available on XAMPP, for free. Bitnami-packaged applications
include Wordpress, Drupal, Joomla! and dozens of others and can be deployed with one-
click installers. Visit the <a
href="https://bitnami.com/xampp?utm_source=bitnami&utm_medium=installer&utm_campaign=X
AMPP%2BModule" target="_blank">Bitnami XAMPP page</a> for details on the currently
available apps.</p><br/>
          <p>Check out our <a
href="https://www.apachefriends.org/bitnami_for_xampp.html" target="_blank" >Bitnami
for XAMPP Start Guide</a> for more information about the applications installed.</p>
        </div>
      </div>
    </div>
  </div>

```

```

<div id="lowerContainer" class="row">
  <div id="content" class="large-12 columns">
    <!-- @@BITNAMI_MODULE_PLACEHOLDER@@ -->
  </div>
</div>
</div>
<footer>
  <div class="row">
    <div class="large-12 columns">
      <div class="row">
        <div class="large-8 columns">
          <ul class="social">
            <li class="twitter"><a href="https://twitter.com/apachefriends">Follow
us on Twitter</a></li>
            <li class="facebook"><a
href="https://www.facebook.com/we.are.xampp">Like us on Facebook</a></li>
            <li class="google"><a href="https://plus.google.com/+xampp/posts">Add us
to your G+ Circles</a></li>
          </ul>

          <ul class="inline-list">
            <li><a href="https://www.apachefriends.org/blog.html">Blog</a></li>
            <li><a href="https://www.apachefriends.org/privacy_policy.html">Privacy
Policy</a></li>
            <li>
              <a target="_blank" href="http://www.fastly.com/">
CDN provided by
              
              </a>
            </li>
          </ul>
        </div>
        <div class="large-4 columns">
          <p class="text-right">Copyright (c) 2015, Apache Friends</p>
        </div>
      </div>
    </div>
  </div>
</footer>
</body>
</html>

```