

## LISTING PROGRAM

```
<?php require_once('./config.php') ?>

<!DOCTYPE html>

<html lang="en" class="" style="height: auto;">

<?php require_once('inc/header.php') ?>

<body class="hold-transition login-page">

<script>

    start_loader()

</script>

<style>

    body{

        width:calc(100%);

        height:calc(100%);

        background-image:url('<?= validate_image($_settings->info('cover')) ?>');

        background-repeat: no-repeat;

        background-size:cover;

    }

    #logo-img{

        width:15em;

        height:15em;

        object-fit:scale-down;
```

```
        object-position:center center;
    }

    #system_name{
        color:#fff;

        text-shadow: 3px 3px 3px #000;
    }
</style>

<?php if($_settings->chk_flashdata('success')): ?>

    <script>

        alert_toast("<?php echo $_settings->flashdata('success') ?>", 'success')

    </script>

<?php endif;?>

<center></center>

<h1 class="text-center" id="system_name"><?= $_settings->info('name')
?></h1>

<div class="clear-fix my-2"></div>

<div class="login-box">

<!-- /.login-logo -->

<div class="card card-outline card-primary">
```

```
<div class="card-header text-center">

  <a href="/login.php" class="h1 text-decoration-none"><b> Login
Pembeli</b></a>

</div>

<div class="card-body">

  <p class="login-box-msg">Masuk untuk memulai sesi Anda</p>

  <form id="cclogin-frm" action="" method="post">

    <div class="input-group mb-3">

      <input type="email" class="form-control" name="email" autofocus
placeholder="Email">

      <div class="input-group-append">

        <div class="input-group-text">

          <span class="fas fa-user"></span>

        </div>

      </div>

    </div>

    <div class="input-group mb-3">

      <input type="password" class="form-control" name="password"
placeholder="Password">

      <div class="input-group-append">

        <div class="input-group-text">
```

```
<span class="fas fa-lock"></span>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="row align-item-end">
```

```
<div class="col-8">
```

```
<a href="<?= base_url ?>">Back to Site</a>
```

```
</div>
```

```
<!-- /.col -->
```

```
<div class="col-4">
```

```
<button type="submit" class="btn btn-primary btn-block btn-flat">Masuk</button>
```

```
</div>
```

```
<div class="col-12 text-center">
```

```
<a href="<?= base_url './register.php' ?>">Buat Akun</a>
```

```
</div>
```

```
<!-- /.col -->
```

```
</div>
```

```
</form>
```

```
<!-- /.social-auth-links -->
```

```
<!-- <p class="mb-1">
```

```
<a href="forgot-password.html">I forgot my password</a>
```

```
</p> -->
```

```
</div>
```

```
<!-- /.card-body -->
```

```
</div>
```

```
<!-- /.card -->
```

```
</div>
```

```
<!-- /.login-box -->
```

```
<!-- jQuery -->
```

```
<script src="plugins/jquery/jquery.min.js"></script>
```

```
<!-- Bootstrap 4 -->
```

```
<script src="plugins/bootstrap/js/bootstrap.bundle.min.js"></script>
```

```
<!-- AdminLTE App -->
```

```
<script src="dist/js/adminlte.min.js"></script>
```

```
<script>
```

```
$(function(){
```

```
end_loader();
```

```
$('#cclogin_frm').submit(function(e){

    e.preventDefault();

    var _this = $(this)

        $('err-msg').remove();

    var el = $('<div>')

        el.addClass("alert err-msg")

        el.hide()

    if(_this[0].checkValidity() == false){

        _this[0].reportValidity();

        return false;

    }

    start_loader();

    $.ajax({

        url: _base_url_+"classes/Login.php?f=login_client",

        data: new FormData($(this)[0]),

        cache: false,

        contentType: false,

        processData: false,

        method: 'POST',

        type: 'POST',

        dataType: 'json',
```

```
error:err=>{
    console.error(err)
    el.addClass('alert-danger').text("An error occurred");
    _this.prepend(el)
    el.show('.modal')
    end_loader();
},
success:function(resp){
    if(typeof resp =='object' && resp.status == 'success'){
        location.href= './';
    }else if(resp.status == 'failed' && !!resp.msg){
        el.addClass('alert-danger').text(resp.msg);
        _this.prepend(el)
        el.show('.modal')
    }else{
        el.text("An error occurred");
        console.error(resp)
    }
    $("html, body").scrollTop(0);
    end_loader()
}
```

```
        }
    })
})
})
</script>
</body>
</html>

        <?php require_once('./config.php') ?>

<!DOCTYPE html>

<html lang="en" class="" style="height: auto;">

    <?php require_once('inc/header.php') ?>

    <body class="hold-transition">

        <script>

            start_loader()

        </script>

        <style>

            html,body{

                height: calc(100%);

                width: calc(100%);

            }

            body{
```

```
width:calc(100%);

height:calc(100%);

background-image:url('<?= validate_image($_settings->info('cover')) ?>');

background-repeat: no-repeat;

background-size:cover;

}

#logo-img{

width:15em;

height:15em;

object-fit:scale-down;

object-position:center center;

}

#system_name{

color:#fff;

text-shadow: 3px 3px 3px #000;

}

#cimg{

width:200px;

height:200px;

object-fit:scale-down;

object-position:center center
```

```

    }

</style>

<script>

</script>

<div class="d-flex justify-content-center align-items-center flex-row h-100">

    <div class="col-5">

        <center></center>

        <h1 class="text-center" id="system_name"><?= $_settings->info('name')
?></h1>

    </div>

    <div class="col-7 h-100 bg-gradient-light px-4">

        <div class="d-flex justify-content-center align-items-center w-100 h-
100">

            <div class="card card-outline card-primary col-12 rounded-0 shadow">

                <div class="card-header text-center">

                    <a href="/register.php" class="h1"><b>Buat Akun</b></a>

                </div>

                <div class="card-body">

                    <p class="login-box-msg">Masuk untuk mulai ke sesi anda</p>

```

```
<form id="register-frm" action="" method="post">

  <input type="hidden" name="id">

  <div class="row">

    <div class="form-group col-md-4">

      <label for="firstname" class="control-label">Nama
Depan</label>

      <input type="text" id="firstname" autofocus
name="firstname" class="form-control form-control-sm form-control-border"
required>

    </div>

    <div class="form-group col-md-4">

      <label for="middlename" class="control-label">Nama
Tengah</label>

      <input type="text" id="middlename" name="middlename"
class="form-control form-control-sm form-control-border"
placeholder="optional">

    </div>

    <div class="form-group col-md-4">

      <label for="lastname" class="control-label">Nama
Belakang</label>

      <input type="text" id="lastname" name="lastname"
class="form-control form-control-sm form-control-border" required>

    </div>

    <div class="form-group col-md-4">
```

```
        <label for="gender" class="control-label">Jenis
Kelamin</label>
```

```
        <select type="text" id="gender" name="gender" class="form-
control form-control-sm form-control-border select2" required>
```

```
        <option>Pria </option>
```

```
        <option>Wanita</option>
```

```
    </select>
```

```
</div>
```

```
<div class="form-group col-md-4">
```

```
    <label for="contact" class="control-label"> Kontak</label>
```

```
    <input type="text" id="contact" name="contact" class="form-
control form-control-sm form-control-border" required>
```

```
</div>
```

```
</div>
```

```
<div class="row">
```

```
    <div class="form-group col-md-12">
```

```
        <label for="address" class="control-label">Alamat</label>
```

```
        <textarea rows="3" id="address" name="address"
class="form-control form-control-sm rounded-0" required></textarea>
```

```
    </div>
```

```
</div>
```

```
<div class="row">
```

```
<div class="form-group col-md-6">

  <label for="email" class="control-label">Email</label>

  <input type="email" id="email" name="email" class="form-
control form-control-sm form-control-border" required>

</div>

</div>

<div class="row">

  <div class="form-group col-md-6">

    <label          for="password"          class="control-
label">Password</label>

    <div class="input-group input-group-sm">

      <input type="password" id="password" name="password"
class="form-control form-control-sm form-control-border" required>

      <div class="input-group-append bg-transparent border-top-
0 border-left-0 border-right-0 rounded-0">

        <span class="input-group-text bg-transparent border-top-
0 border-left-0 border-right-0 rounded-0">

          <a href="javascript:void(0)" class="text-reset text-
decoration-none pass_view"> <i class="fa fa-eye-slash"></i></a>

        </span>

      </div>

    </div>

  </div>

</div>
```

```
<div class="form-group col-md-6">
    <label for="cpassword" class="control-label">Konfirmasi
Password</label>
    <div class="input-group input-group-sm">
        <input type="password" id="cpassword" class="form-
control form-control-sm form-control-border" required>
        <div class="input-group-append bg-transparent border-top-
0 border-left-0 border-right-0 rounded-0">
            <span class="input-group-text bg-transparent border-top-
0 border-left-0 border-right-0 rounded-0">
                <a href="javascript:void(0)" class="text-reset text-
decoration-none pass_view"> <i class="fa fa-eye-slash"></i></a>
            </span>
        </div>
    </div>
</div>
</div>
</div>
</div>
</div>
<div class="row">
    <div class="form-group col-md-6">
        <label for="logo" class="control-label">Gambar</label>
        <input type="file" id="logo" name="img" class="form-
control form-control-sm form-control-border"
onchange="displayImg(this,$(this))" accept="image/png, image/jpeg" required>
```

```
</div>
```

```
</div>
```

```
<div class="row">
```

```
<div class="form-group col-md-6 text-center">
```

```
" alt="Shop Logo"
id="cimg" class="border border-gray img-thumbnail">
```

```
</div>
```

```
</div>
```

```
<div class="row align-item-end">
```

```
<div class="col-8">
```

```
<a href="<?= base_url ?>">Back to Site</a>
```

```
</div>
```

```
<!-- /.col -->
```

```
<div class="col-4">
```

```
<button type="submit" class="btn btn-primary btn-block btn-
flat">Buat Akun</button>
```

```
</div>
```

```
<div class="col-12 text-center">
```

```
<a href="<?= base_url './login.php' ?>">Sudah memiliki
akun</a>
```

```
</div>
```

```
<!-- /.col -->
```

</div>

</form>

<!-- /.social-auth-links -->

<!-- <p class="mb-1">

<a href="forgot-password.html">I forgot my password</a>

</p> -->

</div>

<!-- /.card-body -->

</div>

</div>

</div>

</div>

<!-- jQuery -->

<script src="<?php echo base\_url ?>plugins/jquery/jquery.min.js"></script>

<!-- Bootstrap 4 -->

```
<script src="<?php echo base_url
?>plugins/bootstrap/js/bootstrap.bundle.min.js"></script>
```

```
<!-- AdminLTE App -->
```

```
<!-- <script src="<?php echo base_url ?>dist/js/adminlte.min.js"></script> -->
```

```
<!-- Select2 -->
```

```
<script src="<?php echo base_url
?>plugins/select2/js/select2.full.min.js"></script>
```

```
<script>
```

```
function displayImg(input,_this) {
```

```
    if (input.files && input.files[0]) {
```

```
        var reader = new FileReader();
```

```
        reader.onload = function (e) {
```

```
            $('#cimg').attr('src', e.target.result);
```

```
        }
```

```
        reader.readAsDataURL(input.files[0]);
```

```
    }else{
```

```
        $('#cimg').attr('src', '<? = validate_image("") ?>');
```

```
    }
```

```
 }
```

```
$(function(){
```

```
end_loader();

$('body').height($(window).height())

$('.select2').select2({
    placeholder:"Please Select Here",
    width:'100%'
})

$('.select2-selection').addClass("form-border")

$('.pass_view').click(function(){
    var _el = $(this).closest('.input-group')
    var type = _el.find('input').attr('type')
    if(type == 'password'){
        _el.find('input').attr('type','text').focus()
        $(this).find('i.fa').removeClass('fa-eye-slash').addClass('fa-eye')
    }else{
        _el.find('input').attr('type','password').focus()
        $(this).find('i.fa').addClass('fa-eye-slash').removeClass('fa-eye')
    }
})

$('#register_frm').submit(function(e){
```

```
e.preventDefault();

var _this = $(this)

    $('.err-msg').remove();

var el = $('<div>')

    el.addClass("alert err-msg")

    el.hide()

if(_this[0].checkValidity() == false){

    _this[0].reportValidity();

    return false;

}

if($('#password').val() != $('#cpassword').val()){

    el.addClass('alert-danger').text('Password does not match.')

    _this.append(el)

    el.show('slow')

    $('html,body').scrollTop(0)

    return false;

}

start_loader();

$.ajax({

    url: _base_url_+"classes/Users.php?f=save_client",

    data: new FormData($(this)[0]),
```

```
cache: false,

contentType: false,

processData: false,

method: 'POST',

type: 'POST',

dataType: 'json',

error:err=>{

    console.error(err)

    el.addClass('alert-danger').text("An error occurred");

    _this.prepend(el)

    el.show('.modal')

    end_loader();

},

success:function(resp){

    if(typeof resp =='object' && resp.status == 'success'){

        location.href= './login.php';

    }else if(resp.status == 'failed' && !!resp.msg){

        el.addClass('alert-danger').text(resp.msg);

        _this.prepend(el)

        el.show('.modal')

    }else{
```

```
        el.text("An error occurred");

        console.error(resp)

    }

    $("html, body").scrollTop(0);

    end_loader()

}

})

})

})

</script>

</body>

</html>

<?php require_once('./config.php'); ?>

<!DOCTYPE html>

<html lang="en" class="" style="height: auto;">

<style>

#header{

    height:70vh;

    width:calc(100%);

    position:relative;
```

```
top:-1em;

}

#header:before{

content:"";

position:absolute;

height:calc(100%);

width:calc(100%);

background-image:url(<?= validate_image($_settings->info("cover")) ?>);

background-size:cover;

background-repeat:no-repeat;

background-position: center center;

}

#header>div{

position:absolute;

height:calc(100%);

width:calc(100%);

z-index:2;

}

#top-Nav a.nav-link.active {

color: #343a40;
```

```
    font-weight: 900;

    position: relative;
}

#top-Nav a.nav-link.active:before {

    content: "";

    position: absolute;

    border-bottom: 2px solid #343a40;

    width: 33.33%;

    left: 33.33%;

    bottom: 0;

}

@media (max-width:760px){

    #top-Nav a.nav-link.active {

        background: #343a40db;

        color: #fff;

    }

    #top-Nav a.nav-link.active:before {

        content: "";

        position: absolute;

        border-bottom: 2px solid #343a40;

        width: 100%;
```

```
    left: 0;

    bottom: 0;

}

h1.w-100.text-center.site-title.px-5{

    font-size:2.5em !important;

}

}

</style>

<?php require_once('inc/header.php') ?>

<body class="layout-top-nav layout-fixed layout-navbar-fixed" style="height:
auto;">

    <div class="wrapper">

        <?php $page = isset($_GET['page']) ? $_GET['page'] : 'home'; ?>

        <?php require_once('inc/topBarNav.php') ?>

        <?php if($_settings->chk_flashdata('success')): ?>

            <script>

                alert_toast("<?php echo $_settings->flashdata('success') ?>", 'success')

            </script>

        <?php endif;?>

        <!-- Content Wrapper. Contains page content -->

        <div class="content-wrapper pt-5" style="">
```

```
<?php if($page == "home" || $page == "about"): ?>

<div id="header" class="shadow mb-4">

    <div class="d-flex justify-content-center h-100 w-100 align-items-center
flex-column px-3">

        <h1 class="w-100 text-center site-title px-5"><?php echo $_settings-
>info('name') ?></h1>

        <!-- <h3 class="w-100 text-center px-5 site-subtitle"><?php echo
$_settings->info('name') ?></h3> -->

    </div>

</div>

<?php endif; ?>

<!-- Main content -->

<section class="content ">

    <div class="container">

        <?php

            if(!file_exists($page.".php") && !is_dir($page)){

                include '404.html';

            }else{

                if(is_dir($page))

                    include $page.'/index.php';

                else

                    include $page.'.php';

            }

        </?php

    </div>

</section>
```

```
    }
  ?>
</div>

</section>

<!-- /.content -->

<div class="modal fade rounded-0" id="uni_modal" role='dialog'>

  <div class="modal-dialog modal-md modal-dialog-centered rounded-0"
role="document">

    <div class="modal-content rounded-0">

      <div class="modal-header rounded-0">

        <h5 class="modal-title"></h5>

      </div>

      <div class="modal-body rounded-0">

        </div>

        <div class="modal-footer">

          <button type="button" class="btn btn-primary" id='submit'
onclick="$('#uni_modal form').submit()">Simpan</button>

          <button type="button" class="btn btn-secondary" data-
dismiss="modal">Batal</button>

        </div>

      </div>

    </div>

  </div>

</div>
```

</div>

</div>

<div class="modal fade rounded-0" id="confirm\_modal" role='dialog'>

<div class="modal-dialog modal-md modal-dialog-centered" role="document">

<div class="modal-content">

<div class="modal-header rounded-0">

<h5 class="modal-title">Konfirmasi</h5>

</div>

<div class="modal-body rounded-0">

<div id="delete\_content"></div>

</div>

<div class="modal-footer">

<button type="button" class="btn btn-primary" id='confirm' onclick="">Lanjut</button>

<button type="button" class="btn btn-secondary" data-dismiss="modal">Tutup</button>

</div>

</div>

</div>

</div>

<div class="modal fade rounded-0" id="uni\_modal\_right" role='dialog'>

```
<div class="modal-dialog modal-full-height modal-md" role="document">

  <div class="modal-content">

    <div class="modal-header rounded-0">

      <h5 class="modal-title"></h5>

      <button type="button" class="close" data-dismiss="modal" aria-
label="Close">

        <span class="fa fa-arrow-right"></span>

      </button>

    </div>

    <div class="modal-body rounded-0">

      </div>

    </div>

  </div>

</div>

<div class="modal fade" id="viewer_modal" role='dialog'>

  <div class="modal-dialog modal-md" role="document">

    <div class="modal-content">

      <button type="button" class="btn-close" data-dismiss="modal"><span
class="fa fa-times"></span></button>

      <img src="" alt="">

    </div>

  </div>

</div>
```

</div>

</div>

<!-- /.content-wrapper -->

<?php require\_once('inc/footer.php') ?>

</body>

</html>

<style>