

login.php

```
<?php
session_start();

if (!isset($_SESSION['log'])) {
} else {
    header('location:index.php');
};

include 'dbconnect.php';
date_default_timezone_set("Asia/Bangkok");
$timenow = date("j-F-Y-h:i:s A");

if (isset($_POST['login'])) {
    $email =
mysqli_real_escape_string($conn,
$_POST['email']);

    $pass =
mysqli_real_escape_string($conn,
$_POST['pass']);

    $queryuser = mysqli_query($conn,
"SELECT * FROM login WHERE
email='$email'");

    $cariuser =
mysqli_fetch_assoc($queryuser);

    if (password_verify($pass,
$cariuser['password'])) {
        $_SESSION['id'] =
$cariuser['userid'];

        $_SESSION['role'] =
$cariuser['role'];
```

```
        $_SESSION['notelp'] =
$cariuser['notelp'];

        $_SESSION['name'] =
$cariuser['namalengkap'];

        $_SESSION['log'] =
"Logged";

        header('location:index.php');
    } else {
        echo 'Username atau password
salah';

        header("location:login.php");
    }
}

?>

<!DOCTYPE html>
<html>

<head>

    <title>CV Kreativa Nusa Media -
Login</title>

    <!-- for-mobile-apps -->

    <meta name="viewport"
content="width=device-width, initial-
scale=1">

    <meta http-equiv="Content-Type"
content="text/html; charset=utf-8" />

    <meta name="keywords" content="CV
Kreativa Nusa Media, Teo Septian" />

    <script type="application/x-
javascript">
```

```

        addEventListener("load",
function() {

        setTimeout(hideURLbar, 0);

        }, false);

        function hideURLbar() {

                window.scrollTo(0, 1);

        }

</script>

<!-- //for-mobile-apps -->

<link href="css/bootstrap.css"
rel="stylesheet" type="text/css" media="all" />

<link href="css/style.css"
rel="stylesheet" type="text/css" media="all" />

<!-- font-awesome icons -->

<link href="css/font-awesome.css"
rel="stylesheet">

<!-- //font-awesome icons -->

<!-- js -->

<script src="js/jquery-
1.11.1.min.js"></script>

<!-- //js -->

<link
href="//fonts.googleapis.com/css?family=Rale
way:400,100,100italic,200,200italic,300,400ita
lic,500,500italic,600,600italic,700,700italic,80
0,800italic,900,900italic" rel='stylesheet'
type='text/css'>

<link
href="//fonts.googleapis.com/css?family=Open
+Sans:400,300,300italic,400italic,600,600italic
,700,700italic,800,800italic" rel='stylesheet'
type='text/css'>

<!-- start-smoth-scrolling -->

```

```

<script type="text/javascript"
src="js/move-top.js"></script>

<script type="text/javascript"
src="js/easing.js"></script>

<script type="text/javascript">

jQuery(document).ready(function($) {

$(".scroll").click(function(event) {

event.preventDefault();

$('html,body').animate({

scrollTop: $(this.hash).offset().top

}, 1000);

});

});

</script>

<!-- start-smoth-scrolling -->

</head>

<body>

<!-- header -->

<div class="agileits_header">

<div class="container">

<div

class="w3l_offers">

<p>DAPATKAN PENAWARAN
MENARIK KHUSUS HARI INI, <a
href="products.php">BELANJA
SEKARANG!</a></p>

</div>

```

```

login">
    <div class="agile-
    </div>
    <ul>
    <li><a
    href="registered.php"> Daftar</a></li>
    <li><a
    href="login.php">Login</a></li>
    </ul>
    </div>
    <div
    class="product_list_header">
    <form
    action="#" method="post" class="last">
    <input
    type="hidden" name="cmd" value="_cart">
    <input
    type="hidden" name="display" value="1">
    <button class="w3view-cart"
    type="submit" name="submit" value=""><i
    class="fa fa-cart-arrow-down" aria-
    hidden="true"></i></button>
    </form>
    </div>
    <div class="clearfix">
</div>
</div>
</div>
<div class="logo_products">
    <div class="container">
    <div
    class="w3ls_logo_products_left1">
    <div class="w3ls_logo_products_left">
    <h1><a
    href="index.php">CV Kreativa Nusa
    Media</a></h1>
    </div>
    <div class="clearfix">
    </div>
    </div>
    <!-- //header -->
    <!-- navigation -->
    <div class="navigation-agileits">
    <div class="container">
    <nav class="navbar
    navbar-default">
    <!-- Brand and
    toggle get grouped for better mobile display -->
    <div
    class="navbar-header nav_2">
    <button type="button" class="navbar-
    toggle collapsed navbar-toggle1" data-
    toggle="collapse" data-target="#bs-
    megadropdown-tabs">
    <span class="sr-only">Toggle
    navigation</span>
    <span class="icon-bar"></span>

```

```

<span class="icon-bar"></span>

<span class="icon-bar"></span>

</button>

</div>

<div
class="collapse navbar-collapse" id="bs-
megadropdown-tabs">

<ul
class="nav navbar-nav">

<li class="active"><a
href="index.php" class="act">Home</a></li>

<li class="active"><a
href="semua.php" class="act">Semua
Produk</a></li>

<!-- Mega Menu -->

<li class="dropdown">

<a href="#" class="dropdown-
toggle" data-toggle="dropdown">Kategori
Produk<b class="caret"></b></a>

<ul class="dropdown-menu
multi-column columns-3">

<div class="row">

<div
class="multi-gd-img">

<ul
class="multi-column-dropdown">

```

```

<h6>Kategori</h6>

<?php

$kat = mysqli_query($conn, "SELECT
* from kategori order by idkategori ASC");

while ($p = mysqli_fetch_array($kat))
{

?>

<li><a
href="kategori.php?idkategori=<?php echo
$p['idkategori'] ?>"><?php echo
$p['namakategori'] ?></a></li>

<?php

}

?>

</ul>

</div>

```

```

</div>
</ul>
</li>
</ul>
</li>
</ul>
</div>
</nav>
</div>
</div>
<!-- //navigation -->
<!-- breadcrumbs -->
<div class="breadcrumbs">
  <div class="container">
    <ol
class="breadcrumb breadcrumb1 animated
wow slideInLeft" data-wow-delay=".5s">
      <li><a
href="index.html"><span class="glyphicon
glyphicon-home" aria-
hidden="true"></span>Home</a></li>
      <li
class="active">Halaman Login</li>
    </ol>
  </div>
</div>
<!-- //breadcrumbs -->
<!-- login -->
<div class="login">
  <div class="container">
    <h2>Login</h2>
    <div class="login-
form-grids animated wow slideInUp" data-
wow-delay=".5s">
      <form
method="post">
        <input
type="text" name="email"
placeholder="Email" required>
        <input
type="password" name="pass"
placeholder="Password" required>
        <input
type="submit" name="login" value="Masuk">
      </form>
    </div>
    <h4>Belum
terdaftar?</h4>
    <p><a
href="registered.php">Daftar
Sekarang</a></p>
  </div>
</div>
<!-- //login -->
<!-- //footer -->
<div class="footer">
  <div class="container">
    <div
class="w3_footer_grids">

```

```
<div
class="col-md-4 w3_footer_grid">
    <h3>Hubungi Kami</h3>
    <ul
class="address">
        <li><i class="glyphicon glyphicon-
map-marker" aria-hidden="true"></i><i>CV
Kreativa Nusa Media, Perum Agung Permai
<span> BLOK A1 NO 16, Kelurahan Keban
Agung Kecamatan Lawang Kidul, Kab. Muara
Enim, Sumatera Selatan.</li>
        <li><i class="glyphicon glyphicon-
envelope" aria-hidden="true"></i><a
href="mailto:cvpestanjung@gmail.com">Kreat
iva@gmail.com</a></li>
        <li><i class="glyphicon glyphicon-
earphone" aria-hidden="true"></i><a
href="https://wa.me/+6281122333">+62 852
6787 1918</a></li>
    </ul>
</div>
```

```
<div
class="col-md-3 w3_footer_grid">
    <h3>Tentang Kami</h3>
    <ul
class="info">
        <li><i class="fa fa-arrow-right" aria-
hidden="true"></i><a
href="about.html">About Us</a></li>
        <li><i class="fa fa-arrow-right" aria-
hidden="true"></i><a href="about.html">How
To</a></li>
```

```
<li><i class="fa fa-arrow-right" aria-
hidden="true"></i><a
href="about.html">FAQ</a></li>
</ul>
</div>
<div
class="clearfix"> </div>
</div>
</div>
<div class="footer-copy">
    <div
class="container">
        <p>©
YURIS</p>
    </div>
</div>
```

```
<div class="footer-botm">
    <div class="container">
        <div
class="w3layouts-foot">
            <ul>
                <li><a
href="#" class="w3_agile_instagram"><i
class="fa fa-instagram" aria-
hidden="true"></i></a></li>
                <li><a
href="#" class="w3_agile_facebook"><i
class="fa fa-facebook" aria-
hidden="true"></i></a></li>
```

```

                                <li><a
href="#" class="agile_twitter"><i class="fa fa-
twitter" aria-hidden="true"></i></a></li>
                                </ul>
                                </div>
                                <div class="payment-
w3ls">
                                
                                </div>
                                <div class="clearfix">
</div>
                                </div>
                                </div>
                                </div>
                                <!-- //footer -->
                                <!-- Bootstrap Core JavaScript -->
                                <script
src="js/bootstrap.min.js"></script>
                                <!-- top-header and slider -->
                                <!-- here stars scrolling icon -->
                                <script type="text/javascript">
                                {
                                $(document).ready(function()
                                {
                                var defaults = {
                                containerID:
'toTop', // fading element id
                                containerHoverID: 'toTopHover', //
fading element hover id
                                scrollSpeed:
4000,

```

```

                                easingType:
'linear'
                                });
                                $.UItoTop({
                                easingType:
'easeOutQuart'
                                });
                                });
                                </script>
                                <!-- //here ends scrolling icon -->
                                <!-- main slider-banner -->
                                <script
src="js/skdslder.min.js"></script>
                                <link href="css/skdslder.css"
rel="stylesheet">
                                <script type="text/javascript">
                                jQuery(document).ready(function() {
                                jQuery('#demo1').skdslder({
                                'delay': 5000,
                                'animationSpeed': 2000,
                                'showNextPrev': true,
                                'showPlayButton': true,
                                'autoSlide':
true,

```

```
'animationType': 'fading'
    });

jQuery('#responsive').change(function(
) {

    $('#responsive_wrapper').width(jQuery
(this).val());

    });

});
</script>
<!-- //main slider-banner -->
</body>

</html>
```


user.php

```
<?php
session_start();
include '../dbconnect.php';

if (isset($_POST['adduser'])) {
    $username = $_POST['uname'];
    $password =
password_hash($_POST['upass'],
PASSWORD_DEFAULT);

    $tambahuser = mysqli_query($conn, "insert
into login values(',$username',$password)");
    if ($tambahuser) {
        echo "<div class='alert alert-success'>
                Berhasil
menambahkan staff baru.
            </div>
            <meta http-equiv='refresh'
content='1; url= user.php'/> ";
    } else {
        echo "<div class='alert alert-warning'>
                Gagal menambahkan
staff baru.
            </div>
            <meta http-equiv='refresh'
content='1; url= user.php'/> ";
    }
};
?>
```

```
<!doctype html>
```

```
<html class="no-js" lang="en">
<head>
    <meta charset="utf-8">
    <link rel="icon" type="image/png"
href="../favicon.png">
    <meta http-equiv="x-ua-compatible"
content="ie=edge">
    <title>Kelola Staff - CV Kreativa Nusa
Media</title>
    <meta name="viewport"
content="width=device-width, initial-
scale=1">
    <link rel="shortcut icon" type="image/png"
href="assets/images/icon/favicon.ico">
    <link rel="stylesheet"
href="assets/css/bootstrap.min.css">
    <link rel="stylesheet" href="assets/css/font-
awesome.min.css">
    <link rel="stylesheet"
href="assets/css/themify-icons.css">
    <link rel="stylesheet"
href="assets/css/metisMenu.css">
    <link rel="stylesheet"
href="assets/css/owl.carousel.min.css">
    <link rel="stylesheet"
href="assets/css/slicknav.min.css">
    <!-- amchart css -->
    <link rel="stylesheet"
href="https://www.amcharts.com/lib/3/plugins/
export/export.css" type="text/css" media="all"
/>
    <!-- Start datatable css -->
```

```
<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/jquery.dataTables.min.css">
```

```
<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/jquery.dataTables.css">
```

```
<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/dataTables.bootstrap4.min.css">
```

```
<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.3/css/responsive.bootstrap.min.css">
```

```
<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.3/css/responsive.jqueryui.min.css">
```

```
<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/buttons/1.5.2/css/buttons.dataTables.min.css">
```

```
<!-- others css -->
```

```
<link rel="stylesheet"
href="assets/css/typography.css">
```

```
<link rel="stylesheet"
href="assets/css/default-css.css">
```

```
<link rel="stylesheet"
href="assets/css/styles.css">
```

```
<link rel="stylesheet"
href="assets/css/responsive.css">
```

```
<!-- modernizr css -->
```

```
<script src="assets/js/vendor/modernizr-2.8.3.min.js"></script>
```

```
</head>
```

```
<body>
```

```
<!--[if lt IE 8]>
```

```
<p class="browserupgrade">You are using an <strong>outdated</strong> browser. Please <a href="http://browsehappy.com/">upgrade your browser</a> to improve your experience.</p>
```

```
<![endif]-->
```

```
<!-- preloader area start -->
```

```
<div id="preloader">
```

```
<div class="loader"></div>
```

```
</div>
```

```
<!-- preloader area end -->
```

```
<!-- page container area start -->
```

```
<div class="page-container">
```

```
<!-- sidebar menu area start -->
```

```
<div class="sidebar-menu">
```

```
<div class="main-menu">
```

```
<div class="menu-inner">
```

```
<nav>
```

```
<ul class="metismenu" id="menu">
```

```
<li><a href="index.php"><span>Home</span></a></li>
```

```
<li><a href=".."><span>Kembali ke Toko</span></a></li>
```

```
</li>
```

```
<a href="manageorder.php"><i class="ti-dashboard"></i><span>Kelola Pesanan</span></a>
```

```
</li>
```

```
</li>
```

```

        <a
href="javascript:void(0)" aria-
expanded="true"><i class="ti-
layout"></i><span>Kelola Toko
        </span></a>
        <ul class="collapse">
            <li><a
href="kategori.php">Kategori</a></li>
            <li><a
href="produk.php">Produk</a></li>
            <li><a
href="pembayaran.php">Metode
Pembayaran</a></li>
        </ul>
    </li>

    <li>
        <a
href="javascript:void(0)" aria-
expanded="true"><i class="ti-
layout"></i><span>Kelola Inventori
        </span></a>
        <ul class="collapse">
            <li><a
href="barang_masuk.php">Barang
Masuk</a></li>
            <li><a
href="barang_keluar.php">Barang
Keluar</a></li>
            <li><a
href="stok_produk.php">Stok Barang</a></li>
        </ul>
    </li>

```

```

        <li><a
href="customer.php"><span>Kelola
Pelanggan</span></a></li>
        <li class="active"><a
href="user.php"><span>Kelola
Staff</span></a></li>
    </li>
    <a
href="..logout.php"><span>Logout</span></a
>
    </li>
</ul>
</nav>
</div>
</div>
</div>
<!-- sidebar menu area end -->
<!-- main content area start -->
<div class="main-content">
    <!-- header area start -->
    <div class="header-area">
        <div class="row align-items-center">
            <!-- nav and search button -->
            <div class="col-md-6 col-sm-8
clearfix">
                <div class="nav-btn pull-left">
                    <span></span>
                    <span></span>
                    <span></span>
                </div>

```



```

        <th>Nama</th>
        <th>Email</th>
        <th>Telepon</th>
        <th>Alamat</th>
    </tr>
</thead>
<tbody>
    <tr>
        <td><?php
        echo $no++ ?></td>
        <td><?php
        echo $p['namalengkap'] ?></td>
        <td><?php
        echo $p['email'] ?></td>
        <td><?php
        echo $p['notelp'] ?></td>
        <td><?php
        echo $p['alamat'] ?></td>
    </tr>
</tbody>
</table>
</div>
<?php
$brgs =
mysqli_query($conn, "SELECT * from login
where role='Admin' or role='Pimpinan' order
by userid ASC");
$no = 1;
while ($p =
mysqli_fetch_array($brgs)) {
    <!-- row area start-->
    </div>
</div>
<!-- main content area end -->
<!-- footer area start-->
<footer>
    <div class="footer-area">
        <p>© YURIS</p>
    </div>
</footer>
<!-- footer area end-->
</div>
<!-- page container area end -->

```

```

        <!-- modal input
        <div id="myModal"
class="modal fade">
            <div
class="modal-dialog">
                <div
class="modal-content">
                    <div class="modal-header">
                        <h4 class="modal-
title">Tambah User Baru</h4>
                    </div>
                    <div class="modal-body">
                        <form method="post">
                            <div class="form-
group">
                                <label>Username</label>
                                <input
name="uname" type="text" class="form-
control" placeholder="Username" required
autofocus>
                            </div>
                            <div class="form-
group">
                                <label>Password</label>
                                <input
name="upass" type="password" class="form-
control" placeholder="Password">
                                <button type="button"
class="btn btn-default" data-
dismiss="modal">Batal</button>
                                <input
name="adduser" type="submit" class="btn btn-
primary" value="Simpan">
                            </div>
                        </form>
                    </div>
                </div>
            </div>
        </div>
        <script>
            $(document).ready(function() {
                $('#dataTable3').DataTable({
                    dom: 'Bfritip',
                    buttons: [
                        'print'
                    ]
                });
            });
        </script>
    
```

```

    });
});
</script>

<!-- jquery latest version -->
<script src="https://code.jquery.com/jquery-3.3.1.js"></script>
<!-- bootstrap 4 js -->
<script
src="assets/js/popper.min.js"></script>
<script
src="assets/js/bootstrap.min.js"></script>
<script
src="assets/js/owl.carousel.min.js"></script>
<script
src="assets/js/metisMenu.min.js"></script>
<script
src="assets/js/jquery.slimscroll.min.js"></scrip
t>
<script
src="assets/js/jquery.slicknav.min.js"></script>
<!-- Start datatable js -->
<script
src="https://cdn.datatables.net/buttons/1.5.2/js/
buttons.print.min.js"></script>
<script
src="https://cdn.datatables.net/buttons/1.5.2/js/
dataTables.buttons.min.js"></script>
<script
src="https://cdn.datatables.net/1.10.20/js/jquer
y.dataTables.js"></script>
<script
src="https://cdn.datatables.net/1.10.20/js/jquer
y.dataTables.min.js"></script>

```

```

<script
src="https://cdn.datatables.net/1.10.20/js/dataT
ables.bootstrap4.min.js"></script>
<script
src="https://cdn.datatables.net/responsive/2.2.3
/js/dataTables.responsive.min.js"></script>
<script
src="https://cdn.datatables.net/responsive/2.2.3
/js/responsive.bootstrap.min.js"></script>
<script
src="https://cdn.datatables.net/buttons/1.5.2/js/
buttons.html5.min.js"></script>
<!-- start chart js -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/Cha
rt.js/2.7.2/Chart.min.js"></script>
<!-- start highcharts js -->
<script
src="https://code.highcharts.com/highcharts.js"
></script>
<!-- start zingchart js -->
<script
src="https://cdn.zingchart.com/zingchart.min.js
"></script>
<script>
    zingchart.MODULESDIR =
"https://cdn.zingchart.com/modules/";
    ZC.LICENSE =
["569d52cefae586f634c54f86dc99e6a9",
"ee6b7db5b51705a13dc2339db3edaf6d"];
</script>
<!-- all line chart activation -->
<script src="assets/js/line-chart.js"></script>
<!-- all pie chart -->
<script src="assets/js/pie-chart.js"></script>
<!-- others plugins -->

```

```
<script src="assets/js/plugins.js"></script>
```

```
<script src="assets/js/scripts.js"></script>
```

```
</body>
```

```
</html>
```


customer.php

```
<?php
session_start();

include '../dbconnect.php';

?>

<head>

  <meta charset="utf-8">

  <link rel="icon" type="image/png"
href="../favicon.png">

  <meta http-equiv="x-ua-compatible"
content="ie=edge">

  <title>Kelola Pelanggan - CV Kreativa Nusa
Media</title>

  <meta name="viewport"
content="width=device-width, initial-
scale=1">

  <link rel="shortcut icon" type="image/png"
href="assets/images/icon/favicon.ico">

  <link rel="stylesheet"
href="assets/css/bootstrap.min.css">

  <link rel="stylesheet" href="assets/css/font-
awesome.min.css">

  <link rel="stylesheet"
href="assets/css/themify-icons.css">

  <link rel="stylesheet"
href="assets/css/metisMenu.css">

  <link rel="stylesheet"
href="assets/css/owl.carousel.min.css">

  <link rel="stylesheet"
href="assets/css/slicknav.min.css">

  <!-- amchart css -->
```

```
  <link rel="stylesheet"
href="https://www.amcharts.com/lib/3/plugins/
export/export.css" type="text/css" media="all"
/>

  <!-- Start datatable css -->

  <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/jqu
ery.dataTables.min.css">

  <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/jqu
ery.dataTables.css">

  <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/dat
aTables.bootstrap4.min.css">

  <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.
3/css/responsive.bootstrap.min.css">

  <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.
3/css/responsive.jqueryui.min.css">

  <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/buttons/1.5.2/c
ss/buttons.dataTables.min.css">

  <!-- others css -->

  <link rel="stylesheet"
href="assets/css/typography.css">

  <link rel="stylesheet"
href="assets/css/default-css.css">

  <link rel="stylesheet"
href="assets/css/styles.css">

  <link rel="stylesheet"
href="assets/css/responsive.css">

  <!-- modernizr css -->

  <script src="assets/js/vendor/modernizr-
2.8.3.min.js"></script>

</head>
```

```

<body>
  <!--[if lt IE 8]>
    <p class="browserupgrade">You are
using an <strong>outdated</strong> browser.
Please <a
href="http://browsehappy.com/">upgrade your
browser</a> to improve your experience.</p>
  <![endif]-->
  <!-- preloader area start -->
  <div id="preloader">
    <div class="loader"></div>
  </div>
  <!-- preloader area end -->
  <!-- page container area start -->
  <div class="page-container">
    <!-- sidebar menu area start -->
    <div class="sidebar-menu">
      <div class="main-menu">
        <div class="menu-inner">
          <?php
            include "nav.php";
          ?>
        </div>
      </div>
    </div>
    <!-- sidebar menu area end -->
    <!-- main content area start -->
    <div class="main-content">
      <!-- header area start -->

```

```

<div class="header-area">
  <div class="row align-items-center">
    <!-- nav and search button -->
    <div class="col-md-6 col-sm-8
clearfix">
      <div class="nav-btn pull-left">
        <span></span>
        <span></span>
        <span></span>
      </div>
    </div>
    <!-- profile info & task notification
-->
    <div class="col-md-6 col-sm-4
clearfix">
      <ul class="notification-area
pull-right">
        <li>
          <h3>
            <div class="date">
              <script
type='text/javascript'>
                var months =
['Januari', 'Februari', 'Maret', 'April', 'Mei',
'Juni', 'Juli', 'Agustus', 'September', 'Oktober',
'November', 'Desember'];
                var myDays =
['Minggu', 'Senin', 'Selasa', 'Rabu', 'Kamis',
'Jumat', 'Sabtu'];
                var date = new
Date();
                var day =
date.getDate();

```

```

        var month =
date.getMonth();

        var thisDay =
date.getDay(),

        thisDay =
myDays[thisDay];

        var yy =
date.getYear();

        var year = (yy <
1000) ? yy + 1900 : yy;

document.write(thisDay + ', ' + day + ' ' +
months[month] + ' ' + year);
    </script></b>
</div>
</h3>

</li>
</ul>
</div>
</div>
<!-- header area end -->

<!-- page title area end -->
<div class="main-content-inner">

<!-- market value area start -->
<div class="row mt-5 mb-5">
    <div class="col-12">
        <div class="card">
            <div class="card-body">
                <div class="d-sm-flex
justify-content-between align-items-center">
                    <h2>Daftar
Pelanggan</h2>
                </div>
                <?php
function generateForm($fields, $table, $mode
= 'insert', $id = null) {
    $form = '<form method="post">';

    global $conn ;

    foreach ($fields as $field) {
        $form .= '<div class="form-group">';
        $form .= '<label for="' . $field . '">' . $field .
'</label>';
        if ($mode == 'edit') {
            $value = ";
            $query = "SELECT $field FROM $table
WHERE userid = $id";
            $result = mysqli_query($conn, $query);
            if ($result) {
                $row = mysqli_fetch_assoc($result);
                $value = $row[$field];
            }
            $form .= '<input type="text" class="form-
control" name="' . $field . '" id="' . $field . '"
value="' . $value . '">';
        } else {
            $form .= '<input type="text" class="form-
control" name="' . $field . '" id="' . $field . '">';
        }
    }
}
            </div>
        </div>
    </div>
</div>

```

```

}
$form .= '</div>';
}
}

//mysqli_close($conn);

$form .= '<input type="submit"
value="Submit">';
return $form;
$form .= '</form>';
}

if ($_SERVER['REQUEST_METHOD'] ==
'POST') {
    $values = array();
    foreach ($fields as $field) {
        $values[] = "" . $_POST[$field] . "";
    }
    $fields = array('userid', 'namalengkap', 'email',
'notelp', 'alamat', 'tgljoin', 'role' );
    $table = 'login';
    $id = 1;
    if ($mode == 'edit') {
        $set = array();
        foreach ($fields as $field) {
            $set[] = "$field = " . $_POST[$field] . "";
        }
        $query = "UPDATE $table SET " .
implode(',', $set) . " WHERE userid = $id";
        mysqli_query($conn, $query);
        echo '<script>>window.location.href =
"?menu='.$table.'";</script>';
    } else {
        $query = "INSERT INTO $table (" .
implode(',', $fields) . ") VALUES (" .
implode(',', $values) . ")";
        $countQuery = "SELECT COUNT(*) as
count FROM $table";
        mysqli_query($conn, $query);
        $countResult = mysqli_query($conn,
$countQuery);
        $countRow =
mysqli_fetch_assoc($countResult);
        mysqli_query($conn, $query);
    }
}

```

```

$totalItems = $countRow['count'];

$totalPages = ceil($totalItems /
$itemsPerPage);

$currentPage = isset($_GET['page']) ?
$_GET['page'] : 1;

// Menghitung offset
$offset = ($currentPage - 1) *
$itemsPerPage;

$query = "SELECT " . implode(',', $fields) .
" FROM $table where role='Member' LIMIT
$offset, $itemsPerPage";

$result = mysqli_query($conn, $query);

$tableHTML = '<a href="?menu=' . $table .
'&gos=insert" class="btn btn-
success">Tambah</a>';

$tableHTML .= '<table class=" ">';
$tableHTML .= '<thead class="">';
$tableHTML .= '<tr>';

foreach ($fields as $field) {

    $fieldFormatted = str_replace('_', ' ',
ucwords($field));

    $tableHTML .= '<th>' . $fieldFormatted .
'</th>';

}

$tableHTML .= '<th>Actions</th>';
$tableHTML .= '</tr>';

$tableHTML .= '</thead>';

```

```



```

```

$stableHTML .= '</nav>';

return $stableHTML;
}

$fields = array('userid', 'namalengkap', 'email',
'notelp', 'alamat', 'tgljoin', 'role' );
$stable = 'login';

echo '<div class="col-lg-12">
<div class="white_card card_height_100
mb_30">
<div class="white_card_header">
<div class="box_header m-0">
<div class="main-title">

</div>
</div>
</div>
<div class="white_card_body">';

if (empty($_GET["gos"])) {

    $stableHTML = generateTable($fields,
$stable);
    echo $stableHTML;

} elseif ($_GET["gos"] == "insert") {

    $form = generateForm($fields, $stable,
'insert');
    echo $form;
} elseif ($_GET["gos"] == "edit") {

    $id = $_GET["id"];
    $form = generateForm($fields, $stable, 'edit',
$id);
    echo $form;
} elseif ($_GET["gos"] == "delete") {

    $id = $_GET["id"];
    $query = "DELETE FROM $stable WHERE
id = $id";
    mysqli_query($conn, $query);

    header("Location: index.php");
    exit();
}

echo ' </div>
</div>';
?>

<style>
table {
border-collapse: collapse;

```

```

width: 100%;
}

table, th, td {
border: 1px solid #ddd;
}

th {
background-color: silver;
color: #333;
padding: 3px;
font-weight: bold;
text-align: left;
}

td {
padding: 3px;
}

</style>

</div>
</div>
</div>
</div>
</div>
<!-- row area start-->

</div>
</div>
<!-- main content area end -->
<!-- footer area start-->
<footer>
<div class="footer-area">
<p>© Yuris</p>
</div>
</footer>
<!-- footer area end-->
</div>
<!-- page container area end -->

<script>
$(document).ready(function() {
$('#dataTable3').DataTable({
dom: 'Bfritip',
buttons: [
'print'
]
});
});
</script>

<!-- jquery latest version -->
<script src="https://code.jquery.com/jquery-3.3.1.js"></script>
<!-- bootstrap 4 js -->

```

```
<script
src="assets/js/popper.min.js"></script>

<script
src="assets/js/bootstrap.min.js"></script>

<script
src="assets/js/owl.carousel.min.js"></script>

<script
src="assets/js/metisMenu.min.js"></script>

<script
src="assets/js/jquery.slimscroll.min.js"></scrip
t>

<script
src="assets/js/jquery.slicknav.min.js"></script>

<!-- Start datatable js -->

<script
src="https://cdn.datatables.net/buttons/1.5.2/js/
buttons.print.min.js"></script>

<script
src="https://cdn.datatables.net/buttons/1.5.2/js/
dataTables.buttons.min.js"></script>

<script
src="https://cdn.datatables.net/1.10.20/js/jquer
y.dataTables.js"></script>

<script
src="https://cdn.datatables.net/1.10.20/js/jquer
y.dataTables.min.js"></script>

<script
src="https://cdn.datatables.net/1.10.20/js/dataT
ables.bootstrap4.min.js"></script>

<script
src="https://cdn.datatables.net/responsive/2.2.3
/js/dataTables.responsive.min.js"></script>

<script
src="https://cdn.datatables.net/responsive/2.2.3
/js/responsive.bootstrap.min.js"></script>

<script
src="https://cdn.datatables.net/buttons/1.5.2/js/
buttons.html5.min.js"></script>
```

```
<!-- start chart js -->

<script
src="https://cdnjs.cloudflare.com/ajax/libs/Cha
rt.js/2.7.2/Chart.min.js"></script>

<!-- start highcharts js -->

<script
src="https://code.highcharts.com/highcharts.js"
></script>

<!-- start zingchart js -->

<script
src="https://cdn.zingchart.com/zingchart.min.js
"></script>

<script>

zingchart.MODULESDIR =
"https://cdn.zingchart.com/modules/";

ZC.LICENSE =
["569d52cefae586f634c54f86dc99e6a9",
"ee6b7db5b51705a13dc2339db3edaf6d"];

</script>

<!-- all line chart activation -->

<script src="assets/js/line-chart.js"></script>

<!-- all pie chart -->

<script src="assets/js/pie-chart.js"></script>

<!-- others plugins -->

<script src="assets/js/plugins.js"></script>

<script src="assets/js/scripts.js"></script>

</body>

</html>
```


managerorder.php

```
<?php
session_start();
include '../dbconnect.php';
date_default_timezone_set("Asia/Bangkok");
?>

<!doctype html>
<html class="no-js" lang="en">

<head>
  <meta charset="utf-8">

  <link rel="icon" type="image/png"
href="../favicon.png">

  <meta http-equiv="x-ua-compatible"
content="ie=edge">

  <title>Kelola Pesanan - CV Kreativa Nusa
Media</title>

  <meta name="viewport"
content="width=device-width, initial-
scale=1">

  <link rel="shortcut icon" type="image/png"
href="assets/images/icon/favicon.ico">

  <link rel="stylesheet"
href="assets/css/bootstrap.min.css">

  <link rel="stylesheet" href="assets/css/font-
awesome.min.css">

  <link rel="stylesheet"
href="assets/css/themify-icons.css">

  <link rel="stylesheet"
href="assets/css/metisMenu.css">

  <link rel="stylesheet"
href="assets/css/owl.carousel.min.css">
```

```
<link rel="stylesheet"
href="assets/css/slicknav.min.css">

<!-- amchart css -->

<link rel="stylesheet"
href="https://www.amcharts.com/lib/3/plugins/
export/export.css" type="text/css" media="all"
/>

<!-- Start datatable css -->

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/jqu
ery.dataTables.min.css">

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/jqu
ery.dataTables.css">

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/dat
aTables.bootstrap4.min.css">

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.
3/css/responsive.bootstrap.min.css">

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.
3/css/responsive.jqueryui.min.css">

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/buttons/1.5.2/c
ss/buttons.dataTables.min.css">

<!-- others css -->

<link rel="stylesheet"
href="assets/css/typography.css">

<link rel="stylesheet"
href="assets/css/default-css.css">

<link rel="stylesheet"
href="assets/css/styles.css">

<link rel="stylesheet"
href="assets/css/responsive.css">
```

```

<!-- modernizr css -->

<script src="assets/js/vendor/modernizr-
2.8.3.min.js"></script>

</head>

<body>
  <!--[if lt IE 8]>
    <p class="browserupgrade">You are
using an <strong>outdated</strong> browser.
Please <a
href="http://browsehappy.com/">upgrade your
browser</a> to improve your experience.</p>
  <![endif]-->
  <!-- preloader area start -->
  <div id="preloader">
    <div class="loader"></div>
  </div>
  <!-- preloader area end -->
  <!-- page container area start -->
  <div class="page-container">
    <!-- sidebar menu area start -->
    <div class="sidebar-menu">
      <div class="main-menu">
        <div class="menu-inner">
          <?php
            include "nav.php";
          ?>
        </div>
      </div>
    </div>
  </div>

```

```

</div>
<!-- sidebar menu area end -->
<!-- main content area start -->
<div class="main-content">
  <!-- header area start -->
  <div class="header-area">
    <div class="row align-items-center">
      <!-- nav and search button -->
      <div class="col-md-6 col-sm-8
clearfix">
        <div class="nav-btn pull-left">
          <span></span>
          <span></span>
          <span></span>
        </div>
      </div>
      <!-- profile info & task notification
-->
      <div class="col-md-6 col-sm-4
clearfix">
        <ul class="notification-area
pull-right">
          <li>
            <h3>
              <div class="date">
                <script
type='text/javascript'>
                  var months =
[ 'Januari', 'Februari', 'Maret', 'April', 'Mei',
'Juni', 'Juli', 'Agustus', 'September', 'Oktober',
'November', 'Desember' ];

```

```

        var myDays =
['Minggu', 'Senin', 'Selasa', 'Rabu', 'Kamis',
'Jumat', 'Sabtu'];

        Date();

        var date = new
Date();

        date.getDate();

        var day =
date.getDate();

        var month =
date.getMonth();

        var thisDay =
date.getDay(),

        thisDay =
myDays[thisDay];

        var yy =
date.getYear();

        var year = (yy <
1000) ? yy + 1900 : yy;

document.write(thisDay + ', ' + day + ' ' +
months[month] + ' ' + year);

        //
</script></b>
</div>
</h3>

</li>
</ul>
</div>
</div>
</div>
<!-- header area end -->

```

```

<!-- page title area end -->
<div class="main-content-inner">

<!-- market value area start -->
<div class="row mt-5 mb-5">
    <div class="col-12">
        <div class="card">
            <div class="card-body">
                <div class="d-sm-flex
justify-content-between align-items-center">
                    <h2>Daftar
Pesanan</h2>
                </div>
            </div>
            <div class="data-tables
datatable-dark">
                <table id="dataTable3"
class="display" style="width:100%">
                    <thead class="thead-
dark">
                        <tr>
                            <th>No</th>
                            <th>ID
Pesanan</th>
                            <th>Nama
Customer</th>
                            <th>Tanggal
Order</th>
                            <th>Total</th>
                            <th>Status</th>
                        </tr>
                    </thead>
                    <tbody>

```

```

                <?php
                    $brgs =
mysqli_query($conn, "SELECT * from cart c,
login l where c.userid=l.userid and
status!='Cart' and status!='Selesai' order by
idcart ASC");
                    $no = 1;
                    while ($p =
mysqli_fetch_array($brgs)) {
                        $orderid =
$sp['orderid'];
                    ?>
                <tr>
                    <td><?php
echo $no++ ?></td>
                <td><strong><a
href="order.php?orderid=<?php echo
$sp['orderid'] ?>">#<?php echo $sp['orderid']
?></a></strong></td>
                    <td><?php
echo $sp['namalengkap'] ?></td>
                    <td><?php
echo $sp['tglorder'] ?></td>
                    <td>Rp<?php
                    $result1 =
mysqli_query($conn, "SELECT
SUM(d.qty*p.hargaafter) AS count FROM
detailorder d, produk p where
orderid='$orderid' and p.idproduk=d.idproduk
order by d.idproduk ASC");
                    $cekrow
= mysql_num_rows($result1);
                    $row1 =
                $count =
                if
($cekrow > 0) {
                    echo
                    number_format($count);
                } else {
                    echo
                    'No data';
                } ?></td>
            <td><?php
                //echo
                $orders =
                $sp['orderid'];
                $cekkonfirmasi =
mysql_query($conn, "select * from konfirmasi
where orderid='$orders'");
                $cekroww =
mysql_num_rows($cekkonfirmasi);
                if
($cekroww > 0) {
                    echo
                    'Confirmed';
                } else {
                    if
($sp['status'] != 'Pengiriman') {
                        echo
                        "Menunggu Konfirmasi";
                    } else {

```

```

"Pengiriman";
                                echo                                <p>© Yuris</p>
                                };                                </div>
                                }                                </footer>
                                ?></td>                                <!-- footer area end-->
                                </tr>                                </div>
                                <?php                                <!-- modal input -->
                                }                                <div id="myModal" class="modal fade">
                                ?>                                <div class="modal-dialog">
                                </tbody>                                <div class="modal-content">
                                </table>                                <div class="modal-header">
                                </div>                                <h4 class="modal-
                                <a href="datapesanan.php" title">Masukkan stok manual</h4>
                                target="_blank" class="btn btn-info">Export </div>
                                Data</a>                                </div>
                                </div>                                <div class="modal-body">
                                </div>                                <form action="tmb_brg_act.php"
                                </div>                                method="post">
                                </div>                                <div class="form-group">
                                </div>                                <label>Nama</label>
                                </div>                                <input name="nama"
                                </div>                                type="text" class="form-control"
                                <!-- row area start-->                                placeholder="Nama Barang" required>
                                </div>                                </div>
                                </div>                                <div class="form-group">
                                <!-- main content area end -->                                <label>Jenis</label>
                                <!-- footer area start-->                                <input name="jenis"
                                <footer>                                type="text" class="form-control"
                                <div class="footer-area">                                placeholder="Jenis / Kategori Barang">
                                <label>Stock</label>                                </div>
                                </div>                                <div class="form-group">
                                </div>                                <label>Stock</label>
                                </div>

```

```
        <input name="stock"
type="number" min="0" class="form-control"
placeholder="Qty">
```

```
    </div>
```

```
    <div class="form-group">
```

```
        <label>Harga</label>
```

```
        <input name="harga"
type="number" min="0" class="form-control"
placeholder="Harga">
```

```
    </div>
```

```
</div>
```

```
<div class="modal-footer">
```

```
    <button type="button" class="btn
btn-default" data-
dismiss="modal">Batal</button>
```

```
    <input type="submit" class="btn
btn-primary" value="Simpan">
```

```
    </div>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<script>
```

```
$(document).ready(function() {
```

```
    $('#dataTable3').DataTable({
```

```
        dom: 'Bfritip',
```

```
        buttons: [
```

```
            'print'
```

```
        ]
```

```
    });
```

```
});
```

```
</script>
```

```
<!-- jquery latest version -->
```

```
<script src="https://code.jquery.com/jquery-
3.3.1.js"></script>
```

```
<!-- bootstrap 4 js -->
```

```
<script
src="assets/js/popper.min.js"></script>
```

```
<script
src="assets/js/bootstrap.min.js"></script>
```

```
<script
src="assets/js/owl.carousel.min.js"></script>
```

```
<script
src="assets/js/metisMenu.min.js"></script>
```

```
<script
src="assets/js/jquery.slimscroll.min.js"></scrip
t>
```

```
<script
src="assets/js/jquery.slicknav.min.js"></script>
```

```
<!-- Start datatable js -->
```

```
<script
src="https://cdn.datatables.net/buttons/1.5.2/js/
buttons.print.min.js"></script>
```

```
<script
src="https://cdn.datatables.net/buttons/1.5.2/js/
dataTables.buttons.min.js"></script>
```

```
<script
src="https://cdn.datatables.net/1.10.20/js/jquer
y.dataTables.js"></script>
```

```
<script
src="https://cdn.datatables.net/1.10.20/js/jquer
y.dataTables.min.js"></script>
```

```
<script
src="https://cdn.datatables.net/1.10.20/js/dataT
ables.bootstrap4.min.js"></script>
```

```
<script
src="https://cdn.datatables.net/responsive/2.2.3
/js/dataTables.responsive.min.js"></script>

<script
src="https://cdn.datatables.net/responsive/2.2.3
/js/responsive.bootstrap.min.js"></script>

<script
src="https://cdn.datatables.net/buttons/1.5.2/js/
buttons.html5.min.js"></script>

<!-- start chart js -->

<script
src="https://cdnjs.cloudflare.com/ajax/libs/Cha
rt.js/2.7.2/Chart.min.js"></script>

<!-- start highcharts js -->

<script
src="https://code.highcharts.com/highcharts.js"
></script>

<!-- start zingchart js -->

<script
src="https://cdn.zingchart.com/zingchart.min.js
"></script>

<script>

    zingchart.MODULESDIR =
"https://cdn.zingchart.com/modules/";

    ZC.LICENSE =
["569d52cefae586f634c54f86dc99e6a9",
"ee6b7db5b51705a13dc2339db3edaf6d"];

</script>

<!-- all line chart activation -->

<script src="assets/js/line-chart.js"></script>

<!-- all pie chart -->

<script src="assets/js/pie-chart.js"></script>

<!-- others plugins -->

<script src="assets/js/plugins.js"></script>

<script src="assets/js/scripts.js"></script>

</body>

</html>
```

kategori.php

```
<?php
session_start();

include '../dbconnect.php';

if (isset($_POST['addcategory'])) {
    $namakategori = $_POST['namakategori'];

    $stambahkat = mysqli_query($conn, "insert
into kategori (namakategori) values
('$namakategori')");

    if ($stambahkat) {
        echo "

                <meta http-equiv='refresh'
content='1; url= kategori.php'/> ";
    } else {
        echo "

                <meta http-equiv='refresh'
content='1; url= kategori.php'/> ";
    }
};
?>

<!doctype html>

<html class="no-js" lang="en">

<head>

    <meta charset="utf-8">

    <link rel="icon" type="image/png"
href="../favicon.png">
```

```
    <meta http-equiv="x-ua-compatible"
content="ie=edge">

    <title>Kelola Kategori - CV Kreativa Nusa
Media</title>

    <meta name="viewport"
content="width=device-width, initial-
scale=1">

    <link rel="shortcut icon" type="image/png"
href="assets/images/icon/favicon.ico">

    <link rel="stylesheet"
href="assets/css/bootstrap.min.css">

    <link rel="stylesheet" href="assets/css/font-
awesome.min.css">

    <link rel="stylesheet"
href="assets/css/themify-icons.css">

    <link rel="stylesheet"
href="assets/css/metisMenu.css">

    <link rel="stylesheet"
href="assets/css/owl.carousel.min.css">

    <link rel="stylesheet"
href="assets/css/slicknav.min.css">

    <!-- amchart css -->

    <link rel="stylesheet"
href="https://www.amcharts.com/lib/3/plugins/
export/export.css" type="text/css" media="all"
/>

    <!-- Start datatable css -->

    <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/jqu
ery.dataTables.min.css">

    <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/jqu
ery.dataTables.css">

    <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/dat
aTables.bootstrap4.min.css">
```



```
<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.
3/css/responsive.bootstrap.min.css">
```

```
<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.
3/css/responsive.jqueryui.min.css">
```

```
<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/buttons/1.5.2/c
ss/buttons.dataTables.min.css">
```

```
<!-- others css -->
```

```
<link rel="stylesheet"
href="assets/css/typography.css">
```

```
<link rel="stylesheet"
href="assets/css/default-css.css">
```

```
<link rel="stylesheet"
href="assets/css/styles.css">
```

```
<link rel="stylesheet"
href="assets/css/responsive.css">
```

```
<!-- modernizr css -->
```

```
<script src="assets/js/vendor/modernizr-
2.8.3.min.js"></script>
```

```
</head>
```

```
<body>
```

```
<!--[if lt IE 8]>
```

```
<p class="browserupgrade">You are
using an <strong>outdated</strong> browser.
Please <a
href="http://browsehappy.com/">upgrade your
browser</a> to improve your experience.</p>
```

```
<![endif]-->
```

```
<!-- preloader area start -->
```

```
<div id="preloader">
```

```
<div class="loader"></div>
```

```
</div>
```

```
<!-- preloader area end -->
```

```
<!-- page container area start -->
```

```
<div class="page-container">
```

```
<!-- sidebar menu area start -->
```

```
<div class="sidebar-menu">
```

```
<div class="main-menu">
```

```
<div class="menu-inner">
```

```
<?php
```

```
include "nav.php";
```

```
?>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- sidebar menu area end -->
```

```
<!-- main content area start -->
```

```
<div class="main-content">
```

```
<!-- header area start -->
```

```
<div class="header-area">
```

```
<div class="row align-items-center">
```

```
<!-- nav and search button -->
```

```
<div class="col-md-6 col-sm-8
clearfix">
```

```
<div class="nav-btn pull-left">
```

```
<span></span>
```

```
<span></span>
```

```
<span></span>
```

```
</div>
```

```
</div>
```

```

--> <!-- profile info & task notification </div>
</h3>
<div class="col-md-6 col-sm-4
clearfix">
<ul class="notification-area
pull-right">
</li>
</ul>
<li>
</div>
<h3>
</div>
<div class="date">
</div>
<script
type='text/javascript'>
var months =
['Januari', 'Februari', 'Maret', 'April', 'Mei',
'Juni', 'Juli', 'Agustus', 'September', 'Oktober',
'November', 'Desember'];
var myDays =
['Minggu', 'Senin', 'Selasa', 'Rabu', 'Kamis',
'Jumat', 'Sabtu'];
var date = new
Date();
var day =
date.getDate();
var month =
date.getMonth();
var thisDay =
date.getDay(),
thisDay =
myDays[thisDay];
var yy =
date.getYear();
var year = (yy <
1000) ? yy + 1900 : yy;
document.write(thisDay + ', ' + day + ' ' +
months[month] + ' ' + year);
</script></b>
</div>
<!-- page title area end -->
<div class="main-content-inner">
<!-- market value area start -->
<div class="row mt-5 mb-5">
<div class="col-12">
<div class="card">
<div class="card-body">
<div class="d-sm-flex
justify-content-between align-items-center">
<h2>Daftar
Kategori</h2>
<button style="margin-
bottom:20px" data-toggle="modal" data-
target="#myModal" class="btn btn-info col-
md-2">Tambah Kategori</button>
</div>
<div class="data-tables
datatable-dark">
<table id="dataTable3"
class="display" style="width:100%">

```

```

dark">
                                <thead class="thead-
                                $result1 =
                                mysqli_query($conn, "SELECT
                                Count(idproduk) AS count FROM produk p,
                                kategori k where p.idkategori=k.idkategori and
                                k.idkategori='$id' order by idproduk ASC");
                                $cekrow =
                                mysqli_num_rows($result1);
                                $row1 =
                                mysqli_fetch_assoc($result1);
                                $count =
                                $row1['count'];
                                if ($cekrow
                                > 0) {
                                echo
                                number_format($count);
                                } else {
                                echo 'No
                                data';
                                }
                                ?></td>
                                <td><?php
                                echo $p['tgldibuat'] ?></td>
                                <td>
                                <a
                                href="hapus7.php?idkategori=<?php echo
                                "$p[idkategori]"; ?>" onClick="return
                                confirm('Yakin Akan Dihapus')">
                                <button
                                class="btn btn-danger glyphicon glyphicon-
                                remove">Hapus </button></a>
                                <td><?php
                                echo $no++ ?></td>
                                <td><?php
                                echo $p['namakategori'] ?></td>
                                <td><?php
                                <a
                                href="edit_kategori.php?idkategori=<?php
                                echo "$p[idkategori]"; ?>"><button data-

```

```
toggle="modal" class="btn btn-
info">Edit</button></a>
</td>
</tr>
<?php
}
?>
</tbody>
</table>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<!-- row area start-->
</div>
</div>
<!-- main content area end -->
<!-- footer area start-->
<footer>
<div class="footer-area">
<p>© Yuris</p>
</div>
</footer>
```

```
<!-- footer area end-->
</div>
<!-- page container area end -->
<!-- modal input -->
<div id="myModal" class="modal fade">
<div class="modal-dialog">
<div class="modal-content">
<div class="modal-header">
<h4 class="modal-title">Tambah
Kategori</h4>
</div>
<div class="modal-body">
<form method="post">
<div class="form-group">
<label>Nama
Kategori</label>
<input name="namakategori"
type="text" class="form-control" required
autofocus>
</div>
</div>
</div>
<div class="modal-footer">
<button type="button" class="btn
btn-default" data-
dismiss="modal">Batal</button>
<input name="addcategory"
type="submit" class="btn btn-primary"
value="Tambah">
</div>
</form>
```

```

    </div>
</div>
</div>
<script>
    $(document).ready(function() {
        $('#dataTable3').DataTable({
            dom: 'Bftrtp',
            buttons: [
                'print'
            ]
        });
    });
</script>

<!-- jquery latest version -->
<script src="https://code.jquery.com/jquery-3.3.1.js"></script>

<!-- bootstrap 4 js -->
<script
src="assets/js/popper.min.js"></script>

<script
src="assets/js/bootstrap.min.js"></script>

<script
src="assets/js/owl.carousel.min.js"></script>

<script
src="assets/js/metisMenu.min.js"></script>

<script
src="assets/js/jquery.slimscroll.min.js"></scrip
t>

<script
src="assets/js/jquery.slicknav.min.js"></script>

```

```

<!-- Start datatable js -->
<script
src="https://cdn.datatables.net/buttons/1.5.2/js/
buttons.print.min.js"></script>

<script
src="https://cdn.datatables.net/buttons/1.5.2/js/
dataTables.buttons.min.js"></script>

<script
src="https://cdn.datatables.net/1.10.20/js/jquer
y.dataTables.js"></script>

<script
src="https://cdn.datatables.net/1.10.20/js/jquer
y.dataTables.min.js"></script>

<script
src="https://cdn.datatables.net/1.10.20/js/dataT
ables.bootstrap4.min.js"></script>

<script
src="https://cdn.datatables.net/responsive/2.2.3
/js/dataTables.responsive.min.js"></script>

<script
src="https://cdn.datatables.net/responsive/2.2.3
/js/responsive.bootstrap.min.js"></script>

<script
src="https://cdn.datatables.net/buttons/1.5.2/js/
buttons.html5.min.js"></script>

<!-- start chart js -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/Cha
rt.js/2.7.2/Chart.min.js"></script>

<!-- start highcharts js -->
<script
src="https://code.highcharts.com/highcharts.js"
"></script>

<!-- start zingchart js -->
<script
src="https://cdn.zingchart.com/zingchart.min.js
"></script>

```

```
<script>
    zingchart.MODULESDIR =
"https://cdn.zingchart.com/modules/";

    ZC.LICENSE =
["569d52cefae586f634c54f86dc99e6a9",
"ee6b7db5b51705a13dc2339db3edaf6d"];

</script>

<!-- all line chart activation -->

<script src="assets/js/line-chart.js"></script>

<!-- all pie chart -->

<script src="assets/js/pie-chart.js"></script>

<!-- others plugins -->

<script src="assets/js/plugins.js"></script>

<script src="assets/js/scripts.js"></script>

</body>

</html>
```

Chart.php

```
<?php
```

```
/**
```

```
 * PHPExcel_Chart
```

```
 *
```

```
 * Copyright (c) 2006 - 2015 PHPExcel
```

```
 *
```

```
 * This library is free software; you can  
redistribute it and/or
```

```
 * modify it under the terms of the GNU Lesser  
General Public
```

```
 * License as published by the Free Software  
Foundation; either
```

```
 * version 2.1 of the License, or (at your  
option) any later version.
```

```
 *
```

```
 * This library is distributed in the hope that it  
will be useful,
```

```
 * but WITHOUT ANY WARRANTY; without  
even the implied warranty of
```

```
 * MERCHANTABILITY or FITNESS FOR A  
PARTICULAR PURPOSE. See the GNU
```

```
 * Lesser General Public License for more  
details.
```

```
 *
```

```
 * You should have received a copy of the  
GNU Lesser General Public
```

```
 * License along with this library; if not, write  
to the Free Software
```

```
 * Foundation, Inc., 51 Franklin Street, Fifth  
Floor, Boston, MA 02110-1301 USA
```

```
 *
```

```
 * @category PHPExcel
```

```
 * @package PHPExcel_Chart
```

```
 * @copyright Copyright (c) 2006 - 2015  
PHPExcel
```

```
(http://www.codeplex.com/PHPExcel)
```

```
 * @license
```

```
http://www.gnu.org/licenses/old-licenses/lgpl-  
2.1.txt LGPL
```

```
 * @version ##VERSION##, ##DATE##
```

```
 */
```

```
class PHPExcel_Chart
```

```
{
```

```
 /**
```

```
 * Chart Name
```

```
 *
```

```
 * @var string
```

```
 */
```

```
private $name = "";
```

```
 /**
```

```
 * Worksheet
```

```
 *
```

```
 * @var PHPExcel_Worksheet
```

```
 */
```

```
private $worksheet;
```

```
 /**
```

```
 * Chart Title
```

```
 *
```

```
 * @var PHPExcel_Chart_Title
```

```
 */
```

private \$title;

/**

* Chart Legend

*

* @var PHPExcel_Chart_Legend

*/

private \$legend;

/**

* X-Axis Label

*

* @var PHPExcel_Chart_Title

*/

private \$xAxisLabel;

/**

* Y-Axis Label

*

* @var PHPExcel_Chart_Title

*/

private \$yAxisLabel;

/**

* Chart Plot Area

*

* @var PHPExcel_Chart_PlotArea

*/

private \$plotArea;

/**

* Plot Visible Only

*

* @var boolean

*/

private \$plotVisibleOnly = true;

/**

* Display Blanks as

*

* @var string

*/

private \$displayBlanksAs = '0';

/**

* Chart Axis Y as

*

* @var PHPExcel_Chart_Axis

*/

private \$yAxis;

/**

* Chart Axis X as

*

* @var PHPExcel_Chart_Axis

*/

private \$xAxis;


```
/**
 * Chart Major Gridlines as
 *
 * @var PHPExcel_Chart_GridLines
 */
private $majorGridlines;
```

```
/**
 * Chart Minor Gridlines as
 *
 * @var PHPExcel_Chart_GridLines
 */
private $minorGridlines;
```

```
/**
 * Top-Left Cell Position
 *
 * @var string
 */
private $topLeftCellRef = 'A1';
```

```
/**
 * Top-Left X-Offset
 *
 * @var integer
 */
private $topLeftXOffset = 0;
```

```
/**
 * Top-Left Y-Offset
 *
 * @var integer
 */
private $topLeftYOffset = 0;
```

```
/**
 * Bottom-Right Cell Position
 *
 * @var string
 */
private $bottomRightCellRef = 'A1';
```

```
/**
 * Bottom-Right X-Offset
 *
 * @var integer
 */
private $bottomRightXOffset = 10;
```

```
/**
 * Bottom-Right Y-Offset
 *
 * @var integer
```

```

*/
private $bottomRightYOffset = 10;

/**
 * Create a new PHPExcel_Chart
 */
public function __construct($name,
    PHPExcel_Chart_Title $title = null,
    PHPExcel_Chart_Legend $legend = null,
    PHPExcel_Chart_PlotArea $plotArea = null,
    $plotVisibleOnly = true, $displayBlanksAs =
    '0', PHPExcel_Chart_Title $xAxisLabel = null,
    PHPExcel_Chart_Title $yAxisLabel = null,
    PHPExcel_Chart_Axis $xAxis = null,
    PHPExcel_Chart_Axis $yAxis = null,
    PHPExcel_Chart_GridLines $majorGridlines =
    null, PHPExcel_Chart_GridLines
    $minorGridlines = null)
{
    $this->name = $name;

    $this->title = $title;

    $this->legend = $legend;

    $this->xAxisLabel = $xAxisLabel;

    $this->yAxisLabel = $yAxisLabel;

    $this->plotArea = $plotArea;

    $this->plotVisibleOnly =
    $plotVisibleOnly;

    $this->displayBlanksAs =
    $displayBlanksAs;

    $this->xAxis = $xAxis;

    $this->yAxis = $yAxis;

    $this->majorGridlines = $majorGridlines;

    $this->minorGridlines = $minorGridlines;
}

/**
 * Get Name
 *
 * @return string
 */
public function getName()
{
    return $this->name;
}

/**
 * Get Worksheet
 *
 * @return PHPExcel_Worksheet
 */
public function getWorksheet()
{
    return $this->worksheet;
}

/**
 * Set Worksheet
 *
 * @param PHPExcel_Worksheet
    $pValue
 * @throws PHPExcel_Chart_Exception
 * @return PHPExcel_Chart
 */

```

```
public function
setWorksheet(PHPExcel_Worksheet $pValue =
null)
```

```
{
    $this->worksheet = $pValue;
```

```
    return $this;
}
```

```
/**
```

```
 * Get Title
 *
 * @return PHPExcel_Chart_Title
 */
```

```
public function getTitle()
```

```
{
    return $this->title;
}
```

```
/**
```

```
 * Set Title
 *
 * @param PHPExcel_Chart_Title $title
 * @return PHPExcel_Chart
 */
```

```
public function
setTitle(PHPExcel_Chart_Title $title)
```

```
{
    $this->title = $title;
```

```
    return $this;
}
```

```
/**
```

```
 * Get Legend
 *
 * @return PHPExcel_Chart_Legend
 */
```

```
public function getLegend()
```

```
{
    return $this->legend;
}
```

```
/**
```

```
 * Set Legend
 *
 * @param PHPExcel_Chart_Legend
$legend
 * @return PHPExcel_Chart
 */
```

```
public function
setLegend(PHPExcel_Chart_Legend $legend)
```

```
{
    $this->legend = $legend;
```

```
    return $this;
}
```

```
/**
```

```
 * Get X-Axis Label
```

```

*
* @return PHPExcel_Chart_Title
*/
public function getXAxisLabel()
{
    return $this->xAxisLabel;
}

/**
* Set X-Axis Label
*
* @param PHPExcel_Chart_Title $label
* @return PHPExcel_Chart
*/
public function
setXAxisLabel(PHPExcel_Chart_Title $label)
{
    $this->xAxisLabel = $label;

    return $this;
}

/**
* Get Y-Axis Label
*
* @return PHPExcel_Chart_Title
*/
public function getYAxisLabel()
{
    return $this->yAxisLabel;
}

}

/**
* Set Y-Axis Label
*
* @param PHPExcel_Chart_Title $label
* @return PHPExcel_Chart
*/
public function
setYAxisLabel(PHPExcel_Chart_Title $label)
{
    $this->yAxisLabel = $label;

    return $this;
}

/**
* Get Plot Area
*
* @return PHPExcel_Chart_PlotArea
*/
public function getPlotArea()
{
    return $this->plotArea;
}

/**
* Get Plot Visible Only
*
* @return boolean

```

```

*/
public function getPlotVisibleOnly()
{
    return $this->plotVisibleOnly;
}

/**
 * Set Plot Visible Only
 *
 * @param boolean $plotVisibleOnly
 * @return PHPExcel_Chart
 */

public function
setPlotVisibleOnly($plotVisibleOnly = true)
{
    $this->plotVisibleOnly =
$plotVisibleOnly;

    return $this;
}

/**
 * Get Display Blanks as
 *
 * @return string
 */

public function getDisplayBlanksAs()
{
    return $this->displayBlanksAs;
}

*/

public function getPlotVisibleOnly()
/**
 * Set Display Blanks as
 *
 * @param string $displayBlanksAs
 * @return PHPExcel_Chart
 */

public function
setDisplayBlanksAs($displayBlanksAs = '0')
{
    $this->displayBlanksAs =
$displayBlanksAs;
}

/**
 * Get yAxis
 *
 * @return PHPExcel_Chart_Axis
 */

public function getChartAxisY()
{
    if ($this->yAxis !== null) {
        return $this->yAxis;
    }

    return new PHPExcel_Chart_Axis();
}

/**

```

```

* Get xAxis
*
* @return PHPExcel_Chart_Axis
*/
public function getChartAxisX()
{
    if ($this->xAxis !== null) {
        return $this->xAxis;
    }

    return new PHPExcel_Chart_Axis();
}

/**
* Get Major Gridlines
*
* @return PHPExcel_Chart_GridLines
*/
public function getMajorGridlines()
{
    if ($this->majorGridlines !== null) {
        return $this->majorGridlines;
    }

    return new PHPExcel_Chart_GridLines();
}

/**
* Get Minor Gridlines

```

```

*
* @return PHPExcel_Chart_GridLines
*/
public function getMinorGridlines()
{
    if ($this->minorGridlines !== null) {
        return $this->minorGridlines;
    }

    return new PHPExcel_Chart_GridLines();
}

/**
* Set the Top Left position for the chart
*
* @param string $cell
* @param integer $xOffset
* @param integer $yOffset
* @return PHPExcel_Chart
*/
public function setTopLeftPosition($cell,
    $xOffset = null, $yOffset = null)
{
    $this->topLeftCellRef = $cell;
    if (!is_null($xOffset)) {
        $this->setTopLeftXOffset($xOffset);
    }
    if (!is_null($yOffset)) {
        $this->setTopLeftYOffset($yOffset);
    }
}

```

```

    }

    return $this;
}

/**
 * Get the top left position of the chart
 *
 * @return array an associative array
containing the cell address, X-Offset and Y-
Offset from the top left of that cell
 */
public function getTopLeftPosition()
{
    return array(
        'cell' => $this->topLeftCellRef,
        'xOffset' => $this->topLeftXOffset,
        'yOffset' => $this->topLeftYOffset
    );
}

/**
 * Get the cell address where the top left of
the chart is fixed
 *
 * @return string
 */
public function getTopLeftCell()
{
    return $this->topLeftCellRef;
}

}

/**
 * Set the Top Left cell position for the chart
 *
 * @param string $cell
 * @return PHPExcel_Chart
 */
public function setTopLeftCell($cell)
{
    $this->topLeftCellRef = $cell;

    return $this;
}

/**
 * Set the offset position within the Top Left
cell for the chart
 *
 * @param integer $xOffset
 * @param integer $yOffset
 * @return PHPExcel_Chart
 */
public function setTopLeftOffset($xOffset =
null, $yOffset = null)
{
    if (!is_null($xOffset)) {
        $this->setTopLeftXOffset($xOffset);
    }

    if (!is_null($yOffset)) {

```

```

        $this->setTopLeftYOffset($yOffset);
    }

    return $this;
}

/**
 * Get the offset position within the Top Left
cell for the chart
 *
 * @return integer[]
 */
public function getTopLeftOffset()
{
    return array(
        'X' => $this->topLeftXOffset,
        'Y' => $this->topLeftYOffset
    );
}

public function setTopLeftXOffset($xOffset)
{
    $this->topLeftXOffset = $xOffset;

    return $this;
}

public function getTopLeftXOffset()
{
    return $this->topLeftXOffset;
}

        }

        public function setTopLeftYOffset($yOffset)
        {
            $this->topLeftYOffset = $yOffset;

            return $this;
        }

        public function getTopLeftYOffset()
        {
            return $this->topLeftYOffset;
        }

        /**
        * Set the Bottom Right position of the chart
        *
        * @param string $cell
        * @param integer $xOffset
        * @param integer $yOffset
        * @return PHPExcel_Chart
        */
        public function
setBottomRightPosition($cell, $xOffset = null,
$yOffset = null)
        {
            $this->bottomRightCellRef = $cell;

            if (!is_null($xOffset)) {
                $this-
>setBottomRightXOffset($xOffset);
            }
        }
    }
}

```



```

    }

    if (!is_null($yOffset)) {
        $this->setBottomRightYOffset($yOffset);
    }

    return $this;
}

/**
 * Get the bottom right position of the chart
 *
 * @return array an associative array
containing the cell address, X-Offset and Y-
Offset from the top left of that cell
 */
public function getBottomRightPosition()
{
    return array(
        'cell' => $this->bottomRightCellRef,
        'xOffset' => $this->bottomRightXOffset,
        'yOffset' => $this->bottomRightYOffset
    );
}

public function setBottomRightCell($cell)
{
    $this->bottomRightCellRef = $cell;

    return $this;
}

```

```

    }

    /**
     * Get the cell address where the bottom
right of the chart is fixed
     *
     * @return string
     */
    public function getBottomRightCell()
    {
        return $this->bottomRightCellRef;
    }

    /**
     * Set the offset position within the Bottom
Right cell for the chart
     *
     * @param integer $xOffset
     * @param integer $yOffset
     * @return PHPExcel_Chart
     */
    public function
setBottomRightOffset($xOffset = null,
$yOffset = null)
    {
        if (!is_null($xOffset)) {
            $this->setBottomRightXOffset($xOffset);
        }

        if (!is_null($yOffset)) {
            $this->setBottomRightYOffset($yOffset);
        }
    }
}

```

```

    }

    return $this;
}

/**
 * Get the offset position within the Bottom
Right cell for the chart
 *
 * @return integer[]
 */
public function getBottomRightOffset()
{
    return array(
        'X' => $this->bottomRightXOffset,
        'Y' => $this->bottomRightYOffset
    );
}

public function
setBottomRightXOffset($xOffset)
{
    $this->bottomRightXOffset = $xOffset;

    return $this;
}

public function getBottomRightXOffset()
{
    return $this->bottomRightXOffset;
}

}

public function
setBottomRightYOffset($yOffset)
{
    $this->bottomRightYOffset = $yOffset;

    return $this;
}

public function getBottomRightYOffset()
{
    return $this->bottomRightYOffset;
}

public function refresh()
{
    if ($this->worksheet !== null) {
        $this->plotArea->refresh($this-
>worksheet);
    }
}

public function render($outputDestination =
null)
{
    $libraryName =
PHPExcel_Settings::getChartRendererName();
    if (is_null($libraryName)) {
        return false;
    }
}

```

```

    }

    // Ensure that data series values are up-
to-date before we render

    $this->refresh();

    $libraryPath =
PHPExcel_Settings::getChartRendererPath();

    $includePath = str_replace('\\', '/',
get_include_path());

    $rendererPath = str_replace('\\', '/',
$libraryPath);

    if (strpos($rendererPath, $includePath)
=== false) {

        set_include_path(get_include_path() .
PATH_SEPARATOR . $libraryPath);

    }

    $rendererName =
'PHPExcel_Chart_Renderer_'.$libraryName;

    $renderer = new $rendererName($this);

    if ($outputDestination === 'php://output') {

        $outputDestination = null;

    }

    return $renderer-
>render($outputDestination);

}
}

```

chat.php

```
<?php
session_start();
include '../dbconnect.php';
?>
<head>
    <meta charset="utf-8">

    <link rel="icon" type="image/png"
href="../favicon.png">

    <meta http-equiv="x-ua-compatible"
content="ie=edge">

    <title>Kelola Pelanggan - CV Kreativa Nusa
Media</title>

    <meta name="viewport"
content="width=device-width, initial-
scale=1">

    <link rel="shortcut icon" type="image/png"
href="assets/images/icon/favicon.ico">

    <link rel="stylesheet"
href="assets/css/bootstrap.min.css">

    <link rel="stylesheet" href="assets/css/font-
awesome.min.css">

    <link rel="stylesheet"
href="assets/css/themify-icons.css">

    <link rel="stylesheet"
href="assets/css/metisMenu.css">

    <link rel="stylesheet"
href="assets/css/owl.carousel.min.css">

    <link rel="stylesheet"
href="assets/css/slicknav.min.css">

    <!-- amchart css -->

    <link rel="stylesheet"
href="https://www.amcharts.com/lib/3/plugins/
```

```
export/export.css" type="text/css" media="all"
/>

    <!-- Start datatable css -->

    <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/jqu
ery.dataTables.min.css">

    <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/jqu
ery.dataTables.css">

    <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/dat
aTables.bootstrap4.min.css">

    <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.
3/css/responsive.bootstrap.min.css">

    <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.
3/css/responsive.jqueryui.min.css">

    <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/buttons/1.5.2/c
ss/buttons.dataTables.min.css">

    <!-- others css -->

    <link rel="stylesheet"
href="assets/css/typography.css">

    <link rel="stylesheet"
href="assets/css/default-css.css">

    <link rel="stylesheet"
href="assets/css/styles.css">

    <link rel="stylesheet"
href="assets/css/responsive.css">

    <!-- modernizr css -->

    <script src="assets/js/vendor/modernizr-
2.8.3.min.js"></script>
</head>
```

```

<body>
  <!--[if lt IE 8]>
    <p class="browserupgrade">You are
    using an <strong>outdated</strong> browser.
    Please <a
    href="http://browsehappy.com/">upgrade your
    browser</a> to improve your experience.</p>
  <![endif]-->

  <!-- preloader area end -->
  <!-- page container area start -->
  <div class="page-container">
    <!-- sidebar menu area start -->
    <div class="sidebar-menu">
      <div class="main-menu">
        <div class="menu-inner">
          <?php
            include "nav.php";
          ?>
        </div>
      </div>
    </div>
    <!-- sidebar menu area end -->
    <!-- main content area start -->
    <div class="main-content">
      <!-- header area start -->
      <div class="header-area">
        <div class="row align-items-center">
          <!-- nav and search button -->

```

```

          <div class="col-md-6 col-sm-8
          clearfix">
            <div class="nav-btn pull-left">
              <span></span>
              <span></span>
              <span></span>
            </div>
          </div>
        <!-- profile info & task notification
        -->
        <div class="col-md-6 col-sm-4
        clearfix">
          <ul class="notification-area
          pull-right">
            <li>
              <h3>
                <div class="date">
                  <script
                    type='text/javascript'>
                      var months =
                      ['Januari', 'Februari', 'Maret', 'April', 'Mei',
                      'Juni', 'Juli', 'Agustus', 'September', 'Oktober',
                      'November', 'Desember'];

                      var myDays =
                      ['Minggu', 'Senin', 'Selasa', 'Rabu', 'Kamis',
                      'Jumat', 'Sabtu'];

                      var date = new
                      Date();

                      var day =
                      date.getDate();

                      var month =
                      date.getMonth();

                      var thisDay =
                      date.getDay(),

```

```

        thisDay =
myDays[thisDay];

        var yy =
date.getYear();

        var year = (yy <
1000) ? yy + 1900 : yy;

```

```

document.write(thisDay + ', ' + day + ' ' +
months[month] + ' ' + year);

```

```

</script></b>

```

```

</div>

```

```

</h3>

```

```

</li>

```

```

</ul>

```

```

</div>

```

```

</div>

```

```

</div>

```

```

<!-- header area end -->

```

```

<!-- page title area end -->

```

```

<div class="main-content-inner">

```

```

<!-- market value area start -->

```

```

<div class="row mt-5 mb-5">

```

```

<div class="col-12">

```

```

<div class="card">

```

```

<?php

```

```

$query_chat = "SELECT * FROM chat
WHERE NOT pengirim = 'Admin' GROUP
BY pengirim ORDER BY tanggal DESC";

```

```

$result_chat = mysqli_query($conn,
$query_chat);

```

```

$grouped_messages = array();

```

```

while ($row_chat =
mysqli_fetch_assoc($result_chat)) {

```

```

    $pengirim = $row_chat['pengirim'];

```

```

    if (!isset($grouped_messages[$pengirim])) {

```

```

        $grouped_messages[$pengirim] = array();

```

```

    }

```

```

    $grouped_messages[$pengirim][] =
$row_chat;

```

```

}

```

```

?>

```

```

<!DOCTYPE html>

```

```

<html>

```

```

<head>

```

```

    <title>Chat List</title>

```

```

<style>
body {
  font-family: Arial, sans-serif;
}

h1 {
  text-align: center;
}

.chat-list {
  list-style-type: none;
  padding: 0;
}

.chat-item {
  padding: 10px;
  border-bottom: 1px solid #ccc;
}

.chat-item:last-child {
  border-bottom: none;
}

.chat-item h2 {
  margin: 0;
}

.chat-item p {
  margin: 0;

  font-size: 12px;
  color: #888;
}

.chat-reply {
  padding: 20px;
  border: 1px solid #ccc;
}

.chat-reply form {
  display: grid;
  grid-template-columns: 1fr auto;
  grid-gap: 10px;
}

.chat-reply textarea {
  width: 100%;
  resize: none;
  padding: 10px;
}

.chat-reply button {
  padding: 10px 20px;
  background-color: #007bff;
  color: #fff;
  border: none;
  cursor: pointer;
}

```

```

</style>
</head>
<body>

<?php
if ($_SERVER["REQUEST_METHOD"] ==
"POST") {

    $pengirim = $_POST["pengirim"];
    $penerima = $_POST["penerima"];
    $pesan = $_POST["pesan"];

    $pengirim =
mysql_real_escape_string($conn, $pengirim);

    $penerima =
mysql_real_escape_string($conn, $penerima);

    $pesan = mysql_real_escape_string($conn,
$pesan);

    $query = "INSERT INTO chat (pengirim,
penerima, pesan, tanggal,ip_komputer)
VALUES ('Admin', '$penerima', '$pesan',
NOW(),'$_POST[ipkom]')";

    if (mysql_query($conn, $query)) {

        // header("Location: chat.php"); // Atur
ulang halaman ke halaman chat

        //exit();

        echo "<script> window.location.href =
'chat.php' </script>";

    } else {

```

```

        echo "Terjadi kesalahan. Pesan gagal
dikirim.";

    }

}

?>

<h1>Chat List</h1>

<ul class="chat-list" id="chatList">

    <?php foreach ($grouped_messages as
$pesan_grup) { ?>

        <li class="chat-item">

            <h2><?= $pengirim ?></h2>

            <?php foreach ($pesan_grup as
$pesan) { ?>

                <a href="chat.php?ip=<?=
$pesan['ip_komputer']
?>&pengirim=<?=$pesan["pengirim"]?>">Bac
a IP Komputer</a>

                <?php } ?>

            </li>

            <?php } ?>

        </ul>

        <h2>Kolom Balasan</h2>

        <div>

            <?php

            $pengirim = isset($_GET['pengirim']) ?
$_GET['pengirim'] : null;

```



```
$query_chat = "SELECT * FROM chat
WHERE (pengirim='$pengirim' AND
penerima='Admin') OR (pengirim='Admin'
AND penerima='$pengirim') ORDER BY id
ASC";
```

```
$result_chat = mysqli_query($conn,
$query_chat);
```

```
while ($row_chat =
mysqli_fetch_assoc($result_chat)) {
```

```
    $sisi = $row_chat['pesan'];
```

```
    $pengirim = $row_chat['pengirim'];
```

```
    if ($pengirim == "Admin") {
```

```
        echo '<div class="chat admin">' . $sisi .
'</div><br>';
```

```
    } else {
```

```
        echo '<div class="chat user">' . $sisi .
'</div><br>';
```

```
    }
```

```
}
```

```
?>
```

```
</div>
```

```
<div class="chat-reply" id="chatReply">
```

```
<form method="post" action="chat.php">
```

```
<!-- Atur ulang halaman chat saat mengirim
pesan -->
```

```
<input type="hidden" name="penerima"
value='<?=$_GET["penerima"]?'>>
```

```
<input type="hidden" name="ipkom"
value='<?=$_GET["ip"]?'>>
```

```
<textarea name="pesan"
placeholder="Tulis pesan balasan"></textarea>
```

```
<button
type="submit">Kirim</button>
```

```
</form>
```

```
</div>
```

```
<style>
```

```
.chat {
```

```
    padding: 10px;
```

```
    margin: 10px;
```

```
    border-radius: 10px;
```

```
    max-width: 70%;
```

```
    word-wrap: break-word;
```

```
}
```

```
.admin {
```

```
    background-color: #00FF00; /* Hijau */
```

```
    float: right;
```

```
}
```

```
.user {
```

```
    background-color: #2196F3; /* Biru */
```

```
    float: left;
```

```
}
```

```

</style>
</div>
    </div>
</div>
</div>
</div>
</div>
<!-- row area start-->
</div>
</div>
<!-- main content area end -->
<!-- footer area start-->

<!-- footer area end-->
</div>
<!-- page container area end -->

<script>
    $(document).ready(function() {
        $('#dataTable3').DataTable({
            dom: 'Bfrtip',
            buttons: [
                'print'
            ]
        });
    });
</script>
    <!-- jquery latest version -->
    <script src="https://code.jquery.com/jquery-3.3.1.js"></script>
    <!-- bootstrap 4 js -->
    <script
src="assets/js/popper.min.js"></script>
    <script
src="assets/js/bootstrap.min.js"></script>
    <script
src="assets/js/owl.carousel.min.js"></script>
    <script
src="assets/js/metisMenu.min.js"></script>
    <script
src="assets/js/jquery.slimscroll.min.js"></scrip
t>
    <script
src="assets/js/jquery.slicknav.min.js"></script>
    <!-- Start datatable js -->
    <script
src="https://cdn.datatables.net/buttons/1.5.2/js/
buttons.print.min.js"></script>
    <script
src="https://cdn.datatables.net/buttons/1.5.2/js/
dataTables.buttons.min.js"></script>
    <script
src="https://cdn.datatables.net/1.10.20/js/jquer
y.dataTables.js"></script>
    <script
src="https://cdn.datatables.net/1.10.20/js/jquer
y.dataTables.min.js"></script>
    <script
src="https://cdn.datatables.net/1.10.20/js/dataT
ables.bootstrap4.min.js"></script>
    <script
src="https://cdn.datatables.net/responsive/2.2.3
/js/dataTables.responsive.min.js"></script>

```

```
<script
src="https://cdn.datatables.net/responsive/2.2.3
/js/responsive.bootstrap.min.js"></script>
</body>

<script
src="https://cdn.datatables.net/buttons/1.5.2/js/
buttons.html5.min.js"></script>
</html>

<!-- start chart js -->

<script
src="https://cdnjs.cloudflare.com/ajax/libs/Cha
rt.js/2.7.2/Chart.min.js"></script>

<!-- start highcharts js -->

<script
src="https://code.highcharts.com/highcharts.js"
></script>

<!-- start zingchart js -->

<script
src="https://cdn.zingchart.com/zingchart.min.js
"></script>

<script>

    zingchart.MODULESDIR =
"https://cdn.zingchart.com/modules/";

    ZC.LICENSE =
["569d52cefae586f634c54f86dc99e6a9",
"ee6b7db5b51705a13dc2339db3edaf6d"];

</script>

<!-- all line chart activation -->

<script src="assets/js/line-chart.js"></script>

<!-- all pie chart -->

<script src="assets/js/pie-chart.js"></script>

<!-- others plugins -->

<script src="assets/js/plugins.js"></script>

<script src="assets/js/scripts.js"></script>
```