

login.php

```
<?php
include('admin/functions.php');
include('admin/siteidentity.php'); ?>
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-
Compatible" content="IE=edge">
<title><?php echo $app_name; ?> |
<?php echo $company_name;
?></title>
<link rel="shortcut icon"
href="<?php echo $favicon; ?>">
<!-- Tell the browser to be
responsive to screen width -->
<meta name="viewport"
content="width=device-width,
initial-scale=1">
<!-- Font Awesome -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.c
om/font-awesome/4.7.0/css/font-
awesome.min.css">
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.c
om/bootstrap/3.3.7/css/bootstrap.min
.css" integrity="sha384-
BVYiSIFeK1dGmJRAkycuHAHRg
32OmUcww7on3RYdg4Va+PmSTs
z/K68vbdEjh4u"
crossorigin="anonymous">
<link
href="https://fonts.googleapis.com/cs
s?family=Poppins:400,500,600,700,8
00&display=swap" rel="stylesheet">
<style>
.form-container{
font-family: 'Poppins', sans-serif;
position: relative;
z-index: 1;
}
.form-container .form-horizontal{
background-color: #fff;
padding: 30px 30px 10px;
border: 1px solid #e7e7e7;
}
.form-container .form-
horizontal:before,
.form-container .form-
horizontal:after{
content: "";
background-color: #fff;
height: 100%;
width: 100%;
border: 1px solid #e7e7e7;
transform: rotate(3deg);
position: absolute;
left: 0;
top: 0;
z-index: -1;
}
.form-container .form-
horizontal:after{ transform: rotate(-
3deg); }
.form-container .title{
color: #777;
background: linear-gradient(to
right,#f5f5f5,transparent,transparent,t
ransparent,#f5f5f5);
font-size: 23px;
font-weight: 600;
text-align: center;
text-transform: capitalize;
padding: 2px;
margin: 0 0 20px 0;
}
.form-horizontal .form-group{
background-color: #eaeaea;
font-size: 0;
margin: 0 0 15px;
border: 1px solid #d1d1d1;
border-radius: 3px;
}
```

```

.form-horizontal .input-icon{
  color: #888;
  font-size: 18px;
  text-align: center;
  line-height: 40px;
  height: 40px;
  width: 40px;
  vertical-align: top;
  display: inline-block;
}
.form-horizontal .form-control{
  color: #555;
  background-color: transparent;
  font-size: 14px;
  letter-spacing: 1px;
  width: calc(100% - 55px);
  height: 40px;
  padding: 2px 10px 2px 0;
  box-shadow: none;
  border: none;
  border-radius: 0;
  display: inline-block;
  transition: all 0.3s;
}
.form-horizontal .form-
control:focus{
  box-shadow: none;
  border: none;
}
.form-horizontal .form-
control::placeholder{
  color: rgba(0,0,0,0.7);
  font-size: 14px;
  text-transform: capitalize;
}
.form-horizontal .btn{
  color: #fff;
  background: linear-
gradient(#1dd1a1,#10ac84);
  font-size: 16px;
  font-weight: 600;
  text-transform: capitalize;
  width: 160px;
  padding: 5px 18px;
  margin: 0 0 15px 0;
  border: none;
  border-radius: 30px;
  display: inline-block;
  transition: all 0.3s ease;
}
.form-horizontal .btn:hover,
.form-horizontal .btn:focus{
  color: #fff;
  letter-spacing: 2px;
}
.form-horizontal .forgot-pass{
  font-size: 12px;
  text-align: right;
  width: calc(100% - 105px);
  display: inline-block;
  vertical-align: top;
}
.form-horizontal .forgot-pass a,
.form-horizontal .register a{
  color: #999;
  transition: all 0.3s ease;
}
.form-horizontal .forgot-pass
a:hover,
.form-horizontal .register a:hover{
  color: #555;
  text-decoration: underline;
}
.form-horizontal .register{
  font-size: 12px;
  text-align: center;
  padding-top: 8px;
  border-top: 1px solid #e7e7e7;
  display: block;
}
</style>
</head>
<body class="hold-transition login-
page" style="background-image:
url(bg.jpg)">

```

```

<div class="form-bg" style="margin-top: 15%;">
  <div class="container">
    <div class="row">
      <div class="col-md-offset-4 col-md-4 col-sm-offset-3 col-sm-6">
        <div class="form-container">
          <form role="form" class="form-horizontal needs-validation" novalidate process="login" id="mightywebForm">
            <input type="hidden" value="data_pengguna" name="table[]">
            <input type="hidden" value="email" name="keylog">
            <input type="hidden" value="admin" name="direction">
            <p class="text-center"></p>
            <h3 class="title"><?php echo $company_name; ?></h3>
            <div class="form-group">
              <span class="input-icon"><i class="fa fa-user"></i></span>
              <input class="form-control" name="valog" type="email" placeholder="Email">
            </div>
            <div class="form-group">
              <span class="input-icon"><i class="fa fa-lock"></i></span>
              <input class="form-control"

```

```

type="password" name="password" placeholder="Password">
            </div>
            <div class="text-right"><button type="submit" class="btn signin">Log in</button></div>
          </form>
        </div>
      </div>
    </div>
  </div>
</div>
<!-- jQuery -->
<script src="<?php echo path('dist/'); ?>plugins/jquery/jquery.min.js"></script>
<script src="<?php echo path('dist/'); ?>plugins/jquery-ui/jquery-ui.js"></script>
<script src="<?php echo path('dist/'); ?>plugins/bootstrap/js/bootstrap.bundle.min.js"></script>
<script src="<?php echo path('dist/'); ?>js/adminlte.min.js?v=3.2.0"></script>
<!-- App -->
<script src="<?php echo path('dist/'); ?>plugins/jquery-ui/jquery-ui.min.js"></script>
<script>
$(document).ready(function(){
    $('needs-validation').on('submit', function(e) {
        if (!this.checkValidity()) {
            e.preventDefault();
            e.stopPropagation();
        } else {
            e.preventDefault();
            var id =
$(this).attr('id');
            var form =
$('#'+id)[0];

```

```

        var data = new
FormData(form);
        var acts =
$('#'+id).attr('process');
        var url =
$('#'+id).find('input[name="direction
"]').val();
        $.ajax({
            type: "POST",
            dataType: "JSON",
            enctype:
"multipart/form-data",
            url:
""+url+"/actions.php?act="+acts,
            data: data,
            processData:
false,
            contentType:
false,
            cache: false,
            timeout:
60000,
            beforeSend:
function(response){
                $('#'+id).find('button[type="s
ubmit"]').text('Connecting...');
                $('#'+id).find(':input').attr("di
sabled",true);
            },
            success:
function(response){
                if(response.status == 'valid'){
                    setTimeout(function(){
                        window.location =
"+response.direction;+";
                    }, 2000);

```

```

        $('#'+id).find('.login-box-
msg').html("<span
style='color:green'>" +response.mess
age+"</span>");
        $('#'+id).find('button[type="s
ubmit"]').text('Connected');
    }else if(response.status == 'invalid'){
        $('#'+id).find('.login-box-
msg').html("<span
style='color:red'>" +response.messag
e+"</span>");
        $('.login-box').effect('shake');
        $('#'+id).find(':input').attr("disabled",
false);
        $('#'+id).find('button[type="submit"']
).text('Login');
    }
    });
    $(this).addClass('was-
validated');
    $(this).addClass('was-
validated');
    });
</script>
</body>
</html>

```

connection.php

```

<?php
$servername = "localhost";
$user = "root";
$password = "";
$dbname = "cindo";
// Create connection
$conn = new mysqli($servername,
$user, $password, $dbname);
// Check connection
if ($conn->connect_error) {

```

```

    die("Connection failed: " . $conn-
>connect_error);
}
?>

```

logout.php

```

<?php
session_start();
session_destroy();
echo
"<script>>window.location.replace('./
');</script>";
?>

```

index.php

```

<?php
include('login.php');

```

admin/modules/data_mobil/index.php

```

<div id="BSaccordion">
<?php
if($session['jabatan']=='Admin'){ ?>
<div class="card card-outline card-
dark">
<div class="card-header p-1"
id="headingForm"><h5 class="mb-
0">
<button class="btn btn-link" data-
toggle="collapse" data-
target="#mwFm-col" aria-
expanded="true" aria-
controls="mwFm-col">
<b>Input Data Mobil</b>
</button></h5></div>
<div id="mwFm-col"
class="collapse" aria-
labelledby="headingForm" data-
parent="#BSaccordion">
<div class="card-body p-0">

```

```

<?php include("input.php"); ?>
</div></div>
</div>
<?php } ?>
<div class="card card-outline card-
dark">
<div class="card-header p-1"
id="headingData"><h5 class="mb-
0">
<button class="btn btn-link" data-
toggle="collapse" data-
target="#mwData-col" aria-
expanded="true" aria-
controls="mwData-col">
<b>Data
Mobil</b></button></h5></div>
<div id="mwData-col"
class="collapse show" aria-
labelledby="headingData" data-
parent="#BSaccordion">
<div class="card-body">
<?php $table = "data_mobil";
$sql = "SELECT * FROM
`data_mobil`";
$result = $conn->query($sql); ?>
<table id="dataMightyWeb"
class="table table-sm table-striped
table-bordered nowrap"
width="100%">
<thead>
<tr>
<th>Jenis</th>
<th>Nopol</th>
<th>Satuan</th>
<th>Kapasitas</th>
<?php
if($session['jabatan']=='Admin'){ ?>
<th>Actions</th>
<?php } ?>
</tr>
</thead>
<tbody>

```

```

<?php while($row = $result-
>fetch_assoc()) {
if($row["satuan"]=='Kubik'){
    $satuan = $row["kapasitas"].'
    &#13221;';
}else if($row["satuan"]=='Kg'){
    $satuan =
($row["kapasitas"]/1000).' Ton';
}

?><tr>
<td><?php echo $row["jenis"];
?></td>
<td><?php echo $row["nopol"];
?></td>
<td><?php echo $row["satuan"];
?></td>
<td><?php echo $satuan; ?></td>
<?php
if($session['jabatan']=='Admin'){ ?>
<td><a class="btn btn-xs btn-
outline-primary"
href='javascript:getData("<?php echo
$row["nopol"]; ?>")>Edit</i></a>
<a class="btn btn-xs btn-outline-
warning"
href='javascript:delData("<?php echo
$row["nopol"];
?>")>Delete</a></td>
<?php } ?>
</tr><?php } ?>
</tbody>
</table>
</div></div>
</div>
<?php ob_start(); ?>
<?php $setDTcolvis = "{extend:
'colvis', text: '<i class=\"fas fa-
columns\"></i>'}"; ?>
<?php $setDTTenties = "{extend:
'pageLength', text: '<i class=\"fas fa-
eye\"></i>'}"; ?>
<?php $setTableStyle =
"responsive": true,; ?>
<?php $setScriptTools =
"searching": true,
"paging": true,
lengthMenu: [[ 10, 25, 50, -1 ],[
"10", "25", "50", "Show all" ]],
"ordering": false,
"info": true,
order: [[0, "desc"]],
"rowGroup": { "dataSrc": [ 0 ]},
"columnDefs": [{
"targets": [0],
"visible": false,
"searchable": false
}],; ?>
<?php $setDTbuttons = "{extend:
'copyHtml5', exportOptions: {
columns: ':visible' }},
{extend: 'excelHtml5',
exportOptions: { columns: ':visible'
}},
{extend: 'pdfHtml5', download:
'open', exportOptions: { columns:
':visible' }, orientation:
'landscape',page_size: 'legal',title:
'Laporan Data Mobil' },
"; ?>
<?php $setDTSearchCol = ""; ?>
<?php $customSCBottom = ""; ?>
<?php $setDTfooterScript = "; ?>
<?php include('pages/dtscripts.php');
?>
<script>
function getData(ID){
$('#mwFm-col').collapse('show');
$('.needs-
validation').attr('process','update');
var val = ID;
var key = '<?php echo $pri_name;
?>';
var tbl = '<?php echo $table; ?>';

```

```

$(input[name="key"]').val('<?php
echo $pri_name; ?>');
$(input[name="val"]').val(ID);
$.ajax({
type : "POST",
url : "actions.php?act=getdata",
data :
"key="+key+"&val="+val+"&table=
"+tbl,
dataType : "json",
beforeSend : function(response){
$("body").LoadingOverlay("show", {
<?php echo $loading; ?>
});
},
complete : function() {
$("body").LoadingOverlay("hide",
true); },
success : function(data){
$(input[name="nopol"]').val(data.no
pol);
$(input[name="jenis"]').each(function()
{if($(this).val() == data.jenis){
$(this).prop("checked", true); } });
$(input[name="satunya"]').each(function()
{if($(this).val() == data.satuan){
$(this).prop("checked", true); } });
$(input[name="kapasitas"]').val(data
.kapasitas);
return false; } }); }
</script>
<?php
include('pages/forminsert.php'); ?>
<?php include('pages/formcall.php');
?>
<?php $footerCTcallScript_custom =
ob_get_contents(); ob_clean(); ?>

```

admin/modules/data_mobil/ input.php

```

<form class="needs-validation mb-0"
enctype="multipart/form-data"
novalidate id="mightywebForm"
process="insert">
<input type="hidden" name="table"
value="data_mobil">
<div class="card-body">
<input type="hidden" name="key" />
<input type="hidden" name="val" />
<div class="form-group"
id="fg_nopol">
<label
for="nopol">Nopol</label><input
type="text" class="form-control"
required="required" name="nopol"
id="nopol" value=""><div
class="invalid-feedback">Error: this
field is required.</div></div>

<div class="form-group"
id="fg_jenis">
<label>Jenis</label>
<div class="col-12">
<?php echo
enum_Toradio('data_mobil','jenis','i
nline'); ?>
</div><div class="invalid-
feedback">Error: this field is
required.</div></div>

<div class="form-group"
id="fg_satuan">
<label>Satuan</label><div
class="col-12">
<div class="custom-control custom-
radio custom-control-inline">
<input class="custom-control-input"
type="radio" id="satunya-3"
name="satunya" value="Kg"
required="required">

```

```

<label class="custom-control-label"
for="satuan-3">Kg</label>
</div>
<div class="custom-control custom-
radio custom-control-inline">
<input class="custom-control-input"
type="radio" id="satuan-4"
name="satuan" value="Kubik"
required="required">
<label class="custom-control-label"
for="satuan-4">Kubik</label>
</div>
</div><div class="invalid-
feedback">Error: this field is
required.</div></div>
<div class="form-group"
id="fg_kapasitas">
<label
for="kapasitas">Kapasitas</label>
<input type="number" class="form-
control" required="required"
name="kapasitas" id="kapasitas"
value=""><div class="invalid-
feedback">Error: this field is
required.</div></div></div>
<input type="hidden" name="key" />
<input type="hidden" name="val" />
<div class="card-footer border-
dark">
<button type="reset" class="btn btn-
secondary">Cancel</button>
<button type="submit" class="btn
btn-primary float-
right">Submit</button>
</div>
</form>

```

admin/modules/data_pelanggan/ index.php

```

<div id="BSaccordion">
<?php
if($session['jabatan']=='Admin'){ ?>
<div class="card card-outline card-
dark">
<div class="card-header p-1"
id="headingForm"><h5 class="mb-
0">
<button class="btn btn-link" data-
toggle="collapse" data-
target="#mwFm-col" aria-
expanded="true" aria-
controls="mwFm-col">
<b>Input Data Pelanggan</b>
</button></h5></div>
<div id="mwFm-col"
class="collapse" aria-
labelledby="headingForm" data-
parent="#BSaccordion">
<div class="card-body p-0">
<?php include("input.php"); ?>
</div></div>
</div>
<?php } ?>
<div class="card card-outline card-
dark">
<div class="card-header p-1"
id="headingData"><h5 class="mb-
0">
<button class="btn btn-link" data-
toggle="collapse" data-
target="#mwData-col" aria-
expanded="true" aria-
controls="mwData-col">
<b>Data
Pelanggan</b></button></h5></div>
>
<div id="mwData-col"
class="collapse show" aria-

```



```

labelledby="headingData" data-
parent="#BSaccordion">
<div class="card-body">
<?php $table = "data_pelanggan";
$sql = "SELECT * FROM
`data_pelanggan`";
$result = $conn->query($sql); ?>
<table id="dataMightyWeb"
class="table table-sm table-striped
table-bordered nowrap"
width="100%">
<thead>
<tr><th>Jenis</th>
<th>Nama Pelanggan</th>
<th>Alamat</th>
<th>Actions</th></tr>
</thead>
<tbody>
<?php while($row = $result-
>fetch_assoc()) { ?><tr>
<td><?php echo $row["jenis"];
?></td>
<td><?php echo
$row["nama_pelanggan"]; ?></td>
<td><?php echo $row["alamat"];
?></td>
<td><a class="btn btn-xs btn-
outline-primary"
href='javascript:getData("<?php echo
$row["id_pelanggan"];
?>")>Edit</i></a>
<a class="btn btn-xs btn-outline-
warning"
href='javascript:delData("<?php echo
$row["id_pelanggan"];
?>")>Delete</a></td>
</tr><?php } ?>
</tbody>
</table>
</div></div>
</div>
</div>
<?php ob_start(); ?>

```

```

<?php $setDTcolvis = "{extend:
'colvis', text: '<i class=\"fas fa-
columns\"></i>}',"; ?>
<?php $setDTentities = "{extend:
'pageLength', text: '<i class=\"fas fa-
eye\"></i>}', "; ?>
<?php $setTableStyle =
"\"responsive\": true,;\" ?>
<?php $setScriptTools =
"\"searching\": true,
\"paging\": true,
lengthMenu: [[ 10, 25, 50, -1 ],[
\"10\", \"25\", \"50\", \"Show all\" ]],
\"ordering\": true,
\"info\": true,
;\" ?>
<?php $setDTbuttons = "{extend:
'copyHtml5', exportOptions: {
columns: ':visible' }},
{extend: 'excelHtml5',
exportOptions: { columns: ':visible'
}},
{extend: 'pdfHtml5', download:
'open', exportOptions: { columns:
':visible' }, orientation:
'landscape',page_size: 'legal',title:
'Laporan Data Pelanggan'},
;\" ?>
<?php $setDTSearchCol = ""; ?>
<?php $customSCBottom = ""; ?>
<?php $setDTfooterScript = "; ?>
<?php include('pages/dtscripts.php');
?>
<script>
function getData(ID){
$('#mwFm-col').collapse('show');
$('.needs-
validation').attr('process','update');
var val = ID;
var key = '<?php echo $pri_name;
?>';
var tbl = '<?php echo $table; ?>';

```

```

$( 'input[name="key"]').val('<?php
echo $pri_name; ?>');
$( 'input[name="val"]').val(ID);
$.ajax({
type : "POST",
url : "actions.php?act=getdata",
data :
"key="+key+"&val="+val+"&table=
"+tbl,
dataType : "json",
beforeSend : function(response){
$("body").LoadingOverlay("show", {
<?php echo $loading; ?>
});
},
complete : function() {
$("body").LoadingOverlay("hide",
true); },
success : function(data){
$( 'input[name="jenis"]').each(function()
{if($(this).val() == data.jenis){
$(this).prop("checked", true); } });
$( 'input[name="nama_pelanggan"]').
val(data.nama_pelanggan);
$( 'textarea[name="alamat"]').val(data
.alamat);

return false; } }); }
</script>
<?php
include('pages/forminsert.php'); ?>
<?php include('pages/formcall.php');
?>
<?php $footerCTcallScript_custom =
ob_get_contents(); ob_clean(); ?>

```

**admin/modules/data_pelanggan/
input.php**

```

<form class="needs-validation mb-0"
enctype="multipart/form-data"

```

```

novalidate id="mightywebForm"
process="insert">

```

```

<input type="hidden" name="table"
value="data_pelanggan">
<div class="card-body">

```

```

<div class="form-group"
id="fg_jenis">
<label>Jenis</label><div class="col-
12">

```

```

<div class="custom-control custom-
radio custom-control-inline">
<input class="custom-control-input"
type="radio" id="jenis-1"
name="jenis" value="Perusahaan"
required="required">
<label class="custom-control-label"
for="jenis-1">Perusahaan</label>
</div>

```

```

<div class="custom-control custom-
radio custom-control-inline">
<input class="custom-control-input"
type="radio" id="jenis-2"
name="jenis" value="Pemerintah"
required="required">
<label class="custom-control-label"
for="jenis-2">Pemerintah</label>
</div>

```

```

</div><div class="invalid-
feedback">Error: this field is
required.</div></div>

```

```

<div class="form-group"
id="fg_nama_pelanggan">
<label for="nama_pelanggan">Nama
Pelanggan</label><input type="text"
class="form-control"
required="required"
name="nama_pelanggan"
id="nama_pelanggan"
value=""><div class="invalid-

```

```

feedback">Error: this field is
required.</div></div>
<div class="form-group"
id="fg_alamat">
<label
for="alamat">Alamat</label><textar
ea class="form-control"
required="required" name="alamat"
id="alamat"></textarea><div
class="invalid-feedback">Error: this
field is required.</div></div>
</div>

```

```

<input type="hidden" name="key" />
<input type="hidden" name="val" />
<div class="card-footer border-
dark">
<button type="reset" class="btn btn-
secondary">Cancel</button>
<button type="submit" class="btn
btn-primary float-
right">Submit</button>
</div>
</form>

```

[admin/modules/data_pengguna/ index.php](#)

```

<div id="BSaccordion">
<div class="card card-outline card-
dark">
<div class="card-header p-1"
id="headingForm"><h5 class="mb-
0">
<button class="btn btn-link" data-
toggle="collapse" data-
target="#mwFm-col" aria-
expanded="true" aria-
controls="mwFm-col">
<b>Input Data Pengguna</b>
</button></h5></div>
<div id="mwFm-col"
class="collapse" aria-

```

```

labelledby="headingForm" data-
parent="#BSaccordion">
<div class="card-body p-0">
<?php include("input.php"); ?>
</div></div>
</div>
<div class="card card-outline card-
dark">
<div class="card-header p-1"
id="headingData"><h5 class="mb-
0">
<button class="btn btn-link" data-
toggle="collapse" data-
target="#mwData-col" aria-
expanded="true" aria-
controls="mwData-col">
<b>Data
Pengguna</b></button></h5></div>
<div id="mwData-col"
class="collapse show" aria-
labelledby="headingData" data-
parent="#BSaccordion">
<div class="card-body">
<?php $table = "data_pengguna";
$sql = "SELECT * FROM
`data_pengguna`";
$result = $conn->query($sql); ?>
<table id="dataMightyWeb"
class="table table-sm table-striped
table-bordered nowrap"
width="100%">
<thead>
<tr><th>Nip</th>
<th>Photo</th>
<th>Nama Lengkap</th>
<th>Jabatan</th>
<th>Email</th>
<th>Password</th>
<th>Actions</th></tr>
</thead>
<tbody>
<?php while($row = $result-
>fetch_assoc()) { ?><tr>

```

```

<td><?php echo $row["nip"];
?></td>
<td><a href="uploads/<?php echo
$row["photo"]; ?>">
" width="30px"
height="30px" /></a></td>
<td><?php echo
$row["nama_lengkap"]; ?></td>
<td><?php echo $row["jabatan"];
?></td>
<td><?php echo $row["email"];
?></td>
<td><?php echo $row["password"];
?></td>
<td><a class="btn btn-xs btn-
outline-primary"
href='javascript:getData("<?php echo
$row["nip"]; ?>")>Edit</i></a>
<a class="btn btn-xs btn-outline-
warning"
href='javascript:delData("<?php echo
$row["nip"]; ?>")>Delete</a></td>
</tr><?php } ?>
</tbody>
</table>
</div></div>
</div>
</div>
<?php ob_start(); ?>
<?php $setDTcolvis = "{extend:
'colvis', text: '<i class=\"fas fa-
columns\"></i>','"; ?>
<?php $setDTenties = "{extend:
'pageLength', text: '<i class=\"fas fa-
eye\"></i>','"; ?>
<?php $setTableStyle =
"\"responsive\": true,'; ?>
<?php $setScriptTools =
"\"searching\": true,
\"paging\": true,
lengthMenu: [[ 10, 25, 50, -1 ],[
"10", "25", "50", "Show all" ]],
\"ordering\": true,
\"info\": true,
'; ?>
<?php $setDTbuttons = "{extend:
'copyHtml5', exportOptions: {
columns: ':visible' }},
{extend: 'excelHtml5',
exportOptions: { columns: ':visible'
}},
{extend: 'pdfHtml5', download:
'open', exportOptions: { columns:
':visible' }, orientation:
'landscape',page_size: 'legal',title:
'Laporan Data Pengguna'}},
"; ?>
<?php $setDTSearchCol = ""; ?>
<?php $customSCBottom = ""; ?>
<?php $setDTfooterScript = "; ?>
<?php include('pages/dtscripts.php');
?>
<script>
function getData(ID){
$('#mwFm-col').collapse('show');
$('.needs-
validation').attr('process','update');
var val = ID;
var key = '<?php echo $pri_name;
?>';
var tbl = '<?php echo $table; ?>';
$('#input[name="key"]').val('<?php
echo $pri_name; ?>');
$('#input[name="val"]').val(ID);
$.ajax({
type : "POST",
url : "actions.php?act=getdata",
data :
"key="+key+"&val="+val+"&table=
"+tbl,
dataType : "json",
beforeSend : function(response){
$("body").LoadingOverlay("show", {

```

```

<?php echo $loading; ?>
});
},
complete : function() {
$("body").LoadingOverlay("hide",
true); },
success : function(data){
$('input[name="nip"]').val(data.nip);
$('input[name="photo"]').removeAttr
("required");$('input[name="nama_le
ngkap"]').val(data.nama_lengkap);
$('input[name="jabatan"]').each(func
tion(){if($(this).val() ==
data.jabatan){
$(this).prop("checked", true); } });
$('input[name="email"]').val(data.em
ail);
$('input[name="password"]').val(data
.password);
return false; } }); }
$(document).on('change',
, function() {
var target = $(this).parents('.input-
group').find('.input-group-
text').attr('id');
$('#'+target).empty();
$('#'+target).append("<img
src='"+URL.createObjectURL(this.fi
les[0])+"' width='35' height='35' />");
});
</script>
<?php
include('pages/forminsert.php'); ?>
<?php include('pages/formcall.php');
?>
<?php $footerCTcallScript_custom =
ob_get_contents(); ob_clean(); ?>

```

admin/modules/data_pengguna/ input.php

```

<div id="BSaccordion">
<div class="card card-outline card-
dark">
<div class="card-header p-1"
id="headingForm"><h5 class="mb-
0">
<button class="btn btn-link" data-
toggle="collapse" data-
target="#mwFm-col" aria-
expanded="true" aria-
controls="mwFm-col">
<b>Input Data Pengguna</b>
</button></h5></div>
<div id="mwFm-col"
class="collapse" aria-
labelledby="headingForm" data-
parent="#BSaccordion">
<div class="card-body p-0">
<?php include("input.php"); ?>
</div></div>
</div>
<div class="card card-outline card-
dark">
<div class="card-header p-1"
id="headingData"><h5 class="mb-
0">
<button class="btn btn-link" data-
toggle="collapse" data-
target="#mwData-col" aria-
expanded="true" aria-
controls="mwData-col">
<b>Data
Pengguna</b></button></h5></div>
<div id="mwData-col"
class="collapse show" aria-
labelledby="headingData" data-
parent="#BSaccordion">
<div class="card-body">
<?php $table = "data_pengguna";

```

```

$sql = "SELECT * FROM
`data_pengguna`;
$result = $conn->query($sql); ?>
<table id="dataMightyWeb"
class="table table-sm table-striped
table-bordered nowrap"
width="100%">
<thead>
<tr><th>Nip</th>
<th>Photo</th>
<th>Nama Lengkap</th>
<th>Jabatan</th>
<th>Email</th>
<th>Password</th>
<th>Actions</th></tr>
</thead>
<tbody>
<?php while($row = $result-
>fetch_assoc()) { ?><tr>
<td><?php echo $row["nip"];
?></td>
<td><a href="uploads/<?php echo
$row["photo"]; ?>">
" width="30px"
height="30px" /></a></td>
<td><?php echo
$row["nama_lengkap"]; ?></td>
<td><?php echo $row["jabatan"];
?></td>
<td><?php echo $row["email"];
?></td>
<td><?php echo $row["password"];
?></td>
<td><a class="btn btn-xs btn-
outline-primary"
href='javascript:getData("<?php echo
$row["nip"]; ?>"')>Edit</i></a>
<a class="btn btn-xs btn-outline-
warning"
href='javascript:delData("<?php echo
$row["nip"]; ?>"')>Delete</a></td>
</tr><?php } ?>
</tbody>
</table>
</div></div>
</div>
<?php ob_start(); ?>
<?php $setDTcolvis = "{extend:
'colvis', text: '<i class=\"fas fa-
columns\"></i>'}"; ?>
<?php $setDTentities = "{extend:
'pageLength', text: '<i class=\"fas fa-
eye\"></i>'}"; ?>
<?php $setTableStyle =
"\"responsive\": true;"; ?>
<?php $setScriptTools =
"\"searching\": true,
\"paging\": true,
lengthMenu: [[ 10, 25, 50, -1 ],[
\"10\", \"25\", \"50\", \"Show all\" ]],
\"ordering\": true,
\"info\": true,
'; ?>
<?php $setDTbuttons = "{extend:
'copyHtml5', exportOptions: {
columns: ':visible' }},
{extend: 'excelHtml5',
exportOptions: { columns: ':visible'
}},
{extend: 'pdfHtml5', download:
'open', exportOptions: { columns:
':visible' }, orientation:
'landscape',pageSize: 'legal',title:
'Laporan Data Pengguna'}"; ?>
<?php $setDTSearchCol = ""; ?>
<?php $customSCBottom = ""; ?>
<?php $setDTfooterScript = "; ?>
<?php include('pages/dtscripts.php');
?>
<script>
function getData(ID){
$('#mwFm-col').collapse('show');

```

```

$('.needs-
validation').attr('process','update');
var val = ID;
var key = '<?php echo $pri_name;
?>';
var tbl = '<?php echo $table; ?>';
$('input[name="key"]').val('<?php
echo $pri_name; ?>');
$('input[name="val"]').val(ID);
$.ajax({
type : "POST",
url : "actions.php?act=getdata",
data :
"key="+key+"&val="+val+"&table=
"+tbl,
dataType : "json",
beforeSend : function(response){
$("body").LoadingOverlay("show", {
<?php echo $loading; ?>
});
},
complete : function() {
$("body").LoadingOverlay("hide",
true); },
success : function(data){
$('input[name="nip"]').val(data.nip);
$('input[name="photo"]').removeAttr
("required");$('input[name="nama_le
ngkap"]').val(data.nama_lengkap);
$('input[name="jabatan"]').each(func
tion(){if($(this).val() ==
data.jabatan){
$(this).prop("checked", true); } });
$('input[name="email"]').val(data.em
ail);
$('input[name="password"]').val(data
.password);
return false; } }); }
$(document).on('change',
'input[type="file"]', function() {
var target = $(this).parents('.input-
group').find('.input-group-
text').attr('id');

```

```

$('#'+target).empty();
$('#'+target).append("<img
src='"+URL.createObjectURL(this.fi
les[0])+"' width='35' height='35' />");
});
</script>
<?php
include('pages/forminsert.php'); ?>
<?php include('pages/formcall.php');
?>
<?php $footerCTcallScript_custom =
ob_get_contents(); ob_clean(); ?>

```

admin/modules/data_produk/ index.php

```

<div id="BSaccordion">
<?php
if($session['jabatan']=='Admin'){ ?>
<div class="card card-outline card-
dark">
<div class="card-header p-1"
id="headingForm"><h5 class="mb-
0">
<button class="btn btn-link" data-
toggle="collapse" data-
target="#mwFm-col" aria-
expanded="true" aria-
controls="mwFm-col">
<b>Input Data Produk</b>
</button></h5></div>
<div id="mwFm-col"
class="collapse" aria-
labelledby="headingForm" data-
parent="#BSaccordion">
<div class="card-body p-0">
<?php include("input.php"); ?>
</div></div>
</div>
<?php } ?>
<div class="card card-outline card-
dark">

```

```

<div class="card-header p-1"
id="headingData"><h5 class="mb-
0">
<button class="btn btn-link" data-
toggle="collapse" data-
target="#mwData-col" aria-
expanded="true" aria-
controls="mwData-col">
<b>Data
Produk</b></button></h5></div>
<div id="mwData-col"
class="collapse show" aria-
labelledby="headingData" data-
parent="#BSaccordion">
<div class="card-body">
<?php $table = "data_produk";
$sql = "SELECT * FROM
`data_produk`";
$result = $conn->query($sql); ?>
<table id="dataMightyWeb"
class="table table-striped table-
bordered nowrap" width="100%">
<thead>
<tr>
<th>Produk</th>
<th>Mutu</th>
<th>Satuan</th>
<th>Harga</th>
<?php
if($session['jabatan']=='Admin'){ ?>
<th>Actions</th>
<?php } ?>
</tr>
</thead>
<tbody>
<?php while($row = $result-
>fetch_assoc()) { ?><tr>
<td><?php echo $row["produk"];
?></td>
<td><?php echo $row["mutu"];
?></td>
<td><?php echo $row["satuan"];
?></td>

```

```

<td>Rp. <?php echo
number($row["harga"]); ?></td>
<?php
if($session['jabatan']=='Admin'){ ?>
<td><a class="btn btn-xs btn-
outline-primary"
href='javascript:getData("<?php echo
$row["id_produk"];
?>")'>Edit</i></a>
<a class="btn btn-xs btn-outline-
warning"
href='javascript:delData("<?php echo
$row["id_produk"];
?>")'>Delete</a></td>
<?php } ?>
</tr><?php } ?>
</tbody>
</table>
</div></div>
</div>
<?php ob_start(); ?>
<?php $setDTcolvis = "{extend:
'colvis', text: '<i class=\"fas fa-
columns\"></i>'}"; ?>
<?php $setDTenties = "{extend:
'pageLength', text: '<i class=\"fas fa-
eye\"></i>'}"; ?>
<?php $setTableStyle =
"\"responsive\": true;"; ?>
<?php $setScriptTools =
"\"searching\": true,
\"paging\": true,
lengthMenu: [[ 10, 25, 50, -1 ],[
\"10\", \"25\", \"50\", \"Show all\" ]],
\"ordering\": true,
\"info\": true,
\"rowGroup\": { \"dataSrc\": [ 0 ]},
\"columnDefs\": [{
\"targets\": [0],
\"visible\": false,
\"searchable\": false
}],

```



```

'; ?>
<?php $setDTbuttons = "{extend:
'copyHtml5', exportOptions: {
columns: ':visible' }},
{extend: 'excelHtml5',
exportOptions: { columns: ':visible'
}},
{extend: 'pdfHtml5', download:
'open', exportOptions: { columns:
':visible' }, orientation:
'landscape',pageSize: 'legal',title:
'Laporan Data Produk'},"; ?>
<?php $setDTSearchCol = ""; ?>
<?php $customSCBottom = ""; ?>
<?php $setDTfooterScript = "; ?>
<?php include('pages/dtscripts.php');
?>
<script>
function getData(ID){
$('#mwFm-col').collapse('show');
$('.needs-
validation').attr('process','update');
var val = ID;
var key = '<?php echo $pri_name;
?>';
var tbl = '<?php echo $table; ?>';
$('input[name="key"]').val('<?php
echo $pri_name; ?>');
$('input[name="val"]').val(ID);
$.ajax({
type : "POST",
url : "actions.php?act=getdata",
data :
"key="+key+"&val="+val+"&table=
"+tbl,
dataType : "json",
beforeSend : function(response){
$("body").LoadingOverlay("show", {
<?php echo $loading; ?>
});
},

```

```

complete : function() {
$("body").LoadingOverlay("hide",
true); },
success : function(data){
$('input[name="produk"]').each(func
tion(){if($(this).val() ==
data.produk){
$(this).prop("checked", true); } });
$('input[name="mutu"]').val(data.mu
tu);
$('input[name="satuan"]').each(func
tion(){if($(this).val() == data.satuan){
$(this).prop("checked", true); } });
$('input[name="harga"]').val(data.har
ga);
return false; } }); }

```

```

</script>
<?php
include('pages/forminsert.php'); ?>
<?php include('pages/formcall.php');
?>
<?php $footerCTcallScript_custom =
ob_get_contents(); ob_clean(); ?>

```

admin/modules/data_produk/ input.php

```

<form class="needs-validation mb-0"
enctype="multipart/form-data"
novalidate id="mightywebForm"
process="insert">

```

```

<input type="hidden" name="table"
value="data_produk">
<div class="card-body">

```

```

<div class="form-group"
id="fg_produk">
<label>Produk</label><div
class="col-12">

```

```

<div class="custom-control custom-
radio custom-control-inline">
<input class="custom-control-input"
type="radio" id="produk-1"
name="produk" value="Beton"
required="required">
<label class="custom-control-label"
for="produk-1">Beton</label>
</div>
<div class="custom-control custom-
radio custom-control-inline">
<input class="custom-control-input"
type="radio" id="produk-2"
name="produk" value="Asphalt"
required="required">
<label class="custom-control-label"
for="produk-2">Asphalt</label>
</div>
</div><div class="invalid-
feedback">Error: this field is
required.</div></div>
<div class="form-group"
id="fg_mutu">
<label
for="mutu">Mutu</label><input
type="text" class="form-control"
required="required" name="mutu"
id="mutu" value=""><div
class="invalid-feedback">Error: this
field is required.</div></div>
<div class="form-group"
id="fg_satuan">
<label>Satuan</label><div
class="col-12">
<div class="custom-control custom-
radio custom-control-inline">
<input class="custom-control-input"
type="radio" id="satuan-3"
name="satuan" value="Kubik"
required="required">
<label class="custom-control-label"
for="satuan-3">Kubik</label>
</div>

```

```

<div class="custom-control custom-
radio custom-control-inline">
<input class="custom-control-input"
type="radio" id="satuan-4"
name="satuan" value="Ton"
required="required">
<label class="custom-control-label"
for="satuan-4">Ton</label>
</div>
</div><div class="invalid-
feedback">Error: this field is
required.</div></div>

<div class="form-group"
id="fg_harga">
<label for="harga">Harga</label>
<input type="number" class="form-
control" required="required"
name="harga" id="harga"
value=""><div class="invalid-
feedback">Error: this field is
required.</div></div></div>

<input type="hidden" name="key" />
<input type="hidden" name="val" />
<div class="card-footer border-
dark">
<button type="reset" class="btn btn-
secondary">Cancel</button>
<button type="submit" class="btn
btn-primary float-
right">Submit</button>
</div>
</form>

```

[admin/modules/data_proyek/](#) [index.php](#)

```

<?php
if($session['jabatan']=='Supervisor'){
?>
<p>

```

```

<a class="btn btn-outline-dark"
href="?m=modules/data_proyek/&p
=input&act=insert"><i class="fa fa-
plus"></i> Insert Record
</a>
</p>
<?php } ?>
<div class="card card-outline card-
dark">
<div class="card-header"><h3
class="card-title">Data
Proyek</h3></div>
<div class="card-body">
<?php
$table = "data_proyek";
$result = $conn->query("SELECT *
FROM ` $table `"); ?>
<table id="dataMightyWeb"
class="table table-hover table-
bordered nowrap"width="100%">
<thead>
<tr>
<th>Tanggal</th>
<th>Judul Pekerjaan</th>
<th>Pelanggan</th>
<th>Nama Jalan</th>
<th>RT RW</th>
<th>Kelurahan Desa</th>
<th>Kabupaten Kota</th>
<th>Provinsi</th>
<th>Lokasi</th>
<th>Produk</th>
<th>Spesifikasi</th>
<th>Kebutuhan</th>
<th>Jumlah Mobil</th>
<th>Estimasi Pekerjaan</th>
<?php
if($session['jabatan']=='Supervisor'){
?>
<th>Actions</th>
<?php } ?>
</tr>
</thead>

```

```

<tbody>
<?php while($row = $result-
>fetch_assoc()) {
$result2 = $conn->query("SELECT
* FROM `data_proyek_detail`
WHERE id_proyek =
'$row[id_proyek]'");
if($result2->num_rows > 0){
    $color = "";
}else{
    $color = 'style="background-color:
#ff000038;";';
}

$produk =
idkey_to_name('data_produk','id_pro
duk',$row["id_produk'],'produk');
$mutu =
idkey_to_name('data_produk','id_pro
duk',$row["id_produk'],'mutu');

$skubik =
($row["panjang"]*$row["lebar"])*$r
ow["tebal"];
?>
<tr <?php echo $color; ?>>
<td><?php echo
$row["tanggal_permintaan"]; ?></td>
<td><?php echo
$row["judul_pekerjaan"]; ?></td>
<td><?php echo
idkey_to_name('data_pelanggan','id_
pelanggan',$row["id_pelanggan'],'na
ma_pelanggan'); ?></td>
<td><?php echo
$row["nama_jalan"]; ?></td>
<td><?php echo $row["rt_rw"];
?></td>
<td><?php echo
$row["kelurahan_desa"]; ?></td>
<td><?php echo
$row["kabupaten_kota"]; ?></td>

```

```

<td><?php echo $row["provinsi"];
?></td>
<td><a
href="http://maps.google.com/maps?
q=<?php echo $row["lokasi"]; ?>"
target="_blank"><?php echo
$row["lokasi"]; ?></a></td>
<td><?php echo $produk.' - '.$mutu;
?></td>
<td><?php echo $row["panjang"];
?>m X <?php echo $row["lebar"];
?>m X <?php echo $row["tebal"];
?>m</td>
<td><?php echo $kubik; ?>
&#13221;</td>
<td>
<?php
if($result2->num_rows > 0) {
?>
<table class="table table-hover
table-bordered nowrap mb-1"
width="100%">
<thead>
<tr>
<th>No</th>
<th>Nopol</th>
<th>Detail</th>
</tr>
</thead>
<tbody>
<?php
$no=1;
while($row2 = $result2-
>fetch_assoc()) {
$satunya =
idkey_to_name('data_mobil','nopol',$
row2["nopol"],'satunya');
$jenis =
idkey_to_name('data_mobil','nopol',$
row2["nopol"],'jenis');
$kapasitas =
idkey_to_name('data_mobil','nopol',$
row2["nopol"],'kapasitas');

```

```

    $t_kapasitas[$row['id_proyek']] =
$kapasitas;
?>
<tr>
<td><?php echo $no; ?></td>
<td><?php echo $row2["nopol"];
?></td>
<td><?php echo $jenis.' -
'.$kapasitas.'/'.$satunya; ?></td>
</tr>
<?php $no++; } ?>
</tbody>
</table>
<?php

if($session['jabatan']=='Supervisor'){
?>
<a
href="?m=modules/data_proyek_det
ail&p=input&act=update-
dproyek&key=id_proyek&val=<?ph
p echo $row["id_proyek"];
?>&produk=<?php echo $produk;
?>&id=<?php echo
$row['id_proyek']; ?>" class="btn
btn-info btn-xs" title="Update">Edit
Mobil</a>
<?php } ?>
<?php }else{ ?>
<?php

if($session['jabatan']=='Supervisor'){
?>
<a class='btn btn-success btn-xs'

href='./?m=modules/data_proyek_det
ail&p=input&produk=<?php echo
$produk; ?>&id=<?php echo
$row['id_proyek']; ?>&act=insert-
dproyek&produk=<?php echo
$produk; ?>'>

```

```

                Atur Kendaraan <i class='fa
fa-arrow-right'></i></a>
                <?php } ?>
                <?php } ?>
</td>
<td><?php
    if($produk=='Beton'){
        $sum =
        $t_kapasitas[$row['id_proyek']];
        try{
            $m3 = $kubik/$sum;
            echo round($m3,0);
        }catch(DivisionByZeroError
        $m3){
            echo '0';
        }
        }else{
            $sum =
            array_sum($t_kapasitas);

            try{
                $m3 = ($sum*0.8)/1000;
                echo round($kubik/$m3,0);
            }catch(DivisionByZeroError
            $m3){
                echo '0';
            }
        }
        ?> Rit</td>
<?php
if($session['jabatan']=='Supervisor'){
?>
<td><a
href="?m=modules/data_proyek/&p
=input&act=update&key=id_proyek
&val=<?php echo
$row["id_proyek"]; ?>" class="btn
btn-info btn-xs" title="Update"><i
class="fas fa-edit"></i></a>
<a href="javascript:delData('<?php
echo $row["id_proyek"]; ?>'"
class="btn btn-danger btn-xs"

```

```

title="Delete"><i class="far fa-trash-
alt"></i></a></td>
<?php } ?>
</tr><?php } ?>
</tbody>
</table>
</div></div>
<?php ob_start(); ?>
<?php $setDTcolvis = "{extend:
'colvis', text: '<i class=\"fas fa-
columns\"></i>'}"; ?>
<?php $setDTentries = "{extend:
'pageLength', text: '<i class=\"fas fa-
eye\"></i>'}"; ?>
<?php $setTableStyle =
""responsive": true;"; ?>
<?php $setScriptTools =
""searching": true,
"paging": true,
lengthMenu: [[ 10, 25, 50, -1 ],[
"10", "25", "50", "Show all" ]],
"ordering": true,
"info": true,
'; ?>
<?php $setDTbuttons = "{extend:
'copyHtml5', exportOptions: {
columns: ':visible' }},
{extend: 'excelHtml5',
exportOptions: { columns: ':visible'
}},
{extend: 'pdfHtml5', download:
'open', exportOptions: { columns:
':visible' }, orientatiokun:
'landscape',page_size: 'legal',title:
'Laporan Data Proyek'}"; ?>
<?php $setDTSearchCol = ""; ?>
<?php $customSCBottom = ""; ?>
<?php $setDTfooterScript = ""; ?>
<?php include('pages/dtscripts.php');
?>

```

```
<?php $footerCTcallScript_custom =  
ob_get_contents(); ob_clean(); ?>
```

admin/modules/data_proyek/ input.php

```
<?php  
$stable = "data_proyek";  
if(!empty($_GET['key']) &&  
!empty($_GET['val'])){  
$sqlupdate = $conn-  
>query("SELECT * FROM `stable`  
WHERE `$_GET[key]` =  
`$_GET[val]`");  
$row = $sqlupdate->fetch_array();  
$inputkey = '<input type="hidden"  
name="key"  
value=".'$_GET['key'].'" />';  
$inputval = '<input type="hidden"  
name="val" value=".'$_GET['val'].'"  
>';  
$act = 'process="update";  
$provinsi = $row['provinsi'];  
$tgl = $row['tanggal_permintaan'];  
}else if(!empty($_GET['act'])){  
$act = 'process=".'$_GET['act'].'"';  
$provinsi = 'SUMSEL';  
$tgl = date('Y-m-d');  
}else{  
$act = 'process="insert";  
$provinsi = 'SUMSEL';  
$tgl = date('Y-m-d');  
}?>  
<div class="col-12"><div  
class="card card-outline card-dark">  
<div class="card-header"><h3  
class="card-title"> Input Data  
Proyek </h3></div>  
<form class="needs-validation mb-0"  
novalidate enctype="multipart/form-  
data" id="mightywebForm" <?php  
echo $act; ?>>
```

```
<input type="hidden" name="table"  
value="<?php echo $stable; ?>">  
<?php echo $inputkey; ?>  
<?php echo $inputval; ?>  
<div class="card-body">
```

```
<div class="form-group"  
id="fg_id_pelanggan">  
<label for="id_pelanggan">Nama  
Pelanggan</label>  
<select class="form-control select-  
single" required  
name="id_pelanggan"  
id="id_pelanggan">  
  <?php  
  select_dataOptGroup('data_pelangga  
n','jenis','id_pelanggan','nama_pelang  
gan',$row['id_pelanggan']);?>  
</select>  
<div class="invalid-  
feedback">Error: this field is  
required.</div></div>
```

```
<div class="row">  
<div class="form-group col-9"  
id="fg_judul_pekerjaan">  
<label for="judul_pekerjaan">Judul  
Pekerjaan</label><input type="text"  
class="form-control" required  
name="judul_pekerjaan"  
id="judul_pekerjaan" value="<?php  
echo $row['judul_pekerjaan'];  
?>"><div class="invalid-  
feedback">Error: this field is  
required.</div></div>
```

```
<div class="form-group col-3"  
id="fg_tanggal_permintaan">  
<label  
for="tanggal_permintaan">tanggal_pe  
rmintaan</label><input type="date"  
class="form-control" required
```

```
name="tanggal_permintan"
id="tanggal_permintan"
value="<?php echo $tgl; ?>"
<div class="invalid-
feedback">Error: this field is
required.</div>
</div>
</div>
```

```
<div class="row">
<div class="form-group col"
id="fg_nama_jalan">
<label for="nama_jalan">Nama
Jalan</label>
<input type="text" class="form-
control" required
name="nama_jalan"
id="nama_jalan" value="<?php echo
$row['nama_jalan']; ?>">
<div class="invalid-
feedback">Error: this field is
required.</div></div>
```

```
<div class="form-group col"
id="fg_rt_rw">
<label for="rt_rw">RT &
RW</label>
<input type="text" class="form-
control" required name="rt_rw"
id="rt_rw" value="<?php echo
$row['rt_rw']; ?>">
<div class="invalid-
feedback">Error: this field is
required.</div></div>
```

```
<div class="form-group col"
id="fg_kelurahan_desa">
<label
for="kelurahan_desa">Kelurahan
Desa</label>
<input type="text" class="form-
control" required
name="kelurahan_desa"
```

```
id="kelurahan_desa" value="<?php
echo $row['kelurahan_desa'];
?>"><div class="invalid-
feedback">Error: this field is
required.</div></div>
</div>
```

```
<div class="row">
<div class="form-group col"
id="fg_kabupaten_kota">
<label
for="kabupaten_kota">Kabupaten
Kota</label>
<input type="text" class="form-
control" required
name="kabupaten_kota"
id="kabupaten_kota" value="<?php
echo $row['kabupaten_kota']; ?>">
<div class="invalid-
feedback">Error: this field is
required.</div></div>
```

```
<div class="form-group col"
id="fg_provinsi">
<label
for="provinsi">Provinsi</label>
<input type="text" class="form-
control" required name="provinsi"
id="provinsi" value="<?php echo
$row['provinsi']; ?>">
<div class="invalid-
feedback">Error: this field is
required.</div></div>
</div>
```

```
<div class="form-group"
id="fg_lokasi">
<label for="lokasi">Lokasi</label>
<input type="text" class="form-
control" required name="lokasi"
id="lokasi" value="<?php echo
$row['lokasi']; ?>" readonly>
```

```
<div id='maps-view' class="mb-3" style='width: 100%; height:250px;'></div>
<div class="invalid-feedback">Error: this field is required.</div></div>
```

```
<div class="form-group" id="fg_id_produk">
<label for="id_produk">Nama Produk</label>
<select class="form-control select-single" required name="id_produk" id="id_produk">
  <?php
select_dataOptGroup('data_produk','produk','id_produk','mutu',$row['id_produk']);?>
</select>
<div class="invalid-feedback">Error: this field is required.</div></div>
```

```
<div class="row">
<div class="form-group col" id="fg_panjang">
<label for="panjang">Panjang (meter)</label>
<input type="text" class="form-control" required name="panjang" id="panjang" value="<?php echo $row['panjang']; ?>"><div class="invalid-feedback">Error: this field is required.</div></div>
```

```
<div class="form-group col" id="fg_lebar">
<label for="lebar">Lebar (meter)</label>
<input type="text" class="form-control" required name="lebar" id="lebar" value="<?php echo $row['lebar']; ?>"><div
```

```
class="invalid-feedback">Error: this field is required.</div></div>
```

```
<div class="form-group col" id="fg_tebal">
<label for="tebal">Tebal (meter)</label>
<input type="text" class="form-control" required name="tebal" id="tebal" value="<?php echo $row['tebal']; ?>"><div class="invalid-feedback">Error: this field is required.</div></div>
</div>
```

```
<div class="card-footer">
<a class="btn border-dark" onClick="history.back()">Cancel</a>
<button type="submit" class="btn btn-primary float-right">Submit</button>
</div>
```

```
</form>
</div></div>
<?php ob_start(); ?>
<?php
include('pages/forminsert.php'); ?>
<?php include('pages/formcall.php'); ?>
<link href="<?php echo path('dist/'); ?>plugins/leaflet/leaflet.css" rel="stylesheet" />
<script src="<?php echo path('dist/'); ?>plugins/leaflet/leaflet.js"></script>
<script>
let koordinat = "searching...";
if
(document.getElementById("maps-view")) {
window.onload = function() {
var popup = L.popup();
```



```

var geolocationMap = L.map("maps-
view", {
center: [40.731701, -73.993411],
zoom: 15,
});

```

```

L.tileLayer("https://{s}.tile.openstree
tmap.org/{z}/{x}/{y}.png", {
attribution: '&copy; <a
href="https://www.openstreetmap.or
g/copyright">OpenStreetMap</a>
contributors',
}).addTo(geolocationMap);

```

```

function
geolocationErrorOccurred(geolocatio
nSupported, popup, latLng) {
popup.setLatLng(latLng);
popup.setContent(
geolocationSupported ?
"<b>Error:</b> The Geolocation
service failed." :
"<b>Error:</b> This browser doesn't
support geolocation."
);
popup.openOn(geolocationMap);
}

```

```

if (navigator.geolocation) {
navigator.geolocation.getCurrentPosi
tion(
function(position) {
var latLng = {
lat: position.coords.latitude,
lng: position.coords.longitude,
};

```

```

var marker =
L.marker(latLng).addTo(geolocation
Map);
koordinat = position.coords.latitude
+ ", " + position.coords.longitude;
geolocationMap.setView(latLng);

```

```

$('#lokasi').val(koordinat);
},
function() {
geolocationErrorOccurred(true,
popup, geolocationMap.getCenter());
koordinat = 'No Location';
}
);
} else {
//No browser support geolocation
service
geolocationErrorOccurred(false,
popup, geolocationMap.getCenter());
koordinat = 'No Location';
}
};
}
</script>
<?php $footerCTcallScript_custom =
ob_get_contents(); ob_clean(); ?>

```

admin/modules/data_proyek/ laporan.php

```

<?php
if(!empty($_GET['month'])){
    $where = "WHERE
MONTH(`tanggal_permintaan`) =
'$_GET[month]' AND
YEAR(`tanggal_permintaan`) =
'$_GET[year]'";
} else {
    $where = "";
}
$stable = "data_proyek";
?>
<div class="card">
<div class="card-body">
<div class="form-group col-12 p-0">
<h5 class="m-0">REKAPAN
PEMBAYARAN
KONSUMEN</h5>

```

```

<p><?php echo $company_name;
?></p>
</div>
<div class="form-group col-lg-2 col-sm-12 p-0 mb-3">
<label>Periode Rekap</label>
<select class="form-control
onchange" name="date-group"
required>
<option>-Semua-</option>
<?php
$result1 = $conn->query("SELECT
DISTINCT
MONTH(`tanggal_permintaan`) AS
Bulan, YEAR(`tanggal_permintaan`)
AS Tahun FROM `stable`");
if($result1->num_rows > 0) {
    while($row1 = $result1-
>fetch_array()) {

if($row1['Bulan']==$_GET['month'])
{ $selected =
'selected';}else{ $selected="";
        echo "<option
value='".$row1['Bulan']."' -
".$row1['Tahun']."'
$selected>".MonthName($row1['Bul
an'])." -
".$row1['Tahun']."'</option>";
    }
}
?>
</select>
</div>
<?php
if(!empty($_GET['month'])){
$result = $conn->query("SELECT *
FROM `stable` $where GROUP BY
id_pelanggan");
$dates = $_GET['year'].'-
'.$_GET['month'];
$lastDate = date('Y-m',
strtotime($dates. ' -1 months'));

```

```

$sex = explode('-', $lastDate);
?>
<table id="dataMightyWeb"
class="table table-striped table-
bordered nowrap" width="100%">
<thead>
<tr>
<th>No</th>
<th>Nama pelanggan</th>
<th>Jumlah Mobil</th>
<th>MUTU</th>
<th>Jumlah (TON)</th>
<th>Harga TON</th>
<th>Jumlah BON</th>
</tr>
</thead>
<tbody>
<?php $no=1;
while($row = $result->fetch_assoc())
{
    $kubik = array();
    ?><tr>
<td><?php echo $no; ?></td>
<td>
<?php echo
idkey_to_name('data_pelanggan','id_
pelanggan',$row["id_pelanggan'],'na
ma_pelanggan'); ?>
</td>
<td><?php
    $result3 = $conn-
>query("SELECT dp.id_pelanggan,
COUNT(dpd.nopol) AS
jumlah_nopol
        FROM
`data_proyek` dp
        LEFT JOIN
`data_proyek_detail` dpd ON
dp.id_proyek = dpd.id_proyek
        $where
        AND
dp.id_pelanggan =
'$row[id_pelanggan]'");

```

```

        while ($row3 = $result3-
>fetch_assoc()) {
            echo $row3['jumlah_nopol'];
        }
?>
</td>

<td><?php echo
idkey_to_name('data_produk','id_pro
duk',$row["id_produk'],'mutu');
?></td>
<td><?php
        $result2 = $conn-
>query("SELECT * FROM `stable`
$where AND id_pelanggan =
'$row[id_pelanggan]");
        while ($row2 = $result2-
>fetch_assoc()) {
            $kubik[] =
($row2["panjang"]*$row2["lebar"])*
$row2["tebal"];
        }
        $total_kubik =
array_sum($kubik);
        echo $total_kubik;
?></td>
<td>Rp. <?php
        $harga=
idkey_to_name('data_produk','id_pro
duk',$row["id_produk'],'harga');
        echo number($harga);
?>
</td>
<td>Rp. <?php echo
number_format($total_kubik*$harga
); ?></td>
</tr><?php $no++; } ?>
</tbody>
</table>
<?php } ?>
</div></div>
<?php ob_start(); ?>

```

```

<?php $setDTcolvis = "{extend:
'colvis', text: '<i class=\"fas fa-
columns\"></i>'}"; ?>
<?php $setDTenties = "{extend:
'pageLength', text: '<i class=\"fas fa-
eye\"></i>'}"; ?>
<?php $setTableStyle = "'scrollX":
true, "fixedColumns": true, '; ?>
<?php $setScriptTools =
"searching": true,
"paging": true,
lengthMenu: [[ 10, 25, 50, -1 ],[
"10", "25", "50", "Show all" ]],
"ordering": true,
"info": true;'; ?>
<?php $setDTbuttons = "{extend:
'copyHtml5', exportOptions: {
columns: ':visible' }},
{extend: 'excelHtml5',
exportOptions: { columns: ':visible'
}},
{extend: 'pdfHtml5', download:
'open', exportOptions: { columns:
':visible' },orientation:
'landscape',pageSize: 'legal',title:
'Laporan'}"; ?>
<?php $setDTSearchCol = ""; ?>
<?php $setDTfooterScript = ""; ?>
<?php include('pages/dtscripts.php');
?>
<script>

$(document).ready(function () {
$('onchange').on('change',
function(){
        var splits =
$('select[name="date-
group"]').val().split('-');
        var mval = splits[0];
        var yval = splits[1];
        var baseurl =
'./?m=modules/data_proyek&p=lapor
an';

```

```

        window.location.replace(base
url+'&month='+mval+'&year='+yval
);
});
});

```

```

</script>
<?php $footerCTcallScript_custom =
ob_get_contents(); ob_clean(); ?>

```

admin/modules/data_proyek/ prediksi.php

```

<div class="card card-outline card-
dark">
<div class="card-header"><h3
class="card-title">Data
Proyek</h3></div>
<div class="card-body">
<?php
$table = "data_proyek";
$result = $conn->query("SELECT *
FROM ` $table `"); ?>
<table id="dataMightyWeb"
class="table table-hover table-
bordered nowrap"width="100%">
<thead>
<tr>
<th>Pelanggan</th>
<th>Alamat</th>
<th>Proyek</th>
<th>Produk</th>
<th>Mutu</th>
<th>Panjang</th>
<th>Lebar</th>
<th>Tebal</th>
<th>Volume</th>
<th>Harga</th>
<th>Jenis / Probabilitas</th>
</tr>
</thead>
<tbody>

```

```

<?php $arr_probabilitas = array();
while($row = $result->fetch_assoc())
{
$result2 = $conn->query("SELECT
* FROM `data_proyek_detail`
WHERE id_proyek =
'$row[id_proyek]'");

```

```

$nama =
idkey_to_name('data_pelanggan','id_
pelanggan',$row["id_pelanggan'],'na
ma_pelanggan');
$produk =
idkey_to_name('data_produk','id_pro
duk',$row["id_produk'],'produk');
$mutu =
idkey_to_name('data_produk','id_pro
duk',$row["id_produk'],'mutu');

```

```

$proyek1 =
preg_match('/\JALAN\b/',
strtoupper($row["judul_pekerjaan"]))
;
$proyek2 =
preg_match('/\JEMBATAN\b/',
strtoupper($row["judul_pekerjaan"]))
;
$proyek3 =
preg_match('/\SALURAN\b/',
strtoupper($row["judul_pekerjaan"]))
;
if($proyek1==1){
    $proyek = 'Jalan';
} else if($proyek2==1){
    $proyek = 'Jembatan';
} else if($proyek3==1){
    $proyek = 'Saluran';
}

```

```

$skubik =
($row["panjang"]*$row["lebar"])*$r
ow["tebal"];

```

```

$exMutu = explode('-', $mutu);

if($exMutu[1]=='WC'){
    $harga = 'Standar Tinggi';
} else if($exMutu[1]=='BC'){
    $harga = 'Standar';
} else if($exMutu[1]=='BASE'){
    $harga = 'Ekonomis';
} else if($exMutu[1]>=125 AND
$exMutu[1]<=250){
    $harga = 'Ekonomis';
} else if($exMutu[1]>=250 AND
$exMutu[1]<400){
    $harga = 'Standar';
} else if($exMutu[1]>=400){
    $harga = 'Standar Tinggi';
}

if($harga=='Standar Tinggi'){
    $probabilitas = 'Tinggi';
} else if($harga=='Standar'){
    $probabilitas = 'Sedang';
} else if($harga=='Ekonomis'){
    $probabilitas = 'Rendah';
}

$st_all[] = $proyek;
$st_harga[$probabilitas][] =
[$proyek];

$proyek_probabilitas[$proyek][] =
$probabilitas;
$mutu_probabilitas[$mutu][] =
$probabilitas;
$harga_probabilitas[$harga][] =
$probabilitas;

?>
<tr>
<td><?php echo $nama; ?></td>
<td><?php echo
$row["nama_jalan"]; ?>,
<?php echo $row["rt_rw"]; ?>,
<?php echo $row["kelurahan_desa"];
?>,
<?php echo $row["kabupaten_kota"];
?></td>
<td><?php echo $proyek; ?></td>
<td><?php echo $produk; ?></td>
<td><?php echo $mutu; ?></td>
<td><?php echo $row["panjang"];
?>m</td>
<td><?php echo $row["lebar"];
?>m</td>
<td><?php echo $row["tebal"];
?>m</td>
<td><?php echo $kubik; ?>
&#13221;</td>
<td><?php echo $harga; ?></td>
<td><?php echo $probabilitas;
?></td>
</tr>
<?php }
$c_kuanT =
count($t_harga['Tinggi']);
$c_kuanS =
count($t_harga['Sedang']);
$c_kuanR =
count($t_harga['Rendah']);
$c_all = count($st_all);
?>
</tbody>
</table>
</div>
</div>
<div class="card card-outline card-
dark">
<div class="card-header"><h3
class="card-title">Probabilitas
Kelas</h3></div>
<div class="card-body">
<table class="table table-hover table-
bordered nowrap"width="100%">
<thead>
<tr>
<th>Kelas</th>

```

```

        <th>Nilai</th>
    </tr>
</thead>
<tbody>
<tr>
    <td>Tinggi</td>
    <td><?php echo
round($c_kuanT/$c_all,4); ?></td>
</tr>
<tr>
    <td>Sedang</td>
    <td><?php echo
round($c_kuanS/$c_all,4); ?></td>
</tr>
<tr>
    <td>Rendah</td>
    <td><?php echo
round($c_kuanR/$c_all,4); ?></td>
</tr>
</tbody>
</table>
</div>

```

```

<div class="card-header"><h3
class="card-title">Mencari
Probabilitas Proyek</h3></div>
<div class="card-body">
<table class="table table-hover table-
bordered nowrap"width="100%">
<thead>
<tr>
    <th rowspan="2">Proyek</th>
    <th colspan="3">Jumlah
Kejadian</th>
    <th colspan="3">Probabilitas</th>
</tr>
<tr>
<th>Tinggi</th>
<th>Sedang</th>
<th>Rendah</th>
<th>P (Tinggi)</th>
<th>P (Sedang)</th>
<th>P (Rendah)</th>

```

```

</tr>
</thead>
<tbody>
<?php
foreach($proyek_probabilitas as
$key => $val){
    $counts = array_count_values($val);
    ?>
<tr>
<td><?php echo $key; ?></td>
<td><?php echo
infozero($counts['Tinggi']); ?></td>
<td><?php echo
infozero($counts['Sedang']);
?></td>
<td><?php echo
infozero($counts['Rendah']);
?></td>
<td><?php echo
infozero($counts['Tinggi']/count($p
royek_probabilitas); ?></td>
<td><?php echo
infozero($counts['Sedang']/count($
proyek_probabilitas); ?></td>
<td><?php echo
infozero($counts['Rendah']/count($
proyek_probabilitas); ?></td>
</tr>
<?php } ?>
</tbody>
</tfoot>
</tfoot>
</table>
</div>
<div class="card-header"><h3
class="card-title">Mencari
Probabilitas Mutu</h3></div>
<div class="card-body">
<table class="table table-hover table-
bordered nowrap"width="100%">
<thead>
<tr>
    <th rowspan="2">Proyek</th>

```

```

    <th colspan="3">Jumlah
Kejadian</th>
    <th colspan="3">Probabilitas</th>
    </tr>
<tr>
<th>Tinggi</th>
<th>Sedang</th>
<th>Rendah</th>
<th>P (Tinggi)</th>
<th>P (Sedang)</th>
<th>P (Rendah)</th>
</tr>
</thead>
<tbody>
<?php
foreach($mutu_probabilitas as $key
=> $val){
$counts = array_count_values($val);
?>
<tr>
<td><?php echo $key; ?></td>
<td><?php echo
infozero($counts['Tinggi']); ?></td>
<td><?php echo
infozero($counts['Sedang']);
?></td>
<td><?php echo
infozero($counts['Rendah']);
?></td>
<td><?php echo
infozero($counts['Tinggi']/count($p
royek_probabilitas); ?></td>
<td><?php echo
infozero($counts['Sedang']/count($
proyek_probabilitas); ?></td>
<td><?php echo
infozero($counts['Rendah']/count($
proyek_probabilitas); ?></td>
</tr>
<?php } ?>
</tbody>
<tfoot>
</tfoot>

```

```

</table>
</div>
<div class="card-header"><h3
class="card-title">Mencari
Probabilitas Harga</h3></div>
<div class="card-body">
<table class="table table-hover table-
bordered nowrap"width="100%">
<thead>
<tr>
    <th rowspan="2">Proyek</th>
    <th colspan="3">Jumlah
Kejadian</th>
    <th colspan="3">Probabilitas</th>
    </tr>
<tr>
<th>Tinggi</th>
<th>Sedang</th>
<th>Rendah</th>
<th>P (Tinggi)</th>
<th>P (Sedang)</th>
<th>P (Rendah)</th>
</tr>
</thead>
<tbody>
<?php
foreach($harga_probabilitas as $key
=> $val){
$counts = array_count_values($val);
?>
<tr>
<td><?php echo $key; ?></td>
<td><?php echo
infozero($counts['Tinggi']); ?></td>
<td><?php echo
infozero($counts['Sedang']);
?></td>
<td><?php echo
infozero($counts['Rendah']);
?></td>
<td><?php echo
infozero($counts['Tinggi']/count($p
royek_probabilitas); ?></td>

```

```

<td><?php echo
infzero($counts['Sedang']/count($
proyek_probabilitas); ?></td>
<td><?php echo
infzero($counts['Rendah']/count($
proyek_probabilitas); ?></td>
</tr>
<?php } ?>
</tbody>
<tfoot>
</tfoot>
</table>
</div>
</div>

<?php
// Fungsi untuk menghitung standar
deviasi sampel
function
calculateSampleStandardDeviation($
data)
{
    $mean = array_sum($data) /
count($data);
    $sumOfSquaredDifferences = 0;
    foreach ($data as $value) {
        $sumOfSquaredDifferences +=
pow($value - $mean, 2);
    }

    // Hitung standar deviasi sampel
menggunakan N-1 sebagai penyebut
    $sampleStandardDeviation =
sqrt($sumOfSquaredDifferences /
(count($data) - 1));
    return $sampleStandardDeviation;
}

function infzero($num){
    if (is_nan($num) || empty($num))
    {
        return $num = 0;
    } else {
        return $num;
    }
}

return $num;
}
}
ob_start(); ?>
<?php $setDTcolvis = "{extend:
'colvis', text: '<i class=\"fas fa-
columns\"></i>'}"; ?>
<?php $setDTentries = "{extend:
'pageLength', text: '<i class=\"fas fa-
eye\"></i>'}"; ?>
<?php $setTableStyle = "'scrollX":
true, "fixedColumns": true, '; ?>
<?php $setScriptTools =
"'searching": true,
"paging": true,
lengthMenu: [[ 10, 25, 50, -1 ],[
"10", "25", "50", "Show all" ]],
"ordering": true,
"info": true;'; ?>
<?php $setDTbuttons = "{extend:
'copyHtml5', exportOptions: {
columns: ':visible' }},
{extend: 'excelHtml5',
exportOptions: { columns: ':visible'
}},
{extend: 'pdfHtml5', download:
'open', exportOptions: { columns:
':visible' }, orientation:
'landscape',page_size: 'legal',title:
'Laporan Data Proyek'}, "; ?>
<?php $setDTSearchCol = ""; ?>
<?php $customSCBottom = ""; ?>
<?php $setDTfooterScript = "; ?>
<?php include('pages/dtscripts.php');
?>
<?php $footerCTcallScript_custom =
ob_get_contents(); ob_clean(); ?>

```