



```
<?php
$servername = "localhost";
$user = "semesta1_root";
$password = "semestamedia.com";
$dbname = "semesta1_app_AimanFikri";
// Create connection
$conn = new mysqli($servername, $user, $password, $dbname);
// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}
?>
<?php
include('login.php');
/*
session_start();
require('connection.php');
include('admin/functions.php');
include('admin/siteidentity.php');
include('pages/header.php');
include('pages/navbar.php');
```

```
$file=htmlentities($_GET['p']);
$folder=htmlentities($_GET['m']);
$pagefolder="$folder/$file.php";
if(!empty($file) and file_exists($pagefolder)){
    include("$pagefolder");
}elseif(!empty($file) and !file_exists($pagefolder)){
    include("pages/404.php");
}else{
    include('pages/dashboard.php');
}
include('pages/footer.php');
*/?>
<?php
include('admin/functions.php');
include('admin/siteidentity.php');
?>
<!DOCTYPE html>
<html lang="en">
<head>
<!-- Title -->
<title><?php echo $company_name; ?></title>
<link rel="shortcut icon" href="<?php echo $favicon; ?>"
```

```
<!-- Required Meta Tags Always Come First -->
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<meta http-equiv="x-ua-compatible" content="ie=edge">
<!-- Google Fonts -->
<link rel="stylesheet" href="<?php echo path('assets/'); ?>plugins/icon-line/css/simple-line-icons.css">
<link rel="stylesheet" href="<?php echo path('assets/'); ?>plugins/icon-etlinefont/style.css">
<link rel="stylesheet" href="<?php echo path('assets/'); ?>plugins/icon-line-pro/style.css">
<link rel="stylesheet" href="<?php echo path('assets/'); ?>plugins/icon-line/style.css">
<link rel="stylesheet" href="<?php echo path('assets/'); ?>plugins/animate.css">
<link rel="stylesheet" href="<?php echo path('assets/'); ?>plugins/dzsparallaxer/dzsparallaxer.css">
```



```
<link rel="stylesheet"
href="<?php echo
path('assets/');
?>plugins/dzspallaxer/dz
sscroller/scroller.css">

<link rel="stylesheet"
href="<?php echo
path('assets/');
?>plugins/dzspallaxer/ad
vancedscroller/plugin.css"
>

<link rel="stylesheet"
href="<?php echo
path('assets/');
?>plugins/fancybox/jquery
.fancybox.css">

<link rel="stylesheet"
href="<?php echo
path('assets/');
?>plugins/hs-
megamenu/src/hs.megame
nu.css">

<link rel="stylesheet"
href="<?php echo
path('assets/');
?>plugins/hamburgers/ha
mburgers.min.css">

<link rel="stylesheet"
href="https://fonts.googlea
pis.com/css?family=Open
+Sans:300,400,600,700,80
0">

<!-- CSS Global
Compulsory -->

<link rel="stylesheet"
href="<?php echo
path('assets/');
?>plugins/bootstrap/bootst
rap.min.css">

<link rel="stylesheet"
href="<?php echo
path('assets/');
?>plugins/icon-
awesome/5.1/css/fontawes
ome.min.css">

<link rel="stylesheet"
href="<?php echo
path('assets/');
?>plugins/animate.css">

<!-- CSS Unify -->

<link rel="stylesheet"
href="<?php echo
path('assets/'); ?>css/unify-
core.css">

<link rel="stylesheet"
href="<?php echo
path('assets/'); ?>css/unify-
components.css">

<link rel="stylesheet"
href="<?php echo
path('assets/'); ?>css/unify-
globals.css">

<!-- CSS Customization --
>

<link rel="stylesheet"
href="<?php echo
path('assets/');
?>css/custom.css">

</head>

<body>

<main>

<!-- Login -->

<section class="g-height-
100vh d-flex align-items-
center g-bg-size-cover g-
bg-pos-top-center"
style="background-image:
url(bg.jpg);">

<div class="container g-
py-100 g-pos-rel g-z-
index-1">

<div class="row justify-
content-left">

<div class="col-sm-8 col-
lg-5">

<div class="g-brd-around
g-bg-white rounded g-brd-
gray-light-v4 rounded g-
py-20 g-px-30" id=login-
box>

<header class="text-
center">

<a href="."/"></a>

<h2 class="h2 g-color-
black g-font-weight-
600"><?php echo
$app_name; ?></h2>

<small id="box-
msg"></small>

</header>

<!-- Form -->

<form role="form"
class="needs-validation g-
py-15 pb-0" novalidate
process="login"
id="mightywebForm">

<input type="hidden"
value="data_pegawai"
name="table[]">

<input type="hidden"
value="username"
name="keylog">
```




```
e.preventDefault();
e.stopPropagation();
}else{
    e.preventDefault();
    var id = $(this).attr('id');
    forms = $('#'+id)[0];
    datas = new FormData(forms);
    var acts = $('#'+id).attr('process');
    $.ajax({
        type: "POST",
        dataType: "JSON",
        enctype: "multipart/form-data",
        url: "admin/actions.php?act="+acts,
        data: datas,
        processData: false,
        contentType: false,
        cache: false,
        timeout: 60000,
        beforeSend:
function(data){
            $('button[type="submit"]').text('Connecting...');
            $(':input').attr("disabled",true);
        },
        success:
function(response){
            if(response.status == 'valid'){
                setTimeout(function(){
                    window.location = "+response.direction;+";
                }, 3000);
                $("#box-msg").html("<span style='color:green'>"+response.message+"</span>");
                $('button[type="submit"]').text('Connected');
            }else
            if(response.status == 'invalid'){
                $("#box-msg").html("<span style='color:red'>"+response.message+"</span>");
                $('#login-box').effect('shake');
                $(':input').attr("disabled",false);
                $('button[type="submit"]').text('Login');
            }
        });
        $(this).addClass('was-validated');
        $(this).addClass('was-validated');
    });
});
</script>
</body>
</html>
<?php
session_start();
session_destroy();
echo "<script>>window.location.replace('./');</script>";
?>
<ul class="nav nav-justified u-nav-v4-1 u-nav-primary" role="tablist" data-target="tabmw-primary-justified" data-tabs-mobile-type="accordion" data-btn-classes="btn btn-md btn-block u-btn-outline-primary g-mb-20">
<li class="nav-item"><a class="nav-link active" data-toggle="tab" href="#mwData-tab" role="tab" id="tabmwData">DataTable</a></li>
<li class="nav-item"><a class="nav-link" data-toggle="tab" href="#mwFm-tab" role="tab" id="tabmwFm">Input Data</a></li>

```



```
</ul>

<div id="tabmw-primary-justified" class="tab-content g-pt-20--md">

<div class="tab-pane fade show active" id="mwData-tab" role="tabpanel">

<h1 class="g-font-weight-300 g-font-size-28 g-color-black">Data Gudang</h1>

<hr class="d-flex g-brd-gray-light-v7 g-my-15">

<?php $table = "data_gudang"; $sql = "SELECT * FROM $table";

$result = $conn->query($sql); ?>

<div class="table-responsive">

<table id="dataMightyWeb" class="table u-table--v3 g-color-black p-0 table-striped table-bordered table-nowrap" width="100%">

<thead>

<tr><th>Nama Gudang</th>

<th>Al amat</th>

<th>Ac tions</th></tr>

</thead>

<tbody>

<?php while($row = $result->fetch_assoc()) {

?><tr>

<td><?php echo $row["nama_gudang"]; ?></td>

<td><?php echo $row["alamat"]; ?></td>

<td><a class="btn btn-xs btn-outline-primary" href='javascript:getData("<?php echo $row["id_gudang"]; ?>")>Edit</a></td>

<a class="btn btn-xs btn-outline-warning" href='javascript:delData("<?php echo $row["id_gudang"]; ?>")>Delete</a></td>

</tr><?php } ?>

</tbody>

</table>

</div>

</div>

<div class="tab-pane fade" id="mwFm-tab" role="tabpanel">

<?php include("input.php"); ?>

</div>

</div>

<?php ob_start(); ?>

<?php $setDTcolvis = "{extend: 'colvis', text: '<i class=\"fas fa-columns\"></i>'}"; ?>

<?php $setDTenties = "{extend: 'pageLength', text: '<i class=\"fas fa-eye\"></i>'}"; ?>

<?php $setTableStyle = "responsive": true; ?>

<?php $setScriptTools = "searching": true, "paging": true, lengthMenu: [[ 10, 25, 50, -1 ],[ "10", "25", "50", "Show all" ]], "ordering": true, "info": true, "; ?>

<?php $setDTbuttons = "{extend: 'copyHtml5', exportOptions: { columns: 'visible' }}, {extend: 'excelHtml5', exportOptions: { columns: 'visible' }}, {extend: 'pdfHtml5', download: 'open', exportOptions: { columns: 'visible' }, orientation: 'landscape',page_size: 'legal',title: 'Laporan Data Gudang'}"; ?>

<?php $setDTSearchCol = ""; ?>

<?php $customSCBottom = ""; ?>

<?php $setDTfooterScript = ""; ?>

<?php include('pages/dtscripts.php'); ?>

<script>

function getData(ID){
```



```
$('#tab-  
mwFm').tab('show');  
  
$('.needs-  
validation').attr('process','u  
pdate');  
  
var val = ID;  
  
var key = '<?php echo  
$pri_name; ?>';  
  
var tbl = '<?php echo  
$table; ?>';  
  
$('input[name="key"]').val  
('<?php echo $pri_name;  
?>');  
  
$('input[name="val"]').val(  
ID);  
  
$.ajax({  
type : "POST",  
url :  
"actions.php?act=getdata",  
data :  
"key="+key+"&val="+val  
+"&table="+tbl,  
dataType : "json",  
beforeSend:  
function(response){  
$("body").LoadingOverlay  
("show", {  
<?php echo $loading; ?>  
});  
},  
complete: function() {  
$("body").LoadingOverlay  
("hide", true); },  
success : function(data){  
  
$('input[name="nama_gud  
ang"]').val(data.nama_gud  
ang);  
  
$('textarea[name="alamat"  
]').val(data.alamat);  
  
return false; } }); }  
  
</script>  
  
<?php  
include('pages/forminsert.  
php'); ?>  
  
<?php  
include('pages/formcall.ph  
p'); ?>  
  
<?php  
$footerCTcallScript_custo  
m = ob_get_contents();  
ob_clean(); ?>  
  
<h1 class="g-font-weight-  
300 g-font-size-28 g-color-  
black">Input Data  
Gudang</h1>  
  
<form class="needs-  
validation mb-0"  
enctype="multipart/form-  
data" novalidate  
id="mightywebForm"  
process="insert">  
  
<input type="hidden"  
name="key" />  
  
<input type="hidden"  
name="val" />  
  
<div class="g-brd-around  
g-brd-gray-light-v4">  
  
<input type="hidden"  
name="table"  
value="data_gudang">  
  
<div class="card-body">  
  
<div class="form-group"  
id="fg_nama_gudang">  
  
<label  
for="nama_gudang">Nam  
a Gudang</label><input  
type="text" class="form-  
control form-control-md"  
required="required"  
name="nama_gudang"  
id="nama_gudang"  
value=""><div  
class="invalid-  
feedback">Error: this field  
is required.</div></div>  
  
<div class="form-group"  
id="fg_alamat">  
  
<label  
for="alamat">Alamat</lab  
el><textarea class="form-  
control form-control-md"  
required="required"  
name="alamat"  
id="alamat"></textarea><  
div class="invalid-  
feedback">Error: this field  
is required.</div></div>  
  
</div>  
  
</div>  
  
<div class="card-footer g-  
brd-around g-brd-gray-  
light-v4 d-flex">  
  
<button type="button"  
class="btn btn-md u-btn-  
outline-gray-dark-v6 g-  
width-160--md g-font-
```



```
size-14          btn-
cancel">Cancel</button>

<button type="submit"
class="btn btn-md u-btn-
secondary g-width-160--
md g-font-size-14 ml-
auto">Submit</button>

</div>

</form>

<ul class="nav nav-
justified u-nav-v4-1 u-nav-
primary" role="tablist"
data-target="tabmw-
primary-justified" data-
tabs-mobile-
type="accordion" data-btn-
classes="btn btn-md btn-
block u-btn-outline-
primary g-mb-20">

<li class="nav-item"><a
class="nav-link active"
data-toggle="tab"
href="#mwData-tab"
role="tab" id="tab-
mwData">Data
Table</a></li>

<li class="nav-item"><a
class="nav-link" data-
toggle="tab"
href="#mwFm-tab"
role="tab" id="tab-
mwFm">Input
Data</a></li>

</ul>

<div id="tabmw-primary-
justified" class="tab-
content g-pt-20--md">

<div class="tab-pane fade
show active" id="mwData-
tab" role="tabpanel">

<h1 class="g-font-weight-
300 g-font-size-28 g-color-
black">Data Lampiran
Dokumen</h1>

<hr class="d-flex g-brd-
gray-light-v7 g-my-15">

<?php $table =
"data_lampiran_dokumen"
; $sql = "SELECT * FROM
$table";

$result = $conn-
>query($sql); ?>

<div class="table-
responsive">

<table
id="dataMightyWeb"
class="table u-table--v3 g-
color-black p-0
table-striped table-
bordered nowrap"
width="100%">

<thead>

<tr><th>Jenis
Dokumen</th>

<th>Nama Dokumen</th>

<th>Actions</th></tr>

</thead>

<tbody>

<?php while($row =
$result->fetch_assoc()) {
?><tr>

<td><?php echo
$row["jenis_dokumen"];
?></td>

<td><?php echo
$row["nama_dokumen"];
?></td>

<td><a class="btn btn-xs
btn-outline-primary"
href="javascript:getData("
?></td>

<td><?php echo
$row["id_dokumen"];
?></td></tr></tbody>

</table>

</div>

<div class="tab-pane fade"
id="mwFm-tab"
role="tabpanel">

<?php
include("input.php"); ?>

</div>

<?php ob_start(); ?>

<?php $setDTcolvis =
"{extend: 'colvis', text: '<i
class=\"fas fa-
columns\"></i>',"; ?>

<?php $setDTenties =
"{extend: 'pageLength',
text: '<i class=\"fas fa-
eye\"></i>', "; ?>

<?php $setTableStyle =
"responsive": true,; ?>

<?php $setScriptTools =
"searching": true,
"paging": true,
```



```
lengthMenu: [[ 10, 25, 50,
-1 ],[ "10", "25", "50",
"Show all" ]],
"ordering": true,
"info": true,
"rowGroup": { "dataSrc": [
0 ]},
"columnDefs": [{
  "targets": [0],
  "visible": false,
  "searchable": false
}],
}; ?>
<?php $setDTbuttons =
"{extend: 'copyHtml5',
exportOptions: { columns:
':visible' }},
{extend: 'excelHtml5',
exportOptions: { columns:
':visible' }},
{extend: 'pdfHtml5',
download: 'open',
exportOptions: { columns:
':visible' }, orientation:
'landscape',pageSize:
'legal',title: 'Laporan Data
Lampiran Dokumen'},
"; ?>
<?php $setDTSearchCol =
""; ?>
<?php $customSCBottom
= ""; ?>
<?php $setDTfooterScript
= ""; ?>
<?php
include('pages/dtscripts.ph
p'); ?>
</script>
function getData(ID){
$( "#tab-
mwFm").tab('show');
$('.needs-
validation').attr('process','u
pdate');
var val = ID;
var key = '<?php echo
$pri_name; ?>';
var tbl = '<?php echo
$tbl; ?>';
$('input[name="key"]').val
('<?php echo $pri_name;
?>');
$('input[name="val"]').val(
ID);
$.ajax({
  type : "POST",
  url :
"actions.php?act=getdata",
  data :
"key="+key+"&val="+val
+"&table="+tbl,
  dataType : "json",
  beforeSend:
function(response){
$("body").LoadingOverlay
("show", {
<?php echo $loading; ?>
});
},
complete: function() {
$("body").LoadingOverlay
("hide", true); },
success : function(data){
$('input[name="jenis_dok
umen"]').val(data.jenis_do
kumen);
$('input[name="nama_dok
umen"]').val(data.nama_do
kumen);
return false; } }); }
</script>
<?php
include('pages/forminsert.
php'); ?>
<?php
include('pages/formcall.ph
p'); ?>
<?php
$footerCTcallScript_custo
m = ob_get_contents();
ob_clean(); ?>
<h1 class="g-font-weight-
300 g-font-size-28 g-color-
black">Input Data
Lampiran Dokumen</h1>
<form class="needs-
validation mb-0"
enctype="multipart/form-
data" novalidate
id="mightywebForm"
process="insert">
<input type="hidden"
name="key" />
<input type="hidden"
name="val" />
<div class="g-brd-around
g-brd-gray-light-v4">
<input type="hidden"
name="table"
value="data_lampiran_dok
umen">
```




```
<div class="card-body">

<div class="form-group"
id="fg_jenis_dokumen">

<label
for="jenis_dokumen">Jeni
s Dokumen</label><input
type="text" class="form-
control form-control-md"
required="required"
name="jenis_dokumen"
id="jenis_dokumen"
value=""><div
class="invalid-
feedback">Error: this field
is required.</div></div>

<div class="form-group"
id="fg_nama_dokumen">

<label
for="nama_dokumen">Na
ma
Dokumen</label><input
type="text" class="form-
control form-control-md"
required="required"
name="nama_dokumen"
id="nama_dokumen"
value=""><div
class="invalid-
feedback">Error: this field
is
required.</div></div></di
v>

</div>

<div class="card-footer g-
brd-around g-brd-gray-
light-v4 d-flex">

<button type="button"
class="btn btn-md u-btn-
outline-gray-dark-v6 g-
width-160--md g-font-
size-14 btn-
cancel">Cancel</button>

<button type="submit"
class="btn btn-md u-btn-
secondary g-width-160--
md g-font-size-14 ml-
auto">Submit</button>

</div>

</form>

<ul class="nav nav-
justified u-nav-v4-1 u-nav-
primary" role="tablist"
data-target="#tabmw-
primary-justified" data-
tabs-mobile-
type="accordion" data-btn-
classes="btn btn-md btn-
block u-btn-outline-
primary g-mb-20">

<li class="nav-item"><a
class="nav-link active"
data-toggle="tab"
href="#mwData-tab"
role="tab" id="tab-
mwData">Data
Table</a></li>

<li class="nav-item"><a
class="nav-link" data-
toggle="tab"
href="#mwFm-tab"
role="tab" id="tab-
mwFm">Input
Data</a></li>

</ul>

<div id="tabmw-primary-
justified" class="tab-
content g-pt-20--md">

<div class="tab-pane fade
show active" id="mwData-
tab" role="tabpanel">

<h1 class="g-font-weight-
300 g-font-size-28 g-color-
black">Data
Pegawai</h1>

<hr class="d-flex g-brd-
gray-light-v7 g-my-15">

<?php $table =
"data_pegawai"; $sql =
"SELECT * FROM
$table";

$result = $conn-
>query($sql); ?>

<div class="table-
responsive">

<table id="" class="table
u-table--v3 g-color-black
p-0
table-striped table-
bordered nowrap"
width="100%">

<thead>

<tr><th>Nip</th>

<th>Nama Lengkap</th>

<th>Jabatan</th>

<th>Photo</th>

<th>Jenis Kelamin</th>

<th>Alamat</th>

<th>Username</th>

<th>Password</th>

<th>Actions</th></tr>

</thead>

<tbody>

<?php while($row =
$result->fetch_assoc()) {
?><tr>

<td><?php echo
$row["nip"]; ?></td>
```



```
<td><?php echo
$row["nama_lengkap"];
?></td>

<td><?php echo
$row["jabatan"]; ?></td>

<td><a
href="uploads/<?php echo
$row["photo"]; ?>">

"
/></a></td>

<td><?php echo
$row["jenis_kelamin"];
?></td>

<td><?php echo
$row["alamat"]; ?></td>

<td><?php echo
$row["username"];
?></td>

<td><?php echo
$row["password"];
?></td>

<td><a class="btn btn-xs
btn-outline-primary"
href="javascript:getData("
<?php echo $row["nip"];
?>")">Edit</i></a>

<a class="btn btn-xs btn-
outline-warning"
href="javascript:delData("
<?php echo $row["nip"];
?>")">Delete</a></td>

</tr><?php } ?>

</tbody>

</table>

</div>

</div>

<div class="tab-pane fade"
id="mwFm-tab"
role="tabpanel">

<?php
include("input.php"); ?>

</div>

</div>

<?php ob_start(); ?>

<?php $setDTcolvis =
"{extend: 'colvis', text: '<i
class=\"fas fa-
columns\"></i>'}"; ?>

<?php $setDTenties =
"{extend: 'pageLength',
text: '<i class=\"fas fa-
eye\"></i>'}"; ?>

<?php $setTableStyle =
"\"responsive\": true;"; ?>

<?php $setScriptTools =
"\"searching\": true,
\"paging\": true,
lengthMenu: [[ 10, 25, 50,
-1 ],[ \"10\", \"25\", \"50\",
\"Show all\" ]],
\"ordering\": true,
\"info\": true,
; ?>

<?php $setDTbuttons =
"{extend: 'copyHtml5',
exportOptions: { columns:
'visible' }},
{extend: 'excelHtml5',
exportOptions: { columns:
'visible' }},
{extend: 'pdfHtml5',
download: 'open',
exportOptions: { columns:
'visible' }, orientation:
'landscape',page_size:
'legal',title: 'Laporan Data
Pegawai'},
"; ?>

<?php $setDTSearchCol =
""; ?>

<?php $customSCBottom =
""; ?>

<?php $setDTfooterScript =
"; ?>

<?php
include('pages/dtscripts.ph
p'); ?>

<script>

function getData(ID){
$( "#tab-
mwFm" ).tab( 'show' );
$( '.needs-
validation' ).attr( 'process', 'u
pdate' );
var val = ID;
var key = '<?php echo
$row["pri_name"]; ?>';
var tbl = '<?php echo
$row["table"]; ?>';
$( 'input[name="key"]' ).val(
'<?php echo $row["pri_name"];
?>' );
$( 'input[name="val"]' ).val(
ID );
$.ajax({
type : "POST",
```



```
url          :      $('input[name="username"
"actions.php?act=getdata",
              ]).val(data.username);

data         :      $('input[name="password"
"key="+key+"&val="+val
+"&table="+tbl,
              ]).val(data.password);

dataType    : "json",

beforeSend:
function(response){

$("body").LoadingOverlay
("show", {

<?php echo $loading; ?>
});

},

complete: function() {
$("body").LoadingOverlay
("hide", true); },

success : function(data){

$('input[name="nip"]').val
(data.nip);

$('input[name="nama_leng
kap"]').val(data.nama_leng
kap);

$('input[name="jabatan"]')
.each(function(){if($(this)
.val() == data.jabatan){
$(this).prop("checked",
true); } });

$('input[name="photo"]').r
emoveAttr("required");$('i
nput[name="jenis_kelamin
"]').each(function(){if($(th
is).val() ==
data.jenis_kelamin){
$(this).prop("checked",
true); } });

$('textarea[name="alamat"
]').val(data.alamat);

enctype="multipart/form-
data"      novalidate
id="mightywebForm"
process="insert">

<input type="hidden"
name="key" />

<input type="hidden"
name="val" />

<div class="g-brd-around
g-brd-gray-light-v4">

<input type="hidden"
name="table"
value="data_pegawai">

<div class="card-body">

<div class="form-group"
id="fg_nip">

<label
for="nip">Nip</label><in
put type="number"
class="form-control form-
control-md"
required="required"
name="nip" id="nip"
value=""><div
class="invalid-
feedback">Error: this field
is required.</div></div>

<div class="form-group"
id="fg_nama_lengkap">

<label
for="nama_lengkap">Na
ma
Lengkap</label><input
type="text" class="form-
control form-control-md"
required="required"
name="nama_lengkap"
id="nama_lengkap"
value=""><div
class="invalid-

return false; } }); }

$(document).on('change',
'input[type="file"]',
function() {

var target =
$(this).parents('.input-
group').find('.input-group-
text').attr('id');

$('#'+target).empty();

$('#'+target).append("<im
g
src="+URL.createObject
URL(this.files[0])+""
width='35' height='35' />");

});

</script>

<?php
include('pages/forminsert.
php'); ?>

<?php
include('pages/formcall.ph
p'); ?>

<?php
$footerCTcallScript_custo
m = ob_get_contents();
ob_clean(); ?>

<h1 class="g-font-weight-
300 g-font-size-28 g-color-
black">Input Data
Pegawai</h1>

<form class="needs-
validation mb-0"
```



```
feedback">Error: this field
is required.</div></div>

<div class="form-group"
id="fg_jabatan">

<label>Jabatan</label><di
v class="col-12">

<div class="custom-
control custom-radio
custom-control-inline">

<input class="custom-
control-input"
type="radio" id="jabatan-
1" name="jabatan"
value="Admin"
required="required">

<label class="custom-
control-label"
for="jabatan-
1">Admin</label>

</div>

<div class="custom-
control custom-radio
custom-control-inline">

<input class="custom-
control-input"
type="radio" id="jabatan-
2" name="jabatan"
value="Pimpinan"
required="required">

<label class="custom-
control-label"
for="jabatan-
2">Pimpinan</label>

</div>

</div><div class="invalid-
feedback">Error: this field
is required.</div></div>

<div class="form-group"
id="fg_photo">

<label
for="photo">Photo</label
><div class="input-
group">

<div class="input-group-
prepend "><span
class="input-group-text p-
0"
id="imgphoto"></span></
div>

<div class="custom-file">

<input type="file"
class="custom-file-input"
id="photo"
name="photo">

<label class="custom-file-
label" for="photo">Pilih
file</label>

</div>

</div>

<div class="invalid-
feedback">Error: this field
is required.</div></div>

<div class="form-group"
id="fg_jenis_kelamin">

<label>Jenis
Kelamin</label><div
class="col-12">

<div class="custom-
control custom-radio
custom-control-inline">

<input class="custom-
control-input"
type="radio"
id="jenis_kelamin-3"
name="jenis_kelamin"
value="Laki-laki"
required="required">

<label class="custom-
control-label"
for="jenis_kelamin-
3">Laki-laki</label>

</div>

<div class="custom-
control custom-radio
custom-control-inline">

<input class="custom-
control-input"
type="radio"
id="jenis_kelamin-4"
name="jenis_kelamin"
value="Perempuan"
required="required">

<label class="custom-
control-label"
for="jenis_kelamin-
4">Perempuan</label>

</div>

</div><div class="invalid-
feedback">Error: this field
is required.</div></div>

<div class="form-group"
id="fg_alamat">

<label
for="alamat">Alamat</lab
el><textarea class="form-
control form-control-md"
required="required"
name="alamat"></textarea><
div class="invalid-
feedback">Error: this field
is required.</div></div>

<div class="form-group"
id="fg_username">

<label
for="username">Usernam
e</label><input
```



```
type="text" class="form-control form-control-md"
required="required"
name="username"
id="username"
value=""><div
class="invalid-feedback">Error: this field
is required.</div></div>

<div class="form-group"
id="fg_password">

<label
for="password">Password
</label><input type="text"
class="form-control form-control-md"
required="required"
name="password"
id="password"
value=""><div
class="invalid-feedback">Error: this field
is
required.</div></div></div>

<div class="card-footer g-brd-around
g-brd-gray-light-v4 d-flex">

<button type="button"
class="btn btn-md u-btn-outline-gray-dark-v6
g-width-160--md g-font-size-14
btn-cancel">Cancel</button>

<button type="submit"
class="btn btn-md u-btn-secondary
g-width-160--md g-font-size-14
ml-auto">Submit</button>

</div>

</form>

<div class="row">

<div class="col-md-3 g-mb-30
g-mb-0--md">

<div class="h-100 g-brd-around
g-brd-gray-light-v7 g-rounded-4
g-pa-15 g-pa-20--md">

<!-- User Information -->

</div>

</div>

<!-- User Information -->

<section class="text-center
g-mb-30 g-mb-50--md">

<div class="d-inline-block
g-pos-rel g-mb-20 g-brd-around
g-brd-gray-light-v7 g-rounded-2">

<a class="u-badge-v2--lg
u-badge--bottom-right
g-width-32 g-height-32 g-bg-secondary
g-bg-primary--hover g-transition-0_3
g-mb-20 g-mr-20" href="#">

<i class="hs-admin-pencil
g-absolute-centered g-font-size-16
g-color-white"></i>

</a>

<?php $file =
'uploads/'.$row['photo'];?>



</div>

<h3 class="g-font-weight-300
g-font-size-20 g-color-black
mb-0"><?php echo
$session['nama_lengkap'];
?></h3>

</section>

<!-- User Information -->

</div>

<div class="col-md-9">

<form class="needs-validation
mb-0"
novalidate
enctype="multipart/form-data"
id="mightywebForm"
process="update" ?>

<input type="hidden"
name="table"
value="data_login">

<input type="hidden"
name="key"
value="id_login" />

<input type="hidden"
name="val" value="<?php
echo $session['id_login'];
?>" />

<div class="h-100 g-brd-around
g-brd-gray-light-v7 g-rounded-4
g-pa-15 g-pa-20--md">

<form class="js-validate">

<header>

<h2 class="text-uppercase
g-font-size-12 g-font-size-default--md
g-color-black mb-0">General
information</h2>

</header>
```



```
<hr class="d-flex g-brd-gray-light-v7 g-my-15 g-my-30--md">

<div class="row g-mb-20">

<div class="col-md-3 align-self-center g-mb-5 g-mb-0--md">

<label class="mb-0" for="nama_lengkap">Nama Lengkap</label>

</div>

<div class="col-md-9 align-self-center">

<div class="form-group g-pos-rel mb-0">

<span class="g-pos-abs g-top-0 g-right-0 d-block g-width-40 h-100 opacity-0 g-opacity-1--success">

<i class="hs-admin-check g-absolute-centered g-font-size-default g-color-secondary"></i>

</span>

<input id="nama_lengkap" name="nama_lengkap" class="form-control h-100 form-control-md g-brd-gray-light-v7 g-brd-lightblue-v3--focus g-brd-primary--error g-rounded-4 g-px-20 g-py-12" type="text" value="<?php echo $session['nama_lengkap']; ?>" required="required" data-msg="This field is mandatory"

data-error-class="u-has-error-v3" data-success-class="has-success" aria-required="true">

</div>

</div>

<div class="row g-mb-20">

<div class="col-md-3 align-self-center g-mb-5 g-mb-0--md">

<label class="mb-0" for="level">Level</label>

</div>

<div class="col-md-9 align-self-center">

<div class="form-group u-select--v2 g-pos-rel g-brd-gray-light-v7 g-rounded-4 mb-0">

<span class="g-pos-abs g-top-0 g-right-0 d-block g-width-40 h-100 opacity-0 g-opacity-1--success">

<i class="hs-admin-check g-absolute-centered g-font-size-default g-color-secondary"></i>

</span>

<select name="level" id="level" class="js-select u-select--v2-select w-100" title="Please select question" required="required" style="display: none;">

<?php echo enum_Toselect('data_login

','level',$session['level']);
?>

</select>

<i class="hs-admin-angle-down g-absolute-centered-y g-right-0 g-color-gray-light-v6 ml-auto g-mr-15"></i>

</div>

</div>

</div>

<div class="row g-mb-20">

<div class="col-md-3 align-self-center g-mb-5 g-mb-0--md">

<label class="mb-0" for="email">Email</label>

</div>

<div class="col-md-9 align-self-center g-mb-5 g-mb-0--md">

<label class="mb-0" for="email">Email</label>

</div>

<div class="col-md-9 align-self-center">

<div class="form-group g-pos-rel mb-0">

<span class="g-pos-abs g-top-0 g-right-0 d-block g-width-40 h-100 opacity-0 g-opacity-1--success">

<i class="hs-admin-check g-absolute-centered g-font-size-default g-color-secondary"></i>

</span>

<input id="email" name="email" class="form-control h-100 form-control-md g-brd-gray-light-v7 g-brd-
```



```
lightblue-v3--focus g-brd-
primary--error g-rounded-
4 g-px-20 g-py-12"
type="email"
value="<?php      echo
$session['email'];      ?>"
required="required" data-
msg="This field is
mandatory"

data-error-class="u-has-
error-v3" data-success-
class="has-success" aria-
required="true">

</div>

</div>

</div>

<hr class="d-flex g-brd-
gray-light-v7 g-my-15 g-
my-30--md">

<div class="media-body
align-self-center text-
right">

<button class="btn btn-
md btn-xl--md u-btn-
secondary g-width-160--
md g-font-size-12 g-font-
size-default--md g-mb-10"
type="update-
password">Save
Changes</button>

</div>

<header>

<h2 class="text-uppercase
g-font-size-12 g-font-size-
default--md g-color-black
mb-0">Ubah
password</h2>

</header>

<hr class="d-flex g-brd-
gray-light-v7 g-my-15 g-
my-30--md">

<div class="row g-mb-
20">

<div class="col-md-3">

<label class="mb-0"
for="#currentPassword">P
assword Sekarang</label>

</div>

<div class="col-md-9
align-self-center">

<div>

<div class="form-group g-
pos-rel mb-0">

<span class="g-pos-abs g-
top-0 g-right-0 d-block g-
width-40 h-100 opacity-0
g-opacity-1--success">

<i class="hs-admin-check
g-absolute-centered g-font-
size-default g-color-
secondary"></i>

</span>

<input id="password"
name="password"
class="form-control h-100
form-control-md g-brd-
gray-light-v7 g-brd-
lightblue-v3--focus g-brd-
primary--error g-rounded-
4 g-px-20 g-py-12"
type="text" value="<?php
echo $session['password'];
?>"
readonly
required="required" data-
msg="This field is
mandatory"

data-error-class="u-has-
error-v3" data-success-
class="has-success" aria-
required="true">

</div>

<!--

<a class="form-text g-
color-secondary"
href="#">

<small class="g-font-size-
default g-mt-8">Lupa
Password?</small>

</a>

-->

</div>

</div>

</div>

<div class="row g-mb-
20">

<div class="col-md-3
align-self-center g-mb-5 g-
mb-0--md">

<label class="mb-0"
for="#newPassword">Pas
sword Baru</label>

</div>

<div class="col-md-9
align-self-center">

<div class="form-group g-
pos-rel mb-0">

<span class="g-pos-abs g-
top-0 g-right-0 d-block g-
width-40 h-100 opacity-0
g-opacity-1--success">

<i class="hs-admin-check
g-absolute-centered g-font-
size-default g-color-
secondary"></i>

</span>

<input id="password"
name="password"
class="form-control h-100
form-control-md g-brd-
gray-light-v7 g-brd-
lightblue-v3--focus g-brd-
primary--error g-rounded-
4 g-px-20 g-py-12"
type="text" value="<?php
echo $session['password'];
?>"
readonly
required="required" data-
msg="This field is
mandatory"

data-error-class="u-has-
error-v3" data-success-
class="has-success" aria-
required="true">

</div>

</div>

</div>
```



```
size-default      g-color-
secondary"></i>
</span>
<input      id="password"
name="password"
class="form-control h-100
form-control-md g-brd-
gray-light-v7      g-brd-
lightblue-v3--focus g-brd-
primary--error g-rounded-
4      g-px-20      g-py-12"
type="text"      data-
msg="This      field      is
mandatory"
data-error-class="u-has-
error-v3"      data-success-
class="has-success"      aria-
required="true">
</div>
</div>
</div>
<div class="row g-mb-
20">
<div class="col-md-3
align-self-center g-mb-5 g-
mb-0--md">
<label class="mb-0"
for="#confirmNewPasswo
rd">Ulangi      Password
Baru</label>
</div>
<div class="col-md-9
align-self-center">
<div class="form-group g-
pos-rel mb-0">
<span class="g-pos-abs g-
top-0 g-right-0 d-block g-
width-40 h-100 opacity-0
g-opacity-1--success">
<i class="hs-admin-check
g-absolute-centered g-font-
size-default      g-color-
secondary"></i>
</div>
</div>
</form>
</div>
<input      id="retype-
password"
name="password"
class="form-control h-100
form-control-md g-brd-
gray-light-v7      g-brd-
lightblue-v3--focus g-brd-
primary--error g-rounded-
4      g-px-20      g-py-12"
type="text"      data-
msg="This      field      is
mandatory"
data-error-class="u-has-
error-v3"      data-success-
class="has-success"      aria-
required="true">
</div>
</form>
</div>
<?php ob_start(); ?>
<?php
include('pages/forminsert.
php');?>
<?php
include('pages/formcall.ph
p');?>
<script>$(document).on('c
hange', 'input[type="file"]',
function() {
var      target      =
$(this).parents('.input-
group').find('.input-group-
text').attr('id');
$('#'+target).empty();
$('#'+target).append("<im
g class='g-width-36 g-
height-36'
src='"+URL.createObject
URL(this.files[0])+'"/>");
});</script>
<?php
$footerCTcallScript_custo
m = ob_get_contents();
ob_clean(); ?>
```