

Listing Coding

connection.php

```
<?php

$servername = "localhost";

$user = "root";

$password = "";

$dbname =

"telemediaprimanusantara";

// Create connection

$conn = new mysqli($servername,

$user, $password, $dbname);

// Check connection

if ($conn->connect_error) {

    die("Connection failed: " . $conn-

    >connect_error);}?>
```

logout.php

```
<?php

session_start();

session_destroy();

echo

"<script>>window.location.replace('./

');</script>";?>
```

index.php

```
<?php

include('login.php');

/*

session_start();

require('connection.php');

include('admin/functions.php');

include('admin/siteidentity.php');

include('pages/header.php');

$link=htmlentities($_GET['p']);

$folder=htmlentities($_GET['m']);

$module="$folder/$link.php";

$page="pages/$link.php";

?>

<div class="content-wrapper"

style="min-height: 284px;">

<div class="content-header"

style="background: #13899c; color:

white;">

<div class="container">

<div class="row">

<div class="col-sm-7">

<h2 class="m-0"><?php echo

$company_name; ?></h2>

</div>

<div class="col-sm-5">

<ol class="breadcrumb float-sm-

right">
```

```
<li class="nav-link"><i class="fas fa-phone"></i> <?php echo $phone; ?></li>
```

```
<li class="nav-link"><i class="fas fa-envelope"></i> <?php echo $email; ?></li>
```

```
</ol>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="container pt-4 pb-4">
```

```
<div class="container">
```

```
<div class="row">
```

```
<div class="col-lg-12">
```

```
<?php
```

```
$link=htmlentities($_GET['p']);
```

```
$pagemodule="pages/$link.php";
```

```
if(!empty($link) and file_exists($pagemodule)){
```

```
    include "$pagemodule";
```

```
}elseif(!empty($link) and !file_exists($pagefolder)){
```

```
    include("pages/404.php");
```

```
}else{
```

```
    include('pages/dashboard.php');
```

```
}
```

```
?>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<?php include('pages/footer.php'); * / ?>
```

siteidentity.php

```
<?php
```

```
// parsing json prepare site data
```

```
$site_setup = json_decode(file_get_contents(dirname(__FILE__).'/site_setup.txt'), true);
```

```
// information extraction
```

```
$company_name = $site_setup['data'][0]['company_name'];
```

```
$company_alt = $site_setup['data'][0]['company_alt'];
```

```
$company_address = $site_setup['data'][0]['address'];
```

```
$app_name = $site_setup['data'][0]['app_name'];
```

```
$title_tags = $site_setup['data'][0]['title_tags'];
```

```
$description = $site_setup['data'][0]['description'];
```

```
$logo = $site_setup['data'][0]['logo'];
```

```
$favicon = $site_setup['data'][0]['favicon'];
```

```
$copyright = $site_setup['data'][0]['copyright'];
```

```

$created =
$site_setup['data'][0]['created'];

$phone =
$site_setup['data'][0]['phone'];

$email =
$site_setup['data'][0]['email'];

$openoffice =
$site_setup['data'][0]['openoffice'];

// settings extraction

$loading =
$site_setup['settings'][0]['loading'];

?>

```

admin/modules/data_alat/index.php

```

<?php
if($session['level']!= 'Pimpinan'){ ?>

<p><button type="button"
class="btn btn-outline-dark btn-add"
data-toggle="modal" data-
target="#mightywebModal"><i
class="fa fa-plus"></i> Insert
Record</button></p>

<?php } ?>

<div class="card card-outline card-
dark">

<div class="card-header"><h3
class="card-title">Data
Alat</h3></div>

<div class="card-body">

<?php $table = "data_alat"; $sql =
"SELECT * FROM ` $table `";

$result = $conn->query($sql); ?>

```

```

<table id="dataMightyWeb"
class="table table-striped table-
bordered nowrap" width="100%">

<thead>

<tr>

<th>Jenis</th>

<th>Type</th>

<th>Merek</th>

<th>Nama Alat</th>

<th>Harga</th>

<th>Keterangan</th>

<th>Actions</th></tr>

</thead>

<tbody>

<?php while($row = $result-
>fetch_assoc()) { ?><tr>

<td><?php echo $row["jenis"];
?></td>

<td><?php echo $row["type"];
?></td>

<td><?php echo $row["merek"];
?></td>

<td><?php echo $row["nama_alat"];
?></td>

<td>Rp. <?php echo
number($row["harga"]); ?> / <?php
echo $row["satuan"]; ?></td>

<td><?php echo $row["keterangan"];
?></td>

<td><a class="btn btn-xs btn-
outline-primary"
href='javascript:getData("<?php echo
$row["id_alat"]; ?>")>Edit</i></a>

```

```

<a class="btn btn-xs btn-outline-
warning"
href='javascript:delData("<?php echo
$row["id_alat"];
?>")>Delete</a></td>
</tr><?php } ?>
</tbody>
</table>
</div></div>
<?php include("input.php"); ?>
<?php ob_start(); ?>
<?php $setDTcolvis = "{extend:
'colvis', text: '<i class=\"fas fa-
columns\"></i>'}"; ?>
<?php $setDTenties = "{extend:
'pageLength', text: '<i class=\"fas fa-
eye\"></i>'}"; ?>
<?php $setTableStyle =
"responsive": true; ?>
<?php $setScriptTools =
"searching": true,
"paging": true,
lengthMenu: [[ 10, 25, 50, -1 ],[
"10", "25", "50", "Show all" ]],
"ordering": true,
"info": true,
order: [[0, "desc"]],
"rowGroup": { "dataSrc": [ 0 ]},
"columnDefs": [ {
"targets": [0],
"visible": false,
"searchable": false
}],
}],
'; ?>
<?php $setDTbuttons = "{extend:
'copyHtml5', exportOptions: {
columns: ':visible' }},
{extend: 'excelHtml5',
exportOptions: { columns: ':visible'
}},
{extend: 'pdfHtml5', download:
'open', exportOptions: { columns:
':visible' }, orientation:
'landscape',pageSize: 'legal',title:
'Laporan Data Alat'}"; ?>
<?php $setDTSearchCol = ""; ?>
<?php $customSCBottom = ""; ?>
<?php $setDTfooterScript = "; ?>
<?php include('pages/dtscripts.php');
?>
<script>
function getData(ID){
$('#mightywebModal').modal('show')
;
$('.needs-
validation').attr('process','update');
var val = ID;
var key = '<?php echo $pri_name;
?>';
var tbl = '<?php echo $table; ?>';
$('#input[name="key"]').val('<?php
echo $pri_name; ?>');
$('#input[name="val"]').val(ID);
$.ajax({

```

```

type : "POST",
url : "actions.php?act=getdata",
data :
"key="+key+"&val="+val+"&table=
"+tbl,
dataType : "json",
beforeSend : function(response){
$("body").LoadingOverlay("show", {
<?php echo $loading; ?> }); },
complete : function()
{ $("body").LoadingOverlay("hide",
true); },
success : function(data){
$('input[name="jenis"]').each(function()
){if($(this).val() == data.jenis){
$(this).prop("checked", true); } });
$('input[name="type"]').val(data.type
);
$('input[name="merk"]').val(data.m
erek);
$('input[name="nama_alat"]').val(dat
a.nama_alat);
$('input[name="harga"]').val(data.har
ga);
$('textarea[name="keterangan"]').val
(data.keterangan);
$('select[name="satuan"]').val(data.s
atuan).change();
return false; } }); }
</script>
<?php
include('pages/forminsert.php'); ?>

```

```

<?php include('pages/formcall.php');
?>

```

```

<?php $footerCTcallScript_custom =
ob_get_contents(); ob_clean(); ?>

```

admin/modules/data_alat/input.ph p

```

<div class="modal fade"
id="mightywebModal" data-
backdrop="static" data-
keyboard="true">

```

```

<form class="needs-validation mb-
0" novalidate
enctype="multipart/form-data"
id="mightywebForm"
process="insert">

```

```

<div class="modal-dialog modal-
lg">

```

```

<div class="modal-content">

```

```

<div class="modal-header">

```

```

<h4 class="modal-title">Input Data
Alat</h4>

```

```

<button type="button" class="close"
data-dismiss="modal" aria-
label="Close">

```

```

<span aria-
hidden="true">&times;</span>

```

```

</button></div>

```

```

<div class="modal-body">

```

```

<input type="hidden" name="key" />

```

```

<input type="hidden" name="val" />

```

```

<input type="hidden" name="table"
value="data_alat">

```

```

<div class="card-body p-0">

```

```

<div class="form-group"
id="fg_jenis">
<label>Jenis</label>
<div class="col-12">
<div class="custom-control custom-
radio custom-control-inline">
<input class="custom-control-input"
type="radio" id="jenis-1"
name="jenis" value="Radio"
required="required">
<label class="custom-control-label"
for="jenis-1">Radio</label>
</div>
<div class="custom-control custom-
radio custom-control-inline">
<input class="custom-control-input"
type="radio" id="jenis-2"
name="jenis" value="FO"
required="required">
<label class="custom-control-label"
for="jenis-2">FO</label>
</div>
<div class="custom-control custom-
radio custom-control-inline">
<input class="custom-control-input"
type="radio" id="jenis-3"
name="jenis" value="VSAT"
required="required">
<label class="custom-control-label"
for="jenis-3">VSAT</label>
</div>
</div>

```

```

<div class="invalid-
feedback">Error: this field is
required.</div></div>
<div class="form-group"
id="fg_satuan">
<label>Satuan</label>
<select class="form-control"
name="satuan">
<option value="">-Pilih-</option>
<?php echo
enum_Toselect('data_alat','satuan,');
?>
</select>
<div class="invalid-
feedback">Error: this field is
required.</div></div>
<div class="row">
<div class="form-group col"
id="fg_type">
<label for="type">Type</label>
<input type="text" class="form-
control" required="required"
name="type" id="type" value="">
<div class="invalid-
feedback">Error: this field is
required.</div></div>
<div class="form-group col"
id="fg_merek">
<label for="merek">Merek</label>
<input type="text" class="form-
control" required="required"
name="merek" id="merek"
value="">

```

```

<div class="invalid-feedback">Error: this field is
required.</div></div>

<div class="form-group col"
id="fg_nama_alat">

<label for="nama_alat">Nama
Alat</label>

<input type="text" class="form-
control" required="required"
name="nama_alat" id="nama_alat"
value="">

```

```

<div class="invalid-feedback">Error: this field is
required.</div></div>

```

```

<div class="form-group col"
id="fg_harga">

```

```

<label for="harga">Harga</label>

```

```

<input type="number" class="form-
control" required="required"
name="harga" id="harga"
value=""><div class="invalid-
feedback">Error: this field is
required.</div></div>

```

```

</div>

```

```

<div class="form-group"
id="fg_keterangan">

```

```

<label
for="keterangan">Keterangan</label>
<textarea class="form-control"
required="required"
name="keterangan"
id="keterangan"></textarea><div
class="invalid-feedback">Error: this
field is required.</div></div>

```

```

</div>

```

```

</div>

```

```

<div class="modal-footer justify-
content-between border-dark">

```

```

<button type="reset" class="btn btn-
default" data-
dismiss="modal">Cancel</button>

```

```

<button type="submit" class="btn
btn-primary">Submit</button>

```

```

</div>

```

```

</div></div></form></div>

```

admin/modules/data_biaya/index.p hp

```

<?php
if($session['level']!= 'Pimpinan'){ ?>

```

```

<p><button type="button"
class="btn btn-outline-dark btn-add"
data-toggle="modal" data-
target="#mightywebModal"><i
class="fa fa-plus"></i> Insert
Record</button></p>

```

```

<?php } ?>

```

```

<div class="card card-outline card-
dark">

```

```

<div class="card-header"><h3
class="card-title">Data
Biaya</h3></div>

```

```

<div class="card-body">

```

```

<?php $table = "data_biaya"; $sql =
"SELECT * FROM ` $table `";

```

```

$result = $conn->query($sql); ?>

```

```

<table id="dataMightyWeb"
class="table table-sm table-striped"

```

```

table-bordered nowrap"
width="100%">
<thead>
<tr>
<th>Nama Biaya</th>
<th>Jenis</th>
<th>Satuan</th>
<th>Jumlah</th>
<th>Actions</th></tr>
</thead>
<tbody>
<?php while($row = $result-
>fetch_assoc()) {
if($row["satuan"]=="Total"){
    $jumlah = 'Rp
.number($row["jumlah"]);
}else{
    $jumlah = $row["jumlah"].'%';
}
?><tr>
<td><?php echo
$row["nama_biaya"]; ?></td>
<td><?php echo $row["jenis"];
?></td>
<td><?php echo $row["satuan"];
?></td>
<td><?php echo $jumlah; ?></td>
<td><a class="btn btn-xs btn-
outline-primary"
href='javascript:getData("<?php echo
$row["id_biaya"];
?>")>Edit</i></a>

```

```

<a class="btn btn-xs btn-outline-
warning"
href='javascript:delData("<?php echo
$row["id_biaya"];
?>")>Delete</a></td>
</tr><?php } ?>
</tbody>
</table>
</div></div>
<?php include("input.php"); ?>
<?php ob_start(); ?>
<?php $setDTcolvis = "{extend:
'colvis', text: '<i class=\"fas fa-
columns\"></i>'}"; ?>
<?php $setDTenties = "{extend:
'pageLength', text: '<i class=\"fas fa-
eye\"></i>'}"; ?>
<?php $setTableStyle =
"responsive": true; ?>
<?php $setScriptTools =
"searching": true,
"paging": true,
lengthMenu: [[ 10, 25, 50, -1 ],[
"10", "25", "50", "Show all" ]],
"ordering": true,
"info": true,
order: [[1, "desc"]],
"rowGroup": { "dataSrc": [ 1 ]},
"columnDefs": [{
"targets": [1],
"visible": false,
"searchable": false

```



```

}],
'; ?>
<?php $setDTbuttons = "{extend:
'copyHtml5', exportOptions: {
columns: ':visible' }},
{extend: 'excelHtml5',
exportOptions: { columns: ':visible'
}},
{extend: 'pdfHtml5', download:
'open', exportOptions: { columns:
':visible' }, orientation:
'landscape',pageSize: 'legal',title:
'Laporan Data Biaya}',
"; ?>
<?php $setDTSearchCol = ""; ?>
<?php $customSCBottom = ""; ?>
<?php $setDTfooterScript = "; ?>
<?php include('pages/dtscripts.php');
?>
<script>
function getData(ID){
$('#mightywebModal').modal('show')
;
$('.needs-
validation').attr('process','update');
var val = ID;
var key = '<?php echo $pri_name;
?>';
var tbl = '<?php echo $table; ?>';
$('#input[name="key"]').val('<?php
echo $pri_name; ?>');
$('#input[name="val"]').val(ID);
$.ajax({

```

```

type : "POST",
url : "actions.php?act=getdata",
data :
"key="+key+"&val="+val+"&table=
"+tbl,
dataType : "json",
beforeSend : function(response){
$("#body").LoadingOverlay("show", {
<?php echo $loading; ?>
});
},
complete : function() {
$("#body").LoadingOverlay("hide",
true); },
success : function(data) {
$('#input[name="nama_biaya"]').val(d
ata.nama_biaya);
$('#input[name="jenis"]').each(function() {if($(this).val() == data.jenis) {
$(this).prop("checked", true); } });
$('#input[name="satuan"]').each(function() {if($(this).val() == data.satuan) {
$(this).prop("checked", true); } });
$('#input[name="jumlah"]').val(data.j
umlah);
return false; } }); }
</script>
<?php
include('pages/forminsert.php'); ?>
<?php include('pages/formcall.php');
?>
<?php $footerCTcallScript_custom =
ob_get_contents(); ob_clean(); ?>

```

admin/modules/data_biaya/input.php

```
<div class="modal fade"
id="mightywebModal" data-
backdrop="static" data-
keyboard="true">

<form class="needs-validation mb-
0" novalidate
enctype="multipart/form-data"
id="mightywebForm"
process="insert">

<div class="modal-dialog modal-
lg">

<div class="modal-content">

<div class="modal-header">

<h4 class="modal-title">Input Data
Biaya</h4>

<button type="button" class="close"
data-dismiss="modal" aria-
label="Close">

<span aria-
hidden="true">&times;</span>

</button></div>

<div class="modal-body">

<input type="hidden" name="key" />
<input type="hidden" name="val" />

<input type="hidden" name="table"
value="data_biaya">

<div class="card-body p-0">
```

```
<div class="form-group"
id="fg_nama_biaya">

<label for="nama_biaya">Nama
Biaya</label>

<input type="text" class="form-
control" required="required"
name="nama_biaya"
id="nama_biaya" value="">

<div class="invalid-
feedback">Error: this field is
required.</div></div>

<div class="form-group"
id="fg_jenis">

<label>Jenis</label><div class="col-
12">

<div class="custom-control custom-
radio custom-control-inline">

<input class="custom-control-input"
type="radio" id="jenis-1"
name="jenis" value="One Time"
required="required">

<label class="custom-control-label"
for="jenis-1">One Time</label>

</div>

<div class="custom-control custom-
radio custom-control-inline">

<input class="custom-control-input"
type="radio" id="jenis-2"
name="jenis" value="Monthly"
required="required">

<label class="custom-control-label"
for="jenis-2">Monthly</label>

</div>
```

```
</div><div class="invalid-feedback">Error: this field is required.</div></div>
```

```
<div class="form-group" id="fg_satuan">
```

```
<label>Satuan</label><div class="col-12">
```

```
<div class="custom-control custom-radio custom-control-inline">
```

```
<input class="custom-control-input" type="radio" id="satuan-3" name="satuan" value="Persen" required="required">
```

```
<label class="custom-control-label" for="satuan-3">Persen</label>
```

```
</div>
```

```
<div class="custom-control custom-radio custom-control-inline">
```

```
<input class="custom-control-input" type="radio" id="satuan-4" name="satuan" value="Total" required="required">
```

```
<label class="custom-control-label" for="satuan-4">Total</label>
```

```
</div>
```

```
</div><div class="invalid-feedback">Error: this field is required.</div></div>
```

```
<div class="form-group" id="fg_jumlah">
```

```
<label for="jumlah">Jumlah</label>
```

```
<input type="text" class="form-control" required="required" name="jumlah" id="jumlah" value="">
```

```
<div class="invalid-feedback">Error: this field is required.</div></div></div>
```

```
</div>
```

```
<div class="modal-footer justify-content-between border-dark">
```

```
<button type="reset" class="btn btn-default" data-dismiss="modal">Cancel</button>
```

```
<button type="submit" class="btn btn-primary">Submit</button>
```

```
</div>
```

```
</div></div></form></div>
```

admin/modules/data_login/index.php

```
<p><button type="button" class="btn btn-outline-dark btn-add" data-toggle="modal" data-target="#mightywebModal"><i class="fa fa-plus"></i> Insert Record</button></p>
```

```
<div class="card card-outline card-dark">
```

```
<div class="card-header"><h3 class="card-title">Data Login</h3></div>
```

```
<div class="card-body">
```

```
<?php $table = "data_login"; $sql = "SELECT * FROM `".$table.`";
```

```
$result = $conn->query($sql); ?>
```

```
<table id="dataMightyWeb" class="table table-sm table-striped table-bordered nowrap" width="100%">
```

```

<thead>
<tr>
<th>Nip</th>
<th>Photo</th>
<th>Nama Lengkap</th>
<th>Level</th>
<th>Username</th>
<th>Password</th>
<th>Actions</th></tr>
</thead>
<tbody>
<?php while($row = $result-
>fetch_assoc()) { ?><tr>
<td><?php echo $row["nip"];
?></td>
<td><a href="uploads/<?php echo
$row["photo"]; ?>">
" /></a></td>
<td><?php echo
$row["nama_lengkap"]; ?></td>
<td><?php echo $row["level"];
?></td>
<td><?php echo $row["username"];
?></td>
<td><?php echo $row["password"];
?></td>
<td><a class="btn btn-xs btn-
outline-primary"
href='javascript:getData("<?php echo
$row["nip"]; ?>")>Edit</i></a>
<a class="btn btn-xs btn-outline-
warning"
href='javascript:delData("<?php echo
$row["nip"]; ?>")>Delete</a></td>
</tr><?php } ?>
</tbody>
</table>
</div></div>
<?php include("input.php"); ?>
<?php ob_start(); ?>
<?php $setDTcolvis = "{extend:
'colvis', text: '<i class=\"fas fa-
columns\"></i>'}"; ?>
<?php $setDTenties = "{extend:
'pageLength', text: '<i class=\"fas fa-
eye\"></i>'}"; ?>
<?php $setTableStyle =
"\"responsive\": true;"; ?>
<?php $setScriptTools =
"\"searching\": true,
\"paging\": true,
lengthMenu: [[ 10, 25, 50, -1 ],[
\"10\", \"25\", \"50\", \"Show all\" ]],
\"ordering\": true,
\"info\": true,
'; ?>
<?php $setDTbuttons = "{extend:
'copyHtml5', exportOptions: {
columns: ':visible' }},
{extend: 'excelHtml5',
exportOptions: { columns: ':visible'
}},

```

```

{extend: 'pdfHtml5', download:
'open', exportOptions: { columns:
':visible' }, orientation:
'landscape',pageSize: 'legal',title:
'Laporan Data Login'},
"; ?>
<?php $setDTSearchCol = ""; ?>
<?php $customSCBottom = ""; ?>
<?php $setDTfooterScript = "; ?>
<?php include('pages/dtscripts.php');
?>
<script>
function getData(ID){
$('#mightywebModal').modal('show')
;
$('.needs-
validation').attr('process','update');
var val = ID;
var key = '<?php echo $pri_name;
?>';
var tbl = '<?php echo $table; ?>';
$('input[name="key"]').val('<?php
echo $pri_name; ?>');
$('input[name="val"]').val(ID);
$.ajax({
type : "POST",
url : "actions.php?act=getdata",
data :
"key="+key+"&val="+val+"&table=
"+tbl,
dataType : "json",
beforeSend : function(response){

```

```

$("body").LoadingOverlay("show", {
<?php echo $loading; ?>
});
},
complete : function() {
$("body").LoadingOverlay("hide",
true); },
success : function(data) {
$('input[name="nip"]').val(data.nip);
$('input[name="photo"]').removeAttr
("required");$('input[name="nama_le
ngkap"]').val(data.nama_lengkap);
$('input[name="level"]').each(function()
){if($(this).val() == data.level){
$(this).prop("checked", true); } });
$('input[name="username"]').val(dat
a.username);
$('input[name="password"]').val(dat
a.password);
return false; } }); }
$(document).on('change',
'input[type="file"]', function() {
var target = $(this).parents('.input-
group').find('.input-group-
text').attr('id');
$('#'+target).empty();
$('#'+target).append("<img
src='"+URL.createObjectURL(this.fi
les[0])+"' width='35' height='35' />");
});
</script>
<?php
include('pages/forminsert.php'); ?>

```

```
<?php include('pages/formcall.php');
?>
```

```
<?php $footerCTcallScript_custom =
ob_get_contents(); ob_clean(); ?>
```

admin/modules/data_login/input.php

```
<div class="modal fade"
id="mightywebModal" data-
backdrop="static" data-
keyboard="true">
```

```
<form class="needs-validation mb-
0" novalidate
enctype="multipart/form-data"
id="mightywebForm"
process="insert">
```

```
<div class="modal-dialog modal-
lg">
```

```
<div class="modal-content">
```

```
<div class="modal-header">
```

```
<h4 class="modal-title">Input Data
Login</h4>
```

```
<button type="button" class="close"
data-dismiss="modal" aria-
label="Close">
```

```
<span aria-
hidden="true">&times;</span>
```

```
</button></div>
```

```
<div class="modal-body">
```

```
<input type="hidden" name="key" />
```

```
<input type="hidden" name="val" />
```

```
<input type="hidden" name="table"
value="data_login">
```

```
<div class="card-body p-0">
```

```
<div class="form-group"
id="fg_nip">
```

```
<label for="nip">Nip</label><input
type="number" class="form-control"
required="required" name="nip"
id="nip" value=""><div
class="invalid-feedback">Error: this
field is required.</div></div>
```

```
<div class="form-group"
id="fg_photo">
```

```
<label
for="photo">Photo</label><div
class="input-group">
```

```
<div class="input-group-prepend
"><span class="input-group-text p-
0" id="imgphoto"></span></div>
```

```
<div class="custom-file">
```

```
<input type="file" class="custom-
file-input" id="photo"
name="photo">
```

```
<label class="custom-file-label"
for="photo">Pilih file</label>
```

```
</div>
```

```
</div>
```

```
<div class="invalid-
feedback">Error: this field is
required.</div></div>
```

```
<div class="form-group"
id="fg_nama_lengkap">
```

```
<label for="nama_lengkap">Nama
Lengkap</label><input type="text"
class="form-control"
required="required"
name="nama_lengkap"
id="nama_lengkap" value=""><div
```

```

class="invalid-feedback">Error: this
field is required.</div></div>

<div class="form-group"
id="fg_level">

<label>Level</label><div
class="col-12">

<div class="custom-control custom-
radio custom-control-inline">

<input class="custom-control-input"
type="radio" id="level-1"
name="level" value="Marketing"
required="required">

<label class="custom-control-label"
for="level-1">Marketing</label>

</div>

<div class="custom-control custom-
radio custom-control-inline">

<input class="custom-control-input"
type="radio" id="level-2"
name="level" value="Teknisi"
required="required">

<label class="custom-control-label"
for="level-2">Teknisi</label>

</div>

<div class="custom-control custom-
radio custom-control-inline">

<input class="custom-control-input"
type="radio" id="level-3"
name="level" value="Pimpinan"
required="required">

<label class="custom-control-label"
for="level-3">Pimpinan</label>

</div>

```

```

</div><div class="invalid-
feedback">Error: this field is
required.</div></div>

<div class="form-group"
id="fg_username">

<label
for="username">Username</label><
input type="text" class="form-
control" required="required"
name="username" id="username"
value=""><div class="invalid-
feedback">Error: this field is
required.</div></div>

<div class="form-group"
id="fg_password">

<label
for="password">Password</label><i
nput type="text" class="form-
control" required="required"
name="password" id="password"
value=""><div class="invalid-
feedback">Error: this field is
required.</div></div></div>

</div>

<div class="modal-footer justify-
content-between border-dark">

<button type="reset" class="btn btn-
default" data-
dismiss="modal">Cancel</button>

<button type="submit" class="btn
btn-primary">Submit</button>

</div>

</div></div></form></div>

```

**[admin/modules/data_pelanggan/in
dex.php](#)**

```

<?php
if($session['level']!= 'Pimpinan'){ ?>

<p>

<a class="btn btn-outline-dark"
href="?m=modules/data_pelanggan/
&p=input&act=insert"><i class="fa
fa-plus"></i> Insert Record

</a>

</p>

<?php } ?>

<div class="card card-outline card-
dark">

<div class="card-header"><h3
class="card-title">Data
Pelanggan</h3></div>

<div class="card-body">

<?php
$stable = "data_pelanggan";

$result = $conn->query("SELECT *
FROM ` $stable `"); ?>

<table id="dataMightyWeb"
class="table table-striped table-
bordered nowrap"width="100%">

<thead>

<tr><th>Nama Pelanggan</th>

<th>Jenis</th>

<th>Alamat</th>

<?php
if($session['level']!= 'Pimpinan'){ ?>

<th>Actions</th>

<?php } ?>

</tr>

```

```

</thead>

<tbody>

<?php while($row = $result-
>fetch_assoc()) { ?><tr>

<td><?php echo
$row["nama_pelanggan"]; ?></td>

<td><?php echo $row["jenis"];
?></td>

<td><?php echo $row["alamat"];
?></td>

<?php
if($session['level']!= 'Pimpinan'){ ?>

<td><a
href="?m=modules/data_pelanggan/
&p=input&act=update&key=id_pela
nggan&val=<?php echo
$row["id_pelanggan"]; ?>"
class="btn btn-info btn-xs"
title="Update"><i class="fas fa-
edit"></i></a>

<a href="javascript:delData('<?php
echo $row["id_pelanggan"]; ?>)"
class="btn btn-danger btn-xs"
title="Delete"><i class="far fa-trash-
alt"></i></a></td>

<?php } ?>

</tr><?php } ?>

</tbody>

</table>

</div></div>

<?php ob_start(); ?>

<?php $setDTcolvis = "{extend:
'colvis', text: '<i class=\"fas fa-
columns\"></i>'}"; ?>

```



```

<?php $setDTenties = "{extend:
'pageLength', text: '<i class=\"fas fa-
eye\"></i>}', "; ?>

<?php $setTableStyle =
"\"responsive\": true, "; ?>

<?php $setScriptTools =
"\"searching\": true,

\"paging\": true,

lengthMenu: [[ 10, 25, 50, -1 ],[
"10", "25", "50", "Show all" ]],

\"ordering\": true,

\"info\": true,
"; ?>

<?php $setDTbuttons = "{extend:
'copyHtml5', exportOptions: {
columns: ':visible' }},

{extend: 'excelHtml5',
exportOptions: { columns: ':visible'
}},

{extend: 'pdfHtml5', download:
'open', exportOptions: { columns:
':visible' }, orientation:
'landscape', pageSize: 'legal', title:
'Laporan Data Pelanggan}',

"; ?>

<?php $setDTSearchCol = ""; ?>

<?php $customSCBottom = ""; ?>

<?php $setDTfooterScript = "; ?>

<?php include('pages/dtscripts.php');
?>

<?php $footerCTcallScript_custom =
ob_get_contents(); ob_clean(); ?>

```

admin/modules/data_pelanggan/in put.php

```

<?php

$stable = "data_pelanggan";

if(!empty($_GET['key']) &&
!empty($_GET['val'])){

$sqlupdate = $conn-
>query("SELECT * FROM `stable`
WHERE `$_GET[key]` =
`$_GET[val]`");

$row = $sqlupdate->fetch_array();

$inputkey = '<input type="hidden"
name="key"
value="`$_GET[key]`." />';

$inputval = '<input type="hidden"
name="val" value="`$_GET[val]`."
/>';

$act = 'process="update"';

} else if(!empty($_GET['act'])){

$act = 'process="`$_GET[act]`.\"';

} else {

$act = 'process="insert"';

}?>

<div class="col-12"><div
class="card card-outline card-dark">

<div class="card-header"><h3
class="card-title"> Input Data
Pelanggan </h3></div>

<form class="needs-validation mb-
0" novalidate
enctype="multipart/form-
data" id="mightywebForm" <?php
echo $act; ?>>

```

```

<input type="hidden" name="table"
value="<?php echo $table; ?>"
<?php echo $inputkey; ?>
<?php echo $inputval; ?>
<div class="card-body">
<div class="form-group"
id="fg_nama_pelanggan">
<label for="nama_pelanggan">Nama
Pelanggan</label><input type="text"
class="form-control"
required="required"
name="nama_pelanggan"
id="nama_pelanggan" value="<?php
echo $row['nama_pelanggan'];
?>"><div class="invalid-
feedback">Error: this field is
required.</div></div>
<div class="form-group"
id="fg_jenis">
<label>Jenis</label><div class="col-
12">
<div class="custom-control custom-
radio custom-control-inline">
<input class="custom-control-input"
type="radio" id="jenis-1"
name="jenis" value="Perusahaan"
required="required" <?php if
($row['jenis'] == 'Perusahaan'){ echo
'checked'; } ?> />
<label class="custom-control-label"
for="jenis-1">Perusahaan</label>
</div>
<div class="custom-control custom-
radio custom-control-inline">
<input class="custom-control-input"
type="radio" id="jenis-2"
name="jenis" value="Pemerintah"
required="required" <?php if
($row['jenis'] == 'Pemerintah'){ echo
'checked'; } ?> />
<label class="custom-control-label"
for="jenis-2">Pemerintah</label>
</div>
</div><div class="invalid-
feedback">Error: this field is
required.</div></div>
<div class="form-group"
id="fg_alamat">
<label
for="alamat">Alamat</label><textar
ea class="form-control"
required="required" name="alamat"
id="alamat"><?php echo
$row['alamat']; ?></textarea><div
class="invalid-feedback">Error: this
field is required.</div></div>
</div>
<div class="card-footer">
<a class="btn border-dark"
onClick="history.back()">Cancel</a
>
<button type="submit" class="btn
btn-primary float-
right">Submit</button>
</div>
</form>
</div></div>
<?php ob_start(); ?>
<?php
include('pages/forminsert.php'); ?>

```

```
<?php include('pages/formcall.php');
?>
```

```
<?php $footerCTcallScript_custom =
ob_get_contents(); ob_clean(); ?>
```

admin/modules/data_perlengkapan/index.php

```
<p><button type="button"
class="btn btn-outline-dark btn-add"
data-toggle="modal" data-
target="#mightywebModal"><i
class="fa fa-plus"></i> Insert
Record</button></p>
```

```
<div class="card card-outline card-
dark">
```

```
<div class="card-header"><h3
class="card-title">Data
Perlengkapan</h3></div>
```

```
<div class="card-body">
```

```
<?php $table = "data_perlengkapan";
$sql = "SELECT * FROM `'$table`";
```

```
$result = $conn->query($sql); ?>
```

```
<table id="dataMightyWeb"
class="table table-sm table-striped
table-bordered nowrap"
width="100%">
```

```
<thead>
```

```
<tr><th>Id Permintaan</th>
```

```
<th>Id Alat</th>
```

```
<th>Jumlah</th>
```

```
<th>Keterangan</th>
```

```
<th>Actions</th></tr>
```

```
</thead>
```

```
<tbody>
```

```
<?php while($row = $result-
>fetch_assoc()) { ?><tr>
```

```
<td><?php echo
$row["id_permintaan"]; ?></td>
```

```
<td><?php echo $row["id_alat"];
?></td>
```

```
<td><?php echo $row["jumlah"];
?></td>
```

```
<td><?php echo $row["keterangan"];
?></td>
```

```
<td><a class="btn btn-xs btn-
outline-primary"
href="javascript:getData("<?php echo
$row["id_perlengkapan"];
?>")">Edit</i></a>
```

```
<a class="btn btn-xs btn-outline-
warning"
href="javascript:delData("<?php echo
$row["id_perlengkapan"];
?>")">Delete</a></td>
```

```
</tr><?php } ?>
```

```
</tbody>
```

```
</table>
```

```
</div></div>
```

```
<?php include("input.php"); ?>
```

```
<?php ob_start(); ?>
```

```
<?php $setDTcolvis = "{extend:
'colvis', text: '<i class=\"fas fa-
columns\"></i>'}"; ?>
```

```
<?php $setDTenties = "{extend:
'pageLength', text: '<i class=\"fas fa-
eye\"></i>'}"; ?>
```

```

<?php $setTableStyle =
"responsive": true,; ?>

<?php $setScriptTools =
"searching": true,

"paging": true,

lengthMenu: [[ 10, 25, 50, -1 ],[
"10", "25", "50", "Show all" ]],

"ordering": true,

"info": true,

'; ?>

<?php $setDTbuttons = "{extend:
'copyHtml5', exportOptions: {
columns: ':visible' }},

{extend: 'excelHtml5',
exportOptions: { columns: ':visible'
}},

{extend: 'pdfHtml5', download:
'open', exportOptions: { columns:
':visible' }, orientation:
'landscape',page_size: 'legal',title:
'Laporan Data Perlengkapan}',

"; ?>

<?php $setDTSearchCol = ""; ?>

<?php $customSCBottom = ""; ?>

<?php $setDTfooterScript = "; ?>

<?php include('pages/dtscripts.php');
?>

<script>

function getData(ID){

$('#mightywebModal').modal('show')
;

$('.needs-
validation').attr('process','update');

```

```

var val = ID;

var key = '<?php echo $pri_name;
?>';

var tbl = '<?php echo $table; ?>';

$('input[name="key"]').val('<?php
echo $pri_name; ?>');

$('input[name="val"]').val(ID);

$.ajax({

type : "POST",

url : "actions.php?act=getdata",

data :

"key="+key+"&val="+val+"&table=
"+tbl,

dataType : "json",

beforeSend : function(response){

$("body").LoadingOverlay("show", {

<?php echo $loading; ?>

});

},

complete : function() {

$("body").LoadingOverlay("hide",
true); },

success : function(data){

$('input[name="id_permintaan"]').va
l(data.id_permintaan);

$('input[name="id_alat"]').val(data.id
_alat);

$('input[name="jumlah"]').val(data.j
umlah);

$('input[name="keterangan"]').val(da
ta.keterangan);

return false; } }); }

```

```

</script>

<?php
include('pages/forminsert.php'); ?>

<?php include('pages/formcall.php');
?>

<?php $footerCTcallScript_custom =
ob_get_contents(); ob_clean(); ?>

```

admin/modules/data_perlengkap an/input.php

```

<div class="modal fade"
id="mightywebModal" data-
backdrop="static" data-
keyboard="true">

<form class="needs-validation mb-
0" novalidate
enctype="multipart/form-data"
id="mightywebForm"
process="insert">

<div class="modal-dialog modal-
lg">

<div class="modal-content">

<div class="modal-header">

<h4 class="modal-title">Input Data
Perlengkapan</h4>

<button type="button" class="close"
data-dismiss="modal" aria-
label="Close">

<span aria-
hidden="true">&times;</span>

</button></div>

<div class="modal-body">

<input type="hidden" name="key" />

<input type="hidden" name="val" />

```

```

<input type="hidden" name="table"
value="data_perlengkapan">

<div class="card-body p-0">

<div class="form-group"
id="fg_id_permintaan">

<label for="id_permintaan">Id
Permintaan</label>

<input type="number" class="form-
control" required="required"
name="id_permintaan"
id="id_permintaan" value=""><div
class="invalid-feedback">Error: this
field is required.</div></div>

<div class="form-group"
id="fg_id_alat">

<label for="id_alat">Id Alat</label>

<input type="number" class="form-
control" required="required"
name="id_alat" id="id_alat"
value=""><div class="invalid-
feedback">Error: this field is
required.</div></div>

<div class="form-group"
id="fg_jumlah">

<label for="jumlah">Jumlah</label>

<input type="number" class="form-
control" required="required"
name="jumlah" id="jumlah"
value=""><div class="invalid-
feedback">Error: this field is
required.</div></div>

<div class="form-group"
id="fg_keterangan">

<label
for="keterangan">Keterangan</label>
><input type="text" class="form-

```

```

control" required="required"
name="keterangan" id="keterangan"
value=""><div class="invalid-
feedback">Error: this field is
required.</div></div></div>
</div>
<div class="modal-footer justify-
content-between border-dark">
<button type="reset" class="btn btn-
default" data-
dismiss="modal">Cancel</button>
<button type="submit" class="btn
btn-primary">Submit</button>
</div>
</div></div></form></div>

```

admin/modules/data_permintaan/index.php

```

<?php
if($session['level']=='Marketing'){ ?>
<p><button type="button"
class="btn btn-outline-dark btn-add"
data-toggle="modal" data-
target="#mightywebModal"><i
class="fa fa-plus"></i> Permintaan
Baru</button></p>
<?php } ?>
<div class="card card-outline card-
dark">
<div class="card-header"><h3
class="card-title">Data
Permintaan</h3></div>
<div class="card-body">
<?php

```

```

$table = "data_permintaan";
$sql = "SELECT * FROM ` $table `";
$result = $conn->query($sql); ?>
<table id="dataMightyWeb"
class="table table-sm table-striped
table-bordered nowrap"
width="100%">
<thead>
<tr>
<th>Tanggal</th>
<th>Nama Pelanggan</th>
<th>Status</th>
<th>Bandwidth</th>
<th>Budget</th>
<th>Lama Kontrak</th>
<th>Actions</th>
</tr>
</thead>
<tbody>
<?php while($row = $result-
>fetch_assoc()) {
$ttl_survey =
idkey_to_name('data_survey','id_per
mintaan',$row["id_permintaan'],'tan
ggal');
$lokasi =
idkey_to_name('data_survey','id_per
mintaan',$row["id_permintaan'],'lok
asi');
$nama_pelanggan =
idkey_to_name('data_pelanggan','id_
pelanggan',$row["id_pelanggan'],'na
ma_pelanggan');

```

```

?><tr>
<td><?php echo $row["tanggal"]; ?>
- <?php echo $row["keterangan"];
?></td>

<td><?php echo $nama_pelanggan;
?></td>

<td>

<?php echo $row["status"];
if(!empty($tgl_survey)){
echo ' - (.'.$tgl_survey.')' <a
href='http://maps.google.com/maps?
q=$lokasi'>".$lokasi.'</a>';
}
?>
</td>

<td><?php echo $row["bandwidth"];
?> Mbps</td>

<td><?php echo
number($row["budget"]); ?></td>

<td><?php echo
$row["lama_kontrak"]; ?>
Bulan</td>

<td>

<?php if($row["status"]=='Pending'
AND $session['level']!='Teknisi'){ ?>

<a class="btn btn-xs btn-outline-
primary"
href='javascript:getData("<?php echo
$row["id_permintaan"];
?>")>Edit</i></a>

<a class="btn btn-xs btn-outline-
warning"
href='javascript:delData("<?php echo

```

```

$row["id_permintaan"];
?>")>Delete</a>

<?php } ?>

<?php
$hitung =
count_rowWhere('data_analisis','id_p
ermintaan','id_permintaan',$row["id_
permintaan"]);
if($hitung == 0 AND
$session['level']=='Marketing' AND
$row["status"]=='Surveyed'){ ?>

<a
href="?m=modules/data_permintaan/
&p=input-biaya&act=insert-
analisis&id_permintaan=<?php echo
$row["id_permintaan"]; ?>"
class="btn btn-danger btn-xs btn-
block">Input Biaya</a>

<?php }else if($hitung > 1 AND
$session['level']=='Marketing') { ?>

<a
href="?m=modules/data_permintaan/
&p=hasil&id_permintaan=<?php
echo $row["id_permintaan"]; ?>"
class="btn btn-success btn-xs btn-
block">Hasil Analisis</a>

<?php } ?>

<?php if($row["status"]=='Pending'
AND $session['level']=='Teknisi'){
?>

<a
href="?m=modules/data_survey/&p=
input&act=insert-
survey&id_permintaan=<?php echo
$row["id_permintaan"]; ?>"
class="btn btn-danger btn-xs btn-
block">Survey Lokasi</a>

```

```

<?php } ?>
</td>
</tr><?php } ?>
</tbody>
</table>
</div></div>
<?php include("input.php"); ?>
<?php ob_start(); ?>
<?php $setDTcolvis = "{extend:
'colvis', text: '<i class=\"fas fa-
columns\"></i>'}"; ?>
<?php $setDTenties = "{extend:
'pageLength', text: '<i class=\"fas fa-
eye\"></i>'}"; ?>
<?php $setTableStyle =
"\"responsive\": true,\"; ?>
<?php $setScriptTools =
"\"searching\": true,
\"paging\": true,
lengthMenu: [[ 10, 25, 50, -1 ],[
\"10\", \"25\", \"50\", \"Show all\" ]],
\"ordering\": true,
\"info\": true,
order: [[1, \"desc\"]],
\"rowGroup\": { \"dataSrc\": [ 1 ]},
\"columnDefs\": [{
    \"targets\": [1],
    \"visible\": false,
    \"searchable\": true
}],
'; ?>
<?php $setDTbuttons = "{extend:
'copyHtml5', exportOptions: {
columns: ':visible' }},
{extend: 'excelHtml5',
exportOptions: { columns: ':visible'
}},
{extend: 'pdfHtml5', download:
'open', exportOptions: { columns:
':visible' }, orientation:
'landscape',pageSize: 'legal',title:
'Laporan Data Permintaan'},
"; ?>
<?php $setDTSearchCol = ""; ?>
<?php $customSCBottom = ""; ?>
<?php $setDTfooterScript = "; ?>
<?php include('pages/dtscripts.php');
?>
<script>
function getData(ID){
$('#mightywebModal').modal('show')
;
$('.needs-
validation').attr('process','update');
var val = ID;
var key = '<?php echo $pri_name;
?>';
var tbl = '<?php echo $table; ?>';
$('#input[name="key"]').val('<?php
echo $pri_name; ?>');
$('#input[name="val"]').val(ID);
$.ajax({
type : "POST",

```



```

url : "actions.php?act=getdata",

data :
"key="+key+"&val="+val+"&table=
"+tbl,

dataType : "json",

beforeSend : function(response){
$("body").LoadingOverlay("show", {
<?php echo $loading; ?>
});
},

complete : function() {
$("body").LoadingOverlay("hide",
true); },

success : function(data){

$('input[name="tanggal"]').val(data.t
anggal);

$('input[name="keterangan"]').val(da
ta.keterangan);

$('select[name="id_pelanggan"]').val
(data.id_pelanggan).change();

$('input[name="status"]').each(funci
on() {if($(this).val() == data.status){
$(this).prop("checked", true); } });

$('input[name="bandwidth"]').val(da
ta.bandwidth);

$('input[name="budget"]').val(data.b
udget);

return false; } }); }

</script>

<?php
include('pages/forminsert.php'); ?>

<?php include('pages/formcall.php');
?>

```

```

<?php $footerCTcallScript_custom =
ob_get_contents(); ob_clean(); ?>

```

admin/modules/data_permintaan/i nput.php

```

<div class="modal fade"
id="mightywebModal" data-
backdrop="static" data-
keyboard="true">

<form class="needs-validation mb-
0" novalidate
enctype="multipart/form-data"
id="mightywebForm"
process="insert">

<div class="modal-dialog modal-
lg">

<div class="modal-content">

<div class="modal-header">

<h4 class="modal-title">Input Data
Permintaan</h4>

<button type="button" class="close"
data-dismiss="modal" aria-
label="Close">

<span aria-
hidden="true">&times;</span>

</button></div>

<div class="modal-body">

<input type="hidden" name="key" />

<input type="hidden" name="val" />

<input type="hidden" name="table"
value="data_permintaan">

<div class="card-body p-0">

<div class="row">

```

```

<div class="form-group col"
id="fg_id_pelanggan">

<label for="id_pelanggan">Nama
Pelanggan</label>

<select class="form-control select-
single" required="required"
name="id_pelanggan"
id="id_pelanggan">

<option value="">-Pilih-</option>

<?php echo
select_data('data_pelanggan','id_pela
nggan','nama_pelanggan,'); ?>

</select>

<div class="invalid-
feedback">Error: this field is
required.</div></div>

<div class="form-group col"
id="fg_tanggal">

<label
for="tanggal">Tanggal</label>

<input type="date" class="form-
control" required="required"
name="tanggal" id="tanggal">

<div class="invalid-
feedback">Error: this field is
required.</div></div>

</div>

<div class="form-group"
id="fg_keterangan">

<label
for="keterangan">Keterangan</label
>

<input type="text" class="form-
control" required="required"
name="keterangan" id="keterangan"

```

```

placeholder="Ket Lokasi :
Kantor/Gedung/Hotel/FFTH">

<div class="invalid-
feedback">Error: this field is
required.</div></div>

<div class="row">

<div class="form-group col"
id="fg_bandwidth">

<label
for="bandwidth">Bandwidth</label
>

<div class="input-group">

<input type="text" class="form-
control" required="required"
name="bandwidth" id="bandwidth"
value="">

<div class="input-group-append">

<span class="input-group-
text">Mbps</span>

</div>

</div>

<div class="invalid-
feedback">Error: this field is
required.</div></div>

<div class="form-group col"
id="fg_budget">

<label for="budget">Budget</label>

<input type="number" class="form-
control" required="required"
name="budget" id="budget"
value=""><div class="invalid-
feedback">Error: this field is
required.</div></div>

<div class="form-group col"
id="fg_lama_kontrak">

```

```

<label for="lama_kontrak">Lama
Kontrak</label>

<div class="input-group">

<input type="number" class="form-
control" required="required"
name="lama_kontrak"
id="lama_kontrak" value="3">

<div class="input-group-append">

<span class="input-group-
text">Bulan</span>

</div>

</div>

<div class="invalid-
feedback">Error: this field is
required.</div></div>

</div>

</div>

</div>

<div class="modal-footer justify-
content-between border-dark">

<button type="reset" class="btn btn-
default" data-
dismiss="modal">Cancel</button>

<button type="submit" class="btn
btn-primary">Submit</button>

</div>

</div></div></form></div>

```

admin/modules/data_survey/index.php

```

<div class="card card-outline card-
dark">

```

```

<div class="card-header"><h3
class="card-title">Data
Survey</h3></div>

<div class="card-body">

<?php
if($session['level']=='Teknisi'){
    $where = "WHERE nip =
'$session[nip]'";
}
else{
    $where = "";
}

$stable = "data_survey";

$result = $conn->query("SELECT *
FROM `stable` $where"); ?>

<table id="dataMightyWeb"
class="table table-striped table-
bordered nowrap"width="100%">

<thead>

<tr>

<th>Nip</th>

<th>Nama Pelanggan</th>

<th>Tanggal</th>

<th>Lokasi</th>

<th>Bandwidth</th>

<th>Kebutuhan</th>

<th>Actions</th>

</tr>

</thead>

<tbody>

```

```

<?php while($row = $result-
>fetch_assoc()) {

$人id_pelanggan =
idkey_to_name('data_permintaan','id
_permintaan',$row["id_permintaan"],
'id_pelanggan');

$人nama_pelanggan =
idkey_to_name('data_pelanggan','id
_pelanggan',$id_pelanggan,'nama_pel
anggan');

$人bandwidth =
idkey_to_name('data_permintaan','id
_permintaan',$row["id_permintaan"],
'bandwidth');

?><tr>

<td><?php echo $row["nip"];
?></td>

<td><?php echo $人nama_pelanggan;
?></td>

<td><?php echo $row["tanggal"];
?></td>

<td><a
href="http://maps.google.com/maps?
q=<?php echo $row["lokasi"];
?>"><?php echo $row["lokasi"];
?></a></td>

<td><?php echo $人bandwidth;
?></td>

<td>

<ol class="m-0 pl-2">

<?php

$人result2 = $人conn->query("SELECT
* FROM `data_perlengkapan`
WHERE `id_permintaan` =
'$row[id_permintaan]'");

```

```

while($row2 = $result2-
>fetch_assoc()) {

    $人Salat =
idkey_to_name('data_alat','id_alat',$
row2["id_alat'],'nama_alat');

    echo '<li>.$人Salat.:
.$row2['jumlah'].' -
.$row2['keterangan'].'</li>';
}

?></ol>

</td>

<td>

<a
href="?m=modules/data_survey/&p=
input&act=update&key=id_survey&
val=<?php echo $row["id_survey"];
?>" class="btn btn-info btn-xs"
title="Update"><i class="fas fa-
edit"></i></a>

<a class="btn btn-danger btn-xs
delSurvey" data-idsurvey="<?php
echo $row["id_survey"]; ?>" data-
idpermintaan="<?php echo
$人row["id_permintaan"]; ?>"
title="Delete"><i class="far fa-trash-
alt"></i></a>

</td>

</tr><?php } ?>

</tbody>

</table>

</div></div>

<?php ob_start(); ?>

<?php $人setDTcolvis = "{extend:
'colvis', text: '<i class=\"fas fa-
columns\"></i>','"; ?>

```

```

<?php $setDTenties = "{extend:
'pageLength', text: '<i class=\"fas fa-
eye\"></i>}', "; ?>

<?php $setTableStyle =
"\"responsive\": true,; ?>

<?php $setScriptTools =
"\"searching\": true,
\"paging\": true,
lengthMenu: [[ 10, 25, 50, -1 ],[
"10", "25", "50", "Show all" ]],
"ordering": true,
"info": true,
; ?>

<?php $setDTbuttons = "{extend:
'copyHtml5', exportOptions: {
columns: ':visible' }},
{extend: 'excelHtml5',
exportOptions: { columns: ':visible'
}},
{extend: 'pdfHtml5', download:
'open', exportOptions: { columns:
':visible' }, orientation:
'landscape',page_size: 'legal',title:
'Laporan Data Survey'}},
"; ?>

<?php $setDTSearchCol = ""; ?>
<?php $customSCBottom = ""; ?>
<?php $setDTfooterScript = "; ?>
<?php include('pages/dtscripts.php');
?>
<script>
    $(".delSurvey").on("click",
function() {
        var val = $(this).data('idsurvey');
        var key = "id_survey";
        var tbl = "data_survey";
        var id =
$(this).data('idpermintaan');
        var pilih = confirm('Anda yakin
ingin menghapus data?');
        if(pilih==true) {
            $.ajax({
                type: "POST",
                url: "actions.php?act=del-
survey",
                data:
                "key="+key+"&val="+val+"&table=
"+tbl+"&id="+id,
                success: function(data){
                    toastr.success(data+'<br
/><button class="btn btn-primary
btn-block"
onClick="window.location.reload()"
>Refresh</button>');
                },
                error: function (data) {
                    toastr.warning(data);
                }
            });
        }
    });
}
</script>
<?php $footerCTcallScript_custom =
ob_get_contents(); ob_clean(); ?>

```

admin/modules/data_survey/input.

php

```
<?php
$stable = "data_survey";

if(!empty($_GET['key']) &&
!empty($_GET['val'])) {

$sqlupdate = $conn-
>query("SELECT * FROM `stable`
WHERE `$_GET[key]` =
'$_GET[val]'");

$row = $sqlupdate->fetch_array();

$inputkey = '<input type="hidden"
name="key"
value="'. $_GET['key']. "' />';

$inputval = '<input type="hidden"
name="val" value="'. $_GET['val']. "'
/>';

    $act = 'process="update-survey"';

    $id_permintaan =
    $row['id_permintaan'];

    $nip = $row['nip'];

    $tanggal = $row['tanggal'];
} else if(!empty($_GET['act'])) {

    $act = 'process="'. $_GET['act']. "'";

    $id_permintaan =
    $_GET['id_permintaan'];

    $nip = $_SESSION['nip'];

    $tanggal = date('Y-m-d');
} else {

    $act = 'process="insert-survey"';

    $nip = $_SESSION['nip'];

    $tanggal = date('Y-m-d');
```

```
}

$id_pelanggan =
idkey_to_name('data_permintaan','id
_permintaan',$id_permintaan,'id_pel
anggan');

$name_pelanggan =
idkey_to_name('data_pelanggan','id_
Pelanggan',$id_pelanggan,'nama_pel
anggan');

?>

<div class="col-12">

<div class="card card-primary">

<div class="card-header"><h3
class="card-title"> Input Data
Survey </h3></div>

<form class="needs-validation mb-
0" novalidate
enctype="multipart/form-
data" id="mightywebForm" <?php
echo $act; ?>>

<input type="hidden" name="table"
value="<?php echo $stable; ?>">

<?php echo $inputkey; ?>

<?php echo $inputval; ?>

<div class="card-body">

<input type="hidden" value="<?php
echo $id_permintaan; ?>"
name="id_permintaan">

<input type="hidden" name="nip"
id="nip" value="<?php echo $nip;
?>">

<div class="row">

<div class="form-group col"
id="fg_nip">
```

```

<label for="nip">Teknisi</label>
<input type="text" class="form-control" value="<?php echo idkey_to_name('data_login','nip',$nip,'nama_lengkap'); ?>" readonly>
<div class="invalid-feedback">Error: this field is required.</div></div>
<div class="form-group col" id="fg_id_permintaan">
<label for="id_permintaan">Nama Pelanggan</label>
<input type="text" class="form-control" value="<?php echo $nama_pelanggan; ?>" readonly>
<div class="invalid-feedback">Error: this field is required.</div></div>
<div class="form-group" id="fg_tanggal">
<label for="tanggal">Tanggal</label>
<input type="date" class="form-control" required name="tanggal" id="tanggal" value="<?php echo $tanggal; ?>">
<div class="invalid-feedback">Error: this field is required.</div>
</div>
</div>
<div class="form-group" id="fg_lokasi">
<label for="lokasi">Lokasi Pemasangan</label>

```

```

<input type="text" class="form-control" required name="lokasi" id="lokasi" value="<?php echo $row['lokasi']; ?>" readonly>
<div id='maps-view' class="mb-3" style='width: 100%; height:250px;'></div>
<div class="invalid-feedback">Error: this field is required.</div></div>
<div class="card g-brd-gray-light-v7 g-rounded-3 g-mb-30">
<header class="card-header g-bg-transparent g-brd-gray-light-v7 g-px-15 g-px-30--sm g-pt-15 g-pt-20--sm g-pb-10 g-pb-15--sm">
<h3 class="d-flex align-self-center text-uppercase g-font-size-12 g-font-size-default--md g-color-black g-mr-10 mb-0">
Detail Kebutuhan
Perlengkapan</h3>
</header>
<div class="card-block g-pa-10 g-pa-15--sm" id="detailbarang">
<div id="insert-new">
<div class="row m-2 pt-2" id="elm-1">
<div class="form-group g-pr-0--lg col-lg-5 col-sm-12" id="fg_id_alat">
<div class="input-group">
<select class="form-control" name="id_alat[]" required="required">

```

```

        <option value="">Nama
Alat</option>

    <?php

        $sql1 = $conn->query("SELECT *
FROM `data_alat` GROUP BY jenis
ORDER BY nama_alat ASC");

        while($row1 = $sql1-
>fetch_array()) {

            $sql2 = $conn-
>query("SELECT * FROM
`data_alat` WHERE jenis =
'$row1[jenis]'");

            echo "<optgroup
label='$row1[jenis]'>";

            while($row2 = $sql2-
>fetch_array()) {

                if($row['id_alat']==$row2['id
_alat']){

                    echo "<option
value=\"\$row2[id_alat]\"
selected>$row2[nama_alat] -
(\$row2[satuan])</option>";

                    echo "\n";

                }else{

                    echo "<option
value=\"\$row2[id_alat]\">$row2[na
ma_alat] -
(\$row2[satuan])</option>";

                    echo "\n";

                }

            }

            echo "</optgroup>";

        }

    ?>

```

```

    </select>

</div>

</div>

<div class="form-group g-pr-0--lg
col-lg-2 col-sm-12" id="fg_jumlah">

    <div class="input-group">

        <input type="number" class="form-
control" id="jumlah_1"
name="jumlah[]"
placeholder="Jumlah">

    </div>

</div>

<div class="form-group g-pr-0--lg
col-lg-5 col-sm-12"
id="fg_keterangan">

    <div class="input-group">

        <input type="text" class="form-
control" id="keterangan_1"
name="keterangan[]"
placeholder="Qty / Keterangan">

    </div>

</div>

</div>

<div class="row m-2" id="elm-
copy">

    <div class="form-group g-pr-0--lg
col-lg-5 col-sm-12" id="fg_id_alat">

        <div class="input-group">

            <select class="form-control"
name="id_alat[]"
required="required">

                <option value="">Nama
Alat</option>

```



```

        <?php
            $sql1 = $conn->query("SELECT *
FROM `data_alat` GROUP BY jenis
ORDER BY nama_alat ASC");

            while($row1 = $sql1-
>fetch_array()) {

                $sql2 = $conn-
>query("SELECT * FROM
`data_alat` WHERE jenis =
'$row1[jenis]'");

                echo "<optgroup
label='$row1[jenis]'>";

                while($row2 = $sql2-
>fetch_array()) {

                    if($row['id_alat']==$row2['id
_alat']){

                        echo "<option
value=\"\$row2[id_alat]\"
selected>$row2[nama_alat] -
(\$row2[satuan])</option>";

                        echo "\n";

                    }else{

                        echo "<option
value=\"\$row2[id_alat]\">$row2[na
ma_alat] -
(\$row2[satuan])</option>";

                        echo "\n";

                    }

                }

                echo "</optgroup>";

            }

        ?>
</select>
    </div>

</div>

<div class="form-group g-pr-0--lg
col-lg-2 col-sm-12" id="fg_jumlah">

<div class="input-group">

<input type="number" class="form-
control" id="jumlah_1"
name="jumlah[]"
placeholder="Jumlah">

</div>

</div>

<div class="form-group g-pr-0--lg
col-lg-4 col-sm-12"
id="fg_keterangan">

<div class="input-group">

<input type="text" class="form-
control" id="keterangan_1"
name="keterangan[]"
placeholder="Qty / Keterangan">

</div>

</div>

<div class="form-group col-1
rounded-0" id="fg_trash">

<button type="button" class="btn
btn-danger btn-block" id="trash"
onclick="removeDiv(this)">

    <i class="fas fa-
trash"></i></button>

</div>

</div>

</div>

<div class="m-2">

```

```

<button type="button" class="btn
btn-secondary btn-sm btn-block"
id="btn-copy">

<i class="fas fa-plus"></i>
Tambah</button>

</div>

</div>

</div>

</div>

<div class="card-footer">

<a class="btn border-dark"
onClick="history.back()">Cancel</a
>

<button type="submit" class="btn
btn-primary float-
right">Submit</button>

</div>

</form>

</div></div>

<?php ob_start(); ?>

<script>

function removeDiv(elem){

    $(elem).parents('#elm-
copy').remove();

}

$(document).ready(function() {

    $('#btn-copy').click(function() {

        var clonedRow = $('#elm-
copy').last().clone();

        clonedRow.insertAfter($('#elm-
copy').last());

    });

```

```

});

</script>

<?php
include('pages/forminsert.php'); ?>

<?php include('pages/formcall.php');
?>

<link href="<?php echo path('dist/');
?>plugins/leaflet/leaflet.css"
rel="stylesheet" />

<script src="<?php echo path('dist/');
?>plugins/leaflet/leaflet.js"></script>

<script>

let koordinat = "searching...";

if
(document.getElementById("maps-
view")) {

window.onload = function() {

var popup = L.popup();

var geolocationMap = L.map("maps-
view", {

center: [40.731701, -73.993411],

zoom: 15,

});

L.tileLayer("https://{s}.tile.openstree
tmap.org/{z}/{x}/{y}.png", {

attribution: '&copy; <a
href="https://www.openstreetmap.or
g/copyright">OpenStreetMap</a>
contributors',

}).addTo(geolocationMap);

function
geolocationErrorOccurred(geolocatio
nSupported, popup, latLng) {

```

```

popup.setLatLng(latLng);
popup.setContent(
geolocationSupported ?
"<b>Error:</b> The Geolocation
service failed." :
"<b>Error:</b> This browser doesn't
support geolocation."
);
popup.openOn(geolocationMap);
}
if (navigator.geolocation) {
navigator.geolocation.getCurrentPosi
tion(
function(position) {
var latLng = {
lat: position.coords.latitude,
lng: position.coords.longitude,
};
var marker =
L.marker(latLng).addTo(geolocation
Map);
koordinat = position.coords.latitude
+ ", " + position.coords.longitude;
geolocationMap.setView(latLng);
$('#lokasi').val(koordinat);
},
function() {
geolocationErrorOccurred(true,
popup, geolocationMap.getCenter());
koordinat = 'No Location';
}
} else {
//No browser support geolocation
service
geolocationErrorOccurred(false,
popup, geolocationMap.getCenter());
koordinat = 'No Location';
}
};
}
}
</script>
<?php $footerCTcallScript_custom =
ob_get_contents(); ob_clean(); ?>

```