

## SOURCE CODE

### Index

```
<?php
session_start();
include_once("koneksi.php");
if (isset($_SESSION['username'])) {
    header("Location: index.php");
}
?>

<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>APLIKASI PENILAIAN KINERJA POLDA SUMSEL</title>
    <!-- Tell the browser to be responsive to screen width -->
    <meta content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no" name="viewport">
    <!-- Bootstrap 3.3.7 -->
    <link
                                                rel="stylesheet"
href="layouts/bower_components/bootstrap/dist/css/bootstrap.min.css">
    <!-- Font Awesome -->
    <link rel="stylesheet" href="layouts/bower_components/font-awesome/css/font-awesome.min.css">
    <!-- Ionicons -->
```

```
<link rel="stylesheet"
href="layouts/bower_components/Ionicons/css/ionicons.min.css">
<!-- Theme style -->
<link rel="stylesheet" href="layouts/dist/css/AdminLTE.min.css">
<!-- iCheck -->
<link rel="stylesheet" href="layouts/plugins/iCheck/square/blue.css">

<link rel="shortcut icon" type="text/css" href="layouts/dist/img/logo.png">

<!-- HTML5 Shim and Respond.js IE8 support of HTML5 elements and media
queries -->
<!-- WARNING: Respond.js doesn't work if you view the page via file:// -->
<!--[if lt IE 9]>
<script
src="https://oss.maxcdn.com/html5shiv/3.7.3/html5shiv.min.js"></script>
<script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
<![endif]-->

<!-- Google Font -->
<link rel="stylesheet"
href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,600,700,300italic,400italic,600italic">
</head>
<body class="hold-transition login-page">
<div class="login-box">
<div class="login-logo">
<div class="col-xs-2" style="margin-right: 50px; margin-left: -10px;">
</div>
```

```
<div class="box1"><a href="index.php" style="font-size: 29px; line-height: 10px;"><b>APLIKASI PENILAIAN KINERJA</b></a></div>
```

```
</div>
```

```
<!-- /.login-logo -->
```

```
<div class="login-box-body">
```

```
<p class="login-box-msg">Sign in to start your session</p>
```

```
<?php if (isset($_SESSION['validMsg'])) {
```

```
    echo $_SESSION['validMsg'];
```

```
    unset($_SESSION['validMsg']);
```

```
} ?>
```

```
<form action="aksi-login.php" method="post">
```

```
<div class="form-group has-feedback">
```

```
<input type="text" class="form-control" placeholder="Username" id="username" name="username">
```

```
<span class="glyphicon glyphicon-envelope form-control-feedback"></span>
```

```
</div>
```

```
<div class="form-group has-feedback">
```

```
<input type="password" class="form-control" placeholder="Password" id="password" name="password">
```

```
<span class="glyphicon glyphicon-lock form-control-feedback"></span>
```

```
</div>
```

```
<div class="row">
```

```
<div class="col-xs-8">
```

```
<div class="checkbox icheck">
```

```
<label>
```

```
<input type="checkbox"> Remember Me
```

```
</label>
```

```
</div>
```

```
</div>
<!-- /.col -->
<div class="col-xs-4">
  <button type="submit" class="btn btn-primary btn-block btn-flat">Sign
In</button>
</div>
<!-- /.col -->
</div>
</form>
```

```
</div>
<!-- /.login-box-body -->
</div>
<!-- /.login-box -->
```

```
<!-- jQuery 3 -->
<script src="layouts/bower_components/jquery/dist/jquery.min.js"></script>
<!-- Bootstrap 3.3.7 -->
<script
src="layouts/bower_components/bootstrap/dist/js/bootstrap.min.js"></script>
<!-- iCheck -->
<script src="layouts/plugins/iCheck/ichack.min.js"></script>
<script>
$(function () {
  $('input').iCheck({
    checkboxClass: 'icheckbox_square-blue',
    radioClass: 'iradio_square-blue',
    increaseArea: '20%' /* optional */
  });
});
```

```
});  
</script>  
</body>  
</html>
```

### **Aksi-login.php**

```
<?php  
session_start();  
include_once('koneksi.php');  
  
$username = $_POST['username'];  
$password = $_POST['password'];  
$nama = $_POST['nama'];  
  
$query = mysqli_query($koneksi, "SELECT * FROM data_user where username  
= '$username' AND password = '$password'");  
$cek = mysqli_fetch_array($query);  
  
$query2 = mysqli_query($koneksi, "SELECT * FROM data_anggota where  
username = '$username' AND password = '$password'");  
$cek2 = mysqli_fetch_array($query2);  
  
if (mysqli_num_rows($query) == 1) {  
  
    $_SESSION['username'] = $username;  
    // alihkan ke halaman dashboard admin  
    $_SESSION['nama'] = $cek['nama'];
```

```
$_SESSION['foto'] = $cek['foto'];
$_SESSION['level']= $cek['level'];

header("location:layouts/index.php");

}elseif(mysql_num_rows($query2) == 1){

    $_SESSION['username'] = $cek2['username'];
$_SESSION['nama'] = $cek2['nama'];
$_SESSION['pangkat'] = $cek2['pangkat'];
$_SESSION['jabatan'] = $cek2['jabatan'];
$_SESSION['satuan_kerja'] = $cek2['satuan_kerja'];
$_SESSION['level']= $cek2['level'];
    header("location:layout/index.php");

}else{

    $_SESSION['validMsg'] = '
<div class="alert alert-danger" role="alert">
Username atau password Anda salah!
</div>
';
    header("location: index.php");
}
?>
```

### ***Koneksi.php***

```
<?php

$koneksi = mysqli_connect("localhost", "root", "", "penilaian_kinerja");

if (mysqli_connect_errno()) {
    echo "Koneksi database gagal : " . mysqli_connect_error();
}
```

### ***Administrator.php***

```
<?php
include('nav-bar/header.php');
?>

<div class="page-heading">
    <div class="page-title">
        <div class="row">
            <div class="col-12 col-md-6 order-md-1 order-last">
                <h3>Data Administrator</h3>
            </div>
            <div class="col-12 col-md-6 order-md-2 order-first">
                <nav aria-label="breadcrumb" class="breadcrumb-header float-start float-lg-end">
                    <ol class="breadcrumb">
                        <li class="breadcrumb-item"><a href="index.html">Dashboard</a></li>
```

```

        <li class="breadcrumb-item active" aria-
current="page">Administrator</li>
    </ol>
</nav>
</div>
</div>
</div>
</div>
<section class="section">
    <div class="col-md-6 col-12">
        <div class="card">
            <div class="card-header">
                <h4 class="card-title">Vertical Form with Icons</h4>
            </div>
            <div class="card-content">
                <div class="card-body">
                    <form class="form form-vertical">
                        <div class="form-body">
                            <div class="row">
                                <div class="col-12">
                                    <div class="form-group has-icon-left">
                                        <label for="first-name-icon">First Name</label>
                                        <div class="position-relative">
                                            <input type="text" class="form-control"
placeholder="Input with icon left" id="first-
name-icon">
                                            <div class="form-control-icon">
                                                <i class="bi bi-person"></i>
                                            </div>
                                        </div>
                                    </div>
                                </div>
                            </div>
                        </div>
                    </form>
                </div>
            </div>
        </div>
    </div>

```



```
</div>
</div>
<div class="col-12">

  <div class="form-group has-icon-left">
    <label for="email-id-icon">Email</label>
    <div class="position-relative">
      <input type="text" class="form-control"
placeholder="Email"
      id="email-id-icon">
      <div class="form-control-icon">
        <i class="bi bi-envelope"></i>
      </div>
    </div>
  </div>
</div>
</div>
<div class="col-12">
  <div class="form-group has-icon-left">
    <label for="mobile-id-icon">Mobile</label>
    <div class="position-relative">
      <input type="text" class="form-control"
placeholder="Mobile"
      id="mobile-id-icon">
      <div class="form-control-icon">
        <i class="bi bi-phone"></i>
      </div>
    </div>
  </div>
</div>
</div>
```

```

<div class="col-12">
  <div class="form-group has-icon-left">
    <label for="password-id-icon">Password</label>
    <div class="position-relative">
      <input type="password" class="form-control"
placeholder="Password"
      id="password-id-icon">
      <div class="form-control-icon">
        <i class="bi bi-lock"></i>
      </div>
    </div>
  </div>
</div>
<div class="col-12">
  <div class='form-check'>
    <div class="checkbox mt-2">
      <input type="checkbox" id="remember-me-v"
class='form-check-input'
      checked>
      <label for="remember-me-v">Remember
Me</label>
    </div>
  </div>
</div>
<div class="col-12 d-flex justify-content-end">
  <button type="submit" class="btn btn-primary me-1
mb-1">Submit</button>
  <button type="reset"
class="btn btn-light-secondary me-1 mb-
1">Reset</button>

```

```

        </div>
    </div>
</div>
</form>
</div>
</div>
</div>
</div>
</div>
</section>
<section class="section">
    <div class="row" id="table-bordered">
        <div class="col-12">
            <div class="card">
                <div class="card-header">
                    <h4 class="card-title">Bordered table</h4>
                </div>
                <div class="card-content">
                    <!-- <div class="card-body">
                        <p class="card-text">Add <code>.table-bordered</code> for
borders on all sides of the table

                        and

                        cells. For

                        Inverse Dark Table, add <code>.table-dark</code> along with

                        <code>.table-bordered</code>.
                    </p>
                </div> -->
            </div>
        </div>
    </div>
<?php
    if (isset($_SESSION['queryNsg'])) {

```

```

        echo $_SESSION['queryNsg'];
        unset($_SESSION['queryNsg']);
    }
    ?>
<!-- table bordered -->
<div class="table-responsive">
    <table class="table table-bordered mb-0">
        <thead>
            <tr>
                <th>NO</th>
                <th>NAMA</th>
                <th>USERNAME</th>
                <th>PASSWORD</th>
                <th>AKSI</th>
            </tr>
        </thead>
        <tbody>
            <?php
                $no = 1;
                $stampil = mysqli_query($koneksi, "SELECT * from
data_user ");
                while ($data = mysqli_fetch_array($stampil)) :
                    ?>
            <tr>
                <td style="width: 40px; text-align: center;"><?=$no++;
?></td>
                <td class="text-bold-500"><?=$data['nama']; ?></td>
                <td><?=$data['username']; ?></td>
                <td><?=$data['password']; ?></td>

```

```

                <td><center>
                    <a href="hapus-data-admin.php?id=<?=$data['id']; ?>" class="btn btn-sm btn-danger"><i class="fa fa-trash"></i></a>
                </center></td>
            </tr>
        </tbody>
    <?php endwhile; ?>
</table>
</div>
</div>
</div>
</div>
</div>
</section>
</div>

```

```

<?php
include('nav-bar/footer.php');
?>

```

### ***Aksi-data-pp.php***

```

<?php
session_start();
require_once('../koneksi.php');

if (isset($_POST['Submit'])) {
    $nama = $_POST['nama'];
}

```

```
$nrp = $_POST['nrp'];
$semester = $_POST['semester'];
$tahun = $_POST['tahun'];
$kepemimpinan = $_POST['kepemimpinan'];
$orientasi_pelayanan = $_POST['orientasi_pelayanan'];
$komunikasi = $_POST['komunikasi'];
$pengendalian_emosi = $_POST['pengendalian_emosi'];
$integritas = $_POST['integritas'];
$empati = $_POST['empati'];
$komitmen = $_POST['komitmen'];
$inisiatif = $_POST['inisiatif'];
$disiplin = $_POST['disiplin'];
$kerjasama = $_POST['kerjasama'];
```

```
$nilai =
($kepemimpinan+$orientasi_pelayanan+$komunikasi+$pengendalian_emosi+$int
egritas+$empati+$komitmen+$inisiatif+$disiplin+$kerjasama) / 10;
```

```
if (mysql_num_rows(mysql_query($koneksi,"SELECT * FROM pp WHERE
nrp ='$nrp' AND semester ='$semester' AND tahun = '$tahun' " )) > 0 ) {
    $_SESSION['queryMsg'] = '
    <div class="alert alert-danger" role="alert">
    DATA SUDAH ADA !!!
    </div>';
    header('Location: data-kriteria-pp.php');
} else {
```

```
mysqli_query($koneksi, "INSERT INTO pp (nama, nrp, semester, tahun,
kepemimpinan, orientasi_pelayanan, komunikasi, pengendalian_emosi, integritas,
empati, komitmen, inisiatif, disiplin, kerjasama, nilai ) VALUES ('$nama', '$nrp',
'$semester', '$tahun','$kepemimpinan', '$orientasi_pelayanan', '$komunikasi',
'$pengendalian_emosi', '$integritas', '$empati', '$komitmen', '$inisiatif', '$disiplin',
'$kerjasama', '$nilai')");
```

```
mysqli_query($koneksi, "UPDATE nilai SET nrp='$nrp',
semester='$semester', tahun='$tahun', pp='$nilai' WHERE nrp='$nrp' AND
semester= '$semester' AND tahun='$tahun'");
```

```
$_SESSION['queryNsg'] =
```

```
<div class="alert alert-success" role="alert">
```

```
Tambah data berhasil!
```

```
</div>;
```

```
header('Location: data-kriteria-pp.php');
```

```
}
```

```
} else {
```

```
header('Location: index.php');
```

```
}
```

### ***aksi-data-rk.php***

```
<?php
```

```
session_start();
```

```
require_once('../koneksi.php');
```

```
if (isset($_POST['Submit'])) {
```

```
    $nama = $_POST['nama'];
```

```
    $nrp = $_POST['nrp'];
```

```
$semester = $_POST['semester'];
$tahun = $_POST['tahun'];
$kepemimpinan = $_POST['kepemimpinan'];
$orientasi_pelayanan = $_POST['orientasi_pelayanan'];
$komunikasi = $_POST['komunikasi'];
$pengendalian_emosi = $_POST['pengendalian_emosi'];
$integritas = $_POST['integritas'];
$empati = $_POST['empati'];
$komitmen = $_POST['komitmen'];
$inisiatif = $_POST['inisiatif'];
$disiplin = $_POST['disiplin'];
$kerjasama = $_POST['kerjasama'];
```

```
$nilai =
($kepemimpinan+$orientasi_pelayanan+$komunikasi+$pengendalian_emosi+$integritas+$empati+$komitmen+$inisiatif+$disiplin+$kerjasama) / 10;
```

```
if (mysql_num_rows(mysql_query($koneksi,"SELECT * FROM rk WHERE
nrp ='$nrp' AND semester ='$semester' AND tahun = '$tahun' " )) > 0 ) {
```

```
$_SESSION['queryMsg'] = '
```

```
<div class="alert alert-danger" role="alert">
```

```
DATA SUDAH ADA !!!
```

```
</div>';
```

```
header('Location: data-kriteria-rk.php');
```

```
} else {
```

```
mysql_query($koneksi, "INSERT INTO rk (nama, nrp, semester, tahun,
kepemimpinan, orientasi_pelayanan, komunikasi, pengendalian_emosi, integritas,
empati, komitmen, inisiatif, disiplin, kerjasama, nilai ) VALUES ('$nama', '$nrp',
```



```
'$semester', '$tahun','$kepemimpinan', '$orientasi_pelayanan', '$komunikasi', '$pengendalian_emosi', '$integritas', '$smpati', '$komitmen', '$inisiatif', '$disiplin', '$kerjasama', '$nilai')");
```

```
mysql_query($koneksi, "UPDATE nilai SET nrp='$nrp', semester='$semester', tahun='$tahun', rk='$nilai' WHERE nrp='$nrp' AND semester= '$semester' AND tahun='$tahun'");
```

```
$_SESSION['queryNsg'] ='
```

```
<div class="alert alert-success" role="alert">
```

```
Tambah data berhasil!
```

```
</div>;
```

```
header('Location: data-kriteria-rk.php');
```

```
}
```

```
} else {
```

```
header('Location: index.php');
```

```
}
```