

LISTING CODE

```
<?php
include("../koneksi.php");
session_start();

?>

<!DOCTYPE html>
<html class="no-js" lang="en">

<head>
  <meta charset="utf-8">
  <link rel="icon"
  type="image/png"
  href="../assets/img/logo-rs.png">

  <meta http-equiv="x-ua-compatible"
  content="ie=edge">
  <meta name="viewport"
  content="width=device-width, initial-scale=1,
  shrink-to-fit=no" />
  <meta name="description" content="" />
  <meta name="author" content="" />
  <title>Stock Obat | RS CHARITAS
  Palembang</title>

  <link
  href="https://cdn.jsdelivr.net/npm/simple-
  datatables@latest/dist/style.css"
  rel="stylesheet" />

  <link rel="stylesheet"
  href="../assets/css/bootstrap.min.css">
```

```
<link rel="stylesheet"
href="../assets/css/font-awesome.min.css">
  <link rel="stylesheet"
href="../assets/css/themify-icons.css">
  <link rel="stylesheet"
href="../assets/css/metisMenu.css">
  <link rel="stylesheet"
href="../assets/css/owl.carousel.min.css">
  <link rel="stylesheet"
href="../assets/css/slicknav.min.css">
  <!-- Global site tag (gtag.js) - Google
  Analytics -->
  <script async
  src="https://www.googletagmanager.com/gtag/
  js?id=UA-144808195-1"></script>
  <script
  src="https://use.fontawesome.com/releases/v6.
  1.0/js/all.js"
  crossorigin="anonymous"></script>
  <script>
    window.dataLayer = window.dataLayer ||
    [];
    function
    gtag(){dataLayer.push(arguments);}
    gtag('js', new Date());

    gtag('config', 'UA-144808195-1');
  </script>
  <!-- amchart css -->
  <link rel="stylesheet"
  href="https://www.amcharts.com/lib/3/plugins
  /export/export.css" type="text/css"
  media="all" />
  <!-- Start datatable css -->
  <link rel="stylesheet" type="text/css"
  href="https://cdn.datatables.net/1.10.19/css/jqu
  ery.dataTables.min.css">
  <link rel="stylesheet" type="text/css"
  href="https://cdn.datatables.net/1.10.19/css/jqu
  ery.dataTables.css">
```

```
<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.18/css/dat
aTables.bootstrap4.min.css">
```

```
<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.
3/css/responsive.bootstrap.min.css">
```

```
<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.
3/css/responsive.jqueryui.min.css">
```

```
<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/buttons/1.5.2/c
ss/buttons.dataTables.min.css">
```

```
<!-- others css -->
```

```
<link rel="stylesheet"
href="../../../assets/css/typography.css">
```

```
<link rel="stylesheet"
href="../../../assets/css/default-css.css">
```

```
<link rel="stylesheet"
href="../../../assets/css/styleless.css">
```

```
<link rel="stylesheet"
href="../../../assets/css/responsive.css">
```

```
<!-- modernizr css -->
```

```
<script src="../../../assets/vendor/modernizr-
2.8.3.min.js"></script>
```

```
</head>
```

```
<body>
```

```
<!--[if lt IE 8]>
```

```
<p class="browserupgrade">You are
using an <strong>outdated</strong> browser.
Please <a
href="http://browsehappy.com/">upgrade your
browser</a> to improve your experience.</p>
```

```
<![endif]-->
```

```
<!-- preloader area start -->
```

```
<div id="preloader">
```

```
<div class="loader"></div>
```

```
</div>
```

```
<!-- preloader area end -->
```

```
<!-- page container area start -->
```

```
<div class="page-container">
```

```
<!-- sidebar menu area start -->
```

```
<div class="sidebar-menu">
```

```
<div class="sidebar-header">
```

```
<a href="index.php"></a>
```

```
</div>
```

```
<div class="main-menu">
```

```
<div class="menu-inner">
```

```
<nav>
```

```
<ul class="metismenu"
id="menu">
```

```
<li class="active">
```

```
<a href="index.php"><i
class="ti-layout"></i><span>Stock
Obat</span></a>
```

```
</li>
```

```
<li>
```

```
<a
href="javascript:void(0)" aria-
expanded="true"><i class="ti-
layout"></i><span>Transaksi Stock
Obat</span>
```

```
</span></a>
```

```
<ul class="collapse">
```

```
<li><a
href="masuk.php">Stock Obat
Masuk</a></li>
```

```
<li><a
href="keluar.php">Stock Obat
Keluar</a></li>
```

```
</ul>
```

```

        </li>
        <li>
            <a
href="logout.php"><span>Logout</span></a>
        </li>
    </ul>
</nav>
</div>
</div>
<!-- sidebar menu area end -->
<!-- main content area start -->
<div class="main-content">
    <!-- header area start -->
    <div class="header-area">
        <div class="row align-items-
center">
            <!-- nav and search button -->
            <div class="col-md-6 col-sm-8
clearfix">
                <div class="nav-btn pull-left">
                    <span></span>
                    <span></span>
                    <span></span>
                </div>
                <div class="search-box pull-
left">
                    <form action="#">
                        <h2>Hi,
<?=$_SESSION['nama'];?></h2>
                    </form>
                </div>
            </div>
        </div>
    </div>
</div>

```

```

        <!-- profile info & task
notification -->
        <div class="col-md-6 col-sm-4
clearfix">
            <ul class="notification-area
pull-right">
                <li><h3><div class="date">
                    <script
type='text/javascript'>
                        <!--
                            var months = ['Januari',
'Februari', 'Maret', 'April', 'Mei', 'Juni', 'Juli',
'Agustus', 'September', 'Oktober', 'November',
'Desember'];
                            var myDays = ['Minggu',
'Senin', 'Selasa', 'Rabu', 'Kamis', 'Jumat',
'Sabtu'];
                            var date = new Date();
                            var day = date.getDate();
                            var month = date.getMonth();
                            var thisDay = date.getDay(),
                                thisDay = myDays[thisDay];
                            var yy = date.getYear();
                            var year = (yy < 1000) ? yy +
1900 : yy;
                            document.write(thisDay + ', ' +
day + ' ' + months[month] + ' ' + year);
                        <!-->
                    </script></b></div></h3>
                </li>
            </ul>
        </div>
    </div>
</div>
<!-- header area end -->

```

```

<?php

    $periksa_stock=mysqli_query($db,"
    SELECT * from tbl_stock_obat where stock
    <1");

    while($p_periksa_stock=mysqli_fetc
    h_array($periksa_stock)){

        if($p_periksa_stock['stock']<=1){

            ?>

            <script>

                $(document).ready(function(
            ){

                    $('#pesan_sedia').css("colo
            r","white");

                    $('#pesan_sedia').append("
            <i class='ti-flag'></i>");

                });

            </script>

            <?php

                echo "<div class='alert alert-
            danger alert-dismissible fade show'><button
            type='button' class='close' data-
            dismiss='alert'>&times;</button>Stok <strong
            ><u>".$p_periksa_stock['nama_obat']."</u></
            strong> yang tersisa sudah habis</div>";

            }

        }

    ?>

    <!-- page title area start -->

    <div class="page-title-area">

        <div class="row align-items-
        center">

            <div class="col-sm-6">

                <div class="breadcrumbs-area
        clearfix">

```

```

        <h4 class="page-title pull-
        left">RS CHARITAS Palembang</h4>

        <ul class="breadcrumbs pull-
        left">

            <li><a

            href="index.php">Home</a></li>

            <li><span>Stock

            Obat</span></li>

        </ul>

        </div>

    </div>

    <div class="col-sm-6 clearfix">

        <div class="user-profile pull-
        right" style="color:black; padding:0px;">

        </div>

    </div>

    </div>

    <!-- page title area end -->

    <div class="main-content-inner">

        <!-- market value area start -->

        <div class="row mt-5 mb-5">

            <div class="col-12">

                <div class="card">

                    <div class="card-body">

                        <div class="d-sm-flex
                    justify-content-between align-items-center">

                            <h2>Daftar Stock

                    Obat</h2>

                            <button style="margin-
                    bottom:20px" data-toggle="modal" data-
                    target="#myModal" class="btn btn-info col-
                    md-2"><span class="glyphicon glyphicon-
                    plus"></span>Tambah</button>

                        </div>

```

```
<div class="data-tables
datatable-dark">
```

```
<table
id="dataTable3" class="display"
style="width:100%"><thead class="thead-
dark">
```

```
<tr>
<th>No</th>
<th>Kode
Obat</th>
<th>Nama
Obat</th>
<th>Stock</th>
<th>Satuan</th>
<th>Tanggal
Masuk</th>
<th>Tanggal
Expired</th>
<th>Ops</th>
</tr></thead><tbody>
```

```
<?php
$main_stock =
mysqli_query($db, "SELECT * FROM
tbl_stock_obat ORDER BY nama_obat asc");
$no=1;
while($p_main_stock=mysqli_fetch_array($main_stock)){
$pid=$p_main_stock['id_obat'];
$pkd=$p_main_stock['kd_obat'];
$pnm=$p_main_stock['nama_obat'];
$pstck=$p_main_stock['stock'];
$psatuan=$p_main_stock['satuan'];
```

```
$tgl_msk =
$p_main_stock['tanggal_masuk'];
$stgl_now=date("
Y-m-d");
$stgl_exp=$p_main_stock['tanggal_expired'];//tanggal expired
?>
```

```
<tr>
<td><?php
echo $no++ ?></td>
<td><?php
echo $p_main_stock['kd_obat'] ?></td>
<td><?php
echo $p_main_stock['nama_obat'] ?></td>
<td><?php
echo $p_main_stock['stock'] ?></td>
<td><?php
echo $p_main_stock['satuan'] ?></td>
<td><?php
echo $p_main_stock['tanggal_masuk'] ?></td>
<td><?php
echo $p_main_stock['tanggal_expired']
?></td>
<td><button
data-toggle="modal" data-
target="#edit<?=$idb;?>" class="btn btn-
warning">Edit</button> <button data-
toggle="modal" data-target="#del<?=$idb;?>"
class="btn btn-danger">Hapus</button></td>
</tr>
```

```
<!-- The Modal -
->
<div
class="modal fade" id="edit<?=$idb;?>">
<div
class="modal-dialog">
<div
class="modal-content">
```

```

        <form
action="../../../proses/proses_edit_data_stock.php
" method="POST">
        <!--
Modal Header -->
        <div
class="modal-header">
        <h4
class="modal-title">Edit Data Obat <?php
echo $p_main_stock['nama_obat']?></h4>
        <button
type="button" class="close" data-
dismiss="modal">&times;</button>
        </div>
        <!--
Modal body -->
        <div
class="modal-body">
        <label
for="nama">Kode Obat</label>
        <input
type="text" id="kd_obat" name="kd_obat"
class="form-control" value="<?php echo
$p_main_stock['kd_obat'] ?>">
        <label
for="nama">Nama Obat</label>
        <input
type="text" id="nama_obat"
name="nama_obat" class="form-control"
value="<?php echo
$p_main_stock['nama_obat'] ?>">
        <label
for="jenis">Stock</label>
        <input
type="text" id="stock" name="stock"
class="form-control" value="<?php echo
$p_main_stock['stock'] ?>"readonly>
        </form>
        <label
for="merk">Satuan</label>
        <input
type="text" id="satuan" name="satuan"
class="form-control" value="<?php echo
$p_main_stock['satuan'] ?>">
        <label
for="ukuran">Tanggal Masuk</label>
        <input
type="text" id="tanggal_masuk"
name="tanggal_masuk" class="form-control"
value="<?php echo
$p_main_stock['tanggal_masuk'] ?>"
readonly>
        <label
for="stock">Tanggal Expired</label>
        <input
type="text" id="tanggal_expired"
name="tanggal_expired" class="form-control"
value="<?php echo
$p_main_stock['tanggal_expired'] ?>"
readonly>
        <input
type="hidden" name="id_obat"
value="<?=$idb;?>">
        </div>
        <!--
Modal footer -->
        <div
class="modal-footer">
        <button
type="button" class="btn btn-secondary" data-
dismiss="modal">Batal</button>
        <button
type="submit" class="btn btn-success"
name="update">Simpan</button>

```



```

<!-- main content area end -->
<!-- footer area start-->
<footer>
  <div class="footer-area">
    <p>Copyright &copy;
<strong><span>Ahmad Sandi
Juniansyah</span></strong>. All Rights
Reserved</p>
  </div>
</footer>
<!-- footer area end-->
</div>
<!-- page container area end -->

<!-- modal input -->
<div id="myModal" class="modal
fade">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-header">
        <h4 class="modal-
title">Masukkan Stock Obat Manual</h4>
      </div>
      <div class="modal-body">
        <form
action="../../proses/proses_tambah_data_stock.
php" method="post">
          <div class="form-group">
            <label>Kode
Obat</label>
            <input name="kd_obat"
type="text" class="form-control"
placeholder="Kode Obat" required>
          </div>
          <div class="form-group">

```

```

<label>Nama
Obat</label>
      <input
name="nama_obat" type="text" class="form-
control" placeholder="Nama Obat" required>
    </div>
    <div class="form-group">
      <label>Stock</label>
      <input name="stock"
type="text" class="form-control"
placeholder="Stock Obat">
    </div>
    <div class="form-group">
      <label>Satuan</label>
      <div>
        <td><select
name="satuan" class="form-control" aria-
label="satuan">
          <option
selected>Pilih Jenis Satuan Obat</option>
          <option>PCS</option>
          <option>Box</option>
          <option>Botol</optio
n>
        </select></td>
      </div>
    </div>
    <div class="form-group">
      <label>Tanggal
Masuk</label>
      <input
name="tanggal_masuk" type="date"
class="form-control" placeholder="Tanggal
Masuk Obat">
    </div>
  </div>
</div class="form-group">

```



```

        <label>Tanggal
Expired</label>
        <input
name="tanggal_expired" type="date" min="0"
class="form-control" placeholder="Tanggal
Expired Obat">
        </div>
    </div>
    <div class="modal-footer">
        <button type="button"
class="btn btn-default" data-
dismiss="modal">Batal</button>
        <input type="submit"
class="btn btn-primary" value="Simpan">
    </div>
</form>
</div>
</div>
</div>

```

```

<script>
    $(document).ready(function() {
        $('input').on('keydown', function(event) {
            if (this.selectionStart == 0 &&
event.keyCode >= 65 && event.keyCode <=
90 && !(event.shiftKey) && !(event.ctrlKey)
&& !(event.metaKey) && !(event.altKey)) {
                var $t = $(this);
                event.preventDefault();
                var char =
String.fromCharCode(event.keyCode);
                $t.val(char +
$t.val().slice(this.selectionEnd));
                this.setSelectionRange(1,1);
            }
        });
    });

```

```

$(document).ready(function() {
    $('#dataTable3').DataTable( {
        dom: 'Bfritip',
        buttons: [
            'print'
        ]
    });
});
</script>

<!-- jquery latest version -->
<script src="https://code.jquery.com/jquery-
3.3.1.js"></script>

<!-- bootstrap 4 js -->
<script
src="../../assets/js/popper.min.js"></script>
<script
src="../../assets/js/bootstrap.min.js"></script>
<script
src="../../assets/js/owl.carousel.min.js"></scrip
t>
<script
src="../../assets/js/metisMenu.min.js"></script
>
<script
src="../../assets/js/jquery.slimscroll.min.js"></s
cript>
<script
src="../../assets/js/jquery.slicknav.min.js"></sc
ript>

<!-- Start datatable js -->
<script
src="https://cdn.datatables.net/buttons/1.5.2/js/
buttons.print.min.js"></script>
<script
src="https://cdn.datatables.net/buttons/1.5.2/js/
dataTables.buttons.min.js"></script>

```

```

    <script
src="https://cdn.datatables.net/1.10.19/js/jquery
y.dataTables.js"></script>

    <script
src="https://cdn.datatables.net/1.10.18/js/jquery
y.dataTables.min.js"></script>

    <script
src="https://cdn.datatables.net/1.10.18/js/dataT
ables.bootstrap4.min.js"></script>

    <script
src="https://cdn.datatables.net/responsive/2.2.
3/js/dataTables.responsive.min.js"></script>

    <script
src="https://cdn.datatables.net/responsive/2.2.
3/js/responsive.bootstrap.min.js"></script>

    <script
src="https://cdn.datatables.net/buttons/1.5.2/js/
buttons.html5.min.js"></script>

    <!-- start chart js -->

    <script
src="https://cdnjs.cloudflare.com/ajax/libs/Cha
rt.js/2.7.2/Chart.min.js"></script>

    <!-- start highcharts js -->

    <script
src="https://code.highcharts.com/highcharts.js
"></script>

    <!-- start zingchart js -->

    <script
src="https://cdn.zingchart.com/zingchart.min.j
s"></script>

    <script>

    zingchart.MODULESDIR =
"https://cdn.zingchart.com/modules/";

    ZC.LICENSE =
["569d52cefae586f634c54f86dc99e6a9",
"ee6b7db5b51705a13dc2339db3edaf6d"];

    </script>

    <!-- all line chart activation -->

    <script src="../../assets/js/line-
chart.js"></script>

```

```

<!-- all pie chart -->

<script src="../../assets/js/pie-
chart.js"></script>

<!-- others plugins -->

<script
src="../../assets/js/plugins.js"></script>

<script
src="../../assets/js/scripts.js"></script>

</body>

</html>

```