

index.php

```
<?php require_once "header.php"; ?>

<!-- Carousel Start -->

<div class="container-fluid p-0 pb-5">

  <div class="owl-carousel header-
  carousel position-relative mb-5">

    <div class="owl-carousel-item
    position-relative">

      

      <div class="position-absolute
      top-0 start-0 w-100 h-100 d-flex align-
      items-center" style="background:
      rgba(6, 3, 21, .5); background-size:
      cover;">

        <div class="container">

          <div class="row justify-
          content-start">

            <div class="col-10 col-lg-
            8">

              <h5 class="text-white
              text-uppercase mb-3 animated
              slideInDown">CV Dua Putra Jaya
              Express</h5>

              <h1 class="display-3
              text-white animated slideInDown mb-
              4">#1 Place For Your <span class="text-
              primary">Logistics</span>
              Solution</h1>

              <p class="fs-5 fw-
              medium text-white mb-4 pb-2">Kirim
              paket anda lebih banyak, aman, dan
              terjangkau dengan kami.</p>

              <a href="" class="btn
              btn-primary py-md-3 px-md-5 me-3
              animated slideInLeft">Read More</a>
```

```
        <a href="" class="btn
        btn-secondary py-md-3 px-md-5
        animated slideInRight">Free Quote</a>

      </div>

    </div>

  </div>

</div>

<div class="owl-carousel-item
position-relative">

  

  <div class="position-absolute
  top-0 start-0 w-100 h-100 d-flex align-
  items-center" style="background:
  rgba(6, 3, 21, .5);">

    <div class="container">

      <div class="row justify-
      content-start">

        <div class="col-10 col-lg-
        8">

          <h5 class="text-white
          text-uppercase mb-3 animated
          slideInDown">CV Dua Putra Jaya
          Express</h5>

          <h1 class="display-3
          text-white animated slideInDown mb-
          4">#1 Place For Your <span class="text-
          primary">Transport</span>
          Solution</h1>

          <p class="fs-5 fw-
          medium text-white mb-4 pb-
          2">Kendaraan operasional selalu
          diawasi kesiapannya sebelum
          berangkat.</p>

          <a href="" class="btn
          btn-primary py-md-3 px-md-5 me-3
          animated slideInLeft">Read More</a>
```

```
        <a href="" class="btn
btn-secondary py-md-3 px-md-5
animated slideInRight">Free Quote</a>
    </div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<!-- Carousel End -->
```

```
<!-- About Start -->
<!-- <div class="container-fluid
overflow-hidden py-5 px-lg-0">
    <div class="container about py-5
px-lg-0">
        <div class="row g-5 mx-lg-0">
            <div class="col-lg-6 ps-lg-0
wow fadeInLeft" data-wow-
delay="0.1s" style="min-height:
400px;">
                <div class="position-relative
h-100">
                    
                </div>
            </div>
        </div>
        <div class="col-lg-6 about-text
wow fadeInUp" data-wow-
delay="0.3s">
```

```
        <h6 class="text-secondary
text-uppercase mb-3">About Us</h6>
        <h1 class="mb-5">Quick
Transport and Logistics Solutions</h1>
        <p class="mb-5">Tempor
erat elitr rebum at clita. Diam dolor
diam ipsum sit. Aliqu diam amet diam et
eos. Clita erat ipsum et lorem et sit, sed
stet lorem sit clita duo justo magna
dolore erat amet</p>
        <div class="row g-4 mb-5">
            <div class="col-sm-6 wow
fadeIn" data-wow-delay="0.5s">
                <i class="fa fa-globe fa-
3x text-primary mb-3"></i>
                <h5>Global
Coverage</h5>
                <p class="m-0">Stet stet
justo dolor sed duo. Ut clita sea sit
ipsum diam lorem diam justo.</p>
            </div>
            <div class="col-sm-6 wow
fadeIn" data-wow-delay="0.7s">
                <i class="fa fa-shipping-
fast fa-3x text-primary mb-3"></i>
                <h5>On Time
Delivery</h5>
                <p class="m-0">Stet stet
justo dolor sed duo. Ut clita sea sit
ipsum diam lorem diam justo.</p>
            </div>
        </div>
        <a href="" class="btn btn-
primary py-3 px-5">Explore More</a>
    </div>
</div>
</div>
```

```
</div> -->
<!-- About End -->

<!-- Fact Start -->
<!-- <div class="container-xxl py-5">
  <div class="container py-5">
    <div class="row g-5">
      <div class="col-lg-6 wow
fadeInUp" data-wow-delay="0.1s">
        <h6 class="text-secondary
text-uppercase mb-3">Some Facts</h6>
        <h1 class="mb-5">#1 Place
To Manage All Of Your Shipments</h1>
        <p class="mb-5">Tempor
erat elitr rebum at clita. Diam dolor
diam ipsum sit. Aliqu diam amet diam et
eos. Clita erat ipsum et lorem et sit, sed
stet lorem sit clita duo justo magna
dolore erat amet</p>
        <div class="d-flex align-
items-center">
          <i class="fa fa-headphones
fa-2x flex-shrink-0 bg-primary p-3 text-
white"></i>
          <div class="ps-4">
            <h6>Call for any
query!</h6>
            <h3 class="text-primary
m-0">+012 345 6789</h3>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
<div class="col-lg-6">
```

```
<div class="row g-4 align-
items-center">
  <div class="col-sm-6">
    <div class="bg-primary
p-4 mb-4 wow fadeIn" data-wow-
delay="0.3s">
      <i class="fa fa-users
fa-2x text-white mb-3"></i>
      <h2 class="text-white
mb-2" data-toggle="counter-
up">1234</h2>
      <p class="text-white
mb-0">Happy Clients</p>
    </div>
    <div class="bg-
secondary p-4 wow fadeIn" data-wow-
delay="0.5s">
      <i class="fa fa-ship fa-
2x text-white mb-3"></i>
      <h2 class="text-white
mb-2" data-toggle="counter-
up">1234</h2>
      <p class="text-white
mb-0">Complete Shipments</p>
    </div>
  </div>
</div>
<div class="col-sm-6">
  <div class="bg-success
p-4 wow fadeIn" data-wow-
delay="0.7s">
    <i class="fa fa-star fa-
2x text-white mb-3"></i>
    <h2 class="text-white
mb-2" data-toggle="counter-
up">1234</h2>
    <p class="text-white
mb-0">Customer Reviews</p>
```

```

        </div>
    </div>
</div>
</div>
</div> -->
<!-- Fact End -->

<!-- Service Start -->
<div class="container-xxl py-5">
    <div class="container py-5">
        <div class="text-center wow
fadeInUp" data-wow-delay="0.1s">
            <h6 class="text-secondary text-
uppercase">Our Services</h6>
            <h1 class="mb-5">Explore Our
Services</h1>
        </div>
        <div class="row g-4">
            <div class="col-md-6 col-lg-4
wow fadeInUp" data-wow-
delay="0.3s">
                <div class="service-item p-
4">
                    <div class="overflow-
hidden mb-4">
                        
                    </div>
                    <h4 class="mb-3">Muatan
Besar</h4>

```

```

        <p>Muatan lebih besar
dengan biaya berpotongan</p>
        <a class="btn-slide mt-2"
href=""><i class="fa fa-arrow-
right"></i><span>Read
More</span></a>
    </div>
</div>
<div class="col-md-6 col-lg-4
wow fadeInUp" data-wow-
delay="0.5s">
    <div class="service-item p-
4">
        <div class="overflow-
hidden mb-4">
            
        </div>
        <h4 class="mb-3">SOP
Karyawan</h4>
        <p>Tenaga kerja bekerja
dengan sop perusahaan yang
berlaku</p>
        <a class="btn-slide mt-2"
href=""><i class="fa fa-arrow-
right"></i><span>Read
More</span></a>
    </div>
</div>
<div class="col-md-6 col-lg-4
wow fadeInUp" data-wow-
delay="0.7s">
    <div class="service-item p-
4">
        <div class="overflow-
hidden mb-4">

```

```

        
    </div>
    <h4 class="mb-3">Best
Service</h4>
    <p>Jaminan muatan lebih
besar untuk pelanggan setia.</p>
    <a class="btn-slide mt-2"
href=""><i class="fa fa-arrow-
right"></i><span>Read
More</span></a>
    </div>
</div>
<div class="col-md-6 col-lg-4
wow fadeInUp" data-wow-
delay="0.3s">
    <div class="service-item p-
4">
        <div class="overflow-
hidden mb-4">
            
            </div>
            <h4 class="mb-3">Safety
pickup</h4>
            <p>Proses bongkar muat
barang dilakukan dengan hati-hati</p>
            <a class="btn-slide mt-2"
href=""><i class="fa fa-arrow-
right"></i><span>Read
More</span></a>
            </div>
        </div>
        <div class="col-md-6 col-lg-4
wow fadeInUp" data-wow-
delay="0.5s">

```

```

    <div class="service-item p-
4">
        <div class="overflow-
hidden mb-4">
            
            </div>
            <h4 class="mb-
3">Package</h4>
            <p>Barang dilapisi dengan
terpal yang melindungi dari debu dan
hujan selama perjalanan</p>
            <a class="btn-slide mt-2"
href=""><i class="fa fa-arrow-
right"></i><span>Read
More</span></a>
            </div>
        </div>
        <div class="col-md-6 col-lg-4
wow fadeInUp" data-wow-
delay="0.7s">
            <div class="service-item p-
4">
                <div class="overflow-
hidden mb-4">
                    
                    </div>
                    <h4 class="mb-
3">Kesiapan Muat</h4>
                    <p>Muatan berat apapun
kami libas angkut</p>
                    <a class="btn-slide mt-2"
href=""><i class="fa fa-arrow-
right"></i><span>Read
More</span></a>
                </div>
            </div>

```

```

        </div>
    </div>
</div>
</div>
<!-- Service End -->

<!-- Feature Start -->
<div class="container-fluid overflow-hidden py-5 px-lg-0">
    <div class="container feature py-5 px-lg-0">
        <div class="row g-5 mx-lg-0">
            <div class="col-lg-6 feature-text wow fadeInUp" data-wow-delay="0.1s">
                <h6 class="text-secondary text-uppercase mb-3">Our Features</h6>
                <h1 class="mb-5">We Are Trusted Logistics Company Since 1990</h1>
                <div class="d-flex mb-5 wow fadeInUp" data-wow-delay="0.3s">
                    <i class="fa fa-globe text-primary fa-3x flex-shrink-0"></i>
                    <div class="ms-4">
                        <h5>Worldwide Service</h5>
                        <p class="mb-0">Berpengalaman didunia pengiriman</p>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        <div class="d-flex mb-5 wow fadeIn" data-wow-delay="0.5s">
            <i class="fa fa-shipping-fast text-primary fa-3x flex-shrink-0"></i>
            <div class="ms-4">
                <h5>On Time Delivery</h5>
                <p class="mb-0">Pengiriman Kilat jaminan tepat waktu</p>
            </div>
        </div>
        <div class="d-flex mb-0 wow fadeInUp" data-wow-delay="0.7s">
            <i class="fa fa-headphones text-primary fa-3x flex-shrink-0"></i>
            <div class="ms-4">
                <h5>24/7 Telephone Support</h5>
                <p class="mb-0">Bebas akses status pengiriman anda degnan no resi kami</p>
            </div>
        </div>
        <div class="col-lg-6 pe-lg-0 wow fadeInRight" data-wow-delay="0.1s" style="min-height: 400px;">
            <div class="position-relative h-100">
                
            </div>
        </div>

```

```

        </div>
    </div>
</div>
</div>
<!-- Feature End -->

<!-- Pricing Start -->
<!-- <div class="container-xxl py-5">
    <div class="container py-5">
        <div class="text-center wow
fadeInUp" data-wow-delay="0.1s">
            <h6 class="text-secondary text-
uppercase">Pricing Plan</h6>
            <h1 class="mb-5">Perfect
Pricing Plan</h1>
        </div>
        <div class="row g-4">
            <div class="col-md-6 col-lg-4
wow fadeInUp" data-wow-
delay="0.3s">
                <div class="price-item">
                    <div class="border-bottom
p-4 mb-4">
                        <h5 class="text-primary
mb-1">Basic Plan</h5>
                        <h1 class="display-5 mb-
0">
                            <small class="align-
top" style="font-size: 22px; line-height:
45px;">$</small>49.00<small
class="align-
bottom" style="font-size: 16px; line-
height: 40px;">/ Month</small>

```

```

    </h1>
</div>
<div class="p-4 pt-0">
    <p><i class="fa fa-check
text-success me-3"></i>HTML5 &
CSS3</p>
    <p><i class="fa fa-check
text-success me-3"></i>Bootstrap
v5</p>
    <p><i class="fa fa-check
text-success me-3"></i>FontAwesome
Icons</p>
    <p><i class="fa fa-check
text-success me-3"></i>Responsive
Layout</p>
    <p><i class="fa fa-check
text-success me-3"></i>Cross-browser
Support</p>
    <a class="btn-slide mt-
2" href=""><i class="fa fa-arrow-
right"></i><span>Order
Now</span></a>
</div>
</div>
</div>
<div class="col-md-6 col-lg-4
wow fadeInUp" data-wow-
delay="0.5s">
    <div class="price-item">
        <div class="border-bottom
p-4 mb-4">
            <h5 class="text-primary
mb-1">Standard Plan</h5>
            <h1 class="display-5 mb-
0">

```

```
<small class="align-top" style="font-size: 22px; line-height: 45px;">$</small>99.00<small
```

```
class="align-bottom" style="font-size: 16px; line-height: 40px;">/ Month</small>
```

```
</h1>
```

```
</div>
```

```
<div class="p-4 pt-0">
```

```
<p><i class="fa fa-check text-success me-3"></i>HTML5 & CSS3</p>
```

```
<p><i class="fa fa-check text-success me-3"></i>Bootstrap v5</p>
```

```
<p><i class="fa fa-check text-success me-3"></i>FontAwesome Icons</p>
```

```
<p><i class="fa fa-check text-success me-3"></i>Responsive Layout</p>
```

```
<p><i class="fa fa-check text-success me-3"></i>Cross-browser Support</p>
```

```
<a class="btn-slide mt-2" href=""><i class="fa fa-arrow-right"></i><span >Order Now</span></a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-md-6 col-lg-4 wow fadeInUp" data-wow-delay="0.7s">
```

```
<div class="price-item">
```

```
<div class="border-bottom p-4 mb-4">
```

```
<h5 class="text-primary mb-1">Advanced Plan</h5>
```

```
<h1 class="display-5 mb-0">
```

```
<small class="align-top" style="font-size: 22px; line-height: 45px;">$</small>149.00<small
```

```
class="align-bottom" style="font-size: 16px; line-height: 40px;">/ Month</small>
```

```
</h1>
```

```
</div>
```

```
<div class="p-4 pt-0">
```

```
<p><i class="fa fa-check text-success me-3"></i>HTML5 & CSS3</p>
```

```
<p><i class="fa fa-check text-success me-3"></i>Bootstrap v5</p>
```

```
<p><i class="fa fa-check text-success me-3"></i>FontAwesome Icons</p>
```

```
<p><i class="fa fa-check text-success me-3"></i>Responsive Layout</p>
```

```
<p><i class="fa fa-check text-success me-3"></i>Cross-browser Support</p>
```

```
<a class="btn-slide mt-2" href=""><i class="fa fa-arrow-right"></i><span >Order Now</span></a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```

</div> -->
<!-- Pricing End -->

<!-- Quote Start -->
<!-- <div class="container-xxl py-5">
  <div class="container py-5">
    <div class="row g-5 align-items-center">
      <div class="col-lg-5 wow fadeInUp" data-wow-delay="0.1s">
        <h6 class="text-secondary text-uppercase mb-3">Get A Quote</h6>
        <h1 class="mb-5">Request A Free Quote!</h1>
        <p class="mb-5">Tempor erat elitr rebum at clita. Diam dolor diam ipsum sit. Aliqu diam amet diam et eos. Clita erat ipsum et lorem et sit, sed stet lorem sit clita duo justo erat amet</p>
        <div class="d-flex align-items-center">
          <i class="fa fa-headphones fa-2x flex-shrink-0 bg-primary p-3 text-white"></i>
          <div class="ps-4">
            <h6>Call for any query!</h6>
            <h3 class="text-primary m-0">+012 345 6789</h3>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
<div class="col-lg-7">

```

```

<div class="bg-light text-center p-5 wow fadeIn" data-wow-delay="0.5s">
  <form>
    <div class="row g-3">
      <div class="col-12 col-sm-6">
        <input type="text" class="form-control border-0" placeholder="Your Name" style="height: 55px;">
      </div>
      <div class="col-12 col-sm-6">
        <input type="email" class="form-control border-0" placeholder="Your Email" style="height: 55px;">
      </div>
      <div class="col-12 col-sm-6">
        <input type="text" class="form-control border-0" placeholder="Your Mobile" style="height: 55px;">
      </div>
      <div class="col-12 col-sm-6">
        <select class="form-select border-0" style="height: 55px;">
          <option selected>Select A Freight</option>
          <option value="1">Freight 1</option>
          <option value="2">Freight 2</option>
        </select>
      </div>
    </div>
  </form>
</div>

```

```

        <option
value="3">Freight 3</option>
    </select>
</div>
<div class="col-12">
    <textarea
class="form-control border-0"
placeholder="Special
Note"></textarea>
</div>
<div class="col-12">
    <button class="btn
btn-primary w-100 py-3"
type="submit">Submit</button>
</div>
</div>
</form>
</div>
</div>
</div>
</div> -->
<!-- Quote End -->

<!-- Team Start -->
<div class="container-xxl py-5">
    <div class="container py-5">
        <div class="text-center wow
fadeInUp" data-wow-delay="0.1s">
            <h6 class="text-secondary text-
uppercase">Our Team</h6>

```

```

        <h1 class="mb-5">Expert Team
Members</h1>
    </div>
<div class="row g-4">
    <div class="col-lg-3 col-md-6
wow fadeInUp" data-wow-
delay="0.3s">
        <div class="team-item p-4">
            <div class="overflow-
hidden mb-4">
                
            </div>
            <h5 class="mb-0">Antonio
Saputra</h5>
            <p>Kepala Gudang</p>
            <div class="btn-slide mt-
1">
                <i class="fa fa-
share"></i>
                <span>
                    <a href=""><i
class="fab fa-facebook-f"></i></a>
                    <a href=""><i
class="fab fa-twitter"></i></a>
                    <a href=""><i
class="fab fa-instagram"></i></a>
                </span>
            </div>
        </div>
    </div>
</div>
<div class="col-lg-3 col-md-6
wow fadeInUp" data-wow-
delay="0.5s">
    <div class="team-item p-4">

```

```

        <div class="overflow-
hidden mb-4">
            
        </div>
        <h5 class="mb-
0">Sudirman Said</h5>
        <p>Pimpinan Cabang</p>
        <div class="btn-slide mt-
1">
            <i class="fa fa-
share"></i>
            <span>
                <a href=""><i
class="fab fa-facebook-f"></i></a>
                <a href=""><i
class="fab fa-twitter"></i></a>
                <a href=""><i
class="fab fa-instagram"></i></a>
            </span>
        </div>
    </div>
    <div class="col-lg-3 col-md-6
wow fadeInUp" data-wow-
delay="0.7s">
        <div class="team-item p-4">
            <div class="overflow-
hidden mb-4">
                
            </div>
            <h5 class="mb-0">Arman
Ardilo</h5>
            <p>Staf Pengawas</p>

```

```

        <div class="btn-slide mt-
1">
            <i class="fa fa-
share"></i>
            <span>
                <a href=""><i
class="fab fa-facebook-f"></i></a>
                <a href=""><i
class="fab fa-twitter"></i></a>
                <a href=""><i
class="fab fa-instagram"></i></a>
            </span>
        </div>
    </div>
    <div class="col-lg-3 col-md-6
wow fadeInUp" data-wow-
delay="0.9s">
        <div class="team-item p-4">
            <div class="overflow-
hidden mb-4">
                
            </div>
            <h5 class="mb-
0">Agusman Putro</h5>
            <p>Wakil Kepala
Gudang</p>
            <div class="btn-slide mt-
1">
                <i class="fa fa-
share"></i>
                <span>
                    <a href=""><i
class="fab fa-facebook-f"></i></a>

```

```

        <a href=""><i
class="fab fa-twitter"></i></a>

        <a href=""><i
class="fab fa-instagram"></i></a>
    </span>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<!-- Team End -->

<!-- Testimonial Start -->
<!-- <div class="container-xxl py-5
wow fadeInUp" data-wow-
delay="0.1s">
    <div class="container py-5">
        <div class="text-center">
            <h6 class="text-secondary text-
uppercase">Testimonial</h6>
            <h1 class="mb-0">Our Clients
Say!</h1>
        </div>
        <div class="owl-carousel
testimonial-carousel wow fadeInUp"
data-wow-delay="0.1s">
            <div class="testimonial-item p-
4 my-5">
                <i class="fa fa-quote-right fa-
3x text-light position-absolute top-0
end-0 mt-n3 me-4"></i>

```

```

        <div class="d-flex align-
items-end mb-4">
            
            <div class="ms-4">
                <h5 class="mb-1">Client
Name</h5>
                <p class="m-
0">Profession</p>
            </div>
        </div>
        <p class="mb-0">Tempor
erat elitr rebum at clita. Diam dolor
diam ipsum sit diam amet diam et eos.
Clita erat ipsum et lorem et sit.</p>
    </div>
    <div class="testimonial-item p-
4 my-5">
        <i class="fa fa-quote-right fa-
3x text-light position-absolute top-0
end-0 mt-n3 me-4"></i>
        <div class="d-flex align-
items-end mb-4">
            
            <div class="ms-4">
                <h5 class="mb-1">Client
Name</h5>
                <p class="m-
0">Profession</p>
            </div>
        </div>
        <p class="mb-0">Tempor
erat elitr rebum at clita. Diam dolor

```

diam ipsum sit diam amet diam et eos.
Clita erat ipsum et lorem et sit.</p>

</div>

<div class="testimonial-item p-4 my-5">

<i class="fa fa-quote-right fa-3x text-light position-absolute top-0 end-0 mt-n3 me-4"></i>

<div class="d-flex align-items-end mb-4">

<div class="ms-4">

<h5 class="mb-1">Client Name</h5>

<p class="m-0">Profession</p>

</div>

</div>

<p class="mb-0">Tempor erat elitr rebum at clita. Diam dolor diam ipsum sit diam amet diam et eos. Clita erat ipsum et lorem et sit.</p>

</div>

<div class="testimonial-item p-4 my-5">

<i class="fa fa-quote-right fa-3x text-light position-absolute top-0 end-0 mt-n3 me-4"></i>

<div class="d-flex align-items-end mb-4">

<div class="ms-4">

<h5 class="mb-1">Client Name</h5>

<p class="m-0">Profession</p>

</div>

</div>

<p class="mb-0">Tempor erat elitr rebum at clita. Diam dolor diam ipsum sit diam amet diam et eos. Clita erat ipsum et lorem et sit.</p>

</div>

</div>

</div>

</div -->

<!-- Testimonial End -->

<?php require_once "footer.php"; ?>

Staf Pemasaran

pelanggan.php

<?php

require_once "header.php"; ?>

<div class="page-heading">

<div class="page-title mb-3 m">

<div class="row">

<div class="col-12 col-md-6 order-md-1 order-last">

<h3>Pelanggan</h3>

</div>

<div class="col-12 col-md-6 order-md-2 order-first">

```

        <nav aria-
label="breadcrumb"
class="breadcrumb-header float-start
float-lg-end">
        <ol
class="breadcrumb">
            <li
class="breadcrumb-item"><a
href="index.html">Dashboard</a></li>
            <li
class="breadcrumb-item active" aria-
current="page">Data Pelanggan</li>
        </ol>
        </nav>
    </div>
</div>
<?php
    if (isset($_GET['ubah'])) {
        $sql = mysqli_query($k,
"SELECT * FROM pelanggan WHERE
id_pelanggan =
'$_GET[id_pelanggan]");
        $data =
mysqli_fetch_array($sql);
    ?>
    <section id="multiple-column-
form">
        <div class="row match-
height">
            <div class="col-12">
                <div class="card">
                    <div class="card-
header">

```

```

        <h4 class="card-
title">Form Input pelanggan</h4>
        </div>
        <div class="card-
content">
            <div class="card-
body">
                <form
method="POST" class="form">
                    <div
class="row">
                        <div
class="col-md-6 col-12">
                            <div
class="form-group">
                                <label>Nama Pelanggan</label>
                                <input
type="text" class="form-control"
placeholder="Ketikkan Nama
Pelanggan" name="nama_pelanggan"
value="<?php if (isset($_GET['ubah'])) {
echo $data['nama_pelanggan']; } ?>">
                            </div>
                        </div>
                    </div>
                    <div
class="col-md-6 col-12">
                        <div
class="form-group">
                            <label>Kontak</label>
                            <input
type="text" class="form-control"
placeholder="Ketikkan Kontak"
name="kontak" value="<?php if

```

```

(isset($_GET['ubah']))){ echo
$data['kontak']; } ?>">
</div>
</div>
<div
class="col-md-6 col-12">
<div
class="form-group">
<label>Alamat Pelanggan</label>
<textarea type="text" class="form-
control"
placeholder="Ketikkan Alamat
Pelanggan"
name="alamat_pelanggan"><?php if
(isset($_GET['ubah']))){ echo
$data['alamat_pelanggan']; }
?></textarea>
</div>
</div>
<div
class="col-md-6 col-12">
<div
class="form-group">
<label>Username</label>
<input
type="text" class="form-control"
placeholder="Ketikkan Username"
name="username" value="<?php if
(isset($_GET['ubah']))){ echo
$data['username']; } ?>">
</div>
</div>
</div>
</div>
<div
class="col-md-6 col-12">
<div
class="form-group">
<label>Password</label>
<input
type="text" class="form-control"
placeholder="Ketikkan Password"
name="password" value="<?php if
(isset($_GET['ubah']))){ echo
$data['password']; } ?>">
</div>
</div>
<div
class="col-12 mt-2 d-flex justify-
content-end">
<button
type="submit" name="ubah" class="btn
btn-primary me-1 mb-
1">Ubah</button>
</div>
</div>
</form>
</div>
</div>
</div>
</section>
<?php } ?>
<section class="section">
<div class="card">

```

```

<div class="card-header">
    Tabel Data pelanggan
</div>

<div class="card-body">
    <table class="table
table-striped" id="table1">
        <thead>
            <tr>
                <th>No</th>
                <th>Aksi</th>
                <th>Nama
Pelanggan</th>
                <th>Kontak</th>
                <th>Alamat</th>

<th>Username</th>
<th>Password</th>
            </tr>
        </thead>
        <tbody>
            <?php
                $query =
mysql_query($k, "SELECT * FROM
pelanggan");

                while($data =
mysql_fetch_array($query)){
                    ?>
                    <tr>
                        <td><?=$no++;
?></td>

                        <td class="d-flex
flex-row gap-2">

```

```

        <a
href="?ubah&id_pelanggan=<?=$data['id_pelanggan']?>"><button
class="btn btn-warning btn-round
waves-effect waves-light w-
100">Ubah</button></a>

        <a
href="?hapus&id_pelanggan=<?=$data['id_pelanggan']?>"><button
onclick="return confirm('Data akan
dihapus?')" class="btn btn-danger btn-
round waves-effect waves-light w-
100">Hapus</button></a>
        </td>
        <td><?=$data['nama_pelanggan']; ?></td>
        <td><?=$data['kontak']; ?></td>
        <td><?=$data['alamat_pelanggan']; ?></td>
        <td><?=$data['username']; ?></td>
        <td><?=$data['password']; ?></td>
        </tr>
        <?php } ?>
        </tbody>
    </table>
</div>
</div>
</section>
</div>
<?php
require_once "footer.php";

```



```

pengiriman.id_kendaraan =
kendaraan.id_kendaraan

INNER JOIN supir ON
pengiriman.id_supir = supir.id_supir

INNER JOIN tujuan
ON pengiriman.id_tujuan =
tujuan.id_tujuan

INNER JOIN
penerima ON penerima.id_penerima =
penerima.id_penerima

LEFT JOIN
detail_tagihan ON
detail_tagihan.id_pengiriman =
pengiriman.id_pengiriman

LEFT JOIN tagihan
ON detail_tagihan.id_tagihan =
tagihan.id_tagihan

WHERE
pengiriman.id_pengiriman='$_GET[id_p
engiriman]' OR
pemesanan.id_pemesanan =
'$_GET[id_pemesanan]');

$data = mysqli_fetch_array($sql);
}
?>

```

```

<div class="page-heading">
  <div class="page-title mb-3 m
">
    <div class="row">
      <div class="col-12 col-md-
6 order-md-1 order-last">
        <h3>pengiriman</h3>
      </div>
      <div class="col-12 col-md-
6 order-md-2 order-first">

```

```

<nav aria-
label="breadcrumb"
class="breadcrumb-header float-start
float-lg-end">
  <ol
class="breadcrumb">
    <li
class="breadcrumb-item"><a
href="index.html">Dashboard</a></li>
    <li
class="breadcrumb-item active" aria-
current="page">Data pengiriman</li>
  </ol>
</nav>
</div>
</div>
</div>
<?php
  if (isset($_GET['konfirmasi']) ||
isset($_GET['ubah'])) {
    ?>
    <section id="multiple-column-
form">
      <div class="row match-
height">
        <div class="col-12">
          <div class="card">
            <div class="card-
header">
              <h4 class="card-
title">Form Input pengiriman</h4>
            </div>
            <div class="card-
content">

```



```

(isset($_GET['ubah']))){ echo
$data['id_supir']; } ?><?php if
(isset($_GET['ubah']))){ echo
$data['nama_supir']; }else{ echo "--pilih
supir--"; } ?></option>
<?php
$sql4
= mysqli_query($k, "SELECT * FROM
supir");
while
($data4 = mysqli_fetch_array($sql4)){
?>
<option value="<?=$data4['id_supir'];
?>" ><?=$data4['id_supir'] . " | " .
$data4['nama_supir']; ?></option>
<?php
} ?>
</select>
</fieldset>
</div>
<div
class="col-md-6 col-12">
<label>Penerima</label>
<fieldset
class="form-group">
<select
class="form-select" id="tujuan"
name="tujuan" required
oninput="getHargaOngkir(this)">
<option value="<?php if
(isset($_GET['ubah']))){ echo
$data['id_penerima']; } ?>"><?php if
(isset($_GET['ubah']))){ echo
$data['nama_penerima']; }else{ echo "--
pilih penerima--"; } ?></option>
<?php
$sql6
= mysqli_query($k, "SELECT * FROM
penerima");

```



```

class="col-md-6 col-12">
    <!-- <div
class="form-group">
    <label>Kubikasi</label>
        <input
type="number" class="form-control"
placeholder="Ketikkan Kubikasi Barang"
id="kubikasi" name="kubikasi"
value="<?php if (isset($_GET['ubah'])) {
echo $data['kubikasi']; } ?>"
oninput="hitungTotal()" required>
    </div>
</div> -->
<!-- <div
class="col-md-6 col-12">
    <div
class="form-group">
    <label>Ongkir</label>
        <input
type="number" class="form-control"
placeholder="Ketikkan Ongkir"
id="ongkir" name="ongkir"
value="<?php if (isset($_GET['ubah'])) {
echo $data['ongkir']; } ?>"
oninput="hitungTotal()" required>
    </div>
</div> -->
    <div
class="col-md-6 col-12">
        <div
class="form-group">
    <label>No Surat Jalan</label>
        <input
type="text" class="form-control"
placeholder="Ketikkan No Surat Jalan"
name="no_surat_jalan" value="<?php if
(isset($_GET['ubah'])) { echo
$data['no_surat_jalan']; } ?>" required>
    </div>
</div>

```


Invoice</th>	<th>No	pengiriman.id_pengiriman AS id_pengiriman	
Kendaraan</th>	<th>No Polisi		
Supir</th>	<th>Nama	FROM pengiriman	
Tujuan</th>	<th>Kota	INNER JOIN pengguna ON pengiriman.id_pengguna = pengguna.id_pengguna	
Penerima</th>	<th>Nama	INNER JOIN pemesanan ON pengiriman.id_pemesanan = pemesanan.id_pemesanan	
	<th>Tanggal</th>		
	<th>Total</th>		
<th>Keterangan</th>		INNER JOIN pelanggan ON pemesanan.id_pelanggan = pelanggan.id_pelanggan	
Jalan</th>	<th>No Surat		
	</tr>	INNER JOIN kendaraan ON pengiriman.id_kendaraan = kendaraan.id_kendaraan	
	</thead>		
	<tbody>		
	<?php	INNER JOIN supir ON pengiriman.id_supir = supir.id_supir	
	\$query =		
mysql_query(\$k, "SELECT *,		INNER JOIN tujuan ON pengiriman.id_tujuan = tujuan.id_tujuan	
pengguna.nama AS pengguna,			
pelanggan.nama_pelanggan AS pelanggan,		INNER JOIN penerima ON pengiriman.id_penerima = penerima.id_penerima	
kendaraan.no_pol AS kendaraan,			LEFT
supir.nama_supir AS supir,		JOIN detail_tagihan ON detail_tagihan.id_pengiriman = pengiriman.id_pengiriman	
tujuan.kota AS tujuan,			LEFT
penerima.nama_penerima AS penerima,		JOIN tagihan ON detail_tagihan.id_tagihan = tagihan.id_tagihan");	

```

while($data2 =
mysqli_fetch_array($query)){
    ?>
    <tr>
        <td><?= $no++;
?></td>

        <td class="d-flex
flex-column gap-2">

            <?php if
($data2['status_bayar'] == 'Lunas'){ ?>
                <a
href="cetak_kwitansi.php?cetak&id_pe
ngiriman=<?=
$data2['id_pengiriman']?>"><button
class="btn btn-info btn-round waves-
effect waves-light w-100">Cetak
Kwitansi</button></a>

                <a
href="hasil_cetak_sj.php?cetak&id_pen
giriman=<?=
$data2['id_pengiriman']?>"><button
class="btn btn-primary btn-round
waves-effect waves-light w-100">Cetak
Surat Jalan</button></a>

            <?php }elseif
($data2['bukti_bayar'] != ""){ ?>
                <a
href="?lunas&id_pengiriman=<?=
$data2['id_pengiriman']?>"><button
class="btn btn-info btn-round waves-
effect waves-light w-100">Terima
Pembayaran</button></a>

            <?php } ?>

            <a
href="pengiriman.php?ubah&id_pengiri
man=<?=
$data2['id_pengiriman']?>"><button
class="btn btn-warning btn-round
waves-effect waves-light w-
100">Ubah</button></a>

```

```

<a
href="pengiriman.php?hapus&id_pengi
riman=<?=
$data2['id_pengiriman']?>"><button
class="btn btn-danger btn-round waves-
effect waves-light w-
100">Hapus</button></a>

</td>

    <td><?=
$data2['status_bayar']; ?></td>

    <td><?=
$data2['status_pengiriman']; ?></td>

    <td><?=
$data2['pengguna']; ?></td>

    <td><?=
$data2['pelanggan']; ?></td>

    <td><?=
$data2['no_invoice']; ?></td>

    <td><?=
$data2['kendaraan']; ?></td>

    <td><?=
$data2['supir']; ?></td>

    <td><?=
$data2['tujuan']; ?></td>

    <td><?=
$data2['penerima']; ?></td>

    <td><?=
$data2['tanggal']; ?></td>

    <td>Rp<?=
number_format($data2['total']);
?></td>

    <td><?=
$data2['keterangan']; ?></td>

    <td><?=
$data2['no_surat_jalan']; ?></td>

</tr>

<?php } ?>

```

```

        </tbody>
    </table>
</div>
</div>

</section>
</div>

<script>
    function getHargaOngkir(input) {
        var selectedOption = input.value;
        var options =
document.getElementById('tujuan').get
ElementsByTagName('option');

        for (var i = 0; i < options.length; i++)
        {
            var option = options[i];

            if (option.value ===
selectedOption) {
                var hargaOngkir =
option.getAttribute('data-ongkir');

document.getElementById('total').value
= hargaOngkir;
                break;
            }
        }
    }

    // function hitungTotal() {
        // // var kubikasi =
document.getElementById('kubikasi').va
lue;
        // // var ongkir =
document.getElementById('ongkir').valu
e;
        // // var hasil = kubikasi * ongkir;
        //
document.getElementById('total').value
= ongkir;
        // }
</script>

<?php
    require_once "footer.php";

    if(isset($_POST['simpan'])){
        $simpan = mysqli_query($k,
"INSERT INTO pengiriman VALUES
(NULL, $_SESSION[id_pengguna]',
$_POST[pemesanan]',
$_POST[kendaraan]', $_POST[supir]',
$_POST[tujuan]', $_POST[penerima]',
$_POST[tanggal]', $_POST[total]',
$_POST[keterangan]',
$_POST[no_surat_jalan]', 'Belum
Lunas', ", ", 'Menunggu Pembayaran)");

        if($simpan){
            echo "<script>alert('Berhasil
Simpan'); window.location =
'pengiriman.php'</script>";
        }else{
            echo "<script>alert('Gagal
Simpan'); document.location =
'pengiriman.php'</script>";
        }
    }elseif(isset($_POST['ubah'])){

```

```

        $ubah = mysqli_query($k, "UPDATE
pengiriman SET
id_pemesanan='$_POST[pemesanan]',
id_kendaraan='$_POST[kendaraan]',
id_supir='$_POST[supir]',
id_tujuan='$_POST[tujuan]',
id_penerima='$_POST[penerima]',
tanggal='$_POST[tanggal]',
total='$_POST[total]',
keterangan='$_POST[keterangan]',
no_surat_jalan='$_POST[no_surat_jalan]',
status_bayar='$_POST[status_bayar]'
WHERE
id_pengiriman=$_GET[id_pengiriman]'");

```

```

        if($ubah){
            echo "<script>alert('Berhasil
Ubah'); document.location =
'pengiriman.php'</script>";
        }else{
            echo "<script>alert('Gagal
Ubah'); document.location =
'pengiriman.php'</script>";
        }
        }elseif(isset($_GET['hapus'])){
            $hapus = mysqli_query($k, "DELETE
FROM pengiriman WHERE
id_pengiriman=$_GET[id_pengiriman]'");

```

```

        if($hapus){
            echo "<script>alert('Berhasil
Hapus'); document.location =
'pengiriman.php'</script>";
        }else{
            echo "<script>alert('Gagal
Hapus'); document.location =
'pengiriman.php'</script>";

```

```

        }
    }
    elseif(isset($_GET['lunas'])){
        $simpan = mysqli_query($k,
"UPDATE pengiriman SET status_bayar
= 'Lunas', status_pengiriman = 'Dalam
Pengiriman' WHERE id_pengiriman =
'$_GET[id_pengiriman]'");

        $data =
mysqli_fetch_array(mysqli_query($k,
"SELECT *,
pengguna.nama AS pengguna,
pelanggan.nama_pelanggan AS
pelanggan,
kendaraan.no_pol AS kendaraan,
supir.nama_supir AS supir,
tujuan.kota AS tujuan,
penerima.nama_penerima AS penerima
FROM pengiriman
INNER JOIN pengguna ON
pengiriman.id_pengguna =
pengguna.id_pengguna
INNER JOIN pemesanan ON
pengiriman.id_pemesanan =
pemesanan.id_pemesanan
INNER JOIN pelanggan ON
pemesanan.id_pelanggan=
pelanggan.id_pelanggan
INNER JOIN kendaraan ON
pengiriman.id_kendaraan =
kendaraan.id_kendaraan
INNER JOIN supir ON
pengiriman.id_supir = supir.id_supir
INNER JOIN tujuan ON
pengiriman.id_tujuan =
tujuan.id_tujuan

```

```

INNER JOIN penerima ON
penerima.id_penerima =
penerima.id_penerima

INNER JOIN detail_tagihan ON
detail_tagihan.id_pengiriman =
pengiriman.id_pengiriman

INNER JOIN tagihan ON
detail_tagihan.id_tagihan =
tagihan.id_tagihan

WHERE
pengiriman.id_pengiriman='$_GET[id_p
engiriman]');

```

```

$recipientEmail = $data['email']; //
Ganti dengan alamat email penerima

```

```

$subject = 'Pembayaran Berhasil'; //
Ganti dengan subjek email

```

```

$message = 'Hallo '. $data['pelanggan']
.',Terima Kasih, Pembayaran Dengan
Kode Tagihan ' . $data['no_invoice'] . '
Sebesar Rp'. $data['total_tagihan'] . '
Berhasil Diterima.'; // Ganti dengan isi
email

```

```

// $attachmentPath = $filePath; // Ganti
dengan path lengkap ke file yang ingin
dilampirkan

```

```

// $attachmentName = 'Pembayaran
Berhasil ke CV Dua Putra Jaya'; // Ganti
dengan nama file yang ingin ditampilkan
di email sebagai nama lampiran

```

```

// Pembentukan header email

```

```

$eol = "\r\n";

```

```

$boundary = md5(uniqid());

```

```

$headers = "From:
cvduaputrajaya@gmail.com" . $eol; //
Ganti dengan alamat email pengirim

```

```

$headers .= "Reply-To:
cvduaputrajaya@gmail.com" . $eol; //
Ganti dengan alamat email pengirim

```

```

$headers .= "MIME-Version: 1.0" . $eol;

```

```

$headers .= "Content-Type:
multipart/mixed; boundary=\"\" .
$boundary . \"\" . $eol;

```

```

// Pembentukan bagian teks email

```

```

$emailContent = "--" . $boundary . $eol;

```

```

$emailContent .= "Content-Type:
text/plain; charset=\"utf-8\" . $eol;

```

```

$emailContent .= "Content-Transfer-
Encoding: 8bit" . $eol . $eol;

```

```

$emailContent .= $message . $eol;

```

```

// Pembentukan bagian lampiran email

```

```

// $emailContent .= "--" . $boundary .
$eol;

```

```

// $emailContent .= "Content-Type:
application/octet-stream; name=\"\" .
$attachmentName . \"\" . $eol;

```

```

// $emailContent .= "Content-Transfer-
Encoding: base64" . $eol;

```

```

// $emailContent .= "Content-
Disposition: attachment" . $eol . $eol;

```

```

// $emailContent .=
chunk_split(base64_encode(file_get_co
ntents($attachmentPath))) . $eol;

```

```

// Akhir bagian email

```

```

$emailContent .= "--" . $boundary . "--" .
$eol;

```

```

// Mengirim email dengan lampiran

```

```

if (mail($recipientEmail, $subject,
$emailContent, $headers)) {
echo 'Email sent successfully!';
} else {
echo 'Email could not be sent.';
}

if($simpan){
echo "<script>alert('Status
Pembayaran Lunas'); window.location =
'pengiriman.php'</script>";
}else{
echo "<script>alert('Gagal
bayar'); document.location =
'pengiriman.php'</script>";
}
}
?>

```

tagihan.php

```

<?php
require_once "header.php";

if (isset($_GET['ubah'])){
    $sql = mysqli_query($k, "SELECT *,
pelanggan.nama_pelanggan AS
pelanggan FROM tagihan

INNER JOIN
detail_tagihan ON
detail_tagihan.id_tagihan =
tagihan.id_tagihan

INNER JOIN
pengiriman ON
detail_tagihan.id_pengiriman =
pengiriman.id_pengiriman

INNER JOIN tujuan ON
pengiriman.id_tujuan =
tujuan.id_tujuan

```

```

INNER JOIN
pemesanan ON
pengiriman.id_pemesanan =
pemesanan.id_pemesanan

INNER JOIN pelanggan
ON pemesanan.id_pelanggan =
pelanggan.id_pelanggan

WHERE
tagihan.id_tagihan =
'$_GET[id_tagihan]");
    $data = mysqli_fetch_array($sql);
}
?>

```

```

<div class="page-heading">
    <div class="page-title mb-3 m
">

        <div class="row">

            <div class="col-12 col-md-
6 order-md-1 order-last">

                <h3>Tagihan</h3>

            </div>

            <div class="col-12 col-md-
6 order-md-2 order-first">

                <nav aria-
label="breadcrumb"
class="breadcrumb-header float-start
float-lg-end">

                    <ol

class="breadcrumb">

                        <li

class="breadcrumb-item"><a
href="index.html">Dashboard</a></li>

                        <li

class="breadcrumb-item active" aria-
current="page">Data Tagihan</li>

                    </ol>

```

```

        </nav>
    </div>
</div>
</div>
<section id="multiple-column-
form">
    <div class="row match-
height">
        <div class="col-12">
            <div class="card">
                <div class="card-
header">
                    <h4 class="card-
title">Form Input Tagihan</h4>
                </div>
                <div class="card-
content">
                    <div class="card-
body">
                        <form
method="POST" class="form">
                            <div
class="row">
                                <div
class="col-md-6 col-12">
                                    <label>Pengiriman</label>
                                </div>
                                <div
class="col-md-6 col-12">
                                    <label>Pengiriman</label>
                                </div>
                            </div>
                            <div
class="form-group">
                                <select
class="form-select" id="pengiriman"
name="pengiriman"
onchange="getJumlahTagihan(this)"
required>

```

```

<option value="<?php if
(isset($_GET['ubah'])){ echo
$data['id_pengiriman']; } ?>" data-
jumlah-tagihan="<?php if
(isset($_GET['ubah'])){ echo
$data['total']; } ?>"><?php if
(isset($_GET['ubah'])){ echo
$data['id_pengiriman'] . " | " .
$data['pelanggan'] . ", Tujuan : " .
$data['kota']; }else{ echo "--pilih
pemesanan dari pelanggan--"; }
?></option>
<?php
$sql2
= mysqli_query($k, "SELECT *,
pelanggan.nama_pelanggan AS
pelanggan FROM pengiriman
INNER JOIN pemesanan ON
pengiriman.id_pemesanan =
pemesanan.id_pemesanan
INNER JOIN pelanggan ON
pemesanan.id_pelanggan =
pelanggan.id_pelanggan
INNER JOIN tujuan ON
pengiriman.id_tujuan =
tujuan.id_tujuan
WHERE pengiriman.id_pengiriman NOT
IN (SELECT id_pengiriman FROM
detail_tagihan)");
while
($data2 = mysqli_fetch_array($sql2)){
?>
<option value="<?php if
(isset($_GET['ubah'])){ echo
$data2['id_pengiriman']; } ?>" data-
jumlah-tagihan="<?php if
(isset($_GET['ubah'])){ echo
$data2['total']; } ?>"><?php if
(isset($_GET['ubah'])){ echo
$data2['id_pengiriman'] . " | " .

```

```

$data2['pelanggan'] . ", Tujuan : " .
$data2['kota']; ?></option>

<?php
} ?>

</select>
</fieldset>
</div>
<div
class="col-md-6 col-12">
<div
class="form-group">
<label>No Invoice</label>
<input
type="text" class="form-control"
placeholder="No Invoice"
name="no_invoice" value="<?php $cek
= mysqli_query($k, "SELECT no_invoice
FROM tagihan ORDER BY no_invoice
DESC LIMIT 1");
if (isset($_GET['ubah']) &&
$data['no_invoice'] != " &&
$data['no_invoice'] != 0){
echo $data['no_invoice'];
}elseif(mysqli_num_rows($cek) > 0){
$cek_inv=mysqli_fetch_array($cek);
$inv = $cek_inv['no_invoice'];
$surutan = (int) substr($inv, 14, 3);
$surutan++;
$makeNota = "INV" . "|" . date("Ymd") .
|" . sprintf("%03s", $surutan);
echo $makeNota;
}else{
$makeNota = "INV" . "|" . date("Ymd") .
|" . sprintf("%03s", 1);
echo $makeNota;
}?>" readonly>
</div>
</div>
<div
class="col-md-6 col-12">
<div
class="form-group">
<label>Tanggal Invoice</label>
<input
type="date" class="form-control"
placeholder="Tanggal Invoice"
name="tanggal_invoice" value="<?php
if (isset($_GET['ubah']))){ echo
$data['tanggal_invoice']; } ?>" required>
</div>
</div>
<div
class="col-md-6 col-12">
<div
class="form-group">
<label>Jumlah Tagihan</label>

```

```

        <input
type="number" class="form-control"

placeholder="Total Tagihan"
id="jumlah_tagihan"
name="jumlah_tagihan" value="<?php
if (isset($_GET['ubah'])){ echo
$data['jumlah_tagihan']; } ?>"
oninput="getTotalTagihan()" readonly>
    </div>

```

```

    </div>
    <div
class="col-md-6 col-12">
        <div
class="form-group">

```

```

<label>PPH 21</label>
        <input
type="number" class="form-control"

placeholder="PPH 21" id="pph_21"
name="pph_21" value="<?php if
(isset($_GET['ubah'])){ echo
$data['pph_21']; } ?>" readonly>
    </div>

```

```

    </div>
    <div
class="col-md-6 col-12">
        <div
class="form-group">

```

```

<label>Total Tagihan</label>
        <input
type="number" class="form-control"

placeholder="Total Tagihan"
id="total_tagihan"
name="total_tagihan" value="<?php if

```

```

(isset($_GET['ubah'])){ echo
$data['total_tagihan']; } ?>" readonly>
    </div>

```

```

    </div>
    <div
class="col-md-6 col-12">
        <div
class="form-group">

```

```

<label>Keterangan Tagihan</label>
        <textarea type="text" class="form-
control"

placeholder="Keterangan Tagihan"
name="keterangan_tagihan"
required><?php if
(isset($_GET['ubah'])){ echo
$data['keterangan_tagihan']; }
?></textarea>
    </div>

```

```

    </div>
    <div
class="col-12 mt-2 d-flex justify-
content-end">

```

```

        <button
type="submit" name="<?php if
(isset($_GET['ubah'])){ echo "ubah";
}else{ echo "simpan"; } ?>" class="btn
btn-primary me-1 mb-
1">Simpan</button>
    </div>

```

```

    </div>
    </div>
    </form>
    </div>
    </div>
    </div>

```

```

        </div>
    </div>
</section>

<section class="section">
    <div class="card">
        <div class="card-header">
            Tabel Data Tagihan
        </div>
        <div class="card-body">
            <table class="table
table-striped" id="table1">
                <thead>
                    <tr>
                        <th>No</th>
                        <th>Aksi</th>
                        <th>No
Invoice</th>
                        <th>Tanggal
invoice</th>
                        <th>Keterangan
Tagihan</th>
                        <th>Jumlah
Tagihan</th>
                        <th>PPH 21</th>
                        <th>Total
Tagihan</th>
                        <th>Status</th>
                        <th>Bukti
Bayar</th>
                    </tr>
                </thead>
                <tbody>
                    <tr>
                        <td><?= $no++;>
                        <td>
                            <a
href="?ubah&id_tagihan=<?=
$data['id_tagihan']?>"><button
class="btn btn-warning btn-round
waves-effect waves-light w-
100">Ubah</button></a>
                            <a
href="?hapus&id_tagihan=<?=
$data['id_tagihan']?>"><button
onclick="return confirm('Data akan
dihapus?')" class="btn btn-danger btn-
round waves-effect waves-light w-100
mt-2">Hapus</button></a>
                        </td>
                        <td><?=
$data['no_invoice']; ?></td>
                        <td><?=
$data['tanggal_invoice']; ?></td>
                        <td><?=
$data['keterangan_tagihan']; ?></td>
                        <td>Rp<?=
number_format($data['jumlah_tagihan'
]); ?></td>
                    </tr>
                </tbody>
            </table>
        </div>
    </div>
</section>

```

```

                <td>Rp<?=  

number_format($data['pph_21']);  

?></td>  

                <td>Rp<?=  

number_format($data['total_tagihan']);  

?></td>  

                <td><?=  

$data['status_bayar']; ?></td>  

                <td>  

                <?php if  

($data['bukti_bayar'] != NULL){ ?>  

                  

                <a href="<?=  

$data['bukti_bayar']; ?>"><button  

class="btn btn-primary w-100 mt-  

2">Lihat</button></a>  

                <?php }else{  

echo "Kosong"; } ?>  

                </td>  

            </tr>  

            <?php } ?>  

        </tbody>  

    </table>  

</div>  

</div>  

</section>  

</div>

```

```

<script>  

    function getJumlahTagihan(input) {

```

```

        var selectedOption = input.value;  

        var options =  

document.getElementById('pengiriman'  

').getElementsByTagName('option');  

        for (var i = 0; i < options.length; i++)  

        {  

            var option = options[i];  

            if (option.value ===  

selectedOption) {  

                var pengiriman =  

option.getAttribute('data-jumlah-  

tagihan');  

                document.getElementById('jumlah_tagi  

han').value = parseFloat(pengiriman);  

                var pph21 = pengiriman * 0.02;  

                document.getElementById('pph_21').val  

ue = parseFloat(pph21);  

                var totalTagihan =  

parseFloat(pengiriman) + parseInt(pph21);  

                document.getElementById('total_tagiha  

n').value = parseFloat(totalTagihan);  

                break;  

            }  

        }  

    }  

}

```

```

window.addEventListener('DOMContentLoaded', function() {  

    getJumlahTagihan();  

});

```

```

</script>
<?php
require_once "footer.php";

if(isset($_POST['simpan'])){
    $simpan = mysqli_query($k,
"INSERT INTO tagihan VALUES (NULL,
'$_POST[no_invoice]',
'$_POST[tanggal_invoice]',
'$_POST[keterangan_tagihan]',
'$_POST[pph_21]',
'$_POST[total_tagihan]', '')");
    $sid = mysqli_insert_id($k);
    if($simpan){
        mysqli_query($k, "INSERT INTO
detail_tagihan VALUES (NULL, '$sid',
'$_POST[pengiriman]',
'$_POST[jumlah_tagihan]'");
        echo "<script>alert('Berhasil
Simpan'); document.location =
'tagihan.php'</script>";
    }else{
        echo "<script>alert('Gagal
Simpan'); document.location =
'tagihan.php'</script>";
    }
}elseif(isset($_POST['ubah'])){
    $ubah = mysqli_query($k,
"UPDATE tagihan SET
no_invoice='$_POST[no_invoice]',
tanggal_invoice='$_POST[tanggal_invoic
e]',
keterangan_tagihan='$_POST[keteranga
n_tagihan]', pph_21='$_POST[pph_21]',
total_tagihan='$_POST[total_tagihan]'
WHERE
id_tagihan='$_GET[id_tagihan]'");
    $sid = mysqli_insert_id($k);
    if($ubah){
        mysqli_query($k, "UPDATE
detail_tagihan SET
id_pengiriman='$_POST[pengiriman]',
jumlah_tagihan='$_POST[jumlah_tagiha
n]' WHERE id_tagihan='$sid'");
        echo "<script>alert('Berhasil
Ubah'); document.location =
'tagihan.php'</script>";
    }else{
        echo "<script>alert('Gagal
Ubah'); document.location =
'tagihan.php'</script>";
    }
}elseif(isset($_GET['hapus'])){
    $hapus = mysqli_query($k,
"DELETE FROM tagihan WHERE
id_tagihan='$_GET[id_tagihan]'");
    $sid = mysqli_insert_id($k);
    if($hapus){
        mysqli_query($k, "DELETE
FROM detail_tagihan WHERE
id_tagihan='$sid'");
        echo "<script>alert('Berhasil
Hapus'); document.location =
'tagihan.php'</script>";
    }else{
        echo "<script>alert('Gagal
Hapus'); document.location =
'tagihan.php'</script>";
    }
}
?>

```

pelanggan

pemesanan.php


```

        while($data =
mysqli_fetch_array($query)){
            ?>
            <tr>
                <td><?= $no++;
?></td>
                <td><?=
$data['pelanggan']; ?></td>
                <td><?=
$data['tanggal_pesan']; ?></td>
                <td><?=
$data['nama_barang']; ?></td>
                <td><?=
$data['jumlah_barang']; ?></td>
            </tr>
            <?php } ?>
        </tbody>
    </table>
</div>
</div>

</section>
</div>

```

```

<?php
    require_once "footer.php";

    if(isset($_POST['simpan'])){
        $simpan = mysqli_query($k,
"INSERT INTO pemesanan VALUES
(NULL, '$_SESSION[id_pelanggan]',
'$_POST[tanggal_pesan]',
'$_POST[nama_barang]',
'$_POST[jumlah_barang]');");
    }

```

```

    if($simpan){
        echo "<script>alert('Berhasil
Simpan'); document.location =
'pemesanan.php'</script>";
    }else{
        echo "<script>alert('Gagal
Simpan'); document.location =
'pemesanan.php'</script>";
    }
}
?>

```

info_tagihan.php

```

<?php
    require_once "header.php";

    if (isset($_GET['ubah'])){
        $sql = mysqli_query($k, "SELECT *
FROM tagihan WHERE id_tagihan =
'$_GET[id_tagihan]'");
        $data = mysqli_fetch_array($sql);
    }
?>

<div class="page-heading">
    <div class="page-title mb-3 m
">
        <div class="row">
            <div class="col-12 col-md-
6 order-md-1 order-last">
                <h3>Tagihan</h3>
            </div>
            <div class="col-12 col-md-
6 order-md-2 order-first">

```



```

                                $query =
                                mysqli_query($k, "SELECT * FROM
                                tagihan

                                INNER JOIN detail_tagihan ON
                                detail_tagihan.id_tagihan =
                                tagihan.id_tagihan

                                INNER JOIN pengiriman ON
                                detail_tagihan.id_pengiriman =
                                pengiriman.id_pengiriman

                                INNER JOIN pemesanan ON
                                pengiriman.id_pemesanan =
                                pemesanan.id_pemesanan

                                INNER JOIN pelanggan ON
                                pemesanan.id_pelanggan =
                                pelanggan.id_pelanggan

                                WHERE
                                pelanggan.id_pelanggan='$_SESSION[id
                                _pelanggan]");

                                while($data =
                                mysqli_fetch_array($query)){
                                ?>
                                <tr>
                                <td><?= $no++;
                                ?></td>
                                <td><?=
                                $data['no_invoice']; ?></td>
                                <td>
                                <?php if
                                ($data['bukti_bayar'] == NULL){ ?>
                                <a
                                href="?upload&id_tagihan=<?=
                                $data['id_tagihan']?>"><button
                                class="btn btn-primary btn-round
                                waves-effect waves-light w-
                                100">Upload</button></a>

```

<section class="section">
 <div class="card">
 <div class="card-header">
 Tabel Data Tagihan
 </div>
 <div class="card-body">
 <table class="table
 table-striped" id="table1">
 <thead>
 <tr>
 <th>No</th>
 Invoice</th>
 <th>Upload
 Bukti</th>
 <th>Status
 Pembayaran</th>
 <th>Tanggal
 invoice</th>
 <th>Keterangan
 Tagihan</th>
 <th>Jumlah
 Tagihan</th>
 <th>PPH 21</th>
 <th>Total
 Tagihan</th>
 <th>Bukti
 Bayar</th>
 </tr>
 </thead>
 <tbody>
 <?php

```

                <?php }else{ ?>
                    <a
href="?ubah&id_tagihan=<?=$data['id_tagihan']?>"><button
class="btn btn-warning btn-round
waves-effect waves-light w-100">Ubah
Bukti</button></a>

                    <a
href="?hapus&id_tagihan=<?=$data['id_tagihan']?>" onclick="return
confirm('Hapus?')"><button class="btn
btn-danger btn-round waves-effect
waves-light w-100 mt-2">hapus
Bukti</button></a>

                <?php } ?>
            </td>
            <td><?=$data['status_bayar']; ?></td>
            <td><?=$data['tanggal_invoice']; ?></td>
            <td><?=$data['keterangan_tagihan']; ?></td>
            <td>Rp<?=$number_format($data['jumlah_tagihan']
); ?></td>
            <td>Rp<?=$number_format($data['pph_21']);
?></td>
            <td>Rp<?=$number_format($data['total_tagihan']);
?></td>
            <td>
                <?php if
($data['bukti_bayar'] != NULL){ ?>
                    
                    <a href="<?=$data['bukti_bayar']; ?>"><button

```

```

class="btn btn-primary w-100 mt-
2">Lihat</button></a>
                <?php }else{
echo "Kosong";} ?>
            </td>
        </tr>
    </tbody>
</table>
</div>
</div>
</section>
</div>
<?php
require_once "footer.php";

if(isset($_POST['simpan'])){
    $namaFile =
$_FILES['bukti_bayar']['name'];
    $ukuranFile =
$_FILES['bukti_bayar']['size'];
    $namaSementaraFile =
$_FILES['bukti_bayar']['tmp_name'];

    $ekstensi_diperbolehkan =
array('jpg', 'jpeg', 'png');
    $x = explode('.', $namaFile);
    $ekstensi = strtolower(end($x));

    // 3.tentukan lokasi upload file

```

```

$dirUpload = "../upload/";

if (in_array($ekstensi,
$ekstensi_diperbolehkan) === true){
    if ($ukuranFile < 1024000){
        //pindahkan file upload
        $terUpload =
move_uploaded_file($namaSementaraF
ile, $dirUpload.$namaFile);
        if ($terUpload) {
            $bukti_bayar =
$dirUpload.$namaFile;

            $simpan = mysqli_query($k,
"UPDATE tagihan SET
bukti_bayar='$bukti_bayar' WHERE
id_tagihan = '$_GET[id_tagihan]'");
            if($simpan){
                echo
"<script>alert('Berhasil Simpan');
document.location =
'info_tagihan.php'</script>";
            }else{
                echo "<script>alert('Gagal
Simpan'); document.location =
'info_tagihan.php'</script>";
            }
        }
    }
}

}elseif(isset($_POST['ubah'])){
    $namaFile =
$_FILES['bukti_bayar']['name'];
    $ukuranFile =
$_FILES['bukti_bayar']['size'];

```

```

$namaSementaraFile =
$_FILES['bukti_bayar']['tmp_name'];

$ekstensi_diperbolehkan =
array('jpg', 'jpeg', 'png');
$x = explode('.', $namaFile);
$ekstensi = strtolower(end($x));

// 3.tentukan lokasi upload file
$dirUpload = "../upload/";

if (in_array($ekstensi,
$ekstensi_diperbolehkan) === true){
    if ($ukuranFile < 1024000){
        //pindahkan file upload
        $terUpload =
move_uploaded_file($namaSementaraF
ile, $dirUpload.$namaFile);
        if ($terUpload) {
            $bukti_bayar =
$dirUpload.$namaFile;

            $ubah = mysqli_query($k,
"UPDATE tagihan SET
bukti_bayar='$bukti_bayar' WHERE
id_tagihan = '$_GET[id_tagihan]'");
            if($ubah){
                echo
"<script>alert('Berhasil ubah');
document.location =
'info_tagihan.php'</script>";
            }else{
                echo "<script>alert('Gagal
ubah'); document.location =
'info_tagihan.php'</script>";
            }
        }
    }
}

```

```

        }
    }
}
}
}elseif(isset($_GET['hapus'])){
    $hapus = mysqli_query($k,
"UPDATE tagihan SET bukti_bayar="
WHERE
id_tagihan='".$_GET[id_tagihan]'");

    if($hapus){
        echo "<script>alert('Berhasil
Hapus Bukti'); document.location =
'info_tagihan.php'</script>";
    }else{
        echo "<script>alert('Gagal Hapus
Bukti'); document.location =
'info_tagihan.php'</script>";
    }
}
?>

```

Manajer_pemasaran

pengguna.php

```

<?php
    require_once "header.php";

    if (isset($_GET['ubah'])){
        $sql = mysqli_query($k, "SELECT *
FROM pengguna WHERE id_pengguna =
'".$_GET[id_pengguna]'");
        $data = mysqli_fetch_array($sql);
    }

```

```

?>

<div class="page-heading">
    <div class="page-title mb-3 m
">
        <div class="row">
            <div class="col-12 col-md-
6 order-md-1 order-last">
                <h3>Pengguna</h3>
            </div>
            <div class="col-12 col-md-
6 order-md-2 order-first">
                <nav aria-
label="breadcrumb"
class="breadcrumb-header float-start
float-lg-end">
                    <ol
class="breadcrumb">
                        <li
class="breadcrumb-item"><a
href="index.html">Dashboard</a></li>
                        <li
class="breadcrumb-item active" aria-
current="page">Data Pengguna</li>
                    </ol>
                </nav>
            </div>
        </div>
    </div>

<section id="multiple-column-
form">
    <div class="row match-
height">
        <div class="col-12">

```

```

<div class="card">
  <div class="card-
header">
    <h4 class="card-
title">Form Input Pengguna</h4>
  </div>
  <div class="card-
content">
    <div class="card-
body">
      <form
method="POST" class="form">
        <div
class="row">
          <div
class="col-md-6 col-12">
            <div
class="form-group">
              <label>Nama</label>
              <input
type="text" class="form-control"
placeholder="Ketikkan Nama"
name="nama" value="<?php if
(isset($_GET['ubah'])){ echo
$data['nama']; } ?>">
            </div>
          </div>
          <div
class="col-md-6 col-12">
            <label>Jabatan</label>
            <fieldset
class="form-group">
              <select
class="form-select" name="jabatan">

```

```

<option value="">--pilih jabatan--
</option>
<option value="Staff Pemasaran" <?php
if (isset($_GET['ubah'])){ if
($data['jabatan'] == "Staff Pemasaran"){
echo 'selected'; } } ?>>Staff
Pemasaran</option>
<option value="Manajer Pemasaran"
<?php if (isset($_GET['ubah'])){ if
($data['jabatan'] == "Manajer
Pemasaran"){ echo 'selected'; } }
?>>Manajer Pemasaran</option>
</select>
</fieldset>
</div>
<div
class="col-md-6 col-12">
  <div
class="form-group">
    <label>Username</label>
    <input
type="text" class="form-control"
placeholder="Ketikkan Username"
name="username" value="<?php if
(isset($_GET['ubah'])){ echo
$data['username']; } ?>">
  </div>
</div>
<div
class="col-md-6 col-12">
  <div
class="form-group">

```



```

        <a
href="?hapus&id_pengguna=<?=$data['id_pengguna']?>"><button
onclick="return confirm('Data akan
dihapus?')" class="btn btn-danger btn-
round waves-effect waves-light w-
100">Hapus</button></a>
    </td>
    <td><?=$data['nama']; ?></td>
    <td><?=$data['jabatan']; ?></td>
    <td><?=$data['username']; ?></td>
    <td><?=$data['password']; ?></td>
    </tr>
    <?php } ?>
</tbody>
</table>
</div>
</div>
</section>
</div>

```

```

<?php
require_once "footer.php";

```

```

if(isset($_POST['simpan'])){
    $simpan = mysqli_query($k,
"INSERT INTO pengguna VALUES (NULL,
'$_POST[nama]', '$_POST[jabatan]',
'$_POST[username]',
'$_POST[password]");

```

```

if($simpan){
    echo "<script>alert('Berhasil
Simpan'); document.location =
'pengguna.php'</script>";
    }else{
        echo "<script>alert('Gagal
Simpan'); document.location =
'pengguna.php'</script>";
    }
    }elseif(isset($_POST['ubah'])){
        $ubah = mysqli_query($k, "UPDATE
pengguna SET nama='$_POST[nama]',
jabatan='$_POST[jabatan]',
username='$_POST[username]',
password='$_POST[password]' WHERE
id='$_GET[id]");
    if($ubah){
        echo "<script>alert('Berhasil
Ubah'); document.location =
'pengguna.php'</script>";
    }else{
        echo "<script>alert('Gagal
Ubah'); document.location =
'pengguna.php'</script>";
    }
    }elseif(isset($_GET['hapus'])){
        $hapus = mysqli_query($k, "DELETE
FROM pengguna WHERE
id='$_GET[id]");

```

```

if($hapus){
    echo "<script>alert('Berhasil
Hapus'); document.location =
'pengguna.php'</script>";
    }else{

```

```

        echo "<script>alert('Gagal
Hapus'); document.location =
'pengguna.php'</script>";
    }
}
?>

```

hasil_lap_pemesanan.php

```

<?php
include "../koneksi.php";
if (isset($_GET['lihat'])) {
?>

    <html>
        <link
            rel="icon"
            type="image/png"
            sizes="16x16"
            href="../assets/images/logo/dpj.png"
        />
        <link rel="stylesheet"
            href="style.css">
        
        <title>Laporan Pemesanan | CV
Dua Putra Jaya</title>
        <!--Made with love by
Mutiullah Samim -->

    <div style="margin-top:-90px">

```

```

        <h1 span style="text-align:center;">CV DUA PUTRA
JAYA</h1>

```

```

        <h4 span style="text-align:center;">Jln. Demang Lebar Daun,
Kancil Putih 2, Kec. Ilir Barat 1
Palembang, <br>Sumatera
Selatan</h4>

```

```

        <h5 span style="text-align:center;">Hubungi HP :
088276708320 / 0813 96032108, E-mail
:
duaputrajayaexpress@gmail.com</h5>

```

```

    </div>
    <hr>
    <h3>Laporan
Pemesanan</h3>
    <table border="1"
cellspacing="0" cellpadding="4"
width="100%">
        <thead>
            <tr>
                <th>No</th>
                <th>Nama Pelanggan</th>
                <th>Tanggal Pesan</th>
                <th>Nama Barang</th>
                <th>Jumlah Barang</th>
            </tr>
        </thead>
        <tbody>
            <?php
                $query = mysqli_query($k,
                "SELECT *, pelanggan.nama_pelanggan
                AS pelanggan FROM pemesanan INNER
                JOIN pelanggan ON

```

```

pemesanan.id_pelanggan =
pelanggan.id_pelanggan WHERE
id_pemesanan NOT IN (SELECT
id_pemesanan FROM pengiriman");

while($data2 =
mysqli_fetch_array($query)){
    ?>
    <tr>
        <td><?=$no++; ?></td>
        <td><?=$data2['pelanggan'];
?></td>
        <td><?=$
$data2['tanggal_pesan']; ?></td>
        <td><?=$
$data2['nama_barang']; ?></td>
        <td><?=$
$data2['jumlah_barang']; ?></td>
    </tr>
    <?php } ?>
</tbody>
</table>

```

```

<div style="margin-top:
20px; display: grid; padding-left: 10px;
padding-right: 10px;">
    <p
style="justify-self: right;">Palembang,
<?=$date = date("d F"); ?> 2023</p>
    <div
style="height: auto; display: grid; grid-
template-columns: 1fr;">
        <!--
<div style="width: 200px; margin-left:
20px; justify-self: left; display: flex; flex-
direction: column; row-gap: 15px; text-
align: center;">

```

```

<p>Manajer Pemasaran,</p>
    <?php $data =
mysqli_fetch_array(mysqli_query($k,
"SELECT * FROM pengguna WHERE
jabatan = 'Manajer Pemasaran'")); ?>

```

```

<p><span style="font-size: x-
large;"></span> .....
<span style="font-size: x-
large;"></span></p>

```

```

<p><span style="font-size: x-
large;"></span> <?=$data['nama'];
?><span style="font-size: x-
large;"></span></p>

```

```
</div> -
```

```
->
```

```

<div
style="width: 200px; margin-right: 20px;
justify-self: right; display: flex; flex-
direction: column; row-gap: 15px; text-
align: center;">

```

```
<p>Manajer Pemasaran,</p>
```

```

<?php $data =
mysqli_fetch_array(mysqli_query($k,
"SELECT * FROM pengguna WHERE
id_pengguna='$_SESSION[id_pengguna]
'")); ?>

```

```

<!-- <p><span style="font-size:
x-large;"></span> .....
<span style="font-size: x-
large;"></span></p> -->

```

```

<p><span style="font-size: x-
large;"></span> <?=$data['nama'];
?><span style="font-size: x-
large;"></span></p>

```

```
</div>
```

```
</div>
```

```
        </div>
    </body>

</html>
<script>
    setTimeout(window.print, 3000);
</script>
<?php
} else {
    echo "LAPORAN TIDAK
DITEMUKAN";
}
?>
```