

LISTING PROGRAM

inventaris

add.php

```
<?php
$comp_model = new SharedController;
$page_element_id = "add-page-" .
random_str();
$current_page = $this-
>set_current_page_link();
$csrf_token = Csrf::$token;
$show_header = $this->show_header;
$view_title = $this->view_title;
$redirect_to = $this->redirect_to;
?>
<section class="page" id="<?php echo
$page_element_id; ?>" data-page-
type="add" data-display-type="" data-
page-url="<?php
print_link($current_page); ?>">
  <?php
  if( $show_header == true ){
  ?>
  <div class="bg-light p-3 mb-3">
    <div class="container">
      <div class="row ">
        <div class="col ">
          <h4 class="record-
title">Add New Inventaris</h4>
        </div>
      </div>
    </div>
  </div>
</div>
```

```
</div>
<?php
}
?>
<div class="">
  <div class="container">
    <div class="row ">
      <div class="col-md-7 comp-
grid">
        <?php $this ::
display_page_errors(); ?>
        <div class="bg-light p-3
animated fadeIn page-content">
          <form id="inventaris-
add-form" role="form" novalidate
enctype="multipart/form-data"
class="form page-form form-
horizontal needs-validation"
action="<?php
print_link("inventaris/add?csrf_token=
$csrf_token") ?>" method="post">
            <div>
              <div class="form-
group ">
                <div
class="row">
                  <div
class="col-sm-4">
                    <label
class="control-label"
```

```

for="tanggal">Tanggal <span
class="text-danger">*</span></label>
</div>
<div
class="col-sm-8">
<div
class="input-group pl-2">
<input
id="ctrl-tanggal" class="form-control
datepicker datepicker" required=""
value="<?php echo $this-
>set_field_value('tanggal',''); ?>"
type="datetime" name="tanggal"
placeholder="Enter Tanggal" data-
enable-time="false" data-min-date=""
data-max-date="" data-date-
format="Y-m-d" data-alt-format="F j,
Y" data-inline="false" data-no-
calendar="false" data-mode="single"
/>
</div>
</div>
</div> -->
</div>
<div
class="form-group ">
<div
class="row">
<div
class="col-sm-4">
<label
class="control-label"
for="tanggal">Tanggal <span
class="text-danger">*</span></label>
</div>
<!-- <div
class="col-sm-4">
<label
class="control-label"
for="ruangan">Ruangan <span
class="text-danger">*</span></label>

```

```

        </div>
        <div
            >set_field_selected('ruangan',$value,
            class="col-sm-8">                "");
            <div
            class="">                <option <?php echo $selected; ?>
            <select required="" id="ctrl-ruangan" value="<?php echo $value; ?>"
            name="ruangan" placeholder="Select <?php echo $label; ?>
            a value ..." class="form-control </option>
            custom-select" >                </option>
            <option value="">Pilih                <?php
            Ruangan</option>                }
            <?php                }
            $ruangan_options = $comp_model -> </select>                </div>
            inventaris_ruangan_option_list();                </div>
            if(!empty($ruangan_options)){                </div>
            foreach($ruangan_options as                </div>
            $option){                <div
            class="form-group ">                <div
            $value = (!empty($option['value']) ?                class="row">
            $option['value'] : null);                <div
            $label = (!empty($option['label']) ?                class="col-sm-4">
            $option['label'] : $value);                <label
            $selected = $this->                class="control-label
            for="barang">Barang <span
            class="text-danger">*</span></label>

```

```

        </div>
        <div
class="col-sm-8">
            <div
class="">
                <select
required="" id="ctrl-barang"
name="barang" placeholder="Select a
value ..." class="custom-select" >
                    <option value="">Pilih
                    Barang</option>
                    <?php
                    </select>
                </div>
                </div>
                </div>
                </div>
                <div
class="form-group ">
                    <div
class="row">
                        <div
class="col-sm-4">
                            $label
                            <label
class="control-label"
for="jumlah_barang">Jumlah Barang
                            <span class="text-
                            danger">*</span></label>
                        </div>
                        <div
class="col-sm-8">

```

```

<div
class="">

<input id="ctrl-jumlah_barang"
value="<?php echo $this-
>set_field_value('jumlah_barang',''); ?
>" type="number" placeholder="Enter
Jumlah Barang" step="1" required=""
name="jumlah_barang" class="form-
control " />

</div>

</div>

```

```

</div>
</div>
<div
class="form-group ">
<div
class="row">
<div
class="col-sm-4">
<label class="control-label"
for="jumlah_barang">Jumlah Barang <span
class="text-danger">*</span></label>

</div>
<div
class="col-sm-8">

```

```

<div class="">

<input id="ctrl-kondisi"
value="<?php echo $this-
>set_field_value('kondisi',''); ?>"
type="text" placeholder="Enter
Kondisi" required="" name="kondisi"
class="form-control " />

</div>

</div>
</div>
</div>
<div
class="form-group ">
<div
class="row">
<div class="col-sm-4">
<label class="control-label"
for="keterangan">Keterangan <span
class="text-danger">*</span></label>

</div>
<div class="col-sm-8">

```



```

$show_export_btn = $this-
>show_export_btn;
?>
<section class="page" id="<?php echo
$page_element_id; ?>" data-page-
type="view" data-display-
type="table" data-page-url="<?php
print_link($current_page); ?>">
    <?php
    if( $show_header == true ){
    ?>
    <div class="bg-light p-3 mb-3">
        <div class="container">
            <div class="row ">
                <div class="col ">
                    <h4 class="record-
title">View Inventaris</h4>
                </div>
            </div>
        </div>
    </div>
    <?php
    }
    ?>
    <div class="">
        <div class="container">
            <div class="row ">
                <div class="col-md-12
comp-grid">
                    <?php $this ::
display_page_errors(); ?>
                    <div class="card
animated fadeIn page-content">
                        <?php
                        $counter = 0;
                        if(!empty($data)){
                            $rec_id =
(!empty($data['id_inventaris']) ?
urlencode($data['id_inventaris']) :
null);
                            $counter++;
                        }
                        <div id="page-report-
body" class="">
                            <table class="table
table-hover table-borderless table-
striped">
                                <!-- Table Body
Start -->
                                <tbody
class="page-data" id="page-data-
<?php echo $page_element_id; ?>">
                                    <tr class="td-
tanggal">
                                        <th
class="title"> Tanggal: </th>
                                        <td
class="value">
                                            <span
<?php if($scan_edit){ ?> data-

```



```

flatpickr="{ enableTime: false,
minDate: "", maxDate: ""}";
value="<?php echo
$data['tanggal']; ?>"
pk="<?php echo
$data['id_inventaris'] ?>"
url="<?php
print_link("inventaris/editfield/" .
urlencode($data['id_inventaris'])); ?>"
name="tanggal"
title="Enter Tanggal"
placement="left"
toggle="click"
type="flatdatetimepicker"
mode="popover"
showbuttons="left"
class="is-editable" <?php } ?>>
echo $data['tanggal']; ?>
</span>
</td>
</tr>
<tr class="td-
ruangan">
<th
class="title"> Ruangan: </th>
<td
class="value">
<span
<?php if($scan_edit){ ?> data-
source='<?php
print_link('api/json/inventaris_ruangan
_option_list'); ?>'
data-
value="<?php echo
$data['ruangan']; ?>"
data-
pk="<?php echo
$data['id_inventaris'] ?>"
data-
url="<?php
print_link("inventaris/editfield/" .
urlencode($data['id_inventaris'])); ?>"
data-
name="ruangan"
data-
title="Select a value ..."
data-
placement="left"
data-
toggle="click"

```

```

type="select" data- name="barang" data-
mode="popover" data- title="Enter Barang" data-
showbuttons="left" data- placement="left" data-
class="is-editable" <?php } ?>> toggle="click" data-
<?php type="text" data-
echo $data['ruangan']; ?> </span> data-
</td> mode="popover" data-
</tr> showbuttons="left" data-
<tr class="td- barang">
<th class="is-editable" <?php } ?>>
class="title"> Barang: </th> <?php
<td echo $data['barang']; ?>
class="value"> </span>
<span </td>
<?php if($can_edit){ ?> data- </tr>
value="<?php echo <tr class="td-
$data['barang']; ?>" jumlah_barang">
data- <th
pk="<?php echo class="title"> Jumlah Barang: </th>
$data['id_inventaris'] ?>" <td
data- class="value">
url="<?php <span
print_link("inventaris/editfield/" . <?php if($can_edit){ ?> data-
urlencode($data['id_inventaris'])); ?>" value="<?php echo
$data['jumlah_barang']; ?>"

```

```

                                data-                                <th
pk="<?php echo                                class="title"> Kondisi: </th>
$data['id_inventaris'] ?>"                                <td
                                data-                                class="value">
url="<?php                                <span
print_link("inventaris/editfield/" .                                <?php if($scan_edit){ ?> data-
urlencode($data['id_inventaris'])); ?>"                                value="<?php echo
                                $data['kondisi']; ?>"
name="jumlah_barang"                                data-
                                data-                                pk="<?php echo
title="Enter Jumlah Barang"                                $data['id_inventaris'] ?>"
                                data-                                data-
placement="left"                                url="<?php
                                data-                                print_link("inventaris/editfield/" .
toggle="click"                                urlencode($data['id_inventaris'])); ?>"
                                data-                                data-
type="number"                                name="kondisi"
                                data-                                data-
mode="popover"                                title="Enter Kondisi"
                                data-                                data-
showbuttons="left"                                placement="left"
                                data-
class="is-editable" <?php } ?>>                                toggle="click"
                                <?php                                data-
echo $data['jumlah_barang']; ?>                                type="text"
                                </span>                                data-
                                </td>                                mode="popover"
                                </tr>                                data-
                                <tr class="td-                                showbuttons="left"
kondisi">                                class="is-editable" <?php } ?>>

```

```

                                <?php                                data-
echo $data['kondisi']; ?>                                type="text"
                                </span>                                data-
                                </td>                                mode="popover"
                                </tr>                                data-
                                <tr class="td-                                showbuttons="left"
keterangan">
                                <th                                class="is-editable" <?php } ?>>
class="title"> Keterangan: </th>                                <?php
                                <td                                echo $data['keterangan']; ?>
class="value">                                </span>
                                <span                                </td>
                                <?php if($can_edit){ ?> data-                                </tr>
value="<?php echo
$data['keterangan']; ?>"                                <tr class="td-
                                data-                                konfirmasi">
pk="<?php echo                                <th
$data['id_inventaris'] ?>"                                class="title"> Konfirmasi: </th>
                                data-                                <td
                                url="<?php                                class="value" >
print_link("inventaris/editfield/" .                                <span
urlencode($data['id_inventaris'])); ?>"                                <?php if($can_edit){ ?> data-
                                data-                                value="<?php echo
name="keterangan"                                $data['konfirmasi']; ?>"
                                data-                                data-
                                title="Enter Keterangan"                                pk="<?php echo
                                data-                                $data['id_inventaris'] ?>"
                                placement="left"                                data-
                                data-                                url="<?php
toggle="click"                                print_link("inventaris/editfield/" .
                                urlencode($data['id_inventaris'])); ?>"

```

```

name="konfirmasi" data-
title="Enter konfirmasi" data-
placement="left" data-
toggle="click" data-
type="text" data-
mode="popover" data-
showbuttons="left" data-
class="is-editable" <?php } ?>>
<?php
echo $data['konfirmasi']; ?>
</span>
</td>
</tr>

</tbody>
<!-- Table Body
End -->
</table>
<!-- </div>
<div class="p-3 d-
flex">
data-
export-btn-holder mx-1">
<button class="btn
btn-sm btn-primary dropdown-toggle"
type="button" data-
toggle="dropdown" aria-
haspopup="true" aria-
expanded="false">
<i class="fa fa-
save"></i> Export
</button>
<div
class="dropdown-menu" aria-
labelledby="dropdownMenuButton">
<?php
$export_print_link = $this-
>set_current_page_link(array('format'
=> 'print')); ?>
<a
class="dropdown-item export-link-
btn" data-format="print" href="<?php
print_link($export_print_link); ?>"
target="_blank">
 PRINT
</a>
<?php
$export_pdf_link = $this-

```

```

>set_current_page_link(array('format'
=> 'pdf')); ?>
<a
class="dropdown-item export-link-
btn" data-format="pdf" href="<?php
print_link($export_pdf_link); ?>"
target="_blank">
 PDF
</a>
<?php
$export_word_link = $this-
>set_current_page_link(array('format'
=> 'word')); ?>
<a
class="dropdown-item export-link-
btn" data-format="word" href="<?php
print_link($export_word_link); ?>"
target="_blank">
 WORD
</a>
<?php
$export_csv_link = $this-
>set_current_page_link(array('format'
=> 'csv')); ?>
<a
class="dropdown-item export-link-
btn" data-format="csv" href="<?php
print_link($export_csv_link); ?>"
target="_blank">
 CSV
</a>
<?php
$export_excel_link = $this-
>set_current_page_link(array('format'
=> 'excel')); ?>
<a
class="dropdown-item export-link-
btn" data-format="excel" href="<?php
print_link($export_excel_link); ?>"
target="_blank">
 EXCEL
</a>
</div>
</div> --
>
<br>

```

```

                                <?php                                else {
if($scan_edit){ ?>                                                ?>
                                <a                                    <!-- Empty
class="btn btn-sm btn-info"                                Record Message -->
href="<?php                                                        <div
print_link("inventaris/edit/$rec_id"); ?                          class="text-muted p-3">
>">                                                                <i
                                <i                                    class="fa fa-ban"></i> No Record
class="fa fa-edit"></i> Edit                                Found
                                </a>                                    </div>
                                <?php                                <?php
                                }
                                ?>
if($scan_delete){ ?>                                            </div>
                                <a                                    </div>
class="btn btn-sm btn-danger record-                            </div>
delete-btn mx-1" href="<?php                                        </div>
print_link("inventaris/delete/$rec_id/?                            </div>
csrf_token=$csrf_token&redirect=$cu                               </section>
rrent_page"); ?>" data-prompt-
msg="Are you sure you want to delete
this record?" data-display-
style="modal">
                                <i
class="fa fa-times"></i> Delete
                                </a>
                                <?php } ?>
                                </div>
                                <?php
                                }

```