

159N 2089-3151

CiteScore 2021 2.4



Verticks a hagest state

ELECTRICAL ENGINEERING AND INFORMATICS

High Head are







Editorial Team

Editor-in-Chief:

Prof. Dr. Ir. Tole Sutikno, ASEAN Eng., Universitas Ahmad Dahlan, Indonesia

co-Editors-in-Chief:

Dr. Arash Hassanpour Isfahani, University of Texas at Dallas, United States Prof. Dr. Ille C. Gebeshuber, Technische Universitat Wien, Austria Assoc. Prof. Dr. Vicente Garcia Diaz, University of Oviedo, Spain

Associate Editors:

Prof. Dr. Ahmad Hoirul Basori, King Abdulaziz University, Saudi Arabia Prof. Dr. Attia El-Fergany, Zagazig University, Egypt Prof. Dr. Eduard Babulak, National Science Foundation, United States Prof. Dr. Jasvir Singh, Himachal Pradesh University, India Prof. Dr. Juan Jose Martinez Castillo, Universidad de Málaga, Spain Prof. Dr. Xiaoguang Yue, European University Cyprus, Cyprus Prof. Chuan-Ming Liu, National Taipei University of Technology, Taiwan, Province of China Prof. Dah-Jing Jwo, National Taiwan Ocean University, Taiwan, Province of China Prof. Francesco Moscato, University of Salerno, Italy Prof. Gordana Jovanovic Dolecek, National Institute INAOE, Mexico Prof. Hui Gao, Beijing University of Posts and Telecommunications, China Prof. João Crisóstomo Weyl, Universidade Federal do Pará, Brazil Prof. Jun Cheng, Doshisha University, Japan Prof. Kamran Arshad, Ajman University, United Arab Emirates Prof. Kui Xu, Army Engineering University of PLA, China Prof. Mahdi Imani, Northeastern University, United States Prof. Massimo Vecchio, Fondazione Bruno Kessler, Italy Prof. Mohammed El Badaoui, University of Lyon, France

Prof. Muhammad Zubair, Information Technology University (ITU) of the Punjab, Pakistan Prof. Nandana Rajatheva, University of Oulu, Finland Prof. Nicola Pasquino, Università degli Studi di Napoli Federico II, Italy Prof. Stavros Ntalampiras, University of Milan, Italy Prof. Tao Jiang, Harbin Engineering University, China Prof. Tomonobu Senivu, University of the Ryukyus, Japan Prof. Wei Wei, Shandong University, China Assoc. Prof. Dr. Denis B. Solovey, Far Eastern Federal University (FEFU) and Russian Customs Academy, Russian Federation Assoc. Prof. Dr. Hung-Peng Lee, Fortune Institute of Technology, Taiwan Assoc. Prof. Dr. Mu-Song Chen, Da-Yeh University, Taiwan, Taiwan, Province of China Assoc. Prof. Dr. Sohrab Mirsaeidi, Beijing Jiaotong University, China Assoc. Prof. Dr. Yilun Shang, Northumbria University, United Kingdom Assoc.Prof. Wg.Cdr. Dr Tossapon Boongoen, Aberystwyth University, United Kingdom Asst. Prof. Dr. Amjad Gawanmeh, University of Dubai, United Arab Emirates Asst. Prof. Dr. Dinh-Thuan Do. Industrial University of Ho Chi Minh City. Viet Nam Dr. Anna Formica, Istituto di Analisi dei Sistemi ed Informatica "Antonio Ruberti" National Research Council, Italy Dr. Arcangelo Castiglione, University of Salerno, Italy Dr. B. Justus Rabi, Toc H Institute Of Science & Technology. India Dr. Dahaman Ishak, Universiti Sains Malaysia, Malaysia Dr. Enrico M. Vitucci, University of Bologna, Italy Dr. Farouk Zouari, University of Tunis El Manar, Tunisia Dr. Hamid Alinejad-Rokny, University of New South Wales (UNSW Sydney), Australia Dr. Haoxiang Wang, Cornell University, United States Dr. Hazlee Azil Illias, Universiti Malaya, Malaysia Dr. Jens Klare, Fraunhofer FHR, Germany Dr. Juan Antonio Martinez, University of Murcia, Spain Dr. Luca Di Nunzio, University of Rome "Tor Vergata", Italy Dr. Lutfu Saribulut, Adana Science and Technology University, Turkey Dr. Ramón Durán, University of Valladolid, Spain Dr. Ratheesh Kumar Meleppat, University of California Davis, United States Dr. Saad Qaisar, National University of Sciences and Technology Pakistan and University of Jeddah, Pakistan Dr. Safdar Hussain Bouk, Old Dominion University, United States Dr. Sukumar Senthilkumar, Universiti Sains Malaysia, Malaysia Dr. Sunil Jha, ICAR-Central Soil Salinity Research Institute, India Dr. T Vijay Muni, K L Deemed to be University, India Dr. Taghi Javdani Gandomani, Shahrekord University, Iran, Islamic Republic of Dr. Thinagaran Perumal, University Putra Malaysia, Malaysia Dr. Tomoaki Nagaoka, Japan National Institute of Information and Communications Technology, Japan

Dr. Winai Jaikla, King Mongkut's Institute of Technology Ladkrabang, Thailand Dr. Xiaojun Li, Gotion Inc., United States Dr. Yuchen Jiang, Harbin Institute of Technology, China Mr. Yun She, Technical Research Center in Caterpillar, United States Ahmed Ah-yasari, University of Babylon, Iraq Nuryono Satya Widodo, Universitas Ahmad Dahlan, Indonesia

Editorial Board:

Prof. Ali Rostami, Tabriz University, Iran, Islamic Republic of Prof. Andrea Sciarrone, University of Genoa, Italy Prof. Deepti Mehrotra, AMITY School of Engineering and Technology, India Prof. Emilio Jiménez Macías, University of La Rioja, Spain Prof. Enrico Tronci, Sapienza University of Rome, Italy Prof. Hans Dieter Schotten, University of Kaiserslautern, Germany Prof. Marco Mugnaini, University of Siena, Italy Prof. Marco Mussetta, Politecnico di Milano, Italy Prof. Mohamed El-Shimy Mahmoud Bekhet, Ain Shams University, Egypt Prof. Mohamed Hadi Habaebi, International Islamic University Malaysia (IIUM), Malaysia Prof. Mohamed S. Hassan, American University of Sharjah, United Arab Emirates Prof. Pawel Rozga, Lodz University of Technology, Poland Prof. Pedro S. Moura, University of Coimbra, Portugal Prof. Priya Ranjan, SRM University, India Prof. Saeed Olyaee, Shahid Rajaee Teacher Training University, Iran, Islamic Republic of Prof. Sergio Takeo Kofuji, University of São Paulo, Brazil Prof. Tapas Kumar Maiti, Dhirubhai Ambani Institute of Information and Communication Technology, Japan Prof. Yu Song Meng, National Metrology Centre, A*STAR, Singapore Dr. Afida Ayob, The National University of Malaysia, Malaysia Dr. Ahmad Fairuz Omar, Universiti Sains Malaysia, Malaysia Dr. Ai-ichiro Sasaki, Kindai University, Japan Dr. Alessandro Carrega, National Inter-University Consortium of Telecommunications (CNIT), Italy Dr. Andrews Samraj, Mahendra Engineering College, India Dr. Ankan Bhattacharya, Hooghly Engineering & Technology College, India Dr. Arun Sharma, Indira Gandhi Delhi Technical University for Women, India Dr. Arvind R Singh, University of Pretoria, India Dr. Asan Gani Abdul Muthalif, Qatar University, Qatar Dr. Ashraf A. Tahat, Princess Sumaya University for Technology, Jordan

Dr. Asrulnizam Abd Manaf, Universiti Sains Malaysia, Malaysia

Dr. Azilah Saparon, Universiti Teknologi MARA, Malaysia Dr. Baharuddin Ismail, Universiti Malaysia Perlis, Malaysia Dr. Chockalingam Aravind Vaithilingam, Taylor's University, Malaysia Dr. Christoph Hintermüller, Johannes Kepler University Linzdisabled. Austria Dr. Dhananjay Singh, Hankuk University of Foreign Studies, Korea, Republic of Dr. Dheeraj Joshi, Delhi Technological University Delhi, India Dr. Donato Impedovo, Università degli Studi di Bari. Italy Dr. Emmanouil G. Spanakis, University of Maryland, United States Dr. Erwan Sulaiman, Universiti Tun Hussein Onn Malaysia, Malaysia Dr. Farhan Ahmed Siddigui, Dickinson College, United States Dr. Fazirulhisyam Hashim, University Putra Malaysia, Malaysia Dr. Gulivindala R. Suresh, Saveetha School of Engineering, India Dr. Guillermo P. Falconí, Technische Universität München. Germany Dr. Hamzah Ahmad, University Malaysia Pahang, Malaysia Dr. Haytham Elmiligi, Thompson Rivers University, Canada Dr. Hemant Kumar Rath, TCS Research and Innovation, Bhubaneswar, India, India Dr. Hüseyin Kemal Cakmak, Karlsruhe Institute of Technology (KIT), Germany Dr. Jahariah Sampe, Institute of Microengineering and Nanoelectronics, Malaysia Dr. Jing-Sin Liu, Institute of Information Science, Academia Sinica, Taiwan, Province of China Dr. João Paulo Barraca, Universidade de Aveiro, Portugal Dr. Jose-Luis Sanchez-Romero, Universitat d'Alacant, Spain Dr. Kalaivani Chellappan, Universiti Kebangsaan Malaysia, Malaysia Dr. Kandarpa Kumar Sarma, Gauhati University, India Dr. Kang Song, Qingdao University, China Dr. Khalil Hassan Sayidmarie, Ninevah University, Iraq Dr. Lalit Garg, University of Malta, Malta Dr. Leo Yi Chen, Newcastle University, United Kingdom Dr. Liang-Bi Chen, National Penghu University of Science and Technology, Taiwan, Province of China Dr. M. Udin Harun Al Rasyid, Politeknik Elektronika Negeri Surabaya (PENS), Indonesia Dr. Mahmoud Hassaballah, South Valley University, Egypt Dr. Maaruf Ali, Epoka University, Albania Dr. Manar Mohaisen, Northeastern Illinois University, United States Dr. Manoj Kumar Taleja, University School of Information, Communication and Technology, India Dr. Marco Carratù, Università degli Studi di Salerno, Italy Dr. Md. Farhad Hossain, Bangladesh University of Engineering and Technology (BUET), Bangladesh Dr. Md. Rajibul Islam, Bangladesh University of Business and Technology, Bangladesh Dr. Mohamad M. Awad, National Council for Scientific Research, Lebanon Dr. Mohammed Abdel-Megeed Mohammed Salem, German University in Cairo, Egypt

Dr. Mohammed Abdel-Megeed Mohammed Salem, German University in Cairo, Egypt Dr. Mohammad Lutfi Othman, University Putra Malaysia, Malaysia Dr. Mohd Anwar Zawawi, Universiti Malavsia Pahang, Malavsia Dr. Mohd Hafizi Ahmad, Universiti Teknologi Malavsia, Malavsia Dr. Mohd Khair Hassan, Universiti Putra Malaysia, Malaysia Dr. Muhammad Haroon Yousaf, University of Engineering and Technology Taxila, Pakistan Dr. Muhammad Irfan, Nairan University Saudi Arabia, Saudi Arabia Dr. Muzamir Isa, Universiti Malaysia Perlis, Malaysia Dr. Mritha Ramalingam, Universiti Malaysia Pahang, Malaysia Dr. Nataraian Prabaharan, SASTRA Deemed University, India Dr. Narottam Das, Central Queensland University, Australia Dr. Nasrul Humaimi Mahmood, Universiti Teknologi Malaysia, Malaysia Dr. Nico Saputro, Universitas Katolik Parahyangan, Indonesia Dr. Norashid Aziz, Universiti Sains Malaysia, Malaysia Dr. Norizam Sulaiman, Universiti Malaysia Pahang, Malaysia Dr. Olympia Nikolaeva Roeva, Institute of Biophysics and Biomedical Engineering, Bulgarian Academy of Science, Bulgaria Dr. Omar Alfandi, Zayed University, United Arab Emirates Dr. Orhan Ekren, Ege University Solar Energy Institute, Turkey Dr. Peyman Kabiri, Iran University of Science and Technology, Iran, Islamic Republic of Dr. Pramod Kumar Singh, ABV-Indian Institute of Information Technology and Management, India Dr. Pushpendra Singh, JK Lakshmipat University, India Dr. Radek Fujdiak, Brno University of Technology, Czech Republic Dr. Rahman Dashti, Persian Gulf University, Iran, Islamic Republic of Dr. Riccardo Pecori, Mercatorum University, Italy Dr. Rodrigo Nava, Luxembourg Institute of Science and Technology, Luxembourg Dr. Sanjay Singh, Manipal Institute of Technology, India Dr. Siti Anom Ahmad, Universiti Putra Malaysia (UPM), Malaysia Dr. Shailesh Chaudhari, Samsung Semiconductor, Inc., United States Dr. Shao Ying Zhu, Birmingham City University, United Kingdom Dr. Shaode Yu, Communication University of China, United States Dr. Shibiao Wan, University of Nebraska Medical Center, United States Dr. Sobia Baig, COMSATS University Islamabad Lahore Campus, Pakistan Dr. Soo Siang Yang, Universiti Malaysia Sabah, Malaysia Dr. Subhasis Bhattacharjee, Adobe Systems India Private Limited, India Dr. Sudhir Routray, CMR Institute of Technology, Bangalore, India Dr. Syed Muslim Shah, Capital University of Science and Technology, Pakistan Dr. Tanmoy Maitra, Kalinga Institute of Industrial Technology, India

Dr. Theofilos Chrysikos, University of Patras, Greece Dr. Vicente Ferreira De Lucena, Federal University of Amazonas, Brazil Dr. Vivek Kumar Sehgal, Jaypee University of Information Technology, India Dr. Vladislav Skorpil, Brno University of Technology, Czech Republic Dr. Xin Li, University of Florida, United States Dr. Ying-Ren Chien, National I-Lan University, Taiwan, Province of China Dr. Zeashan Hameed Khan, Bahria University, Pakistan

Dr. Teerapat Sanguankotchakorn, Asian Institute of Technology, Thailand


Dr., Eng., Ph.D. Crescenzo Pepe, Dipartimento di Ingegneria dell'Informazione, Università Politecnica delle Marche, Italy

Ph.D. Juan L. Navarro-Mesa, Universidad de Las Palmas de Gran Canaria, Spain

Mr. Cheng-Lian Liu, University of Pacific, United States

Mr. E Hari Krishna, Kakatiya University, India

Mr. Kamal Kant Sharma, Chandigarh University, India



Design and manufacture control system for water quality based on IoT technology for aquaculture in the Vietnam	PDF
Tran Duc Chuyen, Dien Duc Nguyen, Nguyen Cao Cuong, Vu Viet Thong	1893-1900
Performance evaluation of microgrid with extreme learning machine based PID controller	PDF
Isha Rajput, Jyoti Verma, Hemant Ahuja	1901-1907
Reactive power planning with the help of multi-objective genetic algorithm and flexible AC transmission systems devices	PDF
Prince Hooda, Mukesh Kumar Saini	1908-1918
An efficient method for estimating energy losses in distribution's feeder Nur Diana Izzani Masdzarif, Khairul Anwar Ibrahim, Chin Kim Gan, Mau Teng Au, Kyairul Azmi Baharin, Nurul A. Emran, Zaheera Zainal Abidin	PDF 1919-1928
Improve PV-diesel operating management system considering sun availability time	PDF
Syafii Syafii, Muhardika Muhardika, Heru Dibyo Laksono	1929-1935
Solar power plant on the rooftop of the Diponegoro University Rectorate: a technical and economic study	PDF
Jaka Windarta, Asep Yoyo Wardaya, Singgih Saptadi	1936-1946
Pulse charging based intelligent battery management system for electric vehicle	PDF
Sunil Somnath Kadlag, Pawan Tapre, Rahul Mapari, Mohan Thakre, Deepak Kadam, Dipak Dahigaonkar	1947-1959
Optimized ANN-fuzzy MPPT controller for a stand-alone PV system under fast-changing atmospheric conditions	PDF
Louki Hichem, Omeiri Amar, Merabet Leila	1960-1981

Chameleon algorithm for solving economic dispatch problem in microgrid system	PDF
Younes Zahraoui, Ibrahim Alhamrouni, Saad Mekhilef, Tarmo Korõtko, Awang Jusoh, Tole Sutikno	1982-1992
omparative analysis of grid-connected bifacial and standard mono-facial photovoltaic solar systems	PDF
Nor Hidayah Abdul Kahar, Nurul Hanis Azhan, Ibrahim Alhamrouni, Muhammad Nubli Zulkifli, Tole Sutikno, Awang Jusoh	1993-2004
terleaved boost converter voltage regulation using hybrid ANFIS-PID controller for off-grid microgrid	PDF
Linus Alwal Aloo, Peter Kamita Kihato, Stanley Irungu Kamau, Roy Sam Orenge	2005-2016
esign high voltage gain DC converter based on maximum power point resistance for photovoltaic applications	PDF
Ibraheem Jawad Billy, Jasim Farhood Hussein	2017-2031
erformance analysis of wireless power transfer using series-to-series topology Fairul Azhar Abdul Shukor, Ahmed Mohammed Salem Ahmed Alhattami, Nur Ashikin Mohd Nasir, Chockalingam Aravind Vaithilingam	PDF 2032-2040
he one-phase SrMg ₂ La ₂ W ₂ O ₁₂ :Tb ³⁺ , Sm ³⁺ , Tm ³⁺ phosphor and its optical features in multicolor and white-illumination EDs Ha Thanh Tung, Huu Phuc Dang, Phung Ton That	PDF 2041-2048
tatistical analysis of the predictors of annual electric vehicle mileage	PDF
Sizhuo Du, Maxim Paliivets, Irina Petunina	2049-2057
xperimental and simulation investigation for rotor bar fault diagnosis in closed-loop induction motors drives	PDF
Seddik Tabet, Adel Ghoggal, Hubert Razik, Ishaq Amrani, Salah Eddine Zouzou	2058-2068

An improvement of direct torque controlled PMSM drive using PWM technique and kalman filter	PDF
Dung Quang Nguyen, Hau Huu Vo, Pavel Brandstetter	2069-2076
Advanced optimal GA-PID controller for BLDC motor	PDF
Hashmia S. Dakheel, Zainab B. Abdullah, Salam Waley Shneen	2077-2086
Features selection for estimating hand gestures based on electromyography signals	PDF
Raghad R. Essa, Hanadi Abbas Jaber, Abbas A. Jasim	2087-2094
Distributed formation control for groups of mobile robots using consensus algorithm	PDF
Ryandika Afdila, Fahmi Fahmi, Arman Sani	2095-2104
Modeling and simulation of a pipeline leak detection using smart inspection ball	PDF
Marwa H. Abed, Wasan A. Wali, Musaab Alaziz	2105-2116
SrAIOCI:Bi ³⁺ @SiO ₂ phosphor with broad emission band and its effects on LED optical power and correlated color temperature Ha Thanh Tung, Huu Phuc Dang, Hoang Thinh Nhan	PDF 2117-2124
Design of CRC circuit for 5G system using VHDL	PDF
Adham Hadi Saleh, Hayder Khaleel AL-Qaysi, Khalid Awaad Humood, Tahreer Mahmood	2125-2135
Detection of lung disease using relative reconstruction method in electrical impedance tomography system	PDF
Lina Choridah, Riries Rulaningtyas, Lailatul Muqmiroh, Suprayitno Suprayitno, Khusnul Ain	2136-2145

Impulsive noise mitigation based adaptive filtering and Reed Solomon coding for power line communication	PDF
Asaad Jasim Mohammed, Maher Khudair Mahmoud Al-Azawi	2146-2155
A novel octagonal slot circular compact ultrawideband antenna with detailed frequency and time-domain analysis	PDF
Satish Kumar Kannale, Nagashettappa Biradar	2156-2164
Ultra-wide band antipodal Vivaldi antenna design using target detection algorithm for detection application Sajjad Ahmed, Ariffuddin Joret, Norshidah Katiran, Muhammad Faiz Liew Abdullah, Zahriladha Zakaria, Muhammad Suhaimi Sulong	PDF 2165-2172
A 2.45 GHz microstrip patch antenna design, simulation, and analysis for wireless applications	PDF
Md. Sohel Rana, Bijoy Kumer Sen, Md. Tanjil-Al Mamun, Md. Shahriar Mahmud, Md. Mostafizur Rahman	2173-2184
Beampattern optimization techniques using metaheuristic algorithm for collaborative beamforming: a review Najla Ilyana Ab Majid, Nik Noordini Nik Abd Malik, Nor Aini Zakaria	PDF 2185-2192
Reconfigurable graphene-based multi-input multi-output antenna design for THz applications	PDF
Reem Hikmat Abd, Hussein A. Abdulnabi	2193-2202
Bandwidth enhancement of millimeter-wave microstrip patch antenna array for 5G mobile communication networks	PDF
Umar Musa, Suleiman Babani, Suleiman Aliyu Babale, Abubakar Sani Ali, Zainab Yunusa, Sani Halliru Lawan	2203-2211
Incorrect facemask-wearing detection using image processing and deep learning	PDF
Zeyad Qasim Habeeb, Imad Al-Zaydi	2212-2219

Classification of 27 heart abnormalities using 12-lead ECG signals with combined deep learning techniques	PDF
Atiaf A. Rawi, Murtada Khalafallah Elbashir, Awadallah M. Ahmed	2220-2235
License plate recognition in slow motion vehicles	PDF
Qudes Mb Aljelawy, Tariq M. Salman	2236-2244
Glaucoma classification using a polynomial-driven deep learning approach	PDF
Krishna Santosh Naidana, Soubhagya Sankar Barpanda	2245-2261
An algorithm for enhancement of audio content classification	PDF
Arti V Bang, Radhika G. Purandare, Archana K. Ratnaparkhi	2262-2268
SiulMalaya: an annotated bird audio dataset of Malaysia lowland forest birds for passive acoustic monitoring	PDF
Nursuriati Jamil, Ahmad Nazem Norali, Muhammad Izzad Ramli, Ahmad Khusaini Mohd Kharip Shah, Ismail Mamat	2269-2281
Sentiment analysis from Bangladeshi food delivery startup based on user reviews using machine learning and deep earning Abu Kowshir Bitto, Md. Hasan Imam Bijoy, Md. Shohel Arman, Imran Mahmud, Aka Das, Joy Majumder	PDF 2282-2291
Effect on signal magnitude thresholding on detecting student engagement through EEG in various screen size environment	PDF
I Putu Agus Eka Darma Udayana, Made Sudarma, I Ketut Gede Darma Putra, I Made Sukarsa	2292-2301
Feature-based real-time distributed denial of service detection in SDN using machine learning and Spark	PDF
Sama Salam Samaan, Hassan Awheed Jeiad	2302-2312

New efficient fractal models for MapReduce in OpenMP parallel environment	PDF
Muslim Mohsin Khudhair, Furkan Rabee, Adil AL_Rammahi	2313-2327
Use of mobile applications in citizen security	PDF
Juan Chumbe Chocce, Laberiano Andrade-Arenas, Domingo Hernández Celis, Michael Cabanillas-Carbonell	2328-2339
Machine learning techniques for accurate classification and detection of intrusions in computer network	PDF
Mutyalaiah Paricherla, Mahyudin Ritonga, Sandip R. Shinde, Smita M. Chaudhari, Rahmat Linur, Abhishek Raghuvanshi	2340-2347
Medication correlation analysis for outbreak prediction	PDF
Md Mohibullah, Meskat Jahan, Chowdhury Shahriar Muzammel, Fahim Shahriar, Raihan Khan	2348-2356
Enhanced and authenticated cipher block chaining mode	PDF
Yasmeen Shaher AlsIman, Ashraf Ahmad, Yousef AbuHour	2357-2362
Segmenting the eating behaviour of university students using the K-means algorithm	PDF
Lenin Quiñones Huatangari, María Alina Cueva Ríos, Rafaela Teodosia Huerta Camones	2363-2371
Wind power forecasting model based on linguistic fuzzy rules	PDF
Mohammed Moujabbir, Khalid Bahani, Mohammed Ramdani, Hamza Ali-Ou-Salah	2372-2380
Bengali Slang detection using state-of-the-art supervised models from a given text	PDF
Md. Abdul Hamid, Eteka Sultana Tumpa, Johora Akter Polin, Jabir Al Nahian, Atiqur Rahman, Nurjahan Akther Mim	2381-2387

K-nearest neighbor algorithm analysis for path determination in network simulation using software defined network	PDF
Ritzkal Ritzkal, Suhadi Suhadi, Rizky Amalia, Yuggo Afrianto, Anggra Triawan, Syafrial Syafrial, Fety Fatimah	2388-2400
Handwritten signature identification based on MobileNets model and support vector machine classifier	PDF
Israa Bashir Mohammed, Bashar Saadoon Mahdi, Mustafa Salam Kadhm	2401-2409
Development of electrooculogram based human computer interface system using deep learning	PDF
Radwa Reda Hossieny, Manal Tantawi, Howida Shedeed, Mohamed F. Tolba	2410-2420
Federated learning security mechanisms for protecting sensitive data	PDF
Asraa A. Abd Al-Ameer, Wesam Sameer Bhaya	2421-2427
Lane change decision aid and warning system using LoRa-based vehicle-to-vehicle communication technology	PDF
Siti Fatimah Abdul Razak, Tee Yee Ren, Sumendra Yogarayan, Noor Hisham Kamis, Ibrahim Yusof	2428-2437
Using machine learning approach towards successful crowdfunding prediction	PDF
Sarifah Putri Raflesia, Dinda Lestarini, Rizka Dhini Kurnia, Dinna Yunika Hardiyanti	2438-2445
Breast cancer detection: an effective comparison of different machine learning algorithms on the Wisconsin dataset	PDF
Md. Murad Hossin, F. M. Javed Mehedi Shamrat, Md Rifat Bhuiyan, Rabea Akter Hira, Tamim Khan, Shourav Molla	2446-2456
Hash algorithm comparison through a PIC32 microcontroller	PDF
Asmae Zniti, Nabih El Ouazzani	2457-2463

A proposed approach to discover nearest users on social media networks based on users' profiles and preferences	PDF
Mahmood Shakir Hammoodi, Ahmed Al-Azawei	2464-2473
Secure two-factor mutual authentication scheme using shared image in medical healthcare environment	PDF
Husam A. Abdulmalik, Ali A. Yassin	2474-2483
Group decision support system model to determine supervisor lecturers for student creativity programs	PDF
M. Miftakul Amin, Adi Sutrisman, Yevi Dwitayanti	2484-2494
Abnormal heart rate detection through real-time heart monitoring application Ummi Namirah Hashim, Lizawati Salahuddin, Ummi Rabaah Hashim, Mohd Hariz Naim, Raja Rina Raja Ikram, Fiza Abdul Rahim	PDF 2495-2505
Malaysia coin identification app using deep learning model	PDF
Dania Qistina Mohd Nazly, Pradeep Isawasan, Khairulliza Ahmad Salleh, Savita K. Sugathan	2506-2512
Implementation of blended learning approach in teaching introductory computer science course	PDF
Alaa Obeidat, Rola Yaqbeh	2513-2520

Group decision support system model to determine supervisor lecturers for student creativity programs

M. Miftakul Amin¹, Adi Sutrisman¹, Yevi Dwitayanti²

¹Department of Computer Engineering, State Polytechnic of Sriwijaya, Palembang, Indonesia ²Department of Accounting, State Polytechnic of Sriwijaya, Palembang, Indonesia

Article Info

Article history:

Received Sep 14, 2022 Revised Dec 16, 2022 Accepted Jan 11, 2023

Keywords:

Borda Group decision support system Weighted product

ABSTRACT

A group decision support system (GDSS) model was created in this study by implementing the weighted product (WP) method and the borda method to determine prospective assistant or supervisor lecturers for student creativity programs (PKMs) that are routinely carried out every year at the Sriwijaya State Polytechnic. This study applies 5 criteria, including i) education level, ii) academic position, iii) group tenure, iv) lecturer certification, and v) achievement in the field of three pillars of higher education. The decisionmakers in this study consisted of the head of the department (DM-1), the secretary of the department (DM-2), and the head of the study program (DM-3) where they carried out the decision-making process in groups. The WP method is used to make preferences independently of the decision-makers to determine the best alternative based on predetermined criteria. The borda method is currently used to aggregate the decision-makers to obtain the final result in the form of an alternative ranking. The results of this study are sufficient to be used as a reference in determining the supervisor lecturer for PKM activities at the Department of Computer Engineering, State Polytechnic of Sriwijaya.

This is an open access article under the <u>CC BY-SA</u> license.



Corresponding Author:

M. Miftakul Amin Department of Computer Engineering, State Polytechnic of Sriwijaya Srijaya Negara Road, Bukit Besar, Palembang, 30139, Indonesia Email: miftakul_a@polsri.ac.id

1. INTRODUCTION

Higher education is an ever-changing environment, so its sustainability depends on the ability to adapt to these changes [1]. The student creativity program (PKM) is a manifestation of the implementation of the Tridharma of Higher Education launched by the Directorate General of Higher Education in 2021. This program is one of the efforts to grow, accommodate, and realize creative and innovative ideas for students. The impact of this activity is the improvement in student and university achievement in ranking at the Ministry of Education and Culture [2]. To support the activities of the PKM, the Sriwijaya State Polytechnic at the department level appointed several lecturers to assist students in preparing proposals for proposed activities, writing techniques, and implementing activities. For this reason, an objective mechanism in determining the candidate for supervisor lecturers for activities is very much needed to obtain optimal results. Some of the criteria that become the basis for determining suitable lecturer candidates to become activity supervisors include education level, academic position, group tenure, lecturer certification, and the lecturer's achievement in the activities of the three pillars of higher education.

To increase the objectivity of decision-making, the decision-making approach is carried out in groups [3]. The group decision-making process occurs when each individual is characterized by his or her perceptions,

attitudes, and motivations. According to Costa [4] decision making is a fairly complex problem to be solved, and produce a ranking of the selected alternatives [5]. Integration and combination of several models can improve the performance of decision-making systems [6]. This is related to accuracy and computational processing [7]. Decision support systems have been widely applied in various fields, including in the field of education which is used to determine scholarship grantees [8], in the field of human resource management it is used for employee performance appraisal [9], even in the political field, this kind of decision support system used to determine political parties in general elections [10].

Several studies on group decision support systems (GDSS) were conducted by Azmi *et al.* [11] where they developed a GDSS model for supplier selection using a combination of analytic hierarchy process (AHP), technique for order preference by similarity to ideal solution (TOPSIS), and Borda methods. This study sets 6 criteria to determine the best supplier, namely price, quality, delivery, location, inventory, and flexibility. The combination of these 3 methods has resulted in a GDSS model that is quite adequate to determine the best supplier ranking. Another GDSS research was also conducted by Meidelfi *et al.* [12] who combined the SAW and Borda methods to determine the final project's topic. This study sets 4 criteria and 10 topics in model testing. The decision-makers, in this case, consist of 2 lecturers as evaluators of research topics. The research has succeeded in producing a sequential list of recommended research topics.

Research conducted by Saputra *et al.* [13] using the weighted product (WP) method aims to determine the ideal cloud computing service. This study establishes as many as 11 criteria used in the consideration of decision making and 6 alternatives that can be selected in cloud computing services. This research has resulted in the best ranking in determining cloud computing services. The use of the WP method is also used in measuring employee performance by Aminudin *et al.* [14]. In this study, 5 criteria were used, consisting of attendance, behavior, experience, discipline, and teamwork. This study determines 5 alternatives to test the model and produce a ranking in the form of the order of the best employee performance.

The WP method is also used by Arifin and Mintamanis [15] to determine the thesis supervisor. This study sets as many as 10 criteria in determining the decision, while the alternatives used in testing the model are only 3 alternatives. However, this research has succeeded in proving that the WP method can be used in the multiple criteria decision-making model. As the output, this research can produce the best ranking for thesis supervisor candidates. Research conducted by Supriyono and Sari [16] also uses the WP method to determine house selection. This study establishes 11 criteria which are categorized into 2 groups, namely cost, and benefit. The alternatives used in model testing consist of 3 alternatives. This research has produced a list of recommended house rankings.

Decision making with a multicriteria decision making approach has been implemented in a study conducted by Bire *et al.* [17] using a fuzzy AHP and native AHP approach to determine tourist attractions in the city of Kupang. Both of these approaches produce equally good outputs in the decision-making process. However, the fuzzy AHP approach gives better results in calculations. This study uses 9 criteria in determining the best alternative. Likewise, research by Pattnaik *et al.* [18] uses fuzzy multi criteria decision making (MCDM) and TOPSIS approaches to determine alternative life insurance in India. There are 10 criteria used to determine the best alternative. This study also uses a sensitivity analysis approach to ensure the effectiveness of the developed model.

Research conducted by Fanghua and Guanchun [19] developed a fuzzy multi-criteria group decisionmaking (FMCGDM) model to carry out environmental risk analysis of watersheds. This study conducted tests using 5 criteria and 3 alternatives, and involved 4 decision makers. Research shows optimal results in weight loads. Other research on the topic of multi-criteria decision-making was also carried out by Meshram and Agrawal [20] which places more emphasis on the aspects of risk analysis and the confidence of an attribute being considered. Research conducted by Zou and Qiu [21] implementing fuzzy borda for watershed management. Research on group decisions was also carried out by Dewi *et al.* [22] using the TOPSIS approach and the Borda method. This model is implemented in a mobile application to make it easier for tourists to visit tourist destinations in the city of Malang.

According to research conducted by Lestari *et al.* [23] comparing 2 aggregation methods, namely the Borda method and Copeland, the results show that the Borda method is better than Copeland. Likewise in terms of processing speed, Borda method is faster than Copeland. This research is organized as follows. Section 2 describes the methodology and architecture of model. Section 3 describes the research results, and discussion. Section 4 contains conclusions.

2. METHOD

This study aims to build a GDSS model using the WP and Borda methods. Both of these methods are used to improve the quality of the results of decision making. This segment reviews in more detail the two methods.

2.1. Architecture system design of group decision support system

Figure 1 is the architecture of the developed model. In this architecture, the GDSS model developed consisted of 3 decision-makers, namely the head of the department (DM-1), the secretary of the department (DM-2), and the head of the study program (DM-3). This modeling stage starts from individual preferences by each decision-maker using the WP method to generate a ranking of alternatives. Furthermore, after the ranking results from each decision-maker are obtained, the ranking is calculated using the Borda points to produce the final ranking of the recommendation process using the GDSS.




Figure 1. System architecture of GDSS

2.2. Weighted product method

WP is a method of making multiple criteria decisions that are used to solve cases that have data with many attributes [24]. The WP method uses multiplication to connect attribute ratings where the rating of each attribute must be raised first with the weight of the attribute concerned [3]. In general, several steps to perform calculations using the WP method are as follows:

- Determination of the criteria used as the basis in determining the decision. The criteria are symbolized by Ci, where i is the number of criteria determined to be used as a reference in decision making.
- Determine the suitability rating for the criteria. This is done by creating a decision matrix, and ranking the suitability of each criterion.
- Determination of the normalized weight value.

W is the weight of each criterion that will be calculated. The formula for finding the value of W is:

$$W_j = \frac{W_j}{\Sigma W_j} \tag{1}$$

After this calculation, the value of W will be ranged 0 to 1 where the total of all W is 1. Then, W is multiplied by 1 for the attribute worth benefit, and W is multiplied by -1 for the attribute worth the cost. Calculating preference values for alternatives as vector S

The preference value for the alternative is calculated based on (2):

$$S_i = \prod_{j=1}^n X_{ij}^{W_j} \tag{2}$$

Description:

- S : preference alternative
- : criterion weight w
- X : criterion value
- i : alternative i to n

j : criterion

- Calculating the relative preference value as vector V

Vector V is the result of a preference for each alternative. In (3) is the formula used to calculate the value of V.

$$V_{i} = \frac{\prod_{j=1}^{n} x_{ij}^{W_{j}}}{\prod_{j=1}^{n} x_{ij}^{*} W_{j}}$$
(3)

After the value of V is obtained, then it is sorted by the largest value of V.

- Ranking the value of the vector V

At this stage, it will be known which alternative has the highest Vi value which is the result of the decision and is the best alternative.

2.3. Borda method

The principle of the Borda method is to do alternative voting by weighting the value on each alternative ranking [23], [25]. The alternative that has the top rank is given the highest score, and so on in descending order where lower values are given to the rank below it until the lowest rank is given a value of 0 (zero) or 1 [26]. The Borda method is one of the aggregation methods that are quite effective in GDSS applications [27]-[30]. Even [23] mentions that the Borda method can be used to rank the sparsity data. On the other hand, according to [31] Borda method is done by sorting all alternatives from the largest value to the smallest value with a value of 0.

3. RESULTS AND DISCUSSION

In this study, the problem discussed in the decision-making to determine the assistant lecturer for PKM activities, at the Sriwijaya State Polytechnic. The following are the steps involved in the decision-making process. The implementation of these two methods will be explained in more detail.

3.1. Independent assessment by decision makers using the weighted product method

The stages in performing calculations independently by decision-makers are executed using the WP method. The decision-makers consisted of the DM-1, the DM-2, and the DM-3 at the Computer Engineering Department of the Sriwijaya State Polytechnic. The initial step taken is to determine the criteria and the value of the weight of the criteria as a reference in decision making. Table 1 presents the criteria and the weight of the criteria defined.

Criteria	Description	Category	Criteria weight
C1	Education level	Benefit	5
C2	Academic position	Benefit	4
C3	Group tenure	Benefit	5
C4	Lecturer certification	Benefit	3
C5	Achievement in the field of three pillars of higher education	Benefit	5

Table 1. Criteria and criteria weight

Criteria C1 to C4 will have the same value trend between decision-makers (DM). This is because the data is standard and does not require objective expert judgment from each decision-maker. Meanwhile, the C5 criteria will have varied values from each decision-maker given it will be based on the perceptions of each decision-maker. This variable value depends on the point of view of the decision makers based on the performance achievements of each alternative on the C5 criteria, because there is no standard reference based on certain values such as in criteria C1 to C4, where each criterion has a value that becomes reference.

3.2. Determine the criteria scale

The data obtained in this study is qualitative so that it requires a scale value of each criterion to facilitate the calculation process. Table 2 is the scale for the C1 criteria for education level. Table 3 is a criterion scale for lecturers' academic positions. Table 4 is the criteria scale for group tenure, and Table 5 presents the criteria scale for lecturer certification which only contains information on certified and uncertified.

Meanwhile, Table 6 contains information that tends to be subjective from decision-makers whose content depends on the perception of each decision-maker. Table 6 is related to the performance of each lecturer based on higher education tridharma activities. Each lecturer has a different performance in the fields of teaching, research, community service, and supporting activities in higher education. So, there are no

parameters that are set specifically. So that each lecturer is likely to get a varied score, depending on the preferences of the decision makers.

No.	Qualification	Scale
1	S2-Master	1
2	S3-Doctor	2

Table 3. Criteria scale of academic position		able 3. Criteria scale of academic position Table 4. Criteria scale of group tenur		oup tenure	
No.	Qualification	Scale	No.	Qualification	Scale
1	Instructor	1	1	0-5 years	1
2	Lecturers	2	2	6-10 years	2
3	Senior Lecturers	3	3	11-15 years	3
4	Assoc. Professors	4	4	16-20 years	4
5	Professors	5	5	> 20 years	5

Table 5.	Criteria	scale	of	lecturer	certification	

 No.	Qualification	Scale
1	Uncertified	1
2	Certified	2

Table 6. Criteria scale of achievement in the field of three pillar's of higher education

No.	Qualification	Scale
1	Very poor	1
2	Poor	2
3	Enough	3
4	Good	4
5	Very good	5

3.3. Entering alternative data

Tables 7-9 are the distribution of preference data from decision-makers (DM-1, DM-2, and DM-3). The alternative data tested into the model are 10 alternatives and are distributed for each of the 5 criteria. This data is lecturer data from the D3 computer engineering study program, in the Department of Computer Engineering at the Sriwijaya State Polytechnic. In this model the lecturer's name is not presented in detail using the name, but uses initials in the form of A1, A2,..., A10.

Та	ble 7. Data p	orefei	rence	from	n DM	-1	,	Table 8. Data	prefei	rence	from	DM	-2
No.	Alternatives	C1	C2	C3	C4	C5	No	. Alternatives	C1	C2	C3	C4	C5
1	A1	1	4	4	2	4	1	A1	1	4	4	2	5
2	A2	1	4	3	2	4	2	A2	1	4	3	2	5
3	A3	1	4	4	2	4	3	A3	1	4	4	2	3
4	A4	1	4	3	2	4	4	A4	1	4	3	2	4
5	A5	1	3	3	2	5	5	A5	1	3	3	2	5
6	A6	1	2	3	2	4	6	A6	1	2	3	2	5
7	A7	1	3	3	2	3	7	A7	1	3	3	2	3
8	A8	2	2	3	1	4	8	A8	2	2	3	1	3
9	A9	1	2	3	2	2	9	A9	1	2	3	2	2
10	A10	1	3	2	2	3	10	A10	1	3	2	2	3

Table 9.	Data	preference	from	DM-3
1 4010 7.	Dutu	prototoneo	nom	DIN 5

No.	Alternatives	Ċ1	C2	C3	C4	C5
1	A1	1	4	4	2	5
2	A2	1	4	3	2	5
3	A3	1	4	4	2	4
4	A4	1	4	3	2	5
5	A5	1	3	3	2	4
6	A6	1	2	3	2	4
7	A7	1	3	3	2	3
8	A8	2	2	3	1	4
9	A9	1	2	3	2	3
10	A10	1	3	2	2	4

Bulletin of Electr Eng & Inf, Vol. 12, No. 4, August 2023: 2484-2494

3.4. Calculating the normalization weight value

This weight is calculated using (1) following the weight criteria in Table 1 so that the weight normalization is obtained as follows:

$$\begin{split} & W = (5, 4, 3, 3, 5) \\ & W 1 = 5/(5 + 4 + 3 + 3 + 5) = 0.25 \\ & W 1 = 4/(5 + 4 + 3 + 3 + 5) = 0.20 \\ & W 1 = 3/(5 + 4 + 3 + 3 + 5) = 0.15 \\ & W 1 = 3/(5 + 4 + 3 + 3 + 5) = 0.15 \\ & W 1 = 5/(5 + 4 + 3 + 3 + 5) = 0.25 \end{split}$$

Furthermore, it is ensured that the accumulated value of this weight is equal to 1 as follows:

w1+w2+w3+w4+w5=10.25+0.20+0.15+0.15+0.25=1

Table 10 is the result of the normalization of the weights of the criteria that have been defined in Table 1 obtained by using (1). The normalized value of Wj also has the same value, because all criteria categories are in the form of benefits, so they are multiplied by 1. If the criteria category is cost, then it is multiplied by -1.

Table 10. Normalization of weight criteria								
Criteria	Wj	Wj normalized						
C1	0,25	0,25						
C2	0,20	0,20						
C3	0,15	0,15						
C4	0,15	0,15						
C5	0,25	0,25						
Σ	1,00							

3.5. Calculating vector S

Vector S is calculated by referring to (2). In calculating the S vector, the categories of cost and benefit criteria are considered. The cost category will be negative and the benefit value will be positive. Referring to Table 1, it can be seen that all categories are positive so that the normalized Wj is also positive. Tables 11-13 are the results of the calculation of the S vector from the decision-makers. For example, vector S is obtained by using (2) where the information contained in Table 11 can be described as follows:

$S1 = (1^{0.25}) (4^{0.20}) (4^{0.15}) (2^{0.15}) (4^{0.25}) = 2.5491$
$S2 = (1^{0.25}) (4^{0.20}) (3^{0.15}) (2^{0.15}) (4^{0.25}) = 2.4415$
$S3 = (1^{0.25}) (4^{0.20}) (4^{0.15}) (2^{0.15}) (4^{0.25}) = 2.5491$
$S4 = (1^{0.25}) (4^{0.20}) (3^{0.15}) (2^{0.15}) (4^{0.25}) = 2.4415$
$S5 = (1^{0.25}) (3^{0.20}) (3^{0.15}) (2^{0.15}) (5^{0.25}) = 2.4372$
$S6 = (1^{0.25}) (2^{0.20}) (3^{0.15}) (2^{0.15}) (4^{0.25}) = 2.1254$
$S7 = (1^{0.25}) (3^{0.20}) (3^{0.15}) (2^{0.15}) (3^{0.25}) = 2.1450$
$S8 = (2^{0.25}) (2^{0.20}) (3^{0.15}) (1^{0.15}) (4^{0.25}) = 2.2780$
$S9 = (1^{0.25}) (2^{0.20}) (3^{0.15}) (2^{0.15}) (2^{0.25}) = 1.7873$
$S10 = (1^{0.25}) (3^{0.20}) (2^{0.15}) (2^{0.15}) (3^{0.25}) = 2.0184$

Table 11. Preference vector S from DM-1

Alternatives	C1^W _i	C2^W _i	C3^W _i	C4^W _i	C5^W _i	Si
A1	1.0000	1.3195	1.2311	1.1096	1.4142	2.5491
A2	1.0000	1.3195	1.1791	1.1096	1.4142	2.4415
A3	1.0000	1.3195	1.2311	1.1096	1.4142	2.5491
A4	1.0000	1.3195	1.1791	1.1096	1.4142	2.4415
A5	1.0000	1.2457	1.1791	1.1096	1.4953	2.4372
A6	1.0000	1.1487	1.1791	1.1096	1.4142	2.1254
A7	1.0000	1.2457	1.1791	1.1096	1.3161	2.1450
A8	1.1892	1.1487	1.1791	1.0000	1.4142	2.2780
A9	1.0000	1.1487	1.1791	1.1096	1.1892	1.7873
A10	1.0000	1.2457	1.1096	1.1096	1.3161	2.0184
					∑Si	22.7724

Table 12. Preference vector S from DM-2								
Alternatives	C1^W _i	C2^Wi	C3^W _i	C4^W _i	C5^W _i	Si		
A1	1.0000	1.3195	1.2311	1.1096	1.4953	2.6954		
A2	1.0000	1.3195	1.1791	1.1096	1.4953	2.5815		
A3	1.0000	1.3195	1.2311	1.1096	1.3161	2.3722		
A4	1.0000	1.3195	1.1791	1.1096	1.4142	2.4415		
A5	1.0000	1.2457	1.1791	1.1096	1.4953	2.4372		
A6	1.0000	1.1487	1.1791	1.1096	1.4953	2.2474		
A7	1.0000	1.2457	1.1791	1.1096	1.3161	2.1450		
A8	1.1892	1.1487	1.1791	1.0000	1.3161	2.1199		
A9	1.0000	1.1487	1.1791	1.1096	1.1892	1.7873		
A10	1.0000	1.2457	1.1096	1.1096	1.3161	2.0184		
					∑Si	22.8457		

Table 13. Preference vector S from DM-3

Alternatives	C1^W _j	C2^Wj	C3^W _j	C4^W _j	C5^Wj	Si
A1	1.0000	1.3195	1.2311	1.1096	1.4953	2.6954
A2	1.0000	1.3195	1.1791	1.1096	1.4953	2.5815
A3	1.0000	1.3195	1.2311	1.1096	1.4142	2.5491
A4	1.0000	1.3195	1.1791	1.1096	1.4953	2.5815
A5	1.0000	1.2457	1.1791	1.1096	1.4142	2.3050
A6	1.0000	1.1487	1.1791	1.1096	1.4142	2.1254
A7	1.0000	1.2457	1.1791	1.1096	1.3161	2.1450
A8	1.1892	1.1487	1.1791	1.0000	1.4142	2.2780
A9	1.0000	1.1487	1.1791	1.1096	1.3161	1.9779
A10	1.0000	1.2457	1.1096	1.1096	1.4142	2.1689
					∑Si	23.4077

3.6. Calculating vector V

Based on (3), the V vector is calculated by dividing the value of the Si vector by the total number of Si vectors. Tables 14-16 are the results of V vector calculations from decision-makers. Looking at the results of the calculations in Table 11, the value of \sum Si is 22.7724. The value of V is shown in Table 14 is obtained from:

V1 = S1/ Σ Si = 2.5491/22.7724 = 0.111939 V2 = $S1/\sum Si$ = 2.4415/22.7724= 0.107211V3 = $S1/\Sigma Si$ = 2.5491/22.7724 = 0.111939 V4 = $S1/\Sigma Si$ = 2.4415/22.7724= 0.107211 $V5 = S1/\sum Si$ = 2.4372/22.7724= 0.107024V6 = $S1/\Sigma Si$ = 2.1254/22.7724= 0.093333 V7 = $S1/\sum Si$ = 2.1450/22.7724= 0.094193 $V8 = S1/\sum Si$ = 2.2780/22.7724 = 0.100032V9 = $S1/\sum Si$ = 1.7873/22.7724= 0.078483 $V10 = S1/\Sigma Si$ = 2.0184/22.7724 = 0.088635

ISSN: 2302-9285

Table 14. Preference's vector v from DM-1			Table 15. Pref	Table 15. Preference's vector v from DM-2				
Alternatives	Vi	Ranking	Alternatives	Vi	Ranking			
A1	0.111939	1	A1	0.118361	1			
A2	0.107211	3	A2	0.113362	2			
A3	0.111939	2	A3	0.104171	5			
A4	0.107211	4	A4	0.107211	3			
A5	0.107024	5	A5	0.107024	4			
A6	0.093333	8	A6	0.098687	6			
A7	0.094193	7	A7	0.094193	7			
A8	0.100032	6	A8	0.093090	8			
A9	0.078483	10	A9	0.078483	10			
A10	0.088635	9	A10	0.088635	9			

Table 16. Preference's vector v from DM-3

Alternatives	Vi	Ranking
A1	0.118361	1
A2	0.113362	2
A3	0.111939	4
A4	0.113362	3
A5	0.101217	5
A6	0.093333	9
A7	0.094193	8
A8	0.100032	6
A9	0.086856	10
A10	0.095244	7

Table 17 is the final result of the decision-makers, in the form of ranking with the highest weight to the lowest weight generated from the WP method. Table 18 is the result of giving Borda points from the preferences of each decision-maker. Furthermore, the final results of ranking in the GDSS in the form of the most recommended alternative order are presented in Table 19. This is indicated by the highest Borda score, as can be seen in Table 19.

Table 17	. Decision m	aker evaluati	Table 18. Borda voting results						
Ranking	DM-1	DM-2	DM-3	Alternatives	DM-1	DM-2	DM-3	Values	
A1	A1	A1	A1	A1	9	9	9	27	
A3	A2	A2	A3	A2	7	8	8	23	
A2	A4	A4	A2	A3	8	5	6	19	
A4	A5	A3	A4	A4	6	7	7	20	
A5	A3	A5	A5	A5	5	6	5	16	
A8	A6	A8	A8	A6	2	4	1	7	
A7	A7	A10	A7	A7	3	3	2	8	
A6	A8	A7	A6	A8	4	2	4	10	
A10	A10	A6	A10	A9	0	0	0	0	
A9	A9	A9	A9	A10	1	1	3	5	

Table 19. Borda ranking									
Ranking	Alternatives	Score							
1	A1	27							
2	A2	23							
3	A4	20							
4	A3	19							
5	A5	16							
6	A8	10							
7	A7	8							
8	A6	7							
9	A10	5							
10	A9	0							

Based on Table 19, the ranking is obtained in the order A1 has a score of 27, A2 has a score of 23, and so on. The alternative A1 score of 27 is obtained from the score of the Borda model from decision maker 1, decision maker 2, and decision maker 3 of 9 points. Likewise alternative A2 gets a weight of 23 from decision maker 1 of 7, and decision maker 2 and decision maker 3 each of 8. This is an advantage of the developed model, so the best alternative is the result of the aggregation of each decision maker.

The results of the calculation of the weights of the Borda model have provided a single weight from several weights obtained from the decision makers. This can provide a level of confidence in the results of the decision-making process. The selected alternative is the best alternative out of 3 decision makers based on predetermined criteria. Furthermore, the implementation in software using a web-based application obtained the same results as the calculations described in the previous discussion as can be seen in Figure 2. This provides important information that the developed model and the software that is applied to a web-based environment can be used as a tool for management in higher education to determine lecturers to accompany students' creativity programs.

孢 Home 🔷 👻	Dec	ision M	aker Recomn	nendation	Factor Weight	Decis	ion M	aker 1	C	ecisio	on Maker	r2 D	ecision	Maker 3	Aggi	egation
Nashboard																
🕀 Log Out	Pre	DM	e from Decisio	on Maker 1												
	#	ID.	Alternative	NIP.	Name	C1	C2	СЗ	C4	C5	C1	C2	СЗ	C4	C5	Total
able of contents	1	DM1	A1	196607121990031003	YULIAN MIRZA	1.00	4.00	4.00	2.00	4.00	1.0000	1.3195	1.2311	1.1096	1.4142	2.5491
System References <	2	DM1	A10	197611082000031002	ALAN NOVI TOMPUNU	1.00	3.00	2.00	2.00	3.00	1.0000	1.2457	1.1096	1.1096	1.3161	2.0184
Academic References <	3	DM1	A2	196909282005011002	MUSTAZIRI	1.00	4.00	3.00	2.00	4.00	1.0000	1.3195	1.1791	1.1096	1.4142	2.4415
Decision Maker (DM)	4	DM1	A3	197805152006041003	MEIYI DARLIES	1.00	4.00	4.00	2.00	4.00	1.0000	1.3195	1.2311	1.1096	1.4142	2.5491
SDSS Modelling	5	DM1	A4	197912172012121001	MOHAMMAD MIFTAKUL AMIN	1.00	4.00	3.00	2.00	4.00	1.0000	1.3195	1.1791	1.1096	1.4142	2.4415
Ũ	6	DM1	A5	197310012002122007	ISNAINY AZRO	1.00	3.00	3.00	2.00	5.00	1.0000	1.2457	1.1791	1.1096	1.4953	2.4372
1. Lecturer Strengthening <	7	DM1	A6	198103182008121002	HERLAMBANG SAPUTRA	1.00	2.00	3.00	2.00	4.00	1.0000	1.1487	1.1791	1.1096	1.4142	2.1254
🔁 2. Outstanding Educators <	8	DM1	A7	197703292001122002	EMA LAILA	1.00	3.00	3.00	2.00	3.00	1.0000	1.2457	1.1791	1.1096	1.3161	2.1450
亏 3. Supervisor Lecturers 🛛 💙	9	DM1	A8	197005232005011004	AZWARDI	2.00	2.00	3.00	1.00	4.00	1.1892	1.1487	1.1791	1.0000	1.4142	2.2780

Figure 2. Implementation of GDSS using web based application

4. CONCLUSION

Knowing the results and discussions that have been described, it can be argued that the combination of the WP and Borda methods can be used as a model in making the GDSS. The recommendations generated by the GDSS can be used as a reference by decision-makers in the Computer Engineering Department of the Sriwijaya State Polytechnic, which consists of the DM–1, the DM–2, and the DM–3. This method can be used to determine suitable lecturer candidates to accompany PKM activities. To improve the performance of the GDSS model that has been built, several other methods can be chosen to make preferences independently by decision-makers, as well as aggregation in groups.

ACKNOWLEDGEMENTS

The authors would like to thank the Directorate General of Vocational Education, Ministry of Education, Culture, Research, and Technology for providing research grants for applied research schemes for the 2022 fiscal year.

REFERENCES

- [1] P. Laguna-Sánchez, J. Palomo, C. de la Fuente-Cabrero, and M. de Castro-Pardo, "A Multiple Criteria Decision Making Approach to Designing Teaching Plans in Higher Education Institutions," *Mathematics*, vol. 9, no. 1, p. 9, Dec. 2020, doi: 10.3390/math9010009.
- [2] D. Belmawa, (in Indonesia: *Buku Pedoman 1 Program Kreativitas Mahasiswa, Pedoman Umum*). Handbook 1 Student Creativity Program, General Guidelines. Jakarta: Kementrian Pendidikan dan Kebudayaan, 2021.
- [3] R. W. S. Kusumadewi, S. Hartati, and A. Harjoko, Fuzzy Multi-Attribute Decision Making (Fuzzy MADM). Yogyakarta: Penerbit Andi Offset, 2006.
- [4] H. G. Costa, "AHP-De Borda: a hybrid multicriteria ranking method," Brazilian Journal of Operations and Production Management, vol. 14, no. 3, pp. 281–287, Sep. 2017, doi: 10.14488/bjopm.2017.v14.n3.a1.
- [5] C.-F. Tsai, Y.-H. Hu, and S.-W., and G. Ke, "A Borda count approach to combine subjective and objective based MIS journal rankings," *Online Information Review*, vol. 38, no. 4, pp. 469–483, Jun. 2014, doi: 10.1108/oir-11-2013-0253.

- [6] C. H. Primasari, R. Wardoyo, and A. K. Sari, "Integrated AHP, Profile Matching, and TOPSIS for selecting type of goats based on environmental and financial criteria," *International Journal of Advances in Intelligent Informatics*, vol. 4, no. 1, p. 28, Mar. 2018, doi: 10.26555/ijain.v4i1.105.
- [7] F. A. Yulianto, K. Kuspriyanto, and T. N. Suharsono, "DT-MSOF Strategy and its Application to Reduce the Number of Operations in AHP," *Journal of ICT Research and Applications*, vol. 12, no. 3, p. 237, Dec. 2018, doi: 10.5614/itbj.ict.res.appl.2018.12.3.3.
- [8] Humaira, Rasyidah, Junaldi, and I. Rahmayuni, "The Comprehensive Mamdani Inference to Support Scholarship Grantee Decision," JOIV: International Journal on Informatics Visualization, vol. 5, no. 2, May 2021, doi: 10.30630/joiv.5.2.449.
- [9] S. G. Fashoto, O. Amaonwu, and A. Afolorunsho, "Development of A Decision Support System on Employee Performance Appraisal using AHP Model," *JOIV: International Journal on Informatics Visualization*, vol. 2, no. 4, p. 262, Aug. 2018, doi: 10.30630/joiv.2.4.160.
- [10] S. Aggarwal and S. Sagar, "An Analytical Approach for Decision-Making," JOIV: International Journal on Informatics Visualization, vol. 2, no. 3, p. 114, Apr. 2018, doi: 10.30630/joiv.2.3.123.
- [11] M. Azmi, Y. Sonatha, and I. Rahmayuni, "GDSS Prototype Model for Supplier Selection at MDM Cooperative," JOIV: International Journal on Informatics Visualization, vol. 5, no. 1, Mar. 2021, doi: 10.30630/joiv.5.1.473.
- [12] D. Meidelfi, Yulherniwati, F. Sukma, D. Chandra, and A. H. S. Jonas, "The Implementation of SAW and BORDA Method to Determine the Eligibility of Students' Final Project Topic," *JOIV: International Journal on Informatics Visualization*, vol. 5, no. 2, May 2021, doi: 10.30630/joiv.5.1.447.
- [13] D. Saputra, K. Widianto, T. Setiyorini, and I. Alfarobi, "Decision Support System for Cloud Computing Service Selection Using the Weighted Product Method (Case Study: PT. Deptech Digital Indonesia)," *International Journal of Science, Technology and Management*, vol. 2, no. 1, pp. 78–92, Jan. 2021, doi: 10.46729/ijstm.v2i1.103.
- [14] N. Aminudin et al., "Weighted Product and Its Application to Measure Employee Performance," International Journal of Engineering and Technology, vol. 7, no. 2.26, p. 102, May 2018, doi: 10.14419/ijet.v7i2.26.14362.
- [15] S. R. Arifin and J. C. Mintamanis, "Decision Support System for Determining Thesis Supervisor using A Weighted Product (WP) Method," Jurnal Online Informatika, vol. 3, no. 2, p. 80, Feb. 2019, doi: 10.15575/join.v3i2.230.
- [16] H. Supriyono and C. P. Sari, "Developing decision support systems using the weighted product method for house selection," in AIP Conference Proceedings, 2018, doi: 10.1063/1.5042905.
- [17] C. Bire, D. Kasse, and R. Bire, "Decision support system for selecting tourist attractions using fuzzy analytic hierarchy process," *Bulletin of Electrical Engineering and Informatics*, vol. 10, no. 3, pp. 1252–1261, Jun. 2021, doi: 10.11591/eei.v10i3.3032.
- [18] C. R. Pattnaik, S. N. Mohanty, S. Mohanty, J. M. Chatterjee, B. Jana, and V. G. Diaz, "A fuzzy multi-criteria decision-making method for purchasing life insurance in India," *Bulletin of Electrical Engineering and Informatics*, vol. 10, no. 1, pp. 344–356, Feb. 2021, doi: 10.11591/eei.v10i1.2275.
- [19] H. Fanghua and C. Guanchun, "A Fuzzy Multi-Criteria Group Decision-Making Model Based on Weighted Borda Scoring Method for Watershed Ecological Risk Management: a Case Study of Three Gorges Reservoir Area of China," *Water Resources Management*, vol. 24, no. 10, pp. 2139–2165, Dec. 2009, doi: 10.1007/s11269-009-9544-9.
- [20] C. Meshram and S. S. Agrawal, "Fuzzy Multi-criteria Decision Making associated with Risk and Confidence Attributes," *Bulletin of Electrical Engineering and Informatics*, vol. 4, no. 3, Sep. 2015, doi: 10.11591/eei.v4i3.506.
- [21] J. Zou and Z. Qiu, "An Improved Fuzzy Borda Count and its Application to Watershed Management," in *Proceedings of the 2016 4th International Conference on Renewable Energy and Environmental Technology (ICREET 2016)*, 2017, doi: 10.2991/icreet-16.2017.45.
- [22] R. K. Dewi, E. M. A. Jonemaro, A. P. Kharisma, N. A. Farah, and M. F. Dewantoro, "TOPSIS for mobile based group and personal decision support system," *Register: Jurnal Ilmiah Teknologi Sistem Informasi*, vol. 7, no. 1, p. 43, Feb. 2021, doi: 10.26594/register.v7i1.2140.
- [23] S. Lestari, T. B. Adji, and A. E. Permanasari, "Performance Comparison of Rank Aggregation Using Borda and Copeland in Recommender System," in 2018 International Workshop on Big Data and Information Security (IWBIS), May 2018, doi: 10.1109/iwbis.2018.8471722.
- [24] R. Ramadiani, S. Adithama, and M. L. Jundillah, "Selecting goldfish broods use the weighted product and simple additive weighting methods," *IAES International Journal of Artificial Intelligence (IJ-AI)*, vol. 11, no. 4, p. 1405, Dec. 2022, doi: 10.11591/ijai.v11.i4.pp1405-1413.
- [25] N. D. Hulkower and J. Neatrour, "Deflecting Arrow by Aggregating Rankings of Multiple Correlated Criteria According to Borda," *Journal of Multi-Criteria Decision Analysis*, vol. 23, no. 3–4, pp. 75–86, Apr. 2016, doi: 10.1002/mcda.1568.
- [26] W. R. W. Mohd and L. Abdullah, "Aggregation Methods in Group Decision Making: A Decade Survey," *Informatica*, vol. 41, no. 1, Feb. 2017.
- [27] S. Fatimah, A. Laongko, and M. Tombolotutu, "Borda application of selection planning scheduling method in dock engineering consultants in Central Sulawesi province Indonesia," *Corporate Board role duties and composition*, vol. 11, no. 1, pp. 131–136, 2015, doi: 10.22495/cbv11i1c1art5.
- [28] M. M. Amin and Y. Dwitayanti, "Group decision support system model to determine prospective participants for lecturer strengthening activities," *Journal of Theoretical and Applied Information Technology*, vol. 99, no. 20, pp. 4715–4726, 2021.
- [29] T. Abidin and S. Wiyono, "Comparison of Borda and NRF (Normalized Rating Frequency) in Recommender System," JOMLAI: Journal of Machine Learning and Artificial Intelligence, vol. 1, no. 3, Oct. 2022, doi: 10.55123/jomlai.v1i3.1026.
- [30] P. H. K. Murti, B. Wirjodirdjo, A. Bastari, and A. Ahmadi, "Using of profile matching and borda method in predicting threats country in asean," *JOURNAL ASRO*, vol. 12, no. 01, p. 173, Jan. 2021, doi: 10.37875/asro.v12i01.395.
- [31] M. Santos, T. Silva, C. Gomes, J. Vieira, and R. Walker, "Mapping the Perception of Users as the Usability of Smartphones: Benchmarking Features through the Borda Count Method," in *Lecture Notes in Management and Industrial Engineering*, Springer International Publishing, 2018, pp. 57–64, doi: 10.1007/978-3-319-93488-4_7.

BIOGRAPHIES OF AUTHORS



M. Miftakul Amin i X I cereived the Bachelor degree in Informatic Engineering from University of Technology Yogyakarta in 2004, and received Master of Engineering in Informatics Computer System from the Gadjah Mada University in 2010. Currently he is Lecturer in the Department of Computer Engineering at the State Polytechnic of Sriwijaya, Palembang, Indonesia. He can be contacted at email: miftakul_a@polsri.ac.id.



Adi Sutrisman **b** S S ceceived the Bachelor degree in Informatic Engineering from STMIK Bandung in 2001 and received Master of Computer from the Binadarma University in 2012. Currently he is Lecturer in the Department of Computer Engineering at the State Polytechnic of Sriwijaya, Palembang, Indonesia. He can be contacted at email: adisutrisman@polsri.ac.id.



Yevi Dwitayanti b M s c received the Bachelor degree in Accounting from Indonesian Islamic University in 2004 and received Master of Science in Accounting from the Gadjah Mada University in 2010. Currently she is Lecturer in the Department of Accounting at the State Polytechnic of Sriwijaya, Palembang, Indonesia. She can be contacted at email: yevi_dwitayanti@polsri.ac.id.

Group decision support system model to determine supervisor lecturers for student creativity programs by Amin M Miftakul

Submission date: 04-Apr-2023 05:16PM (UTC+0700) Submission ID: 2055526433 File name: termine_supervisor_lecturers_for_student_creativity_programs.pdf (538.42K) Word count: 6267 Character count: 29794 Bulletin of Electrical Engineering and Informatics Vol. 12, No. 4, August 2023, pp. 2484~2494 ISSN: 2302-9285, DOI: 10.11591/eei.v12i4.4784

2484

Group decision support system model to determine supervisor lecturers for student creativity programs

M. Miftaku min¹, Adi Sutrisman¹, Yevi Dwitayanti²

¹Department of Computer Engineering, State Polytechnic of Sriwijaya, Palembang, Indonesia ²Department of Accounting, State Polytechnic of Sriwijaya, Palembang, Indonesia

Article Info

ABSTRACT

Article history:

Received Sep 14, 2022 Revised Dec 16, 2022 Accepted Jan 11, 2023

Keywords:

Borda Group decision support system Weighted product

A group decision support system (GDSS) model was created in this study by implementing the weighted product (WP) method and the borda method to determine prospective assistant or supervisor lecturers for student creativity programs (PKMs) that are routinely carried out every year at the Sriwijaya State Polytechnic. This study applies 5 criteria, including i) education level, ii) academic position, iii) group tenure, iv) lecturer certification, and v) achievement in the field of three pillars of higher education. The decisionmakers in this study consisted of the head of the department (DM-1), the secretary of the department 50 M-2), and the head of the study program (DM-3) where they carried out the decision-making process 23 roups. The WP method is used to make preferences independently of the decision-makers to determine the best alternative based on predetermined criteria. Thas orda method is currently used to aggregate the decision-makers to obtain the final result in [28 form of an alternative ranking. The results of this study are sufficient to be used as a reference in determining the supervisor lecturer for PKM activities at the Department of Computer Engineering, State Polytechnic of Sriwijaya.

This is an open access article under the CC BY-SA license.



Corresponding Author:

M. Miftakul Amin Department of Complex Engineering, State Polytechnic of Sriwijaya Srijaya Negara Road, Bukit Besar, Palembang, 30139, Indonesia Email: miftakul_a@polsri.ac.id

1. INTRODUCTION

Higher education 12 n ever-changing environment, so its sustainability depends on the ability to adapt to these changes [1]. The student creativity program (PKM) is a manifestation of the implementation of the Tridharma of Higher Education in 2021. This program is one of the efforts to grow, accommodate, and realize creative and innovative ideas f 45 udents. The impact of this activity is the improvement in student and university achievement in ranking at the Ministry of Education and Culture [2]. To support the activities of the PKM, the Sriwijaya State Polytechnic at the department level appointed several lecturers to assist students in preparing proposals for proposed activities, writing techniques, and implementing activities. For this reason, an objective mechanism in determining the criteria that become the basis for determining suitable lecturer candidates to become activity supervisors include education level, academic position, group tenure, lecturer certification, and the lecturer's achievement in the activities of the three pillars of higher education. [19]

To increase the objectivity of decision-making, the decision-making approach is carried out in groups [3]. The group decision-making process occurs when each individual is characterized by his or her perceptions,

Journal homepage: http://beei.org

attitudes, and motivations. According to Costa [4] decision making is a fairly complex problem to be solved, and produce a ranking of the selected alternatives [5]. Integration and combination of several models can improve the performance of decision-making systems [6]. This is related to accuracy and computational processing [7]. Decision support systems have been widely apress in various fields, including in the field of education which is used to determine scholarship grantees [8], in the field of human resource management it is used for employee performance appraisal [9], even in the political field, this kind of decision support system used to determine political parties in general elections [10].

Several studies on group decision support system 10 DSS) were conducted by Azmi *et al.* [11] where they developed a GDSS model for supplier selection using a combination of analytic hierarchy process (AHP), technique for order preference by similarity to ideal solution (TOPSIS), and Borda methods. This study sets 6 criteria to determine the best supplier, namely price, quality, delivery, location, inventory, and flexibility. The combination of these 3 methods has resulted in a GDSS model that is quite adequate to determine the <u>42</u> st supplier ranking. Another GDSS research was also conducted by Meidelfi *et al.* [12] who combined the SAW and Borda methods to determine the final project's topic. This study sets 4 criteria and 10 topics in model testing. The decision-makers, in this case, consist of 2 lecturers as evaluators of research topics. The research has succeeded in producing a sequential list of recomme <u>44</u> d research topics.

Research conducted by Saputra *et al.* [13] using the weighted product (WP) method aims to determine the ideal cloud computing service. This study establishes as many as 11 criteria used in the consideration of decision making and 6 alternatives that can be selected in cloud computing services. This research has resulted in the best ranking in determining cloud computing services. The use of the WP method is also used in measuring employee performance by Aminudin *et al.* [14]. In this study, 5 criteria were used, consisting of attendance, behavior, experie 17, discipline, and teamwork. This study determines 5 alternatives to test the model and produce a ranking in the form of the order of the best employee performance.

The WP method is also used by Arifin and Mintamanis [15] to determine the thesis supervisor. This study sets as many as 10 criteria in determining the decision, while the alternatives used in test it, the model are only 3 alternatives. However, this research has succeeded in proving that the WP method can be used in the multiple criteria decision-making model. As the output, this research can produce the best ranking for thesis supervisor candidates. Research conducted by Supriyono and Sari [16] also uses the WP method to determine house selection. This study establishes 11 criteria which are categorized into 2 groups, namely cost, and benefit. The alternatives used in model testing consist of 3 alternatives. This research has produced a list of recommended house rankings.

Decision making with a multicriteria decision making approach has been implemented in a study conducted by Bire *et al.* [17] using a fuzzy AHP and native AHP approach to determine tourist attractions in the city of Kupang. Both of these approaches produce equally good outputs in the decision-making process. However, the fuzzy AHP approach gives better results in calculations. This stu[19] ses 9 criteria in determining the best alternative. Likewise, research by Pattnaik *et al.* [18] uses fuzzy multi criteria decision macing (MCDM) and TOPSIS approaches to determine alternative life insurance in India. There are 10 criteria used to determine the best alternative. This study also uses a sensitivity analysis approach to ensure the effectiveness of the developed model.

Research conducted by Fanghua and Guanchun [19] developed a fuzzy multi-criteria group decisionmaking (FMCGDM) model to carry out environmental risk analysis of watersheds. This study conducted tests using 5 criteria and 3 alternatives, and involved 4 decision makers. Research shows optimal results in weight loads. Other research on the topic of multi-criteria decision-making was also carried out by Meshram and Agrawal [20] which places more emphasis on the aspects of risk analysis and the confidence of an attribute being considered. Research conducted by Zou and Qiu [21] implementing fuzzy borda for watershed management. Research on group decisions was also carried out by Dewi *et al.* [22] using the TOPSIS approach and the Borda method. This model is implemented in a mobile application to make it easier for tourists to visit tourist destinations in the city of Malang.

According to research conducted by Lestari *et al.* [23] comparing 2 aggregation methods, namely the Borda method and Copeland, the results show that the Borda method is bette 7 nan Copeland. Likewise in terms of processing speed, Borda method is faster than Copeland. This research is organized as follows. Section 2 describes the methodology and architecture of model. Section 3 describes the research results, and discussion. Section 4 contains conclusions.

2. METHOD

7

This study aims to build a GDSS model using the WP and Borda methods. Both of these methods are used to improve the quality of the results of decision making. This segment reviews in more detail the two methods.

2486 🗖

2.1. Arc47 ecture system design of group decision support system

Figure 1 is the architecture of the developed model. In this architecture, the GDSS model developed consisted of 3 decision-makers, namely the head of the department (DM–1), the secretary of the department (DM–2), and the head of the study program (DM-3). This modeling stage starts from individual preferences by each decision-maker using the WP method to generate a ranking of alternatives. Furthermore, after the ranking results from each decision-maker are obtained, the ranking is calculated using the Borda points to produce the final ranking of the recommendation process using the GDSS.




Figure 1. System architecture of GDSS

2.2. Weighted product method

WP is a method of m2 ing multiple criteria decisions that are used to solve cases that have data with many attributes [24]. The WP method uses multiplication to connect attribute ratings where the rating of each 2 ribute must be raised first with the weight of the attribute concerned [3]. In general, several steps to perform calculations using the WP method are as follows:

 Determination of the criteria used as the basis in dc 32 mining the decision. The criteria are symbolized by Ci, where i is the number of criteria determined to be used as a reference in decision making.

 Determine the suitability rating for the criteria. This is done by creating a decision matrix, and ranking the suitability of each criterion.

Determination of the normalized weight value.

W is the weight of each criterion that will be calculated. The formula for finding the value of W is:

$$W_j = \frac{W_j}{\Sigma W_j} \tag{1}$$

After this calculation, the value of W will be ranged 0 to 1 where the total of all W is 1. Then, W is multiplied by 1 for the attribute worth benefit, and W is multiplied by -1 for the attribute worth the cost. - Calcu2 ting preference values for alternatives as vector S

The preference value for the alternative is calculated based on (2):

$$S_i = \prod_{j=1}^n X_{ij}^{W_j}$$

(2)

Description:

S : preference alternative

w : criterion weight

X : criterion value

i : alternative i to n

Bulletin of Electr Eng & Inf, Vol. 12, No. 4, August 2023: 2484-2494

Bulletin of Electr Eng & Inf

ISSN: 2302-9285

(3)

j : criterion

Calculating the relative preference value as vector V

Vector V is the result of a preference for each alternative. In (3) is the formula used to calculate the value of V.

$$V_{i} = \frac{\prod_{j=1}^{n} X_{ij}^{W_{j}}}{\prod_{j=1}^{n} X_{ij}^{*} W_{j}}$$

After the value of V is obtained, then it is sorted by the largest value of V.

Ranking the value of the vector V

At this stage, it will be known which alternative has the highest Vi value which is the result of the decision and is the best alternative.

2.3. Borda method

The principle of the Borda method is to do alternative voting by weighting the value on each alternative ranking [23], [25]. The alternative that has the top rank is given the highest score, and so on in descending order where lower values are given to the rank below it until the lowest rank is given a value of 0 (zero) or 1 [26]. The Borda method is one of the aggregation methods that are quite effective in GDSS applications [27]-[30]. Even [23] mentions that the Borda method can be used to [27] k the sparsity data. On the other hand, according to [31] Borda method is done by sorting all alternatives from the largest value to the smallest value with a value of 0.

3. RESULTS AND DISCUSSION

In this study, the problem discussed in the decision-making to det 10 ine the assistant lecturer for PKM activities, at the Sriwijaya State Polytechnic. The following are the steps involved in the decision-making process. The implementation of these two methods will be explained in more detail.

3.1. Independent assessment by decision makers using the weighted product method

The stages in performing calculations g dependently by decision-makers are executed using the WP method. The decision-makers consisted of the DM-1, the DM-2, and 34 DM-3 at the Computer Engineering Department of the Sriwijaya State Polytechnic. The initial step taken is to deterr 21: the criteria and the value of the weight of the criteria as a reference in decision making. Table 1 presents the criteria and the weight of the criteria defined.

Table 1. Criteria and criteria weight

Criteria	Description	Category	Criteria weight
C1	Education level	Benefit	5
C2	Academic position	Benefit	4
C3	Group tenure	Benefit	5
C4	Lecturer certification	Benefit	3
C5	Achievement in the field of three pillars of higher education	Benefit	5

Criteria C1 to C4 will have the same value trend between decision-makers (DM). This is because the data is standard and does not require objective expert judgment from each decision-maker. Meanwhile, the C5 criteria will have varied values from each decision-maker given it will be based on the perceptions of each decision-maker. This variable value depends on the point of view of the decision makers based on the performance achievements of each alternative on the C5 criteria, because there is no standard reference based on certain values such as in criteria C1 to C4, where each criterion has a value that becomes reference.

3.2. Determine the criteria scale

The data obtained in this study is qualitative so that it requires a scale value of each criterion to facilitate the calculation process. Table 2 is the scale for the C1 criteria for education level. Table 3 is a criterion scale for lecturers' academic positions. Table 4 is the criteria scale for group tenure, and Table 5 presents the criteria scale for lecturer certification which only contains information on certified and uncertified.


Meanwhile, Table 6 contains information that tends to be subjective from decision-makers whose content depends on the perception of each decision-maker. Table 6 is related to the performance of each lecturer based on higher education tridharma activities. Each lecturer has a different performance in the fields of teaching, research, community service, and supporting activities in higher education. So, there are no

ISSN: 2302-9285

parameters that are set specifically. So that each lecturer is likely to get a varied score, depending on the preferences of the decision makers.

Table 2. Criteria scale of education level									
N0.	Qualification	Scale							
1	S2-Master	1							
2	S3-Doctor	2							

Table 3. C	Criteria scale of acad	lemic position	Table 4	Criteria scale of gr	oup tenure
No.	Qualification	Scale	No.	Qualification	Scale
1	Instructor	1	1	0-5 years	1
2	Lecturers	2	2	6-10 years	2
3	Senior Lecturers	3	3	11-15 years	3
4	Assoc. Professors	4	4	16-20 years	4
5	Professors	5	5	> 20 years	5



No.	Qualification	Scale
1	Uncertified	1
2	Certified	2

Table 6. Criteria scale of achievement in the field of thr 18 illar's of higher education


No.	Qualification	Scale
1	Very poor	1
2	Poor	2
3	Enough	3
4	Good	4
5	Very good	5

3.3. Entering alternative data

Tables 7-9 are the distribution of preference data from decision-makers (DM-1, DM-2, and DM-3). The alternative data tested into the model are 10 alternatives and are distributed for each of the 5 criteria. This data is lecturer data from the D3 computer engineering study program, in the Department of Computer Engineering at the Sriwijaya State Polytechnic. In this model the lecturer's name is not presented in detail using the name, but uses initials in the form of A1, A2,..., A10.

9

Та	ible 7. Data j	or <mark>4</mark> ei	rence	from	n DM	-1	Та	ble 8. Data j	or <mark>4</mark> ei	rence	from	DM	-2
No.	Alternatives	C1	C2	C3	C4	C5	No.	Alternatives	C1	C2	C3	C4	C5
1	A1	1	4	4	2	4	1	A1	1	4	4	2	5
2	A2	1	4	3	2	4	2	A2	1	4	3	2	5
3	A3	1	4	4	2	4	3	A3	1	4	4	2	3
4	A4	1	4	3	2	4	4	A4	1	4	3	2	4
5	A5	1	3	3	2	5	5	A5	1	3	3	2	5
6	A6	1	2	3	2	4	6	A6	1	2	3	2	5
7	A7	1	3	3	2	3	7	A7	1	3	3	2	3
8	A8	2	2	3	1	4	8	A8	2	2	3	1	3
9	A9	1	2	3	2	2	9	A9	1	2	3	2	2
10	A10	1	3	2	2	3	10	A10	1	3	2	2	3



Bulletin of Electr Eng & Inf, Vol. 12, No. 4, August 2023: 2484-2494

Bulletin of Electr Eng & Inf	ISSN: 2302-9285	2489
3.4. Calculating the normalization	weight value	

This weight is calculated using (1) following the weight criteria in Table 1 so that the weight normalization is obtained as follows:

W=(5,4,3,3,5) W1=5/(5+4+3+3+5)=0.25 W1=4/(5+4+3+3+5)=0.20 W1=3/(5+4+3+3+5)=0.15 W1=3/(5+4+3+3+5)=0.15 W1=5/(5+4+3+3+5)=0.25

Furthermore, it is ensured that the accumulated value of this weight is equal to 1 as follows:

w1+w2+w3+w4+w5=1	
0.25+0.20+0.15+0.15+0.25=	1
31	

Table 10 is the result of the normalization of the weights of the criteria that have been defined in Table 1 obtained by using (1). The normalized value of Wj also has the same value, because all criteria categories are in the form of benefits, so they are multiplied by 1. If the criteria category is cost, then it is multiplied by -1.

Table 10. Normalization of weight criteria				
Cr 16 a	Wj	Wj normalized		
C1	0,25	0,25		
C2	0,20	0,20		
C3	0,15	0,15		
C4	0,15	0,15		
C5	0,25	0,25		
Σ	1,00			

3.5. Calculating vector S

Vector S is calculated by referring to (2). In calculating the S vector, the categories of cost and benefit criteria are considered. The cost category will be negative and the benefit value will be positive certain to Table 1, it can be seen that all categories are positive so that the normalized Wj is also positive. Tables 11-13 are the results of the calculation of the S vector from the decision-makers. For example, vector S is obtained by using (2) where the information contained in Table 11 can be described as follows:

 $\begin{array}{l} S1 = (1 \ \ ^{0.25}) \ (4 \ \ ^{0.20}) \ (4 \ \ ^{0.15}) \ (2 \ \ ^{0.15}) \ (4 \ \ ^{0.25}) = 2.5491 \\ S2 = (1 \ \ ^{0.25}) \ (4 \ \ ^{0.20}) \ (3 \ \ ^{0.15}) \ (2 \ \ ^{0.15}) \ (4 \ \ ^{0.25}) = 2.4415 \\ S3 = (1 \ \ ^{0.25}) \ (4 \ \ ^{0.20}) \ (4 \ \ ^{0.15}) \ (2 \ \ ^{0.15}) \ (4 \ \ ^{0.25}) = 2.5491 \\ S4 = (1 \ \ ^{0.25}) \ (4 \ \ ^{0.20}) \ (3 \ \ ^{0.15}) \ (2 \ \ ^{0.15}) \ (4 \ \ ^{0.25}) = 2.5491 \\ S5 = (1 \ \ ^{0.25}) \ (4 \ \ ^{0.20}) \ (3 \ \ ^{0.15}) \ (2 \ \ ^{0.15}) \ (4 \ \ ^{0.25}) = 2.4415 \\ S5 = (1 \ \ ^{0.25}) \ (3 \ \ ^{0.20}) \ (3 \ \ ^{0.15}) \ (2 \ \ ^{0.15}) \ (4 \ \ ^{0.25}) = 2.4415 \\ S7 = (1 \ \ ^{0.25}) \ (2 \ \ ^{0.20}) \ (3 \ \ ^{0.15}) \ (2 \ \ ^{0.15}) \ (4 \ \ ^{0.25}) = 2.4415 \\ S7 = (1 \ \ ^{0.25}) \ (2 \ \ ^{0.20}) \ (3 \ \ ^{0.15}) \ (2 \ \ ^{0.15}) \ (4 \ \ ^{0.25}) = 2.4415 \\ S7 = (1 \ \ ^{0.25}) \ (2 \ \ ^{0.20}) \ (3 \ \ ^{0.15}) \ (2 \ \ ^{0.15}) \ (4 \ \ ^{0.25}) = 2.1254 \\ S7 = (1 \ \ ^{0.25}) \ (2 \ \ ^{0.20}) \ (3 \ \ ^{0.15}) \ (2 \ \ ^{0.15}) \ (3 \ \ ^{0.25}) = 2.1450 \\ S8 = (2 \ \ ^{0.25}) \ (2 \ \ ^{0.20}) \ (3 \ \ ^{0.15}) \ (1 \ \ ^{0.15}) \ (4 \ \ ^{0.25}) = 2.780 \\ S9 = (1 \ \ ^{0.25}) \ (2 \ \ ^{0.20}) \ (3 \ \ ^{0.15}) \ (2 \ \ ^{0.15}) \ (3 \ \ ^{0.25}) = 2.0184 \\ \end{array}$

Table 11. Preference vector S from DM-1						
Alte 25 ves	C1^W _i	C2^Wi	C3 ^A W _i	C4 ^A W _i	C5^Wi	Si
A1	1.0000	1.3195	1.2311	1.1096	1.4142	2.5491
A2	1.0000	1.3195	1.1791	1.1096	1.4142	2.4415
A3	1.0000	1.3195	1.2311	1.1096	1.4142	2.5491
A4	1.0000	1.3195	1.1791	1.1096	1.4142	2.4415
A5	1.0000	1.2457	1.1791	1.1096	1.4953	2.4372
A6	1.0000	1.1487	1.1791	1.1096	1.4142	2.1254
A7	1.0000	1.2457	1.1791	1.1096	1.3161	2.1450
A8	1.1892	1.1487	1.1791	1.0000	1.4142	2.2780
A9	1.0000	1.1487	1.1791	1.1096	1.1892	1.7873
A10	1.0000	1.2457	1.1096	1.1096	1.3161	2.0184
					∑Si	22.7724

2490

	14 Ta	ble 12. Prefei	ence vector	S from DM-	2	
Altematives	C1 [^] W _i	C2 [^] W _i	C3^Wi	C4 [^] W _i	C5^Wi	Si
/26	1.0000	1.3195	1.2311	1.1096	1.4953	2.6954
A2	1.0000	1.3195	1.1791	1.1096	1.4953	2.5815
A3	1.0000	1.3195	1.2311	1.1096	1.3161	2.3722
A4	1.0000	1.3195	1.1791	1.1096	1.4142	2.4415
A5	1.0000	1.2457	1.1791	1.1096	1.4953	2.4372
A6 A7 A8	1.0000	1.1487	1.1791	1.1096	1.4953	2.2474
A7	1.0000	1.2457	1.1791	1.1096	1.3161	2.1450
A8	1.1892	1.1487	1.1791	1.0000	1.3161	2.1199
A9	1.0000	1.1487	1.1791	1.1096	1.1892	1.7873
A10	1.0000	1.2457	1.1096	1.1096	1.3161	2.0184
					ΣSi	22.8457

Table 13. Preference vector S from DM-3

Alte <mark>n131</mark> ves	C1^Wj	C2^Wj	C3 ^A W _j	C4^Wj	C5^Wj	Si
A1	1.0000	1.3195	1.2311	1.1096	1.4953	2.6954
A2	1.0000	1.3195	1.1791	1.1096	1.4953	2.5815
A3	1.0000	1.3195	1.2311	1.1096	1.4142	2.5491
A4	1.0000	1.3195	1.1791	1.1096	1.4953	2.5815
A5	1.0000	1.2457	1.1791	1.1096	1.4142	2.3050
A6	1.0000	1.1487	1.1791	1.1096	1.4142	2.1254
A7	1.0000	1.2457	1.1791	1.1096	1.3161	2.1450
A8	1.1892	1.1487	1.1791	1.0000	1.4142	2.2780
A9	1.0000	1.1487	1.1791	1.1096	1.3161	1.9779
A10	1.0000	1.2457	1.1096	1.1096	1.4142	2.1689
					∑Si	23.4077

3.6. Calculating vector V

Iculating vector V 17 Based on (3), the V vector is calculated by dividing the value of the Si vector by the total number of Si vectors. Tables 14-16 are the results of V vector calculations from decision-makers. Looking at the results of the calculations in Table 11, the value of \sum Si is 22.7724. The value of Vi as shown in Table 14 is obtained from:

	,
V1	$= S1/\Sigma Si$
	= 2.5491/22.7724
	= 0.111939
V2	$= S1/\Sigma Si$
	= 2.4415/22.7724
	= 0.107211
V3	$= S1/\Sigma Si$
	= 2.5491/22.7724
	= 0.111939
V4	$= S1/\Sigma Si$
	= 2.4415/22.7724
	= 0.107211
V5	$= S1/\Sigma Si$
	= 2.4372/22.7724
	= 0.107024
V6	$= S1/\Sigma Si$
	= 2.1254/22.7724
	= 0.093333
V7	$= S1/\Sigma Si$
	= 2.1450/22.7724
	= 0.094193
V8	$= S1/\Sigma Si$
	= 2.2780/22.7724
	= 0.100032
V9	$= S1/\Sigma Si$
	= 1.7873/22.7724
	= 0.078483
V10	$= S1/\Sigma Si$
	= 2.0184/22.7724
	= 0.088635

Bulletin of Electr Eng & Inf, Vol. 12, No. 4, August 2023: 2484-2494

Bulletin of Electr Eng & Inf

ISSN: 2302-9285

2491

Alternatives	Vi	Ranking	Alternatives	Vi	Ranking
A1	0.111939	1	A1	0.118361	1
A2	0.107211	3	A2	0.113362	2
A3	0.111939	2	A3	0.104171	5
A4	0.107211	4	A4	0.107211	3
A5	0.107024	5	A5	0.107024	4
A6	0.093333	8	A6	0.098687	6
A7	0.094193	7	A7	0.094193	7
A8	0.100032	6	A8	0.093090	8
A9	0.078483	10	A9	0.078483	10
A10	0.088635	9	A10	0.088635	9

Table 16. Preference's vector v from DM-3

Vi	Ranking
0.118361	1
0.113362	24
0.111939	4
0.113362	3
0.101217	5
0.093333	9
0.094193	8
0.100032	6
0.086856	10
0.095244	7
	0.118361 0.113362 0.111939 0.113362 0.101217 0.093333 0.094193 0.100032 0.086856

Table 17 is the final result of the decision-makers, in the form of ranking with the highest weight to the lowest weight generated from the WP method. Table 18 is the result of giving Borda points from the preferences of each decision-maker. Furthermore, the final results of ranking in the GDSS in the form of the most recommended alternative order are presented in Table 19. This is indicated by the highest Borda score, as can be seen in Table 19.

	41							
Table 17	. Decision m	aker evaluati	on results	Ta	able 18. E	Borda voti	ng results	
Ra <mark>39</mark> ng	DM-1	DM-2	DM-3	Alternatives	DM-1	DM-2	DM-3	Values
A1	A1	A1	A1	A1	9	9	9	27
A3	20	A2	A3	A2	7	8	8	23
A2	A4	A4	A2	A3	8	5	6	19
A4	A5	A3	A4	A4	6	7	7	20
A5	A3	A5	A5	A5	5	6	5	16
A8	A6	A8	A8	A6	2	4	1	7
A7	A7	A10	A7	A7	3	3	2	8
A6	A8	A7	A6	A8	4	2	4	10
A10	A10	A6	A10	A9	0	0	0	0
A9	A9	A9	A9	A10	1	1	3	5

Table 19. Borda ranking						
Rar 27 g	Alternatives	Score				
1	A1	27				
2	A2	23				
3	A4	20				
4	A3	19				
5	A5	16				
6	A8	10				
7	A7	8				
8	A6	7				
9	A10	5				
10	A9	0				

Based on Table 19, the ranking is obtained in the order A1 has a score of 27, A2 ha 11 score of 23, and so on. The alternative A1 score of 27 is obtained from the score of the Borda model from decision maker 1, decision maker 2, and decision maker 3 of 9 points. Likewise alternative A2 gets a weight of 23 from decision maker 1 of 7, and decision maker 2 and decision maker 3 each of 8. This is an advantage of the developed model, so the best alternative is the result of the aggregation of each decision maker.

2492

The results of the calculation of the weights of the Borda model have provided a single weight fi several weights obtained from the decision makers. This can provide a level of confidence in the results of the decision-making process. The selected alternative is the best alternative out of 3 decision makers fised on predetermined criteria. Furthermore, the implementation in software using a web-based application obtained the same results as the calculations described in the previous discussion as can be seen in Figure 2. This provides important information that the developed model and the software that is applied to a web-based environment can be used as a tool for management in higher education to determine lecturers to accompany students' creativity programs.

🕜 Home 👻	Dec	ision M	laker Recomm	nendation	Factor Weight	Decis	ion M	aker 1		ecisio	n Make	r2 D	ecision	Maker 3	Aggi	regation
😚 Dashboard																
🕞 Log Out	Pre	DM	e from Decisi	on Maker 1												
		ID.	Alternative	NIP.	Name	C1	C2	C3	C4	C5	C1	C2	C3	C4	C5	Total
Table of contents	1	DM1	Al	196607121990031003	YULIAN MIRZA	1.00	4.00	4.00	2.00	4.00	1.0000	1.3195	1.2311	1.1096	1.4142	2.5491
System References <	2	DM1	A10	197611082000031002	ALAN NOVI TOMPUNU	1.00	3.00	2.00	2.00	3.00	1.0000	1.2457	1.1096	1.1096	1.3161	2.0184
Academic References <	3	DM1	A2	196909282005011002	MUSTAZIRI	1.00	4.00	3.00	2.00	4.00	1.0000	1.3195	1.1791	1.1096	1.4142	2.4415
	4	DM1	A3	197805152006041003	MEIYI DARLIES	1.00	4.00	4.00	2.00	4.00	1.0000	1.3195	1.2311	1.1096	1.4142	2.5491
GDSS Modelling	5	DM1	A4	197912172012121001	MOHAMMAD MIFTAKUL AMIN	1.00	4.00	3.00	2.00	4.00	1.0000	1.3195	1.1791	1.1096	1.4142	2.4415
2	6	DM1	A5	197310012002122007	ISNAINY AZRO	1.00	3.00	3.00	2.00	5.00	1.0000	1.2457	1.1791	1.1096	1.4953	2.4372
1. Lecturer Strengthening <	7	DM1	A6	198103182008121002	HERLAMBANG SAPUTRA	1.00	2.00	3.00	2.00	4.00	1.0000	1.1487	1.1791	1.1096	1.4142	2.1254
2. Outstanding Educators <	8	DM1	A7	197703292001122002	EMA LAILA	1.00	3.00	3.00	2.00	3.00	1.0000	1.2457	1.1791	1.1096	1.3161	2.1450
😅 3. Supervisor Lecturers 🛛 🗸	9	DM1	AS	197005232005011004	AZWARDI	2.00	2.00	3.00	1.00	4.00	1.1892	1.1487	1.1791	1.0000	1.4142	2.2780

Figure 2. Implementation of GDSS using web based application

CONCLUSION 4.

Knowing the results and discussions that have been described, it can be argued that the combination of the WP and Borda methods can be used as a model in making the GDSS. The recommendations generated by the GDSS can be used as a reference by gecision-makers in the Computer Engineering Department of the Sriwijaya State Polytechnic, which consists of the DM-1, the DM-2, and 52 DM-3. This method can be used to determine suitable lecturer candidates to accompany PKM activities. To improve the performance of the GDSS model that has been built, several other methods can be chosen to make preferences independently by decision-makers, as well as aggregation in groups.

ACKNOWLEDGEMENTS

The authors would like to thank the Directorate General of Vocational Education, Ministry of Education, Culture, Research, and Technology for providing research grants for applied research schemes for the 2022 fiscal year.

REFERENCES

- [1] P. Laguna-Sánchez, J. Palomo, C. de la Fuente-Cabrero, and M. de Castro-Pardo, "A Multiple Criteria Decision Making Approach to Designing Teaching Plans in Higher Education Institutions," Mathematics, vol. 9, no. 1, p. 9, Dec. 2020, doi: 10.3390/math9010009.
- [2] D. Belmawa, (in Indonesia: Buku Pedoman 1 Program Kreativitas Mahasiswa, Pedoman Umum). Handbook 1 Student Creativity Program, General Guidelines. Jakarta: Kementrian Pendidikan dan Kebudayaan, 2021.
- R. W. S. Kusumadewi, S. Hartati, and A. Harjoko, Fuzzy Multi-Attribute Decision Making (Fuzzy MADM). Yogyakarta: Penerbit [3] Andi Offset, 2006
- H. G. Costa, "AHP-De Borda: a hybrid multicriteria ranking method," Brazilian Journal of Operations and Production [4] Management, vol. 14, no. 3, pp. 281–287, Sep. 2017, doi: 10.14488/bjopm.2017.v14.n3.a1. C.-F. Tsai, Y.-H. Hu, and S.-W., and G. Ke, "A Borda count approach to combine subjective and objective based MIS journal
- [5] rankings," Online Information Review, vol. 38, no. 4, pp. 469-483, Jun. 2014, doi: 10.1108/oir-11-2013-0253.

Bulletin of Electr Eng & Inf, Vol. 12, No. 4, August 2023: 2484-2494

- C. H. Primasari, R. Wardoyo, and A. K. Sari, "Integrated AHP, Profile Matching, and TOPSIS for selecting type of goats based on [6] environmental and financial criteria," International Journal of Advances in Intelligent Informatics, vol. 4, no. 1, p. 28, Mar. 2018, doi: 10.26555/ijain.v4i1.105.
- F. A. Yulianto, K. Kuspriyanto, and T. N. Suharsono, "DT-MSOF Strategy and its Application to Reduce the Number of Operations [7] in AHP," Journal of ICT Research and Applications, vol. 12, no. 3, p. 237, Dec. 2018, doi: 10.5614/itbj.ict.res.appl.2018.12.3.3. Humaira, Rasyidah, Junaldi, and I. Rahmayuni, "The Comprehensive Mamdani Inference to Support Scholarship Grantee [8]
- Decision," JOIV: International Journal on Informatics Visualization, vol. 5, no. 2, May 2021, doi: 10.30630/joiv.5.2.449. S. G. Fashoto, O. Amaonwu, and A. Afolorunsho, "Development of A Decision Support System on Employee Performance [9]
- Appraisal using AHP Model," JOIV : International Journal on Informatics Visualization, vol. 2, no. 4, p. 262, Aug. 2018, doi: 10.30630/joiv.2.4.160.
- [10] S. Aggarwal and S. Sagar, "An Analytical Approach for Decision-Making," JOIV: International Journal on Informatics Visualization, vol. 2, no. 3, p. 114, Apr. 2018, doi: 10.30630/joiv.2.3.123
- [11] M. Azmi, Y. Sonatha, and I. Rahmayuni, "GDSS Prototype Model for Supplier Selection at MDM Cooperative," JOIV: International Journal on Informatics Visualization, vol. 5, no. 1, Mar. 2021, doi: 10.30630/joiv 5.1.473.
- [12] D. Meidelfi, Yulherniwati, F. Sukma, D. Chandra, and A. H. S. Jonas, "The Implementation of SAW and BORDA Method to Determine the Eligibility of Students' Final Project Topic," JOIV: International Journal on Informatics Visualization, vol. 5, no. 2, May 2021, doi: 10.30630/joiv.5.1.447.
- [13] D. Saputra, K. Widianto, T. Setiyorini, and I. Alfarobi, "Decision Support System for Cloud Computing Service Selection Using the Weighted Product Method (Case Study: PT. Deptech Digital Indonesia)," International Journal of Science, Technology and Management, vol. 2, no. 1, pp. 78-92, Jan. 2021, doi: 10.46729/ijstm.v2i1.103.
- [14] N. Aminudin et al., "Weighted Product and Its Application to Measure Employee Performance," International Journal of Engineering and Technology, vol. 7, no. 2.26, p. 102, May 2018, doi: 10.14419/ijet.v7i2.26.14362.
- [15] S. R. Arifin and J. C. Mintamanis, "Decision Support System for Determining Thesis Supervisor using A Weighted Product (WP) Method," Jurnal Online Informatika, vol. 3, no. 2, p. 80, Feb. 2019, doi: 10.15575/join.v3i2.230.
- [16] H. Supriyono and C. P. Sari, "Developing decision support systems using the weighted product method for house selection," in AIP Conference Proceedings, 2018, doi: 10.1063/1.5042905.
- [17] C. Bire, D. Kasse, and R. Bire, "Decision support system for selecting tourist attractions using fuzzy analytic hierarchy process," Bulletin of Electrical Engineering and Informatics, vol. 10, no. 3, pp. 1252–1261, Jun. 2021, doi: 10.11591/eei.v10i3.3032.
 C. R. Pattnaik, S. N. Mohanty, S. Mohanty, J. M. Chatterjee, B. Jana, and V. G. Diaz, "A fuzzy multi-criteria decision-making
- method for purchasing life insurance in India," Bulletin of Electrical Engineering and Informatics, vol. 10, no. 1, pp. 344–356, Feb. 2021, doi: 10.11591/eei.v10i1.2275.
- [19] H. Fanghua and C. Guanchun, "A Fuzzy Multi-Criteria Group Decision-Making Model Based on Weighted Borda Scoring Method for Watershed Ecological Risk Management: a Case Study of Three Gorges Reservoir Area of China," Water Resources Management, vol. 24, no. 10, pp. 2139–2165, Dec. 2009, doi: 10.1007/s11269-009-9544-9.
 [20] C. Meshram and S. S. Agrawal, "Fuzzy Multi-criteria Decision Making associated with Risk and Confidence Attributes," *Bulletin*
- of Electrical Engineering and Informatics, vol. 4, no. 3, Sep. 2015, doi: 10.11591/eei.v4i3.506.
- [21] J. Zou and Z. Qiu, "An Improved Fuzzy Borda Count and its Application to Watershed Management," in Proceedings of the 2016 4th International Conference on Renewable Energy and Environmental Technology (ICREET 2016), 2017, doi: 10.2991/icreet-16.2017.45
- R. K. Dewi, E. M. A. Jonemaro, A. P. Kharisma, N. A. Farah, and M. F. Dewantoro, "TOPSIS for mobile based group and personal decision support system," *Register: Jurnal Ilmiah Teknologi Sistem Informasi*, vol. 7, no. 1, p. 43, Feb. 2021, doi: [22] 10.26594/register.v7i1.2140
- S. Lestari, T. B. Adji, and A. E. Permanasari, "Performance Comparison of Rank Aggregation Using Borda and Copeland in [23] Recommender System," in 2018 International Workshop on Big Data and Information Security (IWBIS), May 2018, doi: 10.1109/iwbis.2018.8471722.
- [24] R. Ramadiani, S. Adithama, and M. L. Jundillah, "Selecting goldfish broods use the weighted product and simple additive weighting methods," IAES International Journal of Artificial Intelligence (IJ-AI), vol. 11, no. 4, p. 1405, Dec. 2022, doi: 10.11591/ijai.v11.i4.pp1405-1413.
- N. D. Hulkower and J. Neatrour, "Deflecting Arrow by Aggregating Rankings of Multiple Correlated Criteria According to Borda," Journal of Multi-Criteria Decision Analysis, vol. 23, no. 3–4, pp. 75–86, Apr. 2016, doi: 10.1002/mcda.1568. [25]
- [26] W. R. W. Mohd and L. Abdullah, "Aggregation Methods in Group Decision Making: A Decade Survey," Informatica, vol. 41, no. 1, Feb. 2017
- [27] S. Fatimah, A. Laongko, and M. Tombolotutu, "Borda application of selection planning scheduling method in dock engineering consultants in Central Sulawesi province Indonesia," Corporate Board role duties and composition, vol. 11, no. 1, pp. 131-136, 2015. doi: 10.22495/cbv11i1c1art5.
- [28] M. M. Amin and Y. Dwitayanti, "Group decision support system model to determine prospective participants for lecturer strengthening activities," Journal of Theoretical and Applied Information Technology, vol. 99, no. 20, pp. 4715-4726, 2021
- [29] T. Abidin and S. Wiyono, "Comparison of Borda and NRF (Normalized Rating Frequency) in Recommender System," JOMLAI: Journal of Machine Learning and Artificial Intelligence, vol. 1, no. 3, Oct. 2022, doi: 10.55123/jomlai.v1i3.1026.
- [30] P. H. K. Murti, B. Wirjodirdjo, A. Bastari, and A. Ahmadi, "Using of profile matching and borda method in predicting threats
- F. R. K. Mutt, D. Wiljourdo, A. Basari, and A. Anniari, O'sing of profile matching and borda memor in predicting uncass country in asean," *JOURNAL ASRO*, vol. 12, no. 01, p. 173, Jan. 2021, doi: 10.37875/asro.v12i01.395.
 M. Santos, T. Silva, C. Gomes, J. Vieira, and R. Walker, "Mapping the Perception of Users as the Usability of Smartphones: Benchmarking Features through the Borda Count Method," in *Lecture Notes in Management and Industrial Engineering*, Springer [31] International Publishing, 2018, pp. 57-64, doi: 10.1007/978-3-319-93488-4_7.

Group decision support system model to determine supervisor lecturers for student ... (M. Miftakul Amin)

2494 🗖

BIOGRAPHIES OF AUTHORS



M. Miftakul Amin ⁽ⁱ⁾



Adi Sutrisman ⁽ⁱ⁾ S ^[i] ^[i] ceceived the Bachelor degree in Informatic Engineering from STMIK Bandung in 2001 and received Master of Computer from the Binadarma University in 2012. Currently he is Lecturer in the Department of Computer Engineering at the State Polytechnic of Sriwijaya, Palembang, Indonesia. He can be contacted at email: adisutrisman@polsri.ac.id.



Yevi Dwitayanti 💿 🔀 🖾 🗘 received the Bachelor degree in Accounting from Indonesian Islamic University in 2004 and received Master of Science in Accounting from the Gadjah Mada University in 2010. Currently she is Lecturer in the Department of Accounting at the State Polytechnic of Sriwijaya, Palembang, Indonesia. She can be contacted at email: yevi_dwitayanti@polsri.ac.id.

Bulletin of Electr Eng & Inf, Vol. 12, No. 4, August 2023: 2484-2494

Group decision support system model to determine supervisor lecturers for student creativity programs

ORIGIN	ALITY REPORT				
2 SIMILA	1% ARITY INDEX	16% INTERNET SOURCES	13% PUBLICATIONS	6% STUDENT PAPERS	
PRIMAR	RY SOURCES				
1	www.jat	<u> </u>		2	%
2	Dimas A "Decisio Digital A Using W Pt. Med	aputra Hidayat, dityo, Eka Rama n Support Syste dvertising Provi eight Product M ia Tech Indones I Engineering an s), 2023	adhana Puriya em for The Sel ider for Car Sa lethod (case S ia)", JEECS (Jou	di. ection of les tudy :	%
3	www.be	0		1	%
4	ejurnal.s	seminar-id.com		1	%
5	Submitt Science Student Paper	ed to University	of Basrah - Co	ollege of 1	%

6	Christa Bire, Daniel Kasse, Rio Bire. "Decision support system for selecting tourist attractions using fuzzy analytic hierarchy process", Bulletin of Electrical Engineering and Informatics, 2021 Publication	1 %
7	"Proceedings of the 1st International Conference on Electronics, Biomedical Engineering, and Health Informatics", Springer Science and Business Media LLC, 2021 Publication	1 %
8	eprints.itenas.ac.id	1%
9	"Group Decision and Negotiation in an Uncertain World", Springer Nature America, Inc, 2018 Publication	1%
10	worldwidescience.org	1%
11	www.researchgate.net	1%
12	feb.unhas.ac.id	<1%
13	store.econometrics.com	<1%

journal.universitasbumigora.ac.id

Internet Source

14



15	Marwa H. Abed, Wasan A. Wali, Musaab Alaziz. "Modeling and simulation of a pipeline leak detection using smart inspection ball", Bulletin of Electrical Engineering and Informatics, 2023 Publication	<1%
16	www.mdpi.com Internet Source	<1%
17	ejournal.unisbablitar.ac.id	<1%
18	assets.publishing.service.gov.uk	<1%
19	Herri Setiawan, Husnawati -, Tasmi "Assessment System of Local Government Projects Prototype in Indonesia", International Journal of Advanced Computer Science and Applications, 2021 Publication	<1%
20	Submitted to Institute of Graduate Studies, UiTM Student Paper	<1%
21	ejournal.st3telkom.ac.id	<1%

22	Huda Salim Alhasan, Jawad Hasan, Sawsan Alharoon. "The Effect of Pyridostigmine as an Antidote for Botulinum Type A: An Experimental Study on Rabbits", F1000Research, 2022 Publication	<1%
23	Sukadji Sarbi, Basri, Muhammad Muslihudin, Winia Waziana, Ria Rukmana. "Fuzzy Multiple Attribute Decision Making Approach for Determining The Best Vocational High School", Journal of Physics: Conference Series, 2019 Publication	<1%
24	ejurnal.stmik-budidarma.ac.id	<1%
25	etheses.whiterose.ac.uk	<1%
26	koreascience.kr Internet Source	<1%
27	www.ctege.info Internet Source	<1%
28	www.sciencegate.app	<1%
29	Biswa Ranjan Senapati, Pabitra Mohan Khilar, Rakesh Ranjan Swain. "Environmental	<1%

monitoring through Vehicular Ad Hoc

	Network: A productive application for smart cities", International Journal of Communication Systems, 2021 Publication	
30	Submitted to Universitas Sebelas Maret Student Paper	<1%
31	Submitted to Vietnamese-German University Student Paper	<1%
32	infor.seaninstitute.org	<1%
33	Submitted to University of Leeds	<1%
34	umpir.ump.edu.my Internet Source	<1%
35	journal.binadarma.ac.id	<1%
36	John Mourmouris, Thomas Poufinas. "Multi- criteria decision-making methods applied in health-insurance underwriting", Health Systems, 2022 Publication	<1 %

37

Murni Marbun, Muhammad Zarlis, Zulkifli Nasution. "Analysis of Application of the SAW, WP and TOPSIS Methods in Decision Support System Determining Scholarship Recipients at

<1%

University", Journal of Physics: Conference
Series, 2021

Publication

38	Robert Junaidi, Abu Hasan, Mustain Zamhari. "Influence the Addition of Lapindo Mud is Calcined to the Quality of Cement Podzoland by Using Electric Furnace", Journal of Physics:	< 1 %
	Conference Series, 2019 Publication	
39	arxiv.org Internet Source	<1%
40	ideas.repec.org Internet Source	<1%
41	journalppw.com Internet Source	<1%
42	mecs-press.net Internet Source	<1%
43	media.neliti.com Internet Source	<1%
44	A Bachriwindi, E K Putra, U M Munawaroh, A T W Almais. "Implementation of Web-Based Weighted Product Use Decision Support System to Determine the Post-Disaster Damage and Loss", Journal of Physics: Conference Series, 2019 Publication	<1%

Chintia Ananda, Diana Teresia Spits Warnars, Harco Leslie Hendric Spits Warnars. "Chapter 5 Implementation of the Weighted Product Method to Specify scholarship's Receiver", Springer Science and Business Media LLC, 2022 Publication

<1%

46	Online Information Review, Volume 38, Issue 4 (2014-09-16) Publication	<1%
47	ebin.pub Internet Source	<1%
48	hdl.handle.net Internet Source	<1%
49	ojs.stmikpringsewu.ac.id	<1%
50	penerbitadm.com Internet Source	<1%
51	www.intechopen.com	<1%
52	Sarifah Putri Raflesia, Dinda Lestarini, Rizka Dhini Kurnia, Dinna Yunika Hardiyanti. "Using machine learning approach towards successful crowdfunding prediction", Bulletin of Electrical Engineering and Informatics, 2023 Publication	<1%


53	Hamdani Hamdani, Retantyo Wardoyo, Khabib Mustofa. "A Method of Weight Update in Group DecisionMaking to Accommodate the Interests of All the Decision Makers", International Journal of Intelligent Systems and Applications, 2017	<1%
	and Applications, 2017	

Exclude quotes	Off	Exclude matches	Off
Exclude bibliography	On		

Dokumen Bukti Korespondensi


Group decision support system model to determine supervisor lecturers for student creativity programs


	C) A h	ttps://beei.org/index.php/EEI/autho	or/index/completed				E \$	9
	Bulle	es tin of	http://beei.org ISSN 2089 Electrical Engineering an	2.4	Q: 5/8 20 0.35	21 SNIP 2021	Intelektual Pustaka Media Utama	Universitas Ahmad Dahlan	
Ar	-> User > Author	> Archive		EARCH CURRENT ARCHIVES ANNOUNC	EMENTS			USER You are logged in as mmittakulamin • My Profile • Log Out	
ID 478 1 - 1	1 of 1 Items	SEC Informa		TITLE GROUP DECISION SUPPORT SYSTEM MODEL TO DETERMINE		Vol 12, No	STATUS 0 4: August 2023	CITATION ANALYSIS Dimensions Google Scholar Scholar Metrics Schopse Scopus	
		step one	hission of the five-step submission process. ps:// beei.org /index.php/EEI/author	/index/completed				QUICK LINK S • Guide of Authors • Online Papers Submission	⊘
Start	f 1 Items t a New S ERE to go to ste Dacks W PUBLISHED	p one of	SSION the five-step submission process.					QUICK LINKS • Guide of Authors • Online Papers Submission • Editorial Boards • Reviewers • Abstracting and Indexing • Publication Ethics • Visitor Statistics	
	DATE ADDED 2023-03-15	HITS 1	URL https://www.google.com/	ARTICLE Group decision support system model to determine supervisor lecturers for	TITLE	status New	ACTION	Visitor Statistics OD Deposit Report Contact Us	
	2023-03-17	1	http://beei.org/index.php/EECSI /article/view/107	student creativity programs Group decision support system model to determine supervisor lecturers for student creativity programs	_	New	EDIT DELETE	Submissions • Active (0) • Archive (1) • New Submission	
	2023-03-25	1	http://www.beei.org/index.php /EECSI/article/view	Group decision support system model to determine supervisor lecturers for student creativity programs	-	New	EDIT DELETE	JOURNAL CONTENT	Í
	2023-03-28	1	https://beei.org/	Group decision support system model to determine supervisor lecturers for student creativity programs	-	New	EDIT DELETE	Search Search Scope	
	2023-04-01	1	https://scholar.google.com/	Group decision support system model to determine supervisor lecturers for student creativity programs	_	New	EDIT DELETE	All V Search	
	f 5 Items	Delete	Select All					Browse • By Issue • By Author • By Title	
024049	13 Bulletin of f	EEI Stats						INFORMATION • For Readers • For Authors • For Librarians	



02404919 Bulletin of EEI Stats

		https://beei.org	/index.php/EEI/author/su	ubmissionEditing/4784			E \$	\bigtriangledown
	Bulletin of)	tp://beei.org ISSN 2089-3191 Engineering and I		Q3 2.4 Surgers 0.357 Surgers 0.730	Intelektual Pustaka Media Utama	Universitas Ahmad Dahlan	
		HOME ABO	UT USER HOME SEAR	CH CURRENT ARCHIVES	ANNOUNCEMENTS		U	SER
	ser > Author > Submise 84 Editing		iting				You are logged in mmiftakulamin • My Profile • Log Out	
SUMMAR	Y REVIEW EDITING						CITATION	ANALYSIS
Subi Authors Title Section	mission			ayanti 🖾 determine supervisor lecturers fo	r student creativity programs		 Dimensions Google Schu Scholar Met Scinapse Scopus 	olar Irics
Editor			rtinez Castillo ☺️ (Review) Romaruddin (Review) ▣ (Review)				 Guide of Au 	
COPYEDI							Control Pape Editorial Boo Reviewers Abstracting a Publication Visitor Statis DOI Deposit	and Indexing Ethics stics
	METADATA nitial Copyedit		REQUEST	UNDERWAY	COMPLETE		Contact Us	Report
	File: None						AU	THOR
F	Author Copyedit File: None			—			Submissions • Active (0) • Archive (1)	
$\leftarrow \rightarrow$		() A ≅ h	https://mail.google.com/mail/u/	2/#search/beei/FMfcgzGrcFhRkvLxJXv	nqvWZJXsDfhpn	☆		坐 🖴 එ ≡
≡	M Gmail		Q beei		× 辈	• Active •	0 🅸 🏭	💿 polyri 🌚
Mail	🖉 Compose		< € ① ∅				3 of 23 🔨	> • •
	🖵 Inbox		[<mark>BEEI</mark> Proofi	reading]4784 (External) >	Inbox ×			X 🖶 🖸
Chat	☆ Starred		beei iaes <iaesbee to me, adisutrisman,</iaesbee 	i@gmail.com> yevi_dwitayanti, Bulletin ▼		e	Thu, Jan 19, 3:51 PM 🕺	☆ ∽ ፤
Spaces	∑ Important		Dear Author,					
C ^r	⊳ Sent			tached file in PDF format. Please re orrect (change name of author afte				
Meet	 Drafts Categories 	4	certificate when y please bookmark	your paper has been published. We d it and leave your comments in the a	annot provide changes to papers ttached file below.	that have been publis	shed. If you want to ma	ake an update,
	은 Categories 공, Social			nment paper with replies to all pre- onsider this paper as a final project.	viously sent emails. Please send	your confirmation w	ithin 3x24 hours. If the	e deadline has
	Updates		-	is highly appreciated.				
	Forums Promotions		Thank you					
	 More 		One attachment	• Scanned by Gmail 🛈				@+
	Labels	+	All of a large region of the second second second s	A rest of the second se				,





Bulletin of Electrical Engineering and Informatics (BEEI), Vol. 9, No. 1, February 2020

http://beei.org/index.php/EEI/issue/view/101 http://beei.org/index.php/EEI/article/view/1825 http://beei.org/index.php/EEI/article/view/1825/1290 DOI: http://dx.doi.org/10.11591/eei.v9i1.1825


SCOPUS INDEXING


 C	\rm 🔒 https://ww	w. scopus.com /sources.uri	Auth	or search Sour			⊥ III\ Create account) 🗊 (
Sources								
Title Title: Bulletin Of Electrica	Enter title	s x	Find	sources				
i Improved Cites		to ensure a more robust, stable and comprehensive metric wh	ich provides an in	dication				
of research impact,	earlier. The updated methyears (ie. 2018, 2017, 2016)	iodology will be applied to the calculation of CiteScore, as well 5). The previous CiteScore values have been removed and are	as retroactively for					
of research impact, previous CiteScore	earlier. The updated methyears (ie. 2018, 2017, 2016)	nodology will be applied to the calculation of CiteScore, as well is). The previous CiteScore values have been removed and are 1 result	as retroactively for		is Source List	① Learn more		ce List
of research impact, previous CiteScore View CiteScore m ilter refine list Apply Clear filters	earlier. The updated methyears (ie. 2018, 2017, 2016)	nodology will be applied to the calculation of CiteScore, as well 5). The previous CiteScore values have been removed and are	as retroactively for	le.	is Source List	① Learn more View metrics fo	2019	ce List
of research impact, previous CiteScore View CiteScore m ilter refine list	earlier. The updated methy years (ie. 2018, 2017, 2016 ethodology. >	nodology will be applied to the calculation of CiteScore, as well is). The previous CiteScore values have been removed and are 1 result	as retroactively for	le.	s Source List Citations 2016-19↓	View metrics fo	or year: ts % Cited ↓	ce List


$(\leftarrow) \rightarrow$ C' \textcircled{a}	♥ A https://www.scopus.com/sourceid/21100826382		90%	⊠ ☆		$\overline{\mathbf{A}}$	lii\	•	Ξ
Scopus Preview		Author search	Sources	(?)	侴	Create acc	count	Sign ir	
Source detai	ils			Fe	eedback	> Compan		s >	
Scopus coverage years: fr	cal Engineering and Informatics rom 2017 to Present Ivanced Engineering and Science (IAES)			CiteScore 2 1.3 Add CiteSc		our site		0	
		ring: Electrical and Electronic Engineer	ring	SJR 2019 0.231				0	
View all documents > Set	document alert Pave to source list Journal Homepage	_		SNIP 2019 1.358				0	

1. SCIMAGO JR

$\overleftarrow{\leftarrow}$ \rightarrow C $\overleftarrow{0}$	🔽 🔒 https://www	.scimagojr.co	m/journalrar	nk.php?cou	ntry=ID				⊌ ☆	لا	L III\ 🗊	٢
20 Bulletin of Electrical Engineer	ring and Informatics	journal	0.231 Q3	8	182	130	4072	199	130	1.53	22.37	







Bulletin of Electrical Engineering and Informatics (BEEI), Vol. 9, No. 1, February 2020

http://beei.org/index.php/EEI/issue/view/101 http://beei.org/index.php/EEI/article/view/1825 http://beei.org/index.php/EEI/article/view/1825/1290 DOI: http://dx.doi.org/10.11591/eei.v9i1.1825


SCOPUS INDEXING


 C	\rm 🔒 https://ww	w. scopus.com /sources.uri	Auth	or search Sour			⊥ III\ Create account) 🗊 (
Sources								
Title Title: Bulletin Of Electrica	Enter title	s x	Find	sources				
i Improved Cites		to ensure a more robust, stable and comprehensive metric wh	ich provides an in	dication				
of research impact,	earlier. The updated methyears (ie. 2018, 2017, 2016)	iodology will be applied to the calculation of CiteScore, as well 5). The previous CiteScore values have been removed and are	as retroactively for					
of research impact, previous CiteScore	earlier. The updated methyears (ie. 2018, 2017, 2016)	nodology will be applied to the calculation of CiteScore, as well is). The previous CiteScore values have been removed and are 1 result	as retroactively for		is Source List	① Learn more		ce List
of research impact, previous CiteScore View CiteScore m ilter refine list Apply Clear filters	earlier. The updated methyears (ie. 2018, 2017, 2016)	nodology will be applied to the calculation of CiteScore, as well 5). The previous CiteScore values have been removed and are	as retroactively for	le.	is Source List	① Learn more View metrics fo	2019	ce List
of research impact, previous CiteScore View CiteScore m ilter refine list	earlier. The updated methy years (ie. 2018, 2017, 2016 ethodology. >	nodology will be applied to the calculation of CiteScore, as well is). The previous CiteScore values have been removed and are 1 result	as retroactively for	le.	s Source List Citations 2016-19↓	View metrics fo	or year: ts % Cited ↓	ce List


$(\leftarrow) \rightarrow$ C' \textcircled{a}	♥ A https://www.scopus.com/sourceid/21100826382		90%	⊠ ☆		$\overline{\mathbf{A}}$	lii\	•	Ξ
Scopus Preview		Author search	Sources	(?)	侴	Create acc	count	Sign ir	
Source detai	ils			Fe	eedback	> Compan		s >	
Scopus coverage years: fr	cal Engineering and Informatics rom 2017 to Present Ivanced Engineering and Science (IAES)			CiteScore 2 1.3 Add CiteSc		our site		0	
		ring: Electrical and Electronic Engineer	ring	SJR 2019 0.231				0	
View all documents > Set	document alert Pave to source list Journal Homepage	_		SNIP 2019 1.358				0	

1. SCIMAGO JR

$\overleftarrow{\leftarrow}$ \rightarrow C $\overleftarrow{0}$	🔽 🔒 https://www	.scimagojr.co	m/journalrar	nk.php?cou	ntry=ID				⊌ ☆	لا	L III\ 🗊	٢
20 Bulletin of Electrical Engineer	ring and Informatics	journal	0.231 Q3	8	182	130	4072	199	130	1.53	22.37	









Intelektual Pustaka Media Utama





CiteScoreTracker 2022: 2.3 | h-index: 16 (Last updated on 10 June, 2022)



CERTIFICATE

No. 4784/BEEI/A/03/2023

Bulletin of Electrical Engineering and Informatics (BEEI)

is hereby awarding this certificate to M. Miftakul Amin, Adi Sutrisman, Yevi Dwitayanti

in recognition of his/her contribution in this scientific journal as *Authors* for paper entitled:

Group decision support system model to determine supervisor lecturers for student creativity programs

in Vol. 12, No. 4, August 2023

ELECTRICAL ENGINEERING AND INFORMATICS

unp aliaes

ISSN 2089-3191 http://beei.org Yogyakarta, March 17, 2023

Tole Suti Managing Director, Journals