

DAFTAR PUSTAKA

- [1] Badan Pusat Statistik, *Indonesian Oil Palm Statistics*, Katalog : Jakarta: Badan Pusat Statistik, 2019.
- [2] R. Rusdianasari, L. Kalsum, N. Masnila, L. Utarina, and D. Wulandari, "Characteristics of Palm Oil Solid Waste and Its Potency for Bio-Oil Raw Material," Proc. 5th FIRST T1 T2 2021 Int. Conf. (FIRST-T1-T2 2021), vol. 9, pp. 415–420, 2022, doi:10.2991/ahe.k.220205.073.
- [3] Bow Y, Dewi T, Taqwa A and Rusdianasari 2018 Power Transistor 2N3055 as a Solar Cell Device 2018 International Conference on Electrical Engineering and Computer Science (ICECOS) IEEE 327-332.
- [4] S. Tungkot, "Keunggulan dan Manfaat Sosial; Ekonomi dan Ekologi Biofuel-Energi Sawit," 2021.
- [5] Febriyanti, F., Fadila, N., Sanjaya, A. S., Bindar, Y., & Irawan, A. (2019). Pemanfaatan limbah tandan kosong kelapa sawit menjadi bio-char, bio-oil dan gas dengan metode pirolisis. *Jurnal Chemurgy*, 3(2), 12-17.
- [6] Amri, I., & Cahyono, A. A. (2020, October). Upgrading Characteristics of Empty Fruit Bunch Biopellet with Addition of Bintaro Fruit as Co-firing. In *Journal of Physics: Conference Series* (Vol. 1655, No. 1, p. 012127). IOP Publishing.
- [7] E. Permana, I. L. Tarigan, G. D. Rizki, and I. Lestari, "Analisis Mutu Karbon Aktif dari Cangkang Kelapa Sawit Menggunakan Larutan Aktifator ZnCl₂," *J. Teknol.*, vol. 12, no. 2, pp. 170–175, 2019.
- [8] Jatmiko Edi Siswanto, "Analisis Limbah Kelapa Sawit Sebagai Bahan Bakar Boiler dengan Menggunakan Variasi Campuran Antara Fiber dan Cangkang Buah Sawit" Jurusan Teknik Mesin, 2020, 22-27
- [9] D. Wulandari, R. Rusdianasari, and M. Yerizam, "Life Cycle Assessment of Production Bio-Oil from Thermal Cracking Empty Fruit," Asian J. Appl. Res. Community Dev. Empower., Vol. 6, No. 3, 2022, Doi: [Https://Doi.Org/10.29165/Ajarcde.V6i3.118](https://doi.org/10.29165/Ajarcde.V6i3.118).
- [10] Rusdianasari, A Taqwa, A Syakdani, Jaksen. Treatment of landfill leachate by electrocoagulation using aluminum electrode. Matec Web of Conference 101 (EDP Science), 02010, 2017
- [11] Rusdianasari, I Arissetyadhi, L Kalsum, Y Bow, A Syarif, and F Arifin. Characterization of Empty Fruit Bunch of Palm Oil as Co-firing Biomass Feedstock. Asian J. Appl. Res. Community Dev. Empower., Vol. 7(1), 2023. DOI: <https://doi.org/10.29165/ajarcde.v7i1.237>
- [12] Al Qadry, M. G., Saputro, D. D., & Widodo, R. D. (2018). Karetistik dan uji pembakaran biopellet campuran cangkang kelapa sawit dan serbuk kayu sebagai bahan bakar alternatif terbarukan. *Sainteknol: Jurnal Sains dan Teknologi*, 16(2), 177-188.
- [13] Falah, M., & Nelza, N. (2019). Pembuatan Biopellet dari Limbah Tandan Kosong Kelapa Sawit (TKKS) sebagai Bahan Bakar Terbarukan. *Ready Star*, 2(1), 90-95.
- [14] Selvarajoo, A., Lee, C. W., Oochit, D., & Almarshjary, K. H. O. (2021). Bio-pellets from empty fruit bunch and durian rinds with cornstarch adhesive for potential renewable energy. *Materials Science for Energy Technologies*, 4, 242-248.
- [15] N Iskandar, S Sulardjaka, M Munadi, S Nugroho, A S Nidhom, and D F Fitriyana

- , "The characteristic of bio-pellet made from teak wood waste due to the influence of variations in material composition and compaction pressure", *J. Phys. : Conf. Ser* 1517 012127, 2020, doi: 10.1088/1742-6596/1517/1/012127
- [16] Dedi Iskandar, Kemas Ridhuan, Nurlaila Rajabiah, "Jurnal Pengaruh variasi campuran arang dan biomassa terhadap waktu nyala, temperatur, dan karakteristik briket biopellet menggunakan kompor gasifikasi biomassa, " Jurusan Teknik Mesin, Vol. 2 No. 2, 2021
 - [17] Wright, M. M., & Brown, R. C. (2017). Biomass Properties and Resources. In *Energy Conversion* (pp. 61-71). CRC Press.
 - [18] Sembiring Kiky C, Nino Rinaldi, Sabar P Simanungkalit, "Bio-oil from Fast Pyrolysis of Empty Fruit Bunch at Various Temperature. Energy Procedia 65 (2015) 162 – 169
 - [19] Pamilia Coniwanti, Muhammad Dani, Zubeir S aleh Daulay, "Pembuatan Natrium Karboksimetil Selulosa (Na-CMC) Dari Limbah Kulit Kacang Tanah". Jurnal Teknik Kimia No. 4, Vol. 21, Desember 2015
 - [20] Yang, H., Yan, R., Chen, H., Lee, D. H., Liang, D. T., & Zheng, C. (2006). Mechanism of palm oil waste pyrolysis in a packed bed. *Energy & Fuels*, 20(3), 1321-1328.
 - [21] Yunindanova, M. B. 2009. Tingkat kematangan kompos tandan kosong kelapa awit dan penggunaan berbagai jenis mulsa terhadap pertumbuhan dan produksi tanaman tomat (*Lycopersicon esculentum* mill.) dan Cabai (*capsicum annuum* l.). Program studi agronomi, Fakultas pertanian , Institut pertanian bogor.
 - [22] Sarwono, Edhi. 2008. Pemanfaatan Janjang Kosong Sebagai Substitusi Pupuk Tanaman Kelapa Sawit. Jurnal "APLIKA", Volume 8 Nomor I, Pebruari 2008.
 - [23] Ilham, M. F., & Suedy, S. W. A. (2022). Effect of Cofiring Using Sawdust on Steam Coal Power Plant Heat Rate Value. Jurnal Energi Baru dan Terbarukan, 3(2), 121-127.
 - [24] Y Bow, A Syakdani, M Taufik, Rusdianasari. Effect of Drying Airflow Rate on H₂O Mass Evaporated on Banana Chips Drying using Photovoltaic Solar panel. *Journal of Physic: Conference Series* 1500, 012015, 2020
 - [25] N. Angie, E.M. Tokit, N.A. Rahman, F. Al Zahrah Mohamad Saat, F.S. Anuar, and N.M.M. Mitan, "A preliminary conceptual design approach of food waste composter design," *Evergreen*, 8 (2) 397–407 (2021). doi:10.5109/4480721.
 - [26] Siregar, S. R., Nursani, D., Wiyono, A., Pratiwi, T. P. S. I., Dafiqurrohman, H., & Surjosatyo, A. (2021). Effect of Ratio Composition and Particle Size to Pelletizing Combination Performance of MSW and Biomass Feedstocks
 - [27] Rusdianasari, L. Utarina, L. Kalsum, D. Wulandari, and Y. Bow, "Environmental Potential Impact on Biofuel Production from Thermal Cracking of Palm Shell using Life Cycle Assessment", *Journal of Ecological Engineering*, 23(12), pp.61–67, 2022, <https://doi.org/10.12911/22998993/154847>
 - [28] S. Yunsari, Rusdianasari, and A. Husaini, "CPO Based Biodiesel Production Using Microwaves Assisted Method," *J. Phys. Conf. Ser.*, Vol. 1167, No. 1, 2019, Doi: 10.1088/1742-6596/1167/1/012036.
 - [29] Suganal, Gandhi K. Hudaya, "Bahan Bakar Co-firing dari Batubara dan Biomassa Tertorefaksi dalam Bentuk Briket (Skala Laboratorium)", *Jurnal Teknologi Mineral dan Batubara* volume 15, Nomor 1, Januari 2019: 31-48
 - [30] Muhammad Farizan P, Widayat, "Analisis Pemanfaatan Limbah Tandan Kosong Kelapa Sawit Sebagai Cofiring pada PLTU Batubara". *Jurnal Energi Baru &*

- Terbarukan, Vol. 3, No. 1 , pp 28 - 37, Maret 2022.
- [31] Basyir, Azhar Rantawi. 2020. Karakteristik Bio Oil yang Menggunakan Bahan Baku Cangkang Kelapa Sawit dan Diproses dengan Metode Pirolisis. Jurnal Citra Widya Edukasi. Politeknik Kelapa Sawit Citra Widya Edukasi.
- [32] Omar R, Idris A, Yunus R, Khalid K, Aida I. 2011. Characterization of empty fruit bunch for micromave-assisted pyrolysis. Fuel. 90: 1536-1544
- [33] Ahmad, R., Hamidin, N., Ali, U. F. M., & Abidin, C. Z. A. (2014). Characterization of bio-oil from palm kernel shell pyrolysis. *Journal of Mechanical Engineering and Sciences*, 7(1), 1134-1140.
- [34] Lee, Y., Park, J., Ryu, C., Gang, K. S., Yang, W., Park, Y. K., ... & Hyun, S. (2013). Comparison of biochar properties from biomass residues produced by slow pyrolysis at 500 C. *Bioresource technology*, 148, 196-201.
- [35] Raju, M., Tambunan, A. H., & Setiawan, R. P. A. (2016). Karakterisasi Arang dan Gas-gas Hasil Pirolisis Limbah Kelapa Sawit. Jurnal Keteknikan Pertanian, 4(2).
- [36] Yang, H., R. Yan, H. Chen, D.H. Lee, D.T. Liang dan C. Zheng. 2006. Pyrolysis of palm oil wastes for enhanced production of hydrogen rich gases. Fuel Processing Technology Vol. 87:935–942.
- [37] Widiputri, D. I., Ayuyasmin, F., & Legowo, E. H. (2022, January). Biopellet Production from the Wastes of Palm Oil Plantation and Processing Plant Through Various Pretreatment Processes: A Review. In *6th International Conference of Food, Agriculture, and Natural Resource (IC-FANRES 2021)* (pp. 39-49). Atlantis Press.
- [38] Ilham, M. F., & Suedy, S. W. A. (2022). Effect of Cofiring Using Sawdust on Steam Coal Power Plant Heat Rate Value. *Jurnal Energi Baru dan Terbarukan*, 3(2), 121-127
- [39] Mustamu, S., & Pattiruhu, G. (2018). Pembuatan Biopelet dari Kayu Putih dengan Penambahan Gondorukem sebagai Bahan Bakar Alternatif. Jurnal Hutan Pulau-Pulau Kecil, 2(1), 91-100.
- [40] Sidiq, A. N. (2022). Pengaruh Co-Firing Biomassa terhadap Efisiensi Boiler PLTU Batubara. *KILAT*, 11(1), 21–31. <https://doi.org/10.33322/kilat.v1i1.1553>