

DAFTAR PUSTAKA

- [1] V. Tulus Pangapoi Sidabutar, “Kajian pengembangan kendaraan listrik di Indonesia: prospek dan hambatannya,” *J. Paradig. Ekon.*, vol. 15, no. 1, pp. 21–38, 2020, doi: 10.22437/paradigma.v15i1.9217.
- [2] D. A. Asfani *et al.*, “Electric Vehicle Research in Indonesia: A Road map, Road tests, and Research Challenges,” *IEEE Electrif. Mag.*, vol. 8, no. 2, pp. 44–51, 2020, doi: 10.1109/MELE.2020.2985485.
- [3] S. Goel, R. Sharma, and A. K. Rathore, “A review on barrier and challenges of electric vehicle in India and vehicle to grid optimisation,” *Transp. Eng.*, vol. 4, no. August 2020, 2021, doi: 10.1016/j.treng.2021.100057.
- [4] R. R. Kumar and K. Alok, “Adoption of electric vehicle: A literature review and prospects for sustainability,” *J. Clean. Prod.*, vol. 253, p. 119911, 2020, doi: 10.1016/j.jclepro.2019.119911.
- [5] S. Hasan and Ö. Simsekoglu, “The role of psychological factors on vehicle kilometer travelled (VKT) for battery electric vehicle (BEV) users,” *Res. Transp. Econ.*, vol. 82, no. August, 2020, doi: 10.1016/j.retrec.2020.100880.
- [6] M. W. Dela Utami, Y. Yuniaristanto, and W. Sutopo, “Adoption Intention Model of Electric Vehicle in Indonesia,” *J. Optimasi Sist. Ind.*, vol. 19, no. 1, pp. 70–81, 2020, doi: 10.25077/josi.v19.n1.p70-81.2020.
- [7] C. Zhou, K. Qian, M. Allan, and W. Zhou, “Modeling of the cost of EV battery wear due to V2G application in power systems,” *IEEE Trans. Energy Convers.*, vol. 26, no. 4, pp. 1041–1050, 2011, doi: 10.1109/TEC.2011.2159977.
- [8] S. Suyitno, “Policy simulation of Electricity-based Vehicle utilization in Indonesia (electrified vehicle- HEV, PHEV, BEV, and FCEV),” *Automot. Exp.*, vol. 2, no. 2, pp. 41–46, 2019.
- [9] S. Manzetti and F. Mariasiu, “Electric vehicle battery technologies: From present state to

- future systems,” *Renew. Sustain. Energy Rev.*, vol. 51, pp. 1004–1012, 2015, doi: 10.1016/j.rser.2015.07.010.
- [10] S. M. Shariff, D. Iqbal, M. Saad Alam, and F. Ahmad, “A State of the Art Review of Electric Vehicle to Grid (V2G) technology,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 561, no. 1, 2019, doi: 10.1088/1757-899X/561/1/012103.
- [11] H. A. Serhan and E. M. Ahmed, “Effect of the different charging techniques on battery life-time: Review,” *Proc. 2018 Int. Conf. Innov. Trends Comput. Eng. ITCE 2018*, vol. 2018-March, pp. 421–426, 2018, doi: 10.1109/ITCE.2018.8316661.
- [12] L. Jia, Z. Hu, W. Liang, W. Lang, and Y. Song, “A novel approach for urban electric vehicle charging facility planning considering combination of slow and fast charging,” *POWERCON 2014 - 2014 Int. Conf. Power Syst. Technol. Towar. Green, Effic. Smart Power Syst. Proc.*, no. Powercon, pp. 3354–3360, 2014, doi: 10.1109/POWERCON.2014.6993928.
- [13] M. Yilmaz and P. T. Krein, “Review of battery charger topologies, charging power levels, and infrastructure for plug-in electric and hybrid vehicles,” *IEEE Trans. Power Electron.*, vol. 28, no. 5, pp. 2151–2169, 2013, doi: 10.1109/TPEL.2012.2212917.
- [14] D. Ronanki, A. Kelkar, and S. S. Williamson, “Extreme fast charging technology—prospects to enhance sustainable electric transportation,” *Energies*, vol. 12, no. 19, pp. 1–17, 2019, doi: 10.3390/en12193721.
- [15] J. M. Amanor-Boadu and A. Guiseppi-Elie, “Improved performance of Li-ion polymer batteries through improved pulse charging algorithm,” *Appl. Sci.*, vol. 10, no. 3, pp. 1–11, 2020, doi: 10.3390/app10030895.
- [16] F. Ahmadi, E. Adib, and M. Azari, “Soft switching bidirectional converter for reflex charger with minimum switches,” *IEEE Trans. Ind. Electron.*, vol. 67, no. 10, pp. 8355–8362, 2020, doi: 10.1109/TIE.2019.2947813.
- [17] M. M. Hoque, M. A. Hannan, and A. Mohamed, “Optimal CC-CV charging of lithium-ion battery for charge equalization controller,” *2016 Int. Conf. Adv. Electr. Electron. Syst.*

- Eng. ICAEES 2016*, no. November, pp. 610–615, 2017, doi: 10.1109/ICAEEES.2016.7888119.
- [18] H. Bizhani, S. K. H. Sani, H. Rezazadeh, and S. M. Muyeen, “A Comprehensive Comparison of a Lead-Acid Battery Electro-Thermal Performance Considering Different Charging Profiles,” *2021 IEEE 4th Int. Conf. Comput. Power Commun. Technol. GUCON 2021*, vol. Vi, no. September, pp. 1–6, 2021, doi: 10.1109/GUCON50781.2021.9573724.
- [19] F. Rahmatullah, “Desain dan Simulasi Battery Charger Metode CC-CV (Constant Current-Constant Voltage) dengan Kontrol Logika Fuzzy Menggunakan MATLAB,” *Cyclotron*, vol. 4, no. 2, pp. 18–22, 2021, doi: 10.30651/cl.v4i2.8621.
- [20] L. R. Dung, C. E. Chen, and H. F. Yuan, “A robust, intelligent CC-CV fast charger for aging lithium batteries,” *IEEE Int. Symp. Ind. Electron.*, vol. 2016-Novem, pp. 268–273, 2016, doi: 10.1109/ISIE.2016.7744901.
- [21] R. Interdisciplinaires, “Université Libre de Bruxelles Ant Colony Optimization : Overview and Recent Advances,” no. May, 2009.
- [22] K. Yucheng and C. Kevin, “An ACO-based clustering algorithm,” *Lect. Notes Comput. Sci. (including Subser. Lect. Notes Artif. Intell. Lect. Notes Bioinformatics)*, vol. 4150 LNCS, pp. 340–347, 2006, doi: 10.1007/11839088_31.
- [23] Y. H. Liu, J. H. Teng, and Y. C. Lin, “Search for an optimal rapid charging pattern for lithium-ion batteries using ant colony system algorithm,” *IEEE Trans. Ind. Electron.*, vol. 52, no. 5, pp. 1328–1336, 2005, doi: 10.1109/TIE.2005.855670.
- [24] S. Kumar and N. S. Pal, “Ant colony optimization for less power consumption and fast charging of battery in solar grid system,” *2017 4th IEEE Uttar Pradesh Sect. Int. Conf. Electr. Comput. Electron. UPCON 2017*, vol. 2018-Janua, no. April 2018, pp. 244–249, 2017, doi: 10.1109/UPCON.2017.8251055.
- [25] J. Fix, H. Frezza-Buet, M. Geist, and F. Pennerath, “Machine Learning.pdf.”
- [26] M. A. Aji, Bagus Prabowo Wibisono, “Strategi Pengambilan Keputusan Penjualan Dalam Rangka Optimasi Profit Industri Ritel Berbasis Unsupervised Machine Learning

- Algorithm (Studi Strategi Pengambilan Keputusan Penjualan Dalam Rangka Optimasi Profit Industri Ritel Berbasis Unsupervised Machin,” no. October, pp. 0–10, 2018.
- [27] T. Y. Chian *et al.*, “A Review on Recent Progress of Batteries for Electric Vehicles,” *Int. J. Appl. Eng. Res.*, vol. 14, no. 24, pp. 4441–4461, 2019, [Online]. Available: <http://www.ripublication.com>
- [28] J. A. Sanguesa, V. Torres-Sanz, P. Garrido, F. J. Martinez, and J. M. Marquez-Barja, “A review on electric vehicles: Technologies and challenges,” *Smart Cities*, vol. 4, no. 1, pp. 372–404, 2021, doi: 10.3390/smartcities4010022.
- [29] A. Poullikkas, “Renewable and Sustainable Energy Reviews,” *ScienceDirect*, vol. 41, no. October, pp. 1277–1287, 2014, [Online]. Available: <http://linkinghub.elsevier.com/retrieve/pii/S1364032114007898>
- [30] C. Wu, R. Sehab, A. Akrad, and C. Morel, “Fault Diagnosis Methods and Fault Tolerant Control Strategies for the Electric Vehicle Powertrains,” *Energies*, vol. 15, no. 13, pp. 1–7, 2022, doi: 10.3390/en15134840.
- [31] M. Aziz, Y. Marcellino, I. A. Rizki, S. A. Ikhwanuddin, and J. W. Simatupang, “Studi Analisis Perkembangan Teknologi Dan Dukungan Pemerintah Indonesia Terkait Mobil Listrik,” *TESLA J. Tek. Elektro*, vol. 22, no. 1, p. 45, 2020, doi: 10.24912/tesla.v22i1.7898.
- [32] karina larsen, “Regenerative braking in trains,” *Cten*, vol. 3, no. 6, pp. 1–1, 2018.
- [33] V. Agarwal, K. Uthaichana, R. A. Decarlo, and L. H. Tsoukalas, “Development and validation of a battery model useful for discharging and charging power control and lifetime estimation,” *IEEE Trans. Energy Convers.*, vol. 25, no. 3, pp. 821–835, 2010, doi: 10.1109/TEC.2010.2043106.
- [34] M. T. Afif and I. A. P. Pratiwi, “Analisis Perbandingan Baterai Lithium-Ion, Lithium-Polymer, Lead Acid Dan Nickel-Metal Hydride Pada Penggunaan Mobil Listrik-Review,” *J. Rekayasa Mesin*, vol. 6, no. 2, pp. 95–99, 2015.
- [35] R. L. Oliveri, M. G. Insinga, S. Pisana, B. Patella, G. Aiello, and R. Inguanta, “High-

- performance lead-acid batteries enabled by Pb and PbO₂ nanostructured electrodes: Effect of operating temperature,” *Appl. Sci.*, vol. 11, no. 14, 2021, doi: 10.3390/app11146357.
- [36] Y. Mayura and A. El Gazaly, “Characteristics of Lead-Acid Battery Charging and Discharging,” *2019 16th Int. Conf. Qual. Res. Int. Symp. Electr. Comput. Eng.*, pp. 1–6, 2020, doi: 10.1109/QIR47317.2019.
- [37] D. Widjanarko, “Studi Tingkat Penguasaan Rangkaian Sistem Pengisian (Charging System) Oleh Mahasiswa Pasca Proses Pembelajaran Mata Kuliah Teori Kelistrikan Otomotif,” *Lembaran Ilmu Kependidikan*, vol. 37, no. 1, pp. 1–6, 2008.
- [38] G. B. Alteri, M. Bonomo, F. Decker, and D. Dini, “Contact glow discharge electrolysis: Effect of electrolyte conductivity on discharge voltage,” *Catalysts*, vol. 10, no. 10, pp. 1–15, 2020, doi: 10.3390/catal10101104.
- [39] Z. Huang, J. Liu, H. Zhai, and Q. Wang, “Experimental investigation on the characteristics of thermal runaway and its propagation of large-format lithium ion batteries under overcharging and overheating conditions,” *Energy*, vol. 233, p. 121103, 2021, doi: 10.1016/j.energy.2021.121103.
- [40] P. G. Horkos, E. Yammine, and N. Karami, “Review on different charging techniques of lead-acid batteries,” *2015 3rd Int. Conf. Technol. Adv. Electr. Electron. Comput. Eng. TAECE 2015*, no. January, pp. 27–32, 2015, doi: 10.1109/TAECE.2015.7113595.
- [41] C. H. Cai, D. Du, and Z. Y. Liu, “Battery state-of-charge (SOC) estimation using adaptive neuro-fuzzy inference system (ANFIS),” *IEEE Int. Conf. Fuzzy Syst.*, vol. 2, pp. 1068–1073, 2003, doi: 10.1109/fuzz.2003.1206580.
- [42] I. Carlucho, R. De La Vega, M. Spina, and G. G. Acosta, “A Modular Battery Management System for Electric Vehicles,” *2018 IEEE Bienn. Congr. Argentina, ARGENCON 2018*, pp. 1–6, 2019, doi: 10.1109/ARGENCON.2018.8646227.
- [43] K. W. E. Cheng, B. P. Divakar, H. Wu, K. Ding, and H. F. Ho, “Battery-management system (BMS) and SOC development for electrical vehicles,” *IEEE Trans. Veh. Technol.*, vol. 60, no. 1, pp. 76–88, 2011, doi: 10.1109/TVT.2010.2089647.

- [44] I. Baccouche, S. Jemmali, A. Mlayah, B. Manai, and N. E. Ben Amara, "Implementation of an improved Coulomb-counting algorithm based on a piecewise SOC-OCV relationship for SOC estimation of Li-ion battery," *Int. J. Renew. Energy Res.*, vol. 8, no. 1, pp. 178–187, 2018, doi: 10.20508/ijrer.v8i1.6686.g7292.
- [45] W. Zhou, Y. Zheng, Z. Pan, and Q. Lu, "Review on the battery model and SOC estimation method," *Processes*, vol. 9, no. 9, 2021, doi: 10.3390/pr9091685.
- [46] F. Sutra Kamajaya and M. Muzmi Ulya, "Analisis Teknologi Charger Untuk Kendaraan Listrik - Review," *J. Rekayasa Mesin*, vol. 6, no. 3, pp. 163–166, 2015, doi: 10.21776/ub.jrm.2015.006.03.4.
- [47] "PZEM-003 / 017 DC communication module," Solar - Thailand.
- [48] D. Christie and S. P. Neill, "8.09 - Measuring and Observing the Ocean Renewable Energy Resource," T. M. B. T.-C. R. E. (Second E. Letcher, Ed. Oxford: Elsevier, 2022, pp. 149–175. doi: <https://doi.org/10.1016/B978-0-12-819727-1.00083-2>.
- [49] P. Schneider and F. Xhafa, "Chapter 3 - Anomaly detection: Concepts and methods," P. Schneider and F. B. T.-A. D. and C. E. P. over I. D. S. Xhafa, Eds. Academic Press, 2022, pp. 49–66. doi: <https://doi.org/10.1016/B978-0-12-823818-9.00013-4>.
- [50] C. Blum and M. López-Ibáñez, "Ant Colony Optimization," *Ind. Electron. Handb. - Five Vol. Set*, no. November, pp. 28–39, 2011, doi: 10.4249/scholarpedia.1461.
- [51] A. Roihan, P. A. Sunarya, and A. S. Rafika, "Pemanfaatan Machine Learning dalam Berbagai Bidang: Review paper," *IJCIT (Indonesian J. Comput. Inf. Technol.)*, vol. 5, no. 1, pp. 75–82, 2020, doi: 10.31294/ijcit.v5i1.7951.
- [52] M. U. Ali, S. H. Nengroo, M. A. Khan, K. Zeb, M. A. Kamran, and H. J. Kim, "A real-time simulink interfaced fast-charging methodology of lithium-ion batteries under temperature feedback with fuzzy logic control," *Energies*, vol. 11, no. 5, 2018, doi: 10.3390/en11051122.
- [53] W. Zheng, B. Xia, W. Wang, Y. Lai, M. Wang, and H. Wang, "State of charge estimation for power lithium-ion battery using a fuzzy logic sliding mode observer," *Energies*, vol.

12, no. 13, pp. 1–14, 2019, doi: 10.3390/en12132491.

- [54] P. Tejaswini and P. Sivraj, “Artificial intelligence based state of charge estimation of Li-ion battery for EV applications,” *Proc. 5th Int. Conf. Commun. Electron. Syst. ICCES 2020*, no. Icces, pp. 1356–1361, 2020, doi: 10.1109/ICCES48766.2020.09137999.
- [55] L. Feng, J. Ding, and Y. Han, “Improved sliding mode based EKF for the SOC estimation of lithium-ion batteries,” *Ionics (Kiel)*, vol. 26, no. 6, pp. 2875–2882, 2020, doi: 10.1007/s11581-019-03368-9.
- [56] X. Ren, S. Liu, X. Yu, and X. Dong, “A method for state-of-charge estimation of lithium-ion batteries based on PSO-LSTM,” *Energy*, vol. 234, p. 121236, 2021, doi: 10.1016/j.energy.2021.121236.