

## DAFTAR PUSTAKA

- [1] M. Hassan, “LoRa and LoRaWAN,” *Wirel. Mob. Netw.*, no. December 2019, pp. 218–230, 2022, doi: 10.1201/9781003042600-16.
- [2] Nikolaev, P., Bronikowski, M. J., Bradley, R. K., Rohmund, F., Colbert, D. T., Smith, K. A., & Smalley, R. E. (1999). Gas-phase catalytic growth of single-walled carbon nanotubes from carbon monoxide. *Chemical Physics Letters*, 313(1–2), 91–97. [https://doi.org/10.1016/S0009-2614\(99\)01029-5](https://doi.org/10.1016/S0009-2614(99)01029-5)
- [3] Cummings, S., & Daellenbach, U. (2009). A Guide to the Future of Strategy?. *The History of Long Range Planning*. Long Range Planning, 42(2), 234–263. <https://doi.org/10.1016/j.lrp.2008.12.005>
- [4] S. Herrería-Alonso, A. Suárez-González, M. Rodríguez-Pérez, and C. López-García, “Enhancing LoRaWAN scalability with Longest First Slotted CSMA,” *Comput. Networks*, vol. 216, no. June, p. 109252, 2022, doi: 10.1016/j.comnet.2022.109252.
- [5] O. T. Sanchez *et al.*, “Green Bear - A LoRaWAN-based Human-in-the-Loop case-study for sustainable cities,” *Pervasive Mob. Comput.*, vol. 87, p. 101701, 2022, doi: 10.1016/j.pmcj.2022.101701.
- [6] M. Gamal, N. Sadek, M. R. M. Rizk, and M. A. E. A. Ahmed, “Optimization and modeling of modified unslotted CSMA/CA for wireless sensor networks,” *Alexandria Eng. J.*, vol. 59, no. 2, pp. 681–691, 2020, doi: 10.1016/j.aej.2020.01.035.
- [7] M. Abbasi, A. Shahraki, M. Jalil Piran, and A. Taherkordi, “Deep Reinforcement Learning for QoS provisioning at the MAC layer: A Survey,” *Eng. Appl. Artif. Intell.*, vol. 102, no. January, p. 104234, 2021, doi: 10.1016/j.engappai.2021.104234.
- [8] F. Muhammad, A. Bhawiyuga, and D. P. Kartikasari, “Long Range Wide Area Network (LoRaWAN) merupakan suatu jenis jaringan untuk area telekomunikasi nirkabel yang dirancang untuk memungkinkan komunikasi jarak jauh dengan bit rate rendah. LoRaWAN dapat digunakan pada jaringan komunikasi yang memiliki jangkauan,” *Pengemb. Teknol. Inf. dan Ilmu Komput.*, vol. 3, no. 9, pp. 9054–9060, 2019.
- [9] H. Jamali-Rad *et al.*, “IoT-based wireless seismic quality control,” *Lead. Edge*, vol. 37, no. 3, pp. 214–221, 2018, doi: 10.1190/tle37030214.1.
- [10] M. Hassan, “LoRa and LoRaWAN,” *Wirel. Mob. Netw.*, no. December 2019, pp. 218–230, 2022, doi: 10.1201/9781003042600-16.

- [11] A. I. Petrariu, A. Lavric, and E. Coca, "Renewable Energy Powered LoRa-based IoT Multi Sensor Node," *SIITME 2019 - 2019 IEEE 25th Int. Symp. Des. Technol. Electron. Packag. Proc.*, pp. 94–97, 2019, doi: 10.1109/SIITME47687.2019.8990693.
- [12] E. Didik Widiyanto, A. A. Faizal, D. Eridani, R. Dwi, O. Augustinus, and M. S. Pakpahan, "Simple LoRa Protocol: Protokol Komunikasi LoRa Untuk Sistem Pemantauan Multisensor Simple LoRa Protocol: LoRa Communication Protocol for Multisensor Monitoring Systems," *Telka*, vol. 5, no. 2, pp. 83–92, 2019.
- [13] Sohibi, M. Denni dan Lasmadi. (2020). "). Rancang Bangun Receiver menggunakan Antena 1090 MHz dan Low Noise Amplifier untuk Menambah Jarak Jangkauan Penerimaan Sinyal dan Data Parameter Target ADS-B Berbasis RTL820T2".AVITEC. Vol. 2, No. 2: halaman 129-131.
- [14] Elektrologi. (2017). "Antena Coaxial Collinear 1090 MHz Untuk ADS-B". <https://elektrologi.iptek.web.id/membuat-antena-coaxial-collinear-1090-mhz-untuk-penerima-ads-b/>. (online, diakses 24 Januari 2023).
- [15] S. M. H. Khorassani, M. T. Maghsoodlou, N. Hazeri, M. Nassiri, G. Marandi, and A. G. Shahzadeh, "A facile synthesis of stable phosphorus ylides derived from harmin, harman, and carbazole," *Phosphorus, Sulfur Silicon Relat. Elem.*, vol. 181, no. 3, pp. 567–572, 2006, doi: 10.1080/10426500500269190.
- [16] Nurul dkk.2020. "prototype Smart Home Dengan Modul NodeMCU ESP8266 Berbasis Internet Of Things (IoT)". Teknik Informatika Universitas Islam Majapahit, Mojokerto.
- [17] H. Shan, H. T. Cheng, S. Member, and W. Zhuang, "Cross-Layer Cooperative MAC Protocol in," pp. 1–13.
- [18] C. El Fehri, M. Kassab, S. Abdellatif, P. Berthou, and A. Belghith, "LoRa technology MAC layer operations and Research issues," *Procedia Comput. Sci.*, vol. 130, pp. 1096–1101, 2018, doi: 10.1016/j.procs.2018.04.162.
- [19] P. Zanu, K. Djouani, and A. Matthew, "Internet of Things A virtual network model for gateway media access control virtualisation in Large Scale Internet of Things," *Internet of Things*, vol. 21, no. November 2022, p. 100668, 2023, doi: 10.1016/j.iot.2022.100668.

- [20] A. Coelho, R. Campos, and M. Ricardo, "Traffic-aware gateway placement and queue management in flying networks," *Ad Hoc Networks*, vol. 138, no. January 2022, 2023, doi: 10.1016/j.adhoc.2022.103000.
- [21] Y. Chu, S. Li, and Zhangjun, "The research of Wireless Edge Computing Gateway with Anomaly Detection," *Procedia Comput. Sci.*, vol. 198, no. 2021, pp. 460–465, 2021, doi: 10.1016/j.procs.2021.12.270.
- [22] A. Galal, X. Hesselbach, W. Tavernier, and D. Colle, "SDN-based gateway architecture for electromagnetic nano-networks," *Comput. Commun.*, vol. 184, no. December 2021, pp. 160–173, 2022, doi: 10.1016/j.comcom.2021.12.017.
- [23] D. S. La, J. H. Zhao, S. M. Chen, C. X. Zhang, M. J. Qu, and J. W. Guo, "Dual-band omnidirectional coupled-fed monopolar filtering antenna," *Eng. Sci. Technol. an Int. J.*, vol. 35, p. 101188, 2022, doi: 10.1016/j.jestch.2022.101188.
- [24] D. S. La, C. Zhang, H. C. Li, M. Y. Wang, J. W. Guo, and M. J. Qu, "A band-notched filtering omnidirectional dielectric resonator antenna with metal patches," *Alexandria Eng. J.*, vol. 61, no. 12, pp. 11511–11522, 2022, doi: 10.1016/j.aej.2022.05.020.
- [25] M. R. M. Veeramanickam, B. Venkatesh, L. A. Bewoor, Y. W. Bhowte, K. Moholkar, and J. L. Bangare, "IoT based smart parking model using Arduino UNO with FCFS priority scheduling," *Meas. Sensors*, vol. 24, no. October, p. 100524, 2022, doi: 10.1016/j.measen.2022.100524.
- [26] D. A. D. Audrey, Stanley, K. S. Tabaraka, A. Lazaro, and W. Budiharto, "Monitoring Mung Bean's Growth using Arduino," *Procedia Comput. Sci.*, vol. 179, no. 2020, pp. 352–360, 2021, doi: 10.1016/j.procs.2021.01.016.
- [27] J. M. Toloza, M. Hirsch, C. Mateos, and A. Zunino, "Motrol: A hardware-software device for batch benchmarking and profiling of in-lab mobile device clusters," *HardwareX*, vol. 12, p. e00340, 2022, doi: 10.1016/j.ohx.2022.e00340.

- [28] M. Kashyap, V. Sharma, and N. Gupta, "Taking MQTT and NodeMcu to IOT: Communication in Internet of Things," *Procedia Comput. Sci.*, vol. 132, no. Iccids, pp. 1611–1618, 2018, doi: 10.1016/j.procs.2018.05.126.
- [29] H. Sheng, H. Y. Zhang, F. Yang, C. H. Li, and J. Wang, "A CSMA/CA based MAC protocol for hybrid Power-line/Visible-light communication networks: Design and analysis," *Digit. Commun. Networks*, 2022, doi: 10.1016/j.dcan.2022.09.019.
- [30] A. Louazani and L. Sekhri, "Time Petri Nets based model for CL-MAC protocol with packet loss," *J. King Saud Univ. - Comput. Inf. Sci.*, vol. 32, no. 4, pp. 522–528, 2020, doi: 10.1016/j.jksuci.2019.09.011.
- [31] J. Tang and Z. B. Hu, "Analysis of single-photon self-interference in Young's double-slit experiments," *Results Opt.*, vol. 9, no. May, 2022, doi: 10.1016/j.rio.2022.100281.
- [32] Z. Lipeng, W. Tianxiang, A. Ibrahim, W. Wendong, and R. Xiang, "Factors influencing the horizontal inter-well interference in tight gas reservoirs," *Nat. Gas Ind. B*, vol. 9, no. 3, pp. 308–317, 2022, doi: 10.1016/j.ngib.2022.06.003.
- [33] P. Ziółkowski, K. Stasiak, M. Amiri, and D. Mikielwicz, "Negative carbon dioxide gas power plant integrated with gasification of sewage sludge," *Energy*, vol. 262, no. April 2022, 2023, doi: 10.1016/j.energy.2022.125496.
- [34] H. R. Shwetha, S. M. Sharath, B. Guruprasad, and S. B. Rudraswamy, "MEMS based metal oxide semiconductor carbon dioxide gas sensor," *Micro Nano Eng.*, vol. 16, no. May, p. 100156, 2022, doi: 10.1016/j.mne.2022.100156.
- [35] Hanwei Electronics, "MQ-7 Gas Sensor Datasheet," vol. 1, pp. 3–5, 2016.