

LAMPIRAN

INDEX.PHP

```
<?php
session_start();
include '../dbconnect.php';

$itungcust = mysqli_query($conn, "SELECT count(userid) as jumlahcust from
users where role='Member'");

$itungcust2 = mysqli_fetch_assoc($itungcust);
$itungcust3 = $itungcust2['jumlahcust'];

$itungorder = mysqli_query($conn, "SELECT count(idcart) as jumlahorder from
cart where status not like 'Selesai' and status not like 'Canceled'");

$itungorder2 = mysqli_fetch_assoc($itungorder);
$itungorder3 = $itungorder2['jumlahorder'];

$itungtrans = mysqli_query($conn, "SELECT count(orderid) as jumlahtrans from
cart where status='settlement' OR status='Payment'");

$itungtrans2 = mysqli_fetch_assoc($itungtrans);
$itungtrans3 = $itungtrans2['jumlahtrans'];

$itungnotif = mysqli_query($conn, "SELECT count(idcart) as jumlahnotif from
cart where status='settlement' OR status='Payment'");

$itungnotif2 = mysqli_fetch_assoc($itungnotif);
$itungnotif3 = $itungnotif2['jumlahnotif'];

?>

<!doctype html>
<html lang="en">
```

```
<head>
  <meta charset="utf-8">
  <meta http-equiv="x-ua-compatible" content="ie=edge">
  <title>Dian 17 Cell | Admin Panel</title>
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <!-- Favicon -->
  <link rel="apple-touch-icon" sizes="180x180"
href="../assets/img/Favicon/apple-touch-icon.png">
  <link rel="icon" type="image/png" sizes="32x32"
href="../assets/img/Favicon/favicon-32x32.png">
  <link rel="icon" type="image/png" sizes="16x16"
href="../assets/img/Favicon/favicon-16x16.png">
  <link rel="manifest" href="../assets/img/Favicon/site.webmanifest">

  <link rel="stylesheet" href="assets/css/bootstrap.min.css">
  <link rel="stylesheet" href="assets/css/font-awesome.min.css">
  <link rel="stylesheet" href="assets/css/themify-icons.css">
  <link rel="stylesheet" href="assets/css/metisMenu.css">

  <!-- CSS -->
  <link rel="stylesheet" href="assets/css/typography.css">
  <link rel="stylesheet" href="assets/css/default-css.css">
  <link rel="stylesheet" href="assets/css/styles.css">
  <link rel="stylesheet" href="assets/css/responsive.css">

  <!-- modernizr css -->
  <script src="assets/js/vendor/modernizr-2.8.3.min.js"></script>
  <style>
    .notification-area .dropdown-menu {
      min-width: 200px;
    }
  </style>
</head>
```

```
}
```

```
.notification-area .dropdown-menu .dropdown-item {  
  padding: 10px 15px;  
}
```

```
.notification-area .dropdown-menu .dropdown-item:hover {  
  background-color: #f1f1f1;  
}
```

```
.notification-area .fa-bell {  
  font-size: 20px;  
  color: #6298B5;  
}
```

```
.notification-area .badge {  
  position: absolute;  
  top: -10px;  
  right: -10px;  
  background-color: #ff5b5b;  
  color: white;  
  border-radius: 50%;  
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<!-- Preloader -->
```

```
<div id="preloader">
```

```
<div class="loader"></div>
</div>

<!-- page container area start -->
<div class="page-container">
  <!-- sidebar menu area start -->
  <div class="sidebar-menu">
    <div class="main-menu">
      <div class="menu-inner">
        <nav>
          <ul class="metismenu" id="menu">
            <li class="active"><a
href="index.php"><span>Home</span></a></li>
            <li><a href=".."><span>Kembali ke Toko</span></a></li>
            <li>
              <a href="manageorder.php"><i class="ti-
dashboard"></i><span>Kelola Pesanan</span></a>
            </li>
            <li>
              <a href="javascript:void(0)" aria-expanded="true"><i
class="ti-layout"></i><span>Kelola Toko
              </span></a>
              <ul class="collapse">
                <li><a href="kategori.php">Kategori</a></li>
                <li><a href="produk.php">Produk</a></li>
              </ul>
            </li>
            <li><a href="rekap.php"><span>Rekap
Penjualan</span></a></li>
            <li><a href="customer.php"><span>Kelola
Pelanggan</span></a></li>
```

```

        <li><a href="user.php"><span>Kelola Admin</span></a></li>
        <li>
            <a href="../logout.php"><span>Logout</span></a>
        </li>
    </ul>
</nav>
</div>
</div>
</div>
<!-- sidebar menu area end -->
<!-- main content area start -->
<div class="main-content">
    <!-- header area start -->
    <div class="header-area">
        <div class="row align-items-center">
            <!-- nav and search button -->
            <div class="col-md-6 col-sm-8 clearfix">
                <div class="nav-btn pull-left" style="color: #6298B5;">
                    <span></span>
                    <span></span>
                    <span></span>
                </div>
            </div>
            <!-- profile info & task notification -->
            <div class="col-md-6 col-sm-4 clearfix">
                <ul class="notification-area pull-right" style="color: #6298B5;">
                    <li class="dropdown">
                        <a href="#" data-toggle="dropdown">
                            <i class="fa fa-bell"></i>

```

```

        <?php if ($itungnotif3 > 0): ?>
            <span class="badge badge-light"><?=$
Situngnotif3 ?></span>
        <?php endif; ?>
    </a>
<div class="dropdown-menu dropdown-menu-right">
<?php
// Query untuk mengambil data dari database
$brgs = mysqli_query($conn, "
    SELECT *
    FROM cart c
    JOIN users l ON c.userid = l.userid
    JOIN detailorder d ON c.orderid = d.orderid
    JOIN produk p ON d.idproduk = p.idproduk
    WHERE c.status = 'settlement' OR c.status='Payment'
    ORDER BY c.idcart DESC
");

// Menghitung jumlah baris hasil query
$jumlah_notifikasi = mysqli_num_rows($brgs);

if ($jumlah_notifikasi > 0) {
    // Array untuk menyimpan produk yang dipesan per orderid
    $notifikasi = [];

    while ($p = mysqli_fetch_array($brgs)) {
        $orderid = $p['orderid'];
        $username = $p['username'];
        $namaproduk = $p['namaproduk'];

```

```

produk // Jika orderid belum ada dalam array, tambahkan dengan

if (!isset($notifikasi[$orderid])) {
    $notifikasi[$orderid] = [
        'username' => $username,
        'produks' => []
    ];
}

// Tambahkan produk ke array produk orderid
if (!in_array($namaproduk,
$notifikasi[$orderid]['produks'])) {
    $notifikasi[$orderid]['produks'][] = $namaproduk;
}
}

// Tampilkan hasil
foreach ($notifikasi as $orderid => $info) {
    $username = $info['username'];
    $produk_list = implode(', ', $info['produks']);
    ?>
    <a class="dropdown-item" href="order.php?orderid=<?=$orderid ?>">
        <?=$username ?> membeli produk <?=$produk_list ?>
    </a>
    <?php
}
} else {
    // Jika tidak ada notifikasi
    echo '

```

```

        <a class="dropdown-item" href="#">Tidak ada notifikasi
    </a>;
    }
    ?>
</div>
</li>
<li>
    <h3>
        <div class="date">
            <script type='text/javascript'>
                var months = ['Januari', 'Februari', 'Maret', 'April',
'Mei', 'Juni', 'Juli', 'Agustus', 'September', 'Oktober', 'November', 'Desember'];
                var myDays = ['Minggu', 'Senin', 'Selasa', 'Rabu',
'Kamis', 'Jumat', 'Sabtu'];
                var date = new Date();
                var day = date.getDate();
                var month = date.getMonth();
                var thisDay = date.getDay(),
                    thisDay = myDays[thisDay];
                var yy = date.getYear();
                var year = (yy < 1000) ? yy + 1900 : yy;
                document.write(thisDay + ', ' + day + ' ' +
months[month] + ' ' + year);
            </script>
        </div>
    </h3>
</li>
</ul>
</div>
</div>

```



```
</div>
```

```
<div class="main-content-inner">
```

```
<div class="sales-report-area mt-5 mb-5">
```

```
<div class="row">
```

```
<div class="col-md-4">
```

```
<div class="single-report mb-xs-30">
```

```
<div class="s-report-inner pr--20 pt--30 mb-3">
```

```
<div class="icon"><i class="fa fa-user"></i></div>
```

```
<div class="s-report-title d-flex justify-content-between">
```

```
<h4 class="header-title mb-0">Pelanggan</h4>
```

```
</div>
```

```
<div class="d-flex justify-content-between pb-2">
```

```
<h1><?= $itungcust3 ?></h1>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-md-4">
```

```
<div class="single-report">
```

```
<div class="s-report-inner pr--20 pt--30 mb-3">
```

```
<div class="icon"><i class="fa fa-book"></i></div>
```

```
<div class="s-report-title d-flex justify-content-between">
```

```
<h4 class="header-title mb-0">Pesanan</h4>
```

```
</div>
```

```
<div class="d-flex justify-content-between pb-2">
```

```
<h1><?= $itungorder3 ?></h1>
```

```

        </div>
    </div>
</div>
</div>
<div class="col-md-4">
    <div class="single-report mb-xs-30">
        <div class="s-report-inner pr--20 pt--30 mb-3">
            <div class="icon"><i class="fa fa-link"></i></div>
            <div class="s-report-title d-flex justify-content-between">
                <h4 class="header-title mb-0">Konfirmasi
Pembayaran</h4>
            </div>
            <div class="d-flex justify-content-between pb-2">
                <h1><?= $itungtrans3 ?></h1>
            </div>
        </div>
    </div>
</div>
</div>
</div>
</div>
</div>
</div>
<!-- market value area start -->
<div class="row mt-5 mb-5">
    <div class="col-12">
        <div class="card">
            <div class="card-body">
                <div class="d-sm-flex justify-content-between align-items-
center">
                    <h2>Selamat Datang</h2>
                </div>
            </div>
        </div>
    </div>
</div>

```

```
<div class="market-status-table mt-4">
    <p>Anda masuk sebagai <strong><?=$_SESSION['username'] ?></strong></p>
    <br>
    <p>Pada halaman admin, Anda dapat menambah kategori
produk, mengelola produk,
mengelola user dan admin, melihat konfirmasi
pembayaran</p>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>

<!-- Footer-->
<footer>
    <div class="footer-area" style="text-align: center;">
        <p>Dian 17 Cell</p>
    </div>
</footer>

</div>

<!-- jquery latest version -->
<script src="assets/js/vendor/jquery-2.2.4.min.js"></script>
<!-- bootstrap 4 js -->
<script src="assets/js/popper.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
```

```
<!-- <script src="assets/js/owl.carousel.min.js"></script> -->
<script src="assets/js/metisMenu.min.js"></script>
<script src="assets/js/jquery.slimscroll.min.js"></script>
<script src="assets/js/jquery.slicknav.min.js"></script>

<!-- others plugins -->
<script src="assets/js/plugins.js"></script>
<script src="assets/js/scripts.js"></script>
</body>

</html>
CUSTOMERS.PHP
<?php
session_start();
include '../dbconnect.php';
$itungnotif = mysqli_query($conn, "SELECT count(idcart) as jumlahnotif from
cart where status='settlement' OR status='Payment'");
$itungnotif2 = mysqli_fetch_assoc($itungnotif);
$itungnotif3 = $itungnotif2['jumlahnotif'];
?>

<head>
<meta charset="utf-8">
<meta http-equiv="x-ua-compatible" content="ie=edge">
<title>Dian 17 Cell | Kelola Pelanggan</title>
<meta name="viewport" content="width=device-width, initial-scale=1">

<!-- Favicon -->
<link rel="apple-touch-icon" sizes="180x180"
href="../assets/img/Favicon/apple-touch-icon.png">
```

```
<link rel="icon" type="image/png" sizes="32x32"
href="../assets/img/Favicon/favicon-32x32.png">

<link rel="icon" type="image/png" sizes="16x16"
href="../assets/img/Favicon/favicon-16x16.png">

<link rel="manifest" href="../assets/img/Favicon/site.webmanifest">

<link rel="stylesheet" href="assets/css/bootstrap.min.css">
<link rel="stylesheet" href="assets/css/font-awesome.min.css">
<link rel="stylesheet" href="assets/css/themify-icons.css">
<link rel="stylesheet" href="assets/css/metisMenu.css">
<link rel="stylesheet" href="assets/css/slicknav.min.css">

<!-- Start datatable css -->

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/jquery.dataTables.min.css">

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/jquery.dataTables.css">

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/dataTables.bootstrap4.min.css">

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.3/css/responsive.bootstrap.min.css"
>

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.3/css/responsive.jqueryui.min.css"
>

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/buttons/1.5.2/css/buttons.dataTables.min.css">

<!-- others css -->

<link rel="stylesheet" href="assets/css/typography.css">
<link rel="stylesheet" href="assets/css/default-css.css">
<link rel="stylesheet" href="assets/css/styles.css">
<link rel="stylesheet" href="assets/css/responsive.css">
```

```
<!-- modernizr css -->
<script src="assets/js/vendor/modernizr-2.8.3.min.js"></script>
<style>
    .notification-area .dropdown-menu {
        min-width: 200px;
    }

    .notification-area .dropdown-menu .dropdown-item {
        padding: 10px 15px;
    }

    .notification-area .dropdown-menu .dropdown-item:hover {
        background-color: #f1f1f1;
    }

    .notification-area .fa-bell {
        font-size: 20px;
        color: #6298B5;
    }

    .notification-area .badge {
        position: absolute;
        top: -10px;
        right: -10px;
        background-color: #ff5b5b;
        color: white;
        border-radius: 50%;
    }
</style>
```

```
</head>
```

```
<body>
```

```
<!--[if lt IE 8]>
```

```
<p class="browserupgrade">You are using an <strong>outdated</strong>  
browser. Please <a href="http://browshappy.com/">upgrade your browser</a> to  
improve your experience.</p>
```

```
<![endif]-->
```

```
<!-- preloader area start -->
```

```
<div id="preloader">
```

```
<div class="loader"></div>
```

```
</div>
```

```
<!-- preloader area end -->
```

```
<!-- page container area start -->
```

```
<div class="page-container">
```

```
<!-- sidebar menu area start -->
```

```
<div class="sidebar-menu">
```

```
<div class="main-menu">
```

```
<div class="menu-inner">
```

```
<nav>
```

```
<ul class="metismenu" id="menu">
```

```
<li><a href="index.php"><span>Home</span></a></li>
```

```
<li><a href=".."><span>Kembali ke Toko</span></a></li>
```

```
<li>
```

```
<a href="manageorder.php"><i class="ti-  
dashboard"></i><span>Kelola Pesanan</span></a>
```

```
</li>
```

```
<li>
```

```
<a href="javascript:void(0)" aria-expanded="true"><i  
class="ti-layout"></i><span>Kelola Toko
```

```
</span></a>
```

```
<ul class="collapse">
  <li><a href="kategori.php">Kategori</a></li>
  <li><a href="produk.php">Produk</a></li>
</ul>
</li>
<li><a href="rekap.php"><span>Rekap
Penjualan</span></a></li>
<li class="active"><a href="customer.php"><span>Kelola
Pelanggan</span></a></li>
<li><a href="user.php"><span>Kelola Admin</span></a></li>
<li>
  <a href=" ../logout.php"><span>Logout</span></a>

</li>

</ul>
</nav>
</div>
</div>
<!-- sidebar menu area end -->
<!-- main content area start -->
<div class="main-content">
  <!-- header area start -->
  <div class="header-area">
    <div class="row align-items-center">
      <!-- nav and search button -->
      <div class="col-md-6 col-sm-8 clearfix">
        <div class="nav-btn pull-left" style="color: #6298B5;">
          <span></span>
```



```

        <span></span>
        <span></span>
    </div>
</div>
<!-- profile info & task notification -->

<div class="col-md-6 col-sm-4 clearfix">
    <ul class="notification-area pull-right" style="color: #6298B5;">
        <li class="dropdown">
            <a href="#" data-toggle="dropdown">
                <i class="fa fa-bell"></i>
                <?php if ($itungnotif3 > 0): ?>
                    <span class="badge badge-light"><?=
$itungnotif3 ?></span>
                <?php endif; ?>
            </a>
            <div class="dropdown-menu dropdown-menu-right">
                <?php
                // Query untuk mengambil data dari database
                $brgs = mysqli_query($conn, "
                SELECT *
                FROM cart c
                JOIN users 1 ON c.userid = 1.userid
                JOIN detailorder d ON c.orderid = d.orderid
                JOIN produk p ON d.idproduk = p.idproduk
                WHERE c.status = 'settlement' OR c.status='Payment'
                ORDER BY c.idcart DESC
                ");

                // Menghitung jumlah baris hasil query

```

```

$jumlah_notifikasi = mysqli_num_rows($brgs);

if ($jumlah_notifikasi > 0) {
    // Array untuk menyimpan produk yang dipesan per orderid
    $notifikasi = [];

    while ($p = mysqli_fetch_array($brgs)) {
        $orderid = $p['orderid'];
        $username = $p['username'];
        $namaproduk = $p['namaproduk'];

        // Jika orderid belum ada dalam array, tambahkan dengan
        produk

        if (!isset($notifikasi[$orderid])) {
            $notifikasi[$orderid] = [
                'username' => $username,
                'produks' => []
            ];
        }

        // Tambahkan produk ke array produk orderid
        if (!in_array($namaproduk,
            $notifikasi[$orderid]['produks'])) {
            $notifikasi[$orderid]['produks'][] = $namaproduk;
        }
    }

    // Tampilkan hasil
    foreach ($notifikasi as $orderid => $info) {
        $username = $info['username'];
    }
}

```

```

        $produk_list = implode(', ', $info['produks']);
        ?>
        <a class="dropdown-item" href="order.php?orderid=<?=
$orderid ?>">
            <?= $username ?> membeli produk <?=
$produk_list ?>
        </a>
        <?php
        }
    } else {
        // Jika tidak ada notifikasi
        echo '
        <a class="dropdown-item" href="#">Tidak ada notifikasi
        </a>;
    }
    ?>
</div>
</li>
<li>
    <h3>
    <div class="date">
        <script type='text/javascript'>
            var months = ['Januari', 'Februari', 'Maret', 'April',
'Mei', 'Juni', 'Juli', 'Agustus', 'September', 'Oktober', 'November', 'Desember'];
            var myDays = ['Minggu', 'Senin', 'Selasa', 'Rabu',
'Kamis', 'Jumat', 'Sabtu'];
            var date = new Date();
            var day = date.getDate();
            var month = date.getMonth();
            var thisDay = date.getDay(),
                thisDay = myDays[thisDay];

```



```

        <tr>
            <th>No</th>
            <th>Email</th>
            <th>Username</th>
        </tr>
    </thead>
    <tbody>
        <?php
            $brgs = mysqli_query($conn, "SELECT * from users
where role='Member' order by userid ASC");
            $sno = 1;
            while ($p = mysqli_fetch_array($brgs)) {
                ?>

                <tr>
                    <td><?php echo $sno++ ?></td>
                    <td><?php echo $p['email'] ?></td>
                    <td><?php echo $p['username'] ?></td>
                </tr>

                <?php
                }

                ?>

            </tbody>
        </table>
    </div>
</div>
</div>
</div>

```

```
        </div>
    </div>
</div>

<!-- row area start-->
</div>
<footer>
    <center>
        <footer>
            <div class="footer-area" style="text-align: center;">
                <p>Dian 17 Cell</p>
            </div>
        </footer>
    </center>
</footer>
</div>
</div>
<!-- page container area end -->

<script>
    $(document).ready(function() {
        $('#dataTable3').DataTable({
            dom: 'Bfrtip',
            buttons: [
                'print'
            ]
        });
    });
</script>
```

```
<!-- jquery latest version -->
<script src="https://code.jquery.com/jquery-3.3.1.js"></script>
<!-- bootstrap 4 js -->
<script src="assets/js/popper.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/metisMenu.min.js"></script>
<script src="assets/js/jquery.slimscroll.min.js"></script>
<script src="assets/js/jquery.slicknav.min.js"></script>
<!-- Start datatable js -->
<script
src="https://cdn.datatables.net/buttons/1.5.2/js/buttons.print.min.js"></script>
<script
src="https://cdn.datatables.net/buttons/1.5.2/js/dataTables.buttons.min.js"></script
>
<script
src="https://cdn.datatables.net/1.10.20/js/jquery.dataTables.js"></script>
<script
src="https://cdn.datatables.net/1.10.20/js/jquery.dataTables.min.js"></script>
<script
src="https://cdn.datatables.net/1.10.20/js/dataTables.bootstrap4.min.js"></script>
<script
src="https://cdn.datatables.net/responsive/2.2.3/js/dataTables.responsive.min.js">
</script>
<script
src="https://cdn.datatables.net/responsive/2.2.3/js/responsive.bootstrap.min.js"></
script>
<script
src="https://cdn.datatables.net/buttons/1.5.2/js/buttons.html5.min.js"></script>

<!-- others plugins -->
<script src="assets/js/plugins.js"></script>
<script src="assets/js/scripts.js"></script>
```

```
</body>
```

```
</html>
```

DELETE.PHP

```
<?php
```

```
    include 'dbconnect.php';
```

```
    $userid = $_GET['userid'];
```

```
    $sqlDelete = "DELETE FROM users WHERE userid='$userid'";
```

```
    mysqli_query($conn, $sqlDelete);
```

```
    header("location:index.php?pesan=hapus");
```

```
?>
```

EDIT.PHP

```
<div id="editProduk<?php echo $p['idproduk']?>" class="modal fade">
```

```
    <div class="modal-dialog">
```

```
        <div class="modal-content">
```

```
            <div class="modal-header">
```

```
                <h4 class="modal-title">Edit Produk</h4>
```

```
            </div>
```

```
        <div class="modal-body">
```

```
            <form action="produk.php" method="post"  
enctype="multipart/form-data" >
```

```
                <div class="form-group">
```

```
                    <label>Nama Produk</label>
```

```
                    <input name="namaproduk" value = "<?=  
$p['namaproduk']?>" type="text" class="form-control" required autofocus>
```



```

</div>
<div class="form-group">
  <label>Kategori</label>
  <!-- <label>Kategori</label> -->
  <select name="idkategori" class="form-control">
    <option selected>Pilih Kategori</option>
    <?php
      $det=mysqli_query($conn,"SELECT * from kategori order
by namakategori ASC")or die(mysqli_error($conn));
      while($d=mysqli_fetch_array($det)){
        ?>
          <option value="<?=$d['idkategori'] ?>"><?=$
$d['namakategori'] ?></option>
        <?php
          }
        ?>
      </select>
    </div>
    <div class="form-group">
      <label>Deskripsi</label>
      <input name="deskripsi" value ="<?=$p['deskripsi']?>"
type="text" class="form-control" required></input>
    </div>
    <div class="form-group">
      <label>Harga Sebelum Diskon</label>
      <input name="hargabefore" value="<?=$
p['hargabefore'] ?>" type="number" class="form-control">
    </div>
    <div class="form-group">
      <label>Harga Setelah Diskon</label>

```

```

        <input name="hargaafter" value="<?= $p['hargaafter'] ?>"
type="number" class="form-control">
    </div>
    <div class="form-group">
        <label>Gambar</label>
        <input name="uploadgambar" type="file" class="form-
control">
    </div>

</div>
<div class="modal-footer">
    <button type="button" class="btn btn-default" data-
dismiss="modal">Batal</button>
    <input name="addproduct" type="submit" class="btn btn-
primary" value="Tambah">
</div>
</form>
</div>
</div>
</div>

```

KATEGORI.PHP

```

<?php
session_start();
include '../dbconnect.php';

if (isset($_POST['addcategory'])) {
    $namakategori = $_POST['namakategori'];

    $stambahkat = mysqli_query($conn, "INSERT into kategori (namakategori)
values ('$namakategori')");
    if ($stambahkat) {

```

```

    echo "
        <script>
            alert('Kategori berhasil ditambah');
            window.location.href = 'kategori.php';
        </script>";

    // <meta http-equiv='refresh' content='1; url= kategori.php'/> ";
} else {
    echo "
        <meta http-equiv='refresh' content='1; url= kategori.php'/> ";
    }
};

if (isset($_POST['editkategori'])) {
    $idkategori = $_POST['idkategori'];
    $namakategori = $_POST['namakategori'];
    $edit = mysqli_query($conn, "UPDATE kategori SET namakategori =
'$namakategori' WHERE idkategori = '$idkategori'") or die(mysqli_error($conn));
    if ($edit) {
        echo "
            <script>
                alert('Kategori berhasil diubah');
                window.location.href = 'kategori.php';
            </script>";
    } else {
        echo "
            <script>
                alert('Gagal mengubah kategori');
                window.location.href = 'kategori.php';
            </script>";
    }
}

```

```

    }
};

if (isset($_POST['editkategori'])) {
    $idkategori = $_POST['idkategori'];
    $namakategori = $_POST['namakategori'];
    $edit = mysqli_query($conn, "UPDATE kategori SET namakategori =
'$namakategori' WHERE idkategori = '$idkategori'" or die(mysqli_error($conn));
    if ($edit) {
        echo "
        <script>
            alert('Kategori berhasil diubah');
            window.location.href = 'kategori.php';
        </script>";
    } else {
        echo "
        <script>
            alert('Gagal mengubah kategori');
            window.location.href = 'kategori.php';
        </script>";
    }
};

if (isset($_POST['deletekategori'])) {
    $idkategori = $_POST['idkategori'];

    $delete = mysqli_query($conn, "DELETE FROM kategori WHERE
idkategori = '$idkategori'" or die(mysqli_error($conn));
    if ($delete) {
        echo "

```

```
<script>
    alert('Kategori berhasil dihapus');
    window.location.href = 'kategori.php';
</script>";
} else {
    echo "
    <script>
        alert('Gagal menghapus kategori');
        window.location.href = 'kategori.php';
    </script>";
}
}

$itungnotif = mysqli_query($conn, "SELECT count(idcart) as jumlahnotif from
cart where status='settlement' OR status='Payment'");

$itungnotif2 = mysqli_fetch_assoc($itungnotif);
$itungnotif3 = $itungnotif2['jumlahnotif'];
?>

<!doctype html>
<html class="no-js" lang="en">

<head>
    <meta charset="utf-8">
    <meta http-equiv="x-ua-compatible" content="ie=edge">
    <title>Dian 17 Cell | Kelola Kategori</title>
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- Favicon -->
    <link rel="apple-touch-icon" sizes="180x180"
href="assets/img/Favicon/apple-touch-icon.png">
```

```
<link rel="icon" type="image/png" sizes="32x32"
href="assets/img/Favicon/favicon-32x32.png">

<link rel="icon" type="image/png" sizes="16x16"
href="assets/img/Favicon/favicon-16x16.png">

<link rel="manifest" href="assets/img/Favicon/site.webmanifest">

<link rel="stylesheet" href="assets/css/bootstrap.min.css">
<link rel="stylesheet" href="assets/css/font-awesome.min.css">
<link rel="stylesheet" href="assets/css/themify-icons.css">
<link rel="stylesheet" href="assets/css/metisMenu.css">
<link rel="stylesheet" href="assets/css/slicknav.min.css">

<!-- Start datatable css -->

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/jquery.dataTables.min.css">

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/jquery.dataTables.css">

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/dataTables.bootstrap4.min.css">

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.3/css/responsive.bootstrap.min.css"
>

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.3/css/responsive.jqueryui.min.css"
>

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/buttons/1.5.2/css/buttons.dataTables.min.css">

<!-- others css -->

<link rel="stylesheet" href="assets/css/typography.css">
<link rel="stylesheet" href="assets/css/default-css.css">
<link rel="stylesheet" href="assets/css/styles.css">
<link rel="stylesheet" href="assets/css/responsive.css">
```

```
<!-- modernizr css -->
<script src="assets/js/vendor/modernizr-2.8.3.min.js"></script>
<style>
    .notification-area .dropdown-menu {
        min-width: 200px;
    }

    .notification-area .dropdown-menu .dropdown-item {
        padding: 10px 15px;
    }

    .notification-area .dropdown-menu .dropdown-item:hover {
        background-color: #f1f1f1;
    }

    .notification-area .fa-bell {
        font-size: 20px;
        color: #6298B5;
    }

    .notification-area .badge {
        position: absolute;
        top: -10px;
        right: -10px;
        background-color: #ff5b5b;
        color: white;
        border-radius: 50%;
    }
</style>
```

```

</head>

<body>
  <!--[if lt IE 8]>
    <p class="browserupgrade">You are using an
<strong>outdated</strong> browser. Please <a
href="http://browsehappy.com/">upgrade your browser</a> to improve your
experience.</p>
    <![endif]-->
  <!-- preloader area start -->
  <div id="preloader">
    <div class="loader"></div>
  </div>
  <!-- preloader area end -->
  <!-- page container area start -->
  <div class="page-container">
    <!-- sidebar menu area start -->
    <div class="sidebar-menu">
      <div class="main-menu">
        <div class="menu-inner">
          <nav>
            <ul class="metismenu" id="menu">
              <li><a href="index.php"><span>Home</span></a></li>
              <li><a href=".."><span>Kembali ke Toko</span></a></li>
              <li>
                <a href="manageorder.php"><i class="ti-
dashboard"></i><span>Kelola Pesanan</span></a>
              </li>
              <li class="active">
                <a href="javascript:void(0)" aria-expanded="true"><i
class="ti-layout"></i><span>Kelola Toko

```



```
        </span></a>
        <ul class="collapse">
            <li class="active"><a
href="kategori.php">Kategori</a></li>
            <li><a href="produk.php">Produk</a></li>
        </ul>
    </li>
    <li><a href="rekap.php"><span>Rekap
Penjualan</span></a></li>
    <li><a href="customer.php"><span>Kelola
Pelanggan</span></a></li>
    <li><a href="user.php"><span>Kelola
Admin</span></a></li>
    <li>
        <a href=" ../logout.php"><span>Logout</span></a>

    </li>

</ul>
</nav>
</div>
</div>
<!-- sidebar menu area end -->
<!-- main content area start -->
<div class="main-content">
    <!-- header area start -->
    <div class="header-area">
        <div class="row align-items-center">
            <!-- nav and search button -->
            <div class="col-md-6 col-sm-8 clearfix">
```

```

<div class="nav-btn pull-left" style="color: #6298B5;">
    <span></span>
    <span></span>
    <span></span>
</div>
</div>
<!-- profile info & task notification -->

<div class="col-md-6 col-sm-4 clearfix">
    <ul class="notification-area pull-right" style="color:
#6298B5;">
        <li class="dropdown">
            <a href="#" data-toggle="dropdown">
                <i class="fa fa-bell"></i>
                <?php if ($itungnotif3 > 0): ?>
                    <span class="badge badge-light"><?=
$itungnotif3 ?></span>
                <?php endif; ?>
            </a>
            <div class="dropdown-menu dropdown-menu-right">
                <?php
                // Query untuk mengambil data dari database
                $brgs = mysqli_query($conn, "
                SELECT *
                FROM cart c
                JOIN users l ON c.userid = l.userid
                JOIN detailorder d ON c.orderid = d.orderid
                JOIN produk p ON d.idproduk = p.idproduk
                WHERE c.status = 'settlement' OR c.status='Payment'
                ORDER BY c.idcart DESC

```

```

");

// Menghitung jumlah baris hasil query
$jumlah_notifikasi = mysqli_num_rows($brgs);

if ($jumlah_notifikasi > 0) {
    // Array untuk menyimpan produk yang dipesan per
orderid

    $notifikasi = [];

    while ($p = mysqli_fetch_array($brgs)) {
        $orderid = $p['orderid'];
        $username = $p['username'];
        $namaproduk = $p['namaproduk'];

        // Jika orderid belum ada dalam array, tambahkan
dengan produk

        if (!isset($notifikasi[$orderid])) {
            $notifikasi[$orderid] = [
                'username' => $username,
                'produks' => []
            ];
        }

        // Tambahkan produk ke array produk orderid
        if (!in_array($namaproduk,
$notifikasi[$orderid]['produks'])) {
            $notifikasi[$orderid]['produks'][] = $namaproduk;
        }
    }
}

```

```

// Tampilkan hasil
foreach ($notifikasi as $orderid => $info) {
    $username = $info['username'];
    $produk_list = implode(', ', $info['produks']);
    ?>
    <a class="dropdown-item"
href="order.php?orderid=<?=$orderid ?>">
        <?=$username ?> membeli produk <?=$
$produk_list ?>
        </a>
        <?php
        }
    } else {
        // Jika tidak ada notifikasi
        echo '
notifikasi
        <a class="dropdown-item" href="#">Tidak ada
        </a>;
        }
    ?>
</div>
</li>
<li>
<h3>
<div class="date">
    <script type='text/javascript'>
        var months = ['Januari', 'Februari', 'Maret', 'April',
'Mei', 'Juni', 'Juli', 'Agustus', 'September', 'Oktober', 'November', 'Desember'];
        var myDays = ['Minggu', 'Senin', 'Selasa', 'Rabu',
'Kamis', 'Jumat', 'Sabtu'];

```



```
<button style="margin-bottom:20px" data-  
toggle="modal" data-target="#myModal" class="btn btn-info col-md-2">Tambah  
Kategori</button>
```

```
</div>
```

```
<div class="data-tables datatable-dark">
```

```
<table id="dataTable3" class="display"  
style="width:100%">
```

```
<thead class="thead-dark">
```

```
<tr>
```

```
<th>No.</th>
```

```
<th>Nama Kategori</th>
```

```
<th>Jumlah Produk</th>
```

```
<th>Tanggal Dibuat</th>
```

```
<th>Aksi</th>
```

```
</tr>
```

```
</thead>
```

```
<tbody>
```

```
<?php
```

```
$brgs = mysqli_query($conn, "SELECT * from  
kategori order by idkategori ASC");
```

```
$no = 1;
```

```
while ($p = mysqli_fetch_array($brgs)) {
```

```
$id = $p['idkategori'];
```

```
?>
```

```
<tr>
```

```
<td><?= $no++ ?></td>
```

```
<td><?= $p['namakategori'] ?></td>
```

```
<td><?php
```

```

                $result1 = mysqli_query($conn,
"SELECT Count(idproduk) AS count FROM produk p, kategori k where
p.idkategori=k.idkategori and k.idkategori='$id' order by idproduk ASC");

                $cekrow = mysqli_num_rows($result1);
                $row1 = mysqli_fetch_assoc($result1);
                $count = $row1['count'];
                if ($cekrow > 0) {
                    echo number_format($count);
                } else {
                    echo 'No data';
                }
            ?></td>
<td><?=$p['tgldibuat'] ?></td>
<td>
                <a href="" class="btn btn-warning" data-
toggle="modal" data-target="#editKategori<?php echo
$p['idkategori'] ?>">Edit</a>
                <a href="#" class="btn btn-danger " data-
toggle="modal" data-target="#deleteKategori<?=$p['idkategori'] ?>">Hapus</a>
            </td>

<!-- Modal Edit -->
<div id="editKategori<?php echo
$p['idkategori'] ?>" class="modal fade">
    <div class="modal-dialog">
        <div class="modal-content">
            <div class="modal-header">
                <h4 class="modal-title">Edit
Kategori</h4>
            </div>
            <div class="modal-body">

```

```

        <form action="" method="post"
enctype="multipart/form-data">
            <div class="form-group">
                <label>Nama Kategori</label>
                <input type="hidden"
name="idkategori" value="<?= $p['idkategori'] ?>">
                <input name="namakategori"
value="<?= $p['namakategori'] ?>" type="text" class="form-control" required
autofocus>
            </div>
        </div>
        <div class="modal-footer">
            <button type="button" class="btn
btn-default" data-dismiss="modal">Batal</button>
            <input name="editkategori"
type="submit" class="btn btn-primary" value="Edit">
        </div>
    </form>
</div>
</div>
</div>

```

```

<!-- Modal Hapus -->
<div id="deleteKategori"<?=
$p['idkategori'] ?>" class="modal fade" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel" aria-hidden="true">
    <div class="modal-dialog"
role="document">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title"
id="exampleModalLabel">Hapus Kategori</h5>

```



```

        <button type="button" class="close"
data-dismiss="modal" aria-label="Close">
        <span aria-
hidden="true">&times;</span>
    </button>
</div>
<div class="modal-body">
    <form action="kategori.php"
method="post">
        <p>Apakah Anda yakin ingin
menghapus kategori <strong><?= $p['namakategori'] ?></strong>?</p>
        <input type="hidden"
name="idkategori" value="<?= $p['idkategori'] ?>">
        <div class="modal-footer">
            <button type="button"
class="btn btn-secondary" data-dismiss="modal">Batal</button>
            <input name="deletekategori"
type="submit" class="btn btn-danger" value="Hapus">
        </div>
    </form>
</div>
</div>
</div>
</tr>

<?php
}

?>
</tbody>

```

```
        </table>
    </div>
</div>
</div>
</div>
</div>
</div>
</div>
```

```
    <!-- row area start-->
</div>
<footer>
    <center>
        <footer>
            <div class="footer-area" style="text-align: center;">
                <p>Dian 17 Cell</p>
            </div>
        </footer>
    </center>
</footer>
</div>
```

```
</div>
<!-- page container area end -->
```

```
<!-- modal input -->
<div id="myModal" class="modal fade">
    <div class="modal-dialog">
        <div class="modal-content">
            <div class="modal-header">
```

```

        <h4 class="modal-title">Tambah Kategori</h4>
    </div>
    <div class="modal-body">
        <form method="post">
            <div class="form-group">
                <label>Nama Kategori</label>
                <input name="namakategori" type="text" class="form-
control" required autofocus>
            </div>

        </div>
        <div class="modal-footer">
            <button type="button" class="btn btn-default" data-
dismiss="modal">Batal</button>
            <input name="addcategory" type="submit" class="btn btn-
primary" value="Tambah">
        </div>
    </form>
</div>
</div>
</div>
</div>
<script>
$(document).ready(function() {
    $('#dataTable3').DataTable({
        dom: 'Bfrip',
        buttons: [
            'print'
        ]
    });
});

```

```
});
</script>

<!-- jquery latest version -->
<script src="https://code.jquery.com/jquery-3.3.1.js"></script>
<!-- bootstrap 4 js -->
<script src="assets/js/popper.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/metisMenu.min.js"></script>
<script src="assets/js/jquery.slimscroll.min.js"></script>
<script src="assets/js/jquery.slicknav.min.js"></script>
<!-- Start datatable js -->
<script
src="https://cdn.datatables.net/buttons/1.5.2/js/buttons.print.min.js"></script>
<script
src="https://cdn.datatables.net/buttons/1.5.2/js/dataTables.buttons.min.js"></script>
>
<script
src="https://cdn.datatables.net/1.10.20/js/jquery.dataTables.js"></script>
<script
src="https://cdn.datatables.net/1.10.20/js/jquery.dataTables.min.js"></script>
<script
src="https://cdn.datatables.net/1.10.20/js/dataTables.bootstrap4.min.js"></script>
<script
src="https://cdn.datatables.net/responsive/2.2.3/js/dataTables.responsive.min.js">
</script>
<script
src="https://cdn.datatables.net/responsive/2.2.3/js/responsive.bootstrap.min.js"></
script>
<script
src="https://cdn.datatables.net/buttons/1.5.2/js/buttons.html5.min.js"></script>

<!-- others plugins -->
```

```
<script src="assets/js/plugins.js"></script>
```

```
<script src="assets/js/scripts.js"></script>
```

```
</body>
```

```
</html>
```

LOGOUT.PHP

```
<?php
```

```
session_start();
```

```
session_destroy();
```

```
header("location:../login.php");
```

```
?>
```

MANAGEORDER.PHP

```
<?php
```

```
session_start();
```

```
include '../dbconnect.php';
```

```
date_default_timezone_set("Asia/Bangkok");
```

```
$itungnotif = mysqli_query($conn, "SELECT count(idcart) as jumlahnotif from  
cart where status='settlement' OR status='Payment'");
```

```
$itungnotif2 = mysqli_fetch_assoc($itungnotif);
```

```
$itungnotif3 = $itungnotif2['jumlahnotif'];
```

```
?>
```

```
<!doctype html>
```

```
<html class="no-js" lang="en">
```

```
<head>
```

```
<meta charset="utf-8">
```

```
<meta http-equiv="x-ua-compatible" content="ie=edge">
```

```
<title>Dian 17 Cell | Kelola Pesanan</title>
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">

<!-- Favicon -->

<link rel="apple-touch-icon" sizes="180x180"
href="../assets/img/Favicon/apple-touch-icon.png">

<link rel="icon" type="image/png" sizes="32x32"
href="../assets/img/Favicon/favicon-32x32.png">

<link rel="icon" type="image/png" sizes="16x16"
href="../assets/img/Favicon/favicon-16x16.png">

<link rel="manifest" href="../assets/img/Favicon/site.webmanifest">

<link rel="stylesheet" href="assets/css/bootstrap.min.css">
<link rel="stylesheet" href="assets/css/font-awesome.min.css">
<link rel="stylesheet" href="assets/css/themify-icons.css">
<link rel="stylesheet" href="assets/css/metisMenu.css">
<link rel="stylesheet" href="assets/css/slicknav.min.css">

<!-- Start datatable css -->

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/jquery.dataTables.min.css">

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/jquery.dataTables.css">

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/dataTables.bootstrap4.min.css">

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.3/css/responsive.bootstrap.min.css"
>

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.3/css/responsive.jqueryui.min.css"
>

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/buttons/1.5.2/css/buttons.dataTables.min.css">
```

```
<!-- others css -->
<link rel="stylesheet" href="assets/css/typography.css">
<link rel="stylesheet" href="assets/css/default-css.css">
<link rel="stylesheet" href="assets/css/styles.css">
<link rel="stylesheet" href="assets/css/responsive.css">
<!-- modernizr css -->
<script src="assets/js/vendor/modernizr-2.8.3.min.js"></script>
<style>
    .notification-area .dropdown-menu {
        min-width: 200px;
    }

    .notification-area .dropdown-menu .dropdown-item {
        padding: 10px 15px;
    }

    .notification-area .dropdown-menu .dropdown-item:hover {
        background-color: #f1f1f1;
    }

    .notification-area .fa-bell {
        font-size: 20px;
        color: #6298B5;
    }

    .notification-area .badge {
        position: absolute;
        top: -10px;
        right: -10px;
    }
</style>
```



```
        <a href="manageorder.php"><i class="ti-
dashboard"></i><span>Kelola Pesanan</span></a>
    </li>
    <li>
        <a href="javascript:void(0)" aria-expanded="true"><i
class="ti-layout"></i><span>Kelola Toko
        </span></a>
        <ul class="collapse">
            <li><a href="kategori.php">Kategori</a></li>
            <li><a href="produk.php">Produk</a></li>
        </ul>
    </li>
    <li><a href="rekap.php"><span>Rekap
Penjualan</span></a></li>
    <li><a href="customer.php"><span>Kelola
Pelanggan</span></a></li>
    <li><a href="user.php"><span>Kelola
Admin</span></a></li>
    <li>
        <a href="./logout.php"><span>Logout</span></a>
    </li>
</ul>
</nav>
</div>
</div>
</div>
<!-- sidebar menu area end -->
<!-- main content area start -->
<div class="main-content">
    <!-- header area start -->
    <div class="header-area">
```

```

<div class="row align-items-center">
  <!-- nav and search button -->
  <div class="col-md-6 col-sm-8 clearfix">
    <div class="nav-btn pull-left" style="color: #6298B5;">
      <span></span>
      <span></span>
      <span></span>
    </div>
  </div>
  <!-- profile info & task notification -->

  <div class="col-md-6 col-sm-4 clearfix">
    <ul class="notification-area pull-right" style="color:
#6298B5;">
      <li class="dropdown">
        <a href="#" data-toggle="dropdown">
          <i class="fa fa-bell"></i>
          <?php if ($itungnotif3 > 0): ?>
            <span class="badge badge-light"><?=
$itungnotif3 ?></span>
          <?php endif; ?>
        </a>
        <div class="dropdown-menu dropdown-menu-right">
          <?php
// Query untuk mengambil data dari database
$brgs = mysqli_query($conn, "
  SELECT *
  FROM cart c
  JOIN users l ON c.userid = l.userid
  JOIN detailorder d ON c.orderid = d.orderid

```

```

JOIN produk p ON d.idproduk = p.idproduk
WHERE c.status = 'settlement' OR c.status='Payment'
ORDER BY c.idcart DESC
");

// Menghitung jumlah baris hasil query
$jumlah_notifikasi = mysqli_num_rows($brgs);

if ($jumlah_notifikasi > 0) {
    // Array untuk menyimpan produk yang dipesan per
orderid

    $notifikasi = [];

    while ($p = mysqli_fetch_array($brgs)) {
        $orderid = $p['orderid'];
        $username = $p['username'];
        $namaproduk = $p['namaproduk'];

        // Jika orderid belum ada dalam array, tambahkan
dengan produk

        if (!isset($notifikasi[$orderid])) {
            $notifikasi[$orderid] = [
                'username' => $username,
                'produks' => []
            ];
        }

        // Tambahkan produk ke array produk orderid
        if (!in_array($namaproduk,
$notifikasi[$orderid]['produks'])) {

```

```

        $notifikasi[$orderid]['produks'][] = $namaproduk;
    }
}

// Tampilkan hasil
foreach ($notifikasi as $orderid => $info) {
    $username = $info['username'];
    $produk_list = implode(', ', $info['produks']);
    ?>
    <a class="dropdown-item"
href="order.php?orderid=<?= $orderid ?>">
        <?= $username ?> membeli produk <?=
$produk_list ?>
    </a>
    <?php
    }
} else {
    // Jika tidak ada notifikasi
    echo '
notifikasi
    <a class="dropdown-item" href="#">Tidak ada
    </a>';
    }
?>
</div>
</li>
<li>
<h3>
<div class="date">
    <script type='text/javascript'>

```

```
        var months = ['Januari', 'Februari', 'Maret', 'April',
'Mei', 'Juni', 'Juli', 'Agustus', 'September', 'Oktober', 'November', 'Desember'];
        var myDays = ['Minggu', 'Senin', 'Selasa', 'Rabu',
'Kamis', 'Jumat', 'Sabtu'];
        var date = new Date();
        var day = date.getDate();
        var month = date.getMonth();
        var thisDay = date.getDay(),
            thisDay = myDays[thisDay];
        var yy = date.getYear();
        var year = (yy < 1000) ? yy + 1900 : yy;
        document.write(thisDay + ', ' + day + ' ' +
months[month] + ' ' + year);
```

```
    </script>
```

```
    </div>
```

```
    </h3>
```

```
    </li>
```

```
    </ul>
```

```
    </div>
```

```
    </div>
```

```
</div>
```

```
<!-- header area end -->
```

```
<!-- page title area end -->
```

```
<div class="main-content-inner">
```

```
    <!-- market value area start -->
```

```
    <div class="row mt-5 mb-5">
```

```
        <div class="col-12">
```

```
            <div class="card">
```

```

<div class="card-body">
  <div class="d-sm-flex justify-content-between align-items-
center">
    <h2>Daftar Pesanan</h2>
  </div>
  <div class="data-tables datatable-dark">
    <table id="dataTable3" class="display"
style="width:100%">
      <thead class="thead-dark">
        <tr>
          <th>No</th>
          <th>ID Pesanan</th>
          <th>Nomor Transaksi</th>
          <th>Nama Customer</th>
          <th>Tanggal Order</th>
          <th>Total</th>
          <th>Ongkir</th>
          <th>Grand Total</th>
          <th>Status</th>
          <th>Aksi</th>
        </tr>
      </thead>
      <tbody>
        <?php
          $brgs = mysqli_query($conn, "SELECT * from cart
c, users l where c.userid=l.userid and status!='Cart' and status!='Selesai' order by
idcart desc ");

          $no = 1;
          while ($p = mysqli_fetch_array($brgs)) {
            $orderid = $p['orderid'];
            ?>

```

```

<tr>
    <td><?= $no++ ?></td>
    <td><strong><a href="order.php?orderid=<?=
$sp['orderid'] ?>">#<?= $sp['orderid'] ?></a></strong></td>
    <td><?php echo $sp['notransaksi'] ?></td>
    <td><?= $sp['username'] ?></td>
    <td><?= $sp['tglorder'] ?></td>
    <td>Rp<?php

```

```

        $result1 = mysqli_query($conn,
"SELECT SUM(d.qty*p.hargaafter) AS count FROM detailorder d, produk p
where orderid='$orderid' and p.idproduk=d.idproduk order by d.idproduk ASC");

```

```

        $cekrow =
mysqli_num_rows($result1);
        $row1 = mysqli_fetch_assoc($result1);
        $count = $row1['count'];
        if ($cekrow > 0) {
            echo number_format($count);
        } else {
            echo 'No data';
        } ?>

```

```

    </td>
    <td>Rp. <?=
number_format($sp['ongkir']) ?></td>
    <td>Rp. <?= number_format($count +
$sp['ongkir']) ?></td>
    <td>
    <?php
        if ($sp['status'] == 'Pengiriman') {
            echo "Pengiriman";
        } else if ($sp['status'] == 'expire') {

```

```

        echo "Dibatalkan";
    } else if ($p['status'] == 'Payment' ||
    $p['status'] == 'pending') {
        echo "Belum bayar";
    } else if ($p['status'] == 'settlement') {
        echo "Menunggu Konfirmasi (Sudah
    Bayar)";
    };

```

```

    ?></td>
    <td><a href="order.php?orderid=<?=$p['orderid'] ?>" class="btn btn-primary m-1">Detail</a></td>

```

```

    </tr>
    <?php
    }
    ?>
</tbody>
</table>
</div>
</div>
</div>
</div>
</div>
</div>
</div>

```

```

    <!-- row area start-->
</div>
<footer>
    <center>
        <footer>

```



```

        <div class="footer-area" style="text-align: center;">
            <p>Dian 17 Cell</p>
        </div>
    </footer>

</center>
</footer>
</div>
</div>
<!-- page container area end -->

<!-- modal input -->
<div id="myModal" class="modal fade">
    <div class="modal-dialog">
        <div class="modal-content">
            <div class="modal-header">
                <h4 class="modal-title">Masukkan stok manual</h4>
            </div>
            <div class="modal-body">
                <form action="tmb_brg_act.php" method="post">
                    <div class="form-group">
                        <label>Nama</label>
                        <input name="nama" type="text" class="form-control"
placeholder="Nama Barang" required>
                    </div>
                    <div class="form-group">
                        <label>Jenis</label>
                        <input name="jenis" type="text" class="form-control"
placeholder="Jenis / Kategori Barang">
                    </div>
                </form>
            </div>
        </div>
    </div>
</div>

```

```

        <div class="form-group">
            <label>Stock</label>
            <input name="stock" type="number" min="0" class="form-
control" placeholder="Qty">
        </div>

        <div class="form-group">
            <label>Harga</label>
            <input name="harga" type="number" min="0" class="form-
control" placeholder="Harga">
        </div>

    </div>

    <div class="modal-footer">
        <button type="button" class="btn btn-default" data-
dismiss="modal">Batal</button>
        <input type="submit" class="btn btn-primary" value="Simpan">
    </div>
</form>
</div>
</div>
</div>

<script>
$(document).ready(function() {
    $('#dataTable3').DataTable({
        dom: 'Bfrtip',
        buttons: [
            'print'
        ]
    });
});

```

```
});
</script>

<!-- jquery latest version -->
<script src="https://code.jquery.com/jquery-3.3.1.js"></script>
<!-- bootstrap 4 js -->
<script src="assets/js/popper.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/metisMenu.min.js"></script>
<script src="assets/js/jquery.slimscroll.min.js"></script>
<script src="assets/js/jquery.slicknav.min.js"></script>
<!-- Start datatable js -->
<script
src="https://cdn.datatables.net/buttons/1.5.2/js/buttons.print.min.js"></script>
<script
src="https://cdn.datatables.net/buttons/1.5.2/js/dataTables.buttons.min.js"></script>
>
<script
src="https://cdn.datatables.net/1.10.20/js/jquery.dataTables.js"></script>
<script
src="https://cdn.datatables.net/1.10.20/js/jquery.dataTables.min.js"></script>
<script
src="https://cdn.datatables.net/1.10.20/js/dataTables.bootstrap4.min.js"></script>
<script
src="https://cdn.datatables.net/responsive/2.2.3/js/dataTables.responsive.min.js">
</script>
<script
src="https://cdn.datatables.net/responsive/2.2.3/js/responsive.bootstrap.min.js"></
script>
<script
src="https://cdn.datatables.net/buttons/1.5.2/js/buttons.html5.min.js"></script>

<!-- others plugins -->
```

```
<script src="assets/js/plugins.js"></script>
```

```
<script src="assets/js/scripts.js"></script>
```

```
</body>
```

```
</html>
```

MANAGEORDERDETAIL.PHP

```
<?php
```

```
session_start();
```

```
include '../dbconnect.php';
```

```
date_default_timezone_set("Asia/Bangkok");
```

```
$itungnotif = mysqli_query($conn, "SELECT count(idcart) as jumlahnotif from  
cart where status='settlement' OR status='Payment'");
```

```
$itungnotif2 = mysqli_fetch_assoc($itungnotif);
```

```
$itungnotif3 = $itungnotif2['jumlahnotif'];
```

```
?>
```

```
<!doctype html>
```

```
<html class="no-js" lang="en">
```

```
<head>
```

```
<meta charset="utf-8">
```

```
<meta http-equiv="x-ua-compatible" content="ie=edge">
```

```
<title>Dian 17 Cell | Kelola Pesanan</title>
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

```
<!-- Favicon -->
```

```
<link rel="apple-touch-icon" sizes="180x180"  
href="../assets/img/Favicon/apple-touch-icon.png">
```

```
<link rel="icon" type="image/png" sizes="32x32"
href="../assets/img/Favicon/favicon-32x32.png">

<link rel="icon" type="image/png" sizes="16x16"
href="../assets/img/Favicon/favicon-16x16.png">

<link rel="manifest" href="../assets/img/Favicon/site.webmanifest">

<link rel="stylesheet" href="assets/css/bootstrap.min.css">
<link rel="stylesheet" href="assets/css/font-awesome.min.css">
<link rel="stylesheet" href="assets/css/themify-icons.css">
<link rel="stylesheet" href="assets/css/metisMenu.css">
<link rel="stylesheet" href="assets/css/slicknav.min.css">

<!-- Start datatable css -->

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/jquery.dataTables.min.css">

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/jquery.dataTables.css">

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/dataTables.bootstrap4.min.css">

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.3/css/responsive.bootstrap.min.css"
>

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.3/css/responsive.jqueryui.min.css"
>

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/buttons/1.5.2/css/buttons.dataTables.min.css">

<!-- others css -->

<link rel="stylesheet" href="assets/css/typography.css">
<link rel="stylesheet" href="assets/css/default-css.css">
<link rel="stylesheet" href="assets/css/styles.css">
<link rel="stylesheet" href="assets/css/responsive.css">
```

```
<!-- modernizr css -->
<script src="assets/js/vendor/modernizr-2.8.3.min.js"></script>
<style>
    .notification-area .dropdown-menu {
        min-width: 200px;
    }

    .notification-area .dropdown-menu .dropdown-item {
        padding: 10px 15px;
    }

    .notification-area .dropdown-menu .dropdown-item:hover {
        background-color: #f1f1f1;
    }

    .notification-area .fa-bell {
        font-size: 20px;
        color: #6298B5;
    }

    .notification-area .badge {
        position: absolute;
        top: -10px;
        right: -10px;
        background-color: #ff5b5b;
        color: white;
        border-radius: 50%;
    }
</style>
```

```
</head>
```

```
<body>
```

```
<!--[if lt IE 8]>
```

```
<p class="browserupgrade">You are using an <strong>outdated</strong>  
browser. Please <a href="http://browshappy.com/">upgrade your browser</a> to  
improve your experience.</p>
```

```
<![endif]-->
```

```
<!-- preloader area start -->
```

```
<div id="preloader">
```

```
<div class="loader"></div>
```

```
</div>
```

```
<!-- preloader area end -->
```

```
<!-- page container area start -->
```

```
<div class="page-container">
```

```
<!-- sidebar menu area start -->
```

```
<div class="sidebar-menu">
```

```
<div class="main-menu">
```

```
<div class="menu-inner">
```

```
<nav>
```

```
<ul class="metismenu" id="menu">
```

```
<li><a href="index.php"><span>Home</span></a></li>
```

```
<li><a href=".."><span>Kembali ke Toko</span></a></li>
```

```
<li class="active">
```

```
<a href="manageorder.php"><i class="ti-  
dashboard"></i><span>Kelola Pesanan</span></a>
```

```
</li>
```

```
<li>
```

```
<a href="javascript:void(0)" aria-expanded="true"><i  
class="ti-layout"></i><span>Kelola Toko
```

```
</span></a>
```

```

        <ul class="collapse">
            <li><a href="kategori.php">Kategori</a></li>
            <li><a href="produk.php">Produk</a></li>
        </ul>
    </li>
    <li><a href="rekap.php"><span>Rekap
Penjualan</span></a></li>
    <li><a href="customer.php"><span>Kelola
Pelanggan</span></a></li>
    <li><a href="user.php"><span>Kelola Admin</span></a></li>
    <li>
        <a href=" ../logout.php"><span>Logout</span></a>
    </li>
</ul>
</nav>
</div>
</div>
</div>
<!-- sidebar menu area end -->
<!-- main content area start -->
<div class="main-content">
    <!-- header area start -->
    <div class="header-area">
        <div class="row align-items-center">
            <!-- nav and search button -->
            <div class="col-md-6 col-sm-8 clearfix">
                <div class="nav-btn pull-left">
                    <span></span>
                    <span></span>
                    <span></span>

```



```

        </div>
    </div>
    <!-- profile info & task notification -->

    <div class="col-md-6 col-sm-4 clearfix">
        <ul class="notification-area pull-right" style="color: #6298B5;">
            <li class="dropdown">
                <a href="#" data-toggle="dropdown">
                    <i class="fa fa-bell"></i>
                    <?php if ($itungnotif3 > 0): ?>
                        <span class="badge badge-light"><?=$itungnotif3 ?></span>
                    <?php endif; ?>
                </a>
                <div class="dropdown-menu dropdown-menu-right">
                    <?php
                    // Query untuk mengambil data dari database
                    $brgs = mysqli_query($conn, "
                        SELECT *
                        FROM cart c
                        JOIN users l ON c.userid = l.userid
                        JOIN detailorder d ON c.orderid = d.orderid
                        JOIN produk p ON d.idproduk = p.idproduk
                        WHERE c.status = 'settlement' OR c.status='Payment'
                        ORDER BY c.idcart DESC
                    ");

                    // Menghitung jumlah baris hasil query
                    $jumlah_notifikasi = mysqli_num_rows($brgs);

```

```

if ($jumlah_notifikasi > 0) {
    // Array untuk menyimpan produk yang dipesan per orderid
    $notifikasi = [];

    while ($p = mysqli_fetch_array($brgs)) {
        $orderid = $p['orderid'];
        $username = $p['username'];
        $namaproduk = $p['namaproduk'];

        // Jika orderid belum ada dalam array, tambahkan dengan
        produk

        if (!isset($notifikasi[$orderid])) {
            $notifikasi[$orderid] = [
                'username' => $username,
                'produks' => []
            ];
        }

        // Tambahkan produk ke array produk orderid
        if (!in_array($namaproduk,
            $notifikasi[$orderid]['produks'])) {
            $notifikasi[$orderid]['produks'][] = $namaproduk;
        }
    }

    // Tampilkan hasil
    foreach ($notifikasi as $orderid => $info) {
        $username = $info['username'];
        $produk_list = implode(', ', $info['produks']);
        ?>

```

```

$orderid ?>>
    <a class="dropdown-item" href="order.php?orderid=<?=  

    <?=$username ?> membeli produk <?=  

$produk_list ?>
    </a>
    <?php
    }
} else {
    // Jika tidak ada notifikasi
    echo '
    <a class="dropdown-item" href="#">Tidak ada notifikasi
    </a>;
    }
?>
</div>
</li>
<li>
<h3>
<div class="date">
    <script type='text/javascript'>
        var months = ['Januari', 'Februari', 'Maret', 'April',
'Mei', 'Juni', 'Juli', 'Agustus', 'September', 'Oktober', 'November', 'Desember'];
        var myDays = ['Minggu', 'Senin', 'Selasa', 'Rabu',
'Kamis', 'Jumat', 'Sabtu'];
        var date = new Date();
        var day = date.getDate();
        var month = date.getMonth();
        var thisDay = date.getDay(),
            thisDay = myDays[thisDay];
        var yy = date.getFullYear();
        var year = (yy < 1000) ? yy + 1900 : yy;

```



```

        $row1 = mysqli_fetch_assoc($result1);
        $count = $row1['count'];
        if ($cekrow > 0) {
            echo number_format($count);
        } else {
            echo 'No data';
        } ?></td>
<td><?php

        //echo $p['status']
        $orders = $p['orderid'];
        $cekkonfirmasi_pembayaran =
mysqli_query($conn, "SELECT * FROM konfirmasi where orderid='$orders'");

        $cekroww =
mysqli_num_rows($cekkonfirmasi_pembayaran);

        $row3 =
mysqli_fetch_assoc($cekkonfirmasi_pembayaran);

        if ($cekroww > 0) {
            echo 'Confirmed';
        } else {
            if ($p['status'] != 'Pengiriman') {
                echo "Menunggu Konfirmasi";
            } else {
                echo "Pengiriman";
            }
        };
    }

?></td>
<td>

```

```

                <?php if ($row3) { ?>
                    
                <?php } else {
                    echo "---";
                }
                ?>
            </td>

        </tr>

        <?php
        }
        ?>
    </tbody>
</table>
</div>
</div>
</div>
</div>
</div>
</div>

<div class="row mt-5 mb-5">
    <div class="col-12">
        <div class="card">
            <div class="card-body">
                <div class="d-sm-flex justify-content-between align-items-
center">

                    <h2>Daftar Barang</h2>
                </div>
                <div class="data-tables datatable-dark">

```

```

<table id="dataTable3" class="display"
style="width:100%">
  <thead class="thead-dark">
    <tr>
      <th>No</th>
      <th>Nama</th>
      <th>Jumlah</th>
      <th>Harga</th>
      <th>Total</th>
    </tr>
  </thead>
  <tbody>
    <?php
      $orderid = $_GET['id'];
      $brgs = mysqli_query($conn, "SELECT * from cart c,
users l where c.userid=l.userid AND orderid = '$orderid'");
      $no = 1;
      while ($p = mysqli_fetch_array($brgs)) {
        $sambildetailorder = mysqli_query($conn, "SELECT
* from detailorder LEFT JOIN produk ON detailorder.idproduk =
produk.idproduk where orderid = '$orderid'");
        while ($detailorder =
mysqli_fetch_array($sambildetailorder)) {
          $namaproduk = $detailorder['namaproduk'];
          $qty = $detailorder['qty'];
          $harga = $detailorder['harga'];
        }
      }
    </tr>
    <td><?= $no++ ?></td>

```



```
<td><strong><a href="order.php?orderid=<?=$p['orderid'] ?>">#<?=$p['orderid'] ?></a></strong></td>
```

```
<td><?=$p['username'] ?></td>
```

```
<td><?=$p['tglorder'] ?></td>
```

```
<td>Rp<?php
```

```
$result1 = mysqli_query($conn, "SELECT SUM(d.qty*p.hargaafter) AS count FROM detailorder d, produk p where orderid='$orderid' and p.idproduk=d.idproduk order by d.idproduk ASC");
```

```
$cekrow = mysqli_num_rows($result1);
```

```
$row1 = mysqli_fetch_assoc($result1);
```

```
$count = $row1['count'];
```

```
if ($cekrow > 0) {
```

```
    echo number_format($count);
```

```
} else {
```

```
    echo 'No data';
```

```
} ?></td>
```

```
<td><?php
```

```
//echo $p['status']
```

```
$orders = $p['orderid'];
```

```
$cekkonfirmasi = mysqli_query($conn, "SELECT * FROM konfirmasi where orderid='$orders'");
```

```
$cekroww = mysqli_num_rows($cekkonfirmasi);
```

```
$row3 = mysqli_fetch_assoc($cekkonfirmasi);
```

```
if ($cekroww > 0) {
```

```
    echo 'Confirmed';
```

```
} else {
```

```
    if ($p['status'] != 'Pengiriman') {
```

```

        echo "Menunggu Konfirmasi";
    } else {
        echo "Pengiriman";
    };
}

?></td>
<td>
    <?php if ($row3) { ?>
        
        <?php } else {
            echo "---";
        }
    ?>
</td>

</tr>
<?php
}
?>
</tbody>
</table>
</div>
</div>
</div>
</div>
</div>
</div>
</div>

```



```

        <input name="jenis" type="text" class="form-control"
placeholder="Jenis / Kategori Barang">
    </div>
    <div class="form-group">
        <label>Stock</label>
        <input name="stock" type="number" min="0" class="form-
control" placeholder="Qty">
    </div>
    <div class="form-group">
        <label>Harga</label>
        <input name="harga" type="number" min="0" class="form-
control" placeholder="Harga">
    </div>

</div>
<div class="modal-footer">
    <button type="button" class="btn btn-default" data-
dismiss="modal">Batal</button>
    <input type="submit" class="btn btn-primary" value="Simpan">
</div>
</form>
</div>
</div>
</div>
</div>

<script>
$(document).ready(function() {
    $('#dataTable3').DataTable({
        dom: 'Bfrip',
        buttons: [
            'print'

```

```
        ]
    });
});
</script>

<!-- jquery latest version -->
<script src="https://code.jquery.com/jquery-3.3.1.js"></script>
<!-- bootstrap 4 js -->
<script src="assets/js/popper.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/metisMenu.min.js"></script>
<script src="assets/js/jquery.slimscroll.min.js"></script>
<script src="assets/js/jquery.slicknav.min.js"></script>
<!-- Start datatable js -->

<script
src="https://cdn.datatables.net/buttons/1.5.2/js/buttons.print.min.js"></script>

<script
src="https://cdn.datatables.net/buttons/1.5.2/js/dataTables.buttons.min.js"></script
>

<script
src="https://cdn.datatables.net/1.10.20/js/jquery.dataTables.js"></script>

<script
src="https://cdn.datatables.net/1.10.20/js/jquery.dataTables.min.js"></script>

<script
src="https://cdn.datatables.net/1.10.20/js/dataTables.bootstrap4.min.js"></script>

<script
src="https://cdn.datatables.net/responsive/2.2.3/js/dataTables.responsive.min.js">
</script>

<script
src="https://cdn.datatables.net/responsive/2.2.3/js/responsive.bootstrap.min.js"></
script>

<script
src="https://cdn.datatables.net/buttons/1.5.2/js/buttons.html5.min.js"></script>
```

```
<!-- others plugins -->
<script src="assets/js/plugins.js"></script>
<script src="assets/js/scripts.js"></script>

</body>

</html>

ORDER.PHP

<?php
session_start();
include '../dbconnect.php';

$orderids = $_GET['orderid'];

$liatcust = mysqli_query($conn, "SELECT * FROM users u JOIN cart c ON
u.userid = c.userid WHERE orderid='$orderids'");

$checkdb = mysqli_fetch_array($liatcust);
date_default_timezone_set("Asia/Bangkok");

if (isset($_POST['kirim'])) {
    $updatestatus = mysqli_query($conn, "UPDATE cart SET status='Pengiriman'
WHERE orderid='$orderids'");

    if ($updatestatus) {
        echo "<script>
            alert('Pesanan dikirim');
            window.location.href = 'manageorder.php';
        </script>";
        exit;
    } else {
```

```

        echo "<div class='alert alert-warning'>
            Gagal Submit, silakan coba lagi
        </div>";
    }
}

if (isset($_POST['selesai'])) {
    $updatestatus = mysqli_query($conn, "UPDATE cart SET status='Selesai'
    WHERE orderid='$orderid'");

    if ($updatestatus) {
        echo "<script>
            alert('Transaksi diselesaikan');
            window.location.href = 'manageorder.php';
        </script>";
        exit;
    } else {
        echo "<div class='alert alert-warning'>
            Gagal Submit, silakan coba lagi
        </div>";
    }
}

$itungnotif = mysqli_query($conn, "SELECT count(idcart) as jumlahnotif from
cart where status='settlement' OR status='Payment'");
$itungnotif2 = mysqli_fetch_assoc($itungnotif);
$itungnotif3 = $itungnotif2['jumlahnotif'];
?>

<!doctype html>
<html class="no-js" lang="en">

```

```
<head>
  <meta charset="utf-8">
  <meta http-equiv="x-ua-compatible" content="ie=edge">
  <title>Dian 17 Cell | Pesanan <?= $checkdb['username']; ?></title>
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <!-- Favicon -->
  <link rel="apple-touch-icon" sizes="180x180"
href="../assets/img/Favicon/apple-touch-icon.png">
  <link rel="icon" type="image/png" sizes="32x32"
href="../assets/img/Favicon/favicon-32x32.png">
  <link rel="icon" type="image/png" sizes="16x16"
href="../assets/img/Favicon/favicon-16x16.png">
  <link rel="manifest" href="../assets/img/Favicon/site.webmanifest">

  <link rel="stylesheet" href="assets/css/bootstrap.min.css">
  <link rel="stylesheet" href="assets/css/font-awesome.min.css">
  <link rel="stylesheet" href="assets/css/themify-icons.css">
  <link rel="stylesheet" href="assets/css/metisMenu.css">
  <link rel="stylesheet" href="assets/css/slicknav.min.css">

  <!-- Start datatable css -->
  <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/jquery.dataTables.min.css">
  <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/jquery.dataTables.css">
  <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/dataTables.bootstrap4.min.css">
  <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.3/css/responsive.bootstrap.min.css"
>
```



```
<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.3/css/responsive.jqueryui.min.css"
>
```

```
<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/buttons/1.5.2/css/buttons.dataTables.min.css">
```

```
<!-- others css -->
```

```
<link rel="stylesheet" href="assets/css/typography.css">
```

```
<link rel="stylesheet" href="assets/css/default-css.css">
```

```
<link rel="stylesheet" href="assets/css/styles.css">
```

```
<link rel="stylesheet" href="assets/css/responsive.css">
```

```
<!-- modernizr css -->
```

```
<script src="assets/js/vendor/modernizr-2.8.3.min.js"></script>
```

```
<style>
```

```
.notification-area .dropdown-menu {
    min-width: 200px;
}
```

```
.notification-area .dropdown-menu .dropdown-item {
    padding: 10px 15px;
}
```

```
.notification-area .dropdown-menu .dropdown-item:hover {
    background-color: #f1f1f1;
}
```

```
.notification-area .fa-bell {
    font-size: 20px;
    color: #6298B5;
```

```
}
```

```
.notification-area .badge {  
    position: absolute;  
    top: -10px;  
    right: -10px;  
    background-color: #ff5b5b;  
    color: white;  
    border-radius: 50%;  
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<!--[if lt IE 8]>
```

```
<p class="browserupgrade">You are using an <strong>outdated</strong>  
browser. Please <a href="http://browsehappyp.com/">upgrade your browser</a> to  
improve your experience.</p>
```

```
<![endif]-->
```

```
<!-- preloader area start -->
```

```
<div id="preloader">
```

```
<div class="loader"></div>
```

```
</div>
```

```
<!-- preloader area end -->
```

```
<!-- page container area start -->
```

```
<div class="page-container">
```

```
<!-- sidebar menu area start -->
```

```
<div class="sidebar-menu">
```

```
<div class="main-menu">
```

```
<div class="menu-inner">
  <nav>
    <ul class="metismenu" id="menu">
      <li><a href="index.php"><span>Home</span></a></li>
      <li><a href=".."><span>Kembali ke Toko</span></a></li>
      <li class="active">
        <a href="manageorder.php"><i class="ti-
dashboard"></i><span>Kelola Pesanan</span></a>
      </li>
      <li>
        <a href="javascript:void(0)" aria-expanded="true"><i
class="ti-layout"></i><span>Kelola Toko
          </span></a>
        <ul class="collapse">
          <li><a href="kategori.php">Kategori</a></li>
          <li><a href="produk.php">Produk</a></li>
        </ul>
      </li>
      <li><a href="rekap.php"><span>Rekap
Penjualan</span></a></li>
      <li><a href="customer.php"><span>Kelola
Pelanggan</span></a></li>
      <li><a href="user.php"><span>Kelola Admin</span></a></li>
      <li>
        <a href="..logout.php"><span>Logout</span></a>
      </li>
    </ul>
  </nav>
</div>
```

```

    </div>
</div>
<!-- sidebar menu area end -->
<!-- main content area start -->
<div class="main-content">
    <!-- header area start -->
    <div class="header-area">
        <div class="row align-items-center">
            <!-- nav and search button -->
            <div class="col-md-6 col-sm-8 clearfix">
                <div class="nav-btn pull-left text-white" style="color: #6298B5;">
                    <span></span>
                    <span></span>
                    <span></span>
                </div>
            </div>
            <!-- profile info & task notification -->
            <div class="col-md-6 col-sm-4 clearfix">
                <ul class="notification-area pull-right" style="color: #6298B5;">
                    <li class="dropdown">
                        <a href="#" data-toggle="dropdown">
                            <i class="fa fa-bell"></i>
                            <?php if ($itungnotif3 > 0): ?>
                                <span class="badge badge-light"><?=
Situngnotif3 ?></span>
                            <?php endif; ?>
                        </a>
                        <div class="dropdown-menu dropdown-menu-right">
                            <?php

```

```

// Query untuk mengambil data dari database
$brgs = mysqli_query($conn, "
    SELECT *
    FROM cart c
    JOIN users l ON c.userid = l.userid
    JOIN detailorder d ON c.orderid = d.orderid
    JOIN produk p ON d.idproduk = p.idproduk
    WHERE c.status = 'settlement' OR c.status='Payment'
    ORDER BY c.idcart DESC
");

// Menghitung jumlah baris hasil query
$jumlah_notifikasi = mysqli_num_rows($brgs);

if ($jumlah_notifikasi > 0) {
    // Array untuk menyimpan produk yang dipesan per orderid
    $notifikasi = [];

    while ($p = mysqli_fetch_array($brgs)) {
        $orderid = $p['orderid'];
        $username = $p['username'];
        $namaproduk = $p['namaproduk'];

        // Jika orderid belum ada dalam array, tambahkan dengan
        produk

        if (!isset($notifikasi[$orderid])) {
            $notifikasi[$orderid] = [
                'username' => $username,
                'produks' => []
            ];

```

```

    }

    // Tambahkan produk ke array produk orderid
    if (!in_array($namaproduk,
$notifikasi[$orderid]['produks'])) {
        $notifikasi[$orderid]['produks'][] = $namaproduk;
    }
}

// Tampilkan hasil
foreach ($notifikasi as $orderid => $info) {
    $username = $info['username'];
    $produk_list = implode(', ', $info['produks']);
    ?>
    <a class="dropdown-item" href="order.php?orderid=<?=
$orderid ?>">
        <?= $username ?> membeli produk <?=
$produk_list ?>
    </a>
    <?php
    }
} else {
    // Jika tidak ada notifikasi
    echo '
    <a class="dropdown-item" href="#">Tidak ada notifikasi
    </a>';
}
?>
</div>
</li>

```

```
<li>
  <h3>
    <div class="date">
      <script type='text/javascript'>
        var months = ['Januari', 'Februari', 'Maret', 'April',
'Mei', 'Juni', 'Juli', 'Agustus', 'September', 'Oktober', 'November', 'Desember'];
        var myDays = ['Minggu', 'Senin', 'Selasa', 'Rabu',
'Kamis', 'Jumat', 'Sabtu'];
        var date = new Date();
        var day = date.getDate();
        var month = date.getMonth();
        var thisDay = date.getDay(),
            thisDay = myDays[thisDay];
        var yy = date.getYear();
        var year = (yy < 1000) ? yy + 1900 : yy;
        document.write(thisDay + ', ' + day + ' ' +
months[month] + ' ' + year);
      </script>
    </div>
  </h3>
</li>
</ul>
</div>
</div>
<!-- header area end -->

<!-- page title area end -->
<div class="main-content-inner">
```

```

<!-- market value area start -->
<div class="row mt-5 mb-5">
  <div class="col-12">
    <div class="card">
      <div class="card-body">
        <div class="d-sm-flex justify-content-between align-items-
center">
          <h3>Order id : #<?= $checkdb['orderid'] ?></h3>

        </div>
        <p>No Transaksi : <?= $checkdb['notransaksi']; ?></p>
        <p>Nama pelanggan : <?= $checkdb['username']; ?></p>
        <p>Waktu order : <?= $checkdb['tglorder']; ?></p>
        <p>Kecamatan : <?= $checkdb['kecamatan']; ?></p>
        <p>Alamat : <?= $checkdb['alamat']; ?></p>
        <p>No Telepon : <?= $checkdb['no_hp']; ?></p>

        <?php
        ?>
        <div class="data-tables datatable-dark">
          <table id="dataTable3" class="display"
style="width:100%">
            <thead class="thead-dark">
              <tr>
                <th>No</th>
                <th>Produk</th>
                <th>Jumlah</th>
                <th>Harga</th>
                <th>Total</th>

```



```

        </tr>
    </thead>
    <tbody>
        <?php
            $brgs = mysqli_query($conn, "SELECT * from
detailorder d, produk p where orderid='$orderid' and d.idproduk=p.idproduk
order by d.idproduk ASC");

            $no = 1;
            while ($p = mysqli_fetch_array($brgs)) {
                $total = $p['qty'] * $p['hargaafter'];

                $result = mysqli_query($conn, "SELECT
SUM(d.qty*p.hargaafter) AS count FROM detailorder d, produk p where
orderid='$orderid' and d.idproduk=p.idproduk order by d.idproduk ASC");

                $row = mysqli_fetch_assoc($result);
                $cekrow = mysqli_num_rows($result);
                $count = $row['count'];

                ?>

            <tr>
                <td><?=$no++ ?></td>
                <td><?=$p['namaproduk'] ?></td>
                <td><?=$p['qty'] ?></td>
                <td>Rp<?=$
number_format($p['hargaafter']) ?></td>
                <td>Rp<?=$ number_format($total) ?></td>

            </tr>

        <?php

```

```

    }
    ?>
</tbody>
<tfoot>
    <tr>
        <th colspan="4" style="text-align:right">Total:</th>
        <th>Rp<?php

                                $result1 = mysqli_query($conn, "SELECT
SUM(d.qty*p.hargaafter) AS count FROM detailorder d, produk p where
orderid='$orderid' and d.idproduk=p.idproduk order by d.idproduk ASC");

                                $cekrow = mysqli_num_rows($result1);
                                $row1 = mysqli_fetch_assoc($result1);
                                $count = $row1['count'];
                                if ($cekrow > 0) {
                                    echo number_format($count);
                                } else {
                                    echo 'No data';
                                } ?></th>
    </tr>
</tfoot>
</table>

</div>
<br>
<?php

                                if ($checkdb['status'] == 'settlement' || $checkdb['status'] ==
'Payment' || $checkdb['status'] == 'pending') {
                                    echo '

```

```

        <form method="post">
            <input type="submit" name=" kirim" class="form-control
btn btn-success" value="Kirim" \>
        </form>
        ';
    } else if($checkdb['status'] == 'Pengiriman') {
        echo '
        <form method="post">
            <input type="submit" name="selesai" class="form-control
btn btn-success" value="Selesaikan" \>
        </form>
        ';
    }
    ?>
    <br>
</div>

</div>
</div>
</div>

```

```

    <!-- row area start-->
</div>
</div>
<footer>
    <center>
        <footer>
            <div class="footer-area" style="text-align: center;">

```

```
        <p>Dian 17 Cell</p>
    </div>
</footer>

</center>
</footer>
</div>
<!-- page container area end -->

<script type="text/javascript">
    $(document).ready(function() {
        $('#dataTable3').DataTable({
            dom: 'Bfrtip',
            buttons: [
                'print'
            ]
        });
    });
    $(document).ready(function() {
        $('#dataTable2').DataTable({
            dom: 'Bfrtip',
            buttons: [
                'print'
            ]
        });
    });
</script>

<!-- jquery latest version -->
```

```
<script src="https://code.jquery.com/jquery-3.3.1.js"></script>
<!-- bootstrap 4 js -->
<script src="assets/js/popper.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/metisMenu.min.js"></script>
<script src="assets/js/jquery.slimscroll.min.js"></script>
<script src="assets/js/jquery.slicknav.min.js"></script>
<!-- Start datatable js -->
<script
src="https://cdn.datatables.net/buttons/1.6.0/js/buttons.print.min.js"></script>
<script
src="https://cdn.datatables.net/buttons/1.6.0/js/dataTables.buttons.min.js"></script
>
<script
src="https://cdn.datatables.net/1.10.20/js/jquery.dataTables.js"></script>
<script
src="https://cdn.datatables.net/1.10.20/js/jquery.dataTables.min.js"></script>
<script
src="https://cdn.datatables.net/1.10.20/js/dataTables.bootstrap4.min.js"></script>
<script
src="https://cdn.datatables.net/responsive/2.2.3/js/dataTables.responsive.min.js">
</script>
<script
src="https://cdn.datatables.net/responsive/2.2.3/js/responsive.bootstrap.min.js"></
script>
<script
src="https://cdn.datatables.net/buttons/1.5.2/js/buttons.html5.min.js"></script>

<!-- others plugins -->
<script src="assets/js/plugins.js"></script>
<script src="assets/js/scripts.js"></script>

</body>
```

```
</html>
```

```
PRODUK.PHP
```

```
<?php
```

```
session_start();
```

```
include '../dbconnect.php';
```

```
error_reporting(E_ALL);
```

```
ini_set('display_errors', 1);
```

```
if (isset($_POST["addproduct"])) {
```

```
    $namaproduk = $_POST['namaproduk'];
```

```
    $beratproduk = $_POST['beratproduk'];
```

```
    $idkategori = $_POST['idkategori'];
```

```
    $idbrand = $_POST['idbrand'];
```

```
    $deskripsi = $_POST['deskripsi'];
```

```
    $hargabefore = $_POST['hargabefore'];
```

```
    $hargaafter = $_POST['hargaafter'];
```

```
    $stok = $_POST['stok'];
```

```
    $namafoto = $_FILES['uploadgambar']['name'];
```

```
    $namafix = date('Ymdhis') . $namafoto;
```

```
    $lokasifoto = $_FILES['uploadgambar']['tmp_name'];
```

```
    move_uploaded_file($lokasifoto, "../foto/" . $namafix);
```

```
    $query = "INSERT into produk (idkategori,idbrand, namaproduk, beratproduk,  
gambar1, deskripsi, hargabefore, hargaafter, stok)
```

```
        values('$idkategori','$idbrand','$namaproduk','$beratproduk','$namafix','$  
deskripsi','$hargabefore','$hargaafter','$stok)";
```

```
    $sql = mysqli_query($conn, $query) or die(mysqli_error($conn));
```

```
if ($sql) {
    echo "
    <script>
        alert('Produk berhasil ditambah');
        window.location.href = 'produk.php';
    </script>";
} else {
    echo "
    <script>
        alert('Gagal ');
        window.location.href = 'produk.php';
    </script>";
}
};
```

```
if (isset($_POST["editproduct"])) {
    $idproduk = $_POST['idproduk'];
    $namaproduk = $_POST['namaproduk'];
    $beratproduk = $_POST['beratproduk'];
    $idkategori = $_POST['idkategori'];
    $idbrand = $_POST['idbrand'];
    $deskripsi = $_POST['deskripsi'];
    $hargabefore = $_POST['hargabefore'];
    $hargaafter = $_POST['hargaafter'];
    $stok = $_POST['stok'];

    // Jika gambar diunggah
    if ($_FILES['uploadgambar']['name']) {
        $namafoto = $_FILES['uploadgambar']['name'];
```

```

$namafix = date('Ymdhis') . $namafoto;
$lokasifoto = $_FILES['uploadgambar']['tmp_name'];
move_uploaded_file($lokasifoto, "../foto/" . $namafix);

// Update dengan gambar baru

$query = "UPDATE produk SET idkategori='$idkategori',
idbrand='$idbrand', namaproduk='$namaproduk', beratproduk='$beratproduk',
gambar1='$namafix', deskripsi='$deskripsi', hargabefore='$hargabefore',
hargaafter='$hargaafter', stok='$stok' WHERE idproduk='$idproduk'";

} else {

// Update tanpa gambar baru

$query = "UPDATE produk SET idkategori='$idkategori',
idbrand='$idbrand', namaproduk='$namaproduk', beratproduk='$beratproduk',
deskripsi='$deskripsi', hargabefore='$hargabefore', hargaafter='$hargaafter',
stok='$stok' WHERE idproduk='$idproduk'";

}

$sql = mysqli_query($conn, $query) or die(mysqli_error($conn));

if ($sql) {
echo "
<script>
alert('Produk berhasil diubah');
window.location.href = 'produk.php';
</script>";
} else {
echo "
<script>
alert('Gagal mengubah produk');
window.location.href = 'produk.php';
</script>";
}

```



```

}

if (isset($_POST['deleteproduct'])) {
    $idproduk = $_POST['idproduk'];

    // Hapus gambar dari direktori

    $queryGambar = "SELECT gambar1 FROM produk WHERE
idproduk='$idproduk'";

    $resultGambar = mysqli_query($conn, $queryGambar) or
die(mysqli_error($conn));

    $rowGambar = mysqli_fetch_assoc($resultGambar);
    $gambarPath = "../foto/" . $rowGambar['gambar1'];
    if (file_exists($gambarPath)) {
        unlink($gambarPath);
    }

    // Hapus data produk dari tabel

    $query = "DELETE FROM produk WHERE idproduk='$idproduk'";
    $sql = mysqli_query($conn, $query) or die(mysqli_error($conn));

    if ($sql) {
        echo "
        <script>
            alert('Produk berhasil dihapus');
            window.location.href = 'produk.php';
        </script>";
    } else {
        echo "
        <script>
            alert('Gagal menghapus produk');

```

```
        window.location.href = 'produk.php';
    </script>";
}
}
$itungnotif = mysqli_query($conn, "SELECT count(idcart) as jumlahnotif from
cart where status='settlement' OR status='Payment'");
$itungnotif2 = mysqli_fetch_assoc($itungnotif);
$itungnotif3 = $itungnotif2['jumlahnotif'];
?>

<!doctype html>
<html class="no-js" lang="en">

<head>
    <meta charset="utf-8">
    <meta http-equiv="x-ua-compatible" content="ie=edge">
    <title>Dian 17 Cell | Kelola Produk</title>
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- Favicon -->
    <link rel="apple-touch-icon" sizes="180x180"
href="../assets/img/Favicon/apple-touch-icon.png">
    <link rel="icon" type="image/png" sizes="32x32"
href="../assets/img/Favicon/favicon-32x32.png">
    <link rel="icon" type="image/png" sizes="16x16"
href="../assets/img/Favicon/favicon-16x16.png">
    <link rel="manifest" href="../assets/img/Favicon/site.webmanifest">

    <link rel="stylesheet" href="assets/css/bootstrap.min.css">
    <link rel="stylesheet" href="assets/css/font-awesome.min.css">
    <link rel="stylesheet" href="assets/css/themify-icons.css">
```

```
<link rel="stylesheet" href="assets/css/metisMenu.css">
<link rel="stylesheet" href="assets/css/slicknav.min.css">

<!-- Start datatable css -->

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/jquery.dataTables.min.css">

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/jquery.dataTables.css">

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/dataTables.bootstrap4.min.css">

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.3/css/responsive.bootstrap.min.css"
>

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.3/css/responsive.jqueryui.min.css"
>

<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/buttons/1.5.2/css/buttons.dataTables.min.css">

<!-- others css -->

<link rel="stylesheet" href="assets/css/typography.css">
<link rel="stylesheet" href="assets/css/default-css.css">
<link rel="stylesheet" href="assets/css/styles.css">
<link rel="stylesheet" href="assets/css/responsive.css">

<!-- modernizr css -->
<script src="assets/js/vendor/modernizr-2.8.3.min.js"></script>
<style>
    .notification-area .dropdown-menu {
        min-width: 200px;
    }

    .notification-area .dropdown-menu .dropdown-item {
```

```
padding: 10px 15px;
}

.notification-area .dropdown-menu .dropdown-item:hover {
background-color: #f1f1f1;
}

.notification-area .fa-bell {
font-size: 20px;
color: #6298B5;
}

.notification-area .badge {
position: absolute;
top: -10px;
right: -10px;
background-color: #ff5b5b;
color: white;
border-radius: 50%;
}
</style>
</head>

<body>
<!--[if lt IE 8]>
<p class="browserupgrade">You are using an <strong>outdated</strong>
browser. Please <a href="http://browsehappy.com/">upgrade your browser</a> to
improve your experience.</p>
<![endif]-->
<!-- preloader area start -->
```

```

<div id="preloader">
  <div class="loader"></div>
</div>
<!-- preloader area end -->
<!-- page container area start -->
<div class="page-container">
  <!-- sidebar menu area start -->
  <div class="sidebar-menu">
    <div class="main-menu">
      <div class="menu-inner">
        <nav>
          <ul class="metismenu" id="menu">
            <li><a href="index.php"><span>Beranda</span></a></li>
            <li><a href=".."><span>Kembali ke Toko</span></a></li>
            <li>
              <a href="manageorder.php"><i class="ti-
dashboard"></i><span>Kelola Pesanan</span></a>
            </li>
            <li class="active">
              <a href="javascript:void(0)" aria-expanded="true"><i
class="ti-layout"></i><span>Kelola Toko
                </span></a>
              <ul class="collapse">
                <li><a href="kategori.php">Kategori</a></li>
                <li class="active"><a href="produk.php">Produk</a></li>
              </ul>
            </li>
            <li><a href="rekap.php"><span>Rekap
Penjualan</span></a></li>
            <li><a href="customer.php"><span>Kelola
Pelanggan</span></a></li>

```

```
</li><a href="user.php"><span>Kelola Admin</span></a></li>
<li>
  <a href=" ../logout.php"><span>Keluar</span></a>

</li>

</ul>
</nav>
</div>
</div>
</div>
<!-- sidebar menu area end -->
<!-- main content area start -->
<div class="main-content">
  <!-- header area start -->
  <div class="header-area">
    <div class="row align-items-center">
      <!-- nav and search button -->
      <div class="col-md-6 col-sm-8 clearfix">
        <div class="nav-btn pull-left" style="color: #6298B5;">
          <span></span>
          <span></span>
          <span></span>
        </div>
      </div>
      <!-- profile info & task notification -->

      <div class="col-md-6 col-sm-4 clearfix">
        <ul class="notification-area pull-right" style="color: #6298B5;">
```

```

<li class="dropdown">
  <a href="#" data-toggle="dropdown">
    <i class="fa fa-bell"></i>
    <?php if ($itungnotif3 > 0): ?>
      <span class="badge badge-light"><?=$itungnotif3 ?></span>
    <?php endif; ?>
  </a>
  <div class="dropdown-menu dropdown-menu-right">
    <?php
    // Query untuk mengambil data dari database
    $brgs = mysqli_query($conn, "
    SELECT *
    FROM cart c
    JOIN users l ON c.userid = l.userid
    JOIN detailorder d ON c.orderid = d.orderid
    JOIN produk p ON d.idproduk = p.idproduk
    WHERE c.status = 'settlement' OR c.status='Payment'
    ORDER BY c.idcart DESC
    ");

    // Menghitung jumlah baris hasil query
    $jumlah_notifikasi = mysqli_num_rows($brgs);

    if ($jumlah_notifikasi > 0) {
      // Array untuk menyimpan produk yang dipesan per orderid
      $notifikasi = [];

      while ($p = mysqli_fetch_array($brgs)) {
        $orderid = $p['orderid'];

```

```

$username = $p['username'];
$namaproduk = $p['namaproduk'];

// Jika orderid belum ada dalam array, tambahkan dengan
produk
if (!isset($notifikasi[$orderid])) {
    $notifikasi[$orderid] = [
        'username' => $username,
        'produks' => []
    ];
}

// Tambahkan produk ke array produk orderid
if (!in_array($namaproduk,
$notifikasi[$orderid]['produks'])) {
    $notifikasi[$orderid]['produks'][] = $namaproduk;
}
}

// Tampilkan hasil
foreach ($notifikasi as $orderid => $info) {
    $username = $info['username'];
    $produk_list = implode(', ', $info['produks']);
    ?>
    <a class="dropdown-item" href="order.php?orderid=<?=
$orderid ?>">
        <?= $username ?> membeli produk <?=
$produk_list ?>
    </a>
    <?php
}

```



```

    } else {
        // Jika tidak ada notifikasi
        echo '
            <a class="dropdown-item" href="#">Tidak ada notifikasi
            </a>;
        }
    ?>
</div>
</li>
<li>
    <h3>
        <div class="date">
            <script type='text/javascript'>
                var months = ['Januari', 'Februari', 'Maret', 'April',
'Mei', 'Juni', 'Juli', 'Agustus', 'September', 'Oktober', 'November', 'Desember'];
                var myDays = ['Minggu', 'Senin', 'Selasa', 'Rabu',
'Kamis', 'Jumat', 'Sabtu'];
                var date = new Date();
                var day = date.getDate();
                var month = date.getMonth();
                var thisDay = date.getDay(),
                    thisDay = myDays[thisDay];
                var yy = date.getYear();
                var year = (yy < 1000) ? yy + 1900 : yy;
                document.write(thisDay + ', ' + day + ' ' +
months[month] + ' ' + year);
            </script>
        </div>
    </h3>
</li>

```



```

        <th>Harga Diskon</th>
        <th>Deskripsi</th>
        <th>Harga Awal</th>
        <th>Tanggal</th>
        <th>Actions</th>
    </tr>
</thead>
<tbody>
    <?php
        $brgs = mysqli_query($conn, "SELECT * from
kategori k, produk p where k.idkategori=p.idkategori order by idproduk ASC");
        $no = 1;
        while ($p = mysqli_fetch_array($brgs)) {

            ?>

            <tr>
                <td><?= $no++ ?></td>
                <td></td>
                <td><?= $p['namaproduk'] ?></td>
                <td><?= $p['stok'] ?></td>
                <td><?= $p['beratproduk'] ?></td>
                <td><?= $p['namakategori'] ?></td>
                <td><?= $p['hargaafter'] ?></td>
                <td><?= $p['deskripsi'] ?></td>
                <td><?= $p['hargabefore'] ?></td>
                <td><?= $p['tgldibuat'] ?></td>
                <td>

```

```
<a href="" class="btn btn-warning m-1" data-  
toggle="modal" data-target="#editProduk<?php echo $p['idproduk'] ?>">Edit</a>
```

```
<a href="#" class="btn btn-danger m-1" data-  
toggle="modal" data-target="#deleteproduct<?= $p['idproduk'] ?>">Hapus</a>
```

```
</td>
```

```
<!-- Modal Edit -->
```

```
<div id="editProduk<?php echo  
$p['idproduk'] ?>" class="modal fade">
```

```
<div class="modal-dialog">
```

```
<div class="modal-content">
```

```
<div class="modal-header">
```

```
<h4 class="modal-title">Edit
```

```
Produk</h4>
```

```
</div>
```

```
<div class="modal-body">
```

```
<form action="produk.php"  
method="post" enctype="multipart/form-data">
```

```
<input type="hidden"  
name="idproduk" value="<?= $p['idproduk'] ?>">
```

```
<div class="form-group">
```

```
<label>Nama Produk</label>
```

```
<input name="namaproduk"  
value="<?= $p['namaproduk'] ?>" type="text" class="form-control" required  
autofocus>
```

```
</div>
```

```
<div class="form-group">
```

```
<label>Stok Produk</label>
```

```
<input name="stok" value="<?=  
$p['stok'] ?>" type="text" class="form-control" required autofocus>
```

```
</div>
```

```

(*Kg)</label>
<div class="form-group">
  <label>Berat Produk
  <input name="beratproduk"
value="<?= $p['beratproduk'] ?>" type="text" class="form-control" required
autofocus>
</div>
<div class="form-group">
  <label>Kategori</label>
  <!-- <label>Kategori</label> -->
  <select name="idkategori"
class="form-control">
    <option selected>Pilih
    Kategori</option>
    <?php
      $det = mysqli_query($conn,
"SELECT * from kategori order by namakategori ASC") or
die(mysqli_error($conn));
      while ($d =
        mysqli_fetch_array($det)) {
        <option value="<?=
$d['idkategori'] ?>" <?= $d['idkategori'] == $p['idkategori'] ? 'selected' : " ?>><?=
$d['namakategori'] ?></option>
    <?php
      }
    <?>
  </select>
</div>
<div class="form-group">
  <label>Brand</label>

```

```

class="form-control">
    <select name="idbrand"
Brand</option>
    <option selected>Pilih
    <?php
        $det = mysqli_query($conn,
"SELECT * from brand order by namabrand ASC") or die(mysqli_error($conn));
        while ($d =
mysqli_fetch_array($det)) {
            ?>
            <option value="<?=
$d['idbrand'] ?>" <?= $d['idbrand'] == $p['idbrand'] ? 'selected' : " ?>><?=
$d['namabrand'] ?></option>
            <?php
                }
            ?>
        </select>
    </div>
    <div class="form-group">
        <label>Deskripsi</label>
        <input name="deskripsi"
value="<?= $p['deskripsi'] ?>" type="text" class="form-control"
required></input>
    </div>
    <div class="form-group">
        <label>Harga Sebelum
Diskon</label>
        <input name="hargabefore"
value="<?= $p['hargabefore'] ?>" type="number" class="form-control">
    </div>
    <div class="form-group">
        <label>Harga Setelah
Diskon</label>

```

```

        <input name="hargaafter"
value="<?= $p['hargaafter'] ?>" type="number" class="form-control">
    </div>
    <div class="form-group">
        <label>Gambar</label>
        <input name="uploadgambar"
type="file" class="form-control">
    </div>
</div>
<div class="modal-footer">
    <button type="button" class="btn btn-
default" data-dismiss="modal">Batal</button>
    <input name="editproduct"
type="submit" class="btn btn-primary" value="Edit">
</div>
</form>
</div>
</div>
</div>
</div>
<!-- Modal Hapus -->
<div id="deleteproduct<?= $p['idproduk'] ?>"
class="modal fade" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel" aria-hidden="true">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title"
id="exampleModalLabel">Hapus Produk</h5>
                <button type="button" class="close"
data-dismiss="modal" aria-label="Close">

```

```

        hidden="true">&times;</span>
        <span aria-
        </button>
    </div>
    <div class="modal-body">
        <form action="" method="post">
            <p>Apakah Anda yakin ingin
menghapus produk <strong><?= $p['namaproduk'] ?></strong>?</p>
            <input type="hidden"
name="idproduk" value="<?= $p['idproduk'] ?>">
            <div class="modal-footer">
                <button type="button" class="btn
btn-secondary" data-dismiss="modal">Batal</button>
                <input name="deleteproduct"
type="submit" class="btn btn-danger" value="Hapus">
            </div>
        </form>
    </div>
</div>
</div>
</div>
</tr>
<?php
}
?>
</tbody>
</table>
</div>
</div>
</div>

```



```
        </div>
    </div>
</div>

<!-- row area start-->
</div>
<footer>
    <center>
        <footer>
            <div class="footer-area" style="text-align: center;">
                <p>Dian 17 Cell</p>
            </div>
        </footer>
    </center>
</footer>
</div>
</div>
<!-- page container area end -->

<!-- modal input -->
<div id="myModal" class="modal fade">
    <div class="modal-dialog">
        <div class="modal-content">
            <div class="modal-header">
                <h4 class="modal-title">Tambah Produk</h4>
            </div>

            <div class="modal-body">
```

```
<!-- <p style="color: red;">Maaf untuk sekarang belum bisa
menambahkan barang, karena gambar yang kami gunakan belum menggunakan
database</p> <br> -->
```

```
<form action="" method="post" enctype="multipart/form-data">
  <div class="form-group">
    <label>Nama Produk</label>
    <input name="namaproduk" type="text" class="form-control"
required autofocus>
  </div>
  <div class="form-group">
    <label>Stok Produk</label>
    <input name="stok" type="number" class="form-control"
required autofocus>
  </div>
  <div class="form-group">
    <label>Berat Produk (*Kg)</label>
    <input name="beratproduk" type="number" class="form-
control" required autofocus>
  </div>
  <div class="form-group">
    <label>Nama Kategori</label>
    <select name="idkategori" class="form-control">
      <option selected>Pilih Kategori</option>
      <?php
        $det = mysqli_query($conn, "SELECT * from kategori order
by namakategori ASC") or die(mysqli_error($conn));
        while ($d = mysqli_fetch_array($det)) {
          ?>
          <option value="<?= $d['idkategori'] ?>"><?=
$d['namakategori'] ?></option>
        <?php
        }
      </div>
```

```

        ?>
    </select>
</div>
<div class="form-group">
    <label>Nama Brands</label>
    <select name="idbrand" class="form-control">
        <option selected>Pilih Kategori</option>
        <?php
            $det = mysqli_query($conn, "SELECT * from brand order by
namabrand ASC") or die(mysqli_error($conn));
            while ($d = mysqli_fetch_array($det)) {
                ?>
                <option value="<?= $d['idbrand'] ?>"><?=
$d['namabrand'] ?></option>
            <?php
            }
            ?>
        </select>
    </div>
<div class="form-group">
    <label>Deskripsi</label>
    <input name="deskripsi" type="text" class="form-control"
required>
</div>
<div class="form-group">
    <label>Harga Sebelum Diskon</label>
    <input name="hargabefore" type="number" class="form-
control">
</div>
<div class="form-group">
    <label>Harga Setelah Diskon</label>

```

```

        <input name="hargaafter" type="number" class="form-
control">
    </div>
    <div class="form-group">
        <label>Gambar</label>
        <input name="uploadgambar" type="file" class="form-control">
    </div>

</div>
<div class="modal-footer">
    <button type="button" class="btn btn-default" data-
dismiss="modal">Batal</button>
    <input name="addproduct" type="submit" class="btn btn-primary"
value="Tambah">
</div>
</form>
</div>
</div>
</div>
</div>

<script>
$(document).ready(function() {
    $('#dataTable3').DataTable({
        dom: 'Bfrtip',
        buttons: [
            'print'
        ]
    });
});
</script>

```

```
<!-- jquery latest version -->
<script src="https://code.jquery.com/jquery-3.3.1.js"></script>
<!-- bootstrap 4 js -->
<script src="assets/js/popper.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/metisMenu.min.js"></script>
<script src="assets/js/jquery.slimscroll.min.js"></script>
<script src="assets/js/jquery.slicknav.min.js"></script>
<!-- Start datatable js -->
<script
src="https://cdn.datatables.net/buttons/1.5.2/js/buttons.print.min.js"></script>
<script
src="https://cdn.datatables.net/buttons/1.5.2/js/dataTables.buttons.min.js"></script
>
<script
src="https://cdn.datatables.net/1.10.20/js/jquery.dataTables.js"></script>
<script
src="https://cdn.datatables.net/1.10.20/js/jquery.dataTables.min.js"></script>
<script
src="https://cdn.datatables.net/1.10.20/js/dataTables.bootstrap4.min.js"></script>
<script
src="https://cdn.datatables.net/responsive/2.2.3/js/dataTables.responsive.min.js">
</script>
<script
src="https://cdn.datatables.net/responsive/2.2.3/js/responsive.bootstrap.min.js"></
script>
<script
src="https://cdn.datatables.net/buttons/1.5.2/js/buttons.html5.min.js"></script>

<!-- others plugins -->
<script src="assets/js/plugins.js"></script>
<script src="assets/js/scripts.js"></script>
```

```
</body>
```

```
</html>
```

REKAP.PHP

```
<?php
```

```
session_start();
```

```
include '../dbconnect.php';
```

```
if (isset($_POST['addcategory'])) {
```

```
    $namakategori = $_POST['namakategori'];
```

```
    $stambahkat = mysqli_query($conn, "INSERT into kategori (namakategori)
values ('$namakategori')");
```

```
    if ($stambahkat) {
```

```
        echo "
```

```
        <meta http-equiv='refresh' content='1; url= kategori.php'/> ";
```

```
    } else {
```

```
        echo "
```

```
        <meta http-equiv='refresh' content='1; url= kategori.php'/> ";
```

```
    }
```

```
};
```

```
if (isset($_POST['editkategori'])) {
```

```
    $idkategori = $_POST['idkategori'];
```

```
    $namakategori = $_POST['namakategori'];
```

```
    $edit = mysqli_query($conn, "UPDATE kategori SET namakategori =
'$namakategori' WHERE idkategori = '$idkategori'" ) or die(mysqli_error($conn));
```

```
    if ($edit) {
```

```
        echo "
```

```

        <script>
            alert('Kategori berhasil diubah');
            window.location.href = 'kategori.php';
        </script>";
    } else {
        echo "
        <script>
            alert('Gagal mengubah kategori');
            window.location.href = 'kategori.php';
        </script>";
    }
};

if (isset($_POST['editkategori'])) {
    $idkategori = $_POST['idkategori'];
    $namakategori = $_POST['namakategori'];
    $edit = mysqli_query($conn, "UPDATE kategori SET namakategori =
'$namakategori' WHERE idkategori = '$idkategori'") or die(mysqli_error($conn));
    if ($edit) {
        echo "
        <script>
            alert('Kategori berhasil diubah');
            window.location.href = 'kategori.php';
        </script>";
    } else {
        echo "
        <script>
            alert('Gagal mengubah kategori');
            window.location.href = 'kategori.php';
        </script>";
    }
}

```

```

    }
};

if (isset($_POST['deletekategori'])) {
    $idkategori = $_POST['idkategori'];

    $delete = mysqli_query($conn, "DELETE FROM kategori WHERE idkategori
= '$idkategori'" or die(mysqli_error($conn));
    if ($delete) {
        echo "
        <script>
            alert('Kategori berhasil dihapus');
            window.location.href = 'kategori.php';
        </script>";
    } else {
        echo "
        <script>
            alert('Gagal menghapus kategori');
            window.location.href = 'kategori.php';
        </script>";
    }
}

$itungnotif = mysqli_query($conn, "SELECT count(idcart) as jumlahnotif from
cart where status='settlement' OR status='Payment'");
$itungnotif2 = mysqli_fetch_assoc($itungnotif);
$itungnotif3 = $itungnotif2['jumlahnotif'];
?>

<!doctype html>
<html class="no-js" lang="en">

```



```
<head>
  <meta charset="utf-8">
  <meta http-equiv="x-ua-compatible" content="ie=edge">
  <title>Dian 17 Cell | Kelola Kategori</title>
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <!-- Favicon -->
  <link rel="apple-touch-icon" sizes="180x180" href="assets/img/Favicon/apple-touch-icon.png">
  <link rel="icon" type="image/png" sizes="32x32" href="assets/img/Favicon/favicon-32x32.png">
  <link rel="icon" type="image/png" sizes="16x16" href="assets/img/Favicon/favicon-16x16.png">
  <link rel="manifest" href="assets/img/Favicon/site.webmanifest">

  <link rel="stylesheet" href="assets/css/bootstrap.min.css">
  <link rel="stylesheet" href="assets/css/font-awesome.min.css">
  <link rel="stylesheet" href="assets/css/themify-icons.css">
  <link rel="stylesheet" href="assets/css/metisMenu.css">
  <link rel="stylesheet" href="assets/css/slicknav.min.css">

  <!-- Start datatable css -->
  <link rel="stylesheet" type="text/css" href="https://cdn.datatables.net/1.10.20/css/jquery.dataTables.min.css">
  <link rel="stylesheet" type="text/css" href="https://cdn.datatables.net/1.10.20/css/jquery.dataTables.css">
  <link rel="stylesheet" type="text/css" href="https://cdn.datatables.net/1.10.20/css/dataTables.bootstrap4.min.css">
  <link rel="stylesheet" type="text/css" href="https://cdn.datatables.net/responsive/2.2.3/css/responsive.bootstrap.min.css">
  >
```

```
<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.3/css/responsive.jqueryui.min.css"
>
```

```
<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/buttons/1.5.2/css/buttons.dataTables.min.css">
```

```
<!-- others css -->
```

```
<link rel="stylesheet" href="assets/css/typography.css">
```

```
<link rel="stylesheet" href="assets/css/default-css.css">
```

```
<link rel="stylesheet" href="assets/css/styles.css">
```

```
<link rel="stylesheet" href="assets/css/responsive.css">
```

```
<!-- modernizr css -->
```

```
<script src="assets/js/vendor/modernizr-2.8.3.min.js"></script>
```

```
<style>
```

```
.notification-area .dropdown-menu {
    min-width: 200px;
}
```

```
.notification-area .dropdown-menu .dropdown-item {
    padding: 10px 15px;
}
```

```
.notification-area .dropdown-menu .dropdown-item:hover {
    background-color: #f1f1f1;
}
```

```
.notification-area .fa-bell {
    font-size: 20px;
    color: #6298B5;
}
```

```
.notification-area .badge {
    position: absolute;
    top: -10px;
    right: -10px;
    background-color: #ff5b5b;
    color: white;
    border-radius: 50%;
}
</style>
</head>

<body>
    <!--[if lt IE 8]>
        <p class="browserupgrade">You are using an <strong>outdated</strong>
        browser. Please <a href="http://browsehappy.com/">upgrade your browser</a> to
        improve your experience.</p>
    <![endif]-->
    <!-- preloader area start -->
    <div id="preloader">
        <div class="loader"></div>
    </div>
    <!-- preloader area end -->
    <!-- page container area start -->
    <div class="page-container">
        <!-- sidebar menu area start -->
        <div class="sidebar-menu">
            <div class="main-menu">
                <div class="menu-inner">
                    <nav>
```

```
<ul class="metismenu" id="menu">
  <li><a href="index.php"><span>Home</span></a></li>
  <li><a href=".."><span>Kembali ke Toko</span></a></li>
  <li>
    <a href="manageorder.php"><i class="ti-
dashboard"></i><span>Kelola Pesanan</span></a>
  </li>
  <li>
    <a href="javascript:void(0)" aria-expanded="true"><i
class="ti-layout"></i><span>Kelola Toko
  </span></a>
  <ul class="collapse">
    <li><a href="kategori.php">Kategori</a></li>
    <li><a href="produk.php">Produk</a></li>
  </ul>
  </li>
  <li class="active"><a href="rekap.php"><span>Rekap
Penjualan</span></a></li>
  <li><a href="customer.php"><span>Kelola
Pelanggan</span></a></li>
  <li><a href="user.php"><span>Kelola Admin</span></a></li>
  <li>
    <a href="../logout.php"><span>Logout</span></a>
  </li>
</ul>
</nav>
</div>
</div>
</div>
```

```

<!-- sidebar menu area end -->
<!-- main content area start -->
<div class="main-content">
  <!-- header area start -->
  <div class="header-area">
    <div class="row align-items-center">
      <!-- nav and search button -->
      <div class="col-md-6 col-sm-8 clearfix">
        <div class="nav-btn pull-left" style="color: #6298B5;">
          <span></span>
          <span></span>
          <span></span>
        </div>
      </div>
      <!-- profile info & task notification -->
      <div class="col-md-6 col-sm-4 clearfix">
        <ul class="notification-area pull-right" style="color: #6298B5;">
          <li class="dropdown">
            <a href="#" data-toggle="dropdown">
              <i class="fa fa-bell"></i>
              <?php if ($itungnotif3 > 0): ?>
                <span class="badge badge-light"><?=$itungnotif3 ?></span>
              <?php endif; ?>
            </a>
            <div class="dropdown-menu dropdown-menu-right">
              <?php
              // Query untuk mengambil data dari database
              $brgs = mysqli_query($conn, "

```

```

SELECT *
FROM cart c
JOIN users l ON c.userid = l.userid
JOIN detailorder d ON c.orderid = d.orderid
JOIN produk p ON d.idproduk = p.idproduk
WHERE c.status = 'settlement' OR c.status='Payment'
ORDER BY c.idcart DESC
");

// Menghitung jumlah baris hasil query
$jumlah_notifikasi = mysqli_num_rows($brgs);

if ($jumlah_notifikasi > 0) {
    // Array untuk menyimpan produk yang dipesan per orderid
    $notifikasi = [];

    while ($p = mysqli_fetch_array($brgs)) {
        $orderid = $p['orderid'];
        $username = $p['username'];
        $namaproduk = $p['namaproduk'];

        // Jika orderid belum ada dalam array, tambahkan dengan
        if (!isset($notifikasi[$orderid])) {
            $notifikasi[$orderid] = [
                'username' => $username,
                'produks' => []
            ];
        }
    }
}

```

produk

```

        // Tambahkan produk ke array produk orderid
        if (!in_array($namaproduk,
$notifikasi[$orderid]['produks'])) {
            $notifikasi[$orderid]['produks'][] = $namaproduk;
        }
    }

    // Tampilkan hasil
    foreach ($notifikasi as $orderid => $info) {
        $username = $info['username'];
        $produk_list = implode(', ', $info['produks']);
        ?>
        <a class="dropdown-item" href="order.php?orderid=<?=
$orderid ?>">
            <?= $username ?> membeli produk <?=
$produk_list ?>
        </a>
        <?php
    }
} else {
    // Jika tidak ada notifikasi
    echo '
    <a class="dropdown-item" href="#">Tidak ada notifikasi
    </a>';
}
?>
</div>
</li>
<li>
    <h3>

```

```
<div class="date">
  <script type='text/javascript'>
    var months = ['Januari', 'Februari', 'Maret', 'April',
'Mei', 'Juni', 'Juli', 'Agustus', 'September', 'Oktober', 'November', 'Desember'];
    var myDays = ['Minggu', 'Senin', 'Selasa', 'Rabu',
'Kamis', 'Jumat', 'Sabtu'];
    var date = new Date();
    var day = date.getDate();
    var month = date.getMonth();
    var thisDay = date.getDay(),
    thisDay = myDays[thisDay];
    var yy = date.getFullYear();
    var year = (yy < 1000) ? yy + 1900 : yy;
    document.write(thisDay + ', ' + day + ' ' +
months[month] + ' ' + year);
  </script>
</div>
</h3>
</li>
</ul>
</div>
</div>
</div>

<!-- page title area end -->
<div class="main-content-inner">

  <!-- market value area start -->
  <div class="row mt-5 mb-5">
    <div class="col-12">
```



```

<div class="card">
  <div class="card-body">
    <div class="d-sm-flex justify-content-between align-items-
center">
      <h2>Rekap Penjualan</h2>
    </div>
    <br>
    <form method="GET" action="">
      <div class="row">
        <div class="col-md-3">
          <div class="form-group mb-3">
            <label for="">Dari tanggal </label>
            <input type="date" class="form-control"
name="startDate" value="<?php echo isset($_GET['startDate']) ?
$_GET['startDate'] : ">?>">
          </div>
        </div>
        <div class="col-md-3">
          <div class="form-group mb-3">
            <label for="">Sampai Tanggal</label>
            <input type="date" class="form-control"
name="endDate" value="<?php echo isset($_GET['endDate']) ?
$_GET['endDate'] : ">?>">
          </div>
        </div>
        <div class="col-md-3">
          <div class="form-group mb-3">
            <button type="submit" class="btn btn-primary"
style="margin-top:30px">Submit</button>

```

```

        </div>
    </div>
    <div class="col-md-3">
        <div class="form-group mb-3">
            <a href="rekapcetak.php?startDate=<?php echo
isset($_GET['startDate']) ? $_GET['startDate'] : ""; ?>&endDate=<?php echo
isset($_GET['endDate']) ? $_GET['endDate'] : ""; ?>" target="_blank" class="btn
btn-secondary" style="margin-top:30px">Cetak</a>
        </div>
    </div>
</div>
</form>

<div class="data-tables datatable-dark">
    <table id="dataTable3" class="display"
style="width:100%">
        <thead class="thead-dark">
            <tr>
                <th>No</th>
                <th>ID Pesanan</th>
                <th>Nama Customer</th>
                <th>Tanggal Order</th>
                <th>Total</th>
                <th>Ongkir</th>
                <th>Grand Total</th>
                <th>Aksi</th>
            </tr>
        </thead>
        <tbody>
            <?php
                // Set default value untuk tanggal mulai dan selesai

```

```

        $startDate = isset($_GET['startDate']) ?
$_GET['startDate'] : "";
        $endDate = isset($_GET['endDate']) ?
$_GET['endDate'] : "";

        // Buat string untuk menambahkan ke query SQL
        $date_condition = "";
        if (!empty($startDate) && !empty($endDate)) {
            $date_condition = "AND DATE(c.tglorder)
BETWEEN '$startDate' AND '$endDate'";
        }

        // Query untuk mendapatkan data berdasarkan filter
tanggal
        $query = "SELECT * FROM cart c, users l WHERE
c.userid=l.userid AND c.status='Selesai' $date_condition ORDER BY c.idcart
DESC";

        $brgs = mysqli_query($conn, $query);

        $no = 1;
        while ($p = mysqli_fetch_array($brgs)) {
            $orderid = $p['orderid'];
            ?>

            <tr>
                <td><?= $no++ ?></td>
                <td><strong>#<?=
$p['orderid'] ?></strong></td>
                <td><?= $p['username'] ?></td>
                <td><?= $p['tglorder'] ?></td>
                <td>Rp<?php

```

```
        $result1 = mysqli_query($conn, "SELECT
SUM(d.qty*p.hargaafter) AS count FROM detailorder d, produk p where
orderid='$orderid' and p.idproduk=d.idproduk order by d.idproduk DESC");

        $cekrow = mysqli_num_rows($result1);
        $row1 = mysqli_fetch_assoc($result1);
        $count = $row1['count'];
        if ($cekrow > 0) {
            echo number_format($count);
        } else {
            echo 'No data';
        } ?>
    </td>
    <td>Rp. <?=  
number_format($p['ongkir']) ?></td>
    <td>Rp. <?= number_format($count +  
$p['ongkir']) ?></td>
    <td><a href="order.php?orderid=<?=  
$p['orderid'] ?>" class="btn btn-primary m-1">Detail</a></td>
</tr>
<?php
}
?>
</tbody>
</table>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
```

```
        <!-- row area start-->
    </div>
    <footer>
        <center>
            <footer>
                <div class="footer-area" style="text-align: center;">
                    <p>Dian 17 Cell</p>
                </div>
            </footer>
        </center>
    </footer>
</div>
</div>
<!-- page container area end -->

<script>
    $(document).ready(function() {
        $('#dataTable3').DataTable({
            dom: 'Bfirtip',
            buttons: [
                'print'
            ]
        });
    });
</script>

<!-- jquery latest version -->
<script src="https://code.jquery.com/jquery-3.3.1.js"></script>
```

```
<!-- bootstrap 4 js -->
<script src="assets/js/popper.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/metisMenu.min.js"></script>
<script src="assets/js/jquery.slimscroll.min.js"></script>
<script src="assets/js/jquery.slicknav.min.js"></script>
<!-- Start datatable js -->
<script
src="https://cdn.datatables.net/buttons/1.5.2/js/buttons.print.min.js"></script>
<script
src="https://cdn.datatables.net/buttons/1.5.2/js/dataTables.buttons.min.js"></script>
>
<script
src="https://cdn.datatables.net/1.10.20/js/jquery.dataTables.js"></script>
<script
src="https://cdn.datatables.net/1.10.20/js/jquery.dataTables.min.js"></script>
<script
src="https://cdn.datatables.net/1.10.20/js/dataTables.bootstrap4.min.js"></script>
<script
src="https://cdn.datatables.net/responsive/2.2.3/js/dataTables.responsive.min.js">
</script>
<script
src="https://cdn.datatables.net/responsive/2.2.3/js/responsive.bootstrap.min.js"></
script>
<script
src="https://cdn.datatables.net/buttons/1.5.2/js/buttons.html5.min.js"></script>

<!-- others plugins -->
<script src="assets/js/plugins.js"></script>
<script src="assets/js/scripts.js"></script>

</body>
```

```
</html>
```

REKAPCETAK.PHP

```
<?php
```

```
include './dbconnect.php';
```

```
$startDate = isset($_GET['startDate']) ? $_GET['startDate'] : '';
```

```
$endDate = isset($_GET['endDate']) ? $_GET['endDate'] : '';
```

```
function rupiah($angka)
```

```
{
```

```
    if ($angka != "") {
```

```
        $angkafix = $angka;
```

```
    } else {
```

```
        $angkafix = 0;
```

```
    }
```

```
    $hasilrupiah = "Rp " . number_format($angkafix, 2, ',', '.');
```

```
    return $hasilrupiah;
```

```
}
```

```
function tanggal($tgl)
```

```
{
```

```
    $tanggal = substr($tgl, 8, 2);
```

```
    $bulan = bulan(substr($tgl, 5, 2));
```

```
    $tahun = substr($tgl, 0, 4);
```

```
    return $tanggal . '' . $bulan . '' . $tahun;
```

```
}
```

```
function bulan($bln)
```

```
{
```

```
    switch ($bln) {
```

```
    case 1:
        return "Januari";
    case 2:
        return "Februari";
    case 3:
        return "Maret";
    case 4:
        return "April";
    case 5:
        return "Mei";
    case 6:
        return "Juni";
    case 7:
        return "Juli";
    case 8:
        return "Agustus";
    case 9:
        return "September";
    case 10:
        return "Oktober";
    case 11:
        return "November";
    case 12:
        return "Desember";
    }
}
?>
<html>
```



```
<head>
  <title>Laporan Pemesanan</title>
  <style type="text/css">
    body {
      -webkit-print-color-adjust: exact;
      padding: 25px;
      font-family: "Arial", sans-serif;
    }

    .header {
      text-align: center;
      margin-bottom: 20px;
    }

    .header h3 {
      margin: 0;
      font-size: 18pt;
    }

    .header p {
      margin: 5px 0 0 0;
      font-size: 10pt;
    }

    .report-details {
      margin-bottom: 20px;
    }

    .report-details td {
```

```
padding: 5px;
font-size: 10pt;
}
```

```
#table {
width: 100%;
border-collapse: collapse;
font-size: 10pt;
}
```

```
#table td,
#table th {
border: 1px solid black;
padding: 5px;
}
```

```
#table th {
background-color: #db2f33;
color: white;
text-align: left;
}
```

```
#table tr:nth-child(even) {
background-color: #f2f2f2;
}
```

```
@media print {
@page {
size: auto;
}
```

```
        margin: 0;
    }

    body {
        margin: 0;
    }

    .header {
        margin-bottom: 10px;
    }

    .report-details {
        margin-bottom: 10px;
    }

    #table th,
    #table td {
        font-size: 9pt;
    }
}
</style>
</head>

<body>
    <div class="header">
        <h3>DIAN 17 CELL</h3>
        <p>Laporan Penjualan</p>
    </div>
    <hr>
```

```
<hr>
<br>
<?php if (!empty($startDate) && !empty($endDate)) { ?>
    <table class="report-details">
        <tr>
            <td><strong>Tanggal Awal</strong></td>
            <td>: <?= tanggal($startDate) ?></td>
        </tr>
        <tr>
            <td><strong>Tanggal Akhir</strong></td>
            <td>: <?= tanggal($endDate) ?></td>
        </tr>
    </table>
<?php } ?>
<table id="table">
    <thead>
        <tr>
            <th>No</th>
            <th>ID Pesanan</th>
            <th>Nama Customer</th>
            <th>Tanggal Order</th>
            <th>Total</th>
            <th>Ongkir</th>
            <th>Grand Total</th>
        </tr>
    </thead>
    <tbody>
        <?php
            $date_condition = "";
```

```

        if (!empty($startDate) && !empty($endDate)) {
            $date_condition = "AND DATE(c.tglorder) BETWEEN '$startDate'
AND '$endDate'";
        }

        $query = "SELECT * FROM cart c, users l WHERE c.userid=l.userid
AND c.status='Selesai' $date_condition ORDER BY c.idcart DESC";

        $brgs = mysqli_query($conn, $query);

        $no = 1;
        $total_pendapatan = 0;
        while ($p = mysqli_fetch_array($brgs)) {
            $orderid = $p['orderid'];

            $total_query = mysqli_query($conn, "SELECT
SUM(d.qty*p.hargaafter) AS count FROM detailorder d, produk p WHERE
orderid='$orderid' AND p.idproduk=d.idproduk ORDER BY d.idproduk
DESC");

            $row1 = mysqli_fetch_assoc($total_query);
            $count = $row1['count'];
            $total_pendapatan += $count + $p['ongkir'];
        }
    }
    <tr>
        <td><?= $no++ ?></td>
        <td><strong>#<?= $p['orderid'] ?></strong></td>
        <td><?= $p['username'] ?></td>
        <td><?= date('d-m-Y', strtotime($p['tglorder'])) ?></td>
        <td><?= rupiah($count) ?></td>
        <td>Rp. <?= number_format($p['ongkir']) ?></td>
        <td>Rp. <?= number_format($count + $p['ongkir']) ?></td>
    </tr>
</php

```

```

    }
    ?>
</tbody>
<tfoot>
    <tr>
        <td colspan="6" style="text-align: right;">Total Pendapatan:</td>
        <td><?= rupiah($total_pendapatan) ?></td>
    </tr>
</tfoot>
</table>
<script>
    window.print();
</script>
</body>
</html>

```

USER.PHP

```

<?php
session_start();
include '../dbconnect.php';

if (isset($_POST['adduser'])) {
    $email = $_POST['uemail'];
    $username = $_POST['uname'];
    $password = password_hash($_POST['upass'], PASSWORD_DEFAULT);

    $stambahuser = mysqli_query($conn, "INSERT into users (email, username,
password, role) values('$email','$username','$password', 'admin')");

    if ($stambahuser) {
        echo " <div class='alert alert-success'>

```

```

        Berhasil menambahkan Admin baru.
    </div>
    <meta http-equiv='refresh' content='1; url= user.php'/> ";
} else {
    echo "<div class='alert alert-warning'>
        Gagal menambahkan Admin baru.
    </div>
    <meta http-equiv='refresh' content='1; url= user.php'/> ";
}
};
$itungnotif = mysqli_query($conn, "SELECT count(idcart) as jumlahnotif from
cart where status='settlement' OR status='Payment'");
$itungnotif2 = mysqli_fetch_assoc($itungnotif);
$itungnotif3 = $itungnotif2['jumlahnotif'];
?>

<!doctype html>
<html class="no-js" lang="en">

<head>
    <meta charset="utf-8">
    <meta http-equiv="x-ua-compatible" content="ie=edge">
    <title>Dian 17 Cell | Kelola Admin</title>
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- Favicon -->
    <link rel="apple-touch-icon" sizes="180x180"
href="../assets/img/Favicon/apple-touch-icon.png">
    <link rel="icon" type="image/png" sizes="32x32"
href="../assets/img/Favicon/favicon-32x32.png">

```

```
<link rel="icon" type="image/png" sizes="16x16"
href="../assets/img/Favicon/favicon-16x16.png">
<link rel="manifest" href="../assets/img/Favicon/site.webmanifest">

<link rel="stylesheet" href="assets/css/bootstrap.min.css">
<link rel="stylesheet" href="assets/css/font-awesome.min.css">
<link rel="stylesheet" href="assets/css/themify-icons.css">
<link rel="stylesheet" href="assets/css/metisMenu.css">
<link rel="stylesheet" href="assets/css/owl.carousel.min.css">
<link rel="stylesheet" href="assets/css/slicknav.min.css">

<!-- Start datatable css -->
<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/jquery.dataTables.min.css">
<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/jquery.dataTables.css">
<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.20/css/dataTables.bootstrap4.min.css">
<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.3/css/responsive.bootstrap.min.css"
>
<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.3/css/responsive.jqueryui.min.css"
>
<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/buttons/1.5.2/css/buttons.dataTables.min.css">

<!-- others css -->
<link rel="stylesheet" href="assets/css/typography.css">
<link rel="stylesheet" href="assets/css/default-css.css">
<link rel="stylesheet" href="assets/css/styles.css">
<link rel="stylesheet" href="assets/css/responsive.css">
<!-- modernizr css -->
```



```
<script src="assets/js/vendor/modernizr-2.8.3.min.js"></script>
<style>
  .notification-area .dropdown-menu {
    min-width: 200px;
  }

  .notification-area .dropdown-menu .dropdown-item {
    padding: 10px 15px;
  }

  .notification-area .dropdown-menu .dropdown-item:hover {
    background-color: #f1f1f1;
  }

  .notification-area .fa-bell {
    font-size: 20px;
    color: #6298B5;
  }

  .notification-area .badge {
    position: absolute;
    top: -10px;
    right: -10px;
    background-color: #ff5b5b;
    color: white;
    border-radius: 50%;
  }
</style>
</head>
```

```
<body>
  <!--[if lt IE 8]>
    <p class="browserupgrade">You are using an <strong>outdated</strong>
    browser. Please <a href="http://browsehappy.com/">upgrade your browser</a> to
    improve your experience.</p>
  <![endif]-->
  <!-- preloader area start -->
  <div id="preloader">
    <div class="loader"></div>
  </div>
  <!-- preloader area end -->
  <!-- page container area start -->
  <div class="page-container">
    <!-- sidebar menu area start -->
    <div class="sidebar-menu">
      <div class="main-menu">
        <div class="menu-inner">
          <nav>
            <ul class="metismenu" id="menu">
              <li><a href="index.php"><span>Home</span></a></li>
              <li><a href=".."><span>Kembali ke Toko</span></a></li>
              <li>
                <a href="manageorder.php"><i class="ti-
                dashboard"></i><span>Kelola Pesanan</span></a>
              </li>
              <li>
                <a href="javascript:void(0)" aria-expanded="true"><i
                class="ti-layout"></i><span>Kelola Toko
                </span></a>
              <ul class="collapse">
```

```
        <li><a href="kategori.php">Kategori</a></li>
        <li><a href="produk.php">Produk</a></li>
    </ul>
</li>
    <li><a href="rekap.php"><span>Rekap
Penjualan</span></a></li>
    <li><a href="customer.php"><span>Kelola
Pelanggan</span></a></li>
    <li class="active"><a href="user.php"><span>Kelola
Admin</span></a></li>
    <li>
        <a href=" ../logout.php"><span>Logout</span></a>

</li>

</ul>
</nav>
</div>
</div>
</div>
<!-- sidebar menu area end -->
<!-- main content area start -->
<div class="main-content">
    <!-- header area start -->
    <div class="header-area">
        <div class="row align-items-center">
            <!-- nav and search button -->
            <div class="col-md-6 col-sm-8 clearfix">
                <div class="nav-btn pull-left" style="color: #6298B5;">
                    <span></span>
```

```

        <span></span>
        <span></span>
    </div>
</div>
<!-- profile info & task notification -->

<div class="col-md-6 col-sm-4 clearfix">
    <ul class="notification-area pull-right" style="color: #6298B5;">
        <li class="dropdown">
            <a href="#" data-toggle="dropdown">
                <i class="fa fa-bell"></i>
                <?php if ($itungnotif3 > 0): ?>
                    <span class="badge badge-light"><?=
$itungnotif3 ?></span>
                <?php endif; ?>
            </a>
            <div class="dropdown-menu dropdown-menu-right">
                <?php
// Query untuk mengambil data dari database
$brgs = mysqli_query($conn, "
    SELECT *
    FROM cart c
    JOIN users 1 ON c.userid = 1.userid
    JOIN detailorder d ON c.orderid = d.orderid
    JOIN produk p ON d.idproduk = p.idproduk
    WHERE c.status = 'settlement' OR c.status='Payment'
    ORDER BY c.idcart DESC
");

// Menghitung jumlah baris hasil query

```

```

$jumlah_notifikasi = mysqli_num_rows($brgs);

if ($jumlah_notifikasi > 0) {
    // Array untuk menyimpan produk yang dipesan per orderid
    $notifikasi = [];

    while ($p = mysqli_fetch_array($brgs)) {
        $orderid = $p['orderid'];
        $username = $p['username'];
        $namaproduk = $p['namaproduk'];

        // Jika orderid belum ada dalam array, tambahkan dengan
        produk

        if (!isset($notifikasi[$orderid])) {
            $notifikasi[$orderid] = [
                'username' => $username,
                'produks' => []
            ];
        }

        // Tambahkan produk ke array produk orderid
        if (!in_array($namaproduk,
            $notifikasi[$orderid]['produks'])) {
            $notifikasi[$orderid]['produks'][] = $namaproduk;
        }
    }

    // Tampilkan hasil
    foreach ($notifikasi as $orderid => $info) {
        $username = $info['username'];
    }
}

```

```

        $produk_list = implode(', ', $info['produks']);
        ?>
        <a class="dropdown-item" href="order.php?orderid=<?=$orderid ?>">
            <?=$username ?> membeli produk <?=$produk_list ?>
        </a>
        <?php
        }
    } else {
        // Jika tidak ada notifikasi
        echo '
            <a class="dropdown-item" href="#">Tidak ada notifikasi
            </a>';
        }
    }
?>
</div>
</li>
<li>
    <h3>
        <div class="date">
            <script type='text/javascript'>
                var months = ['Januari', 'Februari', 'Maret', 'April',
'Mei', 'Juni', 'Juli', 'Agustus', 'September', 'Oktober', 'November', 'Desember'];
                var myDays = ['Minggu', 'Senin', 'Selasa', 'Rabu',
'Kamis', 'Jumat', 'Sabtu'];
                var date = new Date();
                var day = date.getDate();
                var month = date.getMonth();
                var thisDay = date.getDay(),
                    thisDay = myDays[thisDay];

```



```

        <tr>
            <th>No.</th>
            <th>Email</th>
            <th>Nama</th>
        </tr>
    </thead>
    <tbody>
        <?php
            $brgs = mysqli_query($conn, "SELECT * from users
where role='Admin' order by userid ASC");
            $sno = 1;
            while ($p = mysqli_fetch_array($brgs)) {

                ?>

                <tr>
                    <td><?php echo $sno++ ?></td>
                    <td><?php echo $p['email'] ?></td>
                    <td><?php echo $p['username'] ?></td>
                </tr <?php
                    }
                ?> </tbody> </table> </div> </div> </div>
</div> </div> </div> <!-- row area start-->
</div>
<footer>
    <center>
        <footer>
            <div class="footer-area" style="text-align: center;">
                <p>Dian 17 Cell</p>
            </div>

```



```

        </footer>
    </center>
</footer>
</div>
</div>
<!-- page container area end -->

<!-- modal input -->
<div id="myModal" class="modal fade">
    <div class="modal-dialog">
        <div class="modal-content">
            <div class="modal-header">
                <h4 class="modal-title">Tambah Admin Baru</h4>
            </div>
            <div class="modal-body">
                <form method="post">
                    <div class="form-group">
                        <label>Email</label>
                        <input name="uemail" type="text" class="form-control" placeholder="Email" required autofocus>
                    </div>
                    <div class="form-group">
                        <label>Username</label>
                        <input name="uname" type="text" class="form-control" placeholder="Username" required autofocus>
                    </div>
                    <div class="form-group">
                        <label>Password</label>
                        <input name="upass" type="password" class="form-control" placeholder="Password">

```

```
</div>

</div>
<div class="modal-footer">
    <button type="button" class="btn btn-default" data-
dismiss="modal">Batal</button>
    <input name="adduser" type="submit" class="btn btn-
primary" value="Simpan">
</div>
</form>
</div>
</div>
</div>

<script>
$(document).ready(function() {
    $('#dataTable3').DataTable({
        dom: 'Bfrtip',
        buttons: [
            'print'
        ]
    });
});
</script>

<!-- jquery latest version -->
<script src="https://code.jquery.com/jquery-3.3.1.js"></script>
<!-- bootstrap 4 js -->
<script src="assets/js/popper.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
```

```
<script src="assets/js/metisMenu.min.js"></script>
<script src="assets/js/jquery.slimscroll.min.js"></script>
<script src="assets/js/jquery.slicknav.min.js"></script>
<!-- Start datatable js -->
<script
src="https://cdn.datatables.net/buttons/1.5.2/js/buttons.print.min.js"></script>
<script
src="https://cdn.datatables.net/buttons/1.5.2/js/dataTables.buttons.min.js"></script
>
<script
src="https://cdn.datatables.net/1.10.20/js/jquery.dataTables.js"></script>
<script
src="https://cdn.datatables.net/1.10.20/js/jquery.dataTables.min.js"></script>
<script
src="https://cdn.datatables.net/1.10.20/js/dataTables.bootstrap4.min.js"></script>
<script
src="https://cdn.datatables.net/responsive/2.2.3/js/dataTables.responsive.min.js">
</script>
<script
src="https://cdn.datatables.net/responsive/2.2.3/js/responsive.bootstrap.min.js"></
script>
<script
src="https://cdn.datatables.net/buttons/1.5.2/js/buttons.html5.min.js"></script>

<!-- others plugins -->
<script src="assets/js/plugins.js"></script>
<script src="assets/js/scripts.js"></script>

</body>

</html>
```

APIREQUESTOR.PHP

```
<?php

namespace Midtrans;

use Exception;

/**
 * Send request to Midtrans API
 * Better don't use this class directly, please use CoreApi, Snap, and Transaction
 instead
 */

class ApiRequestor
{

    /**
     * Send GET request
     *
     * @param string $url
     * @param string $server_key
     * @param mixed[] $data_hash
     * @return mixed
     * @throws Exception
     */
    public static function get($url, $server_key, $data_hash)
    {
        return self::remoteCall($url, $server_key, $data_hash, 'GET');
    }
}
```

```
/**
 * Send POST request
 *
 * @param string $url
 * @param string $server_key
 * @param mixed[] $data_hash
 * @return mixed
 * @throws Exception
 */
public static function post($url, $server_key, $data_hash)
{
    return self::remoteCall($url, $server_key, $data_hash, 'POST');
}

/**
 * Send PATCH request
 *
 * @param string $url
 * @param string $server_key
 * @param mixed[] $data_hash
 * @return mixed
 * @throws Exception
 */
public static function patch($url, $server_key, $data_hash)
{
    return self::remoteCall($url, $server_key, $data_hash, 'PATCH');
}

/**
```

```

* Actually send request to API server
*
* @param string $url
* @param string $server_key
* @param mixed[] $data_hash
* @param bool $post
* @return mixed
* @throws Exception
*/

public static function remoteCall($url, $server_key, $data_hash, $method)
{
    $ch = curl_init();

    if (!$server_key) {
        throw new Exception(
            'The ServerKey/ClientKey is null, You need to set the server-key from
            Config. Please double-check Config and ServerKey key. ' .
            'You can check from the Midtrans Dashboard. ' .
            'See https://docs.midtrans.com/en/midtrans-account/overview?id=retrieving-api-access-keys ' .
            'for the details or contact support at support@midtrans.com if you have
            any questions.'
        );
    } else {
        if ($server_key == "") {
            throw new Exception(
                'The ServerKey/ClientKey is invalid, as it is an empty string. Please
                double-check your ServerKey key. ' .
                'You can check from the Midtrans Dashboard. ' .
                'See https://docs.midtrans.com/en/midtrans-account/overview?id=retrieving-api-access-keys ' .
            );
        }
    }
}

```

```
        'for the details or contact support at support@midtrans.com if you
have any questions.'
```

```
    );
```

```
    } elseif (preg_match('/\s/', $server_key)) {
```

```
        throw new Exception(
```

```
            'The ServerKey/ClientKey is contains white-space. Please double-
check your API key. Please double-check your ServerKey key. ' .
```

```
            'You can check from the Midtrans Dashboard. ' .
```

```
            'See https://docs.midtrans.com/en/midtrans-
account/overview?id=retrieving-api-access-keys ' .
```

```
            'for the details or contact support at support@midtrans.com if you
have any questions.'
```

```
        );
```

```
    }
```

```
}
```

```
$curl_options = array(
```

```
    CURLOPT_URL => $url,
```

```
    CURLOPT_HTTPHEADER => array(
```

```
        'Content-Type: application/json',
```

```
        'Accept: application/json',
```

```
        'User-Agent: midtrans-php-v2.5.2',
```

```
        'Authorization: Basic ' . base64_encode($server_key . ':')
```

```
    ),
```

```
    CURLOPT_RETURNTRANSFER => 1
```

```
);
```

```
// Set append notification to header
```

```
if (Config::$appendNotifUrl)
```

```
Config::$curlOptions[CURLOPT_HTTPHEADER][] = 'X-Append-Notification:
' . Config::$appendNotifUrl;
```

```
// Set override notification to header
```

```

        if (Config::$overrideNotifUrl)
Config::$curlOptions[CURLOPT_HTTPHEADER][] = 'X-Override-Notification:
' . Config::$overrideNotifUrl;

        // Set payment idempotency-key to header

        if (Config::$paymentIdempotencyKey)
Config::$curlOptions[CURLOPT_HTTPHEADER][] = 'Idempotency-Key: ' .
Config::$paymentIdempotencyKey;

// merging with Config::$curlOptions

if (count(Config::$curlOptions)) {

    // We need to combine headers manually, because it's array and it will no
be merged

    if (Config::$curlOptions[CURLOPT_HTTPHEADER]) {

        $mergedHeaders =
array_merge($curl_options[CURLOPT_HTTPHEADER],
Config::$curlOptions[CURLOPT_HTTPHEADER]);

        $headerOptions = array(CURLOPT_HTTPHEADER =>
$mergedHeaders);

    } else {

        $mergedHeaders = array();

        $headerOptions = array(CURLOPT_HTTPHEADER =>
$mergedHeaders);

    }

    $curl_options = array_replace_recursive($curl_options,
Config::$curlOptions, $headerOptions);

}

if ($method != 'GET') {

    if ($data_hash) {

        $body = json_encode($data_hash);

        $curl_options[CURLOPT_POSTFIELDS] = $body;

```



```

    } else {
        $curl_options[CURLOPT_POSTFIELDS] = "";
    }

    if ($method == 'POST') {
        $curl_options[CURLOPT_POST] = 1;
    } elseif ($method == 'PATCH') {
        curl_setopt($ch, CURLOPT_CUSTOMREQUEST, 'PATCH');
    }
}

curl_setopt_array($ch, $curl_options);

// For testing purpose
if (class_exists('\Midtrans\MT_Tests') && MT_Tests::$stubHttp) {
    $result = self::processStubed($curl_options, $url, $server_key,
    $data_hash, $method);
} else {
    $result = curl_exec($ch);
    // curl_close($ch);
}

if ($result === false) {
    throw new Exception('CURL Error: ' . curl_error($ch), curl_errno($ch));
} else {
    try {
        $result_array = json_decode($result);
    } catch (Exception $e) {
        throw new Exception("API Request Error unable to json_decode API
response: ".$result . ' | Request url: '.$url);
    }
}

```

```

    }
    $statusCode = curl_getinfo($ch, CURLINFO_HTTP_CODE);
    if (isset($result_array->status_code) && $result_array->status_code >=
401 && $result_array->status_code != 407) {
        throw new Exception('Midtrans API is returning API error. HTTP status
code: ' . $result_array->status_code . ' API response: ' . $result, $result_array-
>status_code);
    } elseif ($statusCode >= 400) {
        throw new Exception('Midtrans API is returning API error. HTTP status
code: ' . $statusCode . ' API response: ' . $result, $statusCode);
    } else {
        return $result_array;
    }
}
}
}

```

```

private static function processStubed($curl, $url, $server_key, $data_hash,
$method)

```

```

{
    MT_Tests::$lastHttpRequest = array(
        "url" => $url,
        "server_key" => $server_key,
        "data_hash" => $data_hash,
        $method => $method,
        "curl" => $curl
    );

    return MT_Tests::$stubHttpResponse;
}
}

```

CONFIG.PHP

```
<?php
```

```
namespace Midtrans;
```

```
/**
```

```
 * Midtrans Configuration
```

```
 */
```

```
class Config
```

```
{
```

```
    /**
```

```
     * Your merchant's server key
```

```
     *
```

```
     * @static
```

```
     */
```

```
    public static $serverKey;
```

```
    /**
```

```
     * Your merchant's client key
```

```
     *
```

```
     * @static
```

```
     */
```

```
    public static $clientKey;
```

```
    /**
```

```
     * True for production
```

```
     * false for sandbox mode
```

```
     *
```

```
     * @static
```

```
     */
```

```
public static $isProduction = true;
/**
 * Set it true to enable 3D Secure by default
 *
 * @static
 */
public static $is3ds = false;
/**
 * Set Append URL notification
 *
 * @static
 */
public static $appendNotifUrl;
/**
 * Set Override URL notification
 *
 * @static
 */
public static $overrideNotifUrl;
/**
 * Set Payment IdempotencyKey
 * for details (http://api-docs.midtrans.com/#idempotent-requests)
 *
 * @static
 */
public static $paymentIdempotencyKey;
/**
 * Enable request params sanitizer (validate and modify charge request params).
 * See Midtrans_Sanitizer for more details
```

```

*
* @static
*/
public static $isSanitized = false;
/**
* Default options for every request
*
* @static
*/
public static $curlOptions = array();

const SANDBOX_BASE_URL = 'https://api.sandbox.midtrans.com';
const PRODUCTION_BASE_URL = 'https://api.midtrans.com';
const SNAP_SANDBOX_BASE_URL =
'https://app.sandbox.midtrans.com/snap/v1';
const SNAP_PRODUCTION_BASE_URL =
'https://app.midtrans.com/snap/v1';

/**
* Get baseUrl
*
* @return string Midtrans API URL, depends on $isProduction
*/
public static function getBaseUrl()
{
    return Config::$isProduction ?
        Config::PRODUCTION_BASE_URL :
Config::SANDBOX_BASE_URL;
}

```

```

/**
 * Get snapBaseUrl
 *
 * @return string Snap API URL, depends on $isProduction
 */
public static function getSnapBaseUrl()
{
    return Config::$isProduction ?
        Config::SNAP_PRODUCTION_BASE_URL :
        Config::SNAP_SANDBOX_BASE_URL;
}
}

```

COREAPI.PHP

```

<?php

namespace Midtrans;

use Exception;

/**
 * Provide charge and capture functions for Core API
 */
class CoreApi
{
    /**
     * Create transaction.
     *
     * @param mixed[] $params Transaction options
     * @return mixed

```

```
* @throws Exception
*/
public static function charge($params)
{
    $payloads = array(
        'payment_type' => 'credit_card'
    );

    if (isset($params['item_details'])) {
        $gross_amount = 0;
        foreach ($params['item_details'] as $item) {
            $gross_amount += $item['quantity'] * $item['price'];
        }
        $payloads['transaction_details']['gross_amount'] = $gross_amount;
    }

    $payloads = array_replace_recursive($payloads, $params);

    if (Config::$isSanitized) {
        Sanitizer::jsonRequest($payloads);
    }

    return ApiRequestor::post(
        Config::getBaseUrl() . '/v2/charge',
        Config::$serverKey,
        $payloads
    );
}
```

```

/**
 * Capture pre-authorized transaction
 *
 * @param string $param Order ID or transaction ID, that you want to capture
 * @return mixed
 * @throws Exception
 */
public static function capture($param)
{
    $payloads = array(
        'transaction_id' => $param,
    );

    return ApiRequestor::post(
        Config::getBaseUrl() . '/v2/capture',
        Config::$serverKey,
        $payloads
    );
}

/**
 * Do `/v2/card/register` API request to Core API
 *
 * @param $cardNumber
 * @param $expMoth
 * @param $expYear
 * @return mixed
 * @throws Exception
 */

```



```

public static function cardRegister($cardNumber, $expMoth, $expYear)
{
    $path = "/card/register?card_number=" . $cardNumber
        . "&card_exp_month=" . $expMoth
        . "&card_exp_year=" . $expYear
        . "&client_key=" . Config::$clientKey;

    return ApiRequestor::get(
        Config::getBaseUrl() . "/v2" . $path,
        Config::$clientKey,
        false
    );
}

/**
 * Do `/v2/token` API request to Core API
 *
 * @param $cardNumber
 * @param $expMoth
 * @param $expYear
 * @param $cvv
 * @return mixed
 * @throws Exception
 */
public static function cardToken($cardNumber, $expMoth, $expYear, $cvv)
{
    $path = "/token?card_number=" . $cardNumber
        . "&card_exp_month=" . $expMoth
        . "&card_exp_year=" . $expYear

```

```

        . "&card_cvv=" . $cvv
        . "&client_key=" . Config::$clientKey;

return ApiRequestor::get(
    Config::getBaseUrl() . "/v2" . $path,
    Config::$clientKey,
    false
);
}

/**
 * Do `/v2/point_inquiry/<tokenId>` API request to Core API
 *
 * @param string tokenId - tokenId of credit card (more params detail refer to:
https://api-docs.midtrans.com)
 * @return mixed
 * @throws Exception
 */
public static function cardPointInquiry($tokenId)
{
    return ApiRequestor::get(
        Config::getBaseUrl() . '/v2/point_inquiry/' . $tokenId,
        Config::$serverKey,
        false
    );
}

/**
 * Create `/v2/pay/account` API request to Core API
 *

```

* @param string create pay account request (more params detail refer to: <https://api-docs.midtrans.com/#create-pay-account>)

* @return mixed

* @throws Exception

*/

```
public static function linkPaymentAccount($param)
```

```
{
```

```
    return ApiRequestor::post(
```

```
        Config::getBaseUrl() . '/v2/pay/account',
```

```
        Config::$serverKey,
```

```
        $param
```

```
    );
```

```
}
```

```
/**
```

```
 * Do `'/v2/pay/account/<accountId>'` API request to Core API
```

```
 *
```

* @param string accountId (more params detail refer to: <https://api-docs.midtrans.com/#get-pay-account>)

* @return mixed

* @throws Exception

*/

```
public static function getPaymentAccount($accountId)
```

```
{
```

```
    return ApiRequestor::get(
```

```
        Config::getBaseUrl() . '/v2/pay/account/' . $accountId,
```

```
        Config::$serverKey,
```

```
        false
```

```
    );
```

```
}
```

```

/**
 * Unbind `/v2/pay/account/<accountId>/unbind` API request to Core API
 *
 * @param string accountId (more params detail refer to: https://api-docs.midtrans.com/#unbind-pay-account)
 * @return mixed
 * @throws Exception
 */
public static function unlinkPaymentAccount($accountId)
{
    return ApiRequestor::post(
        Config::getBaseUrl() . '/v2/pay/account/' . $accountId . '/unbind',
        Config::$serverKey,
        false
    );
}

/**
 * Create `/v1/subscription` API request to Core API
 *
 * @param string create subscription request (more params detail refer to: https://api-docs.midtrans.com/#create-subscription)
 * @return mixed
 * @throws Exception
 */
public static function createSubscription($param)
{
    return ApiRequestor::post(
        Config::getBaseUrl() . '/v1/subscriptions',

```

```

        Config::$serverKey,
        $param
    );
}

/**
 * Do `/v1/subscription/<subscription_id>` API request to Core API
 *
 * @param string get subscription request (more params detail refer to:
https://api-docs.midtrans.com/#get-subscription)
 * @return mixed
 * @throws Exception
 */
public static function getSubscription($SubscriptionId)
{
    return ApiRequestor::get(
        Config::getBaseUrl() . '/v1/subscriptions/' . $SubscriptionId,
        Config::$serverKey,
        false
    );
}

/**
 * Do disable `/v1/subscription/<subscription_id>/disable` API request to Core
API
 *
 * @param string disable subscription request (more params detail refer to:
https://api-docs.midtrans.com/#disable-subscription)
 * @return mixed
 * @throws Exception

```

```

*/
public static function disableSubscription($SubscriptionId)
{
    return ApiRequestor::post(
        Config::getBaseUrl() . '/v1/subscriptions/' . $SubscriptionId . '/disable',
        Config::$serverKey,
        false
    );
}

/**
 * Do enable `v1/subscription/<subscription_id>/enable` API request to Core
API
 *
 * @param string enable subscription request (more params detail refer to:
https://api-docs.midtrans.com/#enable-subscription)
 * @return mixed
 * @throws Exception
 */
public static function enableSubscription($SubscriptionId)
{
    return ApiRequestor::post(
        Config::getBaseUrl() . '/v1/subscriptions/' . $SubscriptionId . '/enable',
        Config::$serverKey,
        false
    );
}

/**

```

```
* Do update subscription `v1/subscription/<subscription_id>` API request to Core API
```

```
*
```

```
* @param string update subscription request (more params detail refer to: https://api-docs.midtrans.com/#update-subscription)
```

```
* @return mixed
```

```
* @throws Exception
```

```
*/
```

```
public static function updateSubscription($SubscriptionId, $param)
```

```
{
```

```
    return ApiRequestor::patch(
```

```
        Config::getBaseUrl() . 'v1/subscriptions/' . $SubscriptionId,
```

```
        Config::$serverKey,
```

```
        $param
```

```
    );
```

```
}
```

```
}
```

NOTIFICATION.PHP

```
<?php
```

```
namespace Midtrans;
```

```
/**
```

```
 * Read raw post input and parse as JSON. Provide getters for fields in notification object
```

```
 *
```

```
 * Example:
```

```
 *
```

```
 * ```php
```

```

*
* namespace Midtrans;
*
* $notif = new Notification();
* echo $notif->order_id;
* echo $notif->transaction_status;
* ```
*/

class Notification
{
    private $response;

    public function __construct($input_source = "php://input")
    {
        $raw_notification = json_decode(file_get_contents($input_source), true);
        $status_response = Transaction::status($raw_notification['transaction_id']);
        $this->response = $status_response;
    }

    public function __get($name)
    {
        if (isset($this->response->$name)) {
            return $this->response->$name;
        }
    }

    public function getResponse()
    {
        return $this->response;
    }
}

```



```

    }
}
SANITIZER.PHP
<?php

namespace Midtrans;

/**
 * Request params filters.
 *
 * It truncate fields that have length limit, remove not allowed characters from
other fields
 *
 * This feature is optional, you can control it with Config::$isSanitized (default:
false)
 */
class Sanitizer
{
    private $filters;

    public function __construct()
    {
        $this->filters = array();
    }

    /**
     * Validates and modify data
     *
     * @param mixed[] $json
     */

```

```

public static function jsonRequest(&$json)
{
    $keys = array('item_details', 'customer_details');
    foreach ($keys as $key) {
        if (!isset($json[$key])) continue;
        $camel = static::upperCamelize($key);
        $function = "field$camel";
        static::$function($json[$key]);
    }
}

private static function fieldItemDetails(&$items)
{
    foreach ($items as &$item) {
        $id = new self;
        $item['id'] = $id
            ->maxLength(50)
            ->apply($item['id']);
        $name = new self;
        $item['name'] = $name
            ->maxLength(50)
            ->apply($item['name']);
    }
}

private static function fieldCustomerDetails(&$field)
{
    if (isset($field['first_name'])) {
        $first_name = new self;
    }
}

```

```

        $field['first_name'] = $first_name->maxLength(255)-
>apply($field['first_name']);
    }

    if (isset($field['last_name'])) {
        $last_name = new self;
        $field['last_name'] = $last_name->maxLength(255)-
>apply($field['last_name']);
    }

    if (isset($field['email'])) {
        $email = new self;
        $field['email'] = $email->maxLength(255)->apply($field['email']);
    }

    if (isset($field['phone'])) {
        $phone = new self;
        $field['phone'] = $phone->maxLength(255)->apply($field['phone']);
    }

    if (!empty($field['billing_address']) || !empty($field['shipping_address'])) {
        $keys = array('billing_address', 'shipping_address');
        foreach ($keys as $key) {
            if (!isset($field[$key])) continue;

            $camel = static::upperCamelize($key);
            $function = "field$camel";
            static::$function($field[$key]);
        }
    }
}

```

```
}
```

```
private static function fieldBillingAddress(&$field)
```

```
{
```

```
    $fields = array(
```

```
        'first_name' => 255,
```

```
        'last_name'  => 255,
```

```
        'address'    => 255,
```

```
        'city'       => 255,
```

```
        'country_code' => 3
```

```
    );
```

```
    foreach ($fields as $key => $value) {
```

```
        if (isset($field[$key])) {
```

```
            $self = new self;
```

```
            $field[$key] = $self
```

```
                ->maxLength($value)
```

```
                ->apply($field[$key]);
```

```
        }
```

```
    }
```

```
    if (isset($field['postal_code'])) {
```

```
        $postal_code = new self;
```

```
        $field['postal_code'] = $postal_code
```

```
            ->whitelist('A-Za-z0-9\\- ')
```

```
            ->maxLength(10)
```

```
            ->apply($field['postal_code']);
```

```
    }
```

```

    if (isset($field['phone'])) {
        static::fieldPhone($field['phone']);
    }
}

private static function fieldShippingAddress(&$field)
{
    static::fieldBillingAddress($field);
}

private static function fieldPhone(&$field)
{
    $plus = substr($field, 0, 1) === '+';
    $self = new self;
    $field = $self
        ->whitelist("\d\\-\\(\\) ")
        ->maxLength(19)
        ->apply($field);

    if ($plus) $field = '+' . $field;
    $self = new self;
    $field = $self
        ->maxLength(19)
        ->apply($field);
}

private function maxLength($length)
{
    $this->filters[] = function ($input) use ($length) {

```

```
        return substr($input, 0, $length);
    };
    return $this;
}
```

```
private function whitelist($regex)
{
    $this->filters[] = function ($input) use ($regex) {
        return preg_replace("/^[^$regex]/", "", $input);
    };
    return $this;
}
```

```
private function apply($input)
{
    foreach ($this->filters as $filter) {
        $input = call_user_func($filter, $input);
    }
    return $input;
}
```

```
private static function upperCamelize($string)
{
    return str_replace('_', ' ', ucwords(str_replace('_', ' ', $string)));
}
}
```

SNAP.PHP

```
<?php
```

```

namespace Midtrans;

use Exception;

/**
 * Create Snap payment page and return snap token
 */
class Snap
{
    /**
     * Create Snap payment page
     *
     * Example:
     *
     * ```php
     *
     * namespace Midtrans;
     *
     * $params = array(
     *   'transaction_details' => array(
     *     'order_id' => rand(),
     *     'gross_amount' => 10000,
     *   )
     * );
     * $paymentUrl = Snap::getSnapToken($params);
     * ```
     *
     * @param array $params Payment options

```

```

* @return string Snap token.
* @throws Exception curl error or midtrans error
*/

public static function getSnapToken($params)
{
    return (Snap::createTransaction($params)->token);
}

/**
 * Create Snap URL payment
 *
 * Example:
 *
 * ```php
 *
 * namespace Midtrans;
 *
 * $params = array(
 *     'transaction_details' => array(
 *         'order_id' => rand(),
 *         'gross_amount' => 10000,
 *     )
 * );
 * $paymentUrl = Snap::getSnapUrl($params);
 * ```
 *
 * @param array $params Payment options
 * @return string Snap redirect url.
 * @throws Exception curl error or midtrans error

```



```

*/
public static function getSnapUrl($params)
{
    return (Snap::createTransaction($params)->redirect_url);
}

/**
 * Create Snap payment page, with this version returning full API response
 *
 * Example:
 *
 * ```php
 * $params = array(
 *     'transaction_details' => array(
 *         'order_id' => rand(),
 *         'gross_amount' => 10000,
 *     )
 * );
 * $paymentUrl = Snap::getSnapToken($params);
 * ```
 *
 * @param array $params Payment options
 * @return object Snap response (token and redirect_url).
 * @throws Exception curl error or midtrans error
 */
public static function createTransaction($params)
{
    $payloads = array(
        'credit_card' => array(

```

```

        // 'enabled_payments' => array('credit_card'),
        'secure' => Config::$is3ds
    )
);

if (isset($params['item_details'])) {
    $gross_amount = 0;
    foreach ($params['item_details'] as $item) {
        $gross_amount += $item['quantity'] * $item['price'];
    }
    $params['transaction_details']['gross_amount'] = $gross_amount;
}

if (Config::$isSanitized) {
    Sanitizer::jsonRequest($params);
}

$params = array_replace_recursive($payloads, $params);

return ApiRequestor::post(
    Config::getSnapBaseUrl() . '/transactions',
    Config::$serverKey,
    $params
);
}
}

```

SNAPAPIREQUESTOR.PHP

<?php

```
namespace Midtrans;
```

```
/**
```

```
 * Send request to Snap API
```

```
 * Better don't use this class directly, use Snap
```

```
 * @deprecated this class already deprecated. We will deleted on the next major  
release. We have been centralized the
```

```
 * requestor via ApiRequestor.php
```

```
 */
```

```
class SnapApiRequestor
```

```
{
```

```
 /**
```

```
 * Send GET request
```

```
 *
```

```
 * @param string $url
```

```
 * @param string $server_key
```

```
 * @param mixed[] $data_hash
```

```
 */
```

```
public static function get($url, $server_key, $data_hash)
```

```
{
```

```
    return self::remoteCall($url, $server_key, $data_hash, false);
```

```
}
```

```
/**
```

```
 * Send POST request
```

```
 *
```

```
 * @param string $url
```

```
 * @param string $server_key
```

```

* @param mixed[] $data_hash
*/

public static function post($url, $server_key, $data_hash)
{
    return self::remoteCall($url, $server_key, $data_hash, true);
}

/**
 * Actually send request to API server
 *
 * @param string $url
 * @param string $server_key
 * @param mixed[] $data_hash
 * @param bool $post
 */

public static function remoteCall($url, $server_key, $data_hash, $post = true)
{
    $ch = curl_init();

    $curl_options = array(
        CURLOPT_URL => $url,
        CURLOPT_HTTPHEADER => array(
            'Content-Type: application/json',
            'Accept: application/json',
            'Authorization: Basic ' . base64_encode($server_key . ':')
        ),
        CURLOPT_RETURNTRANSFER => 1,
        // CURLOPT_CAINFO => dirname(__FILE__) . '/../data/cacert.pem'
    );

```

```

// merging with Config::$curlOptions
if (count(Config::$curlOptions)) {
    // We need to combine headers manually, because it's array and it will no
    be merged
    if (Config::$curlOptions[CURLOPT_HTTPHEADER]) {
        $mergedHeders =
array_merge($curl_options[CURLOPT_HTTPHEADER],
Config::$curlOptions[CURLOPT_HTTPHEADER]);
        $headerOptions = array( CURLOPT_HTTPHEADER =>
$mergedHeders );
    } else {
        $mergedHeders = array();
    }

    $curl_options = array_replace_recursive($curl_options,
Config::$curlOptions, $headerOptions);
}

if ($post) {
    $curl_options[CURLOPT_POST] = 1;

    if ($data_hash) {
        $body = json_encode($data_hash);
        $curl_options[CURLOPT_POSTFIELDS] = $body;
    } else {
        $curl_options[CURLOPT_POSTFIELDS] = "";
    }
}

curl_setopt_array($ch, $curl_options);

```

```

// For testing purpose
if (class_exists('\Midtrans\VT_Tests') && VT_Tests::$stubHttp) {
    $result = self::processStubbed($curl_options, $url, $server_key,
$data_hash, $post);
    $info = VT_Tests::$stubHttpStatus;
} else {
    $result = curl_exec($ch);
    $info = curl_getinfo($ch);
    // curl_close($ch);
}

if ($result === false) {
    throw new \Exception('CURL Error: ' . curl_error($ch), curl_errno($ch));
} else {
    try {
        $result_array = json_decode($result);
    } catch (\Exception $e) {
        $message = "API Request Error unable to json_decode API response:
".$result . ' | Request url: '.$url;
        throw new \Exception($message);
    }
    if ($info['http_code'] != 201) {
        $message = 'Midtrans Error (' . $info['http_code'] . '): '
. $result . ' | Request url: '.$url;
        throw new \Exception($message, $info['http_code']);
    } else {
        return $result_array;
    }
}
}

```

```

    }

    private static function processStubed($curl, $url, $server_key, $data_hash,
    $post)
    {
        VT_Tests::$lastHttpRequest = array(
            "url" => $url,
            "server_key" => $server_key,
            "data_hash" => $data_hash,
            "post" => $post,
            "curl" => $curl
        );

        return VT_Tests::$stubHttpResponse;
    }
}

```

TRANSACTION.PHP

```
<?php
```

```
namespace Midtrans;
```

```
use Exception;
```

```
/**
```

```
 * API methods to get transaction status, approve and cancel transactions
```

```
 */
```

```
class Transaction
```

```
{
```

```

/**
 * Retrieve transaction status
 *
 * @param string $id Order ID or transaction ID
 *
 * @return mixed[]
 * @throws Exception
 */
public static function status($id)
{
    return ApiRequestor::get(
        Config::getBaseUrl() . '/v2/' . $id . '/status',
        Config::$serverKey,
        false
    );
}

/**
 * Retrieve B2B transaction status
 *
 * @param string $id Order ID or transaction ID
 *
 * @return mixed[]
 * @throws Exception
 */
public static function statusB2b($id)
{
    return ApiRequestor::get(
        Config::getBaseUrl() . '/v2/' . $id . '/status/b2b',

```



```

        Config::$serverKey,
        false
    );
}

/**
 * Approve challenge transaction
 *
 * @param string $id Order ID or transaction ID
 *
 * @return string
 * @throws Exception
 */
public static function approve($id)
{
    return ApiRequestor::post(
        Config::getBaseUrl() . '/v2/' . $id . '/approve',
        Config::$serverKey,
        false
    )->status_code;
}

/**
 * Cancel transaction before it's settled
 *
 * @param string $id Order ID or transaction ID
 *
 * @return string
 * @throws Exception

```

```

*/
public static function cancel($id)
{
    return ApiRequestor::post(
        Config::getBaseUrl() . '/v2/' . $id . '/cancel',
        Config::$serverKey,
        false
    )->status_code;
}

```

```

/**
 * Expire transaction before it's setted
 *
 * @param string $id Order ID or transaction ID
 *
 * @return mixed[]
 * @throws Exception
 */

```

```

public static function expire($id)
{
    return ApiRequestor::post(
        Config::getBaseUrl() . '/v2/' . $id . '/expire',
        Config::$serverKey,
        false
    );
}

```

```

/**
 * Transaction status can be updated into refund

```

```

* if the customer decides to cancel completed/settlement payment.
* The same refund id cannot be reused again.
*
* @param string $id Order ID or transaction ID
*
* @param $params
* @return mixed[]
* @throws Exception
*/
public static function refund($id, $params)
{
    return ApiRequestor::post(
        Config::getBaseUrl() . '/v2/' . $id . '/refund',
        Config::$serverKey,
        $params
    );
}

/**
* Transaction status can be updated into refund
* if the customer decides to cancel completed/settlement payment.
* The same refund id cannot be reused again.
*
* @param string $id Order ID or transaction ID
*
* @return mixed[]
* @throws Exception
*/
public static function refundDirect($id, $params)

```

```

{
    return ApiRequestor::post(
        Config::getBaseUrl() . '/v2/' . $id . '/refund/online/direct',
        Config::$serverKey,
        $params
    );
}

/**
 * Deny method can be triggered to immediately deny card payment transaction
 * in which fraud_status is challenge.
 *
 * @param string $id Order ID or transaction ID
 *
 * @return mixed[]
 * @throws Exception
 */
public static function deny($id)
{
    return ApiRequestor::post(
        Config::getBaseUrl() . '/v2/' . $id . '/deny',
        Config::$serverKey,
        false
    );
}
}

```

AUTOLOAD.PHP

```
<?php
```

```
// autoload.php @generated by Composer

if (PHP_VERSION_ID < 50600) {
    if (!headers_sent()) {
        header('HTTP/1.1 500 Internal Server Error');
    }

    $err = 'Composer 2.3.0 dropped support for autoloading on PHP <5.6 and you
are running '.PHP_VERSION.', please upgrade PHP or use Composer 2.2 LTS via
"composer self-update --2.2". Aborting.'.PHP_EOL;

    if (!ini_get('display_errors')) {
        if (PHP_SAPI === 'cli' || PHP_SAPI === 'phpdbg') {
            fwrite(STDERR, $err);
        } elseif (!headers_sent()) {
            echo $err;
        }
    }
    trigger_error(
        $err,
        E_USER_ERROR
    );
}

require_once __DIR__ . '/composer/autoload_real.php';

return
ComposerAutoloaderInit2185d2f99bcd56787481d9357a5972d3::getLoader();
```

ABOUTUS.PHP

<?php

```
session_start();
include "dbconnect.php";
?>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8" />
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
```

```
<!-- Favicon -->
```

```
<link rel="apple-touch-icon" sizes="180x180" href="assets/img/Favicon/apple-
touch-icon.png">
```

```
<link rel="icon" type="image/png" sizes="32x32"
href="assets/img/Favicon/favicon-32x32.png">
```

```
<link rel="icon" type="image/png" sizes="16x16"
href="assets/img/Favicon/favicon-16x16.png">
```

```
<link rel="manifest" href="assets/img/Favicon/site.webmanifest">
```

```
<!-- ===== CSS ===== -->
```

```
<link rel="stylesheet" href="assets/css/styles.css" />
```

```
<!-- ===== FontAwesome ===== -->
```

```
<link href="assets/icon/css/all.css" rel="stylesheet">
```

```
<!-- ===== Bootstrap ===== -->
```

```
<link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOM
LASjC" crossorigin="anonymous" />
```

```

<title> Dian 17 Cell | Konfirmasi</title>
</head>
<body>
  <!--===== HEADER =====-->

  <nav class="navbar fixed-top navbar-expand-lg navbar-light scroll-
  navbar" id="navbar" style="background:#EEEEEE;">

    <div class="container-fluid">

      <a class="navbar-brand fs-3" href=".">Dian 17 Cell</a>

      <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
      data-bs-target="#navbarTogglerDemo02" aria-controls="navbarTogglerDemo02"
      aria-expanded="false" aria-label="Toggle navigation">

        <span class="navbar-toggler-icon"></span>

      </button>

      <div class="collapse navbar-collapse" id="navbarTogglerDemo02">

        <ul class="navbar-nav me-auto mb-2 mb-lg-0">

          <li class="nav-item">

            <a class="nav-link fs-6" href=".">Beranda</a>

          </li>

          <li class="nav-item dropdown">

            <a class="nav-link dropdown-toggle active" href="#"
            id="navbarDropdown" role="button" data-bs-toggle="dropdown" aria-
            expanded="false"> Produk </a>

            <ul class="dropdown-menu" aria-labelledby="navbarDropdown">

              <?php

                $kat=mysqli_query($conn,"SELECT * FROM kategori ORDER BY
                idkategori ASC");

                while($p=mysqli_fetch_array($kat)) :

                  ?>

                  <li><a class="dropdown-item" href="product.php?idkategori=?=
                  $p['idkategori'] ?>"><?php echo $p['namakategori'] ?></a></li>

                  <?php endwhile; ?>

                </ul>

```

```

        </li>
    </ul>

    <form class="d-flex" action="search.php" method="post">
        <input class="form-control me-2" type="search" name="search"
placeholder="Cari Nama Barang" aria-label="Search" />
        <button class="btn btn-outline-dark me-2" type="submit">Cari</button>
    <?php
        if(!isset($_SESSION['login'])) {
            echo "<a href='login.php' class='btn btn-outline-dark me-2'
type='button'>Masuk</a>";
        } else {
            if($_SESSION['role']=='member') {
                echo "<a href='logout.php' class='btn btn-outline-dark me-2'
type='button'>Keluar</a>";
            } else {
                echo "<a href='admin' class='btn btn-outline-dark me-2'
type='button'>Admin</a>";
                echo "<a href='logout.php' class='btn btn-outline-dark me-2'
type='button'>Keluar</a>";
            }
        }
    ?>
    <a href="javascript:history.back()" class="btn btn-outline-dark"
type="button">Kembali</a>
    </form>
</div>
</div>
</nav>

<main class="main">
    <div class="about container">
        <h2>Tentang Kami</h2>

```


<p>

Dian 17 Cell merupakan UMKM yang berada di kota Palembang, Sumatera Selatan
 yang menjual berbagai macam ATK, Pulsa internet, dan kebutuhan sekolah anak
 Project ini dikerjakan oleh Chairina Al islami Politeknik Negeri Sriwijaya Teknik Komputer 2024.

</p>

</div>

</div>

</main>

<!--===== FOOTER =====-->

<footer class="pt-5 pb-4">

<div class="container text-md-left">

<div class="footer-top row text-md-left">

<div class="col-md-3 col-lg-3 col-xl-3 mx-auto mt-3">

<h5 class="mb-4 footer_title">Dian 17 Cell</h5>

<p class="footer_description">Kualitas Bintang 5, Harga Kaki 5!</p>

</div>

<div class="footer-product col-md-2 col-lg-2 col-xl-2 mx-auto mt-3">

<h5 class="mb-4">Tersedia</h5>

<p>

ATK Kantor

</p>

<p>

Keperluan Sekolah

</p>

<p>

[Pulsa dan Paket Internet](product.php?idkategori=3)

Link

[Tentang Kami](#)

Kontak

fas fa-home me-3 Palembang

fas fa-envelope me-3 dian17cell@gmail.com

fas fa-phone me-3 08990145929

footer_description © Dian 17 Cell

```

    </div>
    <div class="col-md-5 col-lg-4">

    </div>
  </div>
</footer>

<!--===== MAIN JS =====-->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWt
IaxVXM" crossorigin="anonymous"></script>
</body>
</html>

```

BRAND.PHP

```

<?php
session_start();
include 'dbconnect.php';
include "badges.php";

$idb = $_GET['idbrand'];
if (isset($_POST['addprod'])) {
    if (!isset($_SESSION["login"])) {
        header("Location: login.php");
    } else {
        $idp = mysqli_real_escape_string($conn, $_POST['idprod']);
        $ui = $_SESSION['id'];

        $cek = mysqli_query($conn, "SELECT * FROM cart WHERE userid='$ui'
AND STATUS='Cart'");

```

```

$liat = mysqli_num_rows($cek);
$f = mysqli_fetch_array($cek);
$orid = $f['orderid'];

//kalo ternyata udeh ada order id nya
if ($liat > 0) {

    //cek barang serupa
    $cekbrg = mysqli_query($conn, "SELECT * FROM detailorder WHERE
idproduk='$idp' AND orderid='$orid'");
    $liatlg = mysqli_num_rows($cekbrg);
    $brpbanyak = mysqli_fetch_array($cekbrg);
    $jmlh = $brpbanyak['qty'];

    //kalo ternyata barangnya ud ada
    if ($liatlg > 0) {
        $i = 1;
        $baru = $jmlh + $i;

        $updateaja = mysqli_query($conn, "UPDATE detailorder SET qty='$baru'
WHERE orderid='$orid' AND idproduk='$idp'");

        if ($updateaja) {
            $tambah = true;
        } else {
            $error = true;
        }
    } else {
        $tambahdata = mysqli_query($conn, "INSERT INTO detailorder
(orderid,idproduk,qty) VALUES('$orid','$idp','1')");
    }
}

```

```

    if ($tambahdata) {
        $berhasil = true;
    } else {
        $error = true;
    }
};
} else {

    // Cari orderid terbaru

    $query_last_orderid = mysql_query($conn, "SELECT
MAX(CAST(SUBSTRING(orderid, 5) AS UNSIGNED)) AS max_orderid
FROM cart");

    $row_last_orderid = mysql_fetch_assoc($query_last_orderid);
    $max_orderid = $row_last_orderid['max_orderid'];

    // Buat orderid baru
    if ($max_orderid !== null) {
        // Jika sudah ada orderid, tambahkan 1
        $new_orderid = str_pad($max_orderid + 1, 6, "0", STR_PAD_LEFT);
    } else {
        // Jika belum ada orderid, gunakan 1
        $new_orderid = '000001';
    }

    $bikincart = mysql_query($conn, "INSERT INTO cart (orderid, userid)
VALUES('$new_orderid','$ui')");

    if ($bikincart) {
        $tambahuser = mysql_query($conn, "INSERT INTO detailorder
(orderid,idproduk,qty) VALUES('$new_orderid','$idp','1')");

        if ($tambahuser) {
            $berhasil = true;

```

```
    } else {  
        $error = true;  
    }  
} else {  
    mysqli_error($conn);  
}  
}  
}  
}  
?>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8" />
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
```

```
<!-- Favicon -->
```

```
<link rel="apple-touch-icon" sizes="180x180" href="assets/img/Favicon/apple-touch-icon.png">
```

```
<link rel="icon" type="image/png" sizes="32x32" href="assets/img/Favicon/favicon-32x32.png">
```

```
<link rel="icon" type="image/png" sizes="16x16" href="assets/img/Favicon/favicon-16x16.png">
```

```
<link rel="manifest" href="assets/img/Favicon/site.webmanifest">
```

```
<!-- ===== CSS ===== -->
```

```
<link rel="stylesheet" href="assets/css/styles.css" />
```

```

<!-- ===== FontAwesome ===== -->
<link href="assets/icon/css/all.css" rel="stylesheet">

<!-- ===== Bootstrap ===== -->
<link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOm
LASjC" crossorigin="anonymous" />

<title>Dian 17 Cell | Produk</title>
</head>

<body>
<!--===== HEADER =====-->
<nav class="navbar fixed-top navbar-expand-lg navbar-light scroll-navbar ">
<div class="container-fluid">
<a class="navbar-brand fs-3" href=".">Dian 17 Cell</a>
<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-
bs-target="#navbarTogglerDemo02" aria-controls="navbarTogglerDemo02" aria-
expanded="false" aria-label="Toggle navigation">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarTogglerDemo02">
<ul class="navbar-nav me-auto mb-2 mb-lg-0">
<li class="nav-item">
<a class="nav-link fs-6" href=".">Beranda</a>
</li>
<li class="nav-item dropdown">
<a class="nav-link dropdown-toggle active" href="#"
id="navbarDropdown" role="button" data-bs-toggle="dropdown" aria-
expanded="false"> Produk </a>

```

```

<ul class="dropdown-menu" aria-labelledby="navbarDropdown">
  <?php
    $kat = mysqli_query($conn, "SELECT * from kategori order by
idkategori ASC");
    while ($p = mysqli_fetch_array($kat)) :
      ?>
        <li><a class="dropdown-item" href="product.php?idkategori=?=
$sp['idkategori'] ?>"><?=$sp['namakategori'] ?></a></li>
      <?php endwhile; ?>
    </ul>
  </li>
</ul>
<div class="nav-icon">
  <a href="daftar-order.php">
    <i class="fas fa-list-ul nav-icon me-1"></i>
    <?php if ($orderid !== null && $itungorder3 !== '0') : ?>
      <span class="badge nav-badges rounded-pill bg-danger">
        <?=$itungorder3 ?>
        <span class="visually-hidden">unseen order</span>
      <?php endif; ?>
    </a>
    <a href="cart.php">
      <i class="fas fa-shopping-cart nav-icon me-1"></i>
      <?php if ($orderid !== null && $itungtrans3 !== '0') : ?>
        <span class="badge nav-badges rounded-pill bg-danger">
          <?=$itungtrans3 ?>
          <span class="visually-hidden">unseen cart</span>
        <?php endif; ?>
      </a>
      <a href="profil.php">

```



```

        <i class="fas fa-user nav-icon me-1"></i>
    </a>
</div>

<form class="d-flex" action="search.php" method="post">
    <input class="form-control me-2" type="search" name="search"
placeholder="Cari Nama Barang" aria-label="Cari" />
    <button class="btn btn-outline-dark me-2" type="submit">Cari</button>
    <?php
    if (!isset($_SESSION['login'])) {
        echo "<a href='login.php' class='btn btn-outline-dark me-2'
type='button'>Masuk</a>";
    } else {
        if ($_SESSION['role'] == 'member') {
            echo "<a href='logout.php' class='btn btn-outline-dark me-2'
type='button'>Keluar</a>";
        } else {
            echo "<a href='admin' class='btn btn-outline-dark me-2'
type='button'>Admin</a>";
            echo "<a href='logout.php' class='btn btn-outline-dark me-2'
type='button'>Keluar</a>";
        }
    }
    ?>
    <a href="javascript:history.back()" class="btn btn-outline-dark"
type="button">Kembali</a>
</form>
</div>
</div>
</nav>

<main class="main">

```

```

<?php if (isset($berhasil)) { ?>
    <div class='alert alert-success'>
        Berhasil menambahkan ke keranjang
    </div>
    <meta http-equiv='refresh' content='2;' />
<?php } else if (isset($tambah)) { ?>
    <div class='alert alert-success'>
        Barang sudah dimasukkan ke keranjang, jumlah akan ditambahkan
    </div>
    <meta http-equiv='refresh' content='2;' />
<?php } else if (isset($error)) { ?>
    <div class='alert alert-warning'>
        Gagal menambahkan ke keranjang
    </div>
    <meta http-equiv='refresh' content='2;' />
<?php } ?>

<section class="featured section" id="shop">
    <h2 class="section-title">Produk</h2>

    <div class="products">
        <div class="row">
            <div class="products-left col-lg-3 col-md-4">
                <div class="brands rounded">
                    <h2>Kategori</h2>
                    <ul class="list-brands">
                        <?php
                            $brnd = mysqli_query($conn, "SELECT * from brand order by idbrand
                            ASC");
                            while ($p = mysqli_fetch_array($brnd)) :

```

```

        ?>
        <li>
            <a href="brand.php?idbrand=<?= $p['idbrand'] ?>"><i class="fas fa-
arrow-right button-icon icon-brand"></i><?= $p['namabrand'] ?></a>
        </li>
    <?php endwhile; ?>
</ul>
</div>
</div>

```

```

<div class="products-right col-lg-8 col-md-7 col-sm-8">
    <?php
        $brgs = mysqli_query($conn, "SELECT * FROM produk WHERE
idbrand='$idb' ORDER BY idbrand ASC");
        $x = mysqli_num_rows($brgs);

        if ($x > 0) {
            while ($p = mysqli_fetch_array($brgs)) :
                ?>
                <article class="product product-laptop">
                    <div class="product-layout w-100">
                        <?php if ($p['idkategori'] == 1) { ?>
                            <a href="display-product.php?idkategori=<?=
$p['idkategori'] ?>&idproduk=<?= $p['idproduk'] ?>"></a>
                        <?php } else if ($p['idkategori'] == 2) { ?>
                            <a href="display-product.php?idkategori=<?=
$p['idkategori'] ?>&idproduk=<?= $p['idproduk'] ?>"></a>
                        <?php } else if ($p['idkategori'] == 3) { ?>

```

```

        <a href="display-product.php?idkategori=<?=
        $p['idkategori'] ?>&idproduk=<?= $p['idproduk'] ?>"></a>

        <?php } ?>
    </div>

    <span class="product_name"><?= $p["namaproduk"] ?></span>

    <span class="product_price">Rp <?=
    number_format($p['hargaafter']) ?> (<?= $p['stok'] ?>)</span>

    <?php if ($_SESSION['role'] == 'member' && intval($p['stok']) > 0)
    { ?>

        <form action="" method="POST">

            <input type="hidden" name="idprod" value="<?=
            $p['idproduk'] ?>" />

            <button type="submit" name="addprod" class="button-light py-0
            px-0">Tambahkan ke Keranjang</button>

        </form>

    <?php } else { ?>

        <form action="" method="POST">

            <input type="hidden" name="idprod" value="<?=
            $p['idproduk'] ?>" />

            <button type="submit" name="addprod" class="button-secondary
            py-0 px-0" disabled>Tambahkan ke Keranjang</button>

        </form>

    <?php } ?>
</article>

<?php
    endwhile;
} else {
    echo "Data tidak Ditemukan";
} ?>
</div>
</div>

```

```
</div>
</section>
</main>

<!--===== FOOTER =====-->
<footer class="pt-5 pb-4">
  <div class="container text-md-left">
    <div class="footer-top row text-md-left">
      <div class="col-md-3 col-lg-3 col-xl-3 mx-auto mt-3">
        <h5 class="mb-4 footer_title">Dian 17 Cell</h5>
        <p class="footer_description">Kualitas Bintang 5, Harga Kaki 5!</p>
      </div>
      <div class="footer-product col-md-2 col-lg-2 col-xl-2 mx-auto mt-3">
        <h5 class="mb-4">Tersedia</h5>
        <p>
          <a href="product.php?idkategori=1" class="footer_link">ATK Kantor</a>
        </p>
        <p>
          <a href="product.php?idkategori=2" class="footer_link">Keperluan
Sekolah</a>
        </p>
        <p>
          <a href="product.php?idkategori=3" class="footer_link">Pulsa dan Paket
Internet</a>
        </p>
      </div>
      <div class="footer-link col-md-3 col-lg-2 col-xl-2 mx-auto mt-3">
        <h5 class="mb-4">Link</h5>
        <p>
          <a href="about-us.php" class="footer_link">Tentang Kami</a>
        </p>
      </div>
    </div>
  </div>
</footer>
```

</p>

</div>

<div class="footer-contact col-md-4 col-lg-3 col-xl-3 mx-auto mt-3">

<h5 class="mb-4">Kontak</h5>

<p>

<i class='fas fa-home me-3'> </i> Palembang

</p>

<p>

<i class='fas fa-envelope me-3'> </i> dian17cell@gmail.com

</p>

<p>

<i class='fas fa-phone me-3'> </i> 08990145929

</p>

</div>

</div>

<hr class="mb-4">

<div class="footer-bottom row align-items-center">

<div class="col-md-7 col-lg-8">

<p class="footer_description">© <script>

document.write(new Date().getFullYear())

</script> Dian 17 Cell </p>

</div>

<div class="col-md-5 col-lg-4">

<li class="list-inline-item">

<i class="fab fa-facebook-f"></i>


```
<li class="list-inline-item">
  <a href="#" target="_blank" class="footer_social"><i class="fab fa-
instagram"></i></a>
</li>
<li class="list-inline-item">
  <a href="#" target="_blank" class="footer_social"><i class="fab fa-
twitter"></i></a>
</li>
</ul>
</div>
</div>
</div>
</div>
</footer>
```

```
<!--===== MAIN JS =====-->
```

```
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWt
IaxVXM" crossorigin="anonymous"></script>
</body>
```

```
</html>
```

CART.PHP

```
<?php
session_start();
include 'dbconnect.php';

if (!isset($_SESSION["login"])) {
  header("Location: login.php");
  exit;
}
```

```

Suid = $_SESSION['id'];

$scaricart = mysqli_query($conn, "SELECT * FROM cart WHERE userid='$suid'
AND status='Cart'");

$fetc = mysqli_fetch_array($scaricart);

$orderidd = $fetc['orderid'];

$itungtrans = mysqli_query($conn, "SELECT count(detailid) AS jumlahtrans
FROM detailorder WHERE orderid='$orderidd'");

$itungtrans2 = mysqli_fetch_assoc($itungtrans);

$itungtrans3 = $itungtrans2['jumlahtrans'];

if (isset($_POST["update"])) {
    $kode = $_POST['idproduknya'];
    $jumlah = $_POST['jumlah'];

    // Ambil stok produk dari tabel produk
    $result = mysqli_query($conn, "SELECT stok FROM produk WHERE
idproduk='$kode'");
    $product = mysqli_fetch_assoc($result);
    $stok = $product['stok'];

    if ($stok >= $jumlah) {
        $q1 = mysqli_query($conn, "UPDATE detailorder SET qty='$jumlah' WHERE
idproduk='$kode' AND orderid='$orderidd'");

        if ($q1) {
            echo "Berhasil Update Cart
            <meta http-equiv='refresh' content='2; url=cart.php'/>";
        } else {
            echo "Gagal update cart
            <meta http-equiv='refresh' content='2; url=cart.php'/>";
        }
    }
}

```



```

    } else {
        echo "<script>alert('Stok tidak mencukupi!');</script>
        <meta http-equiv='refresh' content='2; url=cart.php'/>";
    }
} else if (isset($_POST["hapus"])) {
    $kode = $_POST['idproduknya'];

    $q2 = mysqli_query($conn, "DELETE FROM detailorder WHERE
idproduk='$kode' AND orderid='$orderid'");

    if ($q2) {
        echo "Berhasil Hapus
        <meta http-equiv='refresh' content='2; url=cart.php'/>";
    } else {
        echo "Gagal Hapus
        <meta http-equiv='refresh' content='2; url=cart.php'/>";
    }
}

?>

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />

    <!-- Favicon -->
    <link rel="apple-touch-icon" sizes="180x180" href="assets/img/Favicon/apple-
touch-icon.png">

```

```
<link rel="icon" type="image/png" sizes="32x32"
href="assets/img/Favicon/favicon-32x32.png">

<link rel="icon" type="image/png" sizes="16x16"
href="assets/img/Favicon/favicon-16x16.png">

<link rel="manifest" href="assets/img/Favicon/site.webmanifest">

<!-- ===== CSS ===== -->

<link rel="stylesheet" href="assets/css/styles.css" />

<!-- ===== FontAwesome ===== -->

<link href="assets/icon/css/all.css" rel="stylesheet">

<!-- ===== Bootstrap ===== -->

<link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOm
LASjC" crossorigin="anonymous" />

<title>Dian 17 Cell | Cart</title>

</head>

<body>

<!--===== HEADER =====-->

<nav class="navbar fixed-top navbar-expand-lg navbar-light scroll-navbar">

<div class="container-fluid">

<a class="navbar-brand fs-3" href=".">Dian 17 Cell</a>

<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-
bs-target="#navbarTogglerDemo02" aria-controls="navbarTogglerDemo02" aria-
expanded="false" aria-label="Toggle navigation">

<span class="navbar-toggler-icon"></span>

</button>
```

```

<div class="collapse navbar-collapse" id="navbarTogglerDemo02">
  <ul class="navbar-nav me-auto mb-2 mb-lg-0">
    <li class="nav-item">
      <a class="nav-link fs-6" href=".">Beranda</a>
    </li>
    <li class="nav-item dropdown">
      <a class="nav-link dropdown-toggle active" href="#"
id="navbarDropdown" role="button" data-bs-toggle="dropdown" aria-
expanded="false"> Produk </a>
      <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <?php
          $kat = mysqli_query($conn, "SELECT * FROM kategori ORDER BY
idkategori ASC");
          while ($p = mysqli_fetch_array($kat)) :
            ?>
              <li><a class="dropdown-item" href="product.php?idkategori=?=
$p['idkategori'] ?>"><?=$p['namakategori'] ?></a></li>
            <?php endwhile; ?>
          </ul>
        </li>
      </ul>
    <div class="nav-icon">
      <a href="daftar-order.php">
        <i class="fas fa-list-ul nav-icon me-1"></i>
        <?php if ($orderid !== null && $itungorder3 !== '0') : ?>
          <span class="badge nav-badges rounded-pill bg-danger">
            <?=$itungorder3 ?>
            <span class="visually-hidden">unseen order</span>
          <?php endif; ?>
        </a>
      <a href="cart.php">

```

```

<i class="fas fa-shopping-cart nav-icon me-1"></i>
<?php if ($orderidd !== null && $itungtrans3 !== '0') : ?>
    <span class="badge nav-badges rounded-pill bg-danger">
        <?= $itungtrans3 ?>
        <span class="visually-hidden">unseen cart</span>
    <?php endif; ?>
</a>
<a href="profil.php">
    <i class="fas fa-user nav-icon me-1"></i>
</a>
</div>
<form class="d-flex" action="search.php" method="POST">
    <input class="form-control me-2" type="search" name="search"
placeholder="Cari Nama Barang" aria-label="Search" />
    <button class="btn btn-outline-dark me-2" type="submit">Cari</button>
<?php
if (!isset($_SESSION['login'])) {
    echo "<a href='login.php' class='btn btn-outline-dark me-2'
type='button'>Login</a>";
} else {
    if ($_SESSION['role'] == 'member') {
        echo "<a href='logout.php' class='btn btn-outline-dark me-2'
type='button'>Keluar</a>";
    } else {
        echo "<a href='admin' class='btn btn-outline-dark me-2'
type='button'>Admin</a>";
        echo "<a href='logout.php' class='btn btn-outline-dark me-2'
type='button'>Keluar</a>";
    }
}
?>

```

```
        <a href="javascript:history.back()" class="btn btn-outline-dark"
type="button">Kembali</a>
```

```
    </form>
```

```
</div>
```

```
</div>
```

```
</nav>
```

```
<main class="cart-page">
```

```
    <div class="container">
```

```
        <h2 class="jumlah-barang">Dalam Keranjangmu ada : <span><?=$itungtrans3 ?> barang</span></h2>
```

```
    <div class="table-responsive">
```

```
        <table class="table table-bordered" width="80">
```

```
            <thead class="table-dark">
```

```
                <tr>
```

```
                    <th scope="col">No.</th>
```

```
                    <th scope="col">Produk</th>
```

```
                    <th scope="col">Nama Produk</th>
```

```
                    <th scope="col">Berat Produk</th>
```

```
                    <th scope="col">Jumlah</th>
```

```
                    <th scope="col">Harga Satuan (Kg*)</th>
```

```
                    <th scope="col">Hapus</th>
```

```
                </tr>
```

```
            </thead>
```

```
            <tbody>
```

```
                <?php
```

```
                    $brg = mysqli_query($conn, "SELECT * FROM detailorder d, produk p
WHERE orderid='$orderid' AND d.idproduk=p.idproduk ORDER BY
d.idproduk ASC");
```

```

$no = 1;
while ($b = mysqli_fetch_array($brg)) :
    ?>
    <tr class="rem1">
        <form action="" method="post">
            <th><?= $no++ ?></th>
            <td>
                <a href="display-product.php?idkategori=<?=
                $b['idkategori'] ?>&idproduk=<?= $b['idproduk'] ?>"></a>
            </td>
            <td><?= $b['namaproduk'] ?></td>
            <td><?php echo $b['beratproduk']; ?></td>
            <td>
                <div class="quantity">
                    <div class="quantity-select">
                        <input type="number" name="jumlah" class="form-control"
                        height="100px" min="1" value="<?= $b['qty'] ?>" \/>
                    </div>
                </div>
            </td>
            <td><?= number_format($b['hargaafter']) ?></td>
            <td>
                <div class="rem">
                    <input type="submit" name="update" class="form-control"
                    value="Update" \/>
                    <input type="hidden" name="idproduknya" value="<?=
                    $b['idproduk'] ?>" \/>
                    <input type="submit" name="hapus" class="form-control"
                    value="Hapus" \/>
                </div>

```

```
</td>
</form>
</tr>
<?php endwhile; ?>
</tbody>
</table>
</div>
```

```
<div class="cart-left row">
  <div class="cart-left-basket col-lg-4 col-sm-4 col-md-5">
    <h4>Total Harga</h4>
    <ul>
      <?php
        $brg = mysqli_query($conn, "SELECT * FROM detailorder d, produk p
        WHERE orderid='$orderid' AND d.idproduk=p.idproduk ORDER BY
        d.idproduk ASC");
        $no = 1;
        $subtotal = 0;
        while ($b = mysqli_fetch_array($brg)) :
          $hrg = $b['hargaafter'];
          $qtyy = $b['qty'];
          $totalharga = $hrg * $qtyy;
          $subtotal += $totalharga;
        ?>
        <li><?=$b['namaproduk'] ?><i> - </i> <span>Rp <?=
        number_format($totalharga) ?></span></li>

      <?php endwhile; ?>
    <li class="total">
    </li>
```

```
<h4>Total Belanja</h4>
```

```
<li class="total">
```

```
  <h3 style="text-align: right;">Rp <?=  
number_format($subtotal) ?></h3>
```

```
</li>
```

```
  <li class="total" style="display: none;">Total (inc. 10k Ongkir)<i> - </i>  
<span>Rp <?= number_format($subtotal) ?></span></li>
```

```
</ul>
```

```
</div>
```

```
<div class="cart-right-basket col-lg-6 col-sm-6 col-md-6">
```

```
  <a href="."><i class='fas fa-arrow-left button-icon'></i> Lanjutkan  
  Belanja</a>
```

```
  <?php if ($subtotal > 1) { ?>
```

```
    <a href="checkout.php" onclick="return confirmCheckout();">Checkout<i  
class='fas fa-arrow-right button-icon col'></i></a>
```

```
  <?php } ?>
```

```
</div>
```

```
</div>
```

```
<div class="clearfix"></div>
```

```
</main>
```

```
<!--===== FOOTER =====-->
```

```
<footer class="pt-5 pb-4">
```

```
  <div class="container text-md-left">
```

```
    <div class="footer-top row text-md-left">
```

```
      <div class="col-md-3 col-lg-3 col-xl-3 mx-auto mt-3">
```

```
        <h5 class="mb-4 footer_title">Dian 17 Cell</h5>
```



```
<p class="footer_description">Kualitas Bintang 5, Harga Kaki 5!</p>
</div>
<div class="footer-product col-md-2 col-lg-2 col-xl-2 mx-auto mt-3">
  <h5 class="mb-4">Tersedia</h5>
  <p>
    <a href="product.php?idkategori=1" class="footer_link">ATK Kantor</a>
  </p>
  <p>
    <a href="product.php?idkategori=2" class="footer_link">Keperluan
Sekolah</a>
  </p>
  <p>
    <a href="product.php?idkategori=3" class="footer_link">Pulsa dan Paket
Internet</a>
  </p>
</div>
<div class="footer-link col-md-3 col-lg-2 col-xl-2 mx-auto mt-3">
  <h5 class="mb-4">Link</h5>
  <p>
    <a href="about-us.php" class="footer_link">Tentang Kami</a>
  </p>
</div>
<div class="footer-contact col-md-4 col-lg-3 col-xl-3 mx-auto mt-3">
  <h5 class="mb-4">Kontak</h5>
  <p>
    <i class='fas fa-home me-3'> </i> Palembang
  </p>
  <p>
    <i class='fas fa-envelope me-3'> </i>dian17cell@gmail.com
  </p>
```

```
<p>
  <i class='fas fa-phone me-3'> </i> 08990145929
</p>
</div>
</div>
```

```
<hr class="mb-4">
```

```
<div class="footer-bottom row align-items-center">
  <div class="col-md-7 col-lg-8">
    <p class="footer_description">&copy; <script>
      document.write(new Date().getFullYear())
    </script> Dian 17 Cell</p>
  </div>
  <div class="col-md-5 col-lg-4">
    <ul>
      <li class="list-inline-item">
        <a href="#" target="_blank" class="footer_social"><i class="fab fa-
facebook-f"></i></a>
      </li>
      <li class="list-inline-item">
        <a href="#" target="_blank" class="footer_social"><i class="fab fa-
instagram"></i></a>
      </li>
      <li class="list-inline-item">
        <a href="#" target="_blank" class="footer_social"><i class="fab fa-
twitter"></i></a>
      </li>
    </ul>
  </div>
```

```
</div>
</div>
</footer>

<!--===== MAIN JS =====-->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
MrcW6ZMFY1zcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWt
IaxVXM" crossorigin="anonymous"></script>
<script>
function confirmCheckout() {
    return confirm("Apakah produk sudah yakin benar?");
}
</script>
</body>

</html>
```

CHECKOUT.PHP

```
<?php

namespace Midtrans;

require_once 'Midtrans.php';

Config::$serverKey = 'Mid-server-OMLby-PeislFqxqFtW00HzaAZ';
Config::$clientKey = 'Mid-client-_1kvvq1A0gau3D8l';

Config::$isSanitized = Config::$is3ds = true;

function printExampleWarningMessage()
```

```

{
    if (strpos(Config::$serverKey, 'your ') !== false) {
        echo "<code>";
        echo "<h4>Please set your server key from sandbox</h4>";
        echo "In file: " . __FILE__;
        echo "<br>";
        echo "<br>";
        echo htmlspecialchars(Config::$serverKey = '\Mid-server-OMLby-
PeislFxqFtW00HzaAZ\');
        die();
    }
}

function function_alert()
{
    echo "<script>alert('Thank you. Your Order has been placed!');</script>";
    // echo "<script>>window.location.replace('daftar-order.php');</script>";
}

session_start();
include 'dbconnect.php';

if (!isset($_SESSION["login"])) {
    header("Location: login.php");
    exit;
}

$uid = $_SESSION['id'];
$scaricart = mysqli_query($conn, "SELECT * FROM cart WHERE userid='$uid'
AND STATUS='Cart'");

```

```

$getc = mysqli_fetch_array($caricart);
$orderidd = $getc['orderid'];

$itungtrans = mysqli_query($conn, "SELECT count(detailid) AS jumlahtrans
FROM detailorder WHERE orderid='$orderidd'");

$itungtrans2 = mysqli_fetch_assoc($itungtrans);
$itungtrans3 = $itungtrans2['jumlahtrans'];

if (isset($_POST["submit"])) {
    $notransaksi = 'TP' . date("Ymdhis");
    $ongkir = $_POST["ongkir"];
    $kecamatan = $_POST["kecamatan"];
    $alamat = $_POST["alamat"];
    $no_hp = $_POST["no_hp"];
    $grandtotal = $_POST["grandtotal"];

    $q3 = mysqli_query($conn, "UPDATE cart SET kecamatan='$kecamatan',
alamat='$alamat', no_hp='$no_hp', ongkir='$ongkir', grandtotal='$grandtotal',
notransaksi='$notransaksi', status='Payment' WHERE orderid='$orderidd'");

    if ($q3) {
        $berhasil = true;

        $ambilbarang = mysqli_query($conn, "SELECT * FROM detailorder d, produk
p WHERE orderid='$orderidd' AND d.idproduk=p.idproduk ORDER BY
d.idproduk ASC");

        $item_details = array();

        while ($barang = mysqli_fetch_array($ambilbarang)) {
            $idproduk = $barang['idproduk'];
            $qty = $barang['qty'];

            $updateStok = mysqli_query($conn, "UPDATE produk SET stok = stok - $qty
WHERE idproduk = $idproduk");

            $item_details[] = array(
                'id' => $barang['idproduk'],

```

```

        'price' => $barang['hargaafter'],
        'quantity' => $barang['qty'],
        'name' => $barang['namaproduk'],
    );
}

$item_details[] = array('id' => 'ongkir', 'price' => $ongkir, 'quantity' => 1,
'name' => 'Ongkos Kirim');

$transaction_details = array(
    'order_id' => $notransaksi,
    'gross_amount' => $grandtotal,
);

$customer_details = array(
    'first_name' => $_SESSION['username'],
    'last_name' => '.',
    'email' => $_SESSION['email'],
    'phone' => $_SESSION['no_hp'],
);

$transaction = array(
    'transaction_details' => $transaction_details,
    'customer_details' => $customer_details,
    'item_details' => $item_details,
);

$snap_token = "";
try {
    $snap_token = Snap::getSnapToken($transaction);
} catch (\Exception $e) {
    error_log("Error getting Snap Token: " . $e->getMessage());
}

```

```

        error_log("Transaction: " . json_encode($transaction));
        echo "Error getting Snap Token: " . $e->getMessage();
        exit;
    }

    $updateSQL = "UPDATE cart SET snapkode='$snap_token' WHERE
notransaksi='$notransaksi'";

    if (mysqli_query($conn, $updateSQL)) {
        $success = "Thank you. Your order has been placed!";
        function_alert();
    } else {
        echo "Error updating record: " . mysqli_error($conn);
    }
} else {
    echo "Error updating cart: " . mysqli_error($conn);
}
}
?>

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />

    <!-- Favicon -->
    <link rel="apple-touch-icon" sizes="180x180" href="assets/img/Favicon/apple-
touch-icon.png">

```

```
<link rel="icon" type="image/png" sizes="32x32"
href="assets/img/Favicon/favicon-32x32.png">

<link rel="icon" type="image/png" sizes="16x16"
href="assets/img/Favicon/favicon-16x16.png">

<link rel="manifest" href="assets/img/Favicon/site.webmanifest">

<!-- ===== CSS ===== -->

<link rel="stylesheet" href="assets/css/styles.css" />

<!-- ===== FontAwesome ===== -->

<link href="assets/icon/css/all.css" rel="stylesheet">

<!-- ===== Bootstrap ===== -->

<link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOm
LASjC" crossorigin="anonymous" />

<title>Dian 17 Cell | Checkout</title>

</head>

<body>

<!--===== HEADER =====-->

<nav class="navbar fixed-top navbar-expand-lg navbar-light scroll-navbar">

<div class="container-fluid">

<a class="navbar-brand" href=".">Dian 17 Cell</a>

<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-
bs-target="#navbarTogglerDemo02" aria-controls="navbarTogglerDemo02" aria-
expanded="false" aria-label="Toggle navigation">

<span class="navbar-toggler-icon"></span>

</button>
```



```

<div class="collapse navbar-collapse" id="navbarTogglerDemo02">
  <ul class="navbar-nav me-auto mb-2 mb-lg-0">
    <li class="nav-item">
      <a class="nav-link fs-6" href="/">Home</a>
    </li>
    <li class="nav-item dropdown">
      <a class="nav-link dropdown-toggle active" href="#"
id="navbarDropdown" role="button" data-bs-toggle="dropdown" aria-
expanded="false"> Product </a>
      <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <?php
          $kat = mysqli_query($conn, "SELECT * from kategori order by
idkategori ASC");
          while ($p = mysqli_fetch_array($kat)) :
            ?>
              <li><a class="dropdown-item" href="product.php?idkategori=?=
$p['idkategori'] ?>"><?=$p['namakategori'] ?></a></li>
            <?php endwhile; ?>
          </ul>
        </li>
      </ul>
    <div class="nav-icon">
      <a href="daftar-order.php">
        <i class="fas fa-list-ul nav-icon me-1"></i>
        <?php if ($orderid !== null && $itungorder3 !== '0') : ?>
          <span class="badge nav-badges rounded-pill bg-danger">
            <?=$itungorder3 ?>
            <span class="visually-hidden">unseen order</span>
          <?php endif; ?>
        </a>
      <a href="cart.php">

```

```

<i class="fas fa-shopping-cart nav-icon me-1"></i>
<?php if ($orderidd !== null && $itungtrans3 !== '0') : ?>
    <span class="badge nav-badges rounded-pill bg-danger">
        <?= $itungtrans3 ?>
        <span class="visually-hidden">unseen cart</span>
    <?php endif; ?>
</a>
<a href="profil.php">
    <i class="fas fa-user nav-icon"></i>
</a>
</div>
<form class="d-flex" action="search.php" method="POST">
    <input class="form-control me-2" type="search" name="search"
placeholder="Cari Nama Barang" aria-label="Search" />
    <button class="btn btn-outline-dark me-2" type="submit">Search</button>
<?php
if (!isset($_SESSION['login'])) {
    echo "<a href='login.php' class='btn btn-outline-dark me-2'
type='button'>Login</a>";
} else {
    if ($_SESSION['role'] == 'member') {
        echo "<a href='logout.php' class='btn btn-outline-dark me-2'
type='button'>Logout</a>";
    } else {
        echo "<a href='admin' class='btn btn-outline-dark me-2'
type='button'>Admin</a>";
        echo "<a href='logout.php' class='btn btn-outline-dark me-2'
type='button'>Logout</a>";
    }
}
?>

```

```
    <a href="javascript:history.back()" class="btn btn-outline-dark"
type="button">Back</a>
```

```
  </form>
```

```
</div>
```

```
</div>
```

```
</nav>
```

```
<main class="main">
```

```
<?php if (isset($berhasil)) { ?>
```

```
  <div class='alert alert-success'>
```

```
    Berhasil Check Out
```

```
  </div>
```

```
  <meta http-equiv='refresh' content='2; url= daftar-order.php' />
```

```
<?php } else if (isset($error)) { ?>
```

```
  <div class='alert alert-danger'>
```

```
    Gagal Check Out
```

```
  </div>
```

```
  <meta http-equiv='refresh' content='2; url= checkout.php' />
```

```
<?php } ?>
```

```
<div class="checkout-page">
```

```
  <div class="container">
```

```
    <h2 class="jumlah-barang">Terima Kasih <?= $_SESSION['username'] ?>,
telah membeli <?= $itungtrans3 ?> barang di Dian 17 Cell</h2>
```

```
  <div class="chekcout">
```

```
    <div class="table-responsive">
```

```
      <table class="table table-bordered" width="80">
```

```
        <thead class="table-dark">
```

```
          <tr>
```

```

        <th scope="col">No.</th>
        <th scope="col">Produk</th>
        <th scope="col">Nama Produk</th>
        <th scope="col">Jumlah</th>
        <th scope="col">Sub Total</th>
    </tr>
</thead>
<tbody>
    <?php
        $brg = mysqli_query($conn, "SELECT * FROM detailorder d, produk p
WHERE orderid='$orderid' AND d.idproduk=p.idproduk ORDER BY
d.idproduk ASC");

        $no = 1;
        $subtotal = 0;
        $totalberat = 0;

        while ($b = mysqli_fetch_array($brg)) :
            ?>
            <tr class="rem1">
                <form action="" method="post">
                    <th><?= $no++ ?></th>
                    <td>
                        <a href="display-product.php?idkategori=<?=
$b['idkategori'] ?>&idproduk=<?= $b['idproduk'] ?>"></a>
                    </td>
                    <td><?= $b['namaproduk'] ?></td>
                    <td>
                        <div class="quantity">
                            <div class="quantity-select">
                                <h4><?= $b['qty'] ?></h4>

```

```

        </div>
    </div>
</td>
<td>Rp<?= number_format($b['hargaafter'] * $b['qty']) ?></td>
</form>
</tr>
<?php endwhile; ?>
</tbody>
</table>
</div>

```

```
<div class="checkout-left row">
```

```
    <div class="checkout-left-basket col-sm" \>
```

```
        <h4>Total Harga yang harus dibayar saat ini</h4>
```

```
        <ul>
```

```
            <?php
```

```
                $brg = mysqli_query($conn, "SELECT * FROM detailorder d, produk p
                WHERE orderid='$orderidd' AND d.idproduk=p.idproduk ORDER BY
                d.idproduk ASC");
```

```
                $no = 1;
```

```
                $subtotal = 0;
```

```
                $totalberat = 0;
```

```
                while ($b = mysqli_fetch_array($brg)) {
```

```
                    $hrg = $b['hargaafter'];
```

```
                    $qtyy = $b['qty'];
```

```
                    $totalharga = $hrg * $qtyy;
```

```
                    $subberat = $b["beratproduk"] * $qtyy;
```

```
                    $totalberat += $subberat;
```

```
                    $berat = $totalberat / 1000;
```

```

        $subtotal += $totalharga;
    }
    ?>
    <h2><input type="text" value="Rp<?= number_format($subtotal) ?>"
disabled></h2>
    </ul>
</div>
<div class="checkout-left-basket col-sm">
    <h4>Kode Order Anda</h4>
    <h2><input type="text" value="<?= $orderid ?>" disabled></h2>
</div>
</div>
</div>

<div class="container">
    <div class="row g-0 justify-content-center">
        <div class="col-lg-12 wow fadeInUp" data-wow-delay="0.1s">
            <form method="post">
                <div class="row g-3">
                    <div class="col-md-6">
                        <div class="form-group">
                            <label class="mb-2">Nama Pelanggan</label>
                            <input type="text" readonly value="<?php echo
$_SESSION['username'] ?>" class="form-control mb-2"
name="namapelanggan">
                            <input type="hidden" name="totalberatnya" value="<?php echo
$totalberat ?>" required>
                        </div>
                    <div class="form-group">
                        <div class="row">

```

```

<div class="col-md-6 form-group mt-2">
    <label for="kecamatan">Kecamatan</label>
    <select class="form-control" name="kecamatan"
id="kecamatan">
        <?php
            $selected_kecamatan = isset($_SESSION['kecamatan']) ?
$_SESSION['kecamatan'] : "";

            $kcm = mysqli_query($conn, "SELECT * FROM
kecamatan_ongkir");
            while ($k = mysqli_fetch_array($kcm)) {
                $selected = ($k['kecamatan'] == $selected_kecamatan) ?
'selected' : "";
                ?>
                <option value="<?= htmlspecialchars($k['kecamatan']) ?>"
data-ongkir="<?= $k['ongkir'] ?>" <?= $selected ?>>
                    <?= htmlspecialchars($k['kecamatan']) ?>
                </option>
            }
        <?php
        ?>
    </select>
</div>

<div class="col-md-6 form-group mt-2">
    <label>No Telepon</label>
    <input class="form-control valid mb-3" type="text"
name="no_hp" required value="<?php echo $_SESSION['no_hp'] ?>">
</div>

<div class="col-md-12 form-group mt-2">
    <label>Alamat Lengkap</label>
    <textarea class="form-control valid mb-3" name="alamat"
required rows="5" id=""><?php echo $_SESSION['alamat'] ?></textarea>

```

```
        </div>
    </div>
</div>
</div>

<div class="col-md-6">
    <input type="hidden" id="totalharga" name="totalharga"
value="<?php echo $subtotal ?>" required>
    <div class="col-md-12 form-group p_star">
        <label>Total Belanja</label>
        <input class="form-control valid mb-3" type="number" readonly
required value="<?=$subtotal ?>">
    </div>
    <div class="form-group">
        <label class="mb-2">Total Berat (*g)</label>
        <input class="form-control mb-2" name="berat" type="number"
value="<?=$totalberat ?>" readonly required id="berat">
    </div>
    <div class="form-group">
        <label class="mb-2">Ongkir Pengiriman</label>
        <input class="form-control mb-2" name="ongkir" type="number"
value="0" readonly required id="ongkir">
    </div>
    <div class="form-group">
        <label class="mb-2">Grandtotal</label>
        <input class="form-control mb-2" id="grandtotal"
name="grandtotal" value="<?=$subtotal ?>" required readonly type="number">
    </div>
    <button class="btn btn-primary pull-right w-100 mt-4"
name="submit">Selesaikan Pembayaran</button>
</div>
</div>
```



```
</form>
</div>
</div>
</div>
```

```
<div class="submit-checkout">
```

```
<hr />
```

```
<br />
```

```
<h5 class="pb-4">
```

Orderan anda Akan Segera kami proses 1x24 Jam Setelah Anda Melakukan Pembayaran ke ATM kami dan menyertakan informasi pribadi yang melakukan pembayaran seperti Nama Pemilik Rekening / Sumber Dana, Tanggal Pembayaran, Metode

Pembayaran dan Jumlah Bayar.

```
</h5>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</main>
```

```
<!--===== FOOTER =====-->
```

```
<footer class="pt-5 pb-4">
```

```
<div class="container text-md-left">
```

```
<div class="footer-top row text-md-left">
```

```
<div class="col-md-3 col-lg-3 col-xl-3 mx-auto mt-3">
```

```
<h5 class="mb-4 footer_title">Dian 17 Cell</h5>
```

```
<p class="footer_description">Kualitas Bintang 5, Harga Bintang 5!</p>
```

```
</div>
```

```
<div class="footer-product col-md-2 col-lg-2 col-xl-2 mx-auto mt-3">
```

```
<h5 class="mb-4">Tersedia</h5>
```

<p>

ATK Kantor

</p>

<p>

Keperluan Sekolah

</p>

<p>

Pulsa dan Paket Internet

</p>

</div>

<div class="footer-link col-md-3 col-lg-2 col-xl-2 mx-auto mt-3">

<h5 class="mb-4">Link</h5>

<p>

About Us

</p>

</div>

<div class="footer-contact col-md-4 col-lg-3 col-xl-3 mx-auto mt-3">

<h5 class="mb-4">Contact</h5>

<p>

<i class='fas fa-home me-3'> </i> Palembang

</p>

<p>

<i class='fas fa-envelope me-3'> </i> dian17cell@gmail.com

</p>

<p>

<i class='fas fa-phone me-3'> </i> 08990145929

</p>

</div>

</div>

<hr class="mb-4">

<div class="footer-bottom row align-items-center">

<div class="col-md-7 col-lg-8">

<p class="footer_description">© <script>

document.write(new Date().getFullYear())

</script> Dian 17 Cell</p>

</div>

<div class="col-md-5 col-lg-4">

<li class="list-inline-item">

<i class="fab fa-facebook-f"></i>

<li class="list-inline-item">

<i class="fab fa-instagram"></i>

<li class="list-inline-item">

<i class="fab fa-twitter"></i>

</div>

</div>

</div>

</footer>

```

<script src="https://code.jquery.com/jquery-3.5.1.min.js"></script>
<script src="https://app.midtrans.com/snap/snap.js" data-client-key="<?php echo
Config::$clientKey; ?>"></script>
<!--===== MAIN JS =====-->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min.js"
></script>

</body>

</html>
<script>
// Ambil elemen yang dibutuhkan
const kecamatanSelect = document.querySelector('select[name="kecamatan"]');
const ongkirInput = document.querySelector('input[name="ongkir"]');
const grandtotalInput = document.getElementById('grandtotal');
const totalhargaInput = document.getElementById('totalharga');

// Fungsi untuk menghitung ongkir dan grandtotal
function hitungOngkirDanGrandtotal() {
// Ambil nilai ongkir dari atribut data-ongkir opsi yang dipilih
const selectedOption =
kecamatanSelect.options[kecamatanSelect.selectedIndex];
const ongkirValue = selectedOption.dataset.ongkir;

// Update nilai input ongkir
ongkirInput.value = ongkirValue;

// Hitung grandtotal dengan menambahkan ongkir ke total harga
const totalHarga = parseFloat(totalhargaInput.value);
const ongkir = parseFloat(ongkirValue);

```

```
const grandtotal = totalHarga + ongkir;

// Tampilkan grandtotal yang dihitung
grandtotalInput.value = grandtotal.toFixed(2); // Menampilkan grandtotal
dengan 2 digit desimal
}

// Panggil fungsi saat halaman dimuat pertama kali
document.addEventListener('DOMContentLoaded', function() {
  hitungOngkirDanGrandtotal();
});

// Daftarkan event listener untuk perubahan pada select kecamatan
kecamatanSelect.addEventListener('change', function() {
  hitungOngkirDanGrandtotal();
});
</script>
```



**KEMENTERIAN PENDIDIKAN, KEBUDAYAAN
RISET DAN TEKNOLOGI
POLITEKNIK NEGERI SRIWIJAYA**

Jalan Sriwijaya Negara, Palembang 30139
Telp. 0711-353414 Fax. 0711-355918
Website : www.polisriwijaya.ac.id E-mail : info@polsri.ac.id



LEMBAR BIMBINGAN LAPORAN TUGAS AKHIR

Nama Mahasiswa : Chairina Al Islami
NIM : 062130701733
Jurusan/Program Studi : Teknik Komputer/D3 Teknik Komputer
Dosen Pembimbing 2 : Dr. M. Miftakul Amin, S.Kom., M.Eng.
Judul : Rancang Bangun *Website* Pemasaran Produk Pada
Usaha Mikro Kecil Dan Menengah (UMKM)
Dian 17 Cell

| NO | TANGGAL | URAIAN | PARAF PEMBIMBING |
|----|-----------|-----------------------|---------------------|
| 1 | 7/3-2024 | Bimbingan Bab 1 dan 3 | l |
| 2 | 14/3-2024 | Revisi Bab 1 dan 3 | l |
| 3 | 9/4-2024 | Bimbingan Bab 1 dan 5 | l |
| 4 | 18/4-2024 | Revisi Bab 4 dan 5 | l |
| 5 | 9/5-2024 | Revisi Website | l |
| 6 | 16/5-2024 | Acc Website | l |
| 7 | 11/7-2024 | Rekomendasi sidang | l. |

Palembang, **30 Juli** 2024
Mengetahui,
Ketua Jurusan

Azwardi.S.T.M.T
NIP.197005232005011004



**KEMENTERIAN PENDIDIKAN, KEBUDAYAAN
RISET DAN TEKNOLOGI
POLITEKNIK NEGERI SRIWIJAYA**

Jalan Sriwijaya Negara, Palembang 30139
Telp. 0711-353414 Fax. 0711-355918
Website : www.polisriwijaya.ac.id E-mail : info@polsri.ac.id



LEMBAR BIMBINGAN LAPORAN TUGAS AKHIR

Nama Mahasiswa : Chairina Al Islami
NIM : 062130701733
Jurusan/Program Studi : Teknik Komputer/D3 Teknik Komputer
Dosen Pembimbing 2 : Hartati Deviana, ST., M.Kom
Judul : Rancang Bangun *Website* Pemasaran Produk Pada
Usaha Mikro Kecil Dan Menengah (UMKM)
Dian 17 Cell

| NO | TANGGAL | URAIAN | PARAF PEMBIMBING |
|----|-----------|-----------------------|---------------------|
| 1. | 15/3-2024 | Bimbingan Bab 1 dan 3 | |
| 2 | 20/3-2024 | Revisi Bab 1 dan 3 | |
| 3 | 22/4-2024 | Bimbingan Bab 4 dan 5 | |
| 4 | 25/4-2024 | Revisi Bab 4 dan 5 | |
| 5 | 9/5-2024 | Revisi Website | |
| 6 | 16/5-2024 | Acc Bab 1 - 5 | |
| 7 | 16/5-2024 | Acc Website | |
| 8 | 11/7-2024 | Rekomendasi Sidang | |

Palembang, 30 Juli 2024
Mengetahui,
Ketua Jurusan

Azwardi, S.T., M.T
NIP.197005232005011004



KEMENTERIAN PENDIDIKAN, KEBUDAYAAN
RISET DAN TEKNOLOGI
POLITEKNIK NEGERI SRIWIJAYA

Jalan Srijaya Negara, Palembang 30139
Telp. 0711-353414 Fax. 0711-355918
Website : www.polisriwijaya.ac.id E-mail : info@polsri.ac.id



LEMBAR REKOMENDASI UJIAN LAPORAN TUGAS AKHIR

Pembimbing Laporan Tugas Akhir memberikan rekomendasi ujian laporan tugas akhir kepada,

Nama Mahasiswa : Chairina Al Islami
NIM : 062130701733
Jurusan/Program Studi : Teknik Komputer/D3 Teknik Komputer
Judul : Rancang Bangun *Website* Pemasaran Produk Pada
Usaha Mikro Kecil Dan Menengah (UMKM)
Dian 17 Cell.

Mahasiswa tersebut telah memenuhi syarat dan dapat mengikuti Ujian Laporan Tugas Akhir pada Tahun Akademik 2024

Pembimbing I

Dr. M. Miftakul Amin, S.Kom., M.Eng.

NIP. 197912172012121001

Palembang, 11 Juli 2024

Pembimbing II

Hartati Deviana, ST., M.Kom

NIP. 197405262008122001

No. Dok:

Tgl Berlaku:

No. Rev:



KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET, DAN TEKNOLOGI

POLITEKNIK NEGERI SRIWIJAYA

Jalan Srijaya Negara, Palembang 30139

Telp. 0711-353414 Fax. 0711-355918

Website: www.polsri.ac.id Email: info@polsri.ac.id



REVISI UJIAN TUGAS AKHIR

Dosen Penguji : Azwardi, S.T.,M.T.
Nama Mahasiswa : Chairina Al Islami
NIM : 062130701733
Jurusan/Program Studi : Teknik Komputer/DIII-Teknik Komputer
Judul Tugas Akhir : Rancang Bangun *Website* Pemasaran Produk Pada
Usaha Mikro Kecil Dan Menengah (UMKM) Dian 17 Cell

| No | Uraian Revisi | Paraf |
|----|---------------|-------|
| | | |

Palembang, 10 Juli 2024
Dosen Penguji

Azwardi, S.T.,M.T.

NIP: 197005232005011004

No. Dok:

Tgl Berlaku:

No. Rev:



KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET, DAN TEKNOLOGI

POLITEKNIK NEGERI SRIWIJAYA

Jalan Srijaya Negara, Palembang 30139

Telp. 0711-353414 Fax. 0711-355918

Website: www.polsri.ac.id Email: info@polsri.ac.id



REVISI UJIAN TUGAS AKHIR

Dosen Penguji : Ir.Ahmad Bahri Joni Malyan, M.Kom
Nama Mahasiswa : Chairina Al Islami
NIM : 062130701733
Jurusan/Program Studi : Teknik Komputer/DIII-Teknik Komputer
Judul Tugas Akhir : Rancang Bangun *Website* Pemasaran Produk Pada
Usaha Mikro Kecil Dan Menengah (UMKM) Dian 17 Cell

| No | Uraian Revisi | Paraf |
|----|---|-------|
| 1. | REVISI: kesimpulannya, perbaiki aplikasi, stock barang tidak berhitung pada database | |
| 2. | | |

Palembang, 30 Juli 2024
Dosen Penguji

Ir.Ahmad Bahri Joni Malyan, M.Kom
NIP: 196007101991031001

No. Dok:

Tgl Berlaku:

No. Rev:



KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET, DAN TEKNOLOGI

POLITEKNIK NEGERI SRIWIJAYA

Jalan Srijaya Negara, Palembang 30139

Telp. 0711-353414 Fax. 0711-355918

Website: www.polsri.ac.id Email: info@polsri.ac.id



REVISI UJIAN TUGAS AKHIR

Dosen Penguji : Indarto, S.T., M.Cs.
Nama Mahasiswa : Chairina Al Islami
NIM : 062130701733
Jurusan/Program Studi : Teknik Komputer/DIII-Teknik Komputer
Judul Tugas Akhir : Rancang Bangun *Website* Pemasaran Produk Pada
Usaha Mikro Kecil Dan Menengah (UMKM) Dian 17 Cell

| No | Uraian Revisi | Paraf |
|----|---|-------|
| - | 3.7 Blackbox harusnya ada di bab 2 skg teori, termasuk harus ada whitebox skg teori pengujian - | |
| - | perbaiki website. | |

Palembang, 30 Juli 2024

Dosen Penguji

Indarto, S.T., M.Cs.

NIP: 197307062005011003

No. Dok:

Tgl Berlaku:

No. Rev:



KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET, DAN TEKNOLOGI

POLITEKNIK NEGERI SRIWIJAYA

Jalan Srijaya Negara, Palembang 30139

Telp. 0711-353414 Fax. 0711-355918

Website: www.polsri.ac.id Email: info@polsri.ac.id



REVISI UJIAN TUGAS AKHIR

Dosen Penguji : Ica Admirani, S.Kom, M.Kom.
Nama Mahasiswa : Chairina Al Islami
NIM : 062130701733
Jurusan/Program Studi : Teknik Komputer/DIII-Teknik Komputer
Judul Tugas Akhir : Rancang Bangun *Website* Pemasaran Produk Pada
Usaha Mikro Kecil Dan Menengah (UMKM) Dian 17 Cell

| No | Uraian Revisi | Paraf |
|----|---|-------|
| | - Revisi Aplikasi - Revisi lain lihat Laporan | |

Palembang, 3 Juli 2024
Dosen Penguji

Ica Admirani, S.Kom, M.Kom.
NIP: 197903282005012001

No. Dok:

Tgl Berlaku:

No. Rev:



KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET, DAN TEKNOLOGI

POLITEKNIK NEGERI SRIWIJAYA

Jalan Srijaya Negara, Palembang 30139

Telp. 0711-353414 Fax. 0711-355918

Website: www.polsri.ac.id Email: info@polsri.ac.id



REVISI UJIAN TUGAS AKHIR


Dosen Penguji : Ali Firdaus, M. Kom.
Nama Mahasiswa : Chairina Al Islami
NIM : 062130701733
Jurusan/Program Studi : Teknik Komputer/DIII-Teknik Komputer
Judul Tugas Akhir : Rancang Bangun *Website* Pemasaran Produk Pada
Usaha Mikro Kecil Dan Menengah (UMKM) Dian 17 Cell

| No | Uraian Revisi | Paraf |
|----|---------------|-------|
| | | |

Palembang, 30 Juli 2024
Dosen Penguji

Ali Firdaus, M. Kom.
NIP: 197010112001121001







**KEMENTERIAN PENDIDIKAN, KEBUDAYAAN,
RISET DAN TEKNOLOGI**
**POLITEKNIK NEGERI SRIWIJAYA JURUSAN
TEKNIK KOMPUTER**
 Jalan Srijaya Negara, Palembang 30139. Telp. 0711-353414
 Website : www.polsri.ac.id E-mail : info@polsri.ac.id


PELAKSANAAN REVISI UJIAN TUGAS AKHIR

Nama Mahasiswa : Chairina Al Islami
 NIM : 062130701733
 Jurusan /Program Studi : Teknik Komputer/ DIII Teknik Komputer
 Judul LA/ Skripsi : Rancang Bangun Website Pemasaran Produk
 Pada Usaha Mikro Kecil Dan Menengah (UMKM)
 Dian 17 Cell

Telah melaksanakan revisi terhadap Laporan Tugas Akhir yang diujikan pada hari Kamis tanggal 18 bulan 7 tahun 2024 Pelaksanaan revisi terhadap Laporan Tugas Akhir tersebut telah disetujui oleh Dosen Penguji yang memberikan revisi:

| No | Komentar | Nama Dosen Penguji | Tanggal/ bulan | Tanda Tangan |
|----|----------|-----------------------------|-------------------|---|
| 1. | Acc | Azwardi, S.T.,M.T. | 30/07 24 |  |
| 2. | acc | Ir. A Bahri Joni M.,M.Kom. | 30/07/24 |  |
| 3. | ok | Indarto, ST.,M.Cs. | 30/7/24 |  |
| 4. | acc | Ali Firdaus, S.Kom.,M.Kom. | 30/7 24 |  |
| 5. | Acc | Ica Admirani, S.Kom.,M.Kom. | 30/7-2024 |  |

Palembang, 30 Juli 2024
Ketua Penguji,



Azwardi, S.T.,M.T.
NIP. 197005232005011004



KEMENTERIAN PENDIDIKAN, KEBUDAYAAN,
RISET, DAN TEKNOLOGI
POLITEKNIK NEGERI SRIWIJAYA

Jalan Srijaya Negara Bukit Besar – Palembang 30139 Telepon (0711) 353414
Laman : <http://polsri.ac.id>, Pos El : info@polsri.ac.id

Nomor : 4711/PL6.3.1/SP/2024
Perihal : Izin Pengambilan Data

7 Mei 2024

**Yth. Pemilik
Usaha Dian 17 Cell
Jalan Tegal Binangun Lorong Lama
Kelurahan Plaju Darat Kecamatan Plaju
Palembang 30267**

Dengan hormat,

Sesuai dengan kurikulum Jurusan Teknik Komputer pada Politeknik Negeri Sriwijaya, Laporan Akhir merupakan mata kuliah wajib pada semester 6 (enam). Untuk itu mahasiswa kami memerlukan data untuk penyusunan Laporan Akhir tersebut.

Sehubungan dengan hal tersebut di atas, kami mohon Bapak/Ibu dapat memberikan izin dan membantu mahasiswa kami ini untuk melakukan penelitian.

Mahasiswa kami yang akan mengumpulkan data tersebut adalah :

| No | Nama | NPM | Kelas | Jurusan / Program Studi |
|----|--------------------|----------------|-------|-------------------------|
| 1 | Chairina Al Islami | 0621 3070 1733 | 6 CF | Teknik Komputer |

Atas perhatian dan bantuannya diucapkan terima kasih.


Direktur
Direktur I,
Carlos RS, S.T., M.T.
NIP 196403011989031003

Tembusan:

1. Plt. Direktur
2. Ketua Jurusan Teknik Komputer
3. Yang bersangkutan
4. Arsip

MS Word/E/AD/Dw

