

Source Code index.php :

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-
fit=no" />
    <meta name="description" content="" />
    <meta name="author" content="" />

    <title>PT. Bukit Asam Tbk</title>

    <!-- Custom fonts for this template-->
    <link href="assets/vendor/fontawesome-free/css/all.min.css" rel="stylesheet"
type="text/css" />
                                                                                               <link
href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300i,400,400i,60
0,600i,700,700i,800,800i,900,900i" rel="stylesheet" />

    <!-- Custom styles for this template-->
    <link href="assets/css/sb-admin-2.min.css" rel="stylesheet" />
  </head>

  <body class="bg-gray-600">
    <div class="container py-5">
      <!-- Outer Row -->
      <div class="row justify-content-center">
        <div class="col-xl-5 col-lg-5 col-md-9">
```

```

        <div class="text-white text-center font-weight-bold" style="font-size:
60px;"><i></i></div>
    <div class="card o-hidden border-0 shadow-lg my-5">
        <div class="card-body p-0">
            <!-- Nested Row within Card Body -->
            <div class="row">
                <div class="col-lg-12">
                    <div class="p-5">
                        <div class="text-center">
                            <h1 class="h4 text-gray-900 mb-4">Login Account</h1>
                        </div>
                        <?php
                        $log= isset($_GET['log']) ? $_GET['log'] : "";
                        if ($log == 2) {
                            echo "<div class='alert alert-danger text-center'>Login
gagal, silahkan coba kembali</div>";
                        }elseif ($log == 1) {
                            echo "<div class='alert alert-danger text-center'>Anda belum
login</div>";
                        }
                        ?>
                        <form class="user" action="cek_login.php" method="post">
                            <div class="form-group">
                                <input type="text" class="form-control" name="username"
placeholder="Username" autocomplete="off" required />
                            </div>
                            <div class="form-group">
                                <input type="password" class="form-control"
name="password" placeholder="Password" autocomplete="off" required />
                            </div>

```


Source Code home.php :

```
<div class="mb-4">
  <!-- Page Heading -->
  <div class="d-sm-flex align-items-center justify-content-between mb-4">
    <h1 class="h3 mb-0 text-gray-800"><i class="fas fa-fw fa-home"></i>
Dashboard</h1>
  </div>

  <!-- Content Row -->
  <div class="alert alert-success">
    <button type="button" class="close" data-dismiss="alert" aria-
hidden="true">×</button>
    Selamat datang <span class="text-uppercase"><b><?php echo
$_SESSION['namauser']; ?></b></span> Anda bisa mengoperasikan sistem dengan
wewenang tertentu melalui pilihan menu di bawah.
  </div>
  <?php
  if ($_SESSION['level']=="operator"){
  ?>
  <div class="row">
    <div class="col-xl-4 col-md-6 mb-4">
      <div class="card border-left-success shadow h-100 py-2">
        <div class="card-body">
          <div class="row no-gutters align-items-center">
            <div class="col mr-2">
              <div class="h5 mb-0 font-weight-bold text-gray-800"><a
href="?module=nppd" class="text-secondary text-decoration-none">Data
NPPD</a></div>
            </div>
            <div class="col-auto">
```

```
        <i class="fas fa-envelope-open fa-2x text-gray-300"></i>
    </div>
</div>
</div>
</div>
</div>
</div>
```

```
<div class="col-xl-4 col-md-6 mb-4">
  <div class="card border-left-danger shadow h-100 py-2">
    <div class="card-body">
      <div class="row no-gutters align-items-center">
        <div class="col mr-2">
          <div class="h5 mb-0 font-weight-bold text-gray-800"><a
href="?module=sppd"      class="text-secondary      text-decoration-none">Data
SPPD</a></div>
        </div>
        <div class="col-auto">
          <i class="fas fa-envelope-open fa-2x text-gray-300"></i>
        </div>
      </div>
    </div>
  </div>
</div>
</div>
```

```
<div class="col-xl-4 col-md-6 mb-4">
  <div class="card border-left-secondary shadow h-100 py-2">
    <div class="card-body">
      <div class="row no-gutters align-items-center">
        <div class="col mr-2">
```

```
                <div class="h5 mb-0 font-weight-bold text-gray-800"><a
href="?module=pegawai"    class="text-secondary    text-decoration-none">Data
Pegawai</a></div>
```

```
            </div>
```

```
            <div class="col-auto">
```

```
                <i class="fas fa-users fa-2x text-gray-300"></i>
```

```
            </div>
```

```
        </div>
```

```
    </div>
```

```
</div>
```

```
</div>
```

```
<div class="col-xl-4 col-md-6 mb-4">
```

```
    <div class="card border-left-primary shadow h-100 py-2">
```

```
        <div class="card-body">
```

```
            <div class="row no-gutters align-items-center">
```

```
                <div class="col mr-2">
```

```
                    <div class="h5 mb-0 font-weight-bold text-gray-800"><a
href="?module=biaya"    class="text-secondary    text-decoration-none">Data    Biaya
Perjalanan</a></div>
```

```
                </div>
```

```
                <div class="col-auto">
```

```
                    <i class="fas fa-money-bill-wave fa-2x text-gray-300"></i>
```

```
                </div>
```

```
            </div>
```

```
        </div>
```

```
    </div>
```

```
</div>
```

```
<div class="col-xl-4 col-md-6 mb-4">
```

```
<div class="card border-left-warning shadow h-100 py-2">
  <div class="card-body">
    <div class="row no-gutters align-items-center">
      <div class="col mr-2">
        <div class="h5 mb-0 font-weight-bold text-gray-800"><a
href="?module=kwitansi" class="text-secondary text-decoration-none">Data
Kwitansi</a></div>
      </div>
      <div class="col-auto">
        <i class="fas fa-print fa-2x text-gray-300"></i>
      </div>
    </div>
  </div>
</div>
</div>
</div>
```

```
<div class="col-xl-4 col-md-6 mb-4">
  <div class="card border-left-info shadow h-100 py-2">
    <div class="card-body">
      <div class="row no-gutters align-items-center">
        <div class="col mr-2">
          <div class="h5 mb-0 font-weight-bold text-gray-800"><a
href="?module=lpd" class="text-secondary text-decoration-none">Data Perjalanan
Dinas</a></div>
        </div>
        <div class="col-auto">
          <i class="fas fa-print fa-2x text-gray-300"></i>
        </div>
      </div>
    </div>
  </div>
</div>
```

```
        </div>
    </div>
</div>

<?php
}elseif($_SESSION['level']=="kabag") {
?>

<div class="row">
    <div class="col-xl-4 col-md-6 mb-4">
        <div class="card border-left-success shadow h-100 py-2">
            <div class="card-body">
                <div class="row no-gutters align-items-center">
                    <div class="col mr-2">
                        <div class="h5 mb-0 font-weight-bold text-gray-800"><a
href="?module=nppd"      class="text-secondary      text-decoration-none">Data
NPPD</a></div>
                    </div>
                    <div class="col-auto">
                        <i class="fas fa-envelope-open fa-2x text-gray-300"></i>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <div class="col-xl-4 col-md-6 mb-4">
        <div class="card border-left-warning shadow h-100 py-2">
            <div class="card-body">
```



```
<div class="row no-gutters align-items-center">
  <div class="col mr-2">
    <div class="h5 mb-0 font-weight-bold text-gray-800"><a
href="?module=kwitansi" class="text-secondary text-decoration-none">Data
Kwitansi</a></div>
  </div>
  <div class="col-auto">
    <i class="fas fa-print fa-2x text-gray-300"></i>
  </div>
</div>
</div>
</div>
</div>
</div>
```

```
<div class="col-xl-4 col-md-6 mb-4">
  <div class="card border-left-info shadow h-100 py-2">
    <div class="card-body">
      <div class="row no-gutters align-items-center">
        <div class="col mr-2">
          <div class="h5 mb-0 font-weight-bold text-gray-800"><a
href="?module=lpd" class="text-secondary text-decoration-none">Data Perjalanan
Dinas</a></div>
        </div>
        <div class="col-auto">
          <i class="fas fa-print fa-2x text-gray-300"></i>
        </div>
      </div>
    </div>
  </div>
</div>
</div>
```

```

</div>
<?php
}else{
?>
<div class="row">
  <div class="col-xl-4 col-md-6 mb-4">
    <div class="card border-left-primary shadow h-100 py-2">
      <div class="card-body">
        <div class="row no-gutters align-items-center">
          <div class="col mr-2">
            <div class="h5 mb-0 font-weight-bold text-gray-800"><a
href="?module=home"          class="text-secondary          text-decoration-
none">Dashboard</a></div>
          </div>
          <div class="col-auto">
            <i class="fas fa-home fa-2x text-gray-300"></i>
          </div>
        </div>
      </div>
    </div>
  </div>
  <div class="col-xl-4 col-md-6 mb-4">
    <div class="card border-left-danger shadow h-100 py-2">
      <div class="card-body">
        <div class="row no-gutters align-items-center">
          <div class="col mr-2">
            <div class="h5 mb-0 font-weight-bold text-gray-800"><a
href="?module=spt"          class="text-secondary          text-decoration-none">Data
SPT</a></div>
          </div>

```

```
<div class="col-auto">
  <i class="fas fa-envelope-open fa-2x text-gray-300"></i>
</div>
</div>
</div>
</div>
</div>
<div class="col-xl-4 col-md-6 mb-4">
  <div class="card border-left-info shadow h-100 py-2">
    <div class="card-body">
      <div class="row no-gutters align-items-center">
        <div class="col mr-2">
          <div class="h5 mb-0 font-weight-bold text-gray-800"><a
href="?module=lpd" class="text-secondary text-decoration-none">Data Perjalanan
Dinas</a></div>
        </div>
        <div class="col-auto">
          <i class="fas fa-print fa-2x text-gray-300"></i>
        </div>
      </div>
    </div>
  </div>
</div>
</div>
</div>
<?php
}
?>
</div>
```

Source Code media.php :

```
<?php
session_start();
// Apabila user belum login
if (empty($_SESSION['namauser']) AND empty($_SESSION['passuser'])) {
    header('location:index.php?log=1');;
}
// Apabila user sudah login dengan benar, maka terbentuklah session
else {
include "config/koneksi.php";
include "config/library.php";
include "config/fungsi_indotgl.php";
?>

<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-
fit=no">
    <meta name="description" content="">
    <meta name="author" content="">

    <title>PT. Bukit Asam Tbk</title>

    <!-- Custom fonts for this template-->
```

```
<link href="assets/vendor/fontawesome-free/css/all.min.css" rel="stylesheet"
type="text/css">
```

```
<link
href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300i,400,400i,60
0,600i,700,700i,800,800i,900,900i" rel="stylesheet">
```

```
<!-- Custom styles for this template-->
```

```
<link href="assets/css/sb-admin-2.min.css" rel="stylesheet">
```

```
<!-- Custom styles for this page -->
```

```
<script src="assets/vendor/jquery/jquery.min.js"></script>
```

```
<!-- Bootstrap core JavaScript-->
```

```
<script src="assets/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
```

```
<link href="assets/vendor/datatables/dataTables.bootstrap4.min.css"
rel="stylesheet">
```

```
<link href="assets/vendor/bootstrap-select/bootstrap-select.min.css"
rel="stylesheet">
```

```
<script src="assets/vendor/bootstrap-select/bootstrap-select.min.js"></script>
```

```
</head>
```

```
<body id="page-top">
```

```
<!-- Page Wrapper -->
```

```
<div id="wrapper">
```

```
<!-- Sidebar -->
```

```
<ul class="navbar-nav bg-gray-600 sidebar sidebar-dark accordion"
id="accordionSidebar">
```

```
<!-- Sidebar - Brand -->
```

```
    <a class="sidebar-brand d-flex align-items-center justify-content-center"
href="?module=home">
    <div class="sidebar-brand-icon">
        <i></i>
    </div>
</a>
```

```
<!-- Divider -->
```

```
<hr class="sidebar-divider my-0">
```

```
<!-- Nav Item - Dashboard -->
```

```
<li class="nav-item <?php $p = $_GET['module']; if($p=='home'){echo "active";}
?>">
```

```
<a class="nav-link" href="?module=home">
```

```
<i class="fas fa-fw fa-home"></i>
```

```
<span>Dashboard</span></a>
```

```
</li>
```

```
<?php
```

```
if ($_SESSION['level']=="operator"){
```

```
?>
```

```
<!-- Divider -->
```

```
<hr class="sidebar-divider">
```

```
<!-- Heading -->
```

```
<div class="sidebar-heading">
```

```
    MASTER DATA
```

```
</div>
```

```

<!-- Nav Item - Utilities Collapse Menu -->
    <li class="nav-item <?php $p = $_GET['module']; if($p=='nppd' ||
    $p=='tambahnppd' || $p=='spt' || $p=='sppd'){echo "active";} ?>">
        <a class="nav-link collapsed" href="#" data-toggle="collapse" data-
        target="#mastersppd" aria-expanded="true" aria-controls="mastersppd">
            <i class="fas fa-fw fa-envelope-open"></i>
            <span>Data SPPD</span>
        </a>
        <div id="mastersppd" class="collapse" aria-labelledby="headingUtilities" data-
        parent="#accordionSidebar">
            <div class="bg-gray-500 py-2 collapse-inner rounded">
                <a class="collapse-item" href="?module=nppd">Data NPPD</a>
                <a class="collapse-item" href="?module=spt">Data SPT</a>
                <a class="collapse-item" href="?module=sppd">Data SPPD</a>
            </div>
        </div>
    </li>

```

```

<!-- Nav Item - Utilities Collapse Menu -->
    <li class="nav-item <?php $p = $_GET['module']; if($p=='pegawai' ||
    $p=='golongan'){echo "active";} ?>">
        <a class="nav-link collapsed" href="#" data-toggle="collapse" data-
        target="#masterpegawai" aria-expanded="true" aria-controls="masterpegawai">
            <i class="fas fa-fw fa-users"></i>
            <span>Data Pegawai</span>
        </a>
        <div id="masterpegawai" class="collapse" aria-labelledby="headingUtilities"
        data-parent="#accordionSidebar">
            <div class="bg-gray-500 py-2 collapse-inner rounded">
                <a class="collapse-item" href="?module=pegawai">Data Pegawai</a>
            </div>
        </div>
    </li>

```

```

        <a class="collapse-item" href="?module=golongan">Data Golongan</a>
    </div>
</div>
</li>

<!-- Nav Item - Utilities Collapse Menu -->
<li class="nav-item <?php $p = $_GET['module']; if($p=='tujuan' || $p=='biaya' ||
$p=='transportasi'){echo "active";} ?>">
    <a class="nav-link collapsed" href="#" data-toggle="collapse" data-
target="#masterbiaya" aria-expanded="true" aria-controls="masterbiaya">
        <i class="fas fa-fw fa-money-bill-wave"></i>
        <span>Data Biaya</span>
    </a>
    <div id="masterbiaya" class="collapse" aria-labelledby="headingUtilities" data-
parent="#accordionSidebar">
        <div class="bg-gray-500 py-2 collapse-inner rounded">
            <a class="collapse-item" href="?module=tujuan">Data Kota</a>
            <a class="collapse-item" href="?module=biaya">Data Biaya Perjalanan</a>
        </div>
    </div>
    <li class="nav-item <?php $p = $_GET['module']; if($p=='transportasi'){echo
"active";} ?>">
        <a class="nav-link collapsed" href="?module=transportasi">
            <i class="fas fa-fw fa-car"></i>
            <span>Data Mobil Dinas</span>
        </a>
    </li>
</li>

<!-- Divider -->

```



```

<hr class="sidebar-divider">

<!-- Heading -->
<div class="sidebar-heading">
    MASTER LAPORAN
</div>

<!-- Nav Item - Utilities Collapse Menu -->
<li class="nav-item <?php $p = $_GET['module']; if($p=='kwitansi' ||
$p=='lpd'){echo "active";} ?>">
    <a class="nav-link collapsed" href="#" data-toggle="collapse" data-
target="#masterlaporan" aria-expanded="true" aria-controls="masterlaporan">
        <i class="fas fa-fw fa-print"></i>
        <span>Data Laporan</span>
    </a>
    <div id="masterlaporan" class="collapse" aria-labelledby="headingUtilities"
data-parent="#accordionSidebar">
        <div class="bg-gray-500 py-2 collapse-inner rounded">
            <a class="collapse-item" href="?module=kwitansi">Data Kwitansi</a>
            <a class="collapse-item" href="?module=lpd">Data Perjalanan Dinas</a>
        </div>
    </div>
</li>

<!-- Divider -->
<hr class="sidebar-divider">

<!-- Heading -->
<div class="sidebar-heading">
    MASTER SETTING

```

```
</div>
```

```
<li class="nav-item <?php $p = $_GET['module']; if($p=='instansi' || $p=='ttdkwitansi'){echo "active";} ?>">
```

```
<a class="nav-link collapsed" href="#" data-toggle="collapse" data-target="#mastersetting" aria-expanded="true" aria-controls="mastersetting">
```

```
<i class="fas fa-fw fa-cogs"></i>
```

```
<span>Data Setting</span>
```

```
</a>
```

```
<div id="mastersetting" class="collapse" aria-labelledby="headingUtilities" data-parent="#accordionSidebar">
```

```
<div class="bg-gray-500 py-2 collapse-inner rounded">
```

```
<a class="collapse-item" href="?module=instansi">Data Instansi</a>
```

```
<a class="collapse-item" href="?module=ttdkwitansi">Data TTD Kwitansi</a>
```

```
</div>
```

```
</div>
```

```
</li>
```

```
<?php }elseif($_SESSION['level']=="kabag") { ?>
```

```
<!-- Divider -->
```

```
<hr class="sidebar-divider">
```

```
<!-- Heading -->
```

```
<div class="sidebar-heading">
```

```
MASTER DATA
```

```
</div>
```

```

<li class="nav-item <?php $p = $_GET['module']; if($p=='nppd'){echo "active";}
?>">
  <a class="nav-link" href="?module=nppd">
    <i class="fas fa-fw fa-envelope-open"></i>
    <span>Data NPPD</span></a>
</li>

<!-- Divider -->
<hr class="sidebar-divider">

<!-- Heading -->
<div class="sidebar-heading">
  MASTER LAPORAN
</div>

<!-- Nav Item - Utilities Collapse Menu -->
<li class="nav-item <?php $p = $_GET['module']; if($p=='kwitansi' ||
$p=='lpd'){echo "active";} ?>">
  <a class="nav-link collapsed" href="#" data-toggle="collapse" data-
target="#masterlaporan" aria-expanded="true" aria-controls="masterlaporan">
    <i class="fas fa-fw fa-print"></i>
    <span>Data Laporan</span>
  </a>
  <div id="masterlaporan" class="collapse" aria-labelledby="headingUtilities"
data-parent="#accordionSidebar">
    <div class="bg-gray-500 py-2 collapse-inner rounded">
      <a class="collapse-item" href="?module=kwitansi">Data Kwitansi</a>
      <a class="collapse-item" href="?module=lpd">Data Perjalanan Dinas</a>
    </div>
  </div>
</li>

```

```
</li>
```

```
<?php }else{ ?>
```

```
<!-- Divider -->
```

```
<hr class="sidebar-divider">
```

```
<!-- Heading -->
```

```
<div class="sidebar-heading">
```

```
    MASTER DATA
```

```
</div>
```

```
<li class="nav-item <?php $p = $_GET['module']; if($p=='spt'){echo "active";} ?>">
```

```
    <a class="nav-link" href="?module=spt">
```

```
        <i class="fas fa-fw fa-envelope-open"></i>
```

```
        <span>Data SPT</span></a>
```

```
</li>
```

```
<!-- Divider -->
```

```
<hr class="sidebar-divider">
```

```
<!-- Heading -->
```

```
<div class="sidebar-heading">
```

```
    MASTER LAPORAN
```

```
</div>
```

```
<li class="nav-item <?php $p = $_GET['module']; if($p=='lpd'){echo "active";} ?>">
```

```
    <a class="nav-link" href="?module=lpd">
```

```
        <i class="fas fa-fw fa-print"></i>
        <span>Data Perjalanan Dinas</span></a>
    </li>

<?php } ?>

<!-- Divider -->
    <hr class="sidebar-divider d-none d-md-block">

    <!-- Sidebar Toggler (Sidebar) -->
    <div class="text-center d-none d-md-inline">
        <button class="rounded-circle border-0" id="sidebarToggle"></button>
    </div>

</ul>
<!-- End of Sidebar -->

<!-- Content Wrapper -->
<div id="content-wrapper" class="d-flex flex-column">

    <!-- Main Content -->
    <div id="content">

        <!-- Topbar -->
        <nav class="navbar navbar-expand navbar-light bg-white topbar mb-4 static-top
shadow">

            <!-- Sidebar Toggle (Topbar) -->
```

```
<button id="sidebarToggleTop" class="btn text-success d-md-none rounded-circle mr-3">
```

```
<i class="fa fa-bars"></i>
```

```
</button>
```

```
<!-- Topbar Navbar -->
```

```
<ul class="navbar-nav ml-auto">
```

```
<!-- Nav Item - User Information -->
```

```
<li class="nav-item dropdown no-arrow">
```

```
<a class="nav-link dropdown-toggle" href="#" id="userDropdown" role="button" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
```

```
<span class="text-uppercase mr-2 d-none d-lg-inline text-gray-600 small">
```

```
<?php echo $_SESSION['namauser']; ?>
```

```
</span>
```

```

```

```
</a>
```

```
<!-- Dropdown - User Information -->
```

```
<div class="dropdown-menu dropdown-menu-right shadow animated--grow-in" aria-labelledby="userDropdown">
```

```
<a class="dropdown-item" href="?module=password">
```

```
<i class="fas fa-user-cog fa-sm fa-fw mr-2 text-gray-400"></i>
```

```
Ganti Password
```

```
</a>
```

```
<div class="dropdown-divider"></div>
```

```
<a class="dropdown-item" href="#" data-toggle="modal" data-target="#logoutModal">
```

```
<i class="fas fa-sign-out-alt fa-sm fa-fw mr-2 text-gray-400"></i>
```

```
Keluar
```

```
</a>
```

```
        </div>
    </li>

</ul>

</nav>
<!-- End of Topbar -->

<div class="container-fluid">
    <?php include "content.php"; ?>
</div>
    <!-- /.container-fluid -->

</div>
    <!-- End of Main Content -->

</div>
    <!-- End of Content Wrapper -->

</div>
<!-- End of Page Wrapper -->

<!-- Scroll to Top Button-->
<a class="scroll-to-top rounded" href="#page-top">
    <i class="fas fa-angle-up"></i>
</a>

<!-- Logout Modal-->
    <div class="modal fade" id="logoutModal" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel"
```

```

aria-hidden="true">
<div class="modal-dialog" role="document">
  <div class="modal-content">
    <div class="modal-header">
      <h5 class="modal-title" id="exampleModalLabel">Yakin ingin
Keluar?</h5>
      <button class="close" type="button" data-dismiss="modal" aria-
label="Close">
        <span aria-hidden="true">×</span>
      </button>
    </div>
    <div class="modal-body">Pilih "Keluar" untuk mengakhiri sesi masuk
ini.</div>
    <div class="modal-footer">
      <button class="btn btn-primary" type="button" data-dismiss="modal"><i
class="fas fa-fw fa-times mr-1"></i> Batal</button>
      <a class="btn btn-danger" href="logout.php"><i class="fas fa-fw fa-sign-
out-alt mr-1"></i> Keluar</a>
    </div>
  </div>
</div>
</div>

```

```
<!-- Core plugin JavaScript-->
```

```
<script src="assets/vendor/jquery-easing/jquery.easing.min.js"></script>
```

```
<!-- Custom scripts for all pages-->
```

```
<script src="assets/js/sb-admin-2.min.js"></script>
```



```
<!-- Page level plugins -->
<script src="assets/vendor/chart.js/Chart.min.js"></script>

<!-- Page level custom scripts -->
<script src="assets/js/demo/chart-area-demo.js"></script>
<script src="assets/js/demo/chart-pie-demo.js"></script>

<!-- Page level plugins -->
<script src="assets/vendor/datatables/jquery.dataTables.min.js"></script>
<script src="assets/vendor/datatables/dataTables.bootstrap4.min.js"></script>

<!-- Page level custom scripts -->
<script src="assets/js/demo/datatables-demo.js"></script>

<script>
$(function () {
  $('[data-toggle="tooltip"]').tooltip()
})
</script>

</body>

</html>

<?php } ?>
```

Source Code media.php :

```
<?php
    session_start();
    session_destroy();
    header('location:index.php');
?>
```