

LISTING PROGRAM

1. View

- **customer_data.php**

```
<section class="content-header">
  <h1>
    Customer
    <small>Pelanggan</small>
  </h1>
  <ol class="breadcrumb">
    <li><a href="#"><i class="fa fa-users"></i></a></li>
    <li class="active">Customers</li>
  </ol>
</section>
<!-- Main content -->
<section class="content">
  <div class="box">
    <div class="box-header">
      <h3 class="box-title">Data Customers</h3>
      <div class="pull-right">
        <a href="<?= site_url('customer/add') ?>" class="btn btn-primary btn-flat"><i
class="fa fa-plus"></i> Create</a>
      </div>
    </div>
    <div class="box-body table-responsive">
      <table class="table table-bordered table-striped" id="table1">
        <thead>
          <tr>
            <th>#</th>
            <th>Name</th>
            <th>Gender</th>
            <th>Phone</th>
            <th>Address</th>
            <th>Action</th>
          </tr>
        </thead>
        <tbody>
          <?php
          $no = 1;
          foreach($customers->result() as $key => $customer): ?>
            <tr>
              <td><?= $no++; ?></td>
              <td><?= $customer->name; ?></td>
              <td><?= $customer->gender == 'L' ? 'Laki-laki' : 'Perempuan'; ?></td>
              <td><?= $customer->phone; ?></td>
              <td><?= $customer->address; ?></td>
              <td class="text-center" width="160px">
                <a href="<?= site_url('customer/edit/'.$customer->customer_id); ?>"
class="btn btn-primary btn-xs"><i class="fa fa-pencil"></i> Update</a>
            </td>
            </tr>
          </tbody>
        </table>
      </div>
    </div>
  </div>
</section>
```

```

                <a href="<?= site_url('customer/delete/'.$customer->customer_id); ?>"
onclick="return confirm('Yakin mau menghapus?')" class="btn btn-danger btn-xs"><i
class="fa fa-trash"></i> Delete</a>
            </td>
        </tr>
    <?php endforeach; ?>
</tbody>
</table>
</div>
</div>
</section>

```

- **category_data.php**

```

<section class="content-header">
    <h1>
        Categories
        <small>Kategori Produk</small>
    </h1>
    <ol class="breadcrumb">
        <li><a href="#"><i class="fa fa-users"></i></a></li>
        <li class="active">Categories</li>
    </ol>
</section>
<!-- Main content -->
<section class="content">
    <?php if($this->session->has_userdata('message')){ ?>
    <div class="alert alert-success alert-dismissible">
        <button type="button" class="close" data-dismiss="alert" aria-
hidden="true">×</button>
        <i class="icon fa fa-check"></i><?= $this->session->flashdata('message'); ?>
    </div>
    <?php } ?>
    <div class="box">
        <div class="box-header">
            <h3 class="box-title">Data Kategori</h3>
            <div class="pull-right">
                <a href="<?= site_url('category/add') ?>" class="btn btn-primary btn-flat"><i
class="fa fa-plus"></i> Create</a>
            </div>
        </div>
        <div class="box-body table-responsive">
            <table class="table table-bordered table-striped" id="table1">
                <thead>
                    <tr>
                        <th>#</th>
                        <th>Name</th>
                        <th>Action</th>
                    </tr>
                </thead>
                <tbody>
                    <?php

```

```

        $no = 1;
        foreach($categories->result() as $key => $category): ?>
        <tr>
            <td style="width: 5%;"><?= $no++; ?></td>
            <td><?= $category->name; ?></td>
            <td class="text-center" width="160px">
                <a href="<?= site_url('category/edit/'. $category->category_id); ?>"
                class="btn btn-primary btn-xs"><i class="fa fa-pencil"></i> Update</a>
                <a href="<?= site_url('category/delete/'. $category->category_id); ?>"
                onclick="return confirm('Yakin mau menghapus?')" class="btn btn-danger btn-xs"><i
                class="fa fa-trash"></i> Delete</a>
            </td>
        </tr>
        <?php endforeach; ?>
    </tbody>
</table>
</div>
</div>
</section>

```

- **barcode_print.php**

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Barcode Product <?= $items->barcode ?></title>
</head>
<body>
    
    <div style="margin-left: 20px;">
        <?= $items->barcode; ?>
    </div>
</body>
</html>

```

- **barcode_qrcode.php**

```

<section class="content-header">
    <h1>
        Items
        <small>Data Produk</small>
    </h1>
    <ol class="breadcrumb">
        <li><a href="#"><i class="fa fa-users"></i></a></li>
        <li class="active">items</li>
    </ol>
</section>
<!-- Main content -->
<section class="content">

```

```

<div class="box">
  <div class="box-header">
    <h3 class="box-title"> Barcode Generator <i class="fa fa-barcode"></i></h3>
    <div class="pull-right">
      <a href="<?= site_url('item') ?>" class="btn btn-warning btn-flat"><i class="fa
fa-undo"></i> Back</a>
    <div class="box-body">
      
      <div style="margin-left: 20px;">
        <?= $items->barcode; ?>
      </div>
      <div style="margin-left: 20px;">
        <a href="<?= site_url('item/barcode_print/'.$items->item_id); ?>" class="btn
btn-default btn-sm" target="_blank"><i class="fa fa-print"></i> Print</a>
      </div>
    </div class="box">
    <div class="box-header">
      <h3 class="box-title"> QR Generator <i class="fa fa-qrcode"></i></h3>
    </div>
    <div class="box-body">
      <?php
      $qrCode = new Endroid\QrCode\QrCode($items->barcode);
      $qrCode->writeFile('uploads/qr-codes/item-' . $items->barcode . '.png');
      ?>
      
      <div style="margin-left: 15px;">
        <?= $items->barcode; ?>
      </div>
      <div style="margin-left: 10px;">
        <a href="<?= site_url('item/qr-code_print/'.$items->item_id); ?>" class="btn btn-
default btn-sm" target="_blank"><i class="fa fa-print"></i> Print</a>
      </div>
    </div>
  </section>

```

- **item_data.php**

```

<section class="content-header">
  <h1>
    Items
    <small>Data Produk</small>
  </h1>
  <ol class="breadcrumb">
    <li><a href="#"><i class="fa fa-users"></i></a></li>
    <li class="active">Items</li>
  </ol>
</section>
<!-- Main content -->
<section class="content">
  <?php if($this->session->has_userdata('message')){ ?>
  <div class="alert alert-success alert-dismissable">

```

```

        <button type="button" class="close" data-dismiss="alert" aria-
hidden="true"></button>
        <i class="icon fa fa-check"></i><?= $this->session->flashdata('message'); ?>
    </div>
    <?php } ?>
    <div class="box">
        <div class="box-header">
            <h3 class="box-title">Data Product Items</h3>
            <div class="pull-right">
                <a href="<?= site_url('item/add') ?>" class="btn btn-primary btn-flat"><i
class="fa fa-plus"></i> Create Product Items</a>
            </div>
        </div>
        <div class="box-body table-responsive">
            <table class="table table-bordered table-striped" id="table1">
                <thead>
                    <tr>
                        <th>#</th>
                        <th>Barcode</th>
                        <th>Name</th>
                        <th>Category</th>
                        <th>Unit</th>
                        <th>Price</th>
                        <th>Stock</th>
                        <th>Image</th>
                        <th>Action</th>
                    </tr>
                </thead>
                <tbody>
                    <?php $no = 1; foreach($items->result() as $key => $item): ?>
                    <tr>
                        <td style="width: 5%;"><?= $no++; ?></td>
                        <td>
                            <?= $item->barcode; ?>
                            <br>
                            <a href="<?= site_url('item/barcode_qrcode/'. $item->item_id); ?>"
class="btn btn-default btn-xs">Generate<i class="fa fa-barcode"></i></a>
                        </td>
                        <td><?= $item->name; ?></td>
                        <td><?= $item->category_name; ?></td>
                        <td><?= $item->unit_name; ?></td>
                        <td><?= $item->price; ?></td>
                        <td><?= $item->stock; ?></td>
                        <td>
                            <?php if($item->image != null){ ?>
                                
                            <?php } ?>
                        </td>
                        <td class="text-center" width="160px">

```

```

        <a href="<?= site_url('item/edit/'. $item->item_id); ?>" class="btn btn-
primary btn-xs"><i class="fa fa-pencil"></i> Update</a>
        <a href="<?= site_url('item/delete/'. $item->item_id); ?>" onclick="return
confirm('Yakin mau menghapus?')" class="btn btn-danger btn-xs"><i class="fa fa-
trash"></i> Delete</a>
    </td>
</tr>
<?php endforeach; ?>
</tbody>
</table>
</div>
</section>
<script>
$(document).ready(function(){
    $('#table1').DataTable({
        "processing": true,
        "serverSide": true,
        "ajax": {
            "url": "<?= site_url('item/get_ajax'); ?>",
            "type": "POST"
        },
        "columnDefs": [
            {
                "targets": [5, 6],
                "className": 'text-right'
            },
            {
                "targets": [7, -1],
                "className": 'text-center'
            },
            {
                "targets": [0, 7, -1],
                "orderable": false
            }
        ]
    });
})
</script>

```

- **unit_data.php**

```

<section class="content-header">
    <h1>
        Units
        <small>Satuan Produk</small>
    </h1>
    <ol class="breadcrumb">
        <li><a href="#"><i class="fa fa-users"></i></a></li>
        <li class="active">Units</li>
    </ol>
</section>
<!-- Main content -->

```

```

<section class="content">
  <?php if($this->session->has_userdata('message')){ ?>
  <div class="alert alert-success alert-dismissible">
    <button type="button" class="close" data-dismiss="alert" aria-
hidden="true">×</button>
    <i class="icon fa fa-check"></i><?= $this->session->flashdata('message'); ?>
  </div>
  <?php } ?>
  <div class="box">
    <div class="box-header">
      <h3 class="box-title">Data Kategori</h3>
      <div class="pull-right">
        <a href="<?= site_url('unit/add') ?>" class="btn btn-primary btn-flat"><i
class="fa fa-plus"></i> Create</a>
      </div>
    </div>
    <div class="box-body table-responsive">
      <table class="table table-bordered table-striped" id="table1">
        <thead>
          <tr>
            <th>#</th>
            <th>Name</th>
            <th>Action</th>
          </tr>
        </thead>
        <tbody>
          <?php
          $no = 1;
          foreach($categories->result() as $key => $unit): ?>
          <tr>
            <td style="width: 5%;"><?= $no++; ?></td>
            <td><?= $unit->name; ?></td>
            <td class="text-center" width="160px">
              <a href="<?= site_url('unit/edit/'.$unit->unit_id); ?>" class="btn btn-primary
btn-xs"><i class="fa fa-pencil"></i> Update</a>
              <a href="<?= site_url('unit/delete/'.$unit->unit_id); ?>" onclick="return
confirm('Yakin mau menghapus?')" class="btn btn-danger btn-xs"><i class="fa fa-
trash"></i> Delete</a>
            </td>
          </tr>
          <?php endforeach; ?>
        </tbody>
      </table>
    </div>
  </div>
</section>

```

- **invoice_data.php**

```

<section class="content-header">
  <h1>
    Sales Report
    <small>Laporan Penjualan</small>
  </h1>

```

```

<ol class="breadcrumb">
  <li><a href="#"><i class="fa fa-dashboard"></i></a></li>
  <li><a href="#">Reports</a></li>
  <li class="active">Sales</li>
</ol>
</section>
<!-- Main content -->
<section class="content">
  <div class="box">
    <div class="box-header">
      <h3 class="box-title">Data Penjualan</h3>
    </div>
    <div class="box-body table-responsive">
      <table class="table table-bordered table-striped" id="table1">
        <thead>
          <tr>
            <th width="5px">#</th>
            <th>Invoice</th>
            <th>Date</th>
            <th>Customer</th>
            <th>Total</th>
            <th>Discount</th>
            <th>Grand Total</th>
            <th>Action</th>
          </tr>
        </thead>
        <tbody>
          <?php $no = 1;
          // $no = $this->uri->segment(3) ? $this->uri->segment(3) + 1 : 1;
          foreach($sales as $sale): ?>
            <tr>
              <td><?= $no++; ?></td>
              <td><?= $sale->invoice; ?></td>
              <td><?= $sale->date; ?></td>
              <td><?= $sale->customer_name; ?></td>
              <td><?= $sale->total_price; ?></td>
              <td><?= $sale->discount; ?></td>
              <td><?= $sale->final_price; ?></td>
              <td class="text-center">
                <button
                  id="detail"
                  data-target="#modal-detail"
                  data-toggle="modal"
                  class="btn btn-default btn-xs"
                  data-invoice="<?= $sale->invoice ?>"
                  data-date="<?= indo_date($sale->date) ?>"
                  data-time="<?= substr($sale->sale_created, 11, 5) ?>"
                  data-customer="<?= $sale->customer_name ?>"
                  data-total="<?= indo_currency($sale->total_price) ?>"
                  data-discount="<?= indo_currency($sale->discount) ?>"

```



```

        data-grandtotal="<?=indo_currency($sale->final_price) ?>"
        data-cash="<?= indo_currency($sale->cash) ?>"
        data-remaining="<?= indo_currency($sale->remaining) ?>"
        data-note="<?= $sale->note ?>"
        data-cashier="<?= ucfirst($sale->user_name) ?>"
        data-saleid="<?= ucfirst($sale->sale_id) ?>"
    >
    <i class="fa fa-eye"></i> Detail
</button>
<a href="<?= site_url('sale/print/'. $sale->sale_id); ?>" target="_blank" class="btn
btn-primary btn-xs"><i class="fa fa-pencil"></i> Print</a>
<a href="<?= site_url('sale/delete/'. $sale->sale_id); ?>" onclick="return
confirm('Yakin mau menghapus?')" class="btn btn-danger btn-xs"><i class="fa fa-
trash"></i> Delete</a>
</td>
</tr>
<?php endforeach; ?>
</tbody>
</table>
</div>
<!-- <div class="box-footer clearfix">
<ul class="pagination pagination-sm no-margin pull-right">
<?= $pagination; ?>
</ul>
</div> -->
</div>
</section>
<!-- Modal -->
<div class="modal fade" id="modal-detail">
<div class="modal-dialog">
<div class="modal-content">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="close">
<span aria-hidden="true">&times;</span>
</button>
<h4 class="modal-title">Sales Report Detail</h4>
</div>
<div class="modal-body">
<div class="row">
<div class="col-md-6">
<table class="table table-borderless">
<tr>
<th>Invoice</th>
<td><?= $sale->invoice; ?></td></tr>
<tr>
<th>Date Time</th>
<td><?= indo_date($sale->date)." ". substr($sale->sale_created,
11, 5); ?></td>
<th>Total</th>
<td><?= indo_currency($sale->total_price); ?></td>

```

```

</tr>
<tr>
<th>Discount</th>
<td><?= indo_currency($sale->discount); ?></td>
</tr>
<tr>
<th>Grand Total</th>
<td><?= indo_currency($sale->final_price); ?></td>
</tr>
</table>
</div>
<div class="col-md-6">
<table class="table table-borderless">
<tr>
<th>Customer</th>
<td><?= $sale->customer_name; ?></td>
</tr>
<tr>
<th>Chashier</th>
<td><?= ucfirst($sale->user_name) ?></td>
</tr>
<tr>
<th>Cash</th>
<td><?= indo_currency($sale->cash) ?></td>
</tr>
<tr>
<th>Change</th>
<td><?= indo_currency($sale->remaining) ?></td>
</tr>
<tr>
<th>Note</th>
<td><?= $sale->note; ?></td>
</tr>
</table>
</div>
</div>
<div class="row">
<div class="col-md-12">
<table class="table table-borderless">
<thead>
<tr>
<th>Product Item</th>
<th>Price</th>
<th>Qty</th>
<th>Disc</th>
<th>Total</th>
</tr>
</thead>
<tbody>
<tr>

```

```

<td></td>
<td><?= indo_currency($sale->total_price); ?></td>
<td></td>
<td><?= $sale->discount; ?></td>
<td><?= $sale->final_price; ?></td>
</tr>
</tbody>
</table>
</div>
</div>
</div>
</div>
</div>

```

- **_sale_report_pdf.php**

```

<html lang="en" moznomarginboxes mozdisallowselectionprint>
<head>
  <meta charset="utf-8">
  <title>laporan data penjualan</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      font-size: 12px;
    }
    #laporan {
      margin: 0 auto;
      padding: 10px;
      width: 100%;
    }
    table {
      width: 100%;
      border-collapse: collapse;
      margin-bottom: 20px;
    }
    th, td {
      border: 1px solid #000;
      padding: 8px;
      text-align: left;
    }
    th {
      background-color: #f2f2f2;
    }

    .header-table {
      border: none;
      margin-top: 5px;
      margin-bottom: 20px;
      width: 100%;
    }
    .header-table td {

```

```

border: none;
}
</style>
</head>
<body>
<div id="laporan">
<table class="header-table">
<tr>
<td colspan="2" style="text-align: center;">
<h4>LAPORAN PENJUALAN BARANG</h4>
</td>
</tr>
</table>
<table>
<thead>
<tr>
<th>No</th>
<th>Invoice</th>
<th>Tanggal</th>
<th>Kasir</th>
<th>Total</th>
<th>Diskon</th>
<th>Grand Total</th>
</tr>
</thead>
<tbody>
<?php
$no = 1;
foreach($sale as $row):
?>
<tr>
<td style="text-align:center;"><?=$no++; ?></td>
<td><?=$row->invoice; ?></td>
<td><?=$row->date) ." ". substr($row->sale_created, 11, 5);
?></td>
<td><?=$row->user_name; ?></td>
<td style="text-align:right;">Rp. <?=$row->total_price, '0',
',, '); ?>,-</td>
<td style="text-align:right;">Rp. <?=$row->discount, '0', ',',
', '); ?>,-</td>
<td style="text-align:right;">Rp. <?=$row->final_price, '0',
',, '); ?>,-</td>
</tr>
<?php endforeach; ?>
</tbody>
<tfoot>
<tr>
<td colspan="6" style="text-align:center;"><b>Total</b></td>
<td style="text-align:right;"><b>Rp. <?=$grandtotal, '0', ',',
', '); ?>,-</b></td>

```

```

        </tr>
    </tfoot>
</table>
<table class="header-table">
<tr>
<td style="text-align: right;">
Palembang, <?= date('d-M-Y') ?><br><br><br><br>
( <?= $this->fungsi->user_login()->name; ?> )
        </td>
</tr>
</table>
</div>
</body>
</html>

```

- **stock_report.php**

```

<!DOCTYPE html>
<html lang="en" moznomarginboxes mozdisallowselectionprint>
<head>
<meta charset="UTF-8">
<title>Laporan Data Stok Barang</title>
<style>
    body {
        font-family: Arial, sans-serif;
        font-size: 12px;
    }
    #laporan {
        margin: 0 auto;
        padding: 10px;
        width: 100%;
    }
    table {
        width: 100%;
        border-collapse: collapse;
        margin-bottom: 20px;
    }
    th, td {
        border: 1px solid #000;
        padding: 8px;
        text-align: left;
    }
    th {
        background-color: #f2f2f2;
    }
    .header-table {
        border: none;
        margin-top: 5px;
        margin-bottom: 20px;
        width: 100%;
    }
    .header-table td {

```

```

border: none;
    }
</style>
</head>
<body>
    <div id="laporan">
        <table class="header-table">
            <tr>
                <td colspan="2" style="text-align: center;">
                    <h4>LAPORAN STOK BARANG</h4>
                </td>
            </tr>
        </table>
        <?php foreach($categories as $category): ?>
            <table>
                <tr>
                    <td colspan="2"><b>Kategori : <?=$category->name; ?></b></td>
                    <td style="text-align: center;"><b>Total Stock : <?=$category->total_stock;
?></b></td>
                </tr>
                <tr style="background-color: #ccc;">
                    <th>No</th>
                    <th>Barcode</th>
                    <th>Nama Barang</th>
                    <th>Stok</th>
                    <th>Satuan</th>
                </tr>
            <?php
                $no = 1;
                $this->db->select('p_item.*, p_unit.name as unit_name');
                $this->db->join('p_unit', 'p_unit.unit_id = p_item.unit_id');
                $query = $this->db->get_where('p_item', array('category_id' =>
                    $category->category_id))->result();
                foreach ($query as $row): ?>
                    <tr>
                        <td style="text-align: center;"><?=$no++; ?></td>
                        <td><?=$row->barcode; ?></td>
                        <td><?=$row->name; ?></td>
                        <td style="text-align: center;"><?=$row->stock; ?></td>
                        <td style="text-align: center;"><?=$row->unit_name; ?></td>
                    </tr>
                <?php endforeach; ?>
            </table>
            <div style="height: 20px;"></div>
        <?php endforeach; ?>
        <table class="header-table">
            <tr>
                <td style="text-align: right;">
                    Palembang, <?=$date('d-M-Y') ?><br><br><br><br>

```

```

                ( <?= $this->fungsi->user_login()->name; ?> )
                </td>
            </tr>
        </table>
    </div>
</body>
</html>

```

- **laporan_data**

```

<section class="content-header">
    <h1>
        Reports
        <small>Laporan</small>
    </h1>
    <ol class="breadcrumb">
        <li><a href="#"><i class="fa fa-users"></i></a></li>
        <li class="active">Reports</li>
    </ol>
</section>
<!-- Main content -->
<section class="content">
    <div class="box">
        <div class="box-header">
            <h3 class="box-title">Data Laporan</h3>
        </div>
        <div class="box-body table-responsive">
            <table class="table table-bordered table-striped" id="table1">
                <thead>
                    <tr>
                        <th width="20px">#</th>
                        <th>Laporan</th>
                        <th>Action</th>
                    </tr>
                </thead>
                <tbody>
                    <tr>
                        <td>1</td>
                        <td>Laporan Stock Barang</td>
                        <td>
                            <a href="<?= site_url('report/stock_report')?>" target="_blank" class="btn btn-primary btn-xs"><i class="fa fa-print"></i> Print</a>
                            <a href="<?= site_url('report/stock_pdf')?>" class="btn btn-success btn-xs" target="_blank"><i class="fa fa-download"></i> View PDF</a>
                        </td>
                    </tr>
                    <tr>
                        <td>2</td>
                        <td><a href="<?= site_url('report/filter') ?>" class="btn btn-warning btn-xs">Laporan Penjualan</a></td>
                        <td>

```

```

        <a href="<?= site_url('report/sale_report')?>" target="_blank" class="btn
btn-primary btn-xs"><i class="fa fa-print"></i> Print</a>
        <a href="<?= site_url('report/sale_pdf')?>" class="btn btn-success btn-xs"
target="_blank"><i class="fa fa-download"></i> View PDF</a>
    </td>
</tr>
</tbody>
</table>
</div>
</div>
</section>

```

- **supplier_data.php**

```

<section class="content-header">
    <h1>
        Supplier
        <small>Pemasok</small>
    </h1>
    <ol class="breadcrumb">
        <li><a href="#"><i class="fa fa-users"></i></a></li>
        <li class="active">Suppliers</li>
    </ol>
</section>
<!-- Main content -->
<section class="content">
    <div class="box">
        <div class="box-header">
            <h3 class="box-title">Data Supplier</h3>
            <div class="pull-right">
                <a href="<?= site_url('supplier/add') ?>" class="btn btn-primary btn-flat"><i
class="fa fa-plus"></i> Create</a>
            </div>
        </div>
        <div class="box-body table-responsive">
            <table class="table table-bordered table-striped" id="table1">
                <thead>
                    <tr>
                        <th>#</th>
                        <th>Name</th>
                        <th>Phone</th>
                        <th>Address</th>
                        <th>Description</th>
                        <th>Action</th>
                    </tr>
                </thead>
                <tbody>
                    <?php
                    $no = 1;
                    foreach($suppliers->result() as $key => $supplier): ?>
                    <tr>
                        <td><?= $no++; ?></td>
                        <td><?= $supplier->name; ?></td>
                        <td><?= $supplier->phone; ?></td>
                        <td><?= $supplier->address; ?></td>
                        <td><?= $supplier->description; ?></td>
                        <td class="text-center" width="160px">

```



```

        <a href="<?= site_url('supplier/edit/'.&#x24;supplier->supplier_id); ?>" class="btn
btn-primary btn-xs"><i class="fa fa-pencil"></i> Update</a>
        <!-- <a href="<?= site_url('supplier/delete/'.&#x24;supplier->supplier_id); ?>"
onclick="return confirm('Yakin mau menghapus?')" class="btn btn-danger btn-xs"><i
class="fa fa-trash"></i> Delete</a> -->
        <a href="#modalDelete" data-toggle="modal" onclick="$(&#x23;modalDelete
#formDelete').attr('action', '<?= site_url('supplier/delete/'.&#x24;supplier->supplier_id);
?>')" class="btn btn-danger btn-xs"><i class="fa fa-trash"></i> Delete</a>
        </td>
    </tr>
</?php endforeach; ?>
</tbody>
</table>
</div>
</div>
</section>
<div class="modal fade" id="modalDelete">
    <div class="modal-dialog modal-sm">
        <div class="modal-content">
            <div class="modal-header">
                <button type="button" class="close" data-dismiss="modal" aria-label="close">
                    <span aria-hidden="true">&times;</span>
                </button>
                <h4 class="modal-title">Yakin hapus?</h4>
            </div>
            <div class="modal-footer">
                <form id="formDelete" action="" method="post">
                    <button class="btn btn-default" data-dismiss="modal">Tidak</button>
                    <button class="btn btn-danger" type="submit">Hapus</button>
                </form>
            </div>
        </div>
    </div>
</div>
</div>

```

- **cart_data.php**

```

<?php
$no = 1;
if($scarts->num_rows() > 0){
    foreach($scarts->result() as $cart){ ?>
        <tr>
            <td><?= $no++; ?></td>
            <td><?= $cart->barcode; ?></td>
            <td><?= $cart->item_name; ?></td>
            <td class="text-right"><?= $cart->cart_price; ?></td>
            <td class="text-center"><?= $cart->qty; ?></td>
            <td class="text-right"><?= $cart->discount_item; ?></td>
            <td class="text-right" id="total"><?= $cart->total; ?></td>
            <td class="text-center" width="160px">
                <!-- <button id="update_cart" data-toggle="modal" data-target="#modal-item-
edit"

```

```

        data-cartid="<?= $cart->cart_id ?>"
        data-barcode="<?= $cart->barcode ?>"
        data-product="<?= $cart->item_name ?>"
        data-price="<?= $cart->price ?>"
        data-qty="<?= $cart->qty ?>"
        data-discount="<?= $cart->discount_item ?>"
        data-total="<?= $cart->total ?>"
        class="btn btn-xs btn-primary"
    >
        <i class="fa fa-pencil"></i> Update
    </button> -->
    <!-- <button type="button" id="del_cart" data-cartid="<?= $cart->cart_id ?>"
class="btn btn-xs btn-danger">
        <i class="fa fa-trash"></i> Delete
    </button> -->
    <a href="<?= site_url('sale/cart_del/'. $cart->cart_id); ?>" class="btn btn-danger
btn-xs"><i class="fa fa-trash"></i> Delete</a>
    </td>
</tr>
<?php }
}
else { ?>
    <tr>
        <td colspan="8" class="text-center">Tidak ada item</td>
    </tr>
<?php
}

```

- **stock_in_data.php**

```

<section class="content-header">
    <h1>
        Stock In
        <small>Produk Masuk / Pembelian</small>
    </h1>
    <ol class="breadcrumb">
        <li><a href="#"><i class="fa fa-dashboard"></i></a></li>
        <li class="active">Stock In</li>
    </ol>
</section>
<!-- Main content -->
<section class="content">
    <?php if($this->session->has_userdata('message')) { ?>
    <div class="alert alert-success alert-dismissible">
        <button type="button" class="close" data-dismiss="alert" aria-
hidden="true">×</button>
        <i class="fa fa-check"></i> <?= $this->session->flashdata('message'); ?>
    </div>
    <?php } ?>
    <div class="box">
        <div class="box-header">
            <h3 class="box-title">Data Stock In</h3>

```

```

<div class="pull-right">
  <a href="<?= site_url('stock/in/add') ?>" class="btn btn-primary btn-flat"><i
class="fa fa-plus"></i> Add Stock In</a>
  <div class="box-body table-responsive">
    <table class="table table-bordered table-striped" id="table1">
      <thead>
        <tr>
          <th>#</th>
          <th>Barcode</th>
          <th>Product Item</th>
          <th>Qty</th>
          <th>Tanggal</th>
          <th>Action</th>
        </tr>
      </thead>
      <tbody>
        <?php $sno = 1; foreach($stocks as $stock): ?>
          <tr>
            <td style="width: 5%;"><?= $sno++; ?></td>
            <td><?= $stock->barcode; ?></td>
            <td><?= $stock->item_name; ?></td>
            <td class="text-right"><?= $stock->qty; ?></td>
            <td class="text-center"><?= indo_date($stock->date); ?></td>
            <td class="text-center" width="160px">
              <a id="set_detail" class="btn btn-default btn-xs" data-toggle="modal" data-
target="#modal-detail"
                data-barcode="<?= $stock->barcode; ?>"
                data-itemname="<?= $stock->item_name; ?>"
                data-detail="<?= $stock->detail; ?>"
                data-suppliername="<?= $stock->supplier_name; ?>"
                data-qty="<?= $stock->qty; ?>"
                data-date="<?= indo_date($stock->date); ?>"
                <i class="fa fa-eye"></i> Detail </a>
            <a href="<?= site_url('stock/in/delete/'.$stock->stock_id. '/' . $stock->item_id); ?>"
onclick="return confirm('Yakin mau menghapus?)" class="btn btn-danger btn-xs"><i
class="fa fa-trash"></i> Delete</a>
          </td>
        </tr>
        <?php endforeach; ?>
      </tbody>
    </table>
  </div>
<div class="modal fade" id="modal-detail">
  <div class="modal-dialog modal-sm">
    <div class="modal-content">
      <div class="modal-header">
        <button type="button" class="close" data-dismiss="modal" aria-label="close">
          <span aria-hidden="true">&times;</span>
        </button>
        <h4 class="modal-title">Stock-In Detail</h4>
      </div>
    </div>
  </div>
</div>

```

```

<div class="modal-body">
  <table class="table table-bordered no-margin table-responsive">
    <tbody>
      <tr>
        <th style="width: 35%">Barcode</th>
        <td><span id="barcode"></span></td>
        <th>Item Name</th>
        <td><span id="item_name"></span></td>
        <th>Detail</th>
        <td><span id="detail"></span></td>
        <th>Supplier</th>
        <td><span id="supplier_name"></span></td>
        <th>Qty</th>
        <td><span id="qty"></span></td>
        <th>Date</th>
        <td><span id="date"></span></td>
      </tr>
    </tbody>
  </table>
  <script>
$(document).ready(function() {
$(document).on('click', '#set_detail', function() {
var barcode = $(this).data('barcode');
var itemname = $(this).data('itemname');
var detail = $(this).data('detail');
var suppliername = $(this).data('suppliername');
var qty = $(this).data('qty');
var date = $(this).data('date');
$('#barcode').text(barcode);
$('#item_name').text(itemname);
$('#detail').text(detail);
$('#supplier_name').text(suppliername);
$('#qty').text(qty);
$('#date').text(date);
});
</script>

```

- **stock_out_data.php**

```

<section class="content-header">
  <h1>
    Stock Out
    <small>Produk keluar</small>
  </h1>
  <ol class="breadcrumb">
    <li><a href="#"><i class="fa fa-dashboard"></i></a></li>
    <li class="active">Stock Out</li>
  </ol>
</section>
<!-- Main content -->
<section class="content">
  <?php if($this->session->has_userdata('message')){ ?>
  <div class="alert alert-success alert-dismissable">

```

```

        <button type="button" class="close" data-dismiss="alert" aria-
hidden="true"><i class="fa fa-check"></i> <?= $this->session->flashdata('message'); ?>
</div>
<?php } ?>
<div class="box">
    <div class="box-header">
        <h3 class="box-title">Data Stock Out</h3>
        <div class="pull-right">
            <a href="<?= site_url('stock/out/add') ?>" class="btn btn-primary btn-flat"><i
class="fa fa-plus"></i> Add Stock Out</a>
        <div class="box-body table-responsive">
            <table class="table table-bordered table-striped" id="table1">
                <thead>
                    <tr>
                        <th>#</th>
                        <th>Barcode</th>
                        <th>Product Item</th>
                        <th>Qty</th>
                        <th>Tanggal</th>
                        <th>Action</th>
                    </tr>
                </thead>
                <tbody>
                    <?php $no = 1; foreach($stocks as $stock): ?>
                    <tr>
                        <td style="width: 5%;"><?= $no++; ?></td>
                        <td><?= $stock->barcode; ?></td>
                        <td><?= $stock->item_name; ?></td>
                        <td class="text-right"><?= $stock->qty; ?></td>
                        <td class="text-center"><?= indo_date($stock->date); ?></td>
                        <td class="text-center" width="160px">
                            <a id="set_detail" class="btn btn-default btn-xs" data-toggle="modal" data-
target="#modal-detail"
                                data-barcode="<?= $stock->barcode; ?>"
                                data-itemname="<?= $stock->item_name; ?>"
                                data-detail="<?= $stock->detail; ?>"
                                data-suppliername="<?= $stock->supplier_name; ?>"
                                data-qty="<?= $stock->qty; ?>"
                                data-date="<?= indo_date($stock->date); ?>">
                                    <i class="fa fa-eye"></i> Detail
                                </a>
                                <a href="<?= site_url('stock/out/delete/'. $stock->stock_id. '/' . $stock-
>item_id); ?>" onclick="return confirm('Yakin mau menghapus?')" class="btn btn-
danger btn-xs"><i class="fa fa-trash"></i> Delete</a>
                            </td>
                    </tr>
                </tbody>
            </table>
        </div>
    </div>
</div>
<div class="modal fade" id="modal-detail">

```

```

<div class="modal-dialog modal-sm">
  <div class="modal-content">
    <div class="modal-header">
      <button type="button" class="close" data-dismiss="modal" aria-label="close">
        <span aria-hidden="true">&times;</span>
      </button>
      <h4 class="modal-title">Stock-Out Detail</h4>
    </div>
    <div class="modal-body">
      <table class="table table-bordered no-margin table-responsive">
        <tbody>
          <tr>
            <th style="width: 35%">Barcode</th>
            <td><span id="barcode"></span></td>
          </tr>
          <tr>
            <th>Item Name</th>
            <td><span id="item_name"></span></td>
          </tr>
          <tr>
            <th>Detail</th>
            <td><span id="detail"></span></td>
          </tr>
          <tr>
            <th>Supplier</th>
            <td><span id="supplier_name"></span></td>
          </tr>
          <tr>
            <th>Qty</th>
            <td><span id="qty"></span></td>
          </tr>
          <tr>
            <th>Date</th>
            <td><span id="date"></span></td>
          </tr>
        </tbody>
      </table>
    </div>
    <script>
$(document).ready(function(){
$(document).on('click', '#set_detail', function(){
var barcode = $(this).data('barcode');
var itemname = $(this).data('itemname');
var detail = $(this).data('detail');
var suppliername = $(this).data('suppliername');
var qty = $(this).data('qty');
var date = $(this).data('date');
$('#barcode').text(barcode);
$('#item_name').text(itemname);
$('#detail').text(detail);
$('#supplier_name').text(suppliername);
$('#qty').text(qty);
$('#date').text(date);
})
})
</script>

```

- **user_data.php**
<section class="content-header">

```

<h1>
  Users
  <small>Pengguna</small>
</h1>
<ol class="breadcrumb">
  <li><a href="#"><i class="fa fa-users"></i></a></li>
  <li class="active">Users</li>
</ol>
</section>
<!-- Main content -->
<section class="content">
  <div class="box">
    <div class="box-header">
      <h3 class="box-title">Data Users</h3>
      <div class="pull-right">
        <a href="<?= site_url('user/add') ?>" class="btn btn-primary btn-flat"><i
class="fa fa-user-plus"></i> Create</a>
      </div>
    </div>
    <div class="box-body table-responsive">
      <table class="table table-bordered table-striped">
        <thead>
          <tr>
            <th>#</th>
            <th>Username</th>
            <th>Name</th>
            <th>Address</th>
            <th>Level</th>
            <th>Action</th>
          </tr>
        </thead>
        <tbody>
          <?php $no = 1; foreach($users->result() as $key => $user): ?>
          <tr>
            <td><?= $no++; ?></td>
            <td><?= $user->username; ?></td>
            <td><?= $user->name; ?></td>
            <td><?= $user->address; ?></td>
            <td><?= $user->level == 1 ? "Admin" : "Kasir"; ?></td>
            <td class="text-center" width="160px">
              <?php if($user->level == 1){ ?>
                <a href="#" class="btn btn-primary btn-xs" disabled><i class="fa fa-
pencil"></i> Update</a>
                <?php } else{ ?>
                <a href="<?= site_url('user/edit/'.$user->user_id); ?>" class="btn btn-
primary btn-xs"><i class="fa fa-pencil"></i> Update</a>
                <form action="<?= site_url('user/delete') ?>" method="post"
style="float:right">
                  <input type="hidden" name="user_id" value="<?= $user->user_id ?>">

```

```

        <button onclick="return confirm('Yakin mau menghapus?')" class="btn btn-
danger btn-xs"><i class="fa fa-trash"></i> Delete</button>
        <?php endforeach; ?>
    </tbody>
</section>

```

- **_ambilGambarWebcam.php**

```

<!DOCTYPE html>
<html>
<head>
    <title>Capture webcam image with php and jquery - leravio.com</title>
    <script
src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
    <script
src="https://cdnjs.cloudflare.com/ajax/libs/webcamjs/1.0.25/webcam.min.js"></scrip
t>
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/twitter-
bootstrap/4.1.3/css/bootstrap.min.css" />
    <style type="text/css">
        #results { padding:20px; border:1px solid; background:#ccc; }
    </style>
</head>
<body>
<div class="container">
<h1 class="text-center">Capture webcam image with php and jquery -
leravio.com</h1>
    <form method="POST" action="storeImage.php">
        <div class="row">
            <div class="col-md-6">
                <div id="my_camera"></div>
            <br/>
            <input type="button" value="Take Snapshot" onClick="take_snapshot()">
            <input type="hidden" name="image" class="image-tag">
        </div>
            <div class="col-md-6">
                <div id="results">Your captured image will appear here...</div>
                <div class="col-md-12 text-center">
                    <br/>
                    <button class="btn btn-success">Submit</button>
                </div>
            </div>
        </form>
</div>
<!-- Configure a few settings and attach camera -->
<script language="JavaScript">
    Webcam.set({
        width: 490,
        height: 390,
        image_format: 'jpeg',
        jpeg_quality: 90
    });

```



```

Webcam.attach( '#my_camera' );
function take_snapshot() {
Webcam.snap( function(data_uri) {
$("image-tag").val(data_uri);
document.getElementById('results').innerHTML = '';
} );
}
}
</script>
<!-- Process -->
<?php
$img = $_POST['image'];
$folderPath = "upload/";
$image_parts = explode(";base64,", $img);
$image_type_aux = explode("image/", $image_parts[0]);
$image_type = $image_type_aux[1];

$image_base64 = base64_decode($image_parts[1]);
$fileName = uniqid() . '.png';
$file = $folderPath . $fileName;
file_put_contents($file, $image_base64);
print_r($fileName);
?>
</body>
</html>

```

- **dashboard.php**

```

<section class="content-header">
  <h1>
    Dashboard
    <small>Control Panel</small>
  </h1>
  <ol class="breadcrumb">
    <li><a href="#"><i class="fa fa-dashboard"></i></a></li>
    <li class="active">Dashboard</li>
  </ol>
</section>
<!-- Main content -->
<section class="content">
  <div class="row">
    <div class="col-md-3 col-sm-6 col-xs-12">
      <div class="info-box">
        <span class="info-box-icon bg-aqua"><i class="fa fa-shopping-
cart"></i></span>
        <div class="info-box-content">
          <span class="info-box-text">Item(s)</span>
          <span class="info-box-number"><?=$this->fungsi->count_item(); ?></span>
        </div>
      </div>
    <div class="col-md-3 col-sm-6 col-xs-12">
      <div class="info-box">
        <span class="info-box-icon bg-red"><i class="fa fa-truck"></i></span>
        <div class="info-box-content">
          <span class="info-box-text">Supplier(s)</span>

```

```

        <span class="info-box-number"><?= $this->fungsi->count_supplier();
?></span>
        <!-- fix for small devices only -->
        <div class="clearfix visible-sm-block"></div>
        <div class="col-md-3 col-sm-6 col-xs-12">
            <div class="info-box">
                <span class="info-box-icon bg-green"><i class="fa fa-users"></i></span>
                <div class="info-box-content">
                    <span class="info-box-text">Customer(s)</span>
                <span class="info-box-number"><?= $this->fungsi->count_customer(); ?></span>
                <!-- /.col -->
            <div class="col-md-3 col-sm-6 col-xs-12">
                <div class="info-box">
                    <span class="info-box-icon bg-yellow"><i class="fa fa-user-plus"></i></span>

                    <div class="info-box-content">
                        <span class="info-box-text">User(s)</span>
                        <span class="info-box-number"><?= $this->fungsi->count_user(); ?></span>
                    </div>
                </div>
            </div>
        </section>

```

- **login.php**

```

<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>AdminLTE 2 | Log in</title>
    <!-- Tell the browser to be responsive to screen width -->
    <meta content="width=device-width, initial-scale=1, maximum-scale=1, user-
scalable=no" name="viewport">
    <!-- Bootstrap 3.3.7 -->
    <link rel="stylesheet" href="<?= base_url('assets')
?>/bower_components/bootstrap/dist/css/bootstrap.min.css">
    <!-- Font Awesome -->
    <link rel="stylesheet" href="<?= base_url('assets') ?>/bower_components/font-
awesome/css/font-awesome.min.css">
    <!-- Ionicons -->
    <link rel="stylesheet" href="<?= base_url('assets')
?>/bower_components/Ionicons/css/ionicons.min.css">
    <!-- Theme style -->
    <link rel="stylesheet" href="<?= base_url('assets') ?>/dist/css/AdminLTE.min.css">
    <!-- iCheck -->
    <link rel="stylesheet" href="<?= base_url('assets')
?>/plugins/iCheck/square/blue.css">
    <!-- HTML5 Shim and Respond.js IE8 support of HTML5 elements and media
queries -->
    <!-- WARNING: Respond.js doesn't work if you view the page via file:// -->
    <!--[if lt IE 9]>
    <script src="https://oss.maxcdn.com/html5shiv/3.7.3/html5shiv.min.js"></script>
    <script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>

```

```

<![endif]-->
<!-- Google Font -->
<link rel="stylesheet"
href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,600,700,300italic,400italic,600italic">
</head>
<body class="hold-transition login-page" style="background-color: #1679AB;">
<div class="login-box">
<div class="login-logo">
<a href="<?= site_url('assets') ?>/index2.html"><b>Kasir muliaPancing</b></a>
</div>
<!-- /.login-logo -->
<div class="login-box-body">
<p class="login-box-msg">Sign in to start your session</p>

<form action="<?= base_url('auth/process') ?>" method="post">
<div class="form-group has-feedback">
<input type="text" name="username" class="form-control"
placeholder="Username" required>
<span class="glyphicon glyphicon-user form-control-feedback"></span>
</div>
<div class="form-group has-feedback">
<input type="password" name="password" class="form-control"
placeholder="Password" required>
<span class="glyphicon glyphicon-lock form-control-feedback"></span>
</div>
<div class="form-group">
<select name="role" id="role" class="form-control" required>
<option value="">Login As</option>
<option value="admin">Admin</option>
<option value="user">User</option>
</select>
</div>
<div class="row">
<div class="col-xs-8"></div>
<div class="col-xs-4">
<button type="submit" name="login" class="btn btn-primary btn-block btn-flat">Sign In</button>
</div>
</div>
</body>
</html>

```