

LISTING CODE

Index.php

<pre> <!DOCTYPE html> <html lang="en"> <head> <meta charset="utf-8" /> <meta http-equiv="X-UA- Compatible" content="IE=edge" /> <meta name="viewport" content="width=device-width, initial- scale=1, shrink-to-fit=no" /> <meta name="description" content="" /> <meta name="author" content="" /> <title>Login</title> <link rel="icon" href="assets/img/OIP.jpeg" type="image/x-icon"> <link href="css/styles.css" rel="stylesheet" /> <script src="https://use.fontawesome.com/rel eases/v6.3.0/js/all.js" crossorigin="anonymous"></script> </head> <body class="bg-white"> <div id="layoutAuthentication"> <div id="layoutAuthentication_content"> <main> <div class="container"> <div class="row justify-content-center"> <div class="col-lg- 5"> <div class="card shadow-lg border-0 rounded-lg mt- 2"> <div class="card-header"><h3 class="text- center font-weight-light my- 2">LOGIN</h3></div> <div class="card-body"> </pre>	<pre> </div> </div> </div> <div class="form- floating"> <select class="form- select" id="floatingSelect" aria-label="Floating label select example" name="level"> <option selected>Pilih</option> <option value="Admin">Admin</option> <option value="User">User</option> </select> <label for="floatingSelect">Masuk Sebagai</label> </div> <div class="d-flex align- items-center justify-content-between mt-4 mb-0"> <button class="btn btn-primary" type="submit">Masuk</button> </div> </form> </div> </div> </div> </div> </div> </div> </main> </div> <div id="layoutAuthentication_footer"> <footer class="py-4 bg-light mt-auto"> <div class="container-fluid px-4"> <div class="d-flex align-items-center justify-content-between small"> <div class="text- muted">Politeknik Negeri Sriwijaya Laporan Akhir 2024</div> </div> </div> </footer> </div> </div> <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/di st/js/bootstrap.bundle.min.js" crossorigin="anonymous"></script> <script src="is/scripts.js"></script> </pre>
---	---

<pre> method="POST" action="cek_login.php"> class="form-floating mb-3"> </pre>	<pre> </body> </html> </pre>
---	--

Cek login.php

<pre> <?php //panggil koneksi database include "koneksi.php"; \$pass = (\$_POST['password']); \$username = mysqli_escape_string(\$koneksi, \$_POST['username']); \$password = mysqli_escape_string(\$koneksi, \$pass); \$level = mysqli_escape_string(\$koneksi, \$_POST['level']); //cek username, terdaftar atau tidak \$cek_user = mysqli_query(\$koneksi, "SELECT * FROM tuser WHERE username = '\$username' and level='\$level' "); \$user_valid = mysqli_fetch_array(\$cek_user); //uji jika username terdaftar if(\$user_valid) { </pre>	<pre> //jika username terdaftar //cek password sesuai atau tidak sesuai if(\$password == \$user_valid['password']){ //jika password sesuai //buat session session_start(); \$_SESSION['username'] = \$user_valid['username']; \$_SESSION['password'] = \$user_valid['password']; \$_SESSION['level'] = \$user_valid['level']; //uji level user if(\$level == "Admin"){ header('location:home_admin.php'); }elseif (\$level == "User"){ header('location:home_user.php'); } } else { echo "<script>alert('Maaf, Login Gagal, Password anda tidak terdaftar!');document.location='index.php'</script>"; } } else { echo "<script>alert('Maaf, Login Gagal, Username anda tidak terdaftar!');document.location='index.php'</script>"; } } </pre>
---	--

Home admin.php

<pre> <?php session_start(); if(empty(\$_SESSION['username']) or empty(\$_SESSION['level'])){ echo "<script>alert('Maaf, untuk mengakses halaman ini, anda harus login terlebih dahulu, terima kasih');document.location='index.php'</scr ipt>"; </pre>	<pre> <div class="row"> <div class="col-xl-3 col-md-6"> <div class="card bg- primary text-white mb-4"> <div class="card- body">Program Hamil</div> <div class="card-footer d-flex align-items-center justify-content- between"> </pre>
--	--

<pre> } ?> <!DOCTYPE html> <html lang="en"> <head> <meta charset="utf-8" /> <meta http-equiv="X-UA- Compatible" content="IE=edge" /> <meta name="viewport" content="width=device-width, initial- scale=1, shrink-to-fit=no" /> <meta name="description" content="" /> <meta name="author" content="" /> <title>Dashboard - Admin</title> <link rel="icon" href="assets/img/OIP.jpeg" type="image/x-icon"> <link href="https://cdn.jsdelivr.net/npm/simple- datatables@7.1.2/dist/style.min.css" rel="stylesheet" /> <link href="css/styles.css" rel="stylesheet" /> <script src="https://use.fontawesome.com/releases /v6.3.0/js/all.js" crossorigin="anonymous"></script> </head> <body class="sb-nav-fixed"> <nav class="sb-topnav navbar navbar-expand navbar-dark bg-primary"> <!-- Navbar Brand--> Pelatihan Ibu Hamil <!-- Sidebar Toggle--> <button class="btn btn-link btn-sm order-1 order-lg-0 me-4 me-lg-0" id="sidebarToggle" href="#"><i class="fas fa-bars"></i></button> <!-- Navbar--> <form class="d-none d-md-inline- block form-inline ms-auto me-0 me-md-3 my-2 my-md-0"></form> <ul class="navbar-nav bg-primary ms-auto ms-md-0 me-3 me-lg-4"> <li class="nav-item dropdown"> <a class="nav-link dropdown- toggle" id="navbarDropdown" role="button" data-bs-toggle="dropdown" </pre>	<pre> Lihat Disini <div class="small text- white"><i class="fas fa-angle- right"></i></div> </div> </div> </div> <div class="col-xl-3 col-md- 6"> <div class="card bg- primary text-white mb-4"> <div class="card- body">Pelatihan Program Hamil</div> <div class="card-footer d-flex align-items-center justify-content- between"> Lihat Disini <div class="small text- white"><i class="fas fa-angle- right"></i></div> </div> </div> </div> <div class="col-xl-3 col-md- 6"> <div class="card bg- primary text-white mb-4"> <div class="card- body">BKKBN SUMSEL</div> </div> </div> </div> <div class="col-xl-3 col-md- 6"> <div class="card bg- primary text-white mb-4"> <div class="card- body">Program Hamil</div> </div> </div> </div> <div class="card-body"> </div> </main> </pre>
---	---

<pre> aria-expanded="false"><i class="fas fa- user fa-fw"></i> <ul class="dropdown-menu dropdown-menu-end" aria- labelledby="navbarDropdown"> Logout </nav> <div id="layoutSidenav"> <div id="layoutSidenav_nav"> <nav class="sb-sidenav accordion sb-sidenav-white" id="sidenavAccordion"> <div class="sb-sidenav-menu bg-light"> <div class="nav"> <div class="sb-sidenav- menu-heading">Core</div> <div class="sb-nav- link-icon"><i class="fas fa-tachometer- alt"></i></div> Dashboard </pre>	<pre> <footer class="py-4 bg-light mt- auto"> <div class="container-fluid px-4"> <div class="d-flex align-items- center justify-content-between small"> <div class="text- muted">Politeknik Negeri Sriwijaya &copy; Laporan Akhir 2024</div> </div> </div> </footer> </div> <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2 .3/dist/js/bootstrap.bundle.min.js" crossorigin="anonymous"></script> <script src="js/scripts.js"></script> <script src="https://cdn.jsdelivr.net/npm/chart.js/2.8.0/Chart.min.js" crossorigin="anonymous"></script> <script src="assets/demo/chart-area- demo.js"></script> <script src="assets/demo/chart-bar- demo.js"></script> <script src="https://cdn.jsdelivr.net/npm/simple- datatables@7.1.2/dist/umd/simple- datatables.min.js" crossorigin="anonymous"></script> <script src="js/datatables-simple- demo.js"></script> </body> </html> </pre>
--	--

Home user.php

<pre> <?php session_start(); if(empty(\$_SESSION['username']) or empty(\$_SESSION['level'])){ echo "<script>alert('Maaf, untuk mengakses halaman ini, anda harus login terlebih dahulu, terima kasih');document.location='index.php'</scr ipt>";}?" <!DOCTYPE html> <html lang="en"> <head> </pre>	<pre> </div> </div> </div> <div class="col-xl-3 col-md- 6"> <div class="card bg- primary text-white mb-4"> <div class="card- body">Pelatihan Program Hamil</div> <div class="card-footer d-flex align-items-center justify-content- between"> </pre>
---	--

```
<meta charset="utf-8" />
<meta http-equiv="X-UA-
Compatible" content="IE=edge" />
<meta name="viewport"
content="width=device-width, initial-
scale=1, shrink-to-fit=no" />
<meta name="description"
content="" />
<meta name="author" content="" />
<title>Dashboard - User</title>
<link rel="icon"
href="assets/img/OIP.jpeg"
type="image/x-icon">
<link
href="https://cdn.jsdelivrivr.net/npm/simple-
datatables@7.1.2/dist/style.min.css"
rel="stylesheet" />
<link href="css/styles.css"
rel="stylesheet" />
<script
src="https://use.fontawesome.com/releases
/v6.3.0/js/all.js"
crossorigin="anonymous"></script>
</head>
<body class="sb-nav-fixed">
<nav class="sb-topnav navbar
navbar-expand navbar-dark bg-primary">
<!-- Navbar Brand-->
<a class="navbar-brand ps-
3">Pelatihan Ibu Hamil</a>
<!-- Sidebar Toggle-->
<button class="btn btn-link btn-sm
order-1 order-lg-0 me-4 me-lg-0"
id="sidebarToggle" href="#!"><i
class="fas fa-bars"></i></button>
<!-- Navbar-->
<form class="d-none d-md-inline-
block form-inline ms-auto me-0 me-md-3
my-2 my-md-0"></form>
<ul class="navbar-nav bg-primary
ms-auto ms-md-0 me-3 me-lg-4">
<li class="nav-item dropdown">
<a class="nav-link dropdown-
toggle" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
aria-expanded="false"><i class="fas fa-
user fa-fw"></i></a>
<ul class="dropdown-menu
dropdown-menu-end" aria-
labelledby="navbarDropdown">
```

```

        <a class="small text-
white stretched-link"
href="pelatihanhamil_user.php">Lihat
Disini</a>
        <div class="small text-
white"><i class="fas fa-angle-
right"></i></div>
        </div>
        </div>
        </div>
        <div class="col-xl-3 col-md-
6">
            <div class="card bg-
primary text-white mb-4">
                <div class="card-
body">BKKBN SUMSEL</div>
                </div>
            </div>
            <div class="col-xl-3 col-md-
6">
                <div class="card bg-
primary text-white mb-4">
                    <div class="card-
body">Program Hamil</div>
                    </div>
                </div>
                </div>
                <div class="card-body">
                    </div>
                </div>
            </main>
            <footer class="py-4 bg-light mt-
auto">
                <div class="container-fluid px-4">
                    <div class="d-flex align-items-
center justify-content-between small">
                        <div class="text-
muted">Politeknik Negeri Sriwijaya || &copy;
Laporan Akhir 2024</div>
                    </div>
                </div>
            </footer>
        </div>
        </div>
        <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2
.3/dist/js/bootstrap.bundle.min.js"
crossorigin="anonymous"></script>
        <script src="js/scripts.js"></script>
        <script

```

<pre> Logout </nav> <div id="layoutSidenav"> <div id="layoutSidenav_nav"> <nav class="sb-sidenav accordion sb-sidenav-white" id="sidenavAccordion"> <div class="sb-sidenav-menu bg-light"> <div class="nav"> <div class="sb-sidenav- menu-heading">Core</div> <div class="sb-nav- link-icon"><i class="fas fa-tachometer- alt"></i></div> Dashboard </pre>	<pre> src="https://cdnjs.cloudflare.com/ajax/libs/Char t.js/2.8.0/Chart.min.js" crossorigin="anonymous"></script> <script src="assets/demo/chart-area- demo.js"></script> <script src="assets/demo/chart-bar- demo.js"></script> <script src="https://cdn.jsdelivr.net/npm/simple- datatables@7.1.2/dist/umd/simple- datatables.min.js" crossorigin="anonymous"></script> <script src="js/datatables-simple- demo.js"></script> </body> </html> </pre>
--	---

Aksi_pelatihanhamil.php

<pre> <?php //panggil koneksi database include "koneksi.php"; //uji jika tombol simpan di klik if (isset(\$_POST['bsimpan2'])){ //simpan data baru \$simpan2 = mysqli_query(\$koneksi, "INSERT INTO tpelatihan (kode, materi, pemateri, ruangan, konsultasi, tanggal) VALUES ('\$_POS T[kode]', \$_POST[mater i]', \$_POST[pema teri]', \$_POST[ruang an]', \$_POST[konsu ltasi]', \$_POST[tangg al]')"); //simpan sukses if (\$simpan2){ echo "<script> alert('Simpan data sukses'); document.location='pelatihanhamil_u </pre>	<pre> kode = \$_POST[kode], materi = \$_POST[materi], pemater i = \$_POST[pemateri], ruangan = \$_POST[ruangan]', konsult asi = \$_POST[konsultasi]', tanggal = \$_POST[tanggal]' WHERE id_pelatihan = '\$_POST[id_pelatihan]' "); if (\$ubah2){ echo "<script> alert('Ubah data sukses'); document.location='pelatihanhamil_u ser.php'; </script>"; } else { "<script> alert('Ubah data gagal'); document.location='pelatihanhamil_u ser.php'; </pre>
---	--

<pre> ser.php'; </script>"; } else { "<script> alert('Simpan data gagal'); document.location='pelatihanhamil_u ser.php'; </script>"; } } //uji jika tombol simpan di klik if (isset(\$_POST['bubah2'])){ //ubah data baru \$ubah2= mysqli_query(\$koneksi, "UPDATE tpelatihan SET </pre>	<pre> </script>"; } } //uji jika tombol simpan di klik if (isset(\$_POST['bhapus2'])){ //hapus data baru \$hapus2 = mysqli_query(\$koneksi, "DELETE FROM tpelatihan WHERE id_pelatihan= '\$_POST[id_pelatihan]' "); if (\$hapus2){ echo "<script> alert('Hapus data sukses'); document.location='pelatihanhamil_u ser.php'; </script>"; } else { "<script> alert('Hapus data gagal'); document.location='pelatihanhamil_u ser.php'; </script>"; } } </pre>
---	---

Aksi_programhamil.php

<pre> <?php //panggil koneksi database include "koneksi.php"; error_reporting(E_ALL); ini_set('display_errors', 1); //uji jika tombol simpan di klik if (isset(\$_POST['bsimpan'])){ //simpan data baru \$simpan = mysqli_query(\$koneksi, "INSERT INTO tpromil (nama, usia, usiakand, perkembangan, alamat, penyuluh) VALUES ('".\$_POST[' nama'].'", '".\$_POST['usia']. ', '".\$_POST['usiaka nd'].'", '".\$_POST['perke mbangan'].'", '".\$_POST['alamat </pre>	<pre> \$ubah = mysqli_query(\$koneksi, "UPDATE tpromil SET nama = '".\$_POST['nama'].'", usia = '".\$_POST['usia'].'", usiakand = '".\$_POST['usiakand'].'", perkembangan = '".\$_POST['perkembangan'].'", alamat = '".\$_POST['alamat'].'", penyuluh = '".\$_POST['penyuluh'].'" WHERE id_promil = '".\$_POST['id_promil'].''"); if (\$ubah){ echo "<script> alert('Ubah data sukses'); document.location='programhamil _user.php'; </script>"; } else { </pre>
---	--

<pre> '].", "\$_POST['penyul uh'].")"); //simpan sukses if (\$simpan){ echo "<script> alert('Simpan data sukses'); document.location='programhamil_user. php'; </script>"; } else { echo "<script> alert('Simpan data gagal: ".mysqli_error(\$koneksi)."); document.location='programhamil_user. php'; </script>"; } } //uji jika tombol ubah di klik if (isset(\$_POST['bubah'])){ //ubah data baru </pre>	<pre> echo "<script> alert('Ubah data gagal: ".mysqli_error(\$koneksi)."); document.location='programhamil _user.php'; </script>"; } } //uji jika tombol hapus di klik if (isset(\$_POST['bhapus'])){ //hapus data baru \$hapus = mysqli_query(\$koneksi, "DELETE FROM tpromil WHERE id_promil= '".\$_POST['id_promil']."' "); if (\$hapus){ echo "<script> alert('Hapus data sukses'); document.location='programhamil _user.php'; </script>"; } else { echo "<script> alert('Hapus data gagal: ".mysqli_error(\$koneksi)."); document.location='programhamil _user.php'; </script>"; } } </pre>
--	--

Eksport.php

<pre> <?php require 'koneksi.php'; ?> <html> <head> <title>Program Hamil - Admin</title> <link rel="icon" href="assets/img/OIP.jpeg" type="image/x- icon"> <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootst rap/4.5.2/css/bootstrap.min.css"> <script src="https://ajax.googleapis.com/ajax/libs/jqu ery/3.5.1/jquery.min.js"></script> <script </pre>	<pre> <?php //persiapan menampilkan data \$no = 1; \$filter = ""; if (isset(\$_POST['filter']) && \$_POST['filter'] != "") { \$filter = "WHERE alamat = '".\$_POST[filter]"; } \$stampil = mysqli_query(\$koneksi, "SELECT * FROM tpromil \$filter ORDER BY id_promil DESC"); while (\$data = mysqli_fetch_array(\$stampil)) : ?> <tr> </pre>
---	---

```

src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"></script>
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></script>
<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.19/css/jquery.dataTables.css">
<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/buttons/1.6.5/css/buttons.dataTables.min.css">
<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.19/css/jquery.dataTables.min.css">
<script type="text/javascript"
charset="utf8"
src="https://cdn.datatables.net/1.10.19/js/jquery.dataTables.js">
</script>
</head>

```

```

<body>
<div class="container">
<h2>Download Data</h2>
<div class="d-flex mb-3">
<form method="POST" class="form-inline">
<select name="filter" class="form-control" onchange="this.form.submit()">
<option value="">-- Pilih Alamat --</option>
<option value="DELAPAN ILIR">DELAPAN ILIR</option>
<option value="SEMBILAN ILIR">SEMBILAN ILIR</option>
<option value="SEPULUH ILIR">SEPULUH ILIR</option>
<option value="SEBELAS ILIR">SEBELAS ILIR</option>
<option
value="KUTOBARU">KUTOBARU</option>
<option
value="DUKU">DUKU</option>
</select>
</form>
</div>
<div class="data-tables datatable-dark">
<table id="export" class="table table-striped">

```

```

<td><?= $no++ ?></td>
<td><?= $data['nama']
?></td>
<td><?= $data['usia']
?></td>
<td><?= $data['usiakand']
?></td>
<td><?=
$data['perkembangan'] ?></td>
<td><?= $data['alamat']
?></td>
<td><?= $data['penyuluh']
?></td>
</tr>
<?php endwhile; ?>
</tbody>
</table>
</div>
</div>

```

```

<script>
$(document).ready(function() {
$('#export').DataTable({
dom: 'Bfritip',
buttons: [
'excel', 'pdf', 'print'
]
});
});
</script>

```

```

<script
src="https://code.jquery.com/jquery-3.5.1.js"></script>
<script
src="https://cdn.datatables.net/1.10.22/js/jquery.dataTables.min.js"></script>
<script
src="https://cdn.datatables.net/buttons/1.6.5/js/dataTables.buttons.min.js"></script>
<script
src="https://cdn.datatables.net/buttons/1.6.5/js/buttons.flash.min.js"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/jszip/3.1.3/jszip.min.js"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/pdfmake/0.1.53/pdfmake.min.js"></script>
<script

```

<pre> <thead> <tr> <th>No</th> <th>Nama</th> <th>Usia</th> <th>Usia Kandungan</th> <th>Perkembangan</th> <th>Alamat</th> <th>Penyuluh</th> </tr> </thead> <tbody> </pre>	<pre> src="https://cdnjs.cloudflare.com/ajax/libs/pd fmake/0.1.53/vfs_fonts.js"></script> <script src="https://cdn.datatables.net/buttons/1.6.5/ js/buttons.html5.min.js"></script> <script src="https://cdn.datatables.net/buttons/1.6.5/ js/buttons.print.min.js"></script> </body> </html> </pre>
--	--

Eksport1.php

<pre> <?php require 'koneksi.php'; ?> <html> <head> <title>Pelatihan Program Hamil - Admin</title> <link rel="icon" href="assets/img/OIP.jpeg" type="image/x- icon"> <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootst rap/4.5.2/css/bootstrap.min.css"> <script src="https://ajax.googleapis.com/ajax/libs/jqu ery/3.5.1/jquery.min.js"></script> <script src="https://cdnjs.cloudflare.com/ajax/libs/pop per.js/1.16.0/umd/popper.min.js"></script> <script src="https://maxcdn.bootstrapcdn.com/bootstr ap/4.5.2/js/bootstrap.min.js"></script> <link rel="stylesheet" type="text/css" href="https://cdn.datatables.net/1.10.19/css/jq uery.dataTables.css"> <link rel="stylesheet" type="text/css" href="https://cdn.datatables.net/buttons/1 .6.5/css/buttons.dataTables.min.css"> <link rel="stylesheet" type="text/css" href="https://cdn.datatables.net/1.10.19/css/jq uery.dataTables.min.css"> <script type="text/javascript" charset="utf8" src="https://cdn.datatables.net/1.10.19/js/jquer </pre>	<pre> <td><?= \$data['pemateri']?></td> <td><?= \$data['ruangan']?></td> <td><?= \$data['konsultasi']?></td> <td><?= \$data['tanggal']?></td> </tr> <?php endwhile; ?> </table> </div> </div> <script> \$(document).ready(function() { \$('#export1').DataTable({ dom: 'Bfritip', buttons: ['excel', 'pdf', 'print'] }); }); </script> <script src="https://code.jquery.com/jquery- 3.5.1.js"></script> <script src="https://cdn.datatables.net/1.10.22/js/jqu ery.dataTables.min.js"></script> <script src="https://cdn.datatables.net/buttons/1.6.5/ js/dataTables.buttons.min.js"></script> <script </pre>
--	---

<pre> y.dataTables.js"> </script> </head> <body> <div class="container"> <h2>Download Data </h2> <div class="data-tables datatable-dark"> <table id="export1" class="table table"> <thead> <tr> <th>No</th> <th>Kode Pelatihan</th> <th>Materi Pelatihan</th> <th>Pemateri</th> <th>Ruangan</th> <th>Konsultasi</th> <th>Tanggal</th> </tr> </thead> <?php //persiapan menampilkan data \$no = 1; \$stampil = mysqli_query(\$koneksi, "SELECT * FROM tpelatihan ORDER BY id_pelatihan DESC"); while(\$data = mysqli_fetch_array(\$stampil)) : ?> <tr> <td><?= \$no++ ?></td> <td><?= \$data['kode']?></td> <td><?= \$data['materi']?></td> <td><?= \$data['pemateri']?></td> </pre>	<pre> src="https://cdn.datatables.net/buttons/1.6.5/ js/buttons.flash.min.js"></script> <script src="https://cdnjs.cloudflare.com/ajax/libs/js zip/3.1.3/jszip.min.js"></script> <script src="https://cdnjs.cloudflare.com/ajax/libs/p dfmake/0.1.53/pdfmake.min.js"></script> <script src="https://cdnjs.cloudflare.com/ajax/libs/p dfmake/0.1.53/vfs_fonts.js"></script> <script src="https://cdn.datatables.net/buttons/1.6.5/ js/buttons.html5.min.js"></script> <script src="https://cdn.datatables.net/buttons/1.6.5/ js/buttons.print.min.js"></script> </body> </html> </pre>
--	--

Koneksi.php

```

<?php
$server = "localhost";
$user = "root";
$password = "";
$dbdatabase = "dbprojek1";

$koneksi = mysqli_connect($server, $user, $password, $dbdatabase) or die
(mysqli_error($koneksi));

```

Pelatihanhamil_admin.php

```
<?php
session_start();
if(empty($_SESSION['username']) or
empty($_SESSION['level'])){
    echo "<script>alert('Maaf, untuk
mengakses halaman ini, anda harus login
terlebih dahulu, terima
kasih');document.location='index.php'</script
>";
}

include "koneksi.php";
?>

<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="utf-8" />
        <meta http-equiv="X-UA-Compatible"
content="IE=edge" />
        <meta name="viewport"
content="width=device-width, initial-
scale=1, shrink-to-fit=no" />
        <meta name="description" content="" />
        <meta name="author" content="" />
        <title>Pelatihan Program Hamil -
Admin</title>
        <link rel="icon"
href="assets/img/OIP.jpeg" type="image/x-
icon">
        <link
href="https://cdn.jsdelivr.net/npm/simple-
datatables@7.1.2/dist/style.min.css"
rel="stylesheet" />
        <link href="css/styles.css"
rel="stylesheet" />
        <script
src="https://use.fontawesome.com/releases/v
6.3.0/js/all.js"
crossorigin="anonymous"></script>
    </head>
    <body class="sb-nav-fixed">
        <nav class="sb-topnav navbar navbar-
expand navbar-dark bg-primary">
            <!-- Navbar Brand-->
            <a class="navbar-brand ps-
3">Pelatihan Ibu Hamil </a>
            <!-- Sidebar Toggle-->
            <button class="btn btn-link btn-sm
```

```

                                <option
value="BKKBN - 08">BKKBN -
08</option>
                                <option
value="BKKBN - 09">BKKBN -
09</option>
                                <option
value="BKKBN - 10">BKKBN -
10</option>
                                </select>
                            </div>
                            <div class="mb-3">
                                <label
class="form-label">Pemateri
Pelatihan</label>
                                <input
type="text" class="form-control"
name="pemateri" placeholder="masukkan
pemateri">
                            </div>
                            <div class="mb-3">
                                <label
class="form-label">Materi</label>
                                <input
type="text" class="form-control"
name="materi" placeholder="masukkan
materi">
                            </div>
                            <div class="mb-3">
                                <label
class="form-label">Ruangan</label>
                                <select
class="form-select" name="ruangan">
                                    <option
value="Aula BKKBN">Aula
BKKBN</option>
                                </select>
                            </div>
                            <div class="mb-3">
                                <label
class="form-label">Konsultasi</label>
                                <input
type="text" class="form-control"
name="konsultasi" placeholder="masukkan
konsultasi">
                            </div>
                            <div class="mb-3">
                                <label
```

```
order-1 order-lg-0 me-4 me-lg-0"
id="sidebarToggle" href="#!"><i class="fas
fa-bars"></i></button>
<!-- Navbar-->
<form class="d-none d-md-inline-
block form-inline ms-auto me-0 me-md-3
my-2 my-md-0"></form>
<ul class="navbar-nav bg-primary
ms-auto ms-md-0 me-3 me-lg-4">
<li class="nav-item dropdown">
<a class="nav-link dropdown-
toggle" id="navbarDropdown" href="#"
role="button" data-bs-toggle="dropdown"
aria-expanded="false"><i class="fas fa-user
fa-fw"></i></a>
<ul class="dropdown-menu
dropdown-menu-end" aria-
labelledby="navbarDropdown">
<li><a class="dropdown-item"
href="logout_admin.php">Logout</a></li>
</ul>
</li>
</ul>
</nav>
<div id="layoutSidenav">
<div id="layoutSidenav_nav">
<nav class="sb-sidenav accordion
sb-sidenav-white" id="sidenavAccordion">
<div class="sb-sidenav-menu bg-
light">
<div class="nav">
<div class="sb-sidenav-
menu-heading">Core</div>
<a class="nav-link"
href="home_admin.php">
<div class="sb-nav-link-
icon" ><i class="fas fa-tachometer-alt"
></i></div>
Dashboard
</a>
```

```
class="form-label">Tanggal</label>
<input
type="date" class="form-control"
name="tanggal">
</div>
</div>
<div class="modal-
footer">
<button
type="button" class="btn btn-danger" data-
bs-dismiss="modal">Tutup</button>
<button
type="submit" class="btn btn-success"
name="bsimpan2">Simpan Data</button>
</div>
</form>
</div>
</div>
</div>
</div>
<!--Akkhir Modal Tambah-->
</main>
<footer class="py-4 bg-light mt-
auto">
<div class="container-fluid px-
4">
<div class="d-flex align-
items-center justify-content-between small">
<div class="text-
muted">Politeknik Negeri Sriwijaya ||
&copy; Laporan Akhir 2024</div>
</div>
</div>
</div>
</div>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@
5.2.3/dist/js/bootstrap.bundle.min.js"
crossorigin="anonymous"></script>
<script src="js/scripts.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/chart.js@
2.8.0/Chart.min.js"
crossorigin="anonymous"></script>
<script src="assets/demo/chart-area-
demo.js"></script>
<script src="assets/demo/chart-bar-
```

	<pre>demo.js"></script> <script src="https://cdn.jsdelivr.net/npm/simple- datatables@7.1.2/dist/umd/simple- datatables.min.js" crossorigin="anonymous"></script> <script src="js/datatables-simple- demo.js"></script> </body> </html></pre>
--	---

Pelatihanhamil_user.php

<pre><?php session_start(); if(empty(\$_SESSION['username']) or empty(\$_SESSION['level'])){ echo "<script>alert('Maaf, untuk mengakses halaman ini, anda harus login terlebih dahulu, terima kasih');document.location='index.php'</script >"; } include "koneksi.php"; ?> <!DOCTYPE html> <html lang="en"> <head> <meta charset="utf-8" /> <meta http-equiv="X-UA-Compatible" content="IE=edge" /> <meta name="viewport" content="width=device-width, initial- scale=1, shrink-to-fit=no" /> <meta name="description" content="" /> <meta name="author" content="" /> <title>Pelatihan Program Hamil - User</title> <link rel="icon" href="assets/img/OIP.jpeg" type="image/x- icon"> <link href="https://cdn.jsdelivr.net/npm/simple- datatables@7.1.2/dist/style.min.css" rel="stylesheet" /> <link href="css/styles.css" rel="stylesheet" /> <script</pre>	<pre> </select> </div> <div class="mb-3"> <label class="form-label">Konsultasi</label> <input type="text" class="form-control" name="konsultasi" placeholder="masukkan konsultasi"> </div> <div class="mb-3"> <label class="form-label">Tanggal</label> <input type="date" class="form-control" name="tanggal" > </div> </div> <div class="modal- footer"> <button type="button" class="btn btn-danger" data- bs-dismiss="modal">Tutup</button> <button type="submit" class="btn btn-success" name="bsimpan2">Simpan Data</button> </div> </form> </div> </div> </div> </div> </div> <!--Akkhir Modal Tambah--> </main> <footer class="py-4 bg-light mt-</pre>
--	---

```
src="https://use.fontawesome.com/releases/v
6.3.0/js/all.js"
crossorigin="anonymous"></script>
</head>
<body class="sb-nav-fixed">
  <nav class="sb-topnav navbar navbar-
expand navbar-dark bg-primary">
    <!-- Navbar Brand-->
    <a class="navbar-brand ps-
3">Pelatihan Ibu Hamil </a>
    <!-- Sidebar Toggle-->
    <button class="btn btn-link btn-sm
order-1 order-lg-0 me-4 me-lg-0"
id="sidebarToggle" href="#"><i class="fas
fa-bars"></i></button>
    <!-- Navbar-->
    <form class="d-none d-md-inline-
block form-inline ms-auto me-0 me-md-3
my-2 my-md-0"></form>
    <ul class="navbar-nav bg-primary
ms-auto ms-md-0 me-3 me-lg-4">
      <li class="nav-item dropdown">
        <a class="nav-link dropdown-
toggle" id="navbarDropdown" href="#"
role="button" data-bs-toggle="dropdown"
aria-expanded="false"><i class="fas fa-user
fa-fw"></i></a>
        <ul class="dropdown-menu
dropdown-menu-end" aria-
labelledby="navbarDropdown">
          <li><a class="dropdown-item"
href="logout_user.php">Logout</a></li>
        </ul>
      </li>
    </ul>
  </nav>
  <div id="layoutSidenav">
    <div id="layoutSidenav_nav">
      <nav class="sb-sidenav accordion
sb-sidenav-white" id="sidenavAccordion">
        <div class="sb-sidenav-menu bg-
light">
          <div class="sb-nav-link-
icon" ><i class="fas fa-tachometer-alt"
></i></div>
          Dashboard
        </a>
```

```
auto">
    <div class="container-fluid px-
4">
      <div class="d-flex align-
items-center justify-content-between small">
        <div class="text-
muted">Politeknik Negeri Sriwijaya ||
&copy; Laporan Akhir 2024</div>
      </div>
    </div>
  </footer>
</div>
</div>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@
5.2.3/dist/js/bootstrap.bundle.min.js"
crossorigin="anonymous"></script>
<script src="js/scripts.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/simple-
datatables@7.1.2/dist/umd/simple-
datatables.min.js"
crossorigin="anonymous"></script>
<script src="assets/demo/chart-area-
demo.js"></script>
<script src="assets/demo/chart-bar-
demo.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/simple-
datatables@7.1.2/dist/umd/simple-
datatables.min.js"
crossorigin="anonymous"></script>
<script src="js/datatables-simple-
demo.js"></script>
</body>
</html>
```

Programhamil_admin.php

```
<?php
session_start();
if(empty($_SESSION['username']) or
empty($_SESSION['level'])){
    echo "<script>alert('Maaf, untuk
mengakses halaman ini, anda harus login
terlebih dahulu, terima
kasih');document.location='index.php'</script
>";
}

include "koneksi.php";
?>

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="utf-8" />
    <meta http-equiv="X-UA-Compatible"
content="IE=edge" />
    <meta name="viewport"
content="width=device-width, initial-
scale=1, shrink-to-fit=no" />
    <meta name="description" content="" />
    <meta name="author" content="" />
    <title>Program Hamil - Admin</title>
    <link rel="icon"
href="assets/img/OIP.jpeg" type="image/x-
icon">
    <link
href="https://cdn.jsdelivr.net/npm/simple-
datatables@7.1.2/dist/style.min.css"
rel="stylesheet" />
    <link href="css/styles.css" rel="stylesheet"
/>
    <script
src="https://use.fontawesome.com/releases/v
6.3.0/js/all.js"
crossorigin="anonymous"></script>
</head>

<body class="sb-nav-fixed">
    <nav class="sb-topnav navbar navbar-
expand navbar-dark bg-primary">
        <!-- Navbar Brand-->
        <a class="navbar-brand ps-3">Pelatihan
Ibu Hamil</a>
        <!-- Sidebar Toggle-->
```

```

            <label
class="form-label">Perkembangan</label>
            <input
type="text" class="form-control"
name="perkembangan"
placeholder="masukkan perkembangan">
        </div>
    <div
class="mb-3">
        <label
class="form-label">Alamat</label>
        <input
type="text" class="form-control"
name="alamat"
placeholder="masukkan alamat">
    </div>
    <div
class="mb-3">
        <label
class="form-label">Penyuluh</label>
        <input
type="text" class="form-control"
name="penyuluh"
placeholder="masukkan nama penyuluh">
    </div>
    <div
class="modal-footer">
        <button
type="button" class="btn btn-danger"
data-bs-
dismiss="modal">Tutup</button>
        <button
type="submit" class="btn btn-success"
name="bsimpan">Simpan
            Data</butto
n>
    </div>
</form>
</div>
</div>
<!-- Akhir Modal Tambah -
->
</div>
</div>
```

<pre> <button class="btn btn-link btn-sm order-1 order-lg-0 me-4 me-lg-0" id="sidebarToggle" href="#"><i class="fas fa-bars"></i></button> <!-- Navabar--> <form class="d-none d-md-inline-block form-inline ms-auto me-0 me-md-3 my-2 my-md-0"></form> <ul class="navbar-nav bg-primary ms- auto ms-md-0 me-3 me-lg-4"> <li class="nav-item dropdown"> <i class="fas fa-user fa-fw"></i> <ul class="dropdown-menu dropdown-menu-end" aria- labelledby="navbarDropdown"> Logout </nav> <div id="layoutSidenav"> <div id="layoutSidenav_nav"> <nav class="sb-sidenav accordion sb- sidenav-white" id="sidenavAccordion"> <div class="sb-sidenav-menu bg- light"> <div class="nav"> <div class="sb-sidenav-menu- heading">Core</div> </pre>	<pre> </div> </main> <footer class="py-4 bg-light mt- auto"> <div class="container-fluid px-4"> <div class="d-flex align-items- center justify-content-between small"> <div class="text- muted">Politeknik Negeri Sriwijaya &copy; Laporan Akhir 2024</div> </div> </div> </div> </div> </div> <script src="https://cdn.jsdelivr.net/npm/bootstrap@ 5.2.3/dist/js/bootstrap.bundle.min.js" crossorigin="anonymous"> </script> <script src="js/scripts.js"></script> <script src="https://cdnjs.cloudflare.com/ajax/libs/C hart.js/2.8.0/Chart.min.js" crossorigin="anonymous"></script> <script src="assets/demo/chart-area- demo.js"></script> <script src="assets/demo/chart-bar- demo.js"></script> <script src="https://cdn.jsdelivr.net/npm/simple- datatables@7.1.2/dist/umd/simple- datatables.min.js" crossorigin="anonymous"></script> <script src="js/datatables-simple- demo.js"></script> </body> </html> </pre>
---	--

Programhamil.user.php

<pre> <?php session_start(); if (empty(\$_SESSION['username']) empty(\$_SESSION['level'])) { echo "<script>alert('Maaf, untuk mengakses halaman ini, anda harus login terlebih dahulu, terima kasih');document.location='index.php'</script> </pre>	<pre> <h5 class="modal-title" id="exampleModalLabel">Tambah Data</h5> <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button> </div> <form method="POST" </pre>
---	---

<pre> >"; } include "koneksi.php"; ?> <!DOCTYPE html> <html lang="en"> <head> <meta charset="utf-8" /> <meta http-equiv="X-UA-Compatible" content="IE=edge" /> <meta name="viewport" content="width=device-width, initial- scale=1, shrink-to-fit=no" /> <meta name="description" content="" /> <meta name="author" content="" /> <title>Program Hamil - User</title> <link rel="icon" href="assets/img/OIP.jpeg" type="image/x- icon"> <link href="https://cdn.jsdelivr.net/npm/simple- datatables@7.1.2/dist/style.min.css" rel="stylesheet" /> <link href="css/styles.css" rel="stylesheet" /> <script src="https://use.fontawesome.com/releases/v 6.3.0/js/all.js" crossorigin="anonymous"></script> </head> <body class="sb-nav-fixed"> <nav class="sb-topnav navbar navbar- expand navbar-dark bg-primary"> <!-- Navbar Brand--> Pelatihan Ibu Hamil <!-- Sidebar Toggle--> <button class="btn btn-link btn-sm order-1 order-lg-0 me-4 me-lg-0" id="sidebarToggle" href="#!"><i class="fas fa-bars"></i></button> <!-- Navbar--> <form class="d-none d-md-inline-block form-inline ms-auto me-0 me-md-3 my-2 my-md-0"></form> <ul class="navbar-nav bg-primary ms- </pre>	<pre> action="aksi_programhamil.php"> <div class="modal-body"> <div class="mb-3"> <label class="form- label">Nama Ibu Hamil</label> <input type="text" class="form-control" name="nama" placeholder="masukkan nama"> </div> <div class="mb-3"> <label class="form- label">Usia</label> <input type="text" class="form-control" name="usia" placeholder="masukkan usia"> </div> <div class="mb-3"> <label class="form- label">Usia Kandungan</label> <input type="text" class="form-control" name="usiakand" placeholder="masukkan usia kandungan"> </div> <div class="mb-3"> <label class="form- label">Perkembangan</label> <input type="text" class="form-control" name="perkembangan" placeholder="masukkan perkembangan"> </div> <div class="mb-3"> <label class="form- label">Alamat</label> <input type="text" class="form-control" name="alamat" placeholder="masukkan alamat"> </div> <div class="mb-3"> <label class="form- label">Penyuluh</label> <input type="text" class="form-control" name="penyuluh" placeholder="masukkan nama penyuluh"> </div> </div> <div class="modal-footer"> <button type="submit" </pre>
---	--

<pre> auto ms-md-0 me-3 me-lg-4"> <li class="nav-item dropdown"> <i class="fas fa-user fa-fw"></i> <ul class="dropdown-menu dropdown-menu-end" aria- labelledby="navbarDropdown"> Logout </nav> <div id="layoutSidenav"> <div id="layoutSidenav_nav"> <nav class="sb-sidenav accordion sb- sidenav-white" id="sidenavAccordion"> <div class="sb-sidenav-menu bg- light"> <div class="nav"> <div class="sb-sidenav-menu- heading">Core</div> </pre>	<pre> class="btn btn-primary" name="bsimpan">Simpan</button> <button type="button" class="btn btn-secondary" data-bs- dismiss="modal">Batal</button> </div> </form> </div> </div> </div> <script crossorigin="anonymous"></script> <script src="js/datatables-simple- demo.js"></script> </body> </html> </pre>
--	---

Logout_admin.php

```

<?php

session_start();
unset($_SESSION['username']);
unset($_SESSION['password']);
unset($_SESSION['level']);
session_destroy();
echo "<script>alert('Anda telah keluar dari halaman
Admin');document.location='index.php'</script>";

```

Logout_user.php

```

<?php

session_start();
unset($_SESSION['username']);
unset($_SESSION['password']);
unset($_SESSION['level']);
session_destroy();
echo "<script>alert('Anda telah keluar dari halaman
User');document.location='index.php'</script>";

```