

## LISTING PROGRAM

### Index.php

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta name="description" content="">
  <meta name="author" content="">
  <title>PELAPORAN PELANGGAN</title>
  <link href="css/bootstrap.min.css" rel="stylesheet">
  <link href="css/blog-post.css" rel="stylesheet">
</head>

<body>
  <!-- Navigation -->
  <nav class="navbar navbar-inverse navbar-fixed-top" role="navigation">
    <div class="container">
      <!-- Brand and toggle get grouped for better mobile display -->
      <div class="navbar-header">
        <button type="button" class="navbar-toggle" data-toggle="collapse"
data-target="#bs-example-navbar-collapse-1">
          <span class="sr-only">Toggle navigation</span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
        </button>
        <a class="navbar-brand" href="#">PDAM</a>
      </div>
      <!-- Collect the nav links, forms, and other content for toggling -->
      <div class="collapse navbar-collapse" id="bs-example-navbar-collapse-
1">
        <ul class="nav navbar-nav navbar-right">
          <li><a href="#login" data-toggle="modal"><button class="btn btn-
primary btn-sm"><span class="glyphicon glyphicon-log-in"></span>
Login</button></a></li>
        </ul>
        <ul class="nav navbar-nav">
          <li class="active"><a href="index.php">survey</a></li>
        </ul>
      </div>
    </div>
  </nav>
</body>
</html>
```

```

        </div>
        <!-- /.navbar-collapse -->
    </div>
    <!-- /.container -->
</nav>

<div class="container">
    <div class="panel panel-default">
        <div class="panel-body" style="background-color:#e6e6e6;">
            <div class="col-lg-12">
                <center>
                    
                </center>
                <hr>
            </div>
            <div class="col-lg-12">
                <p align="center" style="background-color:black; color:white;">
                    <font size="5">PELAPORAN PELANGGAN</font>
                </p>
            </div>
            <div class="row">
                <div class="panel-body">
                    <form method='POST' action='aksi_kuosioner.php'
onsubmit="return validasisurvey(this)">
                        <script language="javascript">
                            function validasisurvey(form) {
                                if (form.companyName.value == "") {
                                    alert("Anda belum mengisikan nama Anda.");
                                    form.companyName.focus();
                                    return false;
                                }
                                if (form.companyAddress1.value == "") {
                                    alert("Anda belum mengisikan alamat Anda.");
                                    form.companyAddress1.focus();
                                    return false;
                                }
                                return true;
                            }
                        </script>
                        <table class="table">
                            <tr>
                                <td>

```

```

        <div class="form-horizontal" style="margin-
top:20px;background-color:#fff;padding-top:20px;padding-bottom:20px;">
            <div class="page-header" style="margin-left:30px;">
                <h3>Informasi Pelanggan</h3>
            </div>
            <div class="form-group">
                <label for="nama_pelanggan" class="control-label
col-sm-2">Nama Pelanggan</label>
                <div class="col-sm-3">
                    <div class="input-group">
                        <div class="input-group-addon">
                            <span class="glyphicon glyphicon-
user"></span>
                        </div>
                        <input type="text" id="nama_pelanggan"
class="form-control" name="companyName" placeholder="Nama Pelanggan">
                    </div>
                </div>
            </div>

            <div class="form-group">
                <label for="alamat_pelanggan" class="control-label
col-sm-2">Alamat</label>
                <div class="col-sm-3">
                    <div class="input-group">
                        <div class="input-group-addon">
                            <span class="glyphicon glyphicon-
bookmark"></span>
                        </div>
                        <input type="text" id="alamat_pelanggan"
class="form-control" name="companyAddress1" placeholder="Alamat">
                    </div>
                </div>
            </div>

            <div class="form-group">
                <label for="hp" class="control-label col-sm-
2">Telepon</label>
                <div class="col-sm-3">
                    <div class="input-group">
                        <div class="input-group-addon">
                            <span class="glyphicon glyphicon-
phone"></span>

```

```

        </div>
        <input type="text" id="hp" class="form-
control" name="companyHP" placeholder="No Handphone">
    </div>
</div>
<div class="form-group">
    <label for="tgl" class="control-label col-sm-
2">Tanggal</label>
    <div class="col-sm-3">
        <div class="input-group">
            <div class="input-group-addon">
                <span class="glyphicon glyphicon-
calendar"></span>
            </div>
            <?php
            include "fungsi/fungsi_indotgl.php";
            $tanggal = date('Y-m-d');
            $tglFinal = tgl_indo($tanggal);
            ?>
            <input type="text" id="tgl" class="form-
control" disabled name="" value="<?php echo $tglFinal; ?>">
        </div>
    </div>
</div>
</td>
</tr>
<tr>
    <td width="97%" valign="top" align="center" colspan="5"
style="border-style: none; border-width: medium">
        <font face="Arial" size="1"><b>Mohon kesediaan Anda
untuk memberikan penilaian dan masukan kepada kami, dimana hal ini sangat
bermanfaat untuk meningkatkan kualitas layanan kami.<br>
        </b><i>Silahkan diisi dengan mengklik option radio
serta keterangan sesuai dengan penilaian Anda pada kolom yang telah
disediakan</i></font>
    </td>
</tr>
<tr>
    <td colspan="9">
        <table class="table table-striped table-bordered">
            <thead>

```

```

<th width='3%'><b>
    <font face='Tahoma' size='2'>No</font>
</b></th>
<th colspan='2'>
    <p align='center'><b>
        <font face='Tahoma'
size='2'>DESKRIPSI</font>
        </b>
    </th>
<th colspan='5' bgcolor='#FFFF00'>
    <p align='center'>
        <font face='Tahoma'
size='2'>KUALITAS</font>
    </th>
</thead>
<tbody>
    <?php
include "koneksi.php";
$no = 1;
$sql = mysql_query("SELECT * FROM tgroup");
while ($data = mysql_fetch_array($sql)) {
    $id = $data['groupId'];
    ?>
    <tr valign='top'>
        <td>
            <font face='Tahoma' size='2'><b><?php
echo $no ?></b></font>
            </td>
            <td colspan='2'>
                <font face='Tahoma' size='2'><b><?php
echo $data['groupName'] ?></b></font>
            </td>
            <td height='25' width='8%'
bgcolor='#000000'>
                <p align='center'>
                    <font face='Tahoma' size='1'
color='white'>A<br>(Sangat Baik)</font>
                </td>
            <td height='25' width='8%'
bgcolor='#000000'>
                <p align='center'>
                    <font face='Tahoma' size='1'
color='white'>B<br>(Baik)</font>

```

```

        </td>
        <td height='25' width='8%'
bgcolor='#000000'>
            <p align='center'>
                <font face='Tahoma' size='1'
color='white'>C<br>(Cukup)</font>
            </td>
        <td height='25' width='8%'
bgcolor='#000000'>
            <p align='center'>
                <font face='Tahoma' size='1'
color='white'>D<br>(Buruk)</font>
            </td>
        <td height='25' width='8%'
bgcolor='#000000'>
            <p align='center'>
                <font face='Tahoma' size='1'
color='white'>E<br>(Sangat Buruk)</font>
            </td>
    </tr>
    <?php
        $hasil = mysql_query("SELECT * FROM
tdescription WHERE groupId = '$id' ORDER BY groupId");
        $i = 1;
        while ($r = mysql_fetch_array($hasil)) {
            ?>
            <tr>
                <td colspan='1'></td>
                <td colspan='2'>
                    <font face='Tahoma' size='2'><?php echo
$r['description'] ?></font>
                </td>
                <td align='center'><input type='radio'
name='<?php echo 'asfa' . $i . $data['groupId'] ?>' value='A'> </td>
                <td align='center'><input type='radio'
name='<?php echo 'asfa' . $i . $data['groupId'] ?>' value='B'> </td>
                <td align='center'><input type='radio'
name='<?php echo 'asfa' . $i . $data['groupId'] ?>' value='C'> </td>
                <td align='center'><input type='radio'
name='<?php echo 'asfa' . $i . $data['groupId'] ?>' value='D'> </td>
                <td align='center'><input type='radio'
name='<?php echo 'asfa' . $i . $data['groupId'] ?>' value='E'> </td>
            </tr>

```

```

        <?php
            $i++;
        }
        echo "<br>";
        $no++;
    }
    ?>
</tbody>
</table>
</td>
</tr>
<tr>
    <td colspan="8">
        <div class="well">
            <h4>Komentar / Saran...</h4>
            <div class="form-group">
                <textarea name='suggestion' class="form-control"
rows="3" placeholder="Tulis Komentar dan Saran..."></textarea>
            </div>
        </div>
        <hr>
    </td>
</tr>
<tr>
    <td colspan="8">
        <center><button type="submit" class="btn btn-primary
btn-lg">Submit</button></center>
    </td>
</tr>
<tr>
    <td width="97%" valign="top" align="center" colspan="5"
style="border-style: none; border-width: medium">
        <center class="well">
            <font face="Arial" size="1"><b>Terima Kasih Atas
Waktu dan Masukan yang anda berikan, Semua masukan yang anda berikan akan
kami terima sebagai sarana bagi kami untuk meningkatkan kualitas pelayanan
kami</b></font>
        </center>
    </td>
</tr>
</table>
</form>
</div>

```

```

</div>
</div>
</div>
<nav class="navbar navbar-inverse navbar-absolut-bottom" role="navigation">
  <div class="container">
    <!-- Brand and toggle get grouped for better mobile display -->
    <div class="navbar-header">
      <button type="button" class="navbar-toggle" data-toggle="collapse"
data-target="#bs-example-navbar-collapse-1">
        <span class="sr-only">Toggle navigation</span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
      </button>
    </div>
    <!-- Collect the nav links, forms, and other content for toggling -->
    <div class="collapse navbar-collapse" id="bs-example-navbar-collapse-
1">
      <center>
        <font color="white" size="1">Created By PDAM Lematang</font>
      </center>
    </div>
    <!-- /.navbar-collapse -->
  </div>
</nav>
<div class="modal fade" id="login">
  <form name="login" action="/adminweb/cek_login.php" method="POST"
onsubmit="return validasi(this)">
    <div class="modal-dialog">
      <div class="modal-content">
        <div class="modal-header" bgcolor="black">
          <button class="close" data-dismiss="modal">&times;</button>
          <div class="modal-title">
            <center>
              <h4>Login Admin</h4>
            </center>
          </div>
        </div>
        <div class="modal-body">
          <div class="form-horizontal">
            <div class="form-group">

```

```

        <label for="username" class="col-sm-3 control-
label">Username</label>
        <div class="col-sm-5">
            <div class="input-group">
                <div class="input-group-addon">
                    <span class="glyphicon glyphicon-user"></span>
                </div>
                <input type="text" class="form-control"
name="username" placeholder="Username">
            </div>
        </div>
    </div>
    <div class="form-group">
        <label for="password" class="col-sm-3 control-
label">Password</label>
        <div class="col-sm-5">
            <div class="input-group">
                <div class="input-group-addon">
                    <span class="glyphicon glyphicon-lock"></span>
                </div>
                <input type="password" class="form-control"
name="password" placeholder="Password">
            </div>
        </div>
    </div>
    <div class="form-group">
        <div class="col-sm-offset-3 col-sm-9">
            <button class="btn btn-primary" type="submit"><span
class="glyphicon glyphicon-log-in"></span> Masuk</button>
        </div>
    </div>
</div>
<div class="modal-footer">
    <center>Copyright &copy; 2023 PDAM Lematang<br> All rights
reserved.</center>
    <center>Created by PDAM Lematang.</center>
</div>
</div>
</form>
</div>

```

```

<script>
function validasi(form) {
    if (form.username.value == "") {
        alert("Anda belum mengisi username.");
        form.username.focus();
        return false;
    }
    if (form.password.value == "") {
        alert("Anda belum mengisi password.");
        form.password.focus();
        return false;
    }
    return true;
}
</script>

<script src="js/jquery.js"></script>
<script src="js/bootstrap.min.js"></script>
</body>

</html>

```

### **Aksi\_kuesioner.php**

```

<link href="css/bootstrap.min.css" rel="stylesheet">
<?php
error_reporting(0);
include "koneksi.php";
include "fungsi/fungsi_indotgl.php";
$companyName      = $_POST['companyName'];
$companyProduct   = $_POST['companyProduct'];
$companyAddress    = $_POST['companyAddress1'];
$companyPhone      = $_POST['companyPhone'];
$companyFax        = $_POST['companyHP'];
$companyPF         = $companyPhone . "" . $companyFax;
$suggestion        = $_POST['suggestion'];
$agreeCity         = $_POST['agreeCity'];
$date              = date('Y-m-d');
$companyId = date('Ymd his');

$no_hitung = 1;
$sql_hitung = mysql_query("SELECT * FROM tgroup");
while ($data_hitung = mysql_fetch_array($sql_hitung)) {

```

```

        $sid_hitung = $data_hitung['groupId'];
        $hasil_hitung = mysql_query("SELECT * FROM tdescription, tgroup
WHERE tdescription.groupId = '$sid_hitung' AND tdescription.groupId =
tgroup.groupId ORDER BY tgroup.groupId");
        $i_hitung = 1;
        while ($r_hitung = mysql_fetch_array($hasil_hitung)) {
            $sid_hitung = $data_hitung['groupId'];
            $asfa_hitung = $_POST['asfa'] . $i_hitung . $sid_hitung;
            if (empty($asfa_hitung)) {
                echo "<script lang=javascript>
                window.alert('Anda belum mengisi kuesioner atau
ada kuesioner yang belum terisi..!');
                history.back();
                </script>";
                exit;
            }

            $i_hitung++;
        }
        echo "<br>";
        $no_hitung++;
    }

    if (empty($companyName)) {
        echo "<script lang=javascript>
        window.alert('Isi Nama Anda');
        history.back();
        </script>";

        exit;
    } elseif (empty($companyAddress)) {
        echo "<script lang=javascript>
        window.alert('Isi Alamat Anda');
        history.back();
        </script>";

        exit;
    } elseif (empty($companyFax)) {
        echo "<script lang=javascript>
        window.alert('Isi No HP Anda');
        history.back();
        </script>";

        exit;
    } else {
        $no = 1;

```

```

        $sql = mysql_query("SELECT * FROM tgroup");
        mysql_query("INSERT INTO
tcompany(companyId,companyName,companyAddress,companyPhoneHP,dateSu
rvey,suggestion,product)
        VALUES('$companyId','$companyName','$companyAddress','$companyP
F','$date','$suggestion','$companyProduct')");
        while ($data = mysql_fetch_array($sql)) {
            $sid = $data['groupId'];
            $hasil = mysql_query("SELECT * FROM tdescription, tgroup
WHERE tdescription.groupId = '$sid' AND tdescription.groupId = tgroup.groupId
ORDER BY tgroup.groupId");
            $i = 1;
            while ($r = mysql_fetch_array($hasil)) {
                $sid = $data['groupId'];
                $asfa = $_POST['asfa' . $i . $sid];
                // echo "$i $asfa<br>";
                if ($asfa == 'A') {
                    mysql_query("INSERT INTO tanswer
(descriptionId,groupId,companyId,jawaban,jawabanA,jawabanB,jawabanC,jawab
anD,jawabanE)

                    VALUES('$r[descriptionId]','$r[groupId]','$companyId','$asfa','1','0','0','0','
0')");
                } elseif ($asfa == 'B') {
                    mysql_query("INSERT INTO tanswer
(descriptionId,groupId,companyId,jawaban,jawabanA,jawabanB,jawabanC,jawab
anD,jawabanE)

                    VALUES('$r[descriptionId]','$r[groupId]','$companyId','$asfa','0','1','0','0','
0')");
                } elseif ($asfa == 'C') {
                    mysql_query("INSERT INTO tanswer
(descriptionId,groupId,companyId,jawaban,jawabanA,jawabanB,jawabanC,jawab
anD,jawabanE)

                    VALUES('$r[descriptionId]','$r[groupId]','$companyId','$asfa','0','0','1','0','
0')");
                } elseif ($asfa == 'D') {
                    mysql_query("INSERT INTO tanswer
(descriptionId,groupId,companyId,jawaban,jawabanA,jawabanB,jawabanC,jawab
anD,jawabanE)

```

```

VALUES('$r[descriptionId]','$r[groupId]','$companyId','$asfa','0','0','0','1','
0)");
    } else {
        mysql_query("INSERT INTO tanswer
(descriptionId,groupId,companyId,jawaban,jawabanA,jawabanB,jawabanC,jawab
anD,jawabanE)

VALUES('$r[descriptionId]','$r[groupId]','$companyId','$asfa','0','0','0','0','
1)");
    }
    $i++;
}
echo "<br>";
$no++;
}

echo "<center><font face='Tahoma' size='2'>
Pelanggan yang terhormat,<br><br>
Terima kasih atas waktu yang telah diluangkan untuk
melengkapi survey yang kami sediakan. <br>
Pendapat Anda sangat berarti bagi kami untuk
meningkatkan pelayanan. <br><br>
Hormat kami, <br><br>
Management<br>
PDAM Lematang </font><br>
<a href='./index.php'>
<button class='btn btn-lg btn-info'><span class='glyphicon
glyphicon-arrow-left'></span> Kembali</button>
</a>
</center>";
}

?>

```

### Deskripsi.php

```

<script language="javascript">
function validasideskripsi(form){
    if (form.groupId.value == 0){
        alert("Anda belum mengisikan nama group.");
        form.groupId.focus();
        return (false);
    }
}

```



```

ID</div></th>
Deskripsi</div></th>

<th width="1%"><div id="konten">Grup
ID</div></th>
<th width="10%"><div id="konten">Nama
Deskripsi</div></th>

<th width="10%"><div
id="konten">Aksi</div></th>

</thead>
<tbody>
<?php

    $p    = new PagingSoal();
    $batas = 10;
    $posisi = $p->cariPosisi($batas);
    $id = "00";
    $stampil = mysql_query("SELECT *
FROM tdescription order by groupId asc limit $posisi,$batas ");
    $no = $posisi+1;
    while ($data =
mysql_fetch_array($stampil)){
        ?>
        <tr>

            <td><div
id="kontentd"><?php echo $no; ?></div></td>

            <td><div
id="kontentd"><?php echo $id;?><?php echo $data['groupId'];?></div></td>

            <td><div
id="kontentd"><?php echo $data['description'];?></div></td>

            <td><div
id="kontentd"><?php if($_SESSION['level']=="Super"){?><a
href="?module=description&act=editdescription&id=<?php echo
$data['descriptionId'];?>"><button class="btn btn-success btn-sm" ><span
class="glyphicon glyphicon-wrench"></span> Edit</button></a> | <a
href="<?php echo $aksi;?>?module=description&act=hapus&id=<?php echo
$data['descriptionId'];?>"><button class="btn btn-danger btn-sm" onclick="return
confirm('Hapus Deskripsi?')"><span class="glyphicon glyphicon-trash"></span>
Hapus</button></a><?php } ?></div>

            </td>

        </tr>

        <?php
        $no++;

```

```

    }
    $jmldata =
mysql_num_rows(mysql_query("SELECT * FROM tdescription"));
    $jmlhalaman = $p-
>jumlahHalaman($jmldata, $batas);
    $linkHalaman = $p-
>navHalaman($_GET['halaman'], $jmlhalaman);

    ?>
</tbody>
</table>

<?php echo "<ul class='pagination'> $linkHalaman </ul>";
?>
</div>
</div>

<?php
break;

// Form Tambah Deskripsi
case "tambahpertanyaan":
?>
<div class="row">
    <div class="col-lg-12">
        <h1 class="page-header">
            <i class="glyphicon glyphicon-user"></i> Manajemen Deskripsi
        </h1>
        <ol class="breadcrumb">
            <li class="active">
                <a href="master.php?module=description">Manajemen
Deskripsi</a> / <a
href="master.php?module=description&act=tambahpertanyaan">Tambah
Deskripsi</a>
            </li>
        </ol>
    </div>
</div>
<div class="panel panel-primary">
<div class="panel-heading">

```

```

        <div class="panel-title"><span class="glyphicon
glyphicon-list"></span> Tambah Deskripsi <i style="margin-
left:770px;"><button class="btn btn-success btn-sm "
onclick="window.location.href='?module=description'"><span class="glyphicon
glyphicon-arrow-left"></span> Kembali</button></i></div>
    </div>
    <div class="panel-body">
        <form method="POST" action="<?php echo
$aksi;?>?module=description&act=input" onSubmit="return validasi(this)"
class="form-horizontal" >
            <div class="form-group">
                <label for="name" class="col-sm-2 control-
label">Grup </label>
                <div class="col-sm-5">
                    <div class="input-group">
                        <div class="input-group-
addon">
                            <span
class="glyphicon glyphicon-tags"></span>
                        </div>
                        <select name="groupId"
id="" class="form-control">
                            <?php
                            $sql =
mysql_query("SELECT * FROM tgroup ORDER BY groupId");
                            while ($data =
mysql_fetch_array($sql)){
                                echo "<option
value='$data[groupId]'> $data[groupName]</option>";
                            }
                            ?>
                        </select>
                    </div>
                </div>
            </div>
            <div class="form-group">
                <label for="name" class="col-sm-2 control-
label">Deskripsi/Pertanyaan </label>
                <div class="col-sm-5">
                    <textarea class="form-control"
rows="4" name="deskripsi" class="form-control"></textarea>
                </div>
            </div>

```

```

        <div class="form-group">
            <label for="" class="col-sm-2 control-
label"></label>

            <div class="col-sm-6">
                <button class="btn btn-primary"
type="submit"><span class="glyphicon glyphicon-floppy-save"></span>
Simpan</button> &nbsp;<button class="btn btn-danger" type="button"
onclick="self.history.back()"><span class="glyphicon glyphicon-
remove"></span> Batal</button>

            </div>

        </div>
    </form>
</div>
<?php
break;

// Form Edit deskripsi
case "editdescription":
    $edit = mysql_query("SELECT * FROM tdescription WHERE
descriptionId=$_GET[id]");
    $r = mysql_fetch_array($edit);
    ?>

    <div class="row">
        <div class="col-lg-12">
            <h1 class="page-header">
                <i class="glyphicon glyphicon-user"></i> Manajemen Deskripsi
            </h1>
            <ol class="breadcrumb">
                <li class="active">
                    <a href="master.php?module=description">Manajemen
Deskripsi</a> / <a
href="master.php?module=description&act=editdescription&id=<?php echo
$r['descriptionId'];?>">Edit Deskripsi</a>
                </li>
            </ol>
        </div>
    </div>
    <div class="panel panel-primary">
        <div class="panel-heading">
            <div class="panel-title">

```

```

        <i class="glyphicon glyphicon-wrench"></i> Edit
Deskripsi
    </div>
</div>
<div class="panel-body">
    <form method="POST" action="<?php echo $aksi
?>?module=description&act=update" class="form-horizontal" >
        <input type="hidden" name="id" value="<?php
echo $r['descriptionId']; ?>">
        <div class="form-group">
            <label for="group" class="col-sm-2 control-
label">Grup </label>
            <div class="col-sm-5">
                <div class="input-group">
                    <div class="input-group-
addon">
                        <span
class="glyphicon glyphicon-list"></span>
                    </div>
                    <select name="groupId"
class="form-control">
                        <?php
                        $sql =
mysql_query("SELECT * FROM tgroup");
                        while($data =
mysql_fetch_array($sql)){
                            if($r['groupId']
== $data['groupId']){
                                echo
                                "<option value='$data[groupId]' SELECTED>$data[groupName]</option>";
                            }
                            else{
                                echo
                                "<option value='$data[groupId]'>$data[groupName]</option>";
                            }
                        }
                    <?>
                </select>
            </div>
        </div>
    </div>

```

```

        </div>
        <div class="form-group">
            <label for="name" class="col-sm-2 control-label">Deskripsi/Pertanyaan </label>
            <div class="col-sm-5">
                <textarea name="description" id=""
class="form-control"><?php echo $r['description']; ?>
                </textarea>
            </div>
        </div>

```

```

        <div class="form-group">
            <label for="" class="col-sm-2 control-label"></label>
            <div class="col-sm-6">
                <button class="btn btn-primary"
type="submit"><span class="glyphicon glyphicon-floppy-save"></span>
Simpan</button> &nbsp;<button class="btn btn-danger" type="button"
onclick="self.history.back()"><span class="glyphicon glyphicon-
remove"></span> Batal</button>
            </div>

```

```

        </div>

```

```

    </form>

```

```

</div>

```

```

</div>

```

```

<?php
break;
}
?>

```

### Group.php

```

<script language="javascript">
    function validasigrup(form) {
        if (form.grup.value == "") {
            alert("Anda belum mengisi nama grup.");
            form.grup.focus();
            return (false);
        }
    }
}

```

</script>

<?php

\$aksi = "modul/mod\_group/aksi\_group.php";

switch (\$\_GET['act']) {

// Tampil Group

default:

?>

<div class="row">

<div class="col-lg-12">

<h1 class="page-header">

<i class="glyphicon glyphicon-user"></i>

Manajemen Kriteria

</h1>

<ol class="breadcrumb">

<li class="active">

<a

href="master.php?module=group">Manajemen kriteria</a>

</li>

</ol>

</div>

</div>

<div class="panel panel-primary">

<div class="panel-heading">

<div class="panel-title"><span class="glyphicon glyphicon-list"></span>List kriteria Kuesioner <i style="margin-

left:750px;"><?php if (\$\_SESSION['level'] == "Super") { ?><button class="btn btn-success btn-sm "

onclick="window.location.href='?module=group&act=tambahgroup'"><span class="glyphicon glyphicon-plus"></span> Tambah Group</button></i><?php } ?></div>

</div>

<div class="panel-body">

<table id="tablekonten" class="table table-striped table-bordered table-responsive" style="">

<thead>

<th width="1%">

<div id="konten">No</div>

</th>

<th width="1%">

```

ID</div>
<div id="konten">Kriteria
</th>
<th width="10%">
<div id="konten">Nama
Kriteria</div>
</th>
<th width="10%">
<div
id="konten">Aksi</div>
</th>
</thead>
<tbody>
<?php
$sp    = new PagingGroup();
$batas = 10;
$posisi = $p->cariPosisi($batas);
$stampil = mysql_query("SELECT *
FROM tgroup order by groupName asc limit $posisi,$batas");
$no = $posisi;
$id = "0";
while ($data =
mysql_fetch_array($stampil)) {
?>
<tr>
<td>
<div
id="kontentd"><?php echo $no; ?></div>
</td>
<td>
<div
id="kontentd"><?php echo $id; ?><?php echo $data['groupId']; ?></div>
</td>
<td>
<div
id="kontentd"><?php echo $data['groupName']; ?></div>
</td>
<td><?php if
($ _SESSION['level'] == "Super") { ?><div id="kontentd"><a
href="?module=group&act=editgroup&id=<?php echo $data['groupId'];

```

```

?>"><button class="btn btn-success btn-sm"><span class="glyphicon glyphicon-
wrench"></span> Edit</button></a> | <a href="<?php echo $aksi;
?>?module=group&act=hapus&id=<?php echo $data['groupId']; ?>"><button
class="btn btn-danger btn-sm" onclick="return confirm('Hapus Grup?')"><span
class="glyphicon glyphicon-trash"></span> Hapus</button></a></div><?php }
?>

```

```

</td>

```

```

</tr>

```

```

<?php
    $no++;
}

```

```

    $jmldata =
mysql_num_rows(mysql_query("SELECT * FROM tgroup"));
    $jmlhalaman = $p-
>jumlahHalaman($jmldata, $batas);
    $linkHalaman = $p-
>navHalaman($_GET['halaman'], $jmlhalaman);

```

```

?>

```

```

</tbody>

```

```

</table>

```

```

<ul class="pagination">
    <?php echo "$linkHalaman"; ?>
</ul>

```

```

</div>

```

```

</div>

```

```

<?php
    break;

```

```

    // Form Tambah group
case "tambahgroup":
?>

```

```

    <div class="row">
        <div class="col-lg-12">
            <h1 class="page-header">

```

```

<i class="glyphicon glyphicon-user"></i>
Manajemen Kriteria
</h1>
<ol class="breadcrumb">
  <li class="active">
    <a
href="master.php?module=group">Manajemen Kriteria</a> / <a
href="master.php?module=group&act=tambahgroup">Tambah Kriteria</a>
    </li>
  </ol>
</div>
</div>
<div class="panel panel-primary">
  <div class="panel-heading">
    <div class="panel-title"><span class="glyphicon
glyphicon-list"></span> Tambah Kriteria kuesioner <i style="margin-
left:770px;"><button class="btn btn-success btn-sm "
onclick="window.location.href='?module=group'"><span class="glyphicon
glyphicon-arrow-left"></span> Kembali</button></i></div>
    </div>
    <div class="panel-body">
      <form method="POST" action="<?php echo $aksi;
?>?module=group&act=input" onSubmit="return validasi(this)" class="form-
horizontal">
        <div class="form-group">
          <label for="name" class="col-sm-2
control-label">Nama Group</label>
          <div class="col-sm-5">
            <div class="input-group">
              <div class="input-
group-addon">
                <span
class="glyphicon glyphicon-tags"></span>
              </div>
              <input type="text"
name="grup" class="form-control" placeholder="Nama Group">
            </div>
          </div>
        </div>
        <div class="form-group">
          <label for="" class="col-sm-2
control-label"></label>
          <div class="col-sm-6">

```

```

        <button class="btn btn-
primary" type="submit"><span class="glyphicon glyphicon-floppy-
save"></span> Simpan</button> &nbsp;<button class="btn btn-danger"
type="button" onclick="self.history.back()"><span class="glyphicon glyphicon-
remove"></span> Batal</button>

        </div>

    </div>
</form>
</div>
</div>
<?php
    break;

    // Form Edit group
    case "editgroup":
        $edit = mysql_query("SELECT * FROM tgroup WHERE
groupId='$_GET[id]'");
        $r = mysql_fetch_array($edit);
    ?>
    <div class="row">
        <div class="col-lg-12">
            <h1 class="page-header">
                <i class="glyphicon glyphicon-user"></i>
Manajemen Group
            </h1>
            <ol class="breadcrumb">
                <li class="active">
                    <a
href="master.php?module=group">Manajemen Group</a> / <a
href="?module=group&act=editgroup&id=<?php echo $r['groupId']; ?>">Edit
Group</a>
                    </li>
                </ol>
            </div>
        </div>
        <div class="panel panel-primary">
            <div class="panel-heading">
                <div class="panel-title">
                    <i class="glyphicon glyphicon-
wrench"></i> Edit Group
                </div>
            </div>
        </div>
    </div>

```

```

        <div class="panel-body">
            <form method="POST" action="<?php echo $aksi
?>?module=group&act=update" class="form-horizontal">
                <input type="hidden" name="id"
value="<?php echo $r['groupId']; ?>">
                <div class="form-group">
                    <label for="group" class="col-sm-2
control-label">Nama Grup</label>
                    <div class="col-sm-5">
                        <div class="input-group">
                            <div class="input-
group-addon">
                                <span
class="glyphicon glyphicon-user"></span>
                                </div>
                                <input type="text"
name="grup" class="form-control" placeholder="Nama Group" value="<?php
echo $r['groupName']; ?>">
                                </div>
                            </div>
                        </div>
                    </div>
                </div>

                <div class="form-group">
                    <label for="" class="col-sm-2
control-label"></label>
                    <div class="col-sm-6">
                        <button class="btn btn-
primary" type="submit"><span class="glyphicon glyphicon-floppy-
save"></span> Simpan</button> &nbsp;<button class="btn btn-danger"
type="button" onclick="self.history.back()"><span class="glyphicon glyphicon-
remove"></span> Batal</button>
                    </div>
                </div>
            </form>
        </div>
    </div>

    <?php
        break;
    }

```

?>

## Hasil.php

<title>responden</title>

<style>

```
.btn {
    display: inline-block;
    padding: 6px 12px;
    font-size: 14px;
    font-weight: normal;
    line-height: 1.42857143;
    text-align: center;
    white-space: nowrap;
    vertical-align: middle;
    -ms-touch-action: manipulation;
    touch-action: manipulation;
    cursor: pointer;
    -webkit-user-select: none;
    -moz-user-select: none;
    -ms-user-select: none;
    user-select: none;
    background-image: none;
    border: 1px solid transparent;
    border-radius: 4px;
    background-color: #5cb85c;
    padding: 5px 10px;
    font-size: 12px;
    line-height: 1.5;
    border-radius: 3px;
    margin-top: 10px;
    margin-bottom: 10px;
    color: white;
}
```

@font-face {

font-family: 'Glyphicons Halflings';

src: url('../..../fonts/glyphicons-halflings-regular.eot');

src: url('../..../fonts/glyphicons-halflings-regular.eot?#iefix')

format('embedded-opentype'), url('../..../fonts/glyphicons-halflings-regular.woff2') format('woff2'), url('../..../fonts/glyphicons-halflings-regular.woff') format('woff'), url('../..../fonts/glyphicons-halflings-regular.ttf')

```
format('truetype'), url('../..../fonts/glyphicons-halflings-regular.svg#glyphicons_halflingsregular') format('svg');
}
```

```
.glyphicon {
    position: relative;
    top: 1px;
    display: inline-block;
    font-family: 'Glyphicons Halflings';
    font-style: normal;
    font-weight: normal;
    line-height: 1;

    -webkit-font-smoothing: antialiased;
    -moz-osx-font-smoothing: grayscale;
}
```

```
.glyphicon-print:before {
    content: "\e045";
}
```

```
.glyphicon-arrow-left:before {
    content: "\e091";
}
```

```
</style>
```

```
<?php
```

```
if ($_GET['act'] == 'detail') {
    error_reporting(1);
    session_start();
```

```
include "../..../koneksi.php";
include "../..../fungsi/fungsi_indotgl.php";
include "../..../fungsi/fungsi_rubah_tanda.php";
```

```
$hasil = mysql_query("SELECT * FROM tdescription");
$date = date('Y-m-d');
$time = date('H:i:s');
```

```
$responden = mysql_fetch_array(mysql_query("SELECT * FROM
tanswer, tcompany WHERE tanswer.companyId = '$_GET[id]' AND
tcompany.companyId = tanswer.companyId"));
```

```

$dateIndo = tgl_indo($responden['dateSurvey']);

echo "<center><table border=0 cellpadding=10 cellspacing=3 bgcolor=#e6e6e6>
    <tr >
        <td colspan='8' bgcolor=#337ab7 style='border: none
;color:white;'>
            <b><font size=5>LAPORAN KUESIONER
RESPONDEN</font></b>
            <a href='exportExcelResponden.php?id=$_GET[id]'+
            </td>
        </tr>
        <tr>
            <td >Nama Responden</td> <td>:</td><td
colspan='6'><b>$responden[companyName]</b></td>
        </tr>
        <tr>
            <td >Alamat</td><td
width='1'>:</td><td><b>$responden[companyAddress]</b></td>
        </tr>
        <tr>
            <td >Telp / HP</td> <td>:</td><td>
<b>$responden[companyPhoneHP]</b></td>
        </tr>
        <tr>
            <td width=150>Tanggal Isi Survey</td> <td
width=1>:</td><td > <b>$dateIndo </b></td>
        </tr>
        <tr>
            <td >Kritik dan Saran</td> <td>:</td><td>
<b>$responden[suggestion]</b></td>
        </tr>
        <tr>
            <td colspan=8 >
                <table border=1 cellpadding=2 bgcolor='#fff'+
                <tr>
                    <td bgcolor=#c6e1f2
align=center><b>NO</b></td>
                    <td bgcolor=#c6e1f2
align=center><b>Group ID</b></td>
                    <td bgcolor=#c6e1f2
align=center><b>DESCRIPTION</b></td>

```

```

                                <td bgcolor=#c6e1f2
align=center><b>JAWABAN A</b></td>
                                <td bgcolor=#c6e1f2
align=center><b>JAWABAN B</b></td>
                                <td bgcolor=#c6e1f2
align=center><b>JAWABAN C</b></td>
                                <td bgcolor=#c6e1f2
align=center><b>JAWABAN D</b></td>
                                <td bgcolor=#c6e1f2
align=center><b>JAWABAN E</b></td>
                                </tr>

```

```

";
$no = 1;
while ($data = mysql_fetch_array($hasil)) {
    $descriptionId = $data['descriptionId'];
    $sql = mysql_query("SELECT SUM(jawabanA) As TotalA,
                                SUM(jawabanB) As TotalB,
                                SUM(jawabanC) As TotalC,
                                SUM(jawabanD) As TotalD,
                                SUM(jawabanE) As TotalE
                                FROM tanswer WHERE
descriptionId = '$descriptionId' AND companyId = '$_GET[id]')");

    while ($oke = mysql_fetch_array($sql)) {
        $a = rubah($oke['TotalA']);
        $b = rubah($oke['TotalB']);
        $c = rubah($oke['TotalC']);
        $d = rubah($oke['TotalD']);
        $e = rubah($oke['TotalE']);
        echo "<tr valign=top >
                                <td align='center'>$no</td>
                                <td align='center'>$data[groupId]</td>
                                <td>$data[description]</td>
                                <td align='center'>$a</td>
                                <td align='center'>$b</td>
                                <td align='center'>$c</td>
                                <td align='center'>$d</td>
                                <td align='center'>$e</td>
                                </tr>

";

```

```

        $no++;
    }
}
$data_count = mysql_fetch_array(mysql_query("SELECT
SUM(jawabanA) As
TotalA,
SUM(jawabanB) As
TotalB,
SUM(jawabanC) As
TotalC,
SUM(jawabanD) As
TotalD,
SUM(jawabanE) As
TotalE
FROM tanswer
WHERE companyId = '$_GET[id]'"));
echo " <tr align='center'>

        <td bgcolor=#c6e1f2 align='center'
colspan='3'><b>Total</b></td>
        <td
bgcolor=#c6e1f2><b>$data_count[TotalA]</b></td>
        <td
bgcolor=#c6e1f2><b>$data_count[TotalB]</b></td>
        <td
bgcolor=#c6e1f2><b>$data_count[TotalC]</b></td>
        <td
bgcolor=#c6e1f2><b>$data_count[TotalD]</b></td>
        <td
bgcolor=#c6e1f2><b>$data_count[TotalE]</b></td>
        </tr>
        </table>
    </td>
</tr>
</table>
</center>";
}
if ($_GET['act'] == 'detail2') {
    error_reporting(1);
    session_start();

    include "../koneksi.php";

```

```

include ".././../fungsi/fungsi_indotgl.php";
include ".././../fungsi/fungsi_rubah_tanda.php";

$hasil = mysql_query("SELECT * FROM tpengaduan");
$date = date('Y-m-d');
$time = date('H:i:s');

$responden = mysql_fetch_array(mysql_query("SELECT * FROM
tpengaduan WHERE tpengaduan.no = '$_GET[id]'"));
$dateIndo = tgl_indo($responden['tanggal']);

echo "<center><table border=0 cellpadding=10 cellspacing=3 bgcolor=
#e6e6e6>
    <tr >
        <td colspan='8' bgcolor=#337ab7 style='border: none
; color:white;'>
            <b><font size=5>LAPORAN KUESIONER
RESPONDEN</font></b>
            <a href='exportExcelResponden.php?id=$_GET[id]'"
            </td>
        </tr>
        <tr>
            <td >Nama Responden</td> <td>:</td><td
colspan='6'><b>$responden[nama]</b></td>
        </tr>
        <tr>
            <td >Alamat</td><td
width='1'>:</td><td><b>$responden[alamat]</b></td>
        </tr>
        <tr>
            <td >No HP</td> <td>:</td><td>
<b>$responden[no_hp]</b></td>
        </tr>
        <tr>
            <td width=150>Tanggal Isi Survey</td> <td
width=1>:</td><td > <b>$dateIndo </b></td>
        </tr>
        <tr>
            <td >Kategori</td> <td>:</td><td>
<b>$responden[kategori]</b></td>
        </tr>
    </tr>

```

```
                <td >Keterangan</td> <td>:</td><td>
<b>$responden[keterangan]</b></td>
            </tr>
```

```

            <tr>
                <td colspan=8 >

            </td>

        </tr>
    </table>
</center>";
}
```

```
if ($_GET['act'] == 'hapus') {
    include "../../koneksi.php";
    mysql_query("DELETE FROM tcompany WHERE
companyId=$_GET[id]");

    header('location:../master.php?module=hasil&sub=laporan');
}
if ($_GET['act'] == 'hapus1') {
    include "../../koneksi.php";
    mysql_query("DELETE FROM tpengaduan WHERE no=$_GET[id]");

    header('location:../master.php?module=hasil&sub=laporan');
}
?>
```

```
<script>
    window.print();
</script>
```

### **Responden.php**

```
<title>responden</title>
<style>
```

```
    .btn {
        display: inline-block;
        padding: 6px 12px;
        font-size: 14px;
        font-weight: normal;
        line-height: 1.42857143;
        text-align: center;
        white-space: nowrap;
```

```
vertical-align: middle;
-ms-touch-action: manipulation;
touch-action: manipulation;
cursor: pointer;
-webkit-user-select: none;
-moz-user-select: none;
-ms-user-select: none;
user-select: none;
background-image: none;
border: 1px solid transparent;
border-radius: 4px;
background-color: #5cb85c;
padding: 5px 10px;
font-size: 12px;
line-height: 1.5;
border-radius: 3px;
margin-top: 10px;
margin-bottom: 10px;
color: white;
}
```

```
@font-face {
    font-family: 'Glyphicons Halflings';

    src: url('../..../fonts/glyphicons-halflings-regular.eot');
    src: url('../..../fonts/glyphicons-halflings-regular.eot?#iefix')
format('embedded-opentype'), url('../..../fonts/glyphicons-halflings-
regular.woff2') format('woff2'), url('../..../fonts/glyphicons-halflings-
regular.woff') format('woff'), url('../..../fonts/glyphicons-halflings-regular.ttf')
format('truetype'), url('../..../fonts/glyphicons-halflings-
regular.svg#glyphicons_halflingsregular') format('svg');
}
```

```
.glyphicon {
    position: relative;
    top: 1px;
    display: inline-block;
    font-family: 'Glyphicons Halflings';
    font-style: normal;
    font-weight: normal;
    line-height: 1;

    -webkit-font-smoothing: antialiased;
```

```

        -moz-osx-font-smoothing: grayscale;
    }

    .glyphicon-print:before {
        content: "\e045";
    }

    .glyphicon-arrow-left:before {
        content: "\e091";
    }
</style>
<?php
if ($_GET['act'] == 'detail') {
    error_reporting(1);
    session_start();

    include "../..//koneksi.php";
    include "../..//fungsi/fungsi_indotgl.php";
    include "../..//fungsi/fungsi_rubah_tanda.php";

    $hasil = mysql_query("SELECT * FROM tdescription");
    $date = date('Y-m-d');
    $time = date('H:i:s');

    $responden = mysql_fetch_array(mysql_query("SELECT * FROM
tanswer, tcompany WHERE tanswer.companyId = '$_GET[id]' AND
tcompany.companyId = tanswer.companyId"));
    $dateIndo = tgl_indo($responden['dateSurvey']);

    echo "<center><table border=0 cellpadding=10 cellspacing=3 bgcolor=
#e6e6e6>
        <tr >
            <td colspan='8' bgcolor=#337ab7 style='border: none
; color:white;'>
                <b><font size=5>LAPORAN KUESIONER
RESPONDEN</font></b>
                <a href='exportExcelResponden.php?id=$_GET[id]'>
                </td>
            </tr>
        <tr>

```

```

        <td >Nama Responden</td> <td>:</td><td
colspan='6'><b>$responden[companyName]</b></td>
    </tr>
    <tr>
        <td >Alamat</td><td
width='1'>:</td><td><b>$responden[companyAddress]</b></td>
    </tr>
    <tr>
        <td >Telp / HP</td> <td>:</td><td>
<b>$responden[companyPhoneHP]</b></td>
    </tr>
    <tr>
        <td width=150>Tanggal Isi Survey</td> <td
width=1>:</td><td > <b>$dateIndo </b></td>
    </tr>
    <tr>
        <td >Kritik dan Saran</td> <td>:</td><td>
<b>$responden[suggestion]</b></td>
    </tr>
    <tr>
        <td colspan=8 >
            <table border=1 cellpadding=2 bgcolor='#fff'>
                <tr>
                    <td bgcolor=#c6e1f2
align=center><b>NO</b></td>
                    <td bgcolor=#c6e1f2
align=center><b>Group ID</b></td>
                    <td bgcolor=#c6e1f2
align=center><b>DESCRIPTION</b></td>
                    <td bgcolor=#c6e1f2
align=center><b>JAWABAN A</b></td>
                    <td bgcolor=#c6e1f2
align=center><b>JAWABAN B</b></td>
                    <td bgcolor=#c6e1f2
align=center><b>JAWABAN C</b></td>
                    <td bgcolor=#c6e1f2
align=center><b>JAWABAN D</b></td>
                    <td bgcolor=#c6e1f2
align=center><b>JAWABAN E</b></td>
                </tr>
            </table>

```

";

```

$no = 1;
while ($data = mysql_fetch_array($hasil)) {
    $descriptionId = $data['descriptionId'];
    $sql = mysql_query("SELECT SUM(jawabanA) As TotalA,
                                SUM(jawabanB) As TotalB,
                                SUM(jawabanC) As TotalC,
                                SUM(jawabanD) As TotalD,
                                SUM(jawabanE) As TotalE
                                FROM tanswer WHERE
descriptionId = '$descriptionId' AND companyId = '$_GET[id]'");

    while ($oke = mysql_fetch_array($sql)) {
        $a = rubah($oke['TotalA']);
        $b = rubah($oke['TotalB']);
        $c = rubah($oke['TotalC']);
        $d = rubah($oke['TotalD']);
        $e = rubah($oke['TotalE']);
        echo "<tr valign=top >
                <td align='center'>$no</td>
                <td align='center'>$data[groupId]</td>
                <td>$data[description]</td>
                <td align='center'>$a</td>
                <td align='center'>$b</td>
                <td align='center'>$c</td>
                <td align='center'>$d</td>
                <td align='center'>$e</td>
            </tr>

            ";

        $no++;
    }
}
$data_count = mysql_fetch_array(mysql_query("SELECT
                                SUM(jawabanA) As
TotalA,
                                SUM(jawabanB) As
TotalB,
                                SUM(jawabanC) As
TotalC,
                                SUM(jawabanD) As
TotalD,
                                SUM(jawabanE) As
TotalE
                                FROM tanswer WHERE
descriptionId = '$descriptionId' AND companyId = '$_GET[id]'"));

```

```

TotalE
SUM(jawabanE) As

FROM tanswer

WHERE companyId = '$_GET[id]");
echo " <tr align='center'>

        <td bgcolor=#c6e1f2 align='center'
colspan='3'><b>Total</b></td>
        <td
bgcolor=#c6e1f2><b>$data_count[TotalA]</b></td>
        <td
bgcolor=#c6e1f2><b>$data_count[TotalB]</b></td>
        <td
bgcolor=#c6e1f2><b>$data_count[TotalC]</b></td>
        <td
bgcolor=#c6e1f2><b>$data_count[TotalD]</b></td>
        <td
bgcolor=#c6e1f2><b>$data_count[TotalE]</b></td>
    </tr>
</table>

</td>

</tr>

</table>
</center>";
}
if ($_GET['act'] == 'detail2') {
    error_reporting(1);
    session_start();

    include "../koneksi.php";
    include "../fungsi/fungsi_indotgl.php";
    include "../fungsi/fungsi_rubah_tanda.php";

    $hasil = mysql_query("SELECT * FROM tpengaduan");
    $date = date('Y-m-d');
    $time = date('H:i:s');

    $responden = mysql_fetch_array(mysql_query("SELECT * FROM
tpengaduan WHERE tpengaduan.no = '$_GET[id]'"));
    $dateIndo = tgl_indo($responden['tanggal']);

```

```

        echo "<center><table border=0 cellpadding=10 cellspacing=3 bgcolor=
#e6e6e6>
            <tr >
                <td colspan='8' bgcolor=#337ab7 style='border: none
;color:white;'>
                    <b><font size=5>LAPORAN KUESIONER
RESPONDEN</font></b>
                    <a href='exportExcelResponden.php?id=$_GET[id]'">
                    </td>
                </tr>
                <tr>
                    <td >Nama Responden</td> <td>:</td><td
colspan='6'><b>$responden[nama]</b></td>
                </tr>
                <tr>
                    <td >Alamat</td><td
width='1'>:</td><td><b>$responden[alamat]</b></td>
                </tr>
                <tr>
                    <td >No HP</td> <td>:</td><td>
<b>$responden[no_hp]</b></td>
                </tr>
                <tr>
                    <td width=150>Tanggal Isi Survey</td> <td
width=1>:</td><td > <b>$dateIndo </b></td>
                </tr>
                <tr>
                    <td >Kategori</td> <td>:</td><td>
<b>$responden[kategori]</b></td>
                </tr>
                <tr>
                    <td >Keterangan</td> <td>:</td><td>
<b>$responden[keterangan]</b></td>
                </tr>
            <tr>
                <td colspan=8 >
            </td>
        </tr>
    </table>
</center>";
}

```

```
if ($_GET['act'] == 'hapus') {
    include "../../koneksi.php";
    mysql_query("DELETE FROM tcompany WHERE
companyId='$_GET[id]'");

    header('location:../master.php?module=hasil&sub=laporan');
}
if ($_GET['act'] == 'hapus1') {
    include "../../koneksi.php";
    mysql_query("DELETE FROM tpengaduan WHERE no='$_GET[id]'");

    header('location:../master.php?module=hasil&sub=laporan');
}
?>

<script>
    window.print();
</script>
```