

DataPekerja.blade.php

```
@extends ('layoutadmin')

@section ('index')

<div class="card" style="">

    <div class="card-body">

        <h5 class="card-title">DATA PEKERJA
        BAU</h5>

        <div class="table-responsive">

            <a class="btn btn-info"
            href="{{ route('tambahpekerja') }}">Tambah
            Pekerja</a>

            <table class="table">

                <thead>

                    <tr>

                        <th scope="col">NO</th>

                        <th scope="col">Nama</th>

                        <th scope="col">No.Peg</th>

                        <th scope="col">Asal RU</th>

                        <th scope="col">Fungsi</th>

                        <th scope="col">Bagian</th>

                        <th scope="col">Status</th>

                        <th scope="col">Aksi</th>

                        <th scope="col">TOLAK /
                        TERIMA</th>

                    </tr>

                </thead>

                <tbody>

                    @foreach ($pekerja as $item)

                        <tr>

                            <td>{{ $loop->iteration }}</td>

                            <td>{{ $item->nama }}</td>

                            <td>{{ $item->NIP }}</td>

                            <td>{{ $item->Asal_RU }}</td>
```

```
<td>{{ $item->Fungsi }}</td>

                            <td>{{ $item->Bagian }}</td>

                            <td>{{ $item->statuspenerimaan }}</td>

                            <td>

                                <a href="{{ route('editpekerja', $item-
                                >id) }}" class="btn btn-info mb-2">Edit</a>

                                <form action="{{ route('deletepekerja',
                                $item->id) }}" method="post"
                                style="display:inline;">

                                    @csrf

                                    @method("delete")

                                    <button type="submit" class="btn btn-
                                    danger mb-2">Delete</button>

                                </form>

                            </td>

                            <td>

                                <form action="{{ route('updateStatus', ['id'
                                => $item->id, 'status' => 'diterima']) }}"
                                method="post"

                                    style="display:inline;">

                                    @csrf

                                    <button type="submit" class="btn btn-
                                    success mb-2">Diterima</button>

                                </form>

                                <form action="{{ route('updateStatus', ['id'
                                => $item->id, 'status' => 'ditolak']) }}"
                                method="post"

                                    style="display:inline;">

                                    @csrf

                                    <button type="submit" class="btn btn-
                                    warning mb-2">Ditolak</button>

                                </form>

                            </td>

                        </tr>

                    @endforeach

                </tbody>

            </table>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
@endsection
```

EditPekerja.blade.php

```
@extends ('layoutadmin')
```

```
@section ('index')
```

```
<div class="card">
```

```
<div class="card-body">
```

```
<form action="{{ route('updatepekerja',  
$pekerja->id) }}" method="post">
```

```
@csrf
```

```
@method("patch")
```

```
<div class="mb-3">
```

```
<label for="nama" class="form-  
label">Nama Lengkap</label>
```

```
<input type="text" name="nama"  
value="{{ $pekerja->nama }}" class="form-  
control" id="nama"
```

```
aria-describedby="namaHelp">
```

```
<label for="nip" class="form-label">No.  
Pegawai</label>
```

```
<input type="number" name="NIP"  
value="{{ $pekerja->NIP }}" class="form-  
control" id="nip"
```

```
aria-describedby="nipHelp">
```

```
<label for="asal_ru" class="form-  
label">Asal RU</label>
```

```
<select class="form-select"  
name="Asal_RU" id="asal_ru">
```

```
<option disabled>Pilih Asal RU</option>
```

```
@php
```

```
$ruOptions = [
```

```
'RU V Balikpapan',
```

```
'RU IV Cilacap',
```

```
'RU II Dumai',
```

```
'RU VI Balongan'
```

```
];
```

```
@endphp
```

```
@foreach($ruOptions as $option)
```

```
<option value="{{ $option }}" {{ $pekerja-  
>Asal_RU == $option ? 'selected' : " " }}>
```

```
{{ $option }}
```

```
</option>
```

```
@endforeach
```

```
</select>
```

```
<label for="fungsi" class="form-  
label">Fungsi</label>
```

```
<select class="form-select" name="Fungsi"  
id="fungsi">
```

```
<option disabled>Pilih Fungsi</option>
```

```
@php
```

```
$fungsiOptions = [
```

```
'Maintenance Execution (ME)',
```

```
'Turnaround',
```

```
'Health, Safety, Security, Environment  
(HSSE)',
```

```
'Maintenance, Planning, Support (MPS)',
```

```
'Engine Development (EngDev)'
```

```
];
```

```
@endphp
```

```
@foreach($fungsiOptions as $option)
```

```
<option value="{{ $option }}" {{ $pekerja-  
>Fungsi == $option ? 'selected' : " " }}>
```

```
{{ $option }}
```

```
</option>
```

```

@endforeach

</select>

<label for="bagian" class="form-label">Bagian</label>

<select class="form-select" name="Bagian" id="bagian">

    <option disabled>Pilih Bagian</option>

    @php
$bagianOptions = [
    'Maintenance Area-1',
    'Maintenance Area-2',
    'Maintenance Area-3',
    'Workshop',
    'Safety',
    'Security',
    'Health',
    'Electrical Instrument Inspection Engineer (EIIIE)',
    'Process Engineering (PE)'
];

@endphp

@foreach($bagianOptions as $option)

    <option value="{{ $option }}" {{ $pekerja >Bagian == $option ? 'selected' : '' }}>
        {{ $option }}
    </option>

@endforeach

</select>

</div>

<button type="submit" class="btn btn-primary">Submit</button>

</form>

```

```

</div>

</div>

@endsection

TambahPekerja.blade.php

@extends ('layoutadmin')

@section ('index')

<div class="card">

    <div class="card-body">

        <form action="{{ route('StorePekerja') }}" method="post">

            @csrf

            <div class="mb-3">

                <label for="exampleInputEmail1" class="form-label">Nama Lengkap</label>

                <input type="text" name="nama" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp">

                <label for="exampleInputEmail1" class="form-label">No. Pegawai</label>

                <input type="number" name="NIP" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp">

                <label for="exampleInputEmail1" class="form-label">Asal RU</label>

                <select class="form-select" name="Asal_RU">

                    <option selected disabled>Pilih Asal RU</option>

                    <option value="RU V Balikpapan">RU V Balikpapan</option>

                    <option value="RU IV Cilacap">RU IV Cilacap</option>

```

```

        <option value="RU II Dumai">RU II
Dumai</option>

        <option value="RU VI Balongan">RU VI
Balongan</option>

    </select>

    <label for="exampleInputEmail1"
class="form-label"> Fungsi</label>

    <select class="form-select"
name="Fungsi">

        <option selected disabled>Pilih
Fungsi</option>

        <option value="Maintenance
Execution">Maintenance Execution</option>

        <option
value="Turnaround">Turnaround</option>

        <option value="Health, Safety, Security,
Environment">Health, Safety, Security,
Environment</option>

        <option value="Maintenance, Planning,
Support">Maintenance, Planning,
Support</option>

        <option value="Engine
Development">Engine Development</option>

    </select>

    <label for="exampleInputEmail1"
class="form-label"> Bagian</label>

    <select class="form-select"
name="Bagian">

        <option selected disabled>Pilih
Bagian</option>

        <option value="Mechanical Area
1">Mechanical Area 1</option>

        <option value="Mechanical Area
2">Mechanical Area 2</option>

        <option value="Mechanical Area
3">Mechanical Area 3</option>

```

```

        <option
value="Workshop">Workshop</option>

        <option value="Safety">Safety</option>

        <option
value="Security">Security</option>

        <option value="Health">Health</option>

        <option value="Engineering, Inspection,
Instrumentation, and Electrical">Engineering,
Inspection,

            Instrumentation, and Electrical</option>

        <option value="Process
Engineering">Process Engineering</option>

    </select>

</div>

<div class="mb-3">

    <label for="exampleInputPassword1"
class="form-label">Password</label>

    <input type="password" name="password"
class="form-control" id="password">

</div>

    <button type="submit" class="btn btn-
primary">TAMBAH</button>

</form>

</div>

</div>

```

@endsection

Pekerja.controller.php

```
<?php
```

```
namespace App\Http\Controllers;
```

```
use App\Models\Pekerja;
```

```
use Illuminate\Http\Request;
```

```
use Illuminate\Support\Facades\Hash;
```

```
class PekerjaController extends Controller
```

```
{
    /**
     * Display a listing of the resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function index()
    {
        $pekerja = Pekerja::all();

        return view('admin.DataPekerja',
compact('pekerja'));
    }

    /**
     * Show the form for creating a new resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function create()
    {
        return view('admin.tambahPekerja');
    }

    /**
     * Store a newly created resource in storage.
     *
     * @param \Illuminate\Http\Request $request
     * @return \Illuminate\Http\Response
     */
    public function store(Request $request)
```

```
{
    $validated = $request->validate([
        'nama' => 'required',
        'NIP' => 'required|unique:pekerja,NIP',
        'Asal_RU' => 'required',
        'Fungsi' => 'required',
        'Bagian' => 'required',
        'password' => 'required',
    ]);

    $pekerja = Pekerja::create([
        'nama' => $request->nama,
        'NIP' => $request->NIP,
        'Asal_RU' => $request->Asal_RU,
        'Fungsi' => $request->Fungsi,
        'Bagian' => $request->Bagian,
        'password' => Hash::make($request-
>password)
    ]);

    return redirect()->route('DataPekerja');
}

/**
 * Display the specified resource.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
    public function show($id)
    {
        //
    }

    /**
```

```

    * Show the form for editing the specified
resource.

    *

    * @param int $id

    * @return \Illuminate\Http\Response

    */

public function edit($id)
{
    $pekerja = pekerja::where('id', $id)->first();

    return view('admin.editpekerja',
compact('pekerja'));
}

/**
 * Update the specified resource in storage.
 *
 * @param \Illuminate\Http\Request $request
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function update(Request $request, $id)
{
    $validated = $request->validate([
        'nama' => 'required',
        'NIP' => 'required|unique:pekerja,NIP,' .
$id,
        'Asal_RU' => 'required',
        'Fungsi' => 'required',
        'Bagian' => 'required',
        //'Password'=> 'required',
    ]);

    pekerja::where('id', $id)->update([
        'nama' => $request->nama,
        'NIP' => $request->NIP,

```

```

        'Asal_RU' => $request->Asal_RU,
        'Fungsi' => $request->Fungsi,
        'Bagian' => $request->Bagian,
    ]);

    return redirect()->route('DataPekerja');
}

/**
 * Remove the specified resource from
storage.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function destroy($id)
{
    $pekerja = pekerja::find($id);
    $pekerja->delete();

    return redirect()->route('DataPekerja');
}

public function updateStatus($id, $status)
{
    $pekerja = Pekerja::find($id);

    if ($pekerja) {
        $pekerja->statuspenerimaan = $status;
        $pekerja->save();
    }

    return redirect()->route('DataPekerja');
}
}

```

Pekerja.php

```

<?php

namespace App\Models;

use
Illuminate\Database\Eloquent\Factories\HasFact
ory;

use Illuminate\Foundation\Auth\User as
Authenticatable;

class Pekerja extends Authenticatable
{
    use HasFactory;

    protected $table = 'pekerja';

    protected $fillable = ['nama', 'NIP', 'Asal_RU',
'Fungsi', 'Bagian', 'password',
'status','statuspenerimaan'];

    public function schedules()
    {
        return $this->hasMany(Schedule::class,
'nama', 'nama');
    }
}

```

2024_06_29_152345_create_pekerja_table.php

```

<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    public function up()

```

```

{
    Schema::create('pekerja', function
(Blueprint $table) {

        $table->id();

        $table->string('nama');

        $table->string('NIP');

        $table->string('Asal_RU');

        $table->string('Fungsi');

        $table->string('Bagian');

        $table->string('password');

        $table->timestamps();

    });
}

public function down()
{
    Schema::dropIfExists('pekerja');
}
};

```

Schedule.blade.php

```

@extends('layoutadmin')

@section('index')
<div class="card">
    <div class="card-body">
        <h5 class="card-title">DATA SCHEDULE
        BAU</h5>
        <div class="table-responsive">
            <a class="btn btn-info"
            href="{{ route('TambahSchedule') }}">Tambah
            Schedule</a>
            <table class="table">
                <thead>
                    <tr>

```

```

<th scope="col">NO</th>
<th scope="col">Nama</th>
<th scope="col">Asal RU</th>
<th scope="col">TGL DTG</th>
<th scope="col">TGL PLG</th>
<th scope="col">Aksi</th>
<th scope="col">Lama Hari</th>
</tr>
</thead>
<tbody>
    @foreach($schedules as $schedule)
        <tr>
            <td>{{ $loop->iteration }}</td>
            <td>{{ $schedule->nama }}</td>
            <td>{{ $schedule->Asal_RU }}</td>
<!-- Menampilkan Asal RU yang sudah disimpan -->
            <td>{{ $schedule->TGL_DTG }}</td>
            <td>{{ $schedule->TGL_PLG }}</td>
            <td>
                <a href="{{ route('editSchedule',
                    $schedule->id) }}" class="btn btn-
                    primary">Edit</a>
                <form
                    action="{{ route('deleteSchedule', $schedule-
                    >id) }}" method="POST" style="display:
                    inline;">
                    @csrf
                    @method('DELETE')
                    <button type="submit" class="btn
                    btn-sm btn-danger" onclick="return
                    confirm('Apakah Anda yakin ingin
                    menghapus?')">Delete</button>
                </form>
            </td>
            <td>{{ $schedule->lama_hari }}</td>
<!-- Menampilkan jumlah hari -->

```

```

</tr>
@endforeach
</tbody>
</table>
</div>
</div>
</div>
@endsection

EditSchedule.blade.php
@extends('layoutadmin')

@section('index')
<div class="card">
    <div class="card-body">
        <h5 class="card-title">Edit Schedule</h5>
        <form action="{{ route('updateSchedule',
            $schedule->id) }}" method="post">
            @csrf
            @method('PATCH')
            <div class="mb-3">
                <label for="nama" class="form-
                label">Nama</label>
                <input type="text" name="nama"
                class="form-control" id="nama"
                value="{{ $schedule->nama }}">
            </div>
            <div class="mb-3">
                <label for="Asal_RU" class="form-
                label">Asal RU</label>
                <input type="text" name="Asal_RU"
                class="form-control" id="Asal_RU"
                value="{{ $schedule->Asal_RU }}">
            </div>
            <div class="mb-3">

```



```
        <label for="TGL_DTG" class="form-label">Tanggal Datang</label>
```

```
        <input type="date"
name="TGL_DTG" class="form-control"
id="TGL_DTG" value="{{ $schedule-
>TGL_DTG }}">
```

```
    </div>
```

```
    <div class="mb-3">
```

```
        <label for="TGL_PLG" class="form-label">Tanggal Pulang</label>
```

```
        <input type="date"
name="TGL_PLG" class="form-control"
id="TGL_PLG" value="{{ $schedule-
>TGL_PLG }}">
```

```
    </div>
```

```
    <button type="submit" class="btn btn-
primary">Simpan Perubahan</button>
```

```
    </form>
```

```
    </div>
```

```
</div>
```

```
@endsection
```

```
TambahSchedule.blade.php
```

```
@extends('layoutadmin')
```

```
@section('index')
```

```
<div class="card">
```

```
    <div class="card-body">
```

```
        <form action="{{ route('StoreSchedule') }}"
method="post">
```

```
            @csrf
```

```
            <div class="mb-3">
```

```
                <label for="nama" class="form-label">Nama Lengkap</label>
```

```
                <select name="nama" id="nama"
class="form-control">
```

```
                    @foreach($pekerja as $pegawai)
```

```
                        <option value="{{ $pegawai->nama }}"
data-pegawai="{{ $pegawai-
>NIP }}">{{ $pegawai->nama }}</option>
```

```
                @endforeach
```

```
            </select>
```

```
            <input type="hidden" name="NIP"
id="NIP">
```

```
            <label for="Asal_RU" class="form-label">Asal RU</label>
```

```
            <select name="Asal_RU" id="Asal_RU"
class="form-control">
```

```
                @foreach($pekerja as $pegawai)
```

```
                    <option value="{{ $pegawai-
>Asal_RU }}">{{ $pegawai-
>Asal_RU }}</option>
```

```
                @endforeach
```

```
            </select>
```

```
            <label for="TGL_DTG" class="form-label">TGL DTG</label>
```

```
            <input type="date" name="TGL_DTG"
class="form-control" id="TGL_DTG">
```

```
            <label for="TGL_PLG" class="form-label">TGL PLG</label>
```

```
            <input type="date" name="TGL_PLG"
class="form-control" id="TGL_PLG">
```

```
        </div>
```

```
        <button type="submit" class="btn btn-
primary">Submit</button>
```

```
    </form>
```

```
</div>
```

```
</div>
```

```
<script>
```

```

        document.getElementById('nama').addEventListener('change', function() {

            var selectedOption =
            this.options[this.selectedIndex];

            var pegawaiValue =
            selectedOption.getAttribute('data-pegawai');

            document.getElementById('NIP').value =
            pegawaiValue;

        });
    </script>

    @endsection

```

2024_07_10_045751_create_schedules_table.php

```

<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

```

```

class CreateSchedulesTable extends Migration
{
    /**
     * Run the migrations.
     *
     * @return void
     */
    public function up()
    {
        Schema::create('schedules', function
        (Blueprint $table) {
            $table->id();

            $table->string('nama');

            $table->string('Asal_RU');

```

```

            $table->date('TGL_DTG');

            $table->date('TGL_PLG');

            $table->integer('lama_hari')->nullable();

            $table->timestamps();

        });
    }

    /**
     * Reverse the migrations.
     *
     * @return void
     */
    public function down()
    {
        Schema::dropIfExists('schedules');
    }
}

```

Schedule.php

```

<?php

namespace App\Models;

use
Illuminate\Database\Eloquent\Factories\HasFact
ory;

use Illuminate\Database\Eloquent\Model;

use Illuminate\Support\Carbon;

class Schedule extends Model
{
    use HasFactory;

```

```
protected $table = 'schedules'; // Sesuaikan
nama tabel jika berbeda
```

```
protected $fillable = [
    'nama', 'Asal_RU', 'TGL_DTG',
    'TGL_PLG',
];

// Definisi relasi
public function pekerja()
{
    return $this->belongsTo(Pekerja::class,
    'nama', 'nama');
}

public function isWorkDay()
{
    $today = Carbon::parse($this->day . '-' . $this->month . '-' . $this->year);

    $start = Carbon::parse($this->TGL_DTG);

    $end = Carbon::parse($this->TGL_PLG)-
    >addDay(); // Tambah 1 hari karena tanggal
    pulang dihitung sampai akhir hari

    return $today->between($start, $end);
}
}
```

Schedule.controller.php

```
<?php
```

```
namespace App\Http\Controllers;
```

```
use Illuminate\Http\Request;
```

```
use App\Models\Pekerja;
```

```
use Carbon\Carbon;
```

```
use App\Models\Schedule;
```

```
class ScheduleController extends Controller
```

```
{
    /**
     * Menampilkan daftar jadwal.
     *
     * @return \Illuminate\Http\Response
     */
    public function index()
    {
        $schedules = Schedule::all(); // Ambil
        semua data Schedule

        return view('admin.Schedule',
        compact('schedules')); // Kirimkan data ke view
    }

    /**
     * Menampilkan form untuk membuat jadwal
     baru.
     *
     * @return \Illuminate\Http\Response
     */
    public function create()
    {
        $pekerja = Pekerja::all();

        return view('admin.TambahSchedule',
        compact('pekerja'));
    }

    /**
     * Menyimpan jadwal baru ke dalam
     penyimpanan.
     *

```

```

* @param \Illuminate\Http\Request $request
* @return \Illuminate\Http\Response
*/

public function store(Request $request)
{
    $validated = $request->validate([
        'nama' => 'required',
        'Asal_RU' => 'required',
        'TGL_DTG' => 'required|date',
        'TGL_PLG' => 'required|date',
    ]);

    $tgl_dtg = Carbon::parse($request->TGL_DTG);
    $tgl_plg = Carbon::parse($request->TGL_PLG);

    $lama_hari = $tgl_plg->diffInDays($tgl_dtg);

    $schedule = new Schedule();
    $schedule->nama = $request->nama;
    $schedule->Asal_RU = $request->Asal_RU;
    $schedule->TGL_DTG = $tgl_dtg;
    $schedule->TGL_PLG = $tgl_plg;
    $schedule->lama_hari = $lama_hari; //
    Simpan jumlah hari
    $schedule->save();

    return redirect()->route('Schedule');
}

/**
 * Menampilkan form untuk mengedit jadwal.

```

```

*
* @param int $id
* @return \Illuminate\Http\Response
*/

public function edit($id)
{
    $schedule = Schedule::findOrFail($id); //
    Cari schedule berdasarkan ID

    return view('admin.editSchedule',
compact('schedule'));
}

/**
 * Memperbarui jadwal yang ada di
    penyimpanan.
 *
 * @param \Illuminate\Http\Request $request
 * @param int $id
 * @return \Illuminate\Http\Response
 */

public function update(Request $request, $id)
{
    $validated = $request->validate([
        'nama' => 'required',
        'Asal_RU' => 'required',
        'TGL_DTG' => 'required|date',
        'TGL_PLG' => 'required|date',
    ]);

    // Ambil data schedule berdasarkan ID
    $schedule = Schedule::findOrFail($id);

    // Update data schedule
    $schedule->nama = $request->nama;

```

```

        $schedule->Asal_RU = $request-
>Asal_RU;

        $schedule->TGL_DTG = $request-
>TGL_DTG;

        $schedule->TGL_PLG = $request-
>TGL_PLG;

        // Hitung lama hari menggunakan Carbon

        $tgl_dtg = Carbon::parse($request-
>TGL_DTG);

        $tgl_plg = Carbon::parse($request-
>TGL_PLG);

        $lama_hari = $tgl_dtg-
>diffInDays($tgl_plg); // Menghitung selisih hari

        $schedule->lama_hari = $lama_hari; //
Simpan lama hari ke dalam model

        $schedule->save(); // Simpan perubahan

        return redirect()->route('Schedule'); //
Redirect ke halaman schedule
    }

    /**
     * Menghapus jadwal dari penyimpanan.
     *
     * @param int $id
     * @return \Illuminate\Http\Response
     */
    public function destroy($id)
    {
        $schedule = Schedule::findOrFail($id); //
Cari schedule berdasarkan ID

        $schedule->delete(); // Hapus schedule

```

```

        return redirect()->route('Schedule')-
>with('success', 'Schedule berhasil dihapus'); //
Redirect ke halaman schedule dengan pesan
sukses

    }
}

```

SchedulePengguna.controller.php

```

<?php

namespace App\Http\Controllers;

use Illuminate\Http\Request;
use Carbon\Carbon;
use App\Models\Schedule;

class SchedulePenggunaController extends
Controller
{
    public function index()
    {
        $today = Carbon::now(); // Tanggal hari ini

        $schedules = Schedule::all(); // Mengambil
semua jadwal

        return view('pengguna.schedule', [
            'today' => $today,
            'schedules' => $schedules,
        ]);
    }
}

```

Schedule.Verifier.controller.php

```

<?php

```

```

namespace App\Http\Controllers;

use Illuminate\Http\Request;
use Carbon\Carbon;
use App\Models\Schedule;

class ScheduleVerifierController extends
Controller
{
    /**
     * Display a listing of the resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function index()
    {
        $schedules = Schedule::all(); // Ambil
semua data Schedule

        return view('verifier.Schedule',
compact('schedules')); // Kirimkan data ke view
    }

    /**
     * Show the form for creating a new resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function create()
    {
        //
    }

    /**
     * Store a newly created resource in storage.

```

```

*
* @param \Illuminate\Http\Request $request
* @return \Illuminate\Http\Response
*/
public function store(Request $request)
{
    //
}

/**
 * Display the specified resource.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function show($id)
{
    //
}

/**
 * Show the form for editing the specified
resource.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function edit($id)
{
    //
}

/**

```

```

* Update the specified resource in storage.
*
* @param \Illuminate\Http\Request $request
* @param int $id
* @return \Illuminate\Http\Response
*/

public function update(Request $request, $id)
{
    //
}

/**
 * Remove the specified resource from
storage.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function destroy($id)
{
    //
}
}

```

Pesan.controller.php

```

<?php

namespace App\Http\Controllers;

use Illuminate\Http\Request;

class pesanController extends Controller
{
    //

```

```

}
```

Pesab1.Controller.php

```

<?php

namespace App\Http\Controllers;

use Illuminate\Http\Request;

class pesan1Controller extends Controller
{
    /**
     * Display a listing of the resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function index()
    {
        //
    }

    /**
     * Show the form for creating a new resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function create()
    {
        //
    }

    /**

```

```

    * Store a newly created resource in storage.
    *
    * @param \Illuminate\Http\Request $request
    * @return \Illuminate\Http\Response
    */
    public function store(Request $request)
    {
        //
    }

    /**
     * Display the specified resource.
     *
     * @param int $id
     * @return \Illuminate\Http\Response
     */
    public function show($id)
    {
        //
    }

    /**
     * Show the form for editing the specified
    resource.
     *
     * @param int $id
     * @return \Illuminate\Http\Response
     */
    public function edit($id)
    {
        //
    }

```

```

    /**
     * Update the specified resource in storage.
     *
     * @param \Illuminate\Http\Request $request
     * @param int $id
     * @return \Illuminate\Http\Response
     */
    public function update(Request $request, $id)
    {
        //
    }

    /**
     * Remove the specified resource from
    storage.
     *
     * @param int $id
     * @return \Illuminate\Http\Response
     */
    public function destroy($id)
    {
        //
    }
}

```

Kualifikasi.blade.php

```

@extends ('layoutadmin')

@section ('index')

<div class="card">

    <div class="card-body">

        <h5 class="card-title">APLIKASI KIRIM
        PEKERJA</h5>

        <div class="table-responsive">

```



```

<a class="btn btn-info mb-3"
href="{{ route('tambahKualifikasi') }}">Input
Pekerja</a>

<table class="table">

    <thead>

        <tr>

            <th scope="col" style="width:
5%;">No</th>

            <th scope="col" style="width:
15%;">Asal RU</th>

            <th scope="col" style="width:
15%;">RU Tujuan</th>

            <th scope="col" style="width:
15%;">Tanggal Masuk Surat</th>

            <th scope="col" style="width:
30%;">Pesan</th>

            <th scope="col" style="width:
10%;">Aksi</th>

        </tr>

    </thead>

    <tbody>

        @foreach ($kualifikasi as $item)

            <tr>

                <td>{{ $loop->iteration }}</td>

                <td>{{ $item->asal_ru }}</td>

                <td>{{ $item->ru_tujuan }}</td>

                <td>{{ $item->tanggal_masuk_surat }}</td>

                <td>{{ $item->pesan }}</td>

                <td>

                    <a

                        href="{{ route('editKualifikasi', $item->id) }}"

                        class="btn btn-warning
btn-sm mb-2">Edit</a>

                    <form

                        action="{{ route('deleteKualifikasi', $item->id) }}" method="POST"

```

```

style="display:inline-
block;">

                @csrf

                @method('DELETE')

                <button type="submit"
class="btn btn-danger btn-sm mb-2"

                    onclick="return
confirm('Anda yakin ingin menghapus data
ini?')">Hapus</button>

            </form>

        </td>

    </tr>

    @endforeach

</tbody>

</table>

</div>

</div>

</div>

@endsection

EditKualifikasi.blade.php

@extends('layoutadmin')

@section('index')

<div class="card">

    <div class="card-body">

        <h5 class="card-title">Edit
Kualifikasi</h5>

        <form action="{{ route('updateKualifikasi',
$skualifikasi->id) }}" method="POST">

            @csrf

            @method('PATCH')

        <div class="mb-3">

```

```
<label for="asal_ru" class="form-label">Asal RU</label>
```

```
<select class="form-select"
name="asal_ru" id="asal_ru">
```

```
<option disabled>Pilih Asal
RU</option>
```

```
@php
```

```
$ruOptions = [
    'RU V Balikpapan',
    'RU IV Cilacap',
    'RU II Dumai',
    'RU VI Balongan'
```

```
];
```

```
@endphp
```

```
@foreach($ruOptions as $option)
```

```
<option value="{{ $option }}"
{{ $option == $kualifikasi->asal_ru ? 'selected' :
" }}">
```

```
{{ $option }}
```

```
</option>
```

```
@endforeach
```

```
</select>
```

```
</div>
```

```
<!-- <div class="mb-3">
```

```
<label for="ru_tujuan" class="form-label">RU Tujuan</label>
```

```
<input type="text" class="form-control" id="ru_tujuan" name="ru_tujuan"
```

```
value="{{ $kualifikasi->ru_tujuan }}">
```

```
</div> -->
```

```
<div class="mb-3">
```

```
<label for="asal_ru" class="form-label">RU Tujuan</label>
```

```
<select class="form-select"
name="ru_tujuan" id="asal_ru">
```

```
<option disabled>Pilih Asal
RU</option>
```

```
@php
```

```
$ruOptions = [
    'RU V Balikpapan',
    'RU IV Cilacap',
    'RU II Dumai',
    'RU VI Balongan'
```

```
];
```

```
@endphp
```

```
@foreach($ruOptions as $option)
```

```
<option value="{{ $option }}"
{{ $option == $kualifikasi->ru_tujuan ?
'selected' : " }}">
```

```
{{ $option }}
```

```
</option>
```

```
@endforeach
```

```
</select>
```

```
</div>
```

```
<div class="mb-3">
```

```
<label for="tanggal_masuk_surat"
class="form-label">Tanggal Masuk
Surat</label>
```

```
<input type="date" class="form-control" id="tanggal_masuk_surat"
name="tanggal_masuk_surat"
```

```
value="{{ $kualifikasi->tanggal_masuk_surat }}">
```

```
</div>
```

```
<div class="mb-3">
```

```

        <label for="pesan" class="form-label">Pesan</label>

        <textarea class="form-control"
id="pesan" name="pesan">{{ $kualifikasi-
>pesan }}</textarea>

    </div>

    <button type="submit" class="btn btn-
primary">Update</button>

</form>

</div>

</div>

```

@endsection

TambahKualifikasi.blade.php

@extends('layoutadmin')

@section('index')

<div class="card mb-4">

<div class="card-body">

<h5 class="card-title">Halaman
Kualifikasi</h5>

<!-- Form untuk menambahkan data
kualifikasi -->

```

<form
action="{{ {{ route('Storekualifikasi') }} }}"
method="POST">

```

@csrf

<div class="form-group">

<label for="asal_ru">Asal RU</label>

```

<select class="form-select"
id="asal_ru" name="asal_ru">

```

<option selected disabled>Pilih Asal
RU</option>

<option value="RU V
Balikpapan">RU V Balikpapan</option>

<option value="RU IV
Cilacap">RU IV Cilacap</option>

<option value="RU II Dumai">RU
II Dumai</option>

<option value="RU VI
Balongan">RU VI Balongan</option>

</select>

</div>

<div class="form-group">

<label for="ru_tujuan">RU
Tujuan</label>

```

<select class="form-select"
name="ru_tujuan">

```

<option selected disabled>Pilih RU
Tujuan</option>

<option value="RU V
Balikpapan">RU V Balikpapan</option>

<option value="RU IV
Cilacap">RU IV Cilacap</option>

<option value="RU II Dumai">RU
II Dumai</option>

<option value="RU VI
Balongan">RU VI Balongan</option>

</select>

</div>

<div class="form-group">

```

<label
for="tanggal_masuk_surat">Tanggal Masuk
Surat</label>

```

```

<input type="date" class="form-
control" id="tanggal_masuk_surat"
name="tanggal_masuk_surat" required>

```

</div>

<div class="form-group">

<label for="pesan">Pesan</label>

```

<textarea class="form-control"
id="pesan" name="pesan" rows="3"
required></textarea>

```

</div>

```

        <button type="submit" class="btn btn-
primary">Submit</button>

    </form>

</div>

</div>

@endsection

2024_07_18_021510_create_kualifikasi_table.
php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     *
     * @return void
     */
    public function up()
    {
        Schema::create('kualifikasi', function
(Blueprint $table) {
            $table->id();

            $table->string('asal_ru');

            $table->string('ru_tujuan');

            $table->date('tanggal_masuk_surat');

            $table->string('pesan');

            $table->timestamps();
        });
    }
}

```

```

/**
 * Reverse the migrations.
 *
 * @return void
 */

public function down()
{
    Schema::dropIfExists('kualifikasi');
}

};

```

Kualifikasi.php

```

<?php

namespace App\Models;

use
Illuminate\Database\Eloquent\Factories\HasFact
ory;

//use Illuminate\Database\Eloquent\model;

use Illuminate\Foundation\Auth\User as
Authenticatable;

class Kualifikasi extends Authenticatable
{
    use HasFactory;

    protected $table = 'kualifikasi'; // Sesuaikan
nama tabel jika berbeda

    protected $fillable = [

        'asal_ru', 'ru_tujuan', 'tanggal_masuk_surat',
'pesan',

    ];
}

```

KualifikasiController.php

<?php

```
namespace App\Http\Controllers;
```

```
use Illuminate\Http\Request;
```

```
use App\Models\Kualifikasi;
```

```
class KualifikasiController extends Controller
```

```
{  
  
    public function index()  
    {  
        $kualifikasi = Kualifikasi::all();  
  
        return view('admin.kualifikasi',  
compact('kualifikasi'));  
    }  
  
    public function create()  
    {  
        return view('admin.tambahKualifikasi');  
    }  
  
    public function store(Request $request)  
    {  
        // Validasi data form  
        $request->validate([  
            'asal_ru' => 'required',  
            'ru_tujuan' => 'required',  
            'tanggal_masuk_surat' => 'required',  
            'pesan' => 'required',  
        ]);
```

```
Kualifikasi::create([
```

```
'asal_ru' => $request->asal_ru,
```

```
'ru_tujuan' => $request->ru_tujuan,
```

```
'tanggal_masuk_surat' => $request->tanggal_masuk_surat,
```

```
'pesan' => $request->pesan,
```

```
]);
```

```
        return redirect()->route('kualifikasi')->with('success', 'Data kualifikasi berhasil disimpan.');
```

```
    }
```

```
    public function edit($id)
```

```
    {
```

```
        $kualifikasi = Kualifikasi::findOrFail($id);
```

```
        return view('admin.editKualifikasi',  
compact('kualifikasi'));  
    }
```

```
    }
```

```
    public function update(Request $request, $id)
```

```
    {
```

```
        // Validasi data form
```

```
        $request->validate([
```

```
            'asal_ru' => 'required',
```

```
            'ru_tujuan' => 'required',
```

```
            'tanggal_masuk_surat' => 'required',
```

```
            'pesan' => 'required',
```

```
        ]);
```

```
        $kualifikasi = Kualifikasi::findOrFail($id);
```

```
        $kualifikasi->update([
```

```
            'asal_ru' => $request->asal_ru,
```

```
            'ru_tujuan' => $request->ru_tujuan,
```

```
        'tanggal_masuk_surat' => $request->tanggal_masuk_surat,  
        'pesan' => $request->pesan,  
    ]);
```

```
        return redirect()->route('kualifikasi')->with('success', 'Data kualifikasi berhasil diperbarui.');
```

```
    }
```

```
public function destroy($id)  
{  
    $kualifikasi = Kualifikasi::findOrFail($id);  
    $kualifikasi->delete();
```

```
        return redirect()->route('kualifikasi')->with('success', 'Data kualifikasi berhasil dihapus.');
```

```
    }  
}
```