

LISTING PROGRAM

LOGIN.PHP

```

<!-- INSPECT UI3 MEDIA PROJECT
-->
<!-- BY : RIVALDO NIZAMI -->

<?php
session_start();
include "Connection.php";
$username = "";
$password = "";
$alertMessage = "";
if (isset($_POST['Login'])) {
    echo
    '<script>showLoader();</script>'
    ;
    usleep(500000);
    $username =
    mysqli_escape_string($Conn,
    $_POST['username']);
    $password =
    mysqli_escape_string($Conn,
    $_POST['password']);
    $searchUser =
    mysqli_query($Conn, "SELECT *
    FROM users WHERE username =
    '$username' AND password =
    '$password'");
    if
    (mysqli_num_rows($searchUser) >
    0) {
        $sessionUser =
        mysqli_fetch_array($searchUser)
        ;
        $_SESSION['userid'] =
        $sessionUser['userid'];
        header("Location:
        Dashboard.php");
        exit();
    } else {
        $alertMessage = "Please
        check your Username or
        Password!";
    }
    echo
    '<script>hideLoader();</script>'
    ;
}
?>
<!DOCTYPE html>

```

```

<html Lang="en">

<head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-
    Compatible" content="IE=edge"
    />
    <meta name="viewport"
    content="width=device-width,
    initial-scale=1.0" />
    <title>Inspect UI3 •
    Login</title>
    <link rel="icon"
    href="Assets/Image/K3.png?v=<?p
    hp echo time(); ?>" />
    <link rel="stylesheet"
    href="Assets/Login.css?v=<?php
    echo time(); ?>" />
    <link rel="stylesheet"
    href="https://cdn.jsdelivrivr.net/
    npm/bootstrap-
    icons@1.10.5/font/bootstrap-
    icons.css" />
    <style>
        @import
        url("https://cdn.jsdelivrivr.net/n
        pm/bootstrap-
        icons@1.10.5/font/bootstrap-
        icons.css");
    </style>
    <script>
        function preventBack()
        {
            window.history.forw
            ard()
            };
            setTimeout("preventBack
            ()", 0);
            window.onunload =
            function () { null; }
            if
            (window.history.replaceState) {
                window.history.repl
                aceState(null, null,
                window.location.href);
            }
        }
    </script>
</head>

```

```

<body>
  <div class="header">
    <div class="navbar">
      <svg width="24px"
height="24px" viewBox="0 0 24
24" fill="none"
xmlns="http://www.w3.org/2000/s
vg">
        <g
id="SVGRepo_bgCarrier" stroke-
width="0"></g>
        <g
id="SVGRepo_tracerCarrier"
stroke-linecap="round" stroke-
linejoin="round"></g>
        <g
id="SVGRepo_iconCarrier">
          <path
d="M6.89258 17.7897C6.9083
17.7633 6.92441 17.7369 6.9409
17.7107C8.14358 15.7988 8.8398
13.
5379 8.8398 11.1034C8.8398
9.14189 10.4299 7.55176 12.3915
7.55176C14.353 7.55176 15.9431
9.1
4189 15.9431 11.1034C15.9431
12.0065 15.8816 12.8957 15.7626
13.7672M13.8825 19.8437C14.4257
18.
7596 14.871 17.6179 15.2069
16.4309M18.6156 17.4359C19.1883
15.4236 19.4949 13.2993 19.4949
11.
1033C19.4949 7.18026 16.3147 4
12.3916 4C11.0978 4 9.88477
4.34591 8.83997 4.9503M4.40039
14.
9783C4.96924 13.8073 5.28831
12.4926 5.28831 11.1033C5.28831
9.8095 5.63422 8.59646 6.2386
7.5
5166M12.3915 11.1035C12.3915
14.2265 11.4958 17.1403 9.94727
19.6019" stroke="#252525"
stroke-
width="2" stroke-
linecap="round" stroke-
linejoin="round">
          </path>
        </g>
      </svg>

```

```

        <p>Inspect</p>
      </div>
    </div>

    <div class="loginPage">
      <div
class="loginPageLeft">
        <form
class="loginPageForm"
method="POST"
autocomplete="off">
          <div
class="head">
            <p>Login
Account</p>
            <div
class="gapline"></div>
            <p>Please
Log in using the registered
account,
            if you
don't have an account please
contact Admin</p>
          </div>
          <div
class="content">
            <div
class="inputBox">
              <input
type="text" name="username"
required />
              <label>
Username</label>
            </div>
            <div
class="inputBox">
              <input
type="password" name="password"
required />
              <label>
Password</label>
            </div>
            <p
class="alertMessage"
style="<?php echo
!empty($alertMessage) ?
'animation: fadeIn 4s;' : '';
?>">
            <i
class="bi bi-exclamation-
circle-fill"></i>

```

```

                                <?php
echo $alertMessage; ?>
                                </p>
                                <button
class="loginButton"
name="Login"
onclick="showLoader()">LOGIN</b
utton>

                                <div
class="loader" id="loader"
style="<?php echo $loader;
?>"></div>

                                </div>
                                </form>
                                </div>
                                <div
class="loginPageRight">
                                <p>Welcome to,</p>
                                <p>Inspect UI3</p>
                                <p>By UI3 Media
<i>Advertising &
Interior</i></p>
                                </div>
                                </div>

                                <script>
                                function showLoader() {
                                document.getElement
ById('loader').style.display =
'flex';
                                }
                                function hideLoader() {
                                document.getElement
ById('loader').style.display =
'none';
                                }
                                </script>
</body>

</html>

```

DASHBOARD.PHP

```

<?php
session_start();
include "Connection.php";
$totalUsers =
mysqli_num_rows(mysqli_query($C
onn, "SELECT * FROM users"));
$totalPack =
mysqli_num_rows(mysqli_query($C
onn, "SELECT * FROM apdpack"));

```

```

$totalEquipment =
mysqli_num_rows(mysqli_query($C
onn, "SELECT * FROM
apdreport"));
$activityCompleted =
mysqli_num_rows(mysqli_query($C
onn, "SELECT * FROM activity
WHERE status = 'Completed'"));
$rowProfile =
mysqli_fetch_assoc(mysqli_query
($Conn, "SELECT * FROM users
WHERE userid =
'$_SESSION[userid]'"));
$activityInProgress =
mysqli_num_rows(mysqli_query($C
onn, "SELECT * FROM activity
WHERE status = 'In
Progress'"));

$totalReport =
mysqli_num_rows(mysqli_query($C
onn, "SELECT * FROM accident
WHERE YEAR(date) =
YEAR(CURRENT_DATE())"));
$totalReportM =
mysqli_num_rows(mysqli_query($C
onn, "SELECT * FROM accident
WHERE YEAR(date) =
YEAR(CURRENT_DATE()) AND
category = 'Minor'"));
$totalReportS =
mysqli_num_rows(mysqli_query($C
onn, "SELECT * FROM accident
WHERE YEAR(date) =
YEAR(CURRENT_DATE()) AND
category = 'Serious'"));
$totalReportF =
mysqli_num_rows(mysqli_query($C
onn, "SELECT * FROM accident
WHERE YEAR(date) =
YEAR(CURRENT_DATE()) AND
category = 'Fatalities'"));
$fatalitiesScore =
($totalReportF > 0) ?
number_format(($totalReportF /
$totalReport) * 100, 1) . '%' :
'0%';
?>
<!DOCTYPE html>
<html Lang="en">

<head>

```

```

<meta charset="UTF-8" />
<meta http-equiv="X-UA-
Compatible" content="IE=edge"
/>
<meta name="viewport"
content="width=device-width,
initial-scale=1.0" />
<title>Inspect UI3 •
Dashboard</title>
<link rel="icon"
href="Assets/Image/K3.png?v=<?p
hp echo time(); ?>" />
<link rel="stylesheet"
href="Assets/Design.css?v=<?php
echo time(); ?>" />
<link rel="stylesheet"
href="https://cdn.jsdelivrivr.net/
npm/bootstrap-
icons@1.10.5/font/bootstrap-
icons.css" />
<style>
    @import
url("https://cdn.jsdelivrivr.net/n
pm/bootstrap-
icons@1.10.5/font/bootstrap-
icons.css");
</style>
<script>
    function preventBack()
{
        window.history.forw
ard()
    };
    setTimeout("preventBack
()", 0);
    window.onunload =
function () { null; }
    if
(window.history.replaceState) {
        window.history.repl
aceState(null, null,
window.location.href);
    }
</script>
</head>

<body>
    <div class="header">
        <div class="navbar">
            <div
class="navbarLeft">

```

```

<svg
width="28px" height="28px"
viewBox="0 0 24 24" fill="none"
xmlns="http://www.w3.org/2000/s
vg">
    <g
id="SVGRepo_bgCarrier" stroke-
width="0"></g>
    <g
id="SVGRepo_tracerCarrier"
stroke-linecap="round" stroke-
linejoin="round"></g>
    <g
id="SVGRepo_iconCarrier">
        <path
d="M6.89258 17.7897C6.9083
17.7633 6.92441 17.7369 6.9409
17.7107C8.14358 15.7988 8.8398
13.
5379 8.8398 11.1034C8.8398
9.14189 10.4299 7.55176 12.3915
7.55176C14.353 7.55176 15.9431
9.1
4189 15.9431 11.1034C15.9431
12.0065 15.8816 12.8957 15.7626
13.7672M13.8825 19.8437C14.4257
18.
7596 14.871 17.6179 15.2069
16.4309M18.6156 17.4359C19.1883
15.4236 19.4949 13.2993 19.4949
11.
1033C19.4949 7.18026 16.3147 4
12.3916 4C11.0978 4 9.88477
4.34591 8.83997 4.9503M4.40039
14.
9783C4.96924 13.8073 5.28831
12.4926 5.28831 11.1033C5.28831
9.8095 5.63422 8.59646 6.2386
7.5
5166M12.3915 11.1035C12.3915
14.2265 11.4958 17.1403 9.94727
19.6019" stroke="#FFFFFF"
str
oke-width="2" stroke-
linecap="round" stroke-
linejoin="round">
    </path>
</g>
</svg>
<p>Inspect</p>
</div>

```

```

        <div
class="navbarRight">
        <?php if
($rowProfile['role'] ===
'Worker'): ?>
                <a
href="Dashboard.php"
class="Active">Dashboard<div
class="mark"></div></a>
                <a
href="Equipment.php">Equipment<
div class="mark"></div></a>
                <a
href="Activity.php">Activity<di
v class="mark"></div></a>
        <?php else: ?>
                <a
href="Dashboard.php"
class="Active">Dashboard<div
class="mark"></div></a>
                <a
href="Equipment.php">Equipment<
div class="mark"></div></a>
                <a
href="Activity.php">Activity<di
v class="mark"></div></a>
                <a
href="Report.php">Report<div
class="mark"></div></a>
                <a
href="Account.php">Account<div
class="mark"></div></a>
        <?php endif; ?>
        <div
class="navbarDetails">
                <a
href="Logout.php"
class="navbarButton">
                        <svg
width="16px" height="16px"
viewBox="0 0 24 24" fill="none"
xmlns="http://www.w3.org/2000/svg"
transform="rotate(180)">
                        <g
id="SVGRepo_bgCarrier" stroke-
width="0"></g>
                        <g
id="SVGRepo_tracerCarrier"
stroke-linecap="round" stroke-
linejoin="round"></g>

```

```

        <g
id="SVGRepo_iconCarrier">
        <path
d="M15 4H18C19.1046 4 20
4.89543 20 6V18C20 19.1046
19.1046 20 18 20H15M8 8L4 12M4
12L8 16M4 12L16 12"
stroke="#FFFFFF75" stroke-
width="2" stroke-
linecap="round" stroke-
linejoin="round">
        </path>
        </g>
>
        </svg>
        </a>
        <div
class="gapLine"></div>
        <a href="#"
class="sessionUser">
                <p><?ph
p echo $rowProfile['name'];
?></p>
                <p><?ph
p echo $rowProfile['role'];
?></p>
        </a>
        </div>
        </div>
        <div
class="navbarDropdown">
                <i class="bi
bi-list"></i>
        </div>
        </div>
        <div class="subHeader">
                <div
class="subHeaderLeft">
                        <p>Dashboard</p>
                        <p>Hi, <?php echo
$rowProfile['name']; ?>! here's
take a look at your performance
and analytics</p>
                </div>
        </div>

```

```

        <div class="pagecontent">
            <?php if
($rowProfile['role'] ===
'Worker'): ?>
                <div
class="pagecontentLeft">
                    <div
class="head">
                        <div
class="headLeft">
                            <p>Acci
dent Overview</p>
                            <p>This
Years</p>
                        </div>
                        <div
class="headRight">
                            <a
href="Report.php"><i class="bi
bi-arrow-up-right-
circle"></i></a>
                        </div>
                    </div>
                    <div
class="gapline"></div>
                    <div
class="content">
                        <div
class="contentTop">
                            <div
class="contentLeft">
                                <p>
Total Report</p>
                                <?p
hp
                                dat
e_default_timezone_set("Asia/Ja
karta");
                                $en
dDate = new DateTime();
                                $st
artDate = new
DateTime($endDate->format('Y'
. '-01-01'));
                                $st
artDateFormatted = $startDate-
>format('d M Y');
                                $en
dDateFormatted = $endDate-
>format('d M Y');
                                ech
o "<p>$startDateFormatted -
$endDateFormatted</p>";
                                ?>
                                <p>
<?php echo $totalReport; ?></p>
                                </div>
                                <div
class="contentRight">
                                    <di
v class="left">
                                        <p>100%</p>
                                        <p>80%</p>
                                        <p>60%</p>
                                        <p>40%</p>
                                        <p>20%</p>
                                        <p>0%</p>
                                    </d
iv>
                                    <di
v class="right">
                                        <?php
include "Connection.php";
date_default_timezone_set("Asia
/Jakarta");
$data = array();
for ($month = 1; $month <= 12;
$month++) {
                    $totalAccident =
mysqli_num_rows(mysqli_query($C
onn, "SELECT * FROM accident
WHERE MONTH(date) = '$month'
AND YEAR(date) =
YEAR(CURRENT_DATE())"));
                    $totalAccidentM =
mysqli_num_rows(mysqli_query($C
onn, "SELECT * FROM accident
WHERE MONTH(date) = '$month'
AND YEAR(date) =

```

```
YEAR(CURRENT_DATE()) AND
category = 'Minor'"));
```

```
$totalAccidentS =
mysqli_num_rows(mysqli_query($C
onn, "SELECT * FROM accident
WHERE MONTH(date) = '$month'
AND YEAR(date) =
YEAR(CURRENT_DATE()) AND
category = 'Serious'"));
```

```
$totalAccidentF =
mysqli_num_rows(mysqli_query($C
onn, "SELECT * FROM accident
WHERE MONTH(date) = '$month'
AND YEAR(date) =
YEAR(CURRENT_DATE()) AND
category = 'Fatalities'"));
```

```
$data[] = array(
    'month' =>
substr(date("M", mktime(0, 0,
0, $month, 1)), 0, 3),
    'totalReport' =>
$totalAccident,
    'totalReportM' =>
$totalAccidentM,
    'totalReportS' =>
$totalAccidentS,
    'totalReportF' =>
$totalAccidentF
);
```

```
}
foreach ($data as $rowData) {
```

```
    $percentage =
($rowData['totalReport'] > 0) ?
($rowData['totalReportS'] /
$rowData['totalReport']) * 100
: 0;
```

```
    ?>
```

```
<div class="barchart">
```

```
<div
class="backgroundBar">
```

```
<div class="bar"
style="height: <?php echo
$percentage; ?>%"></div>
```

```
</div>
```

```
<p><?php echo
$rowData['month']; ?></p>
```

```
</div>
```

```
<?php } ?>
```

```
</d
```

```
iv>
```

```
</div>
```

```
</div>
```

```
<div
```

```
class="contentBottom">
```

```
<div
```

```
class="cardCourses">
```

```
<di
```

```
v class="cardCoursesTop">
```

```
<div class="icon"
style="background-color:
#BDDDB00;">
```

```
<svg width="20px"
height="20px" viewBox="0 0 24
24" fill="none"
```

```
xmlns="http://www.w3.or
g/2000/svg">
```

```
<g
```

```
id="SVGRepo_bgCarrier" stroke-
width="0"></g>
```

```
<g
```

```
id="SVGRepo_tracerCarrier"
stroke-linecap="round" stroke-
linejoin="round"></g>
```

```
<g
```

```
id="SVGRepo_iconCarrier">
```

```
<rect width="24"
```

```

height="24"
fill="transparent"></rect>

    <path fill-
rule="evenodd" clip-
rule="evenodd"

        d="M9.55879
3.6972C10.7552 2.02216 13.2447
2.02216 14.4412 3.6972L14.6317
3.96387C14.8422 4.25867 15.1958
4.41652 15.5558

        4.37652L16.4048
4.28218C18.3156 4.06988 19.9301
5.68439 19.7178 7.59513L19.6235
8.44415C19.5835 8.8042 19.7413
9.15774 20.0361

        9.36831L20.3028
9.55879C21.9778 10.7552 21.9778
13.2447 20.3028 14.4412L20.0361
14.6317C19.7413 14.8422 19.5835
15.1958 19.6235

        15.5558L19.7178
16.4048C19.9301 18.3156 18.3156
19.9301 16.4048 19.7178L15.5558
19.6235C15.1958 19.5835 14.8422
19.7413 14.6317

        20.0361L14.4412
20.3028C13.2447 21.9778 10.7553
21.9778 9.55879 20.3028L9.36831
20.0361C9.15774 19.7413 8.8042
19.5835 8.44414

        19.6235L7.59513
19.7178C5.68439 19.9301 4.06988
18.3156 4.28218 16.4048L4.37652
15.5558C4.41652 15.1958 4.25867
14.8422 3.96387

        14.6317L3.6972
14.4412C2.02216 13.2447 2.02216
10.7553 3.6972 9.55879L3.96387
9.36831C4.25867 9.15774 4.41652
8.8042 4.37652

        8.44414L4.28218
7.59513C4.06988 5.68439 5.68439
4.06988 7.59513 4.28218L8.44415

```

```

4.37652C8.8042 4.41652 9.15774
4.25867 9.36831

        3.96387L9.55879
3.6972ZM15.7071 9.29289C16.0976
9.68342 16.0976 10.3166 15.7071
10.7071L11.8882 14.526C11.3977
15.0166 10.6023

        15.0166 10.1118
14.526L8.29289 12.7071C7.90237
12.3166 7.90237 11.6834 8.29289
11.2929C8.68342 10.9024 9.31658
10.9024 9.70711

        11.2929L11
12.5858L14.2929 9.29289C14.6834
8.90237 15.3166 8.90237 15.7071
9.29289Z"
fill="#252525"></path>

    </g>

</svg>

</div>

<p>Minor<br>Injured</p>
</div>
iv>
<di
v class="cardCoursesBottom">

<p><?php echo $totalReportM;
?></p>
</div>
iv>
</div>
<div
class="gapline"></div>
<div
class="cardCourses">
<di
v class="cardCoursesTop">

<div class="icon"
style="background-color:
#BDDDB0;">

    <svg width="20px"
height="20px" viewBox="0 0 24
24" fill="none"

```

```

xmlns="http://www.w3.org/2000/svg">

    <g
id="SVGRepo_bgCarrier" stroke-
width="0"></g>

    <g
id="SVGRepo_tracerCarrier"
stroke-linecap="round" stroke-
linejoin="round"></g>

    <g
id="SVGRepo_iconCarrier">

        <path fill-
rule="evenodd" clip-
rule="evenodd" d="M12 2C9.23885
2 6.73748 3.12038 4.92893
4.92893C3.12038 6.73748 2
9.23885 2 12C2 14.7611 3.12038
17.2625 4.92893 19.0711C6.73748

20.8796 9.23885 22
12 22C14.7611 22 17.2625
20.8796 19.0711 19.0711C20.8796
17.2625 22 14.7611 22 12C22
9.23885 20.8796 6.73748

19.0711
4.92893C17.2625 3.12038 14.7611
2 12 2ZM12 7C12.5523 7 13
7.44772 13 8V11.5858L14.7071
13.2929C15.0976 13.6834 15.0976

14.3166 14.7071
14.7071C14.3166 15.0976 13.6834
15.0976 13.2929 14.7071L11.2929
12.7071C11.1054 12.5196 11
12.2652 11 12V8C11

7.44772 11.4477 7
12 7Z" fill="#252525"></path>

    </g>

</svg>

</div>

<p>Serious<br>Injured</p>

```

```

</d
<div
v class="cardCoursesBottom">

<p><?php echo $totalReportS;
?></p>

</d
iv>

</div>
<div
class="gapline"></div>

<div
class="cardCourses">

<div class="cardCoursesTop">

<div class="icon"
style="background-color:
#BDDDB00;">

    <svg fill="#252525"
width="20px" heiggt="20px"
viewBox="0 0 56 56"

xmlns="http://www.w3.org/2000/svg">

    <g
id="SVGRepo_bgCarrier" stroke-
width="0"></g>

    <g
id="SVGRepo_tracerCarrier"
stroke-linecap="round" stroke-
linejoin="round"></g>

    <g
id="SVGRepo_iconCarrier">

        <path

d="M 20.8867
50.7109 L 35.1132 50.7109 C
38.0898 50.7109 39.5195 49.7500
41.0429 48.0859 L 49.6679
38.5234 C 51.2149 36.8125
51.6133

35.6875 51.6133
33.3671 L 51.6133 22.6562 C
51.6133 20.3125 51.2149 19.2109

```

49.6679 17.5000 L 41.0429
7.9375 C 39.5195 6.2734 38.0898

5.2891 35.1132
5.2891 L 20.8867 5.2891 C
17.9101 5.2891 16.5039 6.2734
14.9570 7.9375 L 6.3320 17.5000
C 4.7851 19.2109 4.3867 20.3125

4.3867 22.6562 L
4.3867 33.3671 C 4.3867 35.6875
4.7851 36.8125 6.3320 38.5234 L
14.9570 48.0859 C 16.5039
49.7500 17.9101 50.7109 20.8867

50.7109 Z M 19.5976
38.4062 C 18.4960 38.4062
17.6054 37.4922 17.6054 36.4140
C 17.6054 35.875 17.8398
35.3828 18.1913 35.0547 L
25.1992

28.0234 L 18.1913
20.9922 C 17.8398 20.6640
17.6054 20.1718 17.6054 19.6328
C 17.6054 18.5312 18.4960
17.6875 19.5976 17.6875 C
20.1367

17.6875 20.5820
17.8750 20.9335 18.2500 L
27.9882 25.2812 L 35.0664
18.2266 C 35.4648 17.8047
35.8867 17.6406 36.4023 17.6406
C 37.5039

17.6406 38.3945
18.5078 38.3945 19.6093 C
38.3945 20.1484 38.2070 20.5937
37.8086 20.9687 L 30.7773
28.0234 L 37.7851 35.0078 C
38.1367

35.3828 38.3711
35.8515 38.3711 36.4140 C
38.3711 37.4922 37.4804 38.4062
36.3789 38.4062 C 35.8164
38.4062 35.3476 38.1484 34.9960
37.7969

L 27.9882 30.7891 L
20.9804 37.7969 C 20.6289

38.1718 20.1367 38.4062 19.5976
38.4062 Z">

</path>

</g>

</svg>

</div>

<p>Fatalities
Injured</p>
</d

iv>

<di

v class="cardCoursesBottom">

<p><?php echo \$totalReportF;
?></p>
</d

iv>

</div>

<div

class="gapline"></div>

<div

class="cardCourses">

<di

v class="cardCoursesTop">

<div class="icon"
style="background-color:
#BDDDB0">

<svg width="20px"
height="20px" viewBox="0 0 24
24" fill="none"

xmlns="http://www.w3.or
g/2000/svg">

<g
id="SVGRepo_bgCarrier" stroke-
width="0"></g>

<g
id="SVGRepo_tracerCarrier"
stroke-linecap="round" stroke-
linejoin="round"></g>

<g
id="SVGRepo_iconCarrier">

```

<path fill-
rule="evenodd" clip-
rule="evenodd"

```

```

d="M3.46447
3.46447C2 4.92893 2 7.28595 2
12C2 16.714 2 19.0711 3.46447
20.5355C4.92893 22 7.28595 22
12 22C16.714 22 19.0711 22
20.5355

```

```

20.5355C22 19.0711
22 16.714 22 12C22 7.28595 22
4.92893 20.5355 3.46447C19.0711
2 16.714 2 12 2C7.28595 2
4.92893 2 3.46447
3.46447ZM17.5762

```

```

10.4801C17.8413
10.1619 17.7983 9.68901 17.4801
9.42383C17.1619 9.15866 16.689
9.20165 16.4238 9.51986L14.6269
11.6761C14.2562 12.1211 14.0284

```

```

12.3915 13.8409
12.5609C13.7539 12.6394 13.7023
12.6708 13.6775 12.6827C13.6725
12.6852 13.6689 12.6866 13.6667
12.6875C13.6667 12.6875 13.6624

```

```

12.6858 13.659
12.6842L13.6558 12.6827C13.6311
12.6708 13.5795 12.6394 13.4925
12.5609C13.3049 12.3915 13.0772
12.1211 12.7064 11.6761L12.414

```

```

11.3252C12.0855
10.931 11.7894 10.5756 11.5128
10.3258C11.2119 10.0541 10.8328
9.81205 10.3333 9.81205C9.83384
9.81205 9.45478 10.0541 9.15384

```

```

10.3258C8.87725
10.5756 8.58113 10.931 8.25267
11.3253L6.42383 13.5199C6.15866
13.8381 6.20165 14.311 6.51986
14.5762C6.83807 14.8413 7.31099

```

```

14.7983 7.57617
14.4801L9.37306 12.3239C9.74385
11.8789 9.97155 11.6085 10.1591

```

```

11.4391C10.2461 11.3606 10.2977
11.3292 10.3225 11.3173C10.3251

```

```

11.316 10.3274
11.315 10.3292 11.3142L10.3333
11.3125C10.3356 11.3134 10.3392
11.3148 10.3442 11.3173C10.3689
11.3292 10.4205 11.3606 10.5075

```

```

11.4391C10.6951
11.6085 10.9228 11.8789 11.2936
12.3239L11.586 12.6748C11.9145
13.069 12.2106 13.4244 12.4872
13.6742C12.7881 13.9459 13.1672

```

```

14.188 13.6667
14.188C14.1662 14.188 14.5452
13.9459 14.8462 13.6742C15.1228
13.4244 15.4189 13.069 15.7473
12.6748L17.5762 10.4801Z"

```

```

fill="#252525">
</path>

```

```

</g>

```

```

</svg>

```

```

</div>

```

```

<p>Fatalities<br>Score</p>
</div>

```

```

iv>
<div
v class="cardCoursesBottom">

```

```

<p><?php echo $fatalitiesScore;
?></p>
</div>

```

```

iv>
</div>

```

```

</div>
</div>

```

```

<div
class="Videos">

```

```

<video
class="Video" autoplay loop
muted>

```

```

<source
src="Assets/Video/K3.mp4"
type="video/mp4">

```

```

                                </video>                                $st
                                <video                                artDateFormatted = $startDate-
class="Video" autoplay loop    >format('d M Y');
muted>                                $en
                                <source                                dDateFormatted = $endDate-
src="Assets/Video/K3_2.mp4"    >format('d M Y');
type="video/mp4">                                ech
                                </video>                                o "<p>$startDateFormatted -
                                </div>                                $endDateFormatted</p>";
                                <?php else: ?>                                ?>
                                <div                                <p>
class="pagecontentLeft">                                <?php echo $totalReport; ?></p>
                                <div                                </div>
class="head">                                <div
                                <div                                class="contentRight">
class="headLeft">                                <div class="left">
                                <p>Acci                                v class="left">
dent Overview</p>                                <p>100%</p>
                                <p>This                                <p>80%</p>
Years</p>                                <p>60%</p>
                                </div>                                <p>40%</p>
                                <div>                                <p>20%</p>
class="headRight">                                <p>0%</p>
                                <a                                </d
href="Report.php"><i class="bi                                iv>
bi-arrow-up-right-                                <di
circle"></i></a>                                v class="right">
                                </div>                                <?php
                                </div>                                include "Connection.php";
                                <div                                date_default_timezone_set("Asia
class="gapline"></div>                                /Jakarta");
                                <div                                $data = array();
class="content">                                for ($month = 1; $month <= 12;
                                <div                                $month++) {
class="contentTop">                                $totalAccident =
                                <div                                mysqli_num_rows(mysqli_query($C
class="contentLeft">                                onn, "SELECT * FROM accident
                                <p>                                WHERE MONTH(date) = '$month'
Total Report</p>                                AND YEAR(date) =
                                <?p                                YEAR(CURRENT_DATE())));
hp                                $en
                                dat
e_default_timezone_set("Asia/Ja                                $st
karta");                                artDate = new
                                DateTime($endDate->format('Y')
                                $en                                . '-01-01');
dDate = new DateTime();
                                </div>
                                </div>
                                <p>
Total Report</p>
                                <?p
hp
                                date
e_default_timezone_set("Asia/Ja
karta");
                                $en
                                $st
                                artDate = new
                                DateTime($endDate->format('Y')
                                . '-01-01');

```

```

        $totalAccidentM =
mysql_num_rows(mysql_query($C
onn, "SELECT * FROM accident
WHERE MONTH(date) = '$month'
AND YEAR(date) =
YEAR(CURRENT_DATE()) AND
category = 'Minor'"));

```

```

        $totalAccidentS =
mysql_num_rows(mysql_query($C
onn, "SELECT * FROM accident
WHERE MONTH(date) = '$month'
AND YEAR(date) =
YEAR(CURRENT_DATE()) AND
category = 'Serious'"));

```

```

        $totalAccidentF =
mysql_num_rows(mysql_query($C
onn, "SELECT * FROM accident
WHERE MONTH(date) = '$month'
AND YEAR(date) =
YEAR(CURRENT_DATE()) AND
category = 'Fatalities'"));

```

```

        $data[] = array(
            'month' =>
substr(date("M", mktime(0, 0,
0, $month, 1)), 0, 3),
            'totalReport' =>
$totalAccident,
            'totalReportM' =>
$totalAccidentM,
            'totalReportS' =>
$totalAccidentS,
            'totalReportF' =>
$totalAccidentF
        );

```

```

    }

```

```

foreach ($data as $rowData) {

```

```

    $percentage =
($rowData['totalReport'] > 0) ?
($rowData['totalReportS'] /

```

```

$rowData['totalReport']) * 100
: 0;

```

```

    ?>

```

```

        <div class="barchart">

```

```

            <div
class="backgroundBar">

```

```

                <div class="bar"
style="height: <?php echo
$percentage; ?>%"></div>

```

```

            </div>

```

```

            <p><?php echo
$rowData['month']; ?></p>

```

```

        </div>

```

```

    <?php } ?>

```

```

    </d

```

```

iv>

```

```

        </div>

```

```

        </div>

```

```

        <div

```

```

class="contentBottom">

```

```

        <div

```

```

class="cardCourses">

```

```

        <di

```

```

v class="cardCoursesTop">

```

```

        <div class="icon"
style="background-color:
#BDDDB00;">

```

```

            <svg width="20px"
height="20px" viewBox="0 0 24
24" fill="none"

```

```

            xmlns="http://www.w3.or
g/2000/svg">

```

```

            <g
id="SVGRepo_bgCarrier" stroke-
width="0"></g>

```

```

            <g
id="SVGRepo_tracerCarrier"

```

stroke-linecap="round" stroke-
linejoin="round"></g>

<g
id="SVGRepo_iconCarrier">

<rect width="24"
height="24"
fill="transparent"></rect>

<path fill-
rule="evenodd" clip-
rule="evenodd"

d="M9.55879
3.6972C10.7552 2.02216 13.2447
2.02216 14.4412 3.6972L14.6317
3.96387C14.8422 4.25867 15.1958
4.41652 15.5558

4.37652L16.4048
4.28218C18.3156 4.06988 19.9301
5.68439 19.7178 7.59513L19.6235
8.44415C19.5835 8.8042 19.7413
9.15774 20.0361

9.36831L20.3028
9.55879C21.9778 10.7552 21.9778
13.2447 20.3028 14.4412L20.0361
14.6317C19.7413 14.8422 19.5835
15.1958 19.6235

15.5558L19.7178
16.4048C19.9301 18.3156 18.3156
19.9301 16.4048 19.7178L15.5558
19.6235C15.1958 19.5835 14.8422
19.7413 14.6317

20.0361L14.4412
20.3028C13.2447 21.9778 10.7553
21.9778 9.55879 20.3028L9.36831
20.0361C9.15774 19.7413 8.8042
19.5835 8.44414

19.6235L7.59513
19.7178C5.68439 19.9301 4.06988
18.3156 4.28218 16.4048L4.37652
15.5558C4.41652 15.1958 4.25867
14.8422 3.96387

14.6317L3.6972
14.4412C2.02216 13.2447 2.02216

10.7553 3.6972 9.55879L3.96387
9.36831C4.25867 9.15774 4.41652
8.8042 4.37652

8.44414L4.28218
7.59513C4.06988 5.68439 5.68439
4.06988 7.59513 4.28218L8.44415
4.37652C8.8042 4.41652 9.15774
4.25867 9.36831

3.96387L9.55879
3.6972ZM15.7071 9.29289C16.0976
9.68342 16.0976 10.3166 15.7071
10.7071L11.8882 14.526C11.3977
15.0166 10.6023

15.0166 10.1118
14.526L8.29289 12.7071C7.90237
12.3166 7.90237 11.6834 8.29289
11.2929C8.68342 10.9024 9.31658
10.9024 9.70711

11.2929L11
12.5858L14.2929 9.29289C14.6834
8.90237 15.3166 8.90237 15.7071
9.29289Z"
fill="#252525"></path>

</g>

</svg>

</div>

<p>Minor
Injured</p>
</div>

<div
v class="cardCoursesBottom">

<p><?php echo \$totalReportM;
?></p>
</div>

iv>
</div>

<div
class="gapline"></div>

<div
class="cardCourses">

<div
v class="cardCoursesTop">

```

<div class="icon"
style="background-color:
#BDDDB00;">

    <svg width="20px"
height="20px" viewBox="0 0 24
24" fill="none"

xmlns="http://www.w3.or
g/2000/svg">

    <g
id="SVGRepo_bgCarrier" stroke-
width="0"></g>

    <g
id="SVGRepo_tracerCarrier"
stroke-linecap="round" stroke-
linejoin="round"></g>

    <g
id="SVGRepo_iconCarrier">

        <path fill-
rule="evenodd" clip-
rule="evenodd" d="M12 2C9.23885
2 6.73748 3.12038 4.92893
4.92893C3.12038 6.73748 2
9.23885 2 12C2 14.7611 3.12038
17.2625 4.92893 19.0711C6.73748

20.8796 9.23885 22
12 22C14.7611 22 17.2625
20.8796 19.0711 19.0711C20.8796
17.2625 22 14.7611 22 12C22
9.23885 20.8796 6.73748

19.0711
4.92893C17.2625 3.12038 14.7611
2 12 22M12 7C12.5523 7 13
7.44772 13 8V11.5858L14.7071
13.2929C15.0976 13.6834 15.0976

14.3166 14.7071
14.7071C14.3166 15.0976 13.6834
15.0976 13.2929 14.7071L11.2929
12.7071C11.1054 12.5196 11
12.2652 11 12V8C11

7.44772 11.4477 7
12 7Z" fill="#252525"></path>

```

```

        </g>

    </svg>

</div>

<p>Serious<br>Injured</p>

</d
iv>

<di
v class="cardCoursesBottom">

<p><?php echo $totalReportS;
?></p>

</d
iv>

</div>
<div
class="gapline"></div>

<div
class="cardCourses">

</div>
<di
v class="cardCoursesTop">

<div class="icon"
style="background-color:
#BDDDB00;">

    <svg fill="#252525"
width="20px" heiggt="20px"
viewBox="0 0 56 56"

xmlns="http://www.w3.or
g/2000/svg">

    <g
id="SVGRepo_bgCarrier" stroke-
width="0"></g>

    <g
id="SVGRepo_tracerCarrier"
stroke-linecap="round" stroke-
linejoin="round"></g>

    <g
id="SVGRepo_iconCarrier">

        <path

d="M 20.8867
50.7109 L 35.1132 50.7109 C

```

38.0898 50.7109 39.5195 49.7500
41.0429 48.0859 L 49.6679
38.5234 C 51.2149 36.8125
51.6133

35.6875 51.6133
33.3671 L 51.6133 22.6562 C
51.6133 20.3125 51.2149 19.2109
49.6679 17.5000 L 41.0429
7.9375 C 39.5195 6.2734 38.0898

5.2891 35.1132
5.2891 L 20.8867 5.2891 C
17.9101 5.2891 16.5039 6.2734
14.9570 7.9375 L 6.3320 17.5000
C 4.7851 19.2109 4.3867 20.3125

4.3867 22.6562 L
4.3867 33.3671 C 4.3867 35.6875
4.7851 36.8125 6.3320 38.5234 L
14.9570 48.0859 C 16.5039
49.7500 17.9101 50.7109 20.8867

50.7109 Z M 19.5976
38.4062 C 18.4960 38.4062
17.6054 37.4922 17.6054 36.4140
C 17.6054 35.875 17.8398
35.3828 18.1913 35.0547 L
25.1992

28.0234 L 18.1913
20.9922 C 17.8398 20.6640
17.6054 20.1718 17.6054 19.6328
C 17.6054 18.5312 18.4960
17.6875 19.5976 17.6875 C
20.1367

17.6875 20.5820
17.8750 20.9335 18.2500 L
27.9882 25.2812 L 35.0664
18.2266 C 35.4648 17.8047
35.8867 17.6406 36.4023 17.6406
C 37.5039

17.6406 38.3945
18.5078 38.3945 19.6093 C
38.3945 20.1484 38.2070 20.5937
37.8086 20.9687 L 30.7773
28.0234 L 37.7851 35.0078 C
38.1367

35.3828 38.3711

35.8515 38.3711 36.4140 C
38.3711 37.4922 37.4804 38.4062
36.3789 38.4062 C 35.8164
38.4062 35.3476 38.1484 34.9960
37.7969

L 27.9882 30.7891 L
20.9804 37.7969 C 20.6289
38.1718 20.1367 38.4062 19.5976
38.4062 Z">

</path>

</g>

</svg>

</div>

<p>Fatalities
Injured</p>
</d

iv>

<di

v class="cardCoursesBottom">

<p><?php echo \$totalReportF;
?></p>
</d

iv>

</div>

<div

class="gapline"></div>

<div

class="cardCourses">

<di

v class="cardCoursesTop">

<div class="icon"
style="background-color:
#BDDB00">

<svg width="20px"
height="20px" viewBox="0 0 24
24" fill="none"

xmlns="http://www.w3.or
g/2000/svg">

<g
id="SVGRepo_bgCarrier" stroke-
width="0"></g>

```

    <g
id="SVGRepo_tracerCarrier"
stroke-linecap="round" stroke-
linejoin="round"></g>

    <g
id="SVGRepo_iconCarrier">

        <path fill-
rule="evenodd" clip-
rule="evenodd"

            d="M3.46447
3.46447C2 4.92893 2 7.28595 2
12C2 16.714 2 19.0711 3.46447
20.5355C4.92893 22 7.28595 22
12 22C16.714 22 19.0711 22
20.5355

                20.5355C22 19.0711
22 16.714 22 12C22 7.28595 22
4.92893 20.5355 3.46447C19.0711
2 16.714 2 12 2C7.28595 2
4.92893 2 3.46447
3.46447ZM17.5762

                    10.4801C17.8413
10.1619 17.7983 9.68901 17.4801
9.42383C17.1619 9.15866 16.689
9.20165 16.4238 9.51986L14.6269
11.6761C14.2562 12.1211 14.0284

                        12.3915 13.8409
12.5609C13.7539 12.6394 13.7023
12.6708 13.6775 12.6827C13.6725
12.6852 13.6689 12.6866 13.6667
12.6875C13.6667 12.6875 13.6624

                            12.6858 13.659
12.6842L13.6558 12.6827C13.6311
12.6708 13.5795 12.6394 13.4925
12.5609C13.3049 12.3915 13.0772
12.1211 12.7064 11.6761L12.414

                                11.3252C12.0855
10.931 11.7894 10.5756 11.5128
10.3258C11.2119 10.0541 10.8328
9.81205 10.3333 9.81205C9.83384
9.81205 9.45478 10.0541 9.15384

                                    10.3258C8.87725

```

```

10.5756 8.58113 10.931 8.25267
11.3253L6.42383 13.5199C6.15866
13.8381 6.20165 14.311 6.51986
14.5762C6.83807 14.8413 7.31099

                14.7983 7.57617
14.4801L9.37306 12.3239C9.74385
11.8789 9.97155 11.6085 10.1591
11.4391C10.2461 11.3606 10.2977
11.3292 10.3225 11.3173C10.3251

                    11.316 10.3274
11.315 10.3292 11.3142L10.3333
11.3125C10.3356 11.3134 10.3392
11.3148 10.3442 11.3173C10.3689
11.3292 10.4205 11.3606 10.5075

                        11.4391C10.6951
11.6085 10.9228 11.8789 11.2936
12.3239L11.586 12.6748C11.9145
13.069 12.2106 13.4244 12.4872
13.6742C12.7881 13.9459 13.1672

                            14.188 13.6667
14.188C14.1662 14.188 14.5452
13.9459 14.8462 13.6742C15.1228
13.4244 15.4189 13.069 15.7473
12.6748L17.5762 10.4801Z"

                                fill="#252525">
</path>

                                    </g>
</svg>
</div>

<p>Fatalities<br>Score</p>
</div>
iv>
<div
v class="cardCoursesBottom">

    <p><?php echo $fatalitiesScore;
?></p>
</div>
iv>
</div>
</div>
</div>
</div>

```

```

        <div
class="pagecontentRight">
            <div
class="contentLeft">
                <div
class="cardCourses">
                    <p>Total Activity<br>In Progress</p>
                    <p><?php echo $activityInProgress; ?></p>
                </div>
                <div
class="cardCourses">
                    <p>Total Activity<br>Completed</p>
                    <p><?php echo $activityCompleted; ?></p>
                </div>
            </div>
            <div
class="contentRight">
                <div
class="cardCourses">
                    <p>Total Equipment<br>Report</p>
                    <p><?php echo $totalEquipment; ?></p>
                </div>
                <div
class="cardCourses">
                    <p>Total Users</p>
                    <p><?php echo $totalUsers; ?></p>
                </div>
                <div
class="cardCourses">
                    <p>Total Equipment<br>Pack</p>
                    <p><?php echo $totalPack; ?></p>
                </div>
            </div>
        <?php endif; ?>
    </div>

    <script>
        // SCRIPT SEARCH DATA

```

```

        function
searchFunction() {
            const searchInput =
document.getElementById('search
Input').value.toLowerCase();
            const
attendanceBoxes =
document.querySelectorAll('.box
Recent');

            attendanceBoxes.for
Each(item => {
                const itemNama
=
item.getAttribute('dataName');
                item.style.disp
lay =
itemNama.includes(searchInput)
? 'flex' : 'none';
            });
        }

        // SCRIPT FILTER DATA
        document.addEventListen
er("DOMContentLoaded", function
() {
            var buttons =
document.getElementsByClassName
("filterButton");
            var currentType =
"<?php echo
isset($_GET['type']) ?
$_GET['type'] : 'daily'; ?>";
            for (var i = 0; i <
buttons.length; i++) {
                buttons[i].addE
ventListener("click", function
() {
                    for (var j
= 0; j < buttons.length; j++) {
                        buttons
[j].classList.remove("active-
button");
                    }
                    this.classL
ist.add("active-button");
                });
            }
            if
(buttons[i].getAttribute("href"
).includes(currentType)) {
                buttons[i].
classList.add("active-button");
            }
        }
    }

```

```

    }
    });

    // SCRIPT MOUSE HOVER
    BARCHART
    function
    showPercentagePopup(event,
    percentage) {
        var popup =
        document.getElementById("percen
        tagePopup");
        var popupWidth =
        popup.offsetWidth;
        var popupHeight =
        popup.offsetHeight;
        var posX =
        event.pageX - popupWidth;
        var posY =
        event.pageY - popupHeight;
        var maxX =
        window.innerWidth - popupWidth;
        var maxY =
        window.innerHeight -
        popupHeight;
        posX =
        Math.min(posX, maxX); posY =
        Math.min(posY, maxY);
        posX =
        Math.max(posX, 0);
        posY =
        Math.max(posY, 0);
        popup.style.left =
        posX + 'px';
        popup.style.top =
        posY + 'px';
        popup.innerText =
        percentage.toFixed(1) + '%';
        popup.style.display
        = 'block';
    }
    function
    hidePercentagePopup() {
        document.getElement
        ById("percentagePopup").style.d
        isplay = 'none';
    }
    document.addEventListener(
    'mousemove', function
    (event) {
        showPercentagePopup(event); });

```

```

    // SCRIPT ANIMASI
    BARCHART
    $(document).ready(function() {
        $('.animatedBar').e
        ach(function () {
            var
            initialHeight = 0; var
            finalHeight =
            parseFloat($(this).css('height'
            ));
            $(this).css('height', initialHeight);
            $(this).animate
            ({
                height:
                finalHeight
            }, 1000);
        });
    });

```

```

    // SCRIPT RESPONSIVE
    dropdown =
    document.querySelector(".navbar
    Dropdown");
    navbarRight =
    document.querySelector(".navbar
    Right");
    dropdown.onclick =
    function () {
        dropdown.classList.
        toggle("Active");
        navbarRight.classli
        st.toggle("Active");
    };
    </script>
</body>
</html>

```

```

EQUIPMENT.PHP
<?php
session_start();
include "Connection.php";
$rowProfile =
mysqli_fetch_assoc(mysqli_query
($Conn, "SELECT * FROM users
WHERE userid =
'$_SESSION[userid]'"));
// SCRIPT RESET DATA
if (isset($_GET['resetData']))
{

```

```

        header("Location: " .
strtok($_SERVER["REQUEST_URI"],
'?' ));
        exit();
    }

$packCode = "PPE-";
$selectQuery =
mysqli_query($Conn, "SELECT
MAX(packid) AS maxId FROM
apdpack WHERE packid LIKE
'{$packCode}%'");
$selectMax =
mysqli_fetch_assoc($selectQuery
);
if
(mysqli_num_rows($selectQuery)
> 0) {
    $maxId =
$selectMax['maxId'];
    $num =
intval(substr($maxId, 5)) + 1;
    $newId = $packCode .
str_pad($num, 2, '0',
STR_PAD_LEFT);
} else {
    $newId = $packCode . '01';
}

// SCRIPT ADD DATA PACK
if (isset($_POST['addPack'])) {
    $packId =
mysqli_real_escape_string($Conn
, $_POST['packId']);
    $packName =
mysqli_real_escape_string($Conn
, $_POST['packName']);
    $include =
mysqli_real_escape_string($Conn
, $_POST['include']);
    $insertData =
mysqli_query($Conn, "INSERT
INTO apdpack VALUES ('$newId',
'$packName', '$include')");
    if ($insertData) {
        $_SESSION['notifSuccess
'] = "opacity: 1; color:
#A2B331; background-color:
#F4FAC8;";
        $_SESSION['notifText']
= "Success! New Equipment Pack
have been added!";
    }
}

```

```

    } else {
        $_SESSION['notifSuccess
'] = "opacity: 1; color:
#B8534B; background-color:
#FBD8D4;";
        $_SESSION['notifText']
= "Failed to add new Equipment
Pack";
        $_SESSION['notifFailure
'] = true;
    }
    echo "<meta http-
equiv='refresh'
content='0;URL=Equipment.php'>"
;
    exit();
}

// SCRIPT ADD DATA REPORT
if (isset($_POST['addData'])) {
    $currentYear = date("Y");
    $currentDate = date("Y-m-
d");
    $currentTime =
date("H:i:s");
    $selectQuery =
mysqli_query($Conn, "SELECT
MAX(checkid) AS maxId FROM
apdreport WHERE checkid LIKE
'{$currentYear}%'");
    $selectMax =
mysqli_fetch_assoc($selectQuery
);
    if
(mysqli_num_rows($selectQuery)
> 0) {
        $maxId =
$selectMax['maxId'];
        $num =
intval(substr($maxId, 6)) + 1;
        $newId = $currentYear .
str_pad($num, 3, '0',
STR_PAD_LEFT);
    } else {
        $newId = $currentYear .
'001';
    }
    $packId =
mysqli_real_escape_string($Conn
, $_POST['packId']);
    $insertData =
mysqli_query($Conn, "INSERT

```

```

INTO apdreport VALUES
('$newId',
'$rowProfile[userid]',
'$packId', '$currentDate',
'$currentTime');"");
    if ($insertData) {
        $_SESSION['notifSuccess
'] = "opacity: 1; color:
#A2B331; background-color:
#F4FAC8;";
        $_SESSION['notifText']
= "Success! New Equipment
Report have been added!";
    } else {
        $_SESSION['notifSuccess
'] = "opacity: 1; color:
#B8534B; background-color:
#FBD8D4;";
        $_SESSION['notifText']
= "Failed to add new Equipment
Report";
        $_SESSION['notifFailure
'] = true;
    }
    echo "<meta http-
equiv='refresh'
content='0;URL=Equipment.php'>"
;
    exit();
}
$notifSuccess =
isset($_SESSION['notifSuccess']) ? $_SESSION['notifSuccess'] :
"opacity: 0;";
$notifText =
isset($_SESSION['notifText']) ?
$_SESSION['notifText'] : "";
$notifFailure =
isset($_SESSION['notifFailure']) && $_SESSION['notifFailure'];
unset($_SESSION['notifFailure']);
unset($_SESSION['notifSuccess']);
unset($_SESSION['notifText']);
?>
<!DOCTYPE html>
<html Lang="en">

<head>
    <meta charset="UTF-8" />

```

```

    <meta http-equiv="X-UA-
Compatible" content="IE=edge"
/>
    <meta name="viewport"
content="width=device-width,
initial-scale=1.0" />
    <title>Inspect UI3 •
Equipment</title>
    <link rel="icon"
href="Assets/Image/K3.png?v=<?p
hp echo time(); ?>" />
    <link rel="stylesheet"
href="Assets/Design.css?v=<?php
echo time(); ?>" />
    <link rel="stylesheet"
href="https://cdn.jsdelivrivr.net/
npm/bootstrap-
icons@1.10.5/font/bootstrap-
icons.css" />
    <style>
        @import
url("https://cdn.jsdelivrivr.net/n
pm/bootstrap-
icons@1.10.5/font/bootstrap-
icons.css");
    </style>
    <script>
        function preventBack()
        {
            window.history.forw
ard();
        };
        setTimeout("preventBack
()", 0);
        window.onunload =
function () { null; }
        if
(window.history.replaceState) {
            window.history.repl
aceState(null, null,
window.location.href);
        }
    </script>
</head>

<body>
    <div class="header">
        <div class="navbar">
            <div
class="navbarLeft">
                <svg
width="28px" height="28px"

```

```
</div>
<div
class="navbarRight">
```

```
linejoin="round"></g>
id="SVGRepo_iconCarrier">
```

```

<path
    d="M15 4H18C19.1046 4 20
4.89543 20 6V18C20 19.1046
19.1046 20 18 20H15M8 8L4 12M4
12L8 16M4 12L16 12"

    stroke="#FFFFFF75" stroke-
width="2" stroke-
linecap="round" stroke-
linejoin="round">

</path>
</g>
</svg>
</a>
<div
class="gapLine"></div>
<a href="#"
class="sessionUser">
    <p><?ph
p echo $rowProfile['name'];
?></p>

    <p><?ph
p echo $rowProfile['role'];
?></p>

</a>
</div>
</div>
<div
class="navbarDropdown">
    <i class="bi
bi-list"></i>
    </div>
</div>

    <div class="subHeader">
        <div
class="subHeaderLeft">
            <p>Equipment</p>
            <?php if
($rowProfile['role'] ===
'Worker'): ?>

                <p>Hi, <?php
echo $rowProfile['name']; ?>!
You can report the use of
personal protective equipment
here</p>

            <?php else: ?>

```

```

                <p>Hi, <?php
echo $rowProfile['name']; ?>!
You can see reports on workers'
use of personal protective
                    equipment</
p>
                <?php endif; ?>
            </div>

            <div
class="subHeaderRight">
                <?php if
($rowProfile['role'] ===
'Worker'): ?>
                    <a href="#"
onclick="popupAdd(this)">+ Add
Report</a>

                <?php elseif
($rowProfile['role'] ===
'Admin'): ?>
                    <a href="#"
onclick="popupAddPack(this)">+
Add Pack</a>

                <?php endif; ?>
            </div>

            </div>

            <div class="pagecontent">
                <div
class="pagecontentCenter">
                    <?php
if
($rowProfile['role'] ===
'Worker') {
                        $startDate =
$_GET["startDate"] ?? null;
                        $endDate =
$_GET["endDate"] ?? null;
                        $tableData =
"SELECT apdreport.*, apdpack.*,
users.name FROM apdreport
                            LEFT JOIN users
ON apdreport.userid =
users.userid
                            LEFT JOIN
apdpack ON apdreport.packid =
apdpack.packid
                            WHERE
apdreport.userid =
'$rowProfile[useri

```



```

        <path d="M14.5 9.50002L9.5
14.5M9.49998 9.5L14.5 14.5"
stroke="#B8534B"

        stroke-width="2.25"
stroke-linecap="round"></path>

    <path

        d="M7 3.33782C8.47087
2.48697 10.1786 2 12 2C17.5228
2 22 6.47715 22 12C22 17.5228
17.5228 22 12 22C6.47715 22 2
17.5228 2 12C2 10.1786 2.48697
8.47087 3.33782 7"

        stroke="#B8534B"
stroke-width="2.25" stroke-
linecap="round"></path>

<?php else: ?>

    <path d="M16 3.93552C14.795
3.33671 13.4368 3 12 3C7.02944
3 3 7.02944 3 12C3 16.9706
7.02944 21 12 21C16.9706

21 21 16.9706 21 12C21 11.662
20.9814 11.3283 20.9451 11M21
5L12 14L9 11"

        stroke="#A2B331"
stroke-width="2.75" stroke-
linecap="round" stroke-
linejoin="round">

    </path>

<?php endif; ?>

</g>
>

</svg>
<p>

    <?p
hp echo $notifText; ?>

    </p>
</div>
<?php if
($notifSuccess === "opacity: 1;
color: #A2B331; background-
color: #F4FAC8;" ||

```

```

$notifSuccess === "opacity: 1;
color: #B8534B; background-
color: #FBD8D4;"): ?>

    <script>

        >

        document.addEventListener('DOMCont
entLoaded', function () {

            var notif =
document.getElementById('notifS
uccess');

            notif.style.opacity = '1';

            setTimeout(function () {

                notif.style.opacity = '0';

                setTimeout(function () {

                    notif.style.display =
'none';

                    }, 1000);

                }, 5000);

            });

        </scrip
t>

    <?php
endif; ?>

    </div>
</div>
    <div
class="searchInput">
        <svg
class="iconSearch" aria-
hidden="true" width="16px"
height="16px" viewBox="0 0 24
24">

            <g>

                <path
d="M21.53 20.471-3.66-
3.66C19.195 15.24 20 13.214 20
11c0-4.97-4.03-9-9-9 4.03-9
9 4.03 9 9 9c2.215 0

4.24-.804 5.808-2.1313.66
3.66c.147.146.34.22.53.22s.385-
.073.53-.22c.295-.293.295-
.767.002-1.06zM3.5

```



```

strtotime($rowData['time']));
?></p>
</div>
iv>
</div>
<?php } ?>
</div>
</div>
</div>
</div>
<div class="popupBg"
id="popupAdd">
<div class="popupForm"
id="popupAddForm">
<div class="head">
<p>Create New
Report</p>
<p>Complete the
form to add a new equipment
reports</p>
</div>
<div
class="gapline"></div>
<form
class="content"
autocomplete="off"
method="POST"
id="equipmentForm">
<div
class="formInput">
<div
class="inputBox">
<p>Pack
ID *</p>
<input
type="text" class="searchData"
placeholder="Search Pack..." />
<input
type="hidden" name="packId"
id="packId"
oninput="validateField('packId'
)" />
<div
class="dataOption">
<?p
hp
inc
lude "Connection.php";
$se
lectData = mysqli_query($Conn,

```

```

"SELECT * FROM apdpack ORDER BY
packname ASC");
if
(!$selectData) {
die("Query error: " .
mysqli_error($Conn));
}
whi
le ($rowData =
mysqli_fetch_assoc($selectData)
) {
?>
<div class="boxOption">
<p class="selectOption"
dataId="<?php echo
$rowData['packid']; ?>"
dataName="<?php echo
$rowData['packname']; ?>">
<?php echo
$rowData['packid']; ?> |
<?php echo
$rowData['packname']; ?>
</p>
</div>
<?p
hp } ?>
</div>
<p>Sele
ct the appropriate protective
equipment pack</p>
</div>
<div
class="inputBox">
<p>Date
</p>
<input
type="text" value="<?php echo
date("M d, Y"); ?>" readonly />
<p>The
current date for the report</p>
</div>
<div
class="inputBox">

```

```

                                <p>User
s</p>
                                <input
type="text" value="<?php echo
$rowProfile['name']; ?>"
readonly />
                                <p>The
name of the user creating the
report</p>
                                </div>
                                </div>
                                <div
class="alertMsg" id="alertMsg">
                                <i
class="bi bi-exclamation-
circle-fill"></i>
                                <p>Please
fill in the form first!</p>
                                </div>
                                <div
class="buttonForm">
                                <a href="#"
class="cancelBtn"
onClick="popupCloseAdd(this)">C
ancel</a>
                                <button
type="submit" name="addData"
class="addBtn" onClick="return
validateForm()">Add
                                Report<
/button>
                                </div>
                                </form>
                                </div>
                                </div>
                                <div class="popupBg"
id="popupAddPack">
                                <div class="popupForm"
id="popupAddPackForm">
                                <div class="head">
                                <p>Create New
Pack</p>
                                <p>Complete the
form to add a new equipment
pack</p>
                                </div>
                                <div
class="gapline"></div>
                                <form
class="content"

```

```

autocomplete="off"
method="POST" id="packForm">
                                <div
class="formInput">
                                <div
class="inputBox">
                                <p>Pack
ID *</p>
                                <input
type="text" name="packId"
id="packId" value="<?php echo
$newId; ?>" readonly />
                                <p>Sele
ct the appropriate protective
equipment pack</p>
                                </div>
                                <div
class="inputBox">
                                <p>Pack
Name</p>
                                <input
type="text" name="packName"
id="packName"
oninput="validateFieldPack('pac
kName')" />
                                <p>The
current date for the report</p>
                                </div>
                                <div
class="inputBox">
                                <p>Incl
ude</p>
                                <input
type="text" name="include"
id="include"
oninput="validateFieldPack('inc
lude')" />
                                <p>The
name of the user creating the
report</p>
                                </div>
                                </div>
                                <div
class="alertMsg"
id="alertMsgPack">
                                <i
class="bi bi-exclamation-
circle-fill"></i>
                                <p>Please
fill in the form first!</p>
                                </div>

```

```

        <div
class="buttonForm">
        <a href="#"
class="cancelBtn"
onClick="popupCloseAddPack(this
)">Cancel</a>
        <button
type="submit" name="addPack"
class="addBtn" onClick="return
validateFormPack()">Add
        Pack</b
utton>
        </div>
    </form>
</div>
</div>
<script>
    // SCRIPT VALIDATE FORM
    function validateForm()
    {
        const packId =
document.getElementById('packId
').value.trim();
        if (!packId) {
            document.getEle
mentById('alertMsg').style.opac
ity = '1';
            return false;
        } else {
            document.getEle
mentById('alertMsg').style.opac
ity = '0';
            return true;
        }
    }
    function
validateField(fieldId) {
        const packId =
document.getElementById('packId
').value;
        if (packId) {
            document.getEle
mentById('alertMsg').style.opac
ity = '0';
        }
    }
    document.querySelectorA
ll('#equipmentForm
input').forEach(input => {

```

```

        input.addEventListe
ner('input', () =>
validateField(input.id));
    });
    // SCRIPT VALIDATE FORM
    PACK
    function
validateFormPack() {
        const packName =
document.getElementById('packNa
me').value.trim();
        const include =
document.getElementById('includ
e').value.trim();
        if (!packName ||
!include) {
            document.getEle
mentById('alertMsgPack').style.
opacity = '1';
            return false;
        } else {
            document.getEle
mentById('alertMsgPack').style.
opacity = '0';
            return true;
        }
    }
    function
validateFieldPack(fieldId) {
        const packName =
document.getElementById('packNa
me').value;
        const include =
document.getElementById('includ
e').value;
        if (packName &&
include) {
            document.getEle
mentById('alertMsgPack').style.
opacity = '0';
        }
    }
    document.querySelectorA
ll('#packForm
input').forEach(input => {
        input.addEventListe
ner('input', () =>
validateField(input.id));
    });
    // SCRIPT SEARCH PACK

```

```

        document.addEventListener('DOMContentLoaded', function () {
            const searchData = document.querySelector('.searchData');
            const dataOption = document.querySelector('.dataOption');
            const packId = document.querySelector('input[name="packId"]');
            const selectOptions = document.querySelectorAll('.selectOption');
            searchData.addEventListener('input', function () {
                const filter = searchData.value.toLowerCase();
                let hasVisibleOptions = false;
                selectOptions.forEach(option => {
                    if (searchData.value === '') {
                        dataOption.classList.remove('active');
                    } else if (option.innerText.toLowerCase().includes(filter)) {
                        option.parentElement.style.display = 'flex';
                        hasVisibleOptions = true;
                    } else {
                        option.parentElement.style.display = 'none';
                    }
                });
                searchData.addEventListener('blur', function () {
                    if (searchData.value.length === 0) {
                        searchData.style.borderColor = "#E0E0E0";
                    }
                });
            });
        });

```

```

        } else {
            dataOption.classList.remove('active');
        }
    });
    searchData.addEventListener('focus', function () {
        if (searchData.value.length === 0) {
            searchData.style.borderColor = "#C4C5C4";
        }
    });
    if (hasVisibleOptions) {
        dataOption.classList.add('active');
    } else {
        dataOption.classList.remove('active');
    }
    selectOptions.forEach(option => {
        option.addEventListener('click', () => {
            searchData.value = option.getAttribute('dataName');
            packId.value = option.getAttribute('dataId');
            dataOption.classList.remove('active');
        });
        document.addEventListener('click', (event) => {
            if (!dataOption.contains(event.target) && event.target !== cariDataInput) {
                dataOption.classList.remove('active');
            }
        });
    });

```

```

// SCRIPT POPUP ADD
DATA PACK
    document.addEventListener('DOMContentLoaded', function
() {
        window.popupAddPack
= function (element) {
            document.getEle
mentById("popupAddPack").style.
zIndex = "2500";
            document.getEle
mentById("popupAddPack").style.
opacity = "1";
            document.getEle
mentById("popupAddPackForm").st
yle.scale = "1";
        };
        window.popupCloseAd
dPack = function () {
            document.getEle
mentById("popupAddPackForm").st
yle.scale = "0.5";
            document.getEle
mentById("popupAddPack").style.
opacity = "0";
            document.getEle
mentById("popupAddPack").style.
zIndex = "-100";
            clearFormInputs
();
        };
    });
    function
clearFormInputs() {
        const reportForm =
document.getElementById('activi
tyForm');
        const inputs =
reportForm.querySelectorAll('in
put');
        document.getElemen
tById('alertMsg').style.opacity
= '0';
        inputs.forEach(inpu
t => {
            if (input.type
=== 'text' || input.type ===
'password' || input.type ===
'date') {
                input.value
= '';

```

```

            } else if
(input.type === 'radio' ||
input.type === 'checkbox') {
                input.check
ed = false;
            } else if
(input.type === 'file') {
                input.value
= '';
            } else {
                input.value
= '';
            }
        });
    }
}

```

```

// SCRIPT POPUP ADD
DATA REPORT
    document.addEventListener('DOMContentLoaded', function
() {
        window.popupAdd =
function (element) {
            document.getEle
mentById("popupAdd").style.zInd
ex = "2500";
            document.getEle
mentById("popupAdd").style.opac
ity = "1";
            document.getEle
mentById("popupAddForm").style.
scale = "1";
        };
        window.popupCloseAd
d = function () {
            document.getEle
mentById("popupAddForm").style.
scale = "0.5";
            document.getEle
mentById("popupAdd").style.opac
ity = "0";
            document.getEle
mentById("popupAdd").style.zInd
ex = "-100";
            clearFormInputs
();
        };
    });
    function
clearFormInputs() {
        const employeeForm
=

```

```

document.getElementById('usersForm');
        const inputs =
employeeForm.querySelectorAll('
input');
        document.getElement
ById('alertMsg').style.opacity
= '0';
        inputs.forEach(inpu
t => {
                if (input.type
=== 'text' || input.type ===
'password' || input.type ===
'date') {
                        input.value
= '';
                } else if
(input.type === 'radio' ||
input.type === 'checkbox') {
                        input.check
ed = false;
                } else if
(input.type === 'file') {
                        input.value
= '';
                } else {
                        input.value
= '';
                }
        });
        // SCRIPT SEARCH DATA
        function
searchFunction() {
                const searchInput =
document.getElementById('search
Input').value.toLowerCase();
                const
attendanceBoxes =
document.querySelectorAll('.box
Table');

                attendanceBoxes.for
Each(item => {
                        const
itemSearch =
item.getAttribute('dataSearch')
;
                        item.style.disp
lay =

```

```

itemSearch.includes(searchInput
) ? 'flex' : 'none';
                });
        }
</script>
</body>

</html>

```

ACTIVITY.PHP

```

<?php
session_start();
include "Connection.php";
$rowProfile =
mysqli_fetch_assoc(mysqli_query
($Conn, "SELECT * FROM users
WHERE userid =
'$_SESSION[userid]'"));
// SCRIPT RESET DATA
if (isset($_GET['resetData']))
{
        header("Location: " .
strtok($_SERVER["REQUEST_URI"],
'?' ));
        exit();
}

// SCRIPT ADD DATA
if (isset($_POST['addData'])) {
        $currentYear = date("Y");
        $currentDate = date("Y-m-
d");
        $selectQuery =
mysqli_query($Conn, "SELECT
MAX(activityid) AS maxId FROM
activity WHERE activityid LIKE
'{$currentYear}%");
        $selectMax =
mysqli_fetch_assoc($selectQuery
);
        if
(mysqli_num_rows($selectQuery)
> 0) {
                $maxId =
$selectMax['maxId'];
                $num =
intval(substr($maxId, 6)) + 1;
                $newId = date("Y") .
str_pad($num, 3, '0',
STR_PAD_LEFT);
        } else {

```

```

        $newId = $currentYear .
'001';
    }
    $location =
mysqli_real_escape_string($Conn
, $_POST['location']);
    $dateActivity =
mysqli_real_escape_string($Conn
, $_POST['dateActivity']);
    $activityName =
mysqli_real_escape_string($Conn
, $_POST['activityName']);
    $insertData =
mysqli_query($Conn, "INSERT
INTO Activity VALUES ('$newId',
'$rowProfile[userid]',
'$activityName', '$location',
'$currentDate', 'In
Progress')");
    if ($insertData) {
        $_SESSION['notifSuccess
'] = "opacity: 1; color:
#A2B331; background-color:
#F4FAC8;";
        $_SESSION['notifText']
= "Success! New Activity Report
have been added!";
    } else {
        $_SESSION['notifSuccess
'] = "opacity: 1; color:
#B8534B; background-color:
#FBD8D4;";
        $_SESSION['notifText']
= "Failed to add new Activity
Report";
        $_SESSION['notifFailure
'] = true;
    }
    echo "<meta http-
equiv='refresh'
content='0;URL=Activity.php'>";
    exit();
}

// SCRIPT COMPLETE ACTIVITY
if
(isset($_GET['completeActivity'
]))) {
    $activityId =
$_GET['completeActivity'];
    $deleteData =
mysqli_query($Conn, "UPDATE

```

```

activity SET status =
'Completed' WHERE activityid =
'$activityId'");
    if ($deleteData) {
        $_SESSION['notifSuccess
'] = "opacity: 1; color:
#A2B331; background-color:
#F4FAC8;";
        $_SESSION['notifText']
= "Done! Activity have been
Completed!";
    } else {
        $_SESSION['notifSuccess
'] = "opacity: 1; color:
#B8534B; background-color:
#FBD8D4;";
        $_SESSION['notifText']
= "Failed to Completed
Activity";
        $_SESSION['notifFailure
'] = true;
    }
    echo "<meta http-
equiv='refresh'
content='0;URL=Activity.php'>";
    exit();
}

$notifSuccess =
isset($_SESSION['notifSuccess']
) ? $_SESSION['notifSuccess'] :
"opacity: 0;";
$notifText =
isset($_SESSION['notifText']) ?
$_SESSION['notifText'] : "";
$notifFailure =
isset($_SESSION['notifFailure']
) && $_SESSION['notifFailure'];
unset($_SESSION['notifFailure']
);
unset($_SESSION['notifSuccess']
);
unset($_SESSION['notifText']);
?>
<!DOCTYPE html>
<html Lang="en">

<head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-
Compatible" content="IE=edge"
/>

```

```

        <meta name="viewport"
content="width=device-width,
initial-scale=1.0" />
        <title>Inspect UI3 •
Activity</title>
        <link rel="icon"
href="Assets/Image/K3.png?v=<?p
hp echo time(); ?>" />
        <link rel="stylesheet"
href="Assets/Design.css?v=<?php
echo time(); ?>" />
        <link rel="stylesheet"
href="https://cdn.jsdelivrivr.net/
npm/bootstrap-
icons@1.10.5/font/bootstrap-
icons.css" />
        <style>
            @import
url("https://cdn.jsdelivrivr.net/n
pm/bootstrap-
icons@1.10.5/font/bootstrap-
icons.css");
        </style>
        <script>
            function preventBack()
{
                window.history.forw
ard()
            };
            setTimeout("preventBack
()", 0);
            window.onunload =
function () { null; }
            if
(window.history.replaceState) {
                window.history.repl
aceState(null, null,
window.location.href);
            }
        </script>
    </head>

    <body>
        <div class="header">
            <div class="navbar">
                <div
class="navbarLeft">
                    <svg
width="28px" height="28px"
viewBox="0 0 24 24" fill="none"
xmlns="http://www.w3.org/2000/s
vg">

```

```

                                <g
id="SVGRepo_bgCarrier" stroke-
width="0"></g>
                                <g
id="SVGRepo_tracerCarrier"
stroke-linecap="round" stroke-
linejoin="round"></g>
                                <g
id="SVGRepo_iconCarrier">
                                    <path
d="M6.89258 17.7897C6.9083
17.7633 6.92441 17.7369 6.9409
17.7107C8.14358 15.7988 8.8398
13.
5379 8.8398 11.1034C8.8398
9.14189 10.4299 7.55176 12.3915
7.55176C14.353 7.55176 15.9431
9.1
4189 15.9431 11.1034C15.9431
12.0065 15.8816 12.8957 15.7626
13.7672M13.8825 19.8437C14.4257
18.
7596 14.871 17.6179 15.2069
16.4309M18.6156 17.4359C19.1883
15.4236 19.4949 13.2993 19.4949
11.
1033C19.4949 7.18026 16.3147 4
12.3916 4C11.0978 4 9.88477
4.34591 8.83997 4.9503M4.40039
14.
9783C4.96924 13.8073 5.28831
12.4926 5.28831 11.1033C5.28831
9.8095 5.63422 8.59646 6.2386
7.5
5166M12.3915 11.1035C12.3915
14.2265 11.4958 17.1403 9.94727
19.6019" stroke="#FFFFFF"
str
oke-width="2" stroke-
linecap="round" stroke-
linejoin="round">
                                </path>
                                </g>
                            </svg>
                        <p>Inspect</p>
                    </div>
                    <div
class="navbarRight">
                        <?php if
($rowProfile['role'] ===
'Worker'): ?>

```

```

                <a
href="Dashboard.php">Dashboard<
div class="mark"></div></a>
                <a
href="Equipment.php">Equipment<
div class="mark"></div></a>
                <a
href="Activity.php"
class="Active">Activity<div
class="mark"></div></a>
                <?php else: ?>
                <a
href="Dashboard.php">Dashboard<
div class="mark"></div></a>
                <a
href="Equipment.php">Equipment<
div class="mark"></div></a>
                <a
href="Activity.php"
class="Active">Activity<div
class="mark"></div></a>
                <a
href="Report.php">Report<div
class="mark"></div></a>
                <a
href="Account.php">Account<div
class="mark"></div></a>
                <?php endif; ?>
                <div
class="navbarDetails">
                <a
href="Logout.php"
class="navbarButton">
                <svg
width="16px" height="16px"
viewBox="0 0 24 24" fill="none"
xml
ns="http://www.w3.org/2000/svg"
transform="rotate(180)">
                <g
id="SVGRepo_bgCarrier" stroke-
width="0"></g>
                <g
id="SVGRepo_tracerCarrier"
stroke-linecap="round" stroke-
linejoin="round"></g>
                <g
id="SVGRepo_iconCarrier">
<path
d="M15 4H18C19.1046 4 20

```

```

4.89543 20 6V18C20 19.1046
19.1046 20 18 20H15M8 8L4 12M4
12L8 16M4 12L16 12"
                stroke="#FFFFFF75" stroke-
width="2" stroke-
linecap="round" stroke-
linejoin="round">
</path>
                </g>
>
                </svg>
                </a>
                <div
class="gapLine"></div>
                <a href="#"
class="sessionUser">
                <p><?ph
p echo $rowProfile['name'];
?></p>
                <p><?ph
p echo $rowProfile['role'];
?></p>
                </a>
                </div>
                </div>
                <div
class="navbarDropdown">
                <i class="bi
bi-list"></i>
                </div>
                </div>
                </div>
                <div class="subHeader">
                <div
class="subHeaderLeft">
                <p>Activity</p>
                <?php if
($rowProfile['role'] ===
'Worker'): ?>
                <p>Hi, <?php
echo $rowProfile['name']; ?>!
You can report the activities
you will do</p>
                <?php else: ?>
                <p>Hi, <?php
echo $rowProfile['name']; ?>!
You can see worker activity
data</p>
                <?php endif; ?>

```

```

        </div>
        <?php if
($rowProfile['role'] ===
'Worker'): ?>
            <div
class="subHeaderRight">
                <a href="#"
onclick="popupAdd(this)">+ Add
Activity</a>
            </div>
        <?php endif; ?>
    </div>

    <div class="pagecontent">
        <div
class="pagecontentCenter">
            <?php
            if
($rowProfile['role'] ===
'Worker') {
                $startDate =
$_GET["startDate"] ?? null;
                $endDate =
$_GET["endDate"] ?? null;
                $tableData =
"SELECT activity.*, users.name
FROM activity LEFT JOIN users
ON activity.userid =
users.userid WHERE
activity.userid =
'$rowProfile[userid]'";
                if
(isset($_GET['searchData'])) {
                    if
($startDate && $endDate) {
                        $startD
ate =
mysqli_real_escape_string($Conn
, $startDate);
                        $endDat
e =
mysqli_real_escape_string($Conn
, $endDate);
                        $tableD
ata .= " AND activity.date
BETWEEN '$startDate' AND
'$endDate'";
                    }
                }
                $tableData .= "
ORDER BY CASE

```

```

        WHEN activity.status = 'In
Progress' THEN 1

        ELSE 2

END, activity.date ASC";
    } else {
        $startDate =
$_GET["startDate"] ?? null;
        $endDate =
$_GET["endDate"] ?? null;
        $tableData =
"SELECT activity.*, users.name
FROM activity LEFT JOIN users
ON activity.userid =
users.userid";
        if
(isset($_GET['searchData'])) {
            if
($startDate && $endDate) {
                $startD
ate =
mysqli_real_escape_string($Conn
, $startDate);
                $endDat
e =
mysqli_real_escape_string($Conn
, $endDate);
                $tableD
ata .= " WHERE activity.date
BETWEEN '$startDate' AND
'$endDate'";
            }
        }
        $tableData .= "
ORDER BY CASE

        WHEN activity.status = 'In
Progress' THEN 1

        ELSE 2

END, activity.date ASC";
    }

    $resultTableData =
mysqli_query($Conn,
$tableData);
    $totalReport =
mysqli_num_rows(mysqli_query($C
onn, $tableData));

```

```

        if ($totalReport >
0) {
            $nothingStyle =
'display: none;';
        } else {
            $nothingStyle =
'display: flex;';
        }
        ?>
        <div class="head">
            <div
class="headLeft">
                <p>Activity
Report</p>
                <p><?php
echo $totalReport; ?> Total
Activity Report
                </p>
            </div>
            <div
class="headRight">
                <div
class="notifSuccess"
id="notifSuccess" style="<?php
echo $notifSuccess; ?>">
                    <svg
width="14px" height="14px"
viewBox="0 0 24 24" fill="none"
                    xml
ns="http://www.w3.org/2000/svg"
                    >
                        <g
id="SVGRepo_bgCarrier" stroke-
width="0"></g>
                        <g
id="SVGRepo_tracerCarrier"
stroke-linecap="round" stroke-
linejoin="round"></g>
                        <g
id="SVGRepo_iconCarrier">
                            <?php if ($notifFailure): ?>
                                <path d="M14.5 9.50002L9.5
14.5M9.49998 9.5L14.5 14.5"
stroke="#B8534B"
                                stroke-width="2.25"
stroke-linecap="round"></path>
                                <path
                                    d="M7 3.33782C8.47087
2.48697 10.1786 2 12 2C17.5228
2 22 6.47715 22 12C22 17.5228
17.5228 22 12 22C6.47715 22 2
17.5228 2 12C2 10.1786 2.48697
8.47087 3.33782 7"
                                    stroke="#B8534B"
stroke-width="2.25" stroke-
linecap="round"></path>
                                <?php else: ?>
                                    <path d="M16 3.93552C14.795
3.33671 13.4368 3 12 3C7.02944
3 3 7.02944 3 12C3 16.9706
7.02944 21 12 21C16.9706
21 21 16.9706 21 12C21 11.662
20.9814 11.3283 20.9451 11M21
5L12 14L9 11"
                                    stroke="#A2B331"
stroke-width="2.75" stroke-
linecap="round" stroke-
linejoin="round">
                                    </path>
                                <?php endif; ?>
                            </g>
                        </svg>
                        <p>
                            <?p
hp echo $notifText; ?>
                        </p>
                    </div>
                    <?php if
($notifSuccess === "opacity: 1;
color: #A2B331; background-
color: #F4FAC8;" ||
$notifSuccess === "opacity: 1;
color: #B8534B; background-
color: #FBD8D4;"): ?>
                        <script
>
                            doc
ument.addEventListener('DOMCont
entLoaded', function () {

```

```

var notif =
document.getElementById('notifS
uccess');

notif.style.opacity = '1';

setTimeout(function () {

    notif.style.opacity = '0';

    setTimeout(function () {

        notif.style.display =
'none';

    }, 1000);

}, 5000);

    });
</scrip
t>

<?php
endif; ?>

</div>
</div>
<div
class="searchInput">
    <svg
class="iconSearch" aria-
hidden="true" width="16px"
height="16px" viewBox="0 0 24
24">

        <g>
            <path
d="M21.53 20.47l-3.66-
3.66C19.195 15.24 20 13.214 20
11c0-4.97-4.03-9-9-9s-9 4.03-9
9 4.03 9 9 9c2.215 0

4.24-.804 5.808-2.13l3.66
3.66c.147.146.34.22.53.22s.385-
.073.53-.22c.295-.293.295-
.767.002-1.06zM3.5

11c0-4.135 3.365-7.5 7.5-
7.5s7.5 3.365 7.5 7.5-3.365
7.5-7.5 7.5-7.5-3.365-7.5-7.5z"
stroke="#C1C1C1" stroke-width="1">
            </path>
        </g>
    </svg>
</div>

```

```

</svg>
<input
type="text" id="searchInput"
placeholder="Search
Activity..."
onkeyup="searchFunction()"
autocomplete="off">
</form>
class="inputRange"
method="GET">
<div
class="dateRange">
    <p>From
    <input
type="date" name="startDate"
value="<?php echo
$_GET["startDate"] ?? '' ; ?>">
    </div>
<div
class="dateRange">
    <p>To</
    <input
type="date" name="endDate"
value="<?php echo
$_GET["endDate"] ?? '' ; ?>">
    </div>
    <button
name="searchData">Search</butto
n>
    <button
name="resetData">Reset</button>
</form>
</div>
<div
class="content">
    <div
class="headTable">
        <div
class="headLeft">
            <p>Acti
vity Name</p>
        </div>
        <div
class="headRight">
            <p>User
s</p>
            <p>Date
</p>

```

```

        <p
class="actionBtn">Status</p>
        <?php
if ($rowProfile['role'] ===
'Worker'): ?>
        <p
class="actionBtn">Actions</p>
        <?php
endif; ?>
    </div>
</div>
<div
class="contentTable">
    <p
class="nothingData"
style="<?php echo
$nothingStyle; ?>">The data you
are looking for is not
        availab
le</p>
        <?php
while
($rowData =
mysqli_fetch_assoc($resultTable
Data)) {
            if
($rowData['status'] ===
'Completed') {
                $st
yleClass = "color: #A2B331;
background-color: #F4FAC8;
font-family: MontserratSB;";
            } else
{
                $st
yleClass = "color: #9E6622;
background-color: #FFE0BB;
font-family: MontserratB;";
            }
        }
    </div>
class="boxTable"
dataSearch="<?php echo
strtolower($rowData['name']);
?>">
        <di
v class="boxLeft">
        <p><?php echo
$rowData['activityname'];
?></p>

```

```

        <p><i class="bi bi-geo-alt-
fill"></i> <?php echo
$rowData['location']; ?></p>
    </d
iv>
    <di
v class="boxRight">
        <p><?php echo $rowData['name'];
?></p>
        <p><?php echo date("M d, Y",
strtotime($rowData['date']));
?></p>
        <p class="actionBtn"
style="<?php echo $styleClass;
?>"><?php echo
$rowData['status']; ?>
        </p>
        <?php if ($rowProfile['role']
=== 'Worker'): ?>
            <?php if
($rowData['status'] === 'In
Progress'): ?>
                <p class="actionBtn">
                    <a href="#"
class="editBtn"
onclick="popupCompleted(event,
this)"
                    dataCompleted="
        <?php echo
$rowData['activityid']; ?>">
                    <svg
width="16px" height="16px"
viewBox="0 0 24 24" fill="none"
xmlns="http
://www.w3.org/2000/svg">
                        <g
id="SVGRepo_bgCarrier" stroke-
width="0"></g>

```



```

width="2.25" stroke-
linecap="round"></path>
</g>
</svg>
</div>
<div
class="content">
<div
class="contentTop">
<p>Complete
d This Activity?</p>
<p>You
cannot undo this</p>
</div>
<div
class="buttonForm">
<a href="#"
class="cancelBtn"
onclick="popupCompletedClose(ev
ent, this)">Cancel</a>
<a href="#"
class="editBtn"
id="confirmAction">Compeleted</
a>
</div>
</div>
</div>
</div>
<div class="popupBg"
id="popupAdd">
<div class="popupForm"
id="popupAddForm">
<div class="head">
<p>Create New
Activity</p>
<p>Complete the
form to add a new activity
reports</p>
</div>
<div
class="gapline"></div>
<form
class="content"
autocomplete="off"
method="POST"
id="activityForm">
<div
class="formInput">
<div
class="inputBox">

```

```

<p>Date
*</p>
<input
type="date" name="dateActivity"
id="dateActivity"
oninput="validateField('dateActivi
ty')" />
<p>Sele
ct the date of the activity</p>
</div>
<div
class="inputBox">
<p>Acti
vity Name *</p>
<input
type="text" name="activityName"
id="activityName"
oninput="validateField('activityNa
me')" />
<p>Prov
ide the name of the
activity</p>
</div>
<div
class="inputBox">
<p>Loca
tion *</p>
<input
type="text" name="location"
id="location"
oninput="validateField('locatio
n')" />
<p>Spec
ify the location where the
activity takes place</p>
</div>
</div>
<div
class="alertMsg" id="alertMsg">
<i
class="bi bi-exclamation-
circle-fill"></i>
<p>Please
fill in the form first!</p>
</div>
<div
class="buttonForm">
<a href="#"
class="cancelBtn"

```

```

onClick="popupCloseAdd(this)">Cancel</a>
        <button
type="submit" name="addData"
class="addBtn" onClick="return
validateForm()">Add
        Activit
y</button>
        </div>
    </form>
</div>
</div>
<script>
    // SCRIPT VALIDATE FORM
    function validateForm()
    {
        const location =
document.getElementById('locati
on').value.trim();
        const dateActivity
=
document.getElementById('dateAc
tivity').value.trim();
        const activityName
=
document.getElementById('activi
tyName').value.trim();
        if (!location ||
!dateActivity || !activityName)
        {
            document.getEle
mentById('alertMsg').style.opac
ity = '1';
            return false;
        } else {
            document.getEle
mentById('alertMsg').style.opac
ity = '0';
            return true;
        }
    }
    function
validateField(fieldId) {
        const location =
document.getElementById('locati
on').value;
        const dateActivity
=
document.getElementById('dateAc
tivity').value;

```

```

        const activityName
=
document.getElementById('activi
tyName').value;
        if (location &&
dateActivity && activityName) {
            document.getEle
mentById('alertMsg').style.opac
ity = '0';
        }
    }
    document.querySelectorA
ll('#activityForm
input').forEach(input => {
        input.addEventListe
ner('input', () =>
validateField(input.id));
    });
    // SCRIPT POPUP ADD
    DATA
        document.addEventListe
ner('DOMContentLoaded', function
() {
            window.popupAdd =
function (element) {
                document.getEle
mentById("popupAdd").style.zInd
ex = "2500";
                document.getEle
mentById("popupAdd").style.opac
ity = "1";
                document.getEle
mentById("popupAddForm").style.
scale = "1";
            };
            window.popupCloseAd
d = function () {
                document.getEle
mentById("popupAddForm").style.
scale = "0.5";
                document.getEle
mentById("popupAdd").style.opac
ity = "0";
                document.getEle
mentById("popupAdd").style.zInd
ex = "-100";
                clearFormInputs
();
            };
        });
    });

```

```

        function
clearFormInputs() {
    const reportForm =
document.getElementById('activi
tyForm');
    const inputs =
reportForm.querySelectorAll('in
put');
    document.getEleme
ntById('alertMsg').style.opacity
= '0';
    inputs.forEach(inpu
t => {
        if (input.type
=== 'text' || input.type ===
'password' || input.type ===
'date') {
            input.value
= '';
        } else if
(input.type === 'radio' ||
input.type === 'checkbox') {
            input.check
ed = false;
        } else if
(input.type === 'file') {
            input.value
= '';
        } else {
            input.value
= '';
        }
    });
}

// SCRIPT COMPLETE
ACTIVITY
document.addEventListener
('DOMContentLoaded', function
() {
    const confirmAction
=
document.getElementById('confir
mAction');
    window.popupComple
ted = function (event, element)
{
        event.preventDe
fault();
        const
dataCompleted =

```

```

element.getAttribute('dataCompl
eted');
        confirmAction.s
etAttribute('href',
'?completeActivity=' +
dataCompleted);
        document.getEle
mentById("popupCompleted").styl
e.zIndex = "2500";
        document.getEle
mentById("popupCompleted").styl
e.opacity = "1";
        document.getEle
mentById("popupCompletedForm").
style.scale = "1";
    });
    window.popupComple
tedClose = function (event) {
        event.preventDe
fault();
        document.getEle
mentById("popupCompletedForm").
style.scale = "0.5";
        document.getEle
mentById("popupCompleted").styl
e.opacity = "0";
        document.getEle
mentById("popupCompleted").styl
e.zIndex = "-100";
    });
});

// SCRIPT SEARCH DATA
function
searchFunction() {
    const searchInput =
document.getElementById('search
Input').value.toLowerCase();
    const
attendanceBoxes =
document.querySelectorAll('.box
Table');

    attendanceBoxes.for
Each(item => {
        const
itemSearch =
item.getAttribute('dataSearch')
;
        item.style.disp
lay =

```

```

itemSearch.includes(searchInput
) ? 'flex' : 'none';
    });
    }
    </script>
</body>

</html>

```

REPORT.PHP

```

<?php
session_start();
include "Connection.php";
$rowProfile =
mysqli_fetch_assoc(mysqli_query
($Conn, "SELECT * FROM users
WHERE userid =
'$_SESSION[userid]'"));
// SCRIPT RESET DATA
if (isset($_GET['resetData']))
{
    header("Location: " .
    strtok($_SERVER["REQUEST_URI"],
    '?'));
    exit();
}

// SCRIPT ADD DATA
if (isset($_POST['addData'])) {
    $currentYear = date("Y");
    $currentDate = date("Y-m-
d");
    $currentTime =
date("H:i:s");
    $selectQuery =
mysqli_query($Conn, "SELECT
MAX(reportid) AS maxId FROM
accident WHERE reportid LIKE
'{$currentYear}%");
    $selectMax =
mysqli_fetch_assoc($selectQuery
);
    if
(mysqli_num_rows($selectQuery)
> 0) {
        $maxId =
$selectMax['maxId'];
        $num =
intval(substr($maxId, 4)) + 1;
        $newId = $currentYear .
str_pad($num, 3, '0',
STR_PAD_LEFT);

```

```

    } else {
        $newId = $currentYear .
'001';
    }
    $category =
$_POST['Category'];
    $userId =
mysqli_real_escape_string($Conn
, $_POST['userId']);
    $location =
mysqli_real_escape_string($Conn
, $_POST['location']);
    $injuredPart =
mysqli_real_escape_string($Conn
, $_POST['injuredPart']);
    $insertData =
mysqli_query($Conn, "INSERT
INTO accident VALUES ('$newId',
'$userId', '$category',
'$injuredPart', '$location',
'$currentDate',
'$currentTime')");
    if ($insertData) {
        $_SESSION['notifSuccess
'] = "opacity: 1; color:
#A2B331; background-color:
#F4FAC8;";
        $_SESSION['notifText']
= "Success! New Accident Report
have been added!";
    } else {
        $_SESSION['notifSuccess
'] = "opacity: 1; color:
#B8534B; background-color:
#FBD8D4;";
        $_SESSION['notifText']
= "Failed to add new Accident
Report";
        $_SESSION['notifFailure
'] = true;
    }
    echo "<meta http-
equiv='refresh'
content='0;URL=Report.php'>";
    exit();
}

$notifSuccess =
isset($_SESSION['notifSuccess']
) ? $_SESSION['notifSuccess'] :
"opacity: 0;";

```

```

$notifText =
isset($_SESSION['notifText']) ?
$_SESSION['notifText'] : "";
$notifFailure =
isset($_SESSION['notifFailure'])
) && $_SESSION['notifFailure'];
unset($_SESSION['notifFailure']
);
unset($_SESSION['notifSuccess']
);
unset($_SESSION['notifText']);
?>
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-
Compatible" content="IE=edge"
/>
    <meta name="viewport"
content="width=device-width,
initial-scale=1.0" />
    <title>Inspect UI3 •
Report</title>
    <link rel="icon"
href="Assets/Image/K3.png?v=<?p
hp echo time(); ?>" />
    <link rel="stylesheet"
href="Assets/Design.css?v=<?php
echo time(); ?>" />
    <link rel="stylesheet"
href="https://cdn.jsdelivrivr.net/
npm/bootstrap-
icons@1.10.5/font/bootstrap-
icons.css" />
    <style>
        @import
url("https://cdn.jsdelivrivr.net/n
pm/bootstrap-
icons@1.10.5/font/bootstrap-
icons.css");
    </style>
    <script>
        function preventBack()
{
            window.history.forw
ard()
        };
        setTimeout("preventBack
()", 0);

```

```

        window.onunload =
function () { null; }
        if
(window.history.replaceState) {
            window.history.repl
aceState(null, null,
window.location.href);
        }
    </script>
</head>

<body>
    <div class="header">
        <div class="navbar">
            <div
class="navbarLeft">
                <svg
width="28px" height="28px"
viewBox="0 0 24 24" fill="none"
xmlns="http://www.w3.org/2000/s
vg">
                    <g
id="SVGRepo_bgCarrier" stroke-
width="0"></g>
                    <g
id="SVGRepo_tracerCarrier"
stroke-linecap="round" stroke-
linejoin="round"></g>
                    <g
id="SVGRepo_iconCarrier">
                        <path
d="M6.89258 17.7897C6.9083
17.7633 6.92441 17.7369 6.9409
17.7107C8.14358 15.7988 8.8398
13.
5379 8.8398 11.1034C8.8398
9.14189 10.4299 7.55176 12.3915
7.55176C14.353 7.55176 15.9431
9.1
4189 15.9431 11.1034C15.9431
12.0065 15.8816 12.8957 15.7626
13.7672M13.8825 19.8437C14.4257
18.
7596 14.871 17.6179 15.2069
16.4309M18.6156 17.4359C19.1883
15.4236 19.4949 13.2993 19.4949
11.
1033C19.4949 7.18026 16.3147 4
12.3916 4C11.0978 4 9.88477
4.34591 8.83997 4.9503M4.40039
14.
9783C4.96924 13.8073 5.28831

```

```

12.4926 5.28831 11.1033C5.28831
9.8095 5.63422 8.59646 6.2386
7.5
5166M12.3915 11.1035C12.3915
14.2265 11.4958 17.1403 9.94727
19.6019" stroke="#FFFFFF"
str
oke-width="2" stroke-
linecap="round" stroke-
linejoin="round">
</path>
</g>
</svg>
<p>Inspect</p>
</div>
<div
class="navbarRight">
<a
href="Dashboard.php">Dashboard<
div class="mark"></div></a>
<a
href="Equipment.php">Equipment<
div class="mark"></div></a>
<a
href="Activity.php">Activity<di
v class="mark"></div></a>
<a
href="Report.php"
class="Active">Report<div
class="mark"></div></a>
<a
href="Account.php">Account<div
class="mark"></div></a>
<div
class="navbarDetails">
<a
href="Logout.php"
class="navbarButton">
<svg
width="16px" height="16px"
viewBox="0 0 24 24" fill="none"
xml
ns="http://www.w3.org/2000/svg"
transform="rotate(180)">
<g
id="SVGRepo_bgCarrier" stroke-
width="0"></g>
<g
id="SVGRepo_tracerCarrier"
stroke-linecap="round" stroke-
linejoin="round"></g>

```

```

<g
id="SVGRepo_iconCarrier">
<path
d="M15 4H18C19.1046 4 20
4.89543 20 6V18C20 19.1046
19.1046 20 18 20H15M8 8L4 12M4
12L8 16M4 12L16 12"
stroke="#FFFFFF75" stroke-
width="2" stroke-
linecap="round" stroke-
linejoin="round">
</path>
</g>
</svg>
<a>
<div
class="gapLine"></div>
<a href="#"
class="sessionUser">
<p><?ph
p echo $rowProfile['name'];
?></p>
<p><?ph
p echo $rowProfile['role'];
?></p>
</a>
</div>
</div>
<div
class="navbarDropdown">
<i class="bi
bi-list"></i>
</div>
</div>
<div class="subHeader">
<div
class="subHeaderLeft">
<p>Accident
Report</p>
<p>Hi, <?php echo
$rowProfile['name']; ?>! here
you can see work accident
reports</p>
</div>

```

```

        <div
class="subHeaderRight">
        <?php if
($rowProfile['role'] ===
'Supervisor'): ?>
            <a href="#"
onclick="popupAdd(this)">+ Add
Report</a>
        <?php endif; ?>
    </div>
</div>

    <div class="pagecontent">
        <div
class="pagecontentCenter">
            <?php
                $startDate =
$_GET["startDate"] ?? null;
                $endDate =
$_GET["endDate"] ?? null;
                $tableData =
"SELECT accident.*, users.name
FROM accident LEFT JOIN users
ON accident.userid =
users.userid";
                if
(isset($_GET['searchData'])) {
                    if ($startDate
&& $endDate) {
                        $startDate
=
mysqli_real_escape_string($Conn
, $startDate);
                        $endDate =
mysqli_real_escape_string($Conn
, $endDate);
                        $tableData
.= " WHERE accident.date
BETWEEN '$startDate' AND
'$endDate'";
                    }
                }
                $tableData .= "
ORDER BY accident.date ASC";
                $resultTableData =
mysqli_query($Conn,
$tableData);
                $totalReport =
mysqli_num_rows(mysqli_query($C
onn, $tableData));
                if ($totalReport >
0) {

```

```

                    $nothingStyle =
'display: none;';
                } else {
                    $nothingStyle =
'display: flex;';
                }
            ?>
            <div class="head">
                <div
class="headLeft">
                    <p>Accident
Report</p>
                    <p><?php
echo $totalReport; ?> Total
Accident Report
                    </p>
                </div>
                <div
class="headRight">
                    <div
class="notifSuccess"
id="notifSuccess" style="<?php
echo $notifSuccess; ?>">
                        <svg
width="14px" height="14px"
viewBox="0 0 24 24" fill="none"
xmlns="http://www.w3.org/2000/svg"
>
                            <g
id="SVGRepo_bgCarrier" stroke-
width="0"></g>
                            <g
id="SVGRepo_tracerCarrier"
stroke-linecap="round" stroke-
linejoin="round"></g>
                            <g
id="SVGRepo_iconCarrier">
                                <?php if ($notifFailure): ?>
                                    <path d="M14.5 9.50002L9.5
14.5M9.49998 9.5L14.5 14.5"
stroke="#B8534B"
stroke-width="2.25"
stroke-linecap="round"></path>
                                    <path
d="M7 3.33782C8.47087
2.48697 10.1786 2 12 2C17.5228

```

```

2 22 6.47715 22 12C22 17.5228
17.5228 22 12 22C6.47715 22 2
17.5228 2 12C2 10.1786 2.48697
8.47087 3.33782 7"

```

```

        stroke="#B8534B"
stroke-width="2.25" stroke-
linecap="round"></path>

```

```
<?php else: ?>
```

```

        <path d="M16 3.93552C14.795
3.33671 13.4368 3 12 3C7.02944
3 3 7.02944 3 12C3 16.9706
7.02944 21 12 21C16.9706

```

```

21 21 16.9706 21 12C21 11.662
20.9814 11.3283 20.9451 11M21
5L12 14L9 11"

```

```

        stroke="#A2B331"
stroke-width="2.75" stroke-
linecap="round" stroke-
linejoin="round">

```

```
</path>
```

```
<?php endif; ?>
```

```
</g>
```

```
>
```

```
</svg>
```

```
<p>
```

```
<?p
```

```
hp echo $notifText; ?>
```

```
</p>
```

```
</div>
```

```
<?php if
```

```

($notifSuccess === "opacity: 1;
color: #A2B331; background-
color: #F4FAC8;" ||
$notifSuccess === "opacity: 1;
color: #B8534B; background-
color: #FBD8D4;"): ?>

```

```
<script
```

```
>
```

```

        doc
ument.addEventListener('DOMCont
entLoaded', function () {

```

```

var notif =
document.getElementById('notifs
uccess');

```

```
notif.style.opacity = '1';
```

```
setTimeout(function () {
```

```
        notif.style.opacity = '0';
```

```
        setTimeout(function () {
```

```

                notif.style.display =
'none';

```

```
        }, 1000);
```

```
    }, 5000);
```

```
    });
```

```
</scrip
```

```
t>
```

```
<?php
```

```
endif; ?>
```

```
</div>
```

```
</div>
```

```
<div
```

```
class="searchInput">
```

```
<svg
```

```

class="iconSearch" aria-
hidden="true" width="16px"
height="16px" viewBox="0 0 24
24">

```

```
<g>
```

```
<path
```

```

d="M21.53 20.471-3.66-
3.66C19.195 15.24 20 13.214 20
11c0-4.97-4.03-9-9-9s-9 4.03-9
9 4.03 9 9 9c2.215 0

```

```

4.24-.804 5.808-2.1313.66
3.66c.147.146.34.22.53.22s.385-
.073.53-.22c.295-.293.295-
.767.002-1.06zM3.5

```

```

11c0-4.135 3.365-7.5 7.5-
7.5s7.5 3.365 7.5 7.5-3.365
7.5-7.5 7.5-7.5-3.365-7.5-7.5z"

```

```
str
```

```
oke="#C1C1C1" stroke-width="1">
```

```
</path>
```

```
</g>
```

```
</svg>
```

```
<input
```

```
type="text" id="searchInput"
```

```

placeholder="Search Users..."
onkeyup="searchFunction()"
autocomplet
e="off">
        <form
class="inputRange"
method="GET">
        <div
class="dateRange">
                <p>From
</p>
                <input
type="date" name="startDate"
value="<?php echo
$_GET["startDate"] ?? '';">
        </div>
        <div
class="dateRange">
                <p>To</
p>
                <input
type="date" name="endDate"
value="<?php echo
$_GET["endDate"] ?? '';">
        </div>
        <button
name="searchData">Search</button>
        <button
name="resetData">Reset</button>
        </form>
    </div>
    <div
class="content">
        <div
class="headTable">
            <div
class="headLeft">
                <p>Name
</p>
            </div>
            <div
class="headRight">
                <p>Inju
red</p>
                <p>Date
</p>
                <p>Time
</p>
                <p>Cate
gory</p>
            </div>
        </div>
    </div>
</div>
<div
class="contentTable">
    <p
class="nothingData"
style="<?php echo
$nothingStyle; ?>">The data you
are looking for is not
        availab
le</p>
    <?php
while
($rowData =
mysqli_fetch_assoc($resultTable
Data)) {
        ?>
        <div
class="boxTable"
dataSearch="<?php echo
strtolower($rowData['name']);
?>">
            <di
v class="boxLeft">
                <p><?php echo $rowData['name'];
?></p>
                <p><?php echo
$rowData['location']; ?></p>
            </d
iv>
            <di
v class="boxRight">
                <p><?php echo
$rowData['injuredpart']; ?></p>
                <p><?php echo date("M d, Y",
strtotime($rowData['date']));
?></p>
                <p><?php echo date("H.i A",
strtotime($rowData['time']));
?></p>
                <p><?php echo
$rowData['category']; ?></p>
            </d
iv>
        </div>
    <?php } ?>
</div>

```



```

iv>
v class="choiceChipBox">

  <input type="radio"
  id="Serious" name="Category"
  value="Serious"

    onchange="validateField('re
portCategory')" />

  <label for="Serious">

    Serious

  </label>
iv>
v class="choiceChipBox">

  <input type="radio"
  id="Fatalities" name="Category"
  value="Fatalities"

    onchange="validateField('re
portCategory')" />

  <label for="Fatalities">

    Fatalities

  </label>
iv>
  </div>
  <p>Sele
ct the severity of the
incident</p>
  </div>
  <div
class="inputBox">
    <p>Inju
red Part *</p>
    <input
type="text" name="injuredPart"
id="injuredPart"
oninput="validateField('injured
Part')" />
    </div>
    <div>
      <p>Spec
ify the part of the body that
was injured</p>
      </div>
      <div
class="inputBox">
        <p>Loca
tion *</p>
        <input
type="text" name="location"
id="location"
oninput="validateField('locatio
n')" />
        <p>Ente
r the location where the
incident occurred</p>
      </div>
    </div>
    <div
class="alertMsg" id="alertMsg">
      <i
class="bi bi-exclamation-
circle-fill"></i>
      <p>Please
fill in the form first!</p>
    </div>
    <div
class="buttonForm">
      <a href="#"
class="cancelBtn"
onclick="popupCloseAdd(this)">C
ancel</a>
      <button
type="submit" name="addData"
class="addBtn" onclick="return
validateForm()">Add
      Report<
    </div>
  </form>
</div>
</div>
<script>
  // SCRIPT VALIDATE FORM
  function validateForm()
  {
    const userId =
document.getElementById('userId
').value.trim();

```

```

        const location =
document.getElementById('location').value.trim();
        const injuredPart =
document.getElementById('injuredPart').value.trim();
        const
reportCategory =
document.querySelector('input[name="Category"]:checked');
        if (!userId ||
!location || !injuredPart ||
!reportCategory) {
            document.getElementById('alertMsg').style.opacity = '1';
            return false;
        } else {
            document.getElementById('alertMsg').style.opacity = '0';
            return true;
        }
    }
    function
validateField(fieldId) {
        const field =
document.getElementById(fieldId);
        const
reportCategory =
document.querySelector('input[name="Category"]:checked');
        if (field.value ||
(fieldId === 'reportCategory'
&& reportCategory)) {
            document.getElementById('alertMsg').style.opacity = '0';
        }
        const userId =
document.getElementById('userId').value;
        const location =
document.getElementById('location').value;
        const injuredPart =
document.getElementById('injuredPart').value;
        if (userId &&
location && injuredPart &&
reportCategory) {

```

```

            document.getElementById('alertMsg').style.opacity = '0';
        }
    }
    document.querySelectorAll('#reportForm
input').forEach(input => {
        input.addEventListener('input', () =>
validateField(input.id));
    });
    document.querySelectorAll('input[name="Category"]').forEach(input => {
        input.addEventListener('change', () =>
validateField('Category'));
    });

    // SCRIPT SEARCH USERS
    document.addEventListener('DOMContentLoaded', function
() {
        const searchData =
document.querySelector('.searchData');
        const dataOption =
document.querySelector('.dataOption');
        const userId =
document.querySelector('input[name="userId"]');
        const selectOptions =
document.querySelectorAll('.selectOption');
        searchData.addEventListener('input', function () {
            const filter =
searchData.value.toLowerCase();
            let
hasVisibleOptions = false;
            selectOptions.forEach(option => {
                if
(searchData.value === '') {
                    dataOption.classList.remove('active');

```

```

        } else if
(option.innerText.toLowerCase()
.includes(filter)) {
            option.
parentElement.style.display =
'flex';
            hasVisi
bleOptions = true;
        } else {
            option.
parentElement.style.display =
'none';
        }
    });
    searchData.addE
ventListener('blur', function
() {
        if
(searchData.value.length === 0)
{
            searchD
ata.style.borderColor =
"#ECEDEC";
        } else {
            dataOpt
ion.classList.remove('active');
        }
    });
    searchData.addE
ventListener('focus', function
() {
        if
(searchData.value.length === 0)
{
            searchD
ata.style.borderColor =
"#C4C5C4";
        }
    });
    if
(hasVisibleOptions) {
        dataOption.
classList.add('active');
    } else {
        dataOption.
classList.remove('active');
    }
});
selectOptions.forEa
ch(option => {
    option.addEvent
Listener('click', () => {

```

```

        searchData.
value =
option.getAttribute('dataName')
;
        userId.valu
e =
option.getAttribute('dataId');
        dataOption.
classList.remove('active');
    });
    document.addEventLi
stener('click', (event) => {
        if
(!dataOption.contains(event.tar
get) && event.target !==
cariDataInput) {
            dataOption.
classList.remove('active');
        }
    });
});
// SCRIPT POPUP ADD
DATA
    document.addEventListen
er('DOMContentLoaded', function
() {
        window.popupAdd =
function (element) {
            document.getEle
mentById("popupAdd").style.zInd
ex = "2500";
            document.getEle
mentById("popupAdd").style.opac
ity = "1";
            document.getEle
mentById("popupAddForm").style.
scale = "1";
        };
        window.popupCloseAd
d = function () {
            document.getEle
mentById("popupAddForm").style.
scale = "0.5";
            document.getEle
mentById("popupAdd").style.opac
ity = "0";
            document.getEle
mentById("popupAdd").style.zInd
ex = "-100";

```

```

clearFormInputs
());
    });
function
clearFormInputs() {
    const reportForm =
document.getElementById('report
Form');
    const inputs =
reportForm.querySelectorAll('in
put');
    document.getElement
ById('alertMsg').style.opacity
= '0';
    inputs.forEach(inpu
t => {
        if (input.type
=== 'text' || input.type ===
'password' || input.type ===
'date') {
            input.value
= '';
        } else if
(input.type === 'radio' ||
input.type === 'checkbox') {
            input.check
ed = false;
        } else if
(input.type === 'file') {
            input.value
= '';
        } else {
            input.value
= '';
        }
    });
}

// SCRIPT SEARCH DATA
function
searchFunction() {
    const searchInput =
document.getElementById('search
Input').value.toLowerCase();
    const
attendanceBoxes =
document.querySelectorAll('.box
Table');

    attendanceBoxes.for
Each(item => {

```

```

const
itemSearch =
item.getAttribute('dataSearch')
;
    item.style.disp
lay =
itemSearch.includes(searchInput
) ? 'flex' : 'none';
    });
}
</script>
</body>
</html>

```

ACCOUNT.PHP

```

<?php
session_start();
include "Connection.php";
date_default_timezone_set("Asia
/Jakarta");
$rowProfile =
mysqli_fetch_assoc(mysqli_query
($Conn, "SELECT * FROM users
WHERE userid =
'$_SESSION[userid]'"));
$totalUsers =
mysqli_num_rows(mysqli_query($C
onn, "SELECT * FROM users"));
// SCRIPT ADD DATA
if (isset($_POST['addData'])) {
    $currentYear = date("Y");
    if ($userRole = 'Admin') {
        $roleId = '01';
    } else if ($userRole =
'Supervisor') {
        $roleId = '02';
    } else {
        $roleId = '03';
    }
    $selectQuery =
mysqli_query($Conn, "SELECT
MAX(userid) AS maxId FROM users
WHERE userid LIKE
'{$currentYear}{$roleId}%");
    $selectMax =
mysqli_fetch_assoc($selectQuery
);
    if
(mysqli_num_rows($selectQuery)
> 0) {

```

```

        $maxId =
$selectMax['maxId'];
        $num =
intval(substr($maxId, 6)) + 1;
        $newId = date("Y") .
$roleId . str_pad($num, 3, '0',
STR_PAD_LEFT);
    } else {
        $newId = $currentYear .
$roleId . '001';
    }
    $fullName =
mysqli_real_escape_string($Conn
, $_POST['fullName']);
    $whatsapp =
mysqli_real_escape_string($Conn
, $_POST['whatsapp']);
    $username =
mysqli_real_escape_string($Conn
, $_POST['username']);
    $password =
mysqli_real_escape_string($Conn
, $_POST['password']);
    $positionDetails =
mysqli_real_escape_string($Conn
, $_POST['positionDetails']);
    $insertData =
mysqli_query($Conn, "INSERT
INTO users VALUES ('$newId',
'$fullName',
'$positionDetails',
'$whatsapp', '$userRole',
'$username', '$password')");
    if ($insertData) {
        $_SESSION['notifSuccess
'] = "opacity: 1; color:
#A2B331; background-color:
#F4FAC8;";
        $_SESSION['notifText']
= "Success! New Users Account
have been added!";
    } else {
        $_SESSION['notifSuccess
'] = "opacity: 1; color:
#B8534B; background-color:
#FBD8D4;";
        $_SESSION['notifText']
= "Failed to add new Users
Account";
        $_SESSION['notifFailure
'] = true;
    }
}

```

```

        echo "<meta http-
equiv='refresh'
content='0;URL=Account.php'>";
        exit();
    }

// SCRIPT DELETE DATA
if (isset($_GET['deleteData']))
{
    $userId =
$_GET['deleteData'];
    $deleteData =
mysqli_query($Conn, "DELETE
FROM users WHERE userId =
'$userId'");
    if ($deleteData) {
        $_SESSION['notifSuccess
'] = "opacity: 1; color:
#A2B331; background-color:
#F4FAC8;";
        $_SESSION['notifText']
= "Done! Users Account deleted
successfully!";
    } else {
        $_SESSION['notifSuccess
'] = "opacity: 1; color:
#B8534B; background-color:
#FBD8D4;";
        $_SESSION['notifText']
= "Failed to delete Users
Account.";
        $_SESSION['notifFailure
'] = true;
    }
    echo "<meta http-
equiv='refresh'
content='0;URL=Account.php'>";
    exit();
}

$notifSuccess =
isset($_SESSION['notifSuccess']
) ? $_SESSION['notifSuccess'] :
"opacity: 0;";
$notifText =
isset($_SESSION['notifText']) ?
$_SESSION['notifText'] : "";
$notifFailure =
isset($_SESSION['notifFailure']
) && $_SESSION['notifFailure'];
unset($_SESSION['notifFailure']
);

```

```

unset($_SESSION['notifSuccess'])
);
unset($_SESSION['notifText']);
?>
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-
Compatible" content="IE=edge"
/>
    <meta name="viewport"
content="width=device-width,
initial-scale=1.0" />
    <title>Inspect UI3 •
Users</title>
    <link rel="icon"
href="Assets/Image/K3.png?v=<?p
hp echo time(); ?>" />
    <link rel="stylesheet"
href="Assets/Design.css?v=<?php
echo time(); ?>" />
    <link rel="stylesheet"
href="https://cdn.jsdelivrivr.net/
npm/bootstrap-
icons@1.10.5/font/bootstrap-
icons.css" />
    <style>
        @import
url("https://cdn.jsdelivrivr.net/n
pm/bootstrap-
icons@1.10.5/font/bootstrap-
icons.css");
    </style>
    <script>
        function preventBack()
{
            window.history.forw
ard()
        };
        setTimeout("preventBack
()", 0);
        window.onunload =
function () { null; }
        if
(window.history.replaceState) {
            window.history.repl
aceState(null, null,
window.location.href);
        }
    </script>

```

```

</head>

<body>
    <div class="header">
        <div class="navbar">
            <div
class="navbarLeft">
                <svg
width="28px" height="28px"
viewBox="0 0 24 24" fill="none"
xmlns="http://www.w3.org/2000/s
vg">
                    <g
id="SVGRepo_bgCarrier" stroke-
width="0"></g>
                    <g
id="SVGRepo_tracerCarrier"
stroke-linecap="round" stroke-
linejoin="round"></g>
                    <g
id="SVGRepo_iconCarrier">
                        <path
d="M6.89258 17.7897C6.9083
17.7633 6.92441 17.7369 6.9409
17.7107C8.14358 15.7988 8.8398
13.
5379 8.8398 11.1034C8.8398
9.14189 10.4299 7.55176 12.3915
7.55176C14.353 7.55176 15.9431
9.1
4189 15.9431 11.1034C15.9431
12.0065 15.8816 12.8957 15.7626
13.7672M13.8825 19.8437C14.4257
18.
7596 14.871 17.6179 15.2069
16.4309M18.6156 17.4359C19.1883
15.4236 19.4949 13.2993 19.4949
11.
1033C19.4949 7.18026 16.3147 4
12.3916 4C11.0978 4 9.88477
4.34591 8.83997 4.9503M4.40039
14.
9783C4.96924 13.8073 5.28831
12.4926 5.28831 11.1033C5.28831
9.8095 5.63422 8.59646 6.2386
7.5
5166M12.3915 11.1035C12.3915
14.2265 11.4958 17.1403 9.94727
19.6019" stroke="#FFFFFF"
stroke-width="2" stroke-

```

```

linecap="round" stroke-
linejoin="round">
</path>
</g>
</svg>
<p>Inspect</p>
</div>
<div
class="navbarRight">
<a
href="Dashboard.php">Dashboard<
div class="mark"></div></a>
<a
href="Equipment.php">Equipment<
div class="mark"></div></a>
<a
href="Activity.php">Activity<di
v class="mark"></div></a>
<a
href="Report.php">Report<div
class="mark"></div></a>
<a
href="Account.php"
class="Active">Account<div
class="mark"></div></a>
<div
class="navbarDetails">
<a
href="Logout.php"
class="navbarButton">
<svg
width="16px" height="16px"
viewBox="0 0 24 24" fill="none"
xmlns="http://www.w3.org/2000/svg"
transform="rotate(180)">
<g
id="SVGRepo_bgCarrier" stroke-
width="0"></g>
<g
id="SVGRepo_tracerCarrier"
stroke-linecap="round" stroke-
linejoin="round"></g>
<g
id="SVGRepo_iconCarrier">
<path
d="M15 4H18C19.1046 4 20
4.89543 20 6V18C20 19.1046
19.1046 20 18 20H15M8 8L4 12M4
12L8 16M4 12L16 12"

```

```

stroke="#FFFFFF75" stroke-
width="2" stroke-
linecap="round" stroke-
linejoin="round">
</path>
</g>
</svg>
</a>
<div
class="gapLine"></div>
<a href="#"
class="sessionUser">
<p><?ph
p echo $rowProfile['name'];
?></p>
<p><?ph
p echo $rowProfile['role'];
?></p>
</a>
</div>
<div
class="navbarDropdown">
<i class="bi
bi-list"></i>
</div>
</div>
<div class="subHeader">
<div
class="subHeaderLeft">
<p>Users
Account</p>
<p>Hi, <?php echo
$rowProfile['name']; ?>! You
can manage user data here</p>
</div>
<div
class="subHeaderRight">
<?php if
($rowProfile['role'] ===
'Admin'): ?>
<a href="#"
onClick="popupAdd(this)">+ Add
Users</a>
<?php endif; ?>
</div>
</div>

```

```

        <div class="pagecontent">
            <div
class="pagecontentCenter">
                <div class="head">
                    <div
class="headLeft">
                        <p>Users
Details</p>
                        <p><?php
echo $totalUsers; ?> Total
Users</p>
                    </div>
                    <div
class="headRight">
                        <div
class="notifSuccess"
id="notifSuccess" style="<?php
echo $notifSuccess; ?>">
                            <svg
width="14px" height="14px"
viewBox="0 0 24 24" fill="none"
                                xml
ns="http://www.w3.org/2000/svg"
>
                                    <g
id="SVGRepo_bgCarrier" stroke-
width="0"></g>
                                    <g
id="SVGRepo_tracerCarrier"
stroke-linecap="round" stroke-
linejoin="round"></g>
                                    <g
id="SVGRepo_iconCarrier">
                                        <?php if ($notifFailure): ?>
                                            <path d="M14.5 9.50002L9.5
14.5M9.49998 9.5L14.5 14.5"
stroke="#B8534B"
                                                stroke-width="2.25"
stroke-linecap="round"></path>
                                            <path
                                                d="M7 3.33782C8.47087
2.48697 10.1786 2 12 2C17.5228
2 22 6.47715 22 12C22 17.5228
17.5228 22 12 22C6.47715 22 2
17.5228 2 12C2 10.1786 2.48697
8.47087 3.33782 7"

```

```

stroke="#B8534B"
stroke-width="2.25" stroke-
linecap="round"></path>

<?php else: ?>
    <path d="M16 3.93552C14.795
3.33671 13.4368 3 12 3C7.02944
3 3 7.02944 3 12C3 16.9706
7.02944 21 12 21C16.9706
21 21 16.9706 21 12C21 11.662
20.9814 11.3283 20.9451 11M21
5L12 14L9 11"

stroke="#A2B331"
stroke-width="2.75" stroke-
linecap="round" stroke-
linejoin="round">
    </path>
<?php endif; ?>
</g>
>
</svg>
<p>
<?p
hp echo $notifText; ?>
</p>
</div>
<?php if
($notifSuccess === "opacity: 1;
color: #A2B331; background-
color: #F4FAC8;" ||
$notifSuccess === "opacity: 1;
color: #B8534B; background-
color: #FBD8D4;"): ?>
<script
>
    doc
ument.addEventListener('DOMCont
entLoaded', function () {
    var notif =
document.getElementById('notifS
uccess');
    notif.style.opacity = '1';
    setTimeout(function () {

```

```

        notif.style.opacity = '0';

        setTimeout(function () {

            notif.style.display =
'none';

            }, 1000);

}, 5000);

        });
    </scrip
t>

    <?php
endif; ?>

        </div>
    </div>
    <div
class="searchInput">
        <svg
class="iconSearch" aria-
hidden="true" width="16px"
height="16px" viewBox="0 0 24
24">

            <g>
                <path
d="M21.53 20.47l-3.66-
3.66C19.195 15.24 20 13.214 20
11c0-4.97-4.03-9-9-9s-9 4.03-9
9 4.03 9 9 9c2.215 0

4.24-.804 5.808-2.13l3.66
3.66c.147.146.34.22.53.22s.385-
.073.53-.22c.295-.293.295-
.767.002-1.06zM3.5

11c0-4.135 3.365-7.5 7.5-
7.5s7.5 3.365 7.5 7.5-3.365
7.5-7.5 7.5-7.5-3.365-7.5-7.5z"
str
oke="#C1C1C1" stroke-width="1">
                </path>
            </g>
        </svg>
        <input
type="text" id="searchInput"
placeholder="Search Users..."
onkeyup="searchFunction()"
autocomplete="off">
    </div>

```

```

        <div
class="content">
            <div
class="headTable">
                <div
class="headLeft">
                    <p>Name
                </p>
                </div>
                <div
class="headRight">
                    <p>What
sapp</p>
                    <p>Role
                    <p>User
name</p>
                    <?php
if ($rowProfile['role'] ===
'Admin'): ?>
                        <p
class="actionBtn">Actions</p>
                    <?php
endif; ?>
                </div>
            </div>
            <div
class="contentTable">
                <?php
$tableData
= mysqli_query($Conn, "SELECT *
FROM users
ORDER
BY CASE
WHE
N role = 'Admin' THEN 1
WHE
N role = 'Supervisor' THEN 2
ELS
E 3
END,
name ASC");
                while
($rowData =
mysqli_fetch_assoc($tableData))
{
                    ?>
                <div
class="boxTable"
dataSearch="<?php echo
strtolower($rowData['name']);
?>">

```

<pre> <di v class="boxLeft"> <p><?php echo \$rowData['name']; ?></p> <p><?php echo \$rowData['job']; ?></p> iv> <di v class="boxRight"> <p><?php echo \$rowData['whatsapp']; ?></p> <p><?php echo \$rowData['role']; ?></p> <p><?php echo \$rowData['username']; ?></p> <?php if (\$rowProfile['role'] === 'Admin'): ?> <p class="actionBtn"> <a href="#" class="deleteBtn" onclick="popupDelete(this)" dataDelete="<?php echo \$rowData['userid']; ?>" <svg width="16px" height="16px" viewBox="0 0 24 24" fill="none" xmlns="http://w ww.w3.org/2000/svg"> <g id="SVGRepo_bgCarrier" stroke- width="0"></g> <g id="SVGRepo_tracerCarrier" stroke-linecap="round" stroke- linejoin="round"> </g> </pre>	<pre> <g id="SVGRepo_iconCarrier"> <path d="M4 7H20" stroke="#B8534B" stroke- width="2" stroke- linecap="round" stroke- linejoin="round"></path> <path d="M6 10L7.70141 19.3578C7.87432 20.3088 8.70258 21 9.66915 21H14.3308C15.2974 21 16.1257 20.3087 16.2986 19.3578L18 10" stroke= "#B8534B" stroke-width="2" stroke-linecap="round" stroke- linejoin="round"></path> <path d="M9 5C9 3.89543 9.89543 3 11 3H13C14.1046 3 15 3.89543 15 5V7H9V5Z" stroke= "#B8534B" stroke-width="2" stroke-linecap="round" stroke- linejoin="round"></path> </g> </svg> </p> <?php endif; ?> iv> </div> <?php } ?> </pre>
---	---

```

        </div>
    </div>
</div>
</div>
    <div class="popupBg"
id="popupAdd">
        <div class="popupForm"
id="popupAddForm">
            <div class="head">
                <p>Create New
Users</p>
                <p>Complete the
form to add a new users</p>
            </div>
            <div
class="gapline"></div>
            <form
class="content"
autocomplete="off"
method="POST" id="usersForm">
                <div
class="formInput">
                    <div
class="inputBox">
                        <p>Full
Name *</p>
                        <input
type="text" name="fullName"
id="fullName"
oninput="validateField('fullNam
e')"/>
                        <p>Ente
r the users full name</p>
                    </div>
                    <div
class="inputBox">
                        <p>Posi
tion Details *</p>
                        <input
type="text"
name="positionDetails"
id="positionDetails"
oninput="validateField('positionDe
tails')"/>
                        <p>Spec
ify the details of the users
position</p>
                    </div>
                    <div
class="inputBox">

```

```

        <p>What
sapp *</p>
        <input
type="text" name="whatsapp"
id="whatsapp"
oninput="validateField('whatsap
p')"/>
        <p>Prov
ide the users WhatsApp contact
number</p>
    </div>
    <div
class="inputBox">
        <p>Role
*</p>
        <div
class="choiceChip">
            <di
v class="choiceChipBox">
                <input type="radio" id="Admin"
name="Role" value="Admin"
                onchange="validateField('us
erRole')"/>
                <label for="Admin">
                    Admin
                </label>
            </d
iv>
            <di
v class="choiceChipBox">
                <input type="radio"
id="Supervisor" name="Role"
value="Supervisor"
                onchange="validateField('us
erRole')"/>
                <label for="Supervisor">
                    Supervisor
                </label>
            </d
iv>
            <di
v class="choiceChipBox">

```

```

<input type="radio" id="Worker"
name="Role" value="Worker"

    onchange="validateField('us
erRole')" />

<label for="Worker">

    Worker

</label>

</div>
iv>
</div>
<p>Sele
ct the users role</p>
</div>
<div
class="inputBox">
    <p>User
name *</p>
    <input
type="text" name="username"
id="username"
oninput="validateField('usernam
e')" />
    <p>Crea
te a username</p>
</div>
<div
class="inputBox">
    <p>Pass
word *</p>
    <input
type="text" name="password"
id="password"
oninput="validateField('passwor
d')" />
    <p>Set
a password for the account</p>
</div>
</div>
<div
class="alertMsg" id="alertMsg">
    <i
class="bi bi-exclamation-
circle-fill"></i>
    <p>Please
fill in the form first!</p>
</div>

<div
class="buttonForm">
    <a href="#"
class="cancelBtn"
onclick="popupCloseAdd(this)">C
ancel</a>
    <button
type="submit" name="addData"
class="addBtn" onclick="return
validateForm()">Add
    Users</
button>
</div>
</form>
</div>
</div>

<div class="popupBg"
id="popupDelete">
    <div class="popupForm"
id="popupDeleteForm">
        <div class="icon">
            <svg
width="24px" height="24px"
viewBox="0 0 24 24" fill="none"
xmlns="http://www.w3.org/2000/s
vg">
                <g
id="SVGRepo_bgCarrier" stroke-
width="0"></g>
                <g
id="SVGRepo_tracerCarrier"
stroke-linecap="round" stroke-
linejoin="round">
                    </g>
                <g
id="SVGRepo_iconCarrier">
                    <path
d="M4 7H20" stroke="#B8534B"
stroke-width="2" stroke-
linecap="round"
stroke-linejoin="round"></path>
                    <path
d="
M6 10L7.70141 19.3578C7.87432
20.3088 8.70258 21 9.66915
21H14.3308C15.2974 21 16.1257
20.3087 16.2986 19.3578L18 10"
stroke="#B8534B" stroke-width="2"

```

```

stroke-linecap="round" stroke-
linejoin="round"></path>
    <path
d="M9 5C9 3.89543 9.89543 3 11
3H13C14.1046 3 15 3.89543 15
5V7H9V5Z" stroke="#B8534B"
    </path>
    </g>
</svg>
</div>
<div
class="content">
    <div
class="contentTop">
        <p>Permanen
tly delete this Users Data?</p>
        <p>You
cannot undo this</p>
    </div>
    <div
class="buttonForm">
        <a href="#"
class="cancelBtn"
onclick="popupCloseDelete(this)
">Cancel</a>
        <a href="#"
class="deleteBtn"
id="confirmAction">Delete</a>
    </div>
    </div>
</div>
<script>
    // SCRIPT POPUP ADD
DATA
    document.addEventListener(
'DOMContentLoaded', function
() {
        window.popupAdd =
function (element) {
            document.getEle
mentById("popupAdd").style.zInd
ex = "2500";
            document.getEle
mentById("popupAdd").style.opac
ity = "1";

```

```

            document.getEle
mentById("popupAddForm").style.
scale = "1";
        };
        window.popupCloseAd
d = function () {
            document.getEle
mentById("popupAddForm").style.
scale = "0.5";
            document.getEle
mentById("popupAdd").style.opac
ity = "0";
            document.getEle
mentById("popupAdd").style.zInd
ex = "-100";
            clearFormInputs
();
        };
    });
    function
clearFormInputs() {
        const employeeForm
=
document.getElementById('usersF
orm');
        const inputs =
employeeForm.querySelectorAll('
input');
        document.getElement
ById('alertMsg').style.opacity
= '0';
        inputs.forEach(inpu
t => {
            if (input.type
=== 'text' || input.type ===
'password' || input.type ===
'date') {
                input.value
= '';
            } else if
(input.type === 'radio' ||
input.type === 'checkbox') {
                input.check
ed = false;
            } else if
(input.type === 'file') {
                input.value
= '';
            } else {
                input.value
= '';
            }
        }
    }

```

```

    });
}

// SCRIPT VALIDATE FORM
function validateForm()
{
    const fullName =
document.getElementById('fullNa
me').value.trim();
    const whatsapp =
document.getElementById('whatsa
pp').value.trim();
    const username =
document.getElementById('userna
me').value.trim();
    const password =
document.getElementById('passwo
rd').value.trim();
    const userRole =
document.querySelector('input[n
ame="Role"]:checked');
    const
positionDetails =
document.getElementById('positi
onDetails').value.trim();
    if (!fullName ||
!whatsapp || !username ||
!password || !userRole ||
!positionDetails) {
        document.getEle
mentById('alertMsg').style.opac
ity = '1';
        return false;
    } else {
        document.getEle
mentById('alertMsg').style.opac
ity = '0';
        return true;
    }
}

function
validateField(fieldId) {
    const field =
document.getElementById(fieldId
);
    const userRole =
document.querySelector('input[n
ame="Role"]:checked');
    if (field.value ||
(fieldId === 'userRole' &&
userRole)) {

```

```

        document.getEle
mentById('alertMsg').style.opac
ity = '0';
    }
    const fullName =
document.getElementById('fullNa
me').value;
    const whatsapp =
document.getElementById('whatsa
pp').value;
    const username =
document.getElementById('userna
me').value;
    const password =
document.getElementById('passwo
rd').value;
    const
positionDetails =
document.getElementById('positi
onDetails').value;
    if (fullName &&
whatsapp && username &&
password && userRole &&
positionDetails) {
        document.getEle
mentById('alertMsg').style.opac
ity = '0';
    }
    document.querySelectorA
ll('#usersForm
input').forEach(input => {
        input.addEventListe
ner('input', () =>
validateField(input.id));
    });
    document.querySelectorA
ll('input[name="Role"]').forEac
h(input => {
        input.addEventListe
ner('change', () =>
validateField('userRole'));
    });

// SCRIPT POPUP DELETE
DATA
    document.addEventListen
er('DOMContentLoaded', function
() {
        const confirmAction
=

```

```

document.getElementById('confirmAction');
        window.popupDelete
= function (element) {
            const
dataDelete =
element.getAttribute('dataDelete');
            confirmAction.setAttribute('href',
            '?deleteData=' + dataDelete);
            document.getElementById("popupDelete").style.zIndex = "2500";
            document.getElementById("popupDelete").style.opacity = "1";
            document.getElementById("popupDeleteForm").style.scale = "1";
        };
        window.popupCloseDelete = function () {
            document.getElementById("popupDeleteForm").style.scale = "0.5";
            document.getElementById("popupDelete").style.opacity = "0";
            document.getElementById("popupDelete").style.zIndex = "-100";
        };
        // SCRIPT SEARCH DATA
        function
searchFunction() {
            const searchInput =
document.getElementById('searchInput').value.toLowerCase();
            const
attendanceBoxes =
document.querySelectorAll('.boxTable');

            attendanceBoxes.forEach(item => {
                const
itemSearch =
item.getAttribute('dataSearch')
;

```

```

            item.style.display =
itemSearch.includes(searchInput) ? 'flex' : 'none';
        });
    }
</script>
</body>

</html>

```

EXPORT.PHP

```

<?php
include "Connection.php";
if (isset($_GET['startDate'])
&& isset($_GET['endDate'])) {
    $startDate =
$_GET['startDate'];
    $endDate =
$_GET['endDate'];
}

header("Content-
type:application/vnd-ms-
excel");
header("Content-Disposition:
attachment;
filename=Laporan_Pembelian_Paket_Wisata.xls");
?>
<!DOCTYPE html>
<html>

<head>
    <style>
        .header {
            width: 100%;
            text-align: center;
            position: relative;
        }
        .header h1 {
            margin: 0;
        }
        .header h4 {
            margin-top: 0;
        }
        table {
            border-collapse:
collapse;
            width: 100%;
        }
        th {

```

```

padding: 6px 10px;
text-align: center;
background-color:
#93BFCF;
border: solid 1.5px
#C1C1C1;
}
th:nth-child(2) {
text-align: start;
}
td {
padding: 2px 10px;
text-align: center;
border: solid 1.5px
#C1C1C1;
}
td:nth-child(2) {
text-align: start;
}
@media print {
header {
display: block;
text-align:
center;
margin-bottom:
20px;
}
table {
width: 100%;
}
}
</style>
</head>
<body>
<div class="header">
<h1>LAPORAN PEMBELIAN
PAKET WISATA</h1>
<h4>Periode :
<?php
echo date("d M, Y",
strtotime($startDate)) . " - "
. date("d M, Y",
strtotime($endDate));
?>
</h4>
</div>
<table>
<tr>
<th>No</th>
<th>Order ID</th>

```

```

<th>Nama Paket</th>
<th>Jadwal</th>
<th>Metode
Pembayaran</th>
<th>Tanggal</th>
<th>Jam</th>
<th>Customer</th>
<th>Total
<th>Status</th>
</tr>
<?php
include
"Connection.php";
date_default_timezone_s
et("Asia/Jakarta");
$reportData =
mysqli_query($Conn, "SELECT
triporder.*, schedule.*,
package.*, users.*,
payment.logo FROM triporder
LEFT JOIN schedule ON
triporder.scheduleid =
schedule.scheduleid
LEFT JOIN package ON
triporder.packid =
package.packid
LEFT JOIN users ON
triporder.userid = users.userid
LEFT JOIN payment ON
triporder.paymentid =
payment.paymentid
WHERE triporder.status
IN ('Confirmed', 'Cancelled')
AND triporder.dateorder BETWEEN
'$startDate' AND '$endDate'
ORDER BY
CASE
WHEN
triporder.status = 'Waiting'
THEN 1
WHEN
triporder.status = 'Confirmed'
THEN 2
WHEN
triporder.status = 'Cancelled'
THEN 3
ELSE 4
END,
triporder.dateorder DESC");
$no = 1;

```

```

        while ($rowData =
mysqli_fetch_assoc($reportData)
) {
            if
($rowData['status'] =
'Confirmed') {
                $style =
"color: green;";
            } else {
                $style =
"color: red;";
            }
            ?>
            <tr>
                <td>
                    <?php echo
$no++; ?>
                </td>
                <td>
                    style="text-align: left; ">
                        <?php echo
$rowData['orderid']; ?>
                    </td>
                <td>
                    style="text-align: left; ">
                        <?php echo
$rowData['packname']; ?>
                    </td>
                <td>
                    <?php echo
$rowData['departuredate'] . ' ',
' . date("Y") . ' - ' .
$rowData['arrivaldate'] . ' ', '
. date("Y"); ?>
                </td>
                <td>
                    <?php echo
$rowData['paymentid']; ?>
                </td>
                <td>
                    <?php echo
date("d M, Y",
strtotime($rowData['dateorder']
)); ?>
                </td>
                <td>
                    <?php echo
date("H.i A",
strtotime($rowData['timeorder']
)); ?>
                </td>
                <td>

```

```

                    <?php echo
$rowData['name']; ?>
                </td>
                <td>
                    <?php echo
'Rp. ' .
number_format($rowData['totalpr
ice'], 0, ',', '.'); ?>
                </td>
                <td>
                    style="<?php echo $style; ?>">
                        <?php echo
$rowData['status']; ?>
                    </td>
                </tr>
            <?php
}
?>
        </table>
    </body>

</html>
<?php
echo ob_get_clean();
?>

```

LOGOUT.PHP

```

<?php
session_start();
session_destroy();
header("Location:Login.php");
?>

```

CONNECTION.PHP

```

<?php
$servername = "localhost";
$username = "root";
$password = "";
$dbname = "inspectui3";

$conn = new mysqli($servername,
$username, $password,
$dbname);

if ($conn->connect_error) {
    die("Connection failed: " .
$conn->connect_error);
}

$conn->set_charset("utf8");
?>

```