

LISTING PROGRAM

index.php

```

<?php
include
'config/connect.php';
?>
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="utf-
8">

        <meta
content="width=device-
width, initial-
scale=1.0"
name="viewport">

        <title>Dinar
Wedding
Organizer</title>
        <meta content=""
name="description">
        <meta content=""
name="keywords">

        <!-- Favicons -->

                <link
href="assets/landingp
age/img/favicon.png"
rel="icon">

                <link
href="assets/landingp
age/vendor/aos/aos.cs
s" rel="stylesheet">

                <link
href="assets/landingp
age/vendor/bootstrap/
css/bootstrap.min.css"
rel="stylesheet">

                <!-- Google Fonts -
->

                <link
href="https://font
s.googleapis.com/css?
family=Open+Sans:3
00,300i,400,400i,600,
600i,700,700i|Ralewa
y:300,300i,400,400i,6
00,600i,700,700i,900"
rel="stylesheet">

                <!-- Vendor CSS
Files -->

                <link
href="assets/landingp
age/vendor/animate.cs
s/animate.min.css"
rel="stylesheet">

                <link
href="assets/landingp
age/vendor/swiper/sw

```

File	Code	File	Code
iper-bundle.min.css"	<!--	href="#vendor">Vend	
rel="stylesheet">	Uncomment below if	or	
<!-- Template Main	you prefer to use an	<a	
CSS File -->	image logo -->	class="nav-link	
<link	<!-- <a	scrollto"	
href="assets/landingp	href="index.html"><i	href="#paket">Paket<	
age/css/style.css"	mg	/a>	
rel="stylesheet">	src="assets/landingpa	<a	
</head>	ge/img/logo.png"	class="nav-link	
<body>	alt="" class="img-	scrollto"	
	fluid">-->	href="#contact">Kont	
	</div>	ak	
<!-- =====	<nav	<i class="bi	
Header ===== -->	id="navbar"	bi-list mobile-nav-	
<header	class="navbar">	toggle"></i>	
id="header" class="d-		</nav><!--	
flex align-items-	<a	.navbar -->	
center">	class="nav-link	<a	
<div	scrollto active"	href="login.php"	
class="container d-	href="#hero">Berand	class="btn btn-	
flex align-items-	a	primary ms-	
center">	<a	5">Login	
	class="nav-link		
<div	scrollto"	</div>	
class="logo me-	href="#about">Tenta	</header><!-- End	
auto">	ng	Header -->	
<h1><a	Di	class="nav-link	<!-- ===== Hero	
nar WO</h1>	scrollto"	Section ===== -->	
		<section id="hero">	

```

<div class="hero-
container">
    <div
id="heroCarousel"
class="carousel slide
carousel-fade" data-
bs-ride="carousel"
data-bs-
interval="5000">
        <ol
class="carousel-
indicators" id="hero-
carousel-
indicators"></ol>
        <div
class="carousel-
inner" role="listbox">
            <!-- Slide
1 -->
            <div
class="carousel-item
active"
style="
background-image:
url('assets/landingpag
e/img/slide/slide-
1.jpg');background-
position: 0 -7rem">
                <div
class="carousel-
content container">
                    <h2
class="animate__ani
mated
animate__fadeInDow
n">Dinar Wedding
Organizer</h2>
                    <p
class="animate__ani
mated
animate__fadeInUp">
                        Wedding Organizer
                        Terbaik di Palembang
                        Percayakan momen
                        terpenting sekali
                        dalam seumur hidup
                        Anda dengan Dinar
                        Wedding
                        Organizer.</p>
                    <a
href="#about"
class="btn-get-started
animate__animated
animate__fadeInUp
scrollto">Selengkapn
ya</a>
                </div>
            </div>
        </section><!-- End
Hero -->
    <main id="main">
        <!-- =====
        About Us Section
        ===== -->
        <section
id="about"
class="about">
            <div
class="container"
data-aos="fade-up">
                <div
class="row no-
gutters">

```

<div
class="col-lg-6 video-
box">

</div>

<div
class="col-lg-6 d-flex
flex-column justify-
content-center about-
content">

<div
class="section-title">

<h2
>Tentang Kami</h2>

<p>
Dinar Wedding
Organizer adalah
penyedia jasa
perencanaan dan
penyelenggaraan
pernikahan

yang
be
rkomitmen untuk
mewujudkan impian
pernikahan setiap

pasangan. Dengan
pengalaman dan
ke
ahlian di bidang event
planning, Dinar
Wedding Organizer
menawarkan layanan
lengkap

ulai
dari
konsep dan tema
pernikahan, dekorasi,
catering, hingga
koordinasi acara.</p>

</div>

<div
class="icon-box"
data-aos="fade-up"
data-aos-
delay="100">

<div
class="icon"><i
class="bx bx-
fingerprint"></i></di
v>

<h4

class="title">Tim
profesional</h4>

<p
class="description">T
im profesional kami
bekerja secara detail
dan kreatif untuk
m

emastikan
se
tiap momen
pernikahan Anda
berjalan sempurna dan
tak terlupakan.</p>

</div>

<div
class="icon-box"
data-aos="fade-up"
data-aos-
delay="100">

<div
class="icon"><i
class="bx bx-
gift"></i></div>

<h4

class="title">Kepercayaan
dan kepuasan
klien</h4>

<p
class="description">
Kepercayaan dan

kepuasan klien adalah prioritas utama kami, menjadikannya sebagai bagian dari pernikahan Anda. Di Wedding Organizer pilihan terbaik untuk hari istimewa Anda.

```

</div>
</div>
</div>
</section><!--
End About Us Section
-->

<!-- =====
Counts Section
===== -->

<section
class="counts section-
bg">

<div
class="container">

<div
class="row">

```

```

<div
class="col-lg-3 col-
md-6 text-center"
data-aos="fade-up">

<div
class="count-box">

<i
class="bi bi-simple-
smile" style="color:
#20b38e;"></i>

<?php
$show_pemesanan =
w_pemesanan =
$conn->prepare("SELECT *
FROM
`tb_pemesanan`");
$show_pemesanan->execute();
$total_pemesanan =
l_pemesanan =
$show_pemesanan->rowCount();
?>

<span
data-purecounter-
start="0" data-
purecounter-
end="<?>

```

```

$total_pemesanan;
?>"
data-
purecounter-
duration="1"
class="purecounter">
</span>

<p>
Total Pemesanan</p>
</div>
</div>

<div
class="col-lg-3 col-
md-6 text-center"
data-aos="fade-up"
data-aos-
delay="200">

<div
class="count-box">

<i
class="bi bi-
document-folder"
style="color:
#c042ff;"></i>

<?php
$show_pemesanan =
w_vendor = $conn->prepare("SELECT *
FROM `tb_vendor`");

```

	\$sho	<i	
w_vendor->execute();	class="bi bi-live-		<div
\$tota	support" style="color:	class="col-lg-3 col-	
l_vendor =	#46d1ff;"></i>	md-6 text-center"	
\$show_vendor-	<?php	data-aos="fade-up"	
>rowCount();	\$sho	data-aos-	
?>	w_paket = \$conn-	delay="600">	
prepare("SELECT *	<div	
data-purecounter-	FROM `tb_paket`");	class="count-box">	
start="0" data-	\$sho	<i	
purecounter-	w_paket->execute();	class="bi bi-users-alt-	
end="<?="	\$tota	5" style="color:	
\$total_vendor; ?>"	l_paket =	#ffb459;"></i>	
data-	\$show_paket-	<?php	
purecounter-	>rowCount();	\$sho	
duration="1"	?>	w_user = \$conn-	
class="purecounter">	prepare("SELECT *	
	data-purecounter-	FROM `tb_user`");	
<p>	start="0" data-	\$sho	
Total Vendor</p>	purecounter-	w_user->execute();	
</div>	end="<?="	\$tota	
</div>	\$total_paket; ?>"	l_user = \$show_user-	
	data-	>rowCount();	
<div	purecounter-	?>	
class="col-lg-3 col-	duration="1"	<span	
md-6 text-center"	class="purecounter">	data-purecounter-	
data-aos="fade-up"		start="0" data-	
data-aos-	<p>	purecounter-	
delay="400">	Total Paket</p>	end="<?=" \$total_user;	
<div	</div>	?>"	
class="count-box">	</div>		

data-	<div	</div>
purecounter-	class="section-title">	
duration="1"	<h2>Ven	<div
class="purecounter">	dor Kami</h2>	class="row">
	<p>Berikut	<div
<p>	ini adalah penyedia	class="col-lg-12">
Total Pelanggan</p>	jasa perencana	<ul
</div>	pernikahan	id="portfolio-filters">
</div>	profesional yang	<li
	berdedikasi untuk	data-filter="*"
</div>	mewuj	class="filter-
	udkan	active">All
</div>	hari	<?php
</section><!--	istimewa	\$sho
End Counts Section --	Anda	w_vendor = \$conn-
>	menjadi momen yang	>prepare("SELECT *
	sempurna dan tak	FROM `tb_vendor`
<!-- =====	terlupakan. Dengan	WHERE kat_vendor =
Vendor Section	pengalaman bertahun-	'Dekorasi' LIMIT 1");
===== -->	tahun dalam	\$sho
<section	industri	w_vendor->execute();
id="vendor"	pernika	if
class="portfolio	han, kami	(\$show_vendor-
section-bg">	menawarkan layanan	>rowCount() > 0) {
<div	lengkap yang	w
class="container"	mencakup setiap	hile (\$fetch_vendor =
data-aos="fade-up"	aspek dari	\$show_vendor-
data-aos-	perencanaan hingga	>fetch(PDO::FETCH
delay="100">	pelaksa	_ASSOC)) {
	naan acara	?>
	pernikahan..</p>	

<li	?>	>fetch(PDO::FETCH
data-filter=".<?= \$fetch_vendor['kat_ve ndor']; ?>">	<li data-filter=".<?= \$fetch_vendor['kat_ve ndor']; ?>">	_ASSOC)) { ?> <li data-filter=".<?= \$fetch_vendor['kat_ve ndor']; ?>">
<?= \$fetch_vendor['kat_ve ndor']; ?>	<?= \$fetch_vendor['kat_ve ndor']; ?>	<?= \$fetch_vendor['kat_ve ndor']; ?>
		<?= \$fetch_vendor['kat_ve ndor']; ?>
<?>		
php }	<?>	
} ?>	php }	
	} ?>	<?>
<?php		php }
\$show_vendor = \$conn->prepare("SELECT * FROM `tb_vendor` WHERE kat_vendor = 'Attire' LIMIT 1");	<?php \$show_vendor = \$conn->prepare("SELECT * FROM `tb_vendor` WHERE kat_vendor = 'Fotografi' LIMIT 1");	} ?>
\$show_vendor->execute();	\$show_vendor->execute();	<?php \$show_vendor = \$conn->prepare("SELECT * FROM `tb_vendor` WHERE kat_vendor = 'MUA' LIMIT 1");
if (\$show_vendor->rowCount() > 0) {	if (\$show_vendor->rowCount() > 0) {	\$show_vendor->execute();
while (\$fetch_vendor = \$show_vendor->fetch(PDO::FETCH_ASSOC)) {	while (\$fetch_vendor = \$show_vendor->fetch(PDO::FETCH_ASSOC)) {	if (\$show_vendor->rowCount() > 0) {
		while (\$fetch_vendor =

\$show_vendor-	w	WHERE kat_vendor =		
>fetch(PDO::FETCH	hile (\$fetch_vendor =	'Dekorasi' LIMIT 2");		
_ASSOC)) {	\$show_vendor-	\$show_v		
?>	>fetch(PDO::FETCH	endor->execute();		
<li	_ASSOC)) {	if		
data-filter=".<?="	?>	(\$show_vendor-		
\$fetch_vendor['kat_ve	rowCount() > 0) {		
ndor']; ?>">	data-filter=".<?="	while		
	\$fetch_vendor['kat_ve	(\$fetch_vendor =		
<?="	ndor']; ?>">	\$show_vendor-		
\$fetch_vendor['kat_ve		>fetch(PDO::FETCH		
ndor']; ?>	<?="	_ASSOC)) {		
	\$fetch_vendor['kat_ve	\$id_		
	ndor']; ?>	vendor =		
<?		\$fetch_vendor['id_ven		
php }		dor'];		
} ?>	<?	?>		
	php }	<div		
<?php	} ?>	class="col-lg-4 col-		
\$sho		md-6 portfolio-item		
w_vendor = \$conn-	</div>	Dekorasi">		
>prepare("SELECT *	</div>	<a		
FROM `tb_vendor`		href="detail-		
WHERE kat_vendor =	<div	vendor.php?get_id=<		
'MC' LIMIT 1");	class="row portfolio-	?= \$id_vendor; ?>">		
\$sho	container">			
w_vendor->execute();	<?php	<div class="portfolio-		
if	\$show_v	wrap">rowCount() > 0) {	>prepare("SELECT *	\$fetch_vendor['img_v
	FROM `tb_vendor`	endor']; ?>"		

	<?php	
class="img-fluid"	\$show_v	<div class="portfolio-
style="height:	endor = \$conn-	wrap">prepare("SELECT *	src="upload-img/<?=
alt="">	FROM `tb_vendor`	\$fetch_vendor['img_v
	WHERE kat_vendor =	endor']; ?>"
<div	'Attire' LIMIT 1");	
class="portfolio-	\$show_v	class="img-fluid"
info">	endor->execute();	style="height:
	if	25rem;width:100%"
<h4>	(\$show_vendor-	alt="">
	>rowCount() > 0) {	
<?=	while	<div
\$fetch_vendor['nama_	(\$fetch_vendor =	class="portfolio-
vendor']; ?>	\$show_vendor-	info">
	>fetch(PDO::FETCH	
</h4>	_ASSOC)) {	<h4>
	\$id_	
<p style="font-	vendor =	<?=
size:0.9rem"><?=	\$fetch_vendor['id_ven	\$fetch_vendor['nama_
\$fetch_vendor['ket_ve	dor'];	vendor']; ?>
ndor']; ?></p>	?>	
	<div	</h4>
</div>	class="col-lg-4 col-	
	md-6 portfolio-item	<p style="font-
</div>	Attire">	size:0.9rem"><?=
	<a	\$fetch_vendor['ket_ve
	href="detail-	ndor']; ?></p>
</div>	vendor.php?get_id=<	
<?php }	?= \$id_vendor; ?>">	</div>
} ?>		


```

$fetch_vendor['id_vendor'];
    ?>
    <div
class="col-lg-4 col-
md-6 portfolio-item
MUA">
    <a
href="detail-
vendor.php?get_id=
?= $id_vendor; ?>">

<div class="portfolio-
wrap">

    <div
class="portfolio-
info">

    <h4>

    <?=

$fetch_vendor['nama_
vendor']; ?>

    </h4>

    <p style="font-
size:0.9rem"><?=
$fetch_vendor['ket_ve
ndor']; ?></p>

    </div>

</div>

    </a>

    </div>

    <?php }
} ?>

    <?php
$show_v
endor = $conn-
>prepare("SELECT *
FROM `tb_vendor`
WHERE kat_vendor =
'MC' LIMIT 1");

    $show_v
endor->execute();

    if
($show_vendor-
>rowCount() > 0) {

while
($fetch_vendor =
$show_vendor-
>fetch(PDO::FETCH
_ASSOC)) {

    $id_
vendor =
$fetch_vendor['id_ven
dor'];

    ?>

    <div
class="col-lg-4 col-
md-6 portfolio-item
MC">

    <a
href="detail-
vendor.php?get_id=
?= $id_vendor; ?>">

    <div class="portfolio-
wrap">

    <div

```

```
class="portfolio-  
info">
```

```
<h4>
```

```
<?=
```

```
$fetch_vendor['nama_  
vendor']; ?>
```

```
</h4>
```

```
<p style="font-  
size:0.9rem"><?=  
$fetch_vendor['ket_ve  
ndor']; ?></p>
```

```
</div>
```

```
</div>
```

```
</a>
```

```
</div>
```

```
<?php }
```

```
} ?>
```

```
</div>
```

```
<div
```

```
class="row">
```

```
<a
```

```
href="list-  
vendor.php"  
class="text-
```

center">Lihat Lebih
Banyak <i

class

= "bi bi-arrow-
right"></i>

```
</div>
```

```
</div>
```

```
</section><!--
```

End Our Portfolio
Section -->

```
<!-- =====
```

Our paket Section
===== -->

```
<section
```

```
id="paket"
```

```
class="team">
```

```
<div
```

```
class="container"
```

```
data-aos="fade-up">
```

```
<div
```

```
class="section-title">
```

```
<h2>Paket
```

```
Kami</h2>
```

<p>Deng
an berbagai pilihan
paket layanan ini,
kami berharap dapat

memenuhi segala
kebutuhan dan

impian

pasangan

untuk hari pernikahan
yang sempurna. Kami
siap membantu Anda
mewujudkan momen
istimewa

yang

tak

terlupakan.</p>

```
</div>
```

```
<div
```

```
class="row">
```

```
<?php
```

```
$show_p
```

```
aket = $conn-  
>prepare("SELECT *  
FROM `tb_paket`  
LIMIT 8");
```

```
$show_p
```

```
aket->execute();
```

```
if
```

```
($show_paket-
```

```
>rowCount() > 0) {
```

```
while
```

```
($fetch_paket =  
$show_paket-
```

```

>fetch(PDO::FETCH_ASSOC)) {
    <span>
    div>
    ?>
    </div>
    <div
    <?php echo
    <?php }
    class="col-xl-3 col-lg-4 col-md-6" data-aos="fade-up">
    "Rp. "
    } ?>
    number_format($fetc
    </div>
    h_paket['harga_paket'
    <div
    class="row">
    <a
    href="list-paket.php"
    class="text-center">Lihat Lebih
    Banyak <i
    class
    ="bi bi-arrow-right"></i></a>
    </div>
    style="height:
    <a
    href="login.php"
    </div>
    18rem;width:18rem"
    class="btn btn-sm
    </section><!--
    alt="">
    text-black"
    End Our Team Section
    </div>
    -->
    style="backgr
    <div class="member-
    ound-color:
    <!-- =====
    info h-50">
    #fff;">Detail
    Contact Us Section
    ===== -->
    <h4 class="p-1">
    Layanan</a>
    <section
    id="contact"
    <?>
    </div>
    class="contact">
    $fetch_paket['nama_p
    </div>
    aket']; ?>

```

<div	30	<i
class="container"	164	class="bx bx-phone-
data-aos="fade-up">	</p>	call"></i>
	</div>	<h3
<div	</div>	>Hubungi Kami</h3>
class="section-title">		<p>
<h2>Kon	<div	0813-6802-5252</p>
tak Kami</h2>	class="col-lg-3 d-	</div>
</div>	flex" data-aos="fade-	</div>
	up" data-aos-	
<div	delay="100">	</div>
class="row">	<div	
	class="info-box">	</div>
<div	<i	</section><!--
class="col-lg-6 d-	class="bx bx-	End Contact Us
flex" data-aos="fade-	envelope"></i>	Section -->
up">	<h3	
<div	>Email</h3>	</main><!-- End
class="info-box">	<p>	#main -->
<i	dinar-	
class="bx bx-	wo@gmail.com</p>	<!-- =====
map"></i>	</div>	Footer ===== -->
<h3	</div>	<footer
>Alamat Kami</h3>		id="footer">
<p>Jl.	<div	
Sersan Sani No.110,	class="col-lg-3 d-	<div
Talang Aman, Kec.	flex" data-aos="fade-	class="container">
Kemuning, Kota	up" data-aos-	<div
Palembang, Sumatera	delay="200">	class="copyright">
Selatan	<div	©
	class="info-box ">	Copyright

CV		<script
Dinar	Group	
Abadi</stron	<!-- Vendor JS Files	src="assets/landingpa
g>. All Rights	-->	ge/vendor/swiper/swi
Reserved	<script	per-
</div>	src="assets/landingpa	bundle.min.js"></scri
	ge/vendor/purecounte	pt>
<div	r/purecounter_vanilla.	<script
class="credits">	js"></script>	src="assets/landingpa
Designed by	<script	ge/vendor/php-email-
</sc
href="https://www.ins	ge/vendor/aos/aos.js"	ript>
tagram.com/haniffathi	></script>	
_/">Muhammad	<script	<!-- Template Main
Hanif Fathi	src="assets/landingpa	JS File -->
</div>	ge/vendor/bootstrap/js	<script
</div>	/bootstrap.bundle.min	src="assets/landingpa
</footer><!-- End	.js"></script>	ge/js/main.js"></scrip
Footer -->	<script	t>
	src="assets/landingpa	
<a href="#"	ge/vendor/glightbox/j	</body>
class="back-to-top d-	s/glightbox.min.js"><	
flex align-items-center	/script>	</html>
justify-content-	<script	
center"><i	src="assets/landingpa	
class="bi bi-	ge/vendor/isotope-	
arrow-up-	layout/isotope.pkgd.m	
short"></i>	in.js"></script>	
dashboard.php		
<div	<h1>Dashboard</h	<nav>
class="pagetitle">	1>	

<ol	<div	
class="breadcrumb">	class="col-xxl-4 col-	<?php
<li	md-6">	
class="breadcrumb-	<div	\$show_pemesanan =
item"><a	class="card info-card	\$conn-
href="?pages=dashbo	sales-card">	>prepare("SELECT *
ard">Home		FROM
<li	<div	`tb_pemesanan`");
class="breadcrumb-	class="card-body">	
item	<h5	\$show_pemesanan-
active">Dashboard</l	class="card-	>execute();
i>	title">Total	
	Pemesanan</h5>	\$total_pemesanan =
</nav>		\$show_pemesanan-
</div>	<div	>rowCount();
<!-- End Page Title --	class="d-flex align-	?>
>	items-center">	
	<div	<h6>
<section	class="card-icon	
class="section	rounded-circle d-flex	<?=
dashboard">	align-items-center	\$total_pemesanan; ?>
<div class="row">	justify-content-	Paket
<!-- Left side	center">	
columns -->	<i	</h6>
<div class="col-	class="bi bi-	</
lg-12">	card"></i>	div>
<div	</	</div>
class="row">	div>	</div>
<!-- Sales	<div	</div>
Card -->	class="ps-3">	</div>

<!-- End	<i	
Sales Card -->	class="bi bi-currency-dollar"></i>	\$show_pemesanan2->execute();
<!-- Revenue	</	
Card -->	div>	\$total_pemesanan2 =
<div	<div	\$show_pemesanan2->rowCount();
class="col-xxl-4 col-md-6">	class="ps-3">	?>
<div	<?php	
class="card info-card customers-card">	\$show_pemesanan2 =	<h6>
<div	\$conn-	<?=>
class="card-body">	>prepare("SELECT * FROM	\$total_pemesanan2;
<h5	`tb_pemesanan`,	?> Paket
class="card-title">Total	`tb_pembayaran`	</h6>
Pemesanan (Uang Muka)</h5>	WHERE	</
<div	tb_pemesanan.id_pemesanan =	div>
class="d-flex align-items-center">	tb_pembayaran.id_pemesanan AND	</div>
<div	tb_pembayaran.status_tf_dp = 'diterima'	</div>
class="card-icon rounded-circle d-flex align-items-center justify-content-center">	AND	<!-- End
	(tb_pembayaran.status_tf_lunas IS NULL	Revenue Card -->
	OR	<!--
	tb_pembayaran.status_tf_lunas <>	Customers Card -->
	'diterima')");	<div
		class="col-xxl-4 col-xl-12">

<div	\$total_pemesanan3;
class="card info-card revenue-card">	?> Paket
	\$show_pemesanan3 =
	\$conn-
	>prepare("SELECT *
</div>	</h6>
FROM	</div>
class="card-body">	`tb_pemesanan`,
	div>
<h5	`tb_pembayaran`
class="card-	</div>
title">Total	WHERE
Pemesanan	</div>
(Lunas)</h5>	tb_pemesanan.id_pem
	esanan =
	</div>
	tb_pembayaran.id_pe
	mesanan AND
	Customers Card -->
<div	tb_pembayaran.status
class="d-flex align-	_tf_dp = 'diterima'
items-center">	<!-- Reports
	-->
<div	(tb_pembayaran.statu
class="card-icon	s_tf_lunas =
rounded-circle d-flex	'diterima')");
align-items-center	<div
justify-content-	class="card">
center">	
	\$show_pemesanan3-
	>execute();
<i	<div
class="bi bi-	class="card-body">
check2"></i>	<h5
	class="card-
</	title">Grafik Total
div>	Pemesanan Tahun
	<?
<div	
class="ps-3">	php echo date('Y'); ?>
	</h5>
<?php	<?=

<!--	<!--	<!-- End
Column Chart -->	End Column Chart -->	Reports -->
<div	</div>	</div>
id="totalChart"></div	</div>	</div>
>	</div>	</section>

home.php

<section id="hero">	<div	mated
<div class="hero-	class="carousel-item	animate__fadeInUp">
container">	active"	Wedding Organizer
<div	style="ba	Terbaik di Palembang
id="heroCarousel"	ckground-image:	Pe
class="carousel slide	url('../assets/landingpa	rcayakan momen
carousel-fade" data-	ge/img/slide/slide-	terpenting sekali
bs-ride="carousel"	1.jpg');background-	dalam seumur hidup
data-bs-	position: 0 -7rem">	Anda dengan Dinar
interval="5000">	<div	Wedding
	class="carousel-	O
<ol	container">	rganizer.</p>
class="carousel-	<div	<a
indicators" id="hero-	class="carousel-	href="#about"
carousel-	content container">	cl
indicators">	<h2	ass="btn-get-started
	class="animate__ani	animate__animated
<div	mated	animate__fadeInUp
class="carousel-	animate__fadeInDow	scrollto">Selengkapn
inner" role="listbox">	n">Dinar Wedding	ya
	O	</div>
<!-- Slide 1 -	rganizer</h2>	</div>
->	<p	</div>
	class="animate__ani	

```

        </div>
    </div>
</div>
</section><!-- End
Hero -->

<main id="main">
    <!-- =====
    About Us Section
    ===== -->
    <section id="about"
class="about">
        <div
class="container"
data-aos="fade-up">
            <div
class="row no-
gutters">
                <div
class="col-lg-6 video-
box">
                    
                </div>
            <div
class="col-lg-6 d-flex
flex-column justify-
content-center about-
content">
                <div
class="section-title">
                    <h2>T
entang Kami</h2>
                    <p>Di
nar Wedding
Organizer adalah
penyedia jasa
perencanaan dan
penyelenggaraan
pernikahan yang
berk
omitmen untuk
mewujudkan impian
pernikahan setiap
pasangan. Dengan
pengalaman dan
keah
lian di bidang event
planning, Dinar
Wedding Organizer
menawarkan layanan
lengkap mulai
dari
konsep dan tema
                    </div>
                    <div
class="icon-box"
data-aos="fade-up"
data-aos-
delay="100">
                        <div
class="icon"><i
class="bx bx-
fingerprint"></i></di
v>
                        <h4
class="title"><a
href="">Tim
profesional</a></h4>
                        <p
class="description">T
im profesional kami
bekerja secara detail
dan kreatif untuk
memastikan
setiap
momen pernikahan
Anda berjalan
sempurna dan tak
terlupakan.</p>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

		FROM
<div	</section><!-- End	`tb_pemesanan`");
class="icon-box"	About Us Section -->	\$show
data-aos="fade-up"		_pemesanan-
data-aos-	<!-- =====	>execute();
delay="100">	Counts Section	\$total_
<div	===== -->	pemesanan =
class="icon"><i	<section	\$show_pemesanan-
class="bx bx-	class="counts section-	>rowCount();
gift"></i></div>	bg">	?>
<h4	<div		data-purecounter-
href="">Kepercayaan		start="0" data-
dan kepuasan	<div	purecounter-
klien</h4>	class="row">	end="<?=
<p		\$total_pemesanan;
class="description">	<div	?>"
Kepercayaan dan	class="col-lg-3 col-	data-
kepuasan klien adalah	md-6 text-center"	purecounter-
prioritas utama kami,	data-aos="fade-up">	duration="1"
menjadikan	<div	class="purecounter">
Dinar	class="count-box">	
Wedding Organizer	<i	<p>Total
pilihan terbaik untuk	class="bi bi-simple-	Pemesanan</p>
hari istimewa	smile" style="color:	</div>
Anda.</p>	#20b38e;"></i>	</div>
</div>	<?php	
	\$show	<div
</div>	_pemesanan = \$conn-	class="col-lg-3 col-
</div>	>prepare("SELECT *	md-6 text-center"
		data-aos="fade-up"

data-aos-	class="purecounter">			data-purecounter-
	<div	start="0" data-
class="count-box">	<p>Total	purecounter-
	Vendor</p>	end="<?=
<i	</div>	\$total_paket; ?>"
class="bi bi-	</div>	data-
document-folder"		purecounter-
style="color:	<div	duration="1"
#c042ff;"></i>	class="col-lg-3 col-	class="purecounter">
	md-6 text-center"	
<?php	data-aos="fade-up"	
\$show	data-aos-	<p>Total
_vendor = \$conn-	delay="400">	Paket</p>
>prepare("SELECT *		</div>
FROM `tb_vendor`");	<div	</div>
\$show	class="count-box">	
_vendor->execute();	<i	
\$total_	class="bi bi-live-	<div
vendor =	support" style="color:	class="col-lg-3 col-
\$show_vendor-	#46d1ff;"></i>	md-6 text-center"
>rowCount();	<?php	data-aos="fade-up"
?>	\$show	data-aos-

data-purecounter-	>prepare("SELECT *	<div
start="0" data-	FROM `tb_paket`");	class="count-box">
purecounter-	\$show	<i
end="<?=	_paket->execute();	class="bi bi-users-alt-
\$total_vendor; ?>"	\$total_	5" style="color:
	paket = \$show_paket-	#ffb459;"></i>
data-	>rowCount();	<?php
purecounter-	?>	\$show
duration="1"		_user = \$conn-

```

>prepare("SELECT *
FROM `tb_user`");

$show

_user->execute();

$total_
user = $show_user-
>rowCount();

?>

<span
data-purecounter-
start="0" data-
purecounter-
end="<?= $total_user;
?>"

data-
purecounter-
duration="1"
class="purecounter">
</span>

<p>Total
Pelanggan</p>

</div>

</div>

</div>

</section><!-- End
Counts Section -->

```

```

<!-- =====
Vendor      Section
===== -->

<section
id="vendor"
class="portfolio
section-bg">

<div
class="container"
data-aos="fade-up"
data-aos-
delay="100">

<div
class="section-title">

<h2>Vendor
Kami</h2>

<p>Berikut
ini adalah penyedia
jasa perencanaan
pernikahan
profesional yang
berdedikasi untuk
mewujud
kan
hari
istimewa
Anda
menjadi momen yang
sempurna dan tak
terlupakan. Dengan

```

```

pengalaman bertahun-
tahun dalam
industri
pernikaha
n, kami menawarkan
layanan lengkap yang
mencakup setiap
aspek dari
perencanaan hingga
pelaksana
an acara
pernikahan..</p>

</div>

<div
class="row">

<div
class="col-lg-12">

<ul
id="portfolio-filters">

<li data-
filter="*"
class="filter-
active">All</li>

<?php
$show
_vendor = $conn-
>prepare("SELECT *
FROM `tb_vendor`
WHERE kat_vendor =
'Dekorasi' LIMIT 1");

```

<pre> \$show _vendor->execute(); if (\$show_vendor- >rowCount() > 0) { while (\$fetch_vendor = \$show_vendor- >fetch(PDO::FETCH _ASSOC)) { ?> <li data-filter=".<?= \$fetch_vendor['kat_ve ndor']; ?>"> <?= \$fetch_vendor['kat_ve ndor']; ?> <?php } } ?> <?php \$show _vendor = \$conn- >prepare("SELECT * FROM `tb_vendor` WHERE kat_vendor = 'Attire' LIMIT 1"); </pre>	<pre> \$show _vendor->execute(); if (\$show_vendor- >rowCount() > 0) { while (\$fetch_vendor = \$show_vendor- >fetch(PDO::FETCH _ASSOC)) { ?> <li data-filter=".<?= \$fetch_vendor['kat_ve ndor']; ?>"> <?= \$fetch_vendor['kat_ve ndor']; ?> <?php } } ?> <?php \$show _vendor = \$conn- >prepare("SELECT * FROM `tb_vendor` WHERE kat_vendor = 'Fotografi' LIMIT 1"); </pre>	<pre> \$show _vendor->execute(); if (\$show_vendor- >rowCount() > 0) { while (\$fetch_vendor = \$show_vendor- >fetch(PDO::FETCH _ASSOC)) { ?> <li data-filter=".<?= \$fetch_vendor['kat_ve ndor']; ?>"> <?= \$fetch_vendor['kat_ve ndor']; ?> <?php } } ?> <?php \$show _vendor = \$conn- >prepare("SELECT * FROM `tb_vendor` WHERE kat_vendor = 'MUA' LIMIT 1"); </pre>
--	---	---

<pre> \$show _vendor->execute(); if (\$show_vendor- >rowCount() > 0) { while (\$fetch_vendor = \$show_vendor- >fetch(PDO::FETCH _ASSOC)) { ?> <li data-filter=",<?= \$fetch_vendor['kat_ve ndor']; ?>"> <?= \$fetch_vendor['kat_ve ndor']; ?> <?php } } ?> <?php \$show _vendor = \$conn- >prepare("SELECT * FROM `tb_vendor` WHERE kat_vendor = 'MC' LIMIT 1"); </pre>	<pre> \$show _vendor->execute(); if (\$show_vendor- >rowCount() > 0) { while (\$fetch_vendor = \$show_vendor- >fetch(PDO::FETCH _ASSOC)) { ?> <li data-filter=",<?= \$fetch_vendor['kat_ve ndor']; ?>"> <?= \$fetch_vendor['kat_ve ndor']; ?> <?php } } ?> </div> </div> <div class="row portfolio- container"> <?php </pre>	<pre> \$show_vendor = \$conn- >prepare("SELECT * FROM `tb_vendor` WHERE kat_vendor = 'Dekorasi' LIMIT 2"); \$show_vendor->execute(); if (\$show_vendor- >rowCount() > 0) { while (\$fetch_vendor = \$show_vendor- >fetch(PDO::FETCH _ASSOC)) { \$id_vendor = \$fetch_vendor['id_ven dor']; ?> <div class="col-lg-4 col- md-6 portfolio-item Dekorasi"> <a href="?landing=detail -vendor&get_id=<?= \$id_vendor; ?>"> <div class="portfolio- </pre>
--	---	---

wrap"><img	</div>	<a
src="../../upload-	<?php }	href=""?landing=detail
img/<?= \$fetch_vendor['img_v	} ?>	-vendor&get_id=<?= \$id_vendor; ?>">
endor']; ?>"	<?php	<div
	\$show_ven	class="portfolio-
class="img-fluid"	dor = \$conn-	wrap">prepare("SELECT *	src="../../upload-
25rem;width:100%"	FROM `tb_vendor`	img/<?= \$fetch_vendor['img_v
alt="">	WHERE kat_vendor =	endor']; ?>"
	'Attire' LIMIT 1");	
<div class="portfolio-	\$show_ven	
info">	dor->execute();	class="img-fluid"
	if	style="height:
<h4>	(\$show_vendor-	25rem;width:100%"
	>rowCount() > 0) {	alt="">
<?= \$fetch_vendor['nama_	while	<div class="portfolio-
vendor']; ?>	(\$fetch_vendor =	info">
	\$show_vendor-	
	>fetch(PDO::FETCH	<h4>
</h4>	_ASSOC)) {	
	\$id_ve	
<p style="font-	ndor =	<?= \$fetch_vendor['nama_
size:0.9rem"><?= \$fetch_vendor['ket_ve	\$fetch_vendor['id_ven	vendor']; ?>
ndor']; ?></p>	dor'];	
	?>	
	<div	</h4>
</div>	class="col-lg-4 col-	
	md-6 portfolio-item	<p style="font-
</div>	Attire">	size:0.9rem"><?= \$fetch_vendor['nama_
		vendor']; ?>
		

\$fetch_vendor['ket_vendor']; ?></p>	\$fetch_vendor['id_vendor'];	\$fetch_vendor['nama_vendor']; ?>
	?>	
</div>	<div	</h4>
</div>	class="col-lg-4 col-md-6 portfolio-item	<p style="font-size:0.9rem"><?=
	Fotografi">	\$fetch_vendor['ket_vendor']; ?></p>
</div>	<a	</div>
<?php }	href="?landing=detail	
} ?>	-vendor&get_id=<?=\$id_vendor; ?>">	
<?php	<div	</div>
\$show_vendor = \$conn->prepare("SELECT * FROM `tb_vendor` WHERE kat_vendor = 'Fotografi' LIMIT 1");	class="portfolio-wrap">
\$show_vendor->execute();	src=" ../upload-	
	img/<?=\$fetch_vendor['img_vendor']; ?>"	</div>
		<?php }
		} ?>
		<?php
	class="img-fluid"	\$show_vendor = \$conn->prepare("SELECT * FROM `tb_vendor` WHERE kat_vendor = 'MUA' LIMIT 1");
if	style="height: 25rem; width: 100%; alt="">	\$show_vendor->execute();
(\$show_vendor->rowCount() > 0) {	<div class="portfolio-info">	
while		
(\$fetch_vendor = \$show_vendor->fetch(PDO::FETCH_ASSOC)) {	<h4>	if
\$id_vendor =	<?=	(\$show_vendor->rowCount() > 0) {

<pre> while (\$fetch_vendor = \$show_vendor- >fetch(PDO::FETCH _ASSOC)) { \$id_ve ndor = \$fetch_vendor['id_ven dor']; ?> <div class="col-lg-4 col- md-6 portfolio-item MUA"> "> <div class="portfolio- wrap"><img src="../upload- img/<?= \$fetch_vendor['img_v endor']; ?>" class="img-fluid" style="height: 25rem;width:100%" alt=""> </pre>	<pre> <div class="portfolio- info"> <h4> <?php \$fetch_vendor['nama_ vendor']; ?> </h4> <p style="font- size:0.9rem"><?= \$fetch_vendor['ket_ve ndor']; ?></p> </div> </div> </div> </div> <?php } } ?> <?php \$show_ven dor = \$conn- >prepare("SELECT * FROM `tb_vendor` </pre>	<pre> WHERE kat_vendor = 'MC' LIMIT 1"); \$show_ven dor->execute(); if (\$show_vendor- >rowCount() > 0) { while (\$fetch_vendor = \$show_vendor- >fetch(PDO::FETCH _ASSOC)) { \$id_ve ndor = \$fetch_vendor['id_ven dor']; ?> <div class="col-lg-4 col- md-6 portfolio-item MC"> "> <div class="portfolio- wrap"><img src="../upload- img/<?= </pre>
--	---	--

```
( $fetch_paket
```

```

$show_paket-
>fetch(PDO::FETCH
_ASSOC)) {
    ?>
    <div
class="col-xl-3 col-lg-
4 col-md-6" data-
aos="fade-up">
    <div
class="member">
        <div
class="pic">
    </
div>
    <div
class="member-info
h-50">
    <h4 class="p-1">
        <?=
$fetch_paket['nama_p
aket']; ?>
    <span>
        <?php echo "Rp.
"
        number_format($fetc
h_paket['harga_paket'
]) . ","; ?>
    </span>
    </h4>
    <div class="social">
        <a
href="?landing=detail
-layanan&get_id=<?=
$fetch_paket['id_pake
t']; ?>"
        class="btn btn-sm
text-black"
        style="background-
color: #fff;">Detail
        Layanan</a>
    </div>
    </div>
    </div>
    <div
class="row">
        <a
href="?landing=list-
paket" class="text-
center">Lihat Lebih
Banyak <i
class="bi
bi-arrow-
right"></i></a>
    </div>
</section><!-- End
Our Team Section -->
    <!-- =====
Contact Us Section
===== -->

```

```

<section
id="contact"
class="contact">
    <div
class="container"
data-aos="fade-up">
        <p>Jl.
        Sersan Sani No.110,
        Talang Aman, Kec.
        Kemuning, Kota
        Palembang, Sumatera
        Selatan 30164
        </p>
    </div>
    <div
class="section-title">
        <h2>Kontak
Kami</h2>
    </div>
    <div
class="row">
        <div
class="col-lg-6 d-
flex" data-aos="fade-
up">
            <div
class="info-box">
                <i
class="bx bx-
map"></i>
                <h3>A
alamat Kami</h3>
            </div>
        </div>
        <div
class="col-lg-3 d-
flex" data-aos="fade-
up" data-aos-
delay="100">
            <div
class="info-box">
                <i
class="bx bx-
envelope"></i>
                <h3>E
mail</h3>
                <p>din
ar-
wo@gmail.com</p>
            </div>
        </div>
        <div
class="col-lg-3 d-
flex" data-aos="fade-
up" data-aos-
delay="200">
            <div
class="info-box ">
                <i
class="bx bx-phone-
call"></i>
                <h3>H
ubungi Kami</h3>
                <p>08
13-6802-5252</p>
            </div>
        </div>
    </div>
</section><!-- End
Contact Us Section -->
</main><!-- End
#main -->

```

function.php

```

<?php
error_reporting(0);
ob_start();

$page = $_GET['pages'];

```

File	Code	File	Code
landing	=	elseif (\$page ==	// Kru Acara
\$_GET['landing'];		'paket') {	elseif (\$page == 'kru-
		include	acara') {
// Dashboard		"pages/paket/paket.ph	include
if (\$page ==		p";	"pages/riwayat-
'dashboard') {		}	pemesanan/kru-
include		// Riwayat Pemesanan	acara.php";
"dashboard.php";		elseif (\$page ==	}
}		'riwayat-pemesanan')	// Detail Acara
// Akun		{	elseif (\$page ==
elseif (\$page ==		include	'detail-acara') {
'akun') {		"pages/riwayat-	include
include		pemesanan/riwayat-	"pages/riwayat-
"pages/akun/akun.php		pemesanan.php";	pemesanan/detail-
";		}	acara.php";
}		// Invoice DP	}
// Data Vendor		elseif (\$page ==	// Data Jadwal
elseif (\$page == 'data-		'invoice-dp') {	elseif (\$page ==
vendor') {		include	'jadwal') {
include		"pages/riwayat-	include
"pages/vendor/data-		pemesanan/invoice-	"pages/jadwal/jadwal.
vendor.php";		dp.php";	php";
}		}	}
// Data Vendor		// Invoice Lunas	// Data Karyawan
elseif (\$page ==		elseif (\$page ==	elseif (\$page ==
'detail-vendor') {		'invoice-lunas') {	'karyawan') {
include		include	include
"pages/vendor/detail-		"pages/riwayat-	"pages/karyawan/kary
vendor.php";		pemesanan/invoice-	awan.php";
}		lunas.php";	}
// Data Paket		}	// Data User

elseif (\$page == 'user')	include	elseif (\$landing ==
{	"home.php";	'deskripsi-paket') {
include	}	include
"pages/user/user.php";	// Detail Layanan	"menu/layanan/deskri
}	elseif (\$landing ==	psi-paket.php";
// Data Profile	'detail-layanan') {	}
elseif (\$page ==	include	// Pemesanan
'profile') {	"menu/layanan/detail-	elseif (\$landing ==
include	layanan.php";	'pemesanan') {
"pages/profile/profile.	}	include
php";	// List Vendor	"menu/pemesanan/pe
}	elseif (\$landing ==	mesanan.php";
// Data Laporan	'list-vendor') {	}
elseif (\$page ==	include "menu/list-	// Pembayaran
'laporan') {	vendor/list-	elseif (\$landing ==
include	vendor.php";	'pembayaran') {
"pages/laporan/lapora	}	include
n.php";	// List Vendor	"menu/pembayaran/pe
}	elseif (\$landing ==	mbayaran.php";
	'detail-vendor') {	}
	include "menu/list-	// Jadwal
//	vendor/detail-	elseif (\$landing ==
=====	vendor.php";	'jadwal') {
===== Landing	}	include
Page	// List Paket	"menu/jadwal/jadwal.
=====	elseif (\$landing ==	php";
===== //	'list-paket') {	}
// Dashboard	include "menu/list-	// Invoice DP
if (\$landing ==	paket/list-paket.php";	elseif (\$landing ==
'home') {	}	'invoice-dp') {
	// Deskripsi Paket	

```

include
"menu/pembayaran/in
voice-dp.php";
}
// Invoice Lunas
elseif ($landing ==
'invoice-lunas') {

```

```

include
"menu/pembayaran/in
voice-lunas.php";
}
// Profile
elseif ($landing ==
'profile') {

```

```

include
"menu/profile/profile.
php";
} else {
include "pages-
error-404.php";
}
?>

```

login.php

```

<?php session_start();
?>

```

```

<!DOCTYPE html>
<html lang="en">

<head>
    <meta
charset="UTF-8">
    <meta
name="viewport"
content="width=device-
width, initial-
scale=1.0">
    <title>Login</title>
    <link
rel="stylesheet"
href="assets/login/log
in.css">
</head>

```

```

<body>

    <div
class="container"
id="container">
        <div class="form-
container sign-up-
container">
            <form
action="cek_login.ph
p" method="post">
                <h1>Buat
Akun</h1>
                <input
type="text"
name="nama_lengkap"
placeholder="Nama
Lengkap" />
                <input
type="text"
name="telp"

```

```

placeholder="No.
Handphone" />
                <input
type="email"
name="email"
placeholder="Email"
/>
                <input
type="password"
name="password"
placeholder="Passwor
d" />
                <textarea
name="alamat"
id="alamat" cols="30"
rows="3"
placeholder="Alamat"
></textarea>
                <button
type="submit"

```

```

name="daftar">Daftar                                }                                <button
</button>                                           ?>                                type="submit"
                                </form>                                <?php                                name="submit">Mas
                                </div>                                if                                uk</button>
                                (isset($_SESSION['su                                </form>
                                kses'])) {                                </div>
                                ?>                                <div
                                <form                                <p                                class="overlay-
                                action="cek_login.ph                                style="color:    green;                                container">
                                p" method="post">                                font-                                <div
                                <h1>Masuk                                style:italic;"><strong                                class="overlay">
                                </h1>                                >Berhasil!</strong>                                <div
                                <!--                                <?=                                class="overlay-panel
                                Notifikasi Gagal login                                $_SESSION['sukses'];                                overlay-left">
                                -->                                ?>                                <h1>Sila
                                <?php                                </p>                                hkan Masuk</h1>
                                if                                <?php                                <p>Webs
                                (isset($_SESSION['ga                                unset($_S                                ite Dinar Wedding
                                gal'])) {                                ESSION['sukses']);                                Organizer</p>
                                ?>                                }                                <button
                                <p                                ?>                                class="ghost"
                                style="color:    red;                                <input                                id="signIn">Masuk</
                                font-                                type="email"                                button>
                                style:italic;"><strong                                name="email"                                </div>
                                >Gagal!</strong> <?=                                placeholder="Email"                                <div
                                $_SESSION['gagal'];                                />                                class="overlay-panel
                                ?>                                <input                                overlay-right">
                                </p>                                type="password"                                <h1>Sela
                                <?php                                name="password"                                mat Datang</h1>
                                unset($_S                                placeholder="Passwor                                d" />
                                ESSION['gagal']);                                d" />

```

```

        <p>Webs
ite Dinar Wedding
Organizer</p>
        <button
class="ghost"
id="signUp">Buat
Akun</button>
    </div>
</div>
</div>

<script>
const signUpButton
=
document.getElement
ById("signUp");
const signInButton
=
document.getElement
ById("signIn");
const container =
document.getElement
ById("container");

signInButton.addE
ventListener("click",
() => {
    container.classLi
st.remove("right-
panel-active");
});
</script>

signUpButton.addE
ventListener("click",
() => {
    container.classLi
st.add("right-panel-
active");
});
</body>
</html>

```

cek_login.php

```

<?php
include
'config/connect.php';
session_start();

if
(isset($_POST['submi
t'])) {
    $email =
$_POST['email'];
    $email =
filter_var($email,
FILTER_SANITIZE_
STRING);
    $password =
sha1($_POST['passw
ord']);
    $password =
filter_var($password,
FILTER_SANITIZE_
STRING);
    $select_admin =
FROM `tb_admin`
WHERE email = ?
AND
password_admin =
?";
    $row =
$select_admin-
>fetch(PDO::FETCH
_ASSOC);
    $conn-
>prepare("SELECT *

```

```

        $select_user =
$conn-
>prepare("SELECT *
FROM `tb_user`
WHERE email = ?
AND password = ?");
        $select_user-
>execute([$email,
$password]);
        $rows =
$select_user-
>fetch(PDO::FETCH
_ASSOC);

        if ($select_admin-
>rowCount() > 0) {
            $_SESSION['em
ail'] = $row['email'];
            $_SESSION['pas
sword_admin'] =
$row['password_admi
n'];
            $_SESSION['use
rname'] =
$row['username'];
            $_SESSION['rol
e'] = $row['role'];
            $_SESSION['id_
admin'] =
$row['id_admin'];

            $_SESSION['suc
cess'] = "Selamat
Datang di Website
Dinar Wedding
Organizer";
            setcookie('id_ad
min',
$row['id_admin'],
time() + 60 * 60 * 24 *
30, '/');
            header('location:l
ayouts/template.php?
pages=dashboard');
        } elseif
($select_user-
>rowCount() > 0) {
            $_SESSION['em
ail'] = $rows['email'];
            $_SESSION['pas
sword'] =
$rows['password'];
            $_SESSION['na
ma_lengkap'] =
$rows['nama_lengkap'
];
            $_SESSION['ala
mat'] =
$rows['alamat'];
            $_SESSION['tel
p'] = $rows['telp'];

            $_SESSION['id_
user'] =
$rows['id_user'];
            setcookie('id_use
r', $rows['id_user'],
time() + 60 * 60 * 24 *
30, '/');
            header('location:l
ayouts/landingpage.p
hp?landing=home');
        } else {
            $_SESSION['gag
al'] = "Email atau
password salah!";
            header('location:l
ogin.php');
        }
    }

    // daftar
    if
(isset($_POST['daftar'
])) {
        $nama_lengkap =
$_POST['nama_lengkap'];
        $nama_lengkap =
filter_var($nama_leng
kap,

```

```

FILTER_SANITIZE_
STRING);
    $email    =
$_POST['email'];
    $email    =
filter_var($email,
FILTER_SANITIZE_
STRING);
    $telp     =
$_POST['telp'];
    $telp     =
filter_var($telp,
FILTER_SANITIZE_
STRING);
    $alamat   =
$_POST['alamat'];
    $alamat   =
filter_var($alamat,
FILTER_SANITIZE_
STRING);
    $password =
sha1($_POST['passw
ord']);

$password    =
filter_var($password,
FILTER_SANITIZE_
STRING);

$select_user =
$conn-
>prepare("SELECT *
FROM `tb_user`
WHERE email = ?");

$select_user-
>execute([$email]);

if ($select_user-
>rowCount() > 0) {
    $_SESSION['gag
al'] = "Email sudah
terdaftar!";
    header('location:l
ogin.php');
} else {
    $add_user =
$conn-
>prepare("INSERT
INTO
`tb_user`(nama_leng
kap, email, telp, alamat,
password)
VALUES(?,?,?,?,?)");
    $add_user-
>execute([$nama_len
gkap, $email, $telp,
$alamat, $password]);

    $_SESSION['suk
ses'] = "Akun berhasil
didaftarkan!";
    header('location:l
ogin.php');
}

?>

```

logout.php

```

<?php
    include
'config/connect.php';

    session_start();
    session_unset();
    session_destroy();

    header('location:inde
x.php');

?>

```