

Listisng Program

Layout.blade.php

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="utf-8">

    <meta http-equiv="X-UA-Compatible"
content="IE=edge">

        <meta name="viewport"
content="width=device-width, initial-
scale=1, shrink-to-fit=no">

    <meta name="description" content="">

    <meta name="author" content="">

    <title>Pertamina Refinery Unit III</title>

        <link href="{{
asset('vendor/fontawesome-
free/css/all.min.css') }}" rel="stylesheet"
type="text/css">

    <link
        href="https://fonts.googleapis.com/css?
family=Nunito:200,200i,300,300i,400,400i,6
00,600i,700,700i,800,800i,900,900i"
        rel="stylesheet">

    <link href="{{ asset('css/sb-admin-
2.min.css') }}" rel="stylesheet">

    <style>

        .status-column {

            width: 180px !important;

        }

    </style>

        <link
href="https://cdn.jsdelivr.net/npm/bootstrap
@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet"

            integrity="sha384-
QWTKZyjpPEjISv5WaRU9OFeRpok6Yctn
YmDr5pNlyT2bRjXh0JMhY6hW+ALEwI
H" crossorigin="anonymous">
```

```
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@
5.3.3/dist/js/bootstrap.bundle.min.js"

            integrity="sha384-
YvpcrYf0tY3lHB60NNkmXc5s9fDVZLESa
AA55NDzOxhy9GkcIdslK1eN7N6jIeHz"
crossorigin="anonymous">

    </script>

</head>

<body id="page-top">

    <div id="wrapper">

        <ul class="navbar-nav bg-gradient-
primary sidebar sidebar-dark accordion"
id="accordionSidebar">

            <a class="sidebar-brand d-flex align-
items-center justify-content-center" href="{{
route('dashboard') }}">

                <div class="sidebar-brand-icon">

                    

                </div>

                <div class="sidebar-brand-text mx-
3">ADMIN RU III PLAJU</div>

            </a>

            <hr class="sidebar-divider my-0">

            <li class="nav-item">

                <a class="nav-link" href="{{
route('dashboard') }}">

                    <i class="fas fa-fw fa-tachometer-
alt"></i>

                    <span>Dashboard</span></a>

            </li>

            <li class="nav-item">

                <a class="nav-link" href="{{
route('formalokasi') }}">
```

```

        <i class="fas fa-fw fa-chart-
area"></i>

        <span>Form
Pengalokasi</span></a>

    </li>

    <li class="nav-item">

        <a class="nav-link" href="{{
route('daftarpeminjamanadmin') }}">

            <i class="fas fa-fw fa-clipboard-
list"></i>

            <span>Daftar
Peminjam</span></a>

        </li>

        <li class="nav-item">

            <a class="nav-link collapsed"
href="#" data-toggle="collapse" data-
target="#collapseTwo"

            aria-expanded="true" aria-
controls="collapseTwo">

                <i class="fas fa-fw fa-cog"></i>

                <span>Laporan</span>

            </a>

            <div id="collapseTwo"
class="collapse" aria-
labelledby="headingTwo" data-
parent="#accordionSidebar">

                <div class="bg-white py-2
collapse-inner rounded">

                    <h6 class="collapse-
header">Laporan Data Hasil :</h6>

                    <a class="collapse-item"
href="{{ route('laporanpeminjaman')
 }}">Peminjaman</a>

                    <a class="collapse-item"
href="{{ route('laporanalokasi')
 }}">Pengalokasi</a>

                </div>

            </div>

        </li>

    <li class="nav-item">

```

```

        <a class="nav-link" href="{{
route('kelolauser') }}">

            <i class="fas fa-fw fa-table"></i>

            <span>Kelola User</span></a>

        </li>

        <hr class="sidebar-divider d-none d-
md-block">

        <div class="text-center d-none d-md-
inline">

            <button class="rounded-circle
border-0" id="sidebarToggle"></button>

        </div>

    </ul>

    <div id="content-wrapper" class="d-flex
flex-column">

        <div id="content">

            <nav class="navbar navbar-expand
navbar-light bg-white topbar mb-4 static-top
shadow">

                <button id="sidebarToggleTop"
class="btn btn-link d-md-none rounded-
circle mr-3">

                    <i class="fa fa-bars"></i>

                </button>

                <h4>PT Kilang Pertamina
Internasional Refinery Unit III Plaju</h4>

                <ul class="navbar-nav ml-auto">

                    <li class="nav-item dropdown
no-arrow d-sm-none">

                        <a class="nav-link
dropdown-toggle" href="#"
id="searchDropdown" role="button"

                        data-toggle="dropdown"
aria-haspopup="true" aria-
expanded="false">

                            <i class="fas fa-search fa-
fw"></i>

                        </a>

```

```
<div class="dropdown-menu
dropdown-menu-right p-3 shadow animated-
-grow-in"

aria-
labelledby="searchDropdown">

    <form class="form-inline
mr-auto w-100 navbar-search">

        <div class="input-
group">

            <input type="text"
class="form-control bg-light border-0 small"

placeholder="Search
for..." aria-label="Search"

aria-
describedby="basic-addon2">

            <div class="input-
group-append">

                <button class="btn
btn-primary" type="button">

                    <i class="fas fa-
search fa-sm"></i>

                </button>

            </div>

        </div>

    </form>

</div>

</li>

<div class="topbar-divider d-
none d-sm-block"></div>

<li class="nav-item dropdown
no-arrow">

    <a class="nav-link
dropdown-toggle"
href="#"
id="userDropdown" role="button"

data-toggle="dropdown"
aria-haspopup="true"
aria-
expanded="false">

        <span class="mr-2 d-none
d-lg-inline text-gray-600 small"></span>
```

```


</a>

<div class="dropdown-menu
dropdown-menu-right shadow animated-
-grow-in"

aria-
labelledby="userDropdown">

    <div class="dropdown-
divider"></div>

    <a class="dropdown-item"
href="#" data-toggle="modal"

data-
target="#logoutModal">

        <i class="fas fa-sign-
out-alt fa-sm fa-fw mr-2 text-gray-400"></i>

        Logout

    </a>

</div>

</li>

</ul>

</nav>

@yield('index')

</div>

<footer class="sticky-footer bg-
white">

    <div class="container my-auto">

        <div class="copyright text-center
my-auto">

            <span>PT Kilang Pertamina
Internasional Refinery Unit III Plaju
2024</span>

        </div>

    </div>

</footer>

</div>

</div>
```

```

        <a class="scroll-to-top rounded"
href="#page-top">

        <i class="fas fa-angle-up"></i>

    </a>

    <div class="modal fade"
id="logoutModal" tabindex="-1"
role="dialog" aria-
labelledby="exampleModalLabel"

aria-hidden="true">

        <div class="modal-dialog"
role="document">

            <div class="modal-content">

                <div class="modal-header">

                    <h5 class="modal-title"
id="exampleModalLabel">Yakin Ingin
Keluar?</h5>

                    <button class="close"
type="button" data-dismiss="modal" aria-
label="Close">

                        <span aria-
hidden="true">×</span>

                </button>

            </div>

            <div class="modal-body">Tekan
"Logout" jika anda yakin ingin keluar.</div>

            <div class="modal-footer">

                <form action="{{ route('logout')
}}" method="post">

                    @csrf

                    <button type="submit"
class="btn btn-primary">Logout</button>

                </form>

                <button class="btn btn-
secondary" type="button" data-
dismiss="modal">Kembali</button>

            </div>

        </div>

    </div>

</div>

```

```

        <script src="{{
asset('vendor/jquery/jquery.min.js')
}}"></script>

        <script src="{{
asset('vendor/bootstrap/js/bootstrap.bundle.
min.js') }}"></script>

        <script src="{{ asset('vendor/jquery-
easing/jquery.easing.min.js') }}"></script>

        <script src="{{ asset('js/sb-admin-
2.min.js') }}"></script>

        <script src="{{
asset('vendor/chart.js/Chart.min.js')
}}"></script>

        <script src="{{ asset('js/demo/chart-area-
demo.js') }}"></script>

        <script src="{{ asset('js/demo/chart-pie-
demo.js') }}"></script>

        @yield('scripts')
    </body>

</html>

Login.blade.php

<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="utf-8">

    <meta http-equiv="X-UA-Compatible"
content="IE=edge">

    <meta name="viewport"
content="width=device-width, initial-
scale=1, shrink-to-fit=no">

    <meta name="description" content="">

    <meta name="author" content="">

    <title>Pertamina RU III</title>

    <link href="{{ asset('vendor/fontawesome-
free/css/all.min.css') }}" rel="stylesheet"
type="text/css">

    <link

        href="https://fonts.googleapis.com/css?
family=Nunito:200,200i,300,300i,400,400i,6
00,600i,700,700i,800,800i,900,900i"

```

```

    rel="stylesheet">
    <link href="{{asset('css/sb-admin-
2.min.css')}}" rel="stylesheet">
    <style>
        .bg-login-image {
            background: url('{{
asset('img/Pertamina.png') }}');
            background-position: center;
            background-size: 50%;
            background-repeat: no-repeat;
        }
    </style>
</head>
<body class="bg-gradient-primary">
    <div class="container">
        <div class="row justify-content-center">
            <div class="col-xl-10 col-lg-12 col-
md-9">
                <div class="card o-hidden border-0
shadow-lg my-5">
                    <div class="card-body p-0">
                        <div class="row">
                            <div class="col-lg-6 d-none
d-lg-block bg-login-image"></div>
                            <div class="col-lg-6">
                                <div class="p-5">
                                    <div class="text-
center">
                                        <h1 class="h4 text-
gray-900"><b>Selamat
Datang</b></h1>
                                    </div>
                                    <form class="user"
action="{{route('Authentikasi')}}"
method="post">
                                        @csrf

```

```

                                <div class="form-
group">
                                    <input
name="email" type="email" class="form-
control form-control-user"
                                        id="exampleIn
putEmail" aria-describedby="emailHelp"
                                        placeholder="
Enter Email Address...">
                                    </div>
                                <div class="form-
group">
                                    <input
name="password" type="password"
class="form-control form-control-user"
                                        id="exampleIn
putPassword" placeholder="Password">
                                    </div>
                                <div class="form-
group">
                                    <div class="custom-
control custom-checkbox small">
                                        <input
type="checkbox" class="custom-control-
input" id="customCheck">
                                        <label
class="custom-control-label"
for="customCheck">Remember
                                            Me</label>
                                    </div>
                                </div>
                                <button type="submit"
class="btn btn-primary btn-user btn-block">
                                    Login
                                </button>
                            </form>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

<div class="form-group">

```

        <input
name="email" type="email" class="form-
control form-control-user"

        id="exampleIn
putEmail" aria-describedby="emailHelp"

        placeholder="
Enter Email Address...">

    </div>

    <div class="form-
group">

        <input
name="password" type="password"
class="form-control form-control-user"

        id="exampleIn
putPassword" placeholder="Password">

    </div>

    <div class="form-
group">

        <div class="custom-
control custom-checkbox small">

            <input
type="checkbox" class="custom-control-
input" id="customCheck">

            <label
class="custom-control-label"
for="customCheck">Remember

            Me</label>

        </div>

    </div>

    <button type="submit"
class="btn btn-primary btn-user btn-block">

        Login

    </button>

</form>

</div>

</div>

</div>

</div>

```

```

    </div>

</div>

</div>

    <script
src="{{ asset('vendor/jquery/jquery.min.js') }}"></script>

    <script
src="{{ asset('vendor/bootstrap/js/bootstrap.b
undle.min.js') }}"></script>

    <script src="{{ asset('vendor/jquery-
easing/jquery.easing.min.js') }}"></script>

    <script src="{{ asset('js/sb-admin-
2.min.js') }}"></script>

</body>

</html>

formalokasi.blade.php

@extends('layout')

@section('index')

    <style>

        .table thead th {

            text-align: center;

            vertical-align: middle;

        }

    </style>

    <div class="card">

        <div class="card-body">

            <h5 class="card-title">Data
Pengalokasi</h5>

            <div>

                <a href="{{ route('inputalokasi') }}"
class="btn btn-info mb-1">Input
Alokasi</a>

                <table class="table table-bordered">

                    <thead>

                        <tr>

                            <th scope="col"
rowspan="2">No</th>

```

```

<th scope="col"
rowspan="2">Nama</th>
<th scope="col"
rowspan="2">Sub Fungsi</th>
<th scope="col"
rowspan="2">Bagian</th>
<th scope="col"
rowspan="2">Nomor Pegawai</th>
<th scope="col"
rowspan="2">Tanggal</th>
<th scope="col"
colspan="3">Keterangan</th>
<th scope="col"
rowspan="2">Aksi</th>
</tr>
<tr>
<th scope="col">Nama
Barang</th>
<th
scope="col">Ukuran</th>
<th
scope="col">Jumlah</th>
</tr>
</thead>
<tbody>
@foreach ($groupedData as
$index => $group)
<tr>
<td rowspan="{{
$group['items']->count()
}}">{{ $loop-
>iteration }}</td>
<td rowspan="{{
$group['items']->count()
$group['nama'] }}"</td>
<td rowspan="{{
$group['items']->count()
$group['sub_fungsi'] }}"</td>
<td rowspan="{{
$group['items']->count()
$group['bagian'] }}"</td>

```

```

<td rowspan="{{
$group['items']->count()
$group['nomor_pegawai'] }}"</td>
<td rowspan="{{
$group['items']->count()
$group['tanggal'] }}"</td>
<td>{{ $group['items'][0]-
>nama_barang }}"</td>
<td>{{ $group['items'][0]-
>ukuran }}"</td>
<td>{{ $group['items'][0]-
>jumlah }}"</td>
<td>
<form action="{{
route('deleteformalokasi', $group['items'][0]-
>id) }}" method="post">
@csrf
@method('delete')
<button type="submit"
class="btn btn-danger mb-
1">Hapus</button>
</form>
<a href="{{
route('editformalokasi', $group['items'][0]-
>id) }}"
class="btn btn-
info">Ubah</a>
</td>
</tr>
@for ($i = 1; $i <
$group['items']->count(); $i++)
<tr>
<td>{{
$group['items'][$i]->nama_barang }}"</td>
<td>{{
$group['items'][$i]->ukuran ?? '-' }}"</td>
<td>{{
$group['items'][$i]->jumlah ?? '-' }}"</td>
<td>

```

```

                                <form action="{{
route('deleteformalokasi',
$group['items'][$i->id] }}"
                                method="post">
                                @csrf
                                @method('delete')
                                <button
type="submit" class="btn btn-danger mb-
1">Hapus</button>
                                </form>
                                <a href="{{
route('editformalokasi', $group['items'][$i]-
>id) }}"
                                class="btn btn-
info">Ubah</a>
                                </td>
                                </tr>
                                @endfor
                                @foreach
                                </tbody>
                                </table>
                                </div>
                                </div>
                                </div>
                                @endsection
inputalokasi.blade.php
                                @extends('layout')
                                @section('index')
                                <div class="card">
                                <div class="card-body">
                                <form action="{{
route('pengalokasian.store')
                                }}"
                                method="POST">
                                @csrf
                                <div class="mb-3">
                                <label for="nama" class="form-
label">Nama</label>

```

```

                                <select name="nama"
class="form-select" id="nama">
                                <option selected disabled>Pilih
Nama</option>
                                @foreach ($Pengguna as $user)
                                <option value="{{ $user-
>nama }}">{{ $user->nama }}</option>
                                @endforeach
                                </select>
                                </div>
                                <div class="mb-3">
                                <label for="sub_fungsi"
class="form-label">Sub Fungsi</label>
                                <input type="text"
name="sub_fungsi" id="sub_fungsi"
class="form-control" readonly>
                                </div>
                                <div class="mb-3">
                                <label for="bagian" class="form-
label">Bagian</label>
                                <input type="text"
name="bagian" id="bagian" class="form-
control" readonly>
                                </div>
                                <div class="mb-3">
                                <label for="nomor_pegawai"
class="form-label">Nomor Pegawai</label>
                                <input type="number"
name="nomor_pegawai"
id="nomor_pegawai" class="form-control"
readonly>
                                </div>
                                <div class="mb-3">
                                <label for="tanggal" class="form-
label">Tanggal</label>
                                <input type="date"
name="tanggal" id="tanggal"
class="form-control"
                                </div>

```

```

<div class="mb-3">

    <label for="nama_barang"
class="form-label">Nama Barang, Ukuran,
dan Jumlah</label>

    <div id="barang-container">

        <div class="row mb-2">

            <div class="col">

                <select class="form-
select" name="nama_barang[]" required>

                    <option selected
disabled>Pilih Barang</option>

                    <option value="Blue
Coverall">Blue Coverall</option>

                    <option value="Red
Coverall">Red Coverall</option>

                    <option
value="Kemeja">Kemeja</option>

                    <option value="T-
Shirt">T-Shirt</option>

                    <option value="Jas
Hujan">Jas Hujan</option>

                </select>

            </div>

            <div class="col">

                <select class="form-
select" name="ukuran[]" required>

                    <option selected
disabled>Pilih Ukuran</option>

                    <option
value="XXL">XXL</option>

                    <option
value="XL">XL</option>

                    <option
value="L">L</option>

                    <option
value="M">M</option>

                    <option
value="S">S</option>

                </select>

```

```

        </div>

        <div class="col">

            <input type="number"
name="jumlah[]"          class="form-control"
placeholder="Jumlah" required>

        </div>

        <div class="col-auto">

            <button type="button"
class="btn          btn-danger          remove-
barang">Hapus</button>

        </div>

    </div>

    <div>

        <button type="button" class="btn
btn-secondary"    id="add-barang">Tambah
Barang</button>

    </div>

    <button type="button" class="btn
btn-primary"
onclick="window.history.back()">Kembali<
/button>

    <button type="reset" class="btn btn-
primary">Reset</button>

    <button type="submit" class="btn
btn-primary">Simpan</button>

</form>

</div>

</div>

@endsection

@section('scripts')

<script
src="https://code.jquery.com/jquery-
3.6.0.min.js"></script>

<script>

$(document).ready(function() {

    $('#nama').change(function() {

        var nama = $(this).val();

        console.log(nama);
    });
});

```

```

$.ajax({
    url: '/getUserData/' + nama,
    type: 'GET',
    dataType: 'json',
    success: function(data) {
        console.log("Data yang
diterima:", data);

        if (data) {
            $('#sub_fungsi').val(data.su
bfungsi || data.sub_fungsi);
            $('#bagian').val(data.bagian);
            $('#nomor_pegawai').val(d
ata.nopeg || data.nomor_pegawai);
        } else {
            console.log("Tidak ada data
yang ditemukan untuk pengguna ini.");
        }
    }
});

$('#add-barang').click(function() {
    var newBarang = `
        <div class="row mb-2">
            <div class="col">
                <select class="form-select"
name="nama_barang[]" required>
                    <option selected
disabled>Pilih Barang</option>
                    <option value="Blue
Coverall">Blue Coverall</option>
                    <option value="Red
Coverall">Red Coverall</option>
                    <option
value="Kemeja">Kemeja</option>
                    <option value="T-Shirt">T-
Shirt</option>
                    <option value="Jas
Hujan">Jas Hujan</option>
                </select>
            </div>
            <div class="col">
                <select class="form-select"
name="ukuran[]" required>
                    <option selected
disabled>Pilih Ukuran</option>
                    <option
value="XXL">XXL</option>
                    <option
value="XL">XL</option>
                    <option
value="L">L</option>
                    <option
value="M">M</option>
                    <option
value="S">S</option>
                </select>
            </div>
            <div class="col">
                <input type="number"
name="jumlah[]" class="form-control"
placeholder="Jumlah" required>
            </div>
            <div class="col-auto">
                <button type="button"
class="btn btn-danger remove-
barang">Hapus</button>
            </div>
        </div>`;

    $('#barang-
container').append(newBarang);
});

$(document).on('click', '.remove-
barang', function() {
    $(this).closest('.row').remove();

```

```

    });
    });
</script>
@endsection

editformalokasi.blade.php

@extends('layout')

@section('index')

<div class="col-12">

    <div class="card">

        <div class="card-body">

            <h4><strong class="card-
title">Halaman      Edit      Form
Pengalokasi</strong></h4>

            <form action="{{
route('updateformalokasi', $pengalokasian-
>id) }}" method="post"

                enctype="multipart/form-data">

                @csrf

                @method('patch')

                <div class="mb-3">

                    <label
for="exampleInputEmail1"      class="form-
label">Tanggal</label>

                    <input name="tanggal"
type="date"      class="form-control"
id="exampleInputEmail1"

                        aria-
describedby="emailHelp"      value="{{
$pengalokasian->tanggal }}">

                    </div>

                    <div class="mb-3">

                        <label
for="exampleInputEmail1"      class="form-
label">Nama Barang</label>

                        <select name="nama_barang"
class="form-select"      aria-label="Default
select example">

                            <option selected
disabled>Pilih Barang</option>

```

```

                            <option value="Blue
Coverall"

                                {{ $pengalokasian-
>nama_barang == 'Blue Coverall' ? 'selected'
: " }}">Blue Coverall

                            </option>

                            <option value="Red
Coverall"

                                {{ $pengalokasian-
>nama_barang == 'Red Coverall' ? 'selected'
: " }}">Red Coverall</option>

                            <option value="Kemeja" {{
$pengalokasian->nama_barang == 'Kemeja'
? 'selected' : " }}">Kemeja

                            </option>

                            <option value="T-shirt" {{
$pengalokasian->nama_barang == 'T-shirt' ?
'selected' : " }}">T-shirt

                            </option>

                            <option value="Jas Hujan"
{{ $pengalokasian->nama_barang == 'Jas
Hujan' ? 'selected' : " }}">Jas

                                Hujan</option>

                            </select>

                        </div>

                        <div class="mb-3">

                            <label
for="exampleInputEmail1"      class="form-
label">Ukuran</label>

                            <select name="ukuran"
class="form-select"      aria-label="Default
select example">

                                <option selected
disabled>Pilih Ukuran</option>

                                <option value="S" {{
$pengalokasian->ukuran == 'S' ? 'selected' :
" }}">S</option>

                                <option value="M" {{
$pengalokasian->ukuran == 'M' ? 'selected' :
" }}">M</option>

```

```

                <option value="L" {{
$pengalokasian->ukuran == 'L' ? 'selected' : "
}}>L</option>

                <option value="XL" {{
$pengalokasian->ukuran == 'XL' ? 'selected' :
" }}>XL</option>

                <option value="XXL" {{
$pengalokasian->ukuran == 'XXL' ?
'selected' : " }}>XXL</option>

            </select>

        </div>

        <div class="mb-3">

            <label
for="jumlah">Jumlah</label>

            <input type="number"
class="form-control"      name="jumlah"
id="jumlah"

            value="{{ $pengalokasian-
>jumlah }}" required>

        </div>

        <button type="button" class="btn
btn-primary"
onclick="window.history.back()">Kembali<
/button>

        <button type="submit" class="btn
btn-primary">Simpan</button>

    </form>

</div>

</div>

</div>

@endsection

daftarpeminjaman.blade.php

@extends('layout')

@section('index')

    <div class="card">

        <div class="card-body">

            <h5 class="card-title">Daftar
Peminjaman</h5>

            <div>

```

```

                <div class="mb-3">

                    <label for="filterDate"
class="form-label">Tanggal</label>

                    <input type="date"
id="filterDate" class="form-control">

                </div>

                <div class="mb-3">

                    <label for="filterItem"
class="form-label">Nama Pekerja</label>

                    <input type="text" id="filterItem"
class="form-control"      placeholder="Enter
item name">

                </div>

                <div class="mb-3">

                    <button class="btn btn-primary"
onclick="filterTable()">Filter</button>

                </div>

                <div class="table-responsive">

                    <table class="table table-bordered
mt-2">

                        <thead>

                            <tr class="d-flex">

                                <th class="col-1">No</th>

                                <th class="col-
1">Nama</th>

                                <th class="col-1">Sub
Fungsi</th>

                                <th class="col-
1">Bagian</th>

                                <th class="col-1">Nomor
Pegawai</th>

                                <th class="col-1">Tanggal
Peminjaman</th>

                                <th class="col-1">Tanggal
Kembali</th>

                                <th class="col-1">Barang
yang Dipinjam</th>

                                <th class="col-
1">Ukuran</th>

```

```

<th class="col-1">Keterangan</th>
<th class="col-2">Status</th>
<th class="col-2">Bukti
Menerima</th>
<th class="col-2">Bukti
Pengembalian</th>
</tr>
</thead>
<tbody>
  @foreach ($peminjaman as
$key => $data)
    <tr class="d-flex">
      <td class="col-1">{{
$key + 1 }}</td>
      <td class="col-1">{{
$data->nama }}</td>
      <td class="col-1">{{
$data->subfungsi }}</td>
      <td class="col-1">{{
$data->bagian }}</td>
      <td class="col-1">{{
$data->nopeg }}</td>
      <td class="col-1">{{
$data->tanggal_peminjaman }}</td>
      <td class="col-1">{{
$data->tanggal_kembali }}</td>
      <td class="col-1">{{
$data->barang_dipinjam }}</td>
      <td class="col-1">{{
$data->ukuran }}</td>
      <td class="col-1">{{
$data->keterangan }}</td>
      <td class="col-2">
        <form action="{{
route('daftarPeminjamanAdmin.updateStatus
', $data->id) }}"
        method="POST"
        enctype="multipart/form-data">

```

```

@csrf
@method('POST')
<select
name="status" class="form-select status-
select">
  <option
value="sedang diproses"
  >{{ $data-
>status == 'sedang diproses' ? 'selected' : "
  >Sedang
  </option>
  <option
value="diterima"
  >{{ $data-
>status == 'diterima' ? 'selected' : "
  >Diterima</o
  </option>
  <option
value="barang tersedia"
  >{{ $data-
>status == 'barang tersedia' ? 'selected' : "
  >Barang
  </option>
  <option
value="ditolak" {{ $data->status == 'ditolak'
? 'selected' : " }}>
  </option>
  <option
value="dikembalikan"
  >{{ $data-
>status == 'dikembalikan' ? 'selected' : "
  >Dikembalikan
  </option>
</select>
<div class="mt-2
bukti-upload" style="display: none;">

```

```

        >bukti_pengembalian == null) @if ($data-

        <label
for="bukti_pengembalian" class="form-
label">Upload Bukti

        Pengemb
alian</label>

        <input
type="file" name="bukti_pengembalian"
class="form-control"

        accept="i
mage/*" id="bukti_pengembalian">

        @endif

    </div>

        <button
type="submit" class="btn btn-sm btn-
primary mt-2">Update

        Status</button>

    </form>

</td>

<td class="col-2">

        @if ($data-
>bukti_menerima)

        

        @else

        <span>Belum
ada</span>

        @endif

    </td>

    <td class="col-2">

        @if ($data-
>bukti_pengembalian)

        

        @else

        <span>Belum
ada</span>

        @endif

    </td>

</tr>

    @endforeach

</tbody>

</table>

</div>

</div>

</div>

</div>

@endsection

@section('scripts')

    <script>

        document.addEventListener('DOMCont
entLoaded', function() {

            const statusSelects =
document.querySelectorAll('.status-select');

            statusSelects.forEach(select => {

                select.addEventListener('change',
function() {

                    const form = this.closest('form');

                    const buktiUploadDiv =
form.querySelector('.bukti-upload');

                    if (this.value === 'dikembalikan')
                    {

                        buktiUploadDiv.style.display
= 'block';

                        buktiUploadDiv.querySelecto
r('input').setAttribute('required', 'required');

                    } else {

                        buktiUploadDiv.style.display
= 'none';

```

```

        buktiUploadDiv.querySelector('input').removeAttribute('required');
    }
});

select.dispatchEvent(new
Event('change'));
});
});
</script>
@endsection

laporanpeminjaman.blade.php

@extends('layout')

@section('index')

<div class="card">

    <div class="card-body">

        <h5 class="card-title">Laporan Data
Peminjaman</h5>

        <div>

            <div class="mb-3">

                <label for="filterDate"
class="form-label">Tanggal</label>

                <input type="date"
id="filterDate" class="form-control">

            </div>

            <div class="mb-3">

                <label for="filterItem"
class="form-label">Nama Pekerja</label>

                <input type="text" id="filterItem"
class="form-control" placeholder="Enter
item name">

            </div>

            <div class="mb-3">

                <button class="btn btn-primary"
onclick="filterTable()">Filter</button>

                <button class="btn btn-
secondary" onclick="printTable()">Cetak
Laporan</button>

```

```

</div>

<div>

    <table class="table table-bordered
mt-2">

        <thead>

            <tr>

                <th scope="col">No</th>

                <th
scope="col">Nama</th>

                <th scope="col">Sub
Fungsi</th>

                <th
scope="col">Bagian</th>

                <th scope="col">Nomor
Pegawai</th>

                <th scope="col">Tanggal
Peminjaman</th>

                <th scope="col">Tanggal
Kembali</th>

                <th scope="col">Barang
yang Dipinjam</th>

                <th>Ukuran</th>

                <th>Keterangan</th>

                <th>Bukti
Pengembalian</th>

                <th>Bukti Menerima</th>

                <th
scope="col">Status</th>

            </tr>

        </thead>

        <tbody>

            @foreach ($peminjaman as
$key => $data)

                <tr>

                    <td>{{ $key + 1 }}</td>

                    <td>{{ $data->nama
}}</td>

```

```

<td>{{ $data->subfungsi
}}</td>

<td>{{ $data->bagian
}}</td>

<td>{{ $data->nopeg
}}</td>

<td>{{ $data-
>tanggal_peminjaman }}</td>

<td>{{ $data-
>tanggal_kembali }}</td>

<td>{{ $data-
>barang_dipinjam }}</td>

<td>{{ $data->ukuran
?? '-' }}</td>

<td>{{ $data-
>keterangan ?? '-' }}</td>

<td>

@if ($data-
>bukti_pengembalian)



@else

<span>Belum
ada</span>

@endif

</td>

<td>

@if ($data-
>bukti_menerima)



@else

<span>Belum
ada</span>

```

```

@endif

</td>

<td>

<span class="badge
bg-success">{{ $data->status }}</span>

</td>

</tr>

@endforeach

</tbody>

</table>

</div>

</div>

</div>

@endsection

<script>

function filterTable() {

    let filterDate =
document.getElementById('filterDate').value
;

    let filterItem =
document.getElementById('filterItem').value
.toLowerCase();

    let table = document.querySelector('table
tbody');

    let rows =
table.getElementsByTagName('tr');

    for (let i = 0; i < rows.length; i++) {

        let dateCell =
rows[i].getElementsByTagName('td')[5]; //
Tanggal Peminjaman

        let itemCell =
rows[i].getElementsByTagName('td')[1]; //
Nama

        let barangCell =
rows[i].getElementsByTagName('td')[7]; //
Barang yang Dipinjam

```

```

        if (dateCell && itemCell &&
barangCell) {

            let dateValue = dateCell.textContent
|| dateCell.innerText;

            let itemValue = itemCell.textContent
|| itemCell.innerText;

            let barangValue =
barangCell.textContent ||
barangCell.innerText.toLowerCase();

            if ((filterDate && dateValue !==
filterDate) || (filterItem &&
!itemValue.toLowerCase().includes(
filterItem))) {

                rows[i].style.display = 'none';

            } else {

                rows[i].style.display = "";

            }

        }

    }

    function printTable() {

        let tableContent =
document.querySelector('.table').cloneNode(
true);

        let rows =
tableContent.getElementsByTagName('tr');

        for (let i = 0; i < rows.length; i++) {

            let cells =
rows[i].getElementsByTagName('td');

            let headers =
rows[i].getElementsByTagName('th');

            if (cells.length > 0) {

                cells[10].style.display = 'none'; //
Bukti Pengembalian

                cells[11].style.display = 'none'; //
Bukti Menerima

                cells[12].style.display = 'none'; //
Status

            } else if (headers.length > 0) {

```

```

                headers[10].style.display = 'none';
// Bukti Pengembalian

                headers[11].style.display = 'none';
// Bukti Menerima

                headers[12].style.display = 'none';
// Status

            }

        }

        let printWindow = window.open("", "",
'height=600,width=800');

        printWindow.document.write('<html><
head><title>Laporan          Data
Peminjaman</title>');

        printWindow.document.write(

            '<link    rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bo
otstrap/4.3.1/css/bootstrap.min.css">'

        );

        printWindow.document.write(

            '<style>@media print { @page { size:
A4 landscape; margin: 1cm; } body { font-
size: 12pt; } table { width: 100%; border-
collapse: collapse; } th, td { border: 1px solid
#000; padding: 8px; white-space: nowrap; }
.signature-section { page-break-inside: avoid;
margin-top: 40px; } }</style>'

        );

        printWindow.document.write('</head>
<body>');

        printWindow.document.write('<h1>Lap
oran Data Pengalokasian</h1>');

        printWindow.document.write(tableCont
ent.outerHTML);

        printWindow.document.write('<div
class="signature-section">');

        printWindow.document.write('<h6>Ast.
Mgr. Workforce Services,</h6>');

        printWindow.document.write('');

```

```

        printWindow.document.write('<h6>Mo
chamad Wisya Anjaya</h6>');

        printWindow.document.write('</div>');

        printWindow.document.write('</body>
</html>');

        printWindow.document.close();

        printWindow.print();

    }

</script>

```

laporanpengalokasi.blade.php

```

@extends('layout')

@section('index')

    <div class="card">

        <div class="card-body">

            <h5 class="card-title">Laporan Data
Pengalokasi</h5>

            <form class="mb-3">

                <div class="row">

                    <div class="col-md-4">

                        <label for="filter-tanggal"
class="form-label">Tanggal</label>

                        <input type="date"
name="tanggal" id="filter-tanggal"
class="form-control"

                            value="{{ request('tanggal')
}} ">

                    </div>

                    <div class="col-md-4">

                        <label for="filter-nama-barang"
class="form-label">Nama Barang</label>

                        <select class="form-select"
name="nama_barang" id="filter-nama-
barang" class="form-control"

                            value="{{
request('nama_barang') }}">

                            <option selected
disabled>Pilih Barang</option>

```

```

                            <option value="Blue
Coverall">Blue Coverall</option>

                            <option value="Red
Coverall">Red Coverall</option>

                            <option
value="Kemeja">Kemeja</option>

                            <option value="T-Shirt">T-
Shirt</option>

                            <option value="Jas
Hujan">Jas Hujan</option>

                        </select>

                    </div>

                <div class="col-md-4">

                    <label class="form-label d-
block">&nbsp;</label>

                    <button type="submit"
class="btn btn-primary">Filter</button>

                    <button type="button"
class="btn btn-secondary"
onclick="printLaporan()">Cetak
Laporan</button>

                </div>

            </form>

            <div id="laporan">

                <table class="table table-bordered">

                    <thead>

                        <tr>

                            <th scope="col" rowspan="2"
class="text-center align-middle">No</th>

                            <th scope="col" rowspan="2"
class="text-center align-middle">Nama</th>

                            <th scope="col" rowspan="2"
class="text-center align-middle">Sub
Fungsi</th>

                            <th scope="col" rowspan="2"
class="text-center align-
middle">Bagian</th>

```

```

                <th scope="col" rowspan="2"
class="text-center align-middle">Nomor
Pegawai</th>

                <th scope="col" rowspan="2"
class="text-center align-
middle">Tanggal</th>

                <th scope="col" colspan="3"
class="text-center">Keterangan</th>

            </tr>

            <tr>

                <th scope="col" class="text-
center align-middle">Nama Barang</th>

                <th scope="col" class="text-
center align-middle">Ukuran</th>

                <th scope="col" class="text-
center align-middle">Jumlah</th>

            </tr>

        </thead>

        <tbody>

            @foreach ($groupedData as
$index => $group)

                <tr>

                    <td rowspan="{{
$group['items']->count()
}}">{{ $loop-
>iteration }}</td>

                    <td rowspan="{{
$group['items']->count()
$group['nama'] }}">{{
$group['nama'] }}</td>

                    <td rowspan="{{
$group['items']->count()
$group['sub_fungsi'] }}">{{
$group['sub_fungsi'] }}</td>

                    <td rowspan="{{
$group['items']->count()
$group['bagian'] }}">{{
$group['bagian'] }}</td>

                    <td rowspan="{{
$group['items']->count()
$group['nomor_pegawai'] }}">{{
$group['nomor_pegawai'] }}</td>

                    <td rowspan="{{
$group['items']->count()
$group['tanggal'] }}">{{
$group['tanggal'] }}</td>

```

```

                <td>{{ $group['items'][0]-
>nama_barang }}</td>

                <td>{{ $group['items'][0]-
>ukuran }}</td>

                <td>{{ $group['items'][0]-
>jumlah }}</td>

            </tr>

            @for ($i = 1; $i <
$group['items']->count(); $i++)

                <tr>

                    <td>{{
$group['items'][$i]->nama_barang }}</td>

                    <td>{{
$group['items'][$i]->ukuran ?? '-' }}</td>

                    <td>{{
$group['items'][$i]->jumlah ?? '-' }}</td>

                </tr>

            @endfor

        @endforeach

    </tbody>

</table>

</div>

</div>

</div>

@endsection

<script>

    function printLaporan() {

        let tableContent =
document.querySelector('.table').cloneNode(
true);

        let rows =
tableContent.getElementsByTagName('tr');

        let printWindow = window.open("", "
,height=600,width=800");

        printWindow.document.write('<html><
head><title>Laporan Data
Pengalokasian</title>');

        printWindow.document.write(

```

```

        '<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bo
otstrap/4.3.1/css/bootstrap.min.css">'

    );

    printWindow.document.write(

        '<style>@media print { @page { size:
A4 landscape; margin: 1cm; } body { font-
size: 12pt; } table { width: 100%; border-
collapse: collapse; } th, td { border: 1px solid
#000; padding: 8px; white-space: nowrap; }
.signature-section { page-break-inside: avoid;
margin-top: 40px; } }</style>'

    );

    printWindow.document.write('</head>
<body>');

    printWindow.document.write('<h1>Lap
oran Data Pengalokasian</h1>');

    printWindow.document.write(tableCont
ent.outerHTML);

    printWindow.document.write('<div
class="signature-section">');

    printWindow.document.write('<h6>Ast.
Mgr. Workforce Services,</h6>');

    printWindow.document.write('');

    printWindow.document.write('<h6>Mo
chamad Wisya Anjaya</h6>');

    printWindow.document.write('</div>');

    printWindow.document.write('</body>
</html>');

    printWindow.document.close();

    printWindow.print();

}

</script>

```

kelolauser.blade.php

```

@extends('layout')

@section('index')

<style>

    .table thead th {

```

```

        text-align: center;

    }

</style>

<div class="card">

    <div class="card-body">

        <h5 class="card-title">Kelola User</h5>

        <div class="table-responsive">

            <a href="{{ route('tambahuser') }}"
class="btn btn-info mb-1">Tambah User</a>

        </div>

        <div>

            <table class="table table-bordered">

                <thead >

                    <tr>

                        <th scope="col">No</th>

                        <th scope="col">Nama</th>

                        <th scope="col">Sub Fungsi</th>

                        <th scope="col">Bagian</th>

                        <th scope="col">Nomor Pegawai</th>

                        <th scope="col">Email</th>

                        <th scope="col">Aksi</th>

                    </tr>

                </thead>

                <tbody>

                    @foreach ($pengguna as $item)

                        <tr>

                            <td>{{ $loop->iteration }}</td>

                            <td>{{ $item->nama }}</td>

                            <td>{{ $item->subfungsi }}</td>

                            <td>{{ $item->bagian }}</td>

                            <td>{{ $item->nopeg }}</td>

                            <td>{{ $item->email }}</td>

                            <td>


```

```

        <form action="{{route('deleteuser',
$item->id)}} " method="post">

```

```

        @csrf

```

```

        @method("delete")

```

```

        <button type="submit" class="btn btn-
danger mb-1">delete</button>

```

```

    </form>

```

```

        <a href="{{route('edituser', $item-
>id)}} " class="btn btn-info">edit</a>

```

```

    </td>

```

```

</tr>

```

```

    @endforeach

```

```

</tbody>

```

```

</table>

```

```

</div>

```

```

</div>

```

```

    @endsection

```

```

tambahuser.blade.php

```

```

    @extends('layout')

```

```

    @section('index')

```

```

<div class="card">

```

```

    <div class="card-body">

```

```

        <form action="{{route('storeuser')}} "
method="post">

```

```

        @csrf

```

```

        <div class="mb-3">

```

```

            <label for="exampleInputEmail1"
class="form-label">Nama</label>

```

```

            <input type="text" name="nama"
class="form-control"
id="exampleInputEmail1"          aria-
describedby="emailHelp">

```

```

        </div>

```

```

        <div class="mb-3">

```

```

            <label for="exampleInputEmail1"
class="form-label">Sub Fungsi</label>

```

```

                <select class="form-select"
name="subfungsi">

```

```

                    <option selected disabled>Pilih Sub
Fungsi</option>

```

```

                    <option value="General
Manager">General Manager</option>

```

```

                    <option value="Sr Manager">Sr
Manager</option>

```

```

                    <option
value="Manager">Manager</option>

```

```

                    <option value="Section Head CD &
L">Section Head CD & L</option>

```

```

                    <option value="Head Of Gen
Maint">Head Of Gen Maint</option>

```

```

                    <option value="Section Head CD &
GP">Section Head CD & GP</option>

```

```

                    <option value="Section Head
Polypropylene">Polypropylene</option>

```

```

                    <option value="Section Head
Utilities">Section Head Utilities</option>

```

```

                    <option value="Section Head Oil
Movement">Section Head Oil
Movement</option>

```

```

                    <option value="Manager Ref Plan &
Optimiz">Mgr Ref Plan & Optimiz</option>

```

```

                    <option value="Manager MaintPlan &
Sup">MaintPlan&Sup</option>

```

```

                    <option value="Section Head Maintenanc
Area">Section Head Maintenanc
Area</option>

```

```

                    <option value="Section Head
Workshop">Section Head
Workshop</option>

```

```

                    <option value="Manager
Engineering&Dev">Manager
Engineering&Dev</option>

```

```

                    <option value="Manager Turn
Around">Manager Turn Around</option>

```

```

                    <option value="Manager
Reliability">Manager Reliability</option>

```

```

                    <option value="Manager OPI">Manager
OPI</option>

```

<option value="Manager Proc RU
III">Manager Proc RU III</option>

<option value="Assistant
Manager">Assistant Manager</option>

<option value="Manager
Construction">Manager
Construction</option>

<option value="Manager
Engineering">Manager
Engineering</option>

<option value="Head of Proc&Gen
Sup">Head of Proc&Gen Sup</option>

<option value="Manager HSSE RU
III">Manager HSSE RU III</option>

<option value="Section Head
Health">Section Head Health</option>

</select>

</div>

<div class="mb-3">

<label for="exampleInputEmail1"
class="form-label">Bagian</label>

<select class="form-select"
name="bagian">

<option selected disabled>Pilih
Bagian</option>

<option value="Refinery Unit
III">Refinery Unit III</option>

<option value="PDP">PDP</option>

<option value="Operation &
Manufacturing">Operation &
Manufacturing</option>

<option
value="Production">Production</option>

<option value="CD & L">CD &
L</option>

<option value="CD & GP">CD &
GP</option>

<option
value="Polypropylene">Polypropylene</opt
ion>

<option
value="Utilities">Utilities</option>

<option value="Oil Movement">Oil
Movement</option>

<option value="Refinery Planning &
Optimization">Refinery Planning &
Optimization</option>

<option value="Supply Chain &
Distribution">Supply Chain &
Distribution</option>

<option value="Performance &
Evaluation">Performance &
Evaluation</option>

<option value="Maintenance Planning
& Support">Maintenance Planning &
Support</option>

<option value="Planning &
Scheduling">Planning &
Scheduling</option>

<option value="Stationary&Statutory
Inspect Eng">Stationary&Statutory Inspect
Eng</option>

<option value="Electrical & INST
Inspection Engineer">Electrical & INST
Inspection Engineer</option>

<option value="Maintenance
Execution">Maintenance
Execution</option>

<option value="Maintenance Area
I">Maintenance Area I</option>

<option value="Maintenance Area
II">Maintenance Area II</option>

<option value="Maintenance Area
III">Maintenance Area III</option>

<option value="Maintenance Area
IV">Maintenance Area IV</option>

<option
value="Workshop">Workshop</option>

<option value="General
Maintenance">General
Maintenance</option>

<option value="Turn Around">Turn
Around</option>

<option value="Equipment Overhaul">Equipment Overhaul</option>

<option value="Sched. Mat. & Service Support">Sched. Mat. & Service Support</option>

<option value="Engineering & Development">Engineering & Development</option>

<option value="Process Engineering">Process Engineering</option>

<option value="Energy Con & Loss Control">Energy Con & Loss Control</option>

<option value="Laboratory">Laboratory</option>

<option value="Reliability">Reliability</option>

<option value="Equipment Reliability">Equipment Reliability</option>

<option value="Plant Reliability">Plant Reliability</option>

<option value="OPI">OPI</option>

<option value="Procurement RU III">Procurement RU III</option>

<option value="Inventory Control">Inventory Control</option>

<option value="Purchasing">Purchasing</option>

<option value="Wearhousing">Wearhousing</option>
>

<option value="Contract Office">Contract Office</option>

<option value="Human Capital">Human Capital</option>

<option value="Finnance">Finnance</option>

<option value="Comm, Rel, & CSR RU III">Comm, Rel, & CSR RU III</option>

<option value="Asset Operation">Asset Operation</option>

<option value="Legal Counsel">Legal Counsel</option>

<option value="IA Region I">IA Region I</option>

<option value="IA RU III">IA RU III</option>

<option value="RDMP RU3">RDMP RU3</option>

<option value="HSSE">HSSE</option>

<option value="Safety">Safety</option>

<option value="Environment">Environment</option>
>

<option value="Emergency Insurance">Emergency Insurance</option>

<option value="Security">Security</option>

<option value="Health">Health</option>

</select>

</div>

<div class="mb-3">

<label for="exampleInputEmail1" class="form-label">Nomor Pegawai</label>

<input type="number" name="nopeg" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp">

</div>

<div class="mb-3">

<label for="exampleInputEmail1" class="form-label">Email</label>

<input type="email" name="email" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp">

</div>

<div class="mb-3">

```

        <label for="exampleInputPassword1"
class="form-label">Password</label>

        <input type="password"
name="password" class="form-control"
id="exampleInputPassword1">

    </div>

    <button type="button" class="btn btn-
primary"
onclick="window.history.back()">Kembali<
/button>

    <button type="reset" class="btn btn-
primary">Reset</button>

    <button type="submit" class="btn btn-
primary">Submit</button>

</form>

</div>

</div>

```

@endsection

edituser.blade.php

@extends('layout')

@section('index')

<div class="card">

<div class="card-body">

<h4><strong class="card-title">Halaman
Edit Kelola user</h4>

<form action="{{ route('updateuser',
\$pengguna->id) }}" method="post">

@csrf

@method("patch")

<div class="mb-3">

<label for="exampleInputEmail1"
class="form-label">Nama</label>

<input type="text" name="nama"
value="{{ \$pengguna->nama }}"
class="form-control"
id="exampleInputEmail1" aria-
describedby="emailHelp">

</div>

<div class="mb-3">

<label for="exampleInputEmail1"
class="form-label">Sub Fungsi</label>

<select class="form-select"
name="subfungsi">

<option selected disabled>Pilih Sub
Fungsi</option>

<option selected disabled>Pilih Sub
Fungsi</option>

<option value="General
Manager">General Manager</option>

<option value="Sr Manager">Sr
Manager</option>

<option
value="Manager">Manager</option>

<option value="Section Head CD &
L">Section Head CD & L</option>

<option value="Head Of Gen
Maint">Head Of Gen Maint</option>

<option value="Section Head CD &
GP">Section Head CD & GP</option>

<option value="Section Head
Polypropylene">Polypropylene</option>

<option value="Section Head
Utilities">Section Head Utilities</option>

<option value="Section Head Oil
Movement">Section Head Oil
Movement</option>

<option value="Manager Ref Plan &
Optimiz">Mgr Ref Plan & Optimiz</option>

<option value="Manager MaintPlan &
Sup">MaintPlan&Sup</option>

<option value="Section Head Maintenanc
Area">Section Head Maintenanc
Area</option>

<option value="Section Head
Workshop">Section Head
Workshop</option>

<option value="Manager
Engineering&Dev">Manager
Engineering&Dev</option>

<option value="Manager Turn
Around">Manager Turn Around</option>

☐Manager Reliability</option>
Manager Reliability</option>

☐Manager OPI</option>
Manager OPI</option>

☐Manager Proc RU III</option>
Manager Proc RU III</option>

☐Assistant Manager</option>
Assistant Manager</option>

☐Manager Construction</option>
Manager Construction</option>

☐Manager Engineering</option>
Manager Engineering</option>

☐Head of Proc&Gen Sup</option>
Head of Proc&Gen Sup</option>

☐Manager HSSE RU III</option>
Manager HSSE RU III</option>

☐Section Head Health</option>
Section Head Health</option>

</select>

</div>

<div class="mb-3">

<label for="exampleInputEmail1" class="form-label">Bagian</label>

<select class="form-select" name="bagian">

<option selected disabled>Pilih Bagian</option>

<option value="Refinery Unit III">Refinery Unit III</option>

<option value="PDP">PDP</option>

<option value="Operation & Manufacturing">Operation & Manufacturing</option>

<option value="Production">Production</option>

<option value="CD & L">CD & L</option>

<option value="CD & GP">CD & GP</option>

<option value="Polypropylene">Polypropylene</option>

<option value="Utilities">Utilities</option>

<option value="Oil Movement">Oil Movement</option>

<option value="Refinery Planning & Optimization">Refinery Planning & Optimization</option>

<option value="Supply Chain & Distribution">Supply Chain & Distribution</option>

<option value="Performance & Evaluation">Performance & Evaluation</option>

<option value="Maintenance Planning & Support">Maintenance Planning & Support</option>

<option value="Planning & Scheduling">Planning & Scheduling</option>

<option value="Stationary&Statutory Inspect Eng">Stationary&Statutory Inspect Eng</option>

<option value="Electrical & INST Inspection Engineer">Electrical & INST Inspection Engineer</option>

<option value="Maintenance Execution">Maintenance Execution</option>

<option value="Maintenance Area I">Maintenance Area I</option>

<option value="Maintenance Area II">Maintenance Area II</option>

<option value="Maintenance Area III">Maintenance Area III</option>

<option value="Maintenance Area IV">Maintenance Area IV</option>

<option value="Workshop">Workshop</option>

<option value="General Maintenance">General Maintenance</option>

<option value="Turn Around">Turn Around</option>

<option value="Equipment Overhaul">Equipment Overhaul</option>

<option value="Sched. Mat. & Service Support">Sched. Mat. & Service Support</option>

<option value="Engineering & Development">Engineering & Development</option>

<option value="Process Engineering">Process Engineering</option>

<option value="Energy Con & Loss Control">Energy Con & Loss Control</option>

<option value="Laboratory">Laboratory</option>

<option value="Reliability">Reliability</option>

<option value="Equipment Reliability">Equipment Reliability</option>

<option value="Plant Reliability">Plant Reliability</option>

<option value="OPI">OPI</option>

<option value="Procurement RU III">Procurement RU III</option>

<option value="Inventory Control">Inventory Control</option>

<option value="Purchasing">Purchasing</option>

<option value="Wearhousing">Wearhousing</option>
>

<option value="Contract Office">Contract Office</option>

<option value="Human Capital">Human Capital</option>

<option value="Finnance">Finnance</option>

<option value="Comm, Rel, & CSR RU III">Comm, Rel, & CSR RU III</option>

<option value="Asset Operation">Asset Operation</option>

<option value="Legal Counsel">Legal Counsel</option>

<option value="IA Region I">IA Region I</option>

<option value="IA RU III">IA RU III</option>

<option value="RDMP RU3">RDMP RU3</option>

<option value="HSSE">HSSE</option>

<option value="Safety">Safety</option>

<option value="Environment">Environment</option>
>

<option value="Emergency Insurance">Emergency Insurance</option>

<option value="Security">Security</option>

<option value="Health">Health</option>

</select>

</div>

<div class="mb-3">

<label for="exampleInputEmail1" class="form-label">Nomor Pegawai</label>

<input type="number" name="nopeg" value="{{ \$pengguna->nopeg }}" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp">

</div>

<div class="mb-3">

<label for="exampleInputEmail1" class="form-label">Email</label>

<input type="email" name="email" value="{{ \$pengguna->email }}" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp">

```
</div>
```

```
    <button type="button" class="btn btn-  
primary"  
onclick="window.history.back()">Kembali<  
/button>
```

```
    <button type="submit" class="btn btn-  
primary">Submit</button>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
@endsection
```