

LISTING PROGRAM

LOGIN CONTROLLER

```
<?php
namespace
App\Http\Controllers;

use Illuminate\Http\Request;

use App\Models\User;

use App\Models\tb_pegawai;

use
Illuminate\Support\Facades\Hash;

use
Illuminate\Support\Facades\Validator;

use
Illuminate\Support\Facades\Auth;

use
Illuminate\Support\Facades\Session;

class LoginController extends
Controller

{

    public function registrasi()

    {

        return
view('auth.registrasi');

    }

    public function
HalamanLogin()

    {

        return view('auth.Login');

    }

    public function Login(request
$request)

    {

        // Validasi form

        $credentials = $request->validate([

            'username' =>

'required|string',
```

```
'password' =>
'required|string',

], [

'username.required' =>
'Username tidak boleh kosong',

]);

// Proses login

$credentials = $request-
>only('username', 'password');

if
(Auth::attempt($credentials)) {

    $request->session()-
    >regenerate();

    // Jika berhasil login

    return redirect()-
    >intended(route('Dashboard'));

} else {

    // Jika gagal login

    return back()-
    >with('loginError', 'Login gagal,
Pastikan Anda Menggunakan
Username atau Password yang
benar!');

}

}

public function
CreateUser(request $request)
{

    $validated = $request-
    >validate([

        'nama' =>
'required|max:255',

        'nomor_str' => 'required',

        'username' =>
'required|string|max:255|unique:
users',

        'email' =>
'required|email:dns|unique:users'
    ],
```

```
'password' =>
'required|string|min:5|confirmed',

], [

'nama.required' =>
'Nama tidak boleh kosong',

'username.required' =>
'Username tidak boleh kosong',

'nomor_str.required' =>
'Nomor STR tidak boleh
kosong',

'email.required' =>
'Email tidak boleh kosong',

'password.required' =>
'Password tidak boleh kosong',

'password.min' =>
'Password minimal 5 digit',

'username.unique' =>
'Username Sudah Digunakan',

'email.unique' => 'Email
Sudah Digunakan',

]);

$user = new User();

$user->nama = $request-
>nama;

$user->nomor_str =
$request->nomor_str;

$user->username =
$request->username;

$user->email = $request-
>email;

$user->role_id = '2';

$user->password =
Hash::make($request-
>password);

$user->save();

$pegawai = new
tb_pegawai();

$pegawai->nama =
$request->nama;
```

```

        $pegawai->nomor_str =
$request->nomor_str;

        $pegawai->save();

        Session::flash('success',
'Registrasi berhasil! Silahkan
Login.');
```

PAGE CONTROLLER

```

<?php

namespace
App\Http\Controllers;

use App\Models\tb_pegawai;

use Illuminate\Http\Request;

use
App\Models\tb_master_unitkerj
a;

class PagesController extends
Controller

{

    public function Dashboard(){

        $datapegawai =
tb_pegawai::all()->count();

        $dataUnitKerja =
tb_master_unitkerja::all()-
>count();

        // DD($datapegawai);

        return view('dashboard',

[

    'pegawai' => $datapegawai,

    'unitkerja' => $dataUnitKerja

]);

    }

    public function Pegawai(){

        return view('pegawai');

    }

    public function Mutasi(){

        return view('mutasi');

    }

}
```

```

        return redirect()-
>route('Login.submit');

    }

    public function Logout(){

        Auth::logout();

        return redirect('Login');

    }

    public function Data_diri(){

        return view('data_diri');

    }

    public function Absensi(){

        return view('absensi');

    }

    public function Cuti(){

        return view('cuti');

    }

}
```

USER CONTROLLER

```

<?php

namespace
App\Http\Controllers;

use
Yajra\DataTables\DataTables;

// use
Illuminate\Support\Facades\Sess
ion;

use
Illuminate\Support\Facades\Aut
h;

use Carbon\Carbon;

use DB;

use PDF;

use Illuminate\Http\Request;

use App\Models\tb_pegawai;

use App\Models\tb_absen;

use App\Models\tb_mutasi;

use
App\Models\tb_master_unitkerj
a;
```

```

    }

}

class UserController extends
Controller

{

    public function index(){

        return view('pegawai');

    }

    public function
daftarPegawai(){

        return
view('DaftarPegawai');

    }

    public function mutasiBy(){

        return view('mutasiBy');

    }

    public function
data_pegawai(){

        $data = tb_pegawai::all();

        return
DataTables::of($data)
->addIndexColumn()
->make(true);

    }

    public function
deletePegawai(Request
$request){

        tb_pegawai::where('id',
$request->id)->Delete();

    }

    public function mutasi(){

        return view('mutasi');

    }

    public function
data_mutasi($id){
```

```

        if ($id == 0) {
            $data = tb_mutasi::all();
        } else {
            $nomor_str=
Auth::user()->nomor_str;

            $data =
tb_mutasi::where('nomor_str',$n
omor_str)->get();
        }

        return
DataTables::of($data)
->addIndexColumn()
->make(true);
    }

    public function
getPegawaiBy($id){
        $data =
tb_pegawai::find($id);

        return response()-
>json($data);
    }

    public function data_diri(){
        $id=Auth::user()-
>nomor_str;

        $data =
tb_pegawai::where('nomor_str',$
id)->first();

        return view('data_diri',[
            'data' => $data
        ]);
    }

    public funtion
DataKry(Request $request){
        if ($request->has('q')) {
            $q = $request->q;

            $data =
tb_pegawai::where('nama',
'LIKE', '%' . $q . '%')->get();

            return response()-
>json($data);
        }
    }
}

    }

    public function
DataUnitkerja(Request
$request){
        if ($request->has('q')) {
            $q = $request->q;

            $data =
tb_master_unitkerja::where('unit
_kerja', 'LIKE', '%' . $q . '%')-
>get();

            return response()-
>json($data);
        }
    }

    public function
simpanDatadiri(Request
$request){
        $id=Auth::user()-
>nomor_str;

        $validated = $request-
>validate([
            'nama' => 'required',
            'unit_kerja' => 'required',
            'unit_kerja_baru' =>
'required',
            'tanggal_pindah' =>
'required',
        ]);

        $nama =
explode('|',$request->nama);

        $mutasi =
tb_mutasi::create([
            'nama' => $nama[1],
            'nomor_str' => $nama[0],
            'unit_kerja_lama' =>
$request->unit_kerja,
            'unit_kerja_baru' =>
$request->unit_kerja_baru,
            'tanggal_pindah' =>
$request->tanggal_pindah,
        ]);
    }

    public function
deleteMutasi(Request $request){
        tb_mutasi::where('id',
$request->id)->Delete();
    }
}

```

```

    }

    public function absensi(){
        return view('absensi');
    }

    public function
data_absensi(){
        $info=Auth::user()-
>role_id;

        // DD($info);

        $today =carbon::now()-
>format('Y-m-d');

        if ( $info == '1') {

            $data
=DB::table('tb_absens as A')

            ->join('users as U',
'A.pegawai_id', '=', 'U.id')

            ->where('tanggal', $today)

            ->select('U.nama', 'A.*')

            ->get();

        } else{

            $data
=DB::table('tb_absens as A')

            ->join('users as U',
'A.pegawai_id', '=', 'U.id')

            -

            >where('pegawai_id',Auth::id())

            ->whereDate('A.tanggal',
$today)

            ->select('U.nama', 'A.*')

            ->get();

        }

        return
DataTables::of($data)

        ->addIndexColumn()

        ->make(true);

    }

    public function
prosesAbsensi($id)

    {

        $today = carbon::now()-
>format('Y-m-d');

```

```

$dataAbsen=tb_absen::where('ta
nggal', $today)-
>where('pegawai_id',
Auth::id())->where('status',$id)-
>first();

        if ($dataAbsen != null) {

            return response()-
>json(['status' => 'errors',
'message' => 'Anda Telah
Melakukan Absensi Hari Ini']);

        }

        $currentTime =
Carbon::now();

        // Waktu batas untuk
dianggap terlambat (misalnya
pukul 07:00)

        $batasTerlambat =
Carbon::today()->setHour(7)-
>setMinute(0)->setSecond(0);

        $jam = Carbon::now()-
>format('H:i');

        if ($id == '1') {

            if ($currentTime-
>greaterThan($batasTerlambat))
            {

                $keterangan =
'terlambat';

            }else{

                $keterangan =
'clockin';

            }

        }else if ($id == '2'){

            $keterangan =
'clockout';

        }else{

            $keterangan = 'izin';

        }

        // Mengambil tanggal hari
ini

        $tanggal = Carbon::now()-
>format('Y-m-d');

        $data = new tb_absen();

        $data->pegawai_id =
Auth::id();

```

```

        $data->status = $id;

        $data->keterangan =
$keterangan ?? "";

        $data->jam = $jam;

        $data->tanggal =$tanggal;

        $data->save();

        return response()-
>json(['status' => 'success',
'message' => 'Absensi berhasil
disimpan']);

    }

}

```

MIGRASI TB PEGAWAIS

```

<?php

use
Illuminate\Database\Migrations\
Migration;

use
Illuminate\Database\Schema\Blu
eprint;

use
Illuminate\Support\Facades\Sche
ma;

class CreateTbPegawaisTable
extends Migration

{

    /**

     * Run the migrations.

     *

     * @return void

     */

    public function up()

    {

        Schema::create('tb_pegawais',
function (Blueprint $table) {

            $table->id();

            $table->string('nama')-
>nullable();

            $table-
>string('unit_kerja')->nullable();

```

```

        $table-
>string('tempat_lahir')-
>nullable();

        $table-
>date('tanggal_lahir')-
>nullable();

        $table-
>integer('jenis_kelamis')-
>nullable();

        $table-
>string('nomor_str')->nullable()-
>unique();

        $table-
>string('nomor_telepon')-
>nullable();

        $table->text('alamat')-
>nullable();

        $table-
>string('pendidikan')-
>nullable();

        $table->timestamps();

        $table->softdeletes();

    });
}

/**
 * Reverse the migrations.
 *
 * @return void
 */

public function down()
{
    Schema::dropIfExists('tb_pegaw
ais');
}
}

```

MIGRASI TB ABSENS

```

<?php

use
Illuminate\Database\Migrations\
Migration;

```

```

use
Illuminate\Database\Schema\Blu
eprint;

use
Illuminate\Support\Facades\Sche
ma;

class CreateTbAbsensTable
extends Migration
{
    /**
     * Run the migrations.
     *
     * @return void
     */

    public function up()
    {
        Schema::create('tb_absens',
function (Blueprint $table) {

            $table->id();

            $table-
>string('pegawai_id')-
>nullable();

            $table->string('status')-
>nullable();

            $table-
>text('keterangan')->nullable();

            $table->time('jam')-
>nullable();

            $table->date('tanggal')-
>nullable();

            $table->timestamps();

            $table->softdeletes();

        });
    }

    * Reverse the migrations.
    * @return void

    public function down()
    {
        Schema::dropIfExists('tb_absens
');
    }
}

```

MIGRASI TB CUTIS

```

<?php

use
Illuminate\Database\Migrations\
Migration;

use
Illuminate\Database\Schema\Blu
eprint;

use
Illuminate\Support\Facades\Sche
ma;

class CreateTbCutisTable
extends Migration
{
    /**
     * Run the migrations.
     *
     * @return void
     */

    public function up()
    {
        Schema::create('tb_cutis',
function (Blueprint $table) {

            $table->id();

            $table->string('nama')-
>nullable()->unique();

            $table-
>date('tanggal_pengajuan')-
>nullable();

            $table-
>date('tanggal_awal_cuti')-
>nullable();

            $table-
>date('tanggal_akhir_cuti')-
>nullable();

            $table->sting('status')-
>nullable();

            $table->timestamps();

            $table->softdeletes();

        });
    }
}

```

```

    }

    * Reverse the migrations.

    *

    * @return void

    */

    public function down()

    {
        Schema::dropIfExists('tb_cutis');
    }
}

```

MIGRASI TB MUTASI

```

<?php

use
Illuminate\Database\Migrations\
Migration;

use
Illuminate\Database\Schema\Blu
eprint;

use
Illuminate\Support\Facades\Sche
ma;

class CreateTbMutasiTable
extends Migration

{

    * Run the migrations.

    * @return void

    public function up()

    {

        Schema::create('tb_mutasi',
function (Blueprint $table) {

            $table->id();

            $table->string('nama')-
>nullable();

            $table-
>string('nomor_str')->nullable();

            $table-
>string('unit_kerja_lama')-
>nullable();

            $table-
>string('unit_kerja_baru')-
>nullable();

```

```

        $table-
>date('tanggal_pindah')-
>nullable();

        $table->softdeletes();

        $table->timestamps();

    });

}

    * Reverse the migrations.

    * @return void

    public function down()

    {
        Schema::dropIfExists('tb_mutasi
');
    }

}

```

ABSENSIJS

```

$(document).ready(function () {

    function
formatDate(dateString) {

        let dateParts =
dateString.split("-");

        let year = dateParts[0];

        let month = dateParts[1];

        let day = dateParts[2];

        return `${day}-${month}-${
year}`;

    }

    var table2 =
$("#table_absensi_pegawai").Da
taTable({

        processing: true,

        serverSide: true,

        responsive: true,

        dom:
'<"Cari"><"top">rt<bottom"ip>
<"clear">',

        ajax: {

            url: "data-absensi",

            method: "GET",

```

```

    },

    columns: [

        {

            data: "DT_RowIndex",

            name:
"DT_RowIndex",

            classname: "text-
center align-middle",

        },

        { data: "nama" },

        {

            data: "tanggal",

            render: function (data,
type, row) {

                return
formatDate(data);

            },

        },

        { data: "jam" },

        {

            data: "keterangan",

            render: function (data,
type, row) {

                if (data ==
"clockin") {

                    return `

                        <span
class="badge p-2 badge-
success">Masuk</span>

                    `;

                } else if (data ==
"clockout") {

                    return `

                        <span
class="badge p-2 badge-
info">Pulang</span>

                    `;

                } else if (data ==
"terlambat") {

                    return `

```

```

        <span
class="badge p-2 badge-
danger">Terlambat</span>

        `;

        }

    },

    classname: "text-
center align-middle",

    },

    ],

    });

    var table =
$("##table_absensi").DataTable({

    processing: true,

    serverSide: true,

    responsive: true,

    dom:
'<"Cari"f><"top">rt<bottom"ip>
<"clear">',

    ajax: {

        url: "data-absensi",

        method: "GET",

    },

    columns: [

        {

            data: "DT_RowIndex",

            name:
"DT_RowIndex",

            classname: "text-
center align-middle",

        },

        { data: "nama" },

        {

            data: "tanggal",

            render: function (data,
type, row) {

                return
formatDate(data);

            },

        },

    ],

```

```

        { data: "jam" },

        {

            data: "keterangan",

            render: function (data,
type, row) {

                if (data ==
"clockin") {

                    return `

                        <span
class="badge p-2 badge-
success">Masuk</span>

                        `;

                } else if (data ==
"clockout") {

                    return `

                        <span
class="badge p-2 badge-
info">Pulang</span>

                        `;

                } else if (data ==
"terlambat") {

                    return `

                        <span
class="badge p-2 badge-
danger">Terlambat</span>

                        `;

                }

            },

            classname: "text-
center align-middle",

        },

    ],

    });

    function updateClock() {

        const now = new Date();

        const hours =
now.getHours().toString().padSt
art(2, "0");

        const minutes =
now.getMinutes().toString().pad
Start(2, "0");

```

```

        const timeString =
`${hours}:${minutes}`;

        document.getElementById("cloc
k").textContent = timeString;

    }

    // Update waktu setiap menit
(jika diperlukan)

    setInterval(updateClock,
60000);

    // Memanggil fungsi pertama
kali

    updateClock();

    $(document).ready(function ()
{

        const now = new Date();

        const hours =
now.getHours().toString().padSt
art(2, "0");

        const minutes =
now.getMinutes().toString().pad
Start(2, "0");

        const timeString =
`${hours}:${minutes}`;

        var jam = timeString;

        function confirm(jam,
status) {

            let title =

                status == 1

                    ? "Absen Masuk"

                    : status == 2

                        ? "Absen Pulang"

                        : "Absen"; // Default
jika status tidak sama dengan 1
atau 2

            Swal.fire({

                title: title,

                text: jam,

                icon: "info",

                showCancelButton:

                    true,

                confirmButtonColor:
"#d33",

```

```

        cancelButtonColor:
"#3085d6",

        confirmButtonText:
"Ya!",

        cancelButtonText:
"Batal",

    }).then((result) => {

        if (result.isConfirmed)
    {

        $.ajax({

            url: "absensi/" +
status, // Ganti dengan nama
route yang sesuai di Laravel

            type: "GET",

            success: function
(response) {

                table2.draw();

                if
(response.status == "success") {

                    Swal.fire(

                        "Absensi
Success!",

                        "Anda
Telah Melakukan Absensi.",

                        "success"

                    );

                } else {

                    Swal.fire(

                        "Absensi
Gagal!",

                        response.message,

                        "error"

                    );

                }

            },

            error: function
(xhr) {},

        });

    }

});

```

```

    }

    $("#btnMasuk").on("click",
function () {

        confirm(jam, "1");

    });

    $("#btnPulang").on("click",
function () {

        confirm(jam, "2");

    });

});

```

CUTI_USERS.JS

```

$(document).ready(function () {

    const Toast = Swal.mixin({

        toast: true,

        position: "top-end",

        showConfirmButton: false,

        timer: 3000,

        timerProgressBar: true,

        didOpen: (toast) => {

            toast.onmouseenter =
Swal.stopTimer;

            toast.onmouseleave =
Swal.resumeTimer;

        },

    });

    function
formatDate(dateString) {

        let dateParts =
dateString.split("-");

        let year = dateParts[0];

        let month = dateParts[1];

        let day = dateParts[2];

        return `${day}-${month}-
${year}`;

    }

    $("#table_cuti").on("click",
".btn_detail", function () {

```

```

        data =
table.rows$(this).closest("tr").in
dex()).data()[0];

        $("#Keterangan").text(data.keter
angan);

        $("#detail_data").modal("show")

    });

    var table =
$("#table_cuti").DataTable({

        processing: true,

        serverSide: true,

        responsive: true,

        autoWidth: true,

        dom:
'<"top">f>rt<bottom">lp><"clear"
>',

        ajax: {

            url: "data-cutiBy",

            method: "GET",

        },

        columns: [

            {

                data: "DT_RowIndex",

                name:
"DT_RowIndex",

                classname: "text-
center align-middle",

            }, {

                data:
"tanggal_pengajuan",

                render: function (data,
type, row) {

                    return
formatDate(data);

                },

            },

            {

                data:
"tanggal_awal_cuti",

                render: function (data,
type, row) {

```

```

        return
formatDate(data);
    },
    },
    {
        data:
"tanggal_akhir_cuti",
        render: function (data,
type, row) {
            return
formatDate(data);
        },
        },
        {
            data: null,
            render: function (data,
type, row) {
                if (data.status ==
"1") {
                    return `
                        <span
class="badge p-2 badge-info">
<i class="fas fa-history"></i>
Pengajuan</span>
                        `;
                } else if (data.status
== "2") {
                    return `
                        <span
class="badge p-2 badge-
warning"> <i class="fas fa-
times"></i> Dibatalkan</span>
                        `;
                } else if (data.status
== "3") {
                    return `
                        <span
class="badge p-2 badge-
danger"> <i class="fas fa-
times"></i> Ditolak </span>
                        `;
                } else if (data.status
== "4") {
                    return `
                        <span
class="badge p-2 badge-
success"> <i class="fas fa-
check"></i> Diterima</span>
                        `;
                },
                classname: "text-
center align-middle",
            }, {
                data: null,
                render: function (data,
type, row) {
                    if (row.status ==
"1") {
                        return `
                            <div class="btn-
group btn-group-sm"
role="group">
                                <button
type="button" class="btn_detail
btn btn-primary btn-sm"><i
class="fas fa-
eye"></i></button>
                                <button
type="button"
class="btn_batalan btn btn-
danger btn-sm"><i class="fas fa-
trash"></i></button>
                            </div>
                        `;
                    } else {
                        return `
                            <div class="btn-
group btn-group-sm"
role="group">
                                <button
type="button" class="btn_detail
btn btn-primary btn-sm"><i
class="fas fa-
eye"></i></button>
                                </div>
                            `;
                    },
                    classname: "text-
center align-middle",
                }, ],
            });
        }
    },
    $("#btnCuti").on("click",
function () {
    $("#modalCuti").modal("show")
});
    $("#formCuti").on("submit",
function (event) {
        event.preventDefault();
        $.ajax({
            type: "POST",
            url: "FormCuti",
            data:
$("#formCuti").serialize(),
            success: function
(response) {
                Toast.fire({
                    icon: "success",
                    title: "Cuti Berhasil
Diajukan",
                });
                $("#modalCuti").modal("hide");
                table.draw();
            },
            error: function (data) {
                Toast.fire({
                    icon: "error",
                    title: "Harap periksa
Kembali Data Yang
Dimasukkan",
                });
            },
        });
        $("#table_cuti").on("click",
".btn_batalan", function () {
            data =
table.rows$(this).closest("tr").in
dex()).data()[0];
            var status = 2;
            Swal.fire({

```

```

        title: "Batalkan Cuti",
        text: "Yakin Batalkan
Pengajuan Cuti",
        icon: "info",
        showCancelButton: true,
        confirmButtonColor:
"#d333",
        cancelButtonColor:
"#3085d6",
        confirmButtonText:
"Ya!",
        cancelButtonText:
"Batal",
    }).then((result) => {
        if (result.isConfirmed) {
            $.ajax({
                url: "AksiCuti",
                type: "POST",
                data: "id=" + data.id
+ "&status=" + status,
                headers: {
                    "X-CSRF-
TOKEN": $('meta[name="csrf-
token"]').attr(
                        "content"
                    ),
                },
            },
            success: function
(response) {
                table.draw();
                Toast.fire({
                    icon:
"success",
                    title: "Cuti
Berhasil Dibatalkan!",
                });
            },
            error: function (xhr)
{
                Toast.fire({
                    icon: "error",

```

```

        title: "Terjadi
Kesalahan Dalam Membatalkan
Cuti",
    });
    },
    });
}
});
});
});

CUTI.LJS
$(document).ready(function () {
    const Toast = Swal.mixin({
        toast: true,
        position: "top-end",
        showConfirmButton: false,
        timer: 3000,
        timerProgressBar: true,
        didOpen: (toast) => {
            toast.onmouseenter =
Swal.stopTimer;
            toast.onmouseleave =
Swal.resumeTimer;
        },
    });
    function
formatDate(dateString) {
        let dateParts =
dateString.split("-");
        let year = dateParts[0];
        let month = dateParts[1];
        let day = dateParts[2];
        return `${day}-${month}-
${year}`;
    }
    var table =
$("#table_cuti").DataTable({
        processing: true,
        serverSide: true,

```

```

        responsive: true,
        autoWidth: true,
        dom:
'<"Cari"f><"top">rt<bottom"ip>
<"clear">',
        ajax: {
            url: "data-cuti",
            method: "GET",
        },
        columnDefs: [
            { width: "2%", targets: 0
        },
            { width: "20%", targets:
1 },
            { width: "10%", targets:
2 },
            { width: "10%", targets:
3 },
            { width: "10%", targets:
4 },
            { width: "15%", targets:
5 },
            { width: "15%", targets:
6 },],
        columns: [
            {
                data: "DT_RowIndex",
                name:
"DT_RowIndex",
                classname: "text-
center align-middle",
            },
            { data: "nama" },
            {
                data:
"tanggal_pengajuan",
                render: function (data,
type, row) {
                    return
formatDate(data);
                },

```

```

    },
    {
      data:
        "tanggal_awal_cuti",
      render: function (data,
        type, row) {
        return
        formatDate(data);
      },
    },
    {
      data:
        "tanggal_akhir_cuti",
      render: function (data,
        type, row) {
        return
        formatDate(data);
      },},
    {
      data: null,
      render: function (data,
        type, row) {
        if (data.status ==
          "1") {
          return `
            <div class="btn-
              group btn-group-sm"
              role="group" aria-label="...">
              <button
                type="button" class=" Approve
                  btn btn-info">
                    Approve
                  </button>
                  <button
                    type="button" class=" Reject btn
                      btn-danger">
                        Tolak
                      </button>
                    </div>
          `;
        } else if
          (data.status == "2") {
          return `

```

```

            <span
              class="badge p-2 badge-
                warning"> <i class="fas fa-
                  times"></i> Dibatalkan</span>
          `;
        } else if (data.status == "3") {
          return `
            <span
              class="badge p-2 badge-
                danger"> <i class="fas fa-
                  times"></i> Ditolak </span>
          `;
        } else if (data.status == "4") {
          return `
            <span
              class="badge p-2 badge-
                success"> <i class="fas fa-
                  check"></i> Diterima</span>
          `;
        }
      },
      classname: "text-
        center align-middle",
    },
    {
      data: null,
      render: function (data,
        type, row) {
        return `
          <button
            type="button" class="btn_detail
              btn btn-primary btn-sm"><i
                class="fas fa-eye"></i>
                Keterangan</button>
          `;
        },
      classname: "text-
        center align-middle",
    },
  ],
});
var table =
  $("#table_cuti_direktur").DataT
  able({
    processing: true,
    serverSide: true,
    responsive: true,
    autoWidth: true,

```

```

    dom:
      '<"Cari"f><"top">rt<bottom"ip>
        <"clear">',
    ajax: {
      url: "data-cuti",
      method: "GET",
    },
    columnDefs: [
      { width: "2%", targets: 0
      },
      { width: "20%", targets:
        1 },
      { width: "10%", targets:
        2 },
      { width: "10%", targets:
        3 },
      { width: "10%", targets:
        4 },
      { width: "15%", targets:
        5 },
      { width: "15%", targets:
        6 },],
    columns: [
      {
        data: "DT_RowIndex",
        name:
          "DT_RowIndex",
        classname: "text-
          center align-middle",
      },
      { data: "nama" },
      { data: "tanggal_pengajuan",
        render: function (data,
          type, row) {
          return
          formatDate(data);
        },
      },
      {
        data:
          "tanggal_awal_cuti",
        render: function (data,
          type, row) {
          return
          formatDate(data);

```



```

});

$("#table_cuti").on("click",
".Reject", function () {

    data =
table.rows$(this).closest("tr").in
dex()).data()[0];

    var status = 3;

    Swal.fire({

        title: "Reject Cuti",

        text: "Yakin Reject",

        icon: "info",

        showCancelButton: true,

        confirmButtonColor:
"#d333",

        cancelButtonColor:
"#3085d6",

        confirmButtonText:
"Ya!",

        cancelButtonText:
"Batal",

    }).then((result) => {

        if (result.isConfirmed) {

            $.ajax({

                url: "AksiCuti",

                type: "POST",

                data: "id=" + data.id
+ "&status=" + status,

                headers: {

                    "X-CSRF-
TOKEN": $(`meta[name="csrf-
token"]`).attr(

                        "content"

                    ),

                },

            },

            success: function
(response) {

                table.draw();

                Toast.fire({

                    icon:

"success",

```

```

        title: "Cuti
Telah Ditolak!",

    });

    },

    error: function (xhr)

    {

        Toast.fire({

            icon: "error",

            title: "Terjadi
Kesalahan Dalam Menolak
Cuti",

        });

    },

    });

});

});

```

DATA_DIRI.JS

```

$(document).ready(function () {

    const Toast = Swal.mixin({

        toast: true,

        position: "top-end",

        showConfirmButton: false,

        timer: 3000,

        timerProgressBar: true,

        didOpen: (toast) => {

            toast.onmouseenter =
Swal.stopTimer;

            toast.onmouseleave =
Swal.resumeTimer;

        },

    });

    var unit_kerja =
$("#dataContainer").data("unitke
rja");

$("#sellUnitkerja").val(unit_kerj
a).trigger("change");

```

```

$("#tombolForm").click(function
() {

    $(this).hide(); //
Menyembunyikan tombol
#tombolForm
$("#btnsimpan").removeAttr("hi
dden"); // Menghapus atribut
hidden dari tombol #btnsimpan
$("#tombolBatal").removeAttr("
hidden"); // Menghapus atribut
hidden dari tombol #btnsimpan

    $("#nama")

        .removeAttr("readonly")

        .addClass("form-
control")

        .removeClass("form-
control-plaintext");

    $("#pendidikan")

        .removeAttr("readonly")

        .addClass("form-
control")

        .removeClass("form-
control-plaintext");

    $("#alamat")

        .removeAttr("readonly")

        .addClass("form-
control")

        .removeClass("form-
control-plaintext");

    $("#nomorTlp")

        .removeAttr("readonly")

        .addClass("form-
control")

        .removeClass("form-
control-plaintext");

    $("#nomorSTR")

        .removeAttr("readonly")

        .addClass("form-
control")

        .removeClass("form-
control-plaintext");

    $("#tempat")

        .removeAttr("readonly")

```

```

        .addClass("form-control")

        .removeClass("form-control-plaintext");

$("##tanggal").removeAttr("readonly");

$("##sellUnitkerja").removeAttr("disabled");
$("##jenisKelamin").removeAttr("disabled");

$("##tanggal").removeAttr("disabled");

});

$("##tombolBatal").click(function () {

    setTimeout(function () {

        location.reload();

    }, 500);

});

$("##sellUnitkerja").select2({

    minimumInputLength: 3,

    placeholder: "Pilih Unit Kerja",

    containerCssClass: ":all:",

    ajax: {

        url: "GetDataUnitkerja",

        method: "GET",

        dataType: "json",

        delay: 250,

        data: function (params) {

            return {

                q: params.term, // search term

                page: params.page,

            };

        },

        processResults: function (data, params) {

            console.log(data);

            return {

```

```

        results: $.map(data,

function (obj) {

            return {

                text:

obj.unit_kerja,

                id:

obj.unit_kerja,

            };

        }),

    });

    },

    cache: true,

    },

    });

    $("##form-datadiri").on("submit", function (event) {

        event.preventDefault();

        $.ajax({

            type: "POST",

            url: "simpanDatadiri",

            data: $("##form-datadiri").serialize(),

            success: function (response) {

                Toast.fire({

                    icon: "success",

                    title: "Data Diri Telah disimpan",

                });

                setTimeout(function () {

                    location.reload();

                }, 1500);

            },

            error: function (data) {

                Toast.fire({

                    icon: "error",

```

```

        title: "Harap periksa Kembali Data Yang Dimasukkan",

    });

    },

    });

});

```

MUTASIJS

```

$(document).ready(function () {

    const Toast = Swal.mixin({

        toast: true,

        position: "top-end",

        showConfirmButton: false,

        timer: 3000,

        timerProgressBar: true,

        didOpen: (toast) => {

            toast.onmouseenter = Swal.stopTimer;

            toast.onmouseleave = Swal.resumeTimer;

        },

    });

    var table =

$("##table_mutasi").DataTable({

        processing: true,

        serverSide: true,

        responsive: true,

        dom:

'<"Cari"f><"top">rt<bottom"ip><"clear">',

        ajax: {

            url: "data-mutasi/0",

            method: "GET",

        },

        columns: [

            {

                data: "DT_RowIndex",

```

```

        name:
"DT_RowIndex",

        classname: "text-
center align-middle",

    },

    {

        data: "nama",

        render: function (data,
type, row) {

            return data + "<br>"
+ row.nomor_str;

        },

    },

    { data: "unit_kerja_lama"
},

    { data: "unit_kerja_baru"
},

    { data: "tanggal_pindah"
},

    {

        data: null,

        render: function (data,
type, row) {

            return `

<button
type="button"
class="deleteMutasi btn btn-
danger btn-sm"><i class="fas fa-
trash-alt"></i></button>

        `;

        },

    },

    ],

});

var table =
$("#table_mutasi_direktur").Dat
aTable({

    processing: true,

    serverSide: true,

    responsive: true,

```

```

        dom:
'<"Cari"f><"top">rt<bottom"ip>
<"clear">',

        ajax: {

            url: "data-mutasi/0",

            method: "GET",

        },

        columns: [

            {

                data: "DT_RowIndex",

                name:
"DT_RowIndex",

                classname: "text-
center align-middle",

            },

            {

                data: "nama",

                render: function (data,
type, row) {

                    return data + "<br>"
+ row.nomor_str;

                },

            },

            { data: "unit_kerja_lama"
},

            { data: "unit_kerja_baru"
},

            { data: "tanggal_pindah"
},

        ],

    });

var table =
$("#table_mutasiBy").DataTable
({

    processing: true,

    serverSide: true,

    responsive: true,

    dom:
'<"Cari"f><"top">rt<bottom"ip>
<"clear">',

    ajax: {

```

```

        url: "data-mutasi/1",

        method: "GET",

    },

    columns: [

        {

            data: "DT_RowIndex",

            name:
"DT_RowIndex",

            classname: "text-
center align-middle",

        },

        {

            data: "nama",

            render: function (data,
type, row) {

                return data + "<br>"
+ row.nomor_str;

            },

        },

        { data: "unit_kerja_lama"
},

        { data: "unit_kerja_baru"
},

        { data: "tanggal_pindah"
},

    ],

});

$("#sellKry").select2({

    minimumInputLength: 3,

    placeholder: "Pilih
Pegawai",

    containerCssClass: ":all:",

    dropdownParent:
$("#ModalAddData"),

    ajax: {

        url: "GetDataKry",

        method: "GET",

        dataType: "json",

        delay: 250,

```

<pre> data: function (params) { return { q: params.term, // search term page: params.page, }; }, processResults: function (data, params) { console.log(data); return { results: \$.map(data, function (obj) { return { text: obj.nama, id: obj.nomor_str + " " + obj.nama, }; }), }; }, cache: true, }, }); \$("#sellUnitkerja").select2({ minimumInputLength: 3, placeholder: "Pilih Unit Kerja", containerCssClass: ":all:", dropdownParent: \$("#ModalAddData"), ajax: { url: "GetDataUnitkerja", method: "GET", dataType: "json", delay: 250, data: function (params) { return { </pre>	<pre> q: params.term, // search term page: params.page, }; }, processResults: function (data, params) { console.log(data); return { results: \$.map(data, function (obj) { return { text: obj.unit_kerja, id: obj.unit_kerja, }; }), }; }, cache: true, }, }); \$("#sellUnitkerjabaru").select2({ minimumInputLength: 3, placeholder: "Pilih Unit Kerja", containerCssClass: ":all:", dropdownParent: \$("#ModalAddData"), ajax: { url: "GetDataUnitkerja", method: "GET", dataType: "json", delay: 250, data: function (params) { return { </pre>	<pre> q: params.term, // search term page: params.page, }; }, processResults: function (data, params) { console.log(data); return { results: \$.map(data, function (obj) { return { text: obj.unit_kerja, id: obj.unit_kerja, }; }), }; }, cache: true, }, }); \$("#table_mutasi").on("click", ".deleteMutasi", function () { data = table.rows\$(this).closest("tr").in dex()).data()[0]; Swal.fire({ title: "Hapus Data Mutasi", text: "Yakin Hapus Data", icon: "warning", showCancelButton: true, confirmButtonColor: "#d333", cancelButtonColor: "#3085d6", confirmButtonText: "Ya!", </pre>
---	--	---

```

cancelButtonText:
"Batal",
    }).then((result) => {
        if (result.isConfirmed) {
            $.ajax({
                url: "deleteMutasi",
                type: "DELETE",
                data:
                    "id=" + data.id +
                    "&_token=" +
                    $("[name=_token]").val(),
                success: function
(response) {
                    table.draw();
                    Toast.fire({
                        icon:
"success",
                        title: "Data
Berhasil Dihapus!",
                    });
                },
                error: function (xhr)
{
                    Toast.fire({
                        icon: "error",
                        title: "Terjadi
Kesalahan Dalam Menghapus
Data",
                    });
                },
            });
        }
    });
    });
    $("#btnAddMutasi").on("click",
function () {
    $("#ModalAddData").modal("sh
ow");
    });

```

```

$("#form-
mutasi").on("submit", function
(event) {
    event.preventDefault();
    $.ajax({
        type: "POST",
        url: "tambahMutasi",
        data: $("#form-
mutasi").serialize(),
        success: function
(response) {
            $("#ModalAddData").modal("hi
de");
            table.draw();
            Toast.fire({
                icon: "success",
                title: "Data Mutasi
Telah Ditambahkan",
            });
        },
        error: function (data) {
            Toast.fire({
                icon: "error",
                title: "Harap periksa
Kembali Data Yang
Dimasukkan",
            });
        },
    });
});
});

PEGAWAIJS

$(document).ready(function () {
    function
formatDate(dateString) {
        const monthNames = [
            "Jan",
            "Feb",
            "Mar",

```

```

            "Apr",
            "May",
            "Jun",
            "Jul",
            "Aug",
            "Sep",
            "Oct",
            "Nov",
            "Dec",
        ];
        let dateParts =
dateString.split("-");
        let year = dateParts[0];
        let month =
monthNames[parseInt(dateParts[
1], 10) - 1];
        let day = dateParts[2];
        return `${day}-${month}-
${year}`;
    }
    const Toast = Swal.mixin({
        toast: true,
        position: "top-end",
        showConfirmButton: false,
        timer: 3000,
        timerProgressBar: true,
        didOpen: (toast) => {
            toast.onmouseenter =
Swal.stopTimer;
            toast.onmouseleave =
Swal.resumeTimer;
        },
    });
    var table =
$("#table_pegawai").DataTable(
{
        processing: true,
        serverSide: true,
        responsive: true,

```

```

    dom:
    '<"Cari"f><"top">rt<bottom"ip>
    <"clear">',

    ajax: {

        url: "data-pegawai",

        method: "GET",

    },

    columns: [

        {

            data: "DT_RowIndex",

            name:
            "DT_RowIndex",

            classname: "text-
            center align-middle",

        },

        {

            data: "nama",

            render: function (data,
            type, row) {

                return data;

                // return data +
                "<br>" + row.nomor_str;

            },

        },

        { data: "nomor_str" },

        { data: "nomor_telepon"

        },

        { data: "unit_kerja" },

        {

            data: "jenis_kelamin",

            render: function (data,
            type, row) {

                if (data == 1) {

                    return "Laki-
                    Laki";

                } else if (data == 2)

                {

                    return
                    "Perempuan";

                } else {

                    return "-";

                }

            },

        },

        {

            data: null,

            render: function (data,
            type, row) {

                return `

```

```

    return "-";

    }

    },

    {

        data: null,

        render: function (data,
        type, row) {

            return `

            <button
            type="button" class="btn_detail
            btn btn-primary btn-sm"><i
            class="fas fa-
            eye"></i></button>

            <button
            type="button"
            class="deletePegawai btn btn-
            danger btn-sm"><i class="fas fa-
            trash-alt"></i></button>

            `;

        },

    },

    });

    var table =
    $("#table_Daftarpegawai").Data
    Table({

        processing: true,

        serverSide: true,

        responsive: true,

        dom:
        '<"Cari"f><"top">rt<bottom"ip>
        <"clear">',

        ajax: {

            url: "data-pegawai",

            method: "GET",

        },

        columns: [

            {

                data: "DT_RowIndex",

```

```

        name:
        "DT_RowIndex",

        classname: "text-
        center align-middle",

    },

    {

        data: "nama",

        render: function (data,
        type, row) {

            return data;

            // return data +
            "<br>" + row.nomor_str;

        },

        { data: "nomor_str" },

        { data: "nomor_telepon"

        },

        { data: "unit_kerja" },

        {

            data: "jenis_kelamin",

            render: function (data,
            type, row) {

                if (data == 1) {

                    return "Laki-
                    Laki";

                } else if (data == 2)

                {

                    return
                    "Perempuan";

                } else {

                    return "-";

                }

            },

        },

        {

            data: null,

            render: function (data,
            type, row) {

                return `

```



```

    },
    success: function
(response) {
        table.draw();
        Toast.fire({
            icon:
"success",
            title: "Data
Berhasil Dihapus!",
        });
    },
    error: function (xhr)
{
        Toast.fire({
            icon: "error",
            title: "Terjadi
Kesalahan Dalam Menghapus
Data",
        });
    },
    });
}
});
});
});

```

LOGIN.BLADE.PHP

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-
Compatible"
content="IE=edge">
    <meta name="viewport"
content="width=device-width,
initial-scale=1, shrink-to-
fit=no">
    <meta name="description"
content="">

```

```

<meta name="author"
content="">
<title> LOGIN </title>
<!-- Custom fonts for this
template-->
<link
href="vendor/fontawesome-
free/css/all.min.css"
rel="stylesheet"
type="text/css">
<link
href="https://fonts.googleapis.co
m/css?family=Nunito:200,200i,3
00,300i,400,400i,600,600i,700,7
00i,800,800i,900,900i"
rel="stylesheet">
<!-- Custom styles for this
template-->
<link href="css/sb-admin-
2.min.css" rel="stylesheet">
<style>
    .background-container {
        background-image:
url('/img/bg-login.jpg');
        background-size: cover;
        background-position:
center;
        height: 100%;
        width: 100%;
    }
</style>
</head>
<body class="bg-gradient-
primary ">
    <div class="container">
        <!-- Outer Row -->
        <div class="row justify-
content-center mt-5">
            <div class="col-xl-10
col-lg-12 col-md-9 mt-1">
                <div class="card o-
hidden border-0 shadow-lg my-
5">

```

```

<div class="card-
body p-0">
            <!-- Nested Row
within Card Body -->
            <div
class="row">
                <div
class="col-lg-6 d-none d-lg-
block bg-login-image">
                    <div
class="background-container" >
                        <!--
Konten halaman lainnya di sini -
->
                    </div>
                </div>
                <div
class="col-lg-6">
                    <div
class="p-5">
                        <div
class="text-center">
                            <h1
class="h2 text-gray-900 mb-
5">LOGIN</h1>
                        </div>
                        @if(session()->has('success'))
                            <div
class="alert alert-success">
                                {{
session('success') }}
                            </div>
                        @endif
                        @if(session()->has('loginError'))
                            <div
class="alert alert-danger">
                                {{
session('loginError') }}
                            </div>
                        @endif
                        <form
class="user" method="POST"
action="{{ url('Login') }}">

```



```

a"
placeholder="Masukan Nama
Anda" value="{{ old('nama')
}}">
@error('nama')

<div class="invalid-feedback">

{{ $message }}

</div>
@enderror

</div>

<div class="form-group">

<input type="text" class="form-
control form-control-user
@error('username') is-invalid
@enderror" name="username"
id="username"
placeholder="Masukan
Username Anda" value="{{
old('username') }}">
@error('username')
<div class="invalid-feedback">

{{ $message }}

</div>
@enderror

</div>

<div class="form-group">

<input type="text" class="form-
control form-control-user
@error('nomor_str') is-invalid
@enderror" name="nomor_str"
id="nomor_str"
placeholder="Masukan Nomor
STR" value="{{ old('nomor_str')
}}">
@error('nomor_str')

<div class="invalid-feedback">

{{ $message }}

</div>
@enderror

</div>

<div class="form-group">

<input type="email"
class="form-control form-
control-user @error('email') is-
invalid @enderror"
name="email" id="email"
placeholder="Masukan Email
Anda" value="{{ old('email')
}}">

```

```

@error('email')
<div class="invalid-feedback">

{{ $message }}
</div>
@enderror

</div>

<div class="form-group row">

<div class="col-sm-6 mb-3 mb-
sm-0">

<input type="password"
class="form-control form-
control-user"
id="password"
name="password"
placeholder="Password">
@error('password')
<div class="text-danger">
<small>{{ $message }}</small>
</div>
@enderror

</div>

<div class="col-sm-6">

<input type="password"
name="password_confirmation"
class="form-control form-
control-user"
id="password_confirmation"
placeholder="Konfirmasi
Password">

</div>

</div>

<button type="submit"
class="btn btn-primary btn-user
btn-block"> Register </button>

</form>

<hr>

<div
class="text-center">

<span><small> Already
Have An Account?
</small></span><a
class="small"
href="Login">Log In!</a>

</div>

</div>

</div>

</div>

</div>

```

```

</div>

</div>

<!-- Bootstrap core
JavaScript-->

<script
src="vendor/jquery/jquery.min.j
s"></script>

<script
src="vendor/bootstrap/js/bootstr
ap.bundle.min.js"></script>

<!-- Core plugin JavaScript-->

<script src="vendor/jquery-
easing/jquery.easing.min.js"></s
cript>

<!-- Custom scripts for all
pages-->

<script src="js/sb-admin-
2.min.js"></script>

</body>

</html>

```

SIDEBAR.BLADE.PHP

```

<ul class="navbar-nav bg-
gradient-primary sidebar
sidebar-dark accordion"
id="accordionSidebar">

<!-- Sidebar - Brand -->

<a class="sidebar-brand d-
flex align-items-center justify-
content-center" href="/">

<div class="sidebar-brand-
icon">

<i class="fas fa-hospital-
user fa-sm"></i>

</div>

<div class="sidebar-brand-
text mx-
3">KEPEGAWAIAN</div>

</a>

<!-- Divider -->

<hr class="sidebar-divider
my-0">

```

```

<!-- Nav Item - Dashboard -->

<li class="nav-item" {{
Request::is(['']) ? 'active' : '' }}
">

    <a class="nav-link "
href="{{url('')}}">

        <i class="fas fa-
columns"></i>

        <span>Dashboard</span>

    </a>

</li>

@if (Auth::user()->role_id ==
1)

    <li class="nav-item" {{
Request::is(['pegawai']) ? 'active'
: '' }} ">

        <a class="nav-link "
href="{{url('pegawai')}}">

            <i class="fas fa-
table"></i>

            <span>Data
Pegawai</span>

        </a>

</li>

@endif

@if (Auth::user()->role_id ==
3)

    <li class="nav-item" {{
Request::is(['daftar-pegawai']) ?
'active' : '' }} ">

        <a class="nav-link "
href="{{url('daftar-
pegawai')}}">

            <i class="fas fa-
table"></i>

            <span>Data
Pegawai</span>

        </a>

</li>

@endif

@if (Auth::user()->role_id ==
2)

```

```

<li class="nav-item" {{
Request::is(['data_diri']) ?
'active' : '' }} ">

    <a class="nav-link "
href="{{url('data_diri')}}">

        <i class="fas fa-
table"></i>

        <span>Data Diri</span>

    </a>

</li>

@endif

<li class="nav-item" {{
Request::is(['absensi']) ? 'active'
: '' }} ">

    <a class="nav-link "
href="{{url('absensi')}}">

        <i class="fas fa-
table"></i>

        <span>Absensi</span>

    </a>

</li>

@if (Auth::user()->role_id ==
1 || Auth::user()->role_id == 3)

    <li class="nav-item" {{
Request::is(['cuti']) ? 'active' :
'' }} ">

        <a class="nav-link "
href="{{url('cuti')}}">

            <i class="fas fa-
table"></i>

            <span>Pengajuan
Cuti</span>

        </a>

</li>

@endif

@if (Auth::user()->role_id ==
2)

    <li class="nav-item" {{
Request::is(['cuti_user']) ?
'active' : '' }} ">

        <a class="nav-link "
href="{{url('cuti_user')}}">

```

```

<i class="fas fa-
table"></i>

        <span>Pengajuan
Cuti</span>

    </a>

</li>

@endif

<li class="nav-item">

    <a class="nav-link "
href="{{url('Logout')}}">

        <i class="fas fa-sign-out-
alt"></i>

        <span>Log Out</span>

    </a>

</li>

<!-- Divider -->

<hr class="sidebar-divider">

{{--

<!-- Heading -->

<div class="sidebar-
heading">

    Interface

</div>

<!-- Nav Item - Pages
Collapse Menu -->

<li class="nav-item">

    <a class="nav-link
collapsed" href="#" data-
toggle="collapse" data-
target="#collapseTwo"

        aria-expanded="true"
aria-controls="collapseTwo">

        <i class="fas fa-fw fa-
cog"></i>

        <span>Components</span>

    </a>

    <div id="collapseTwo"
class="collapse" aria-
labelledby="headingTwo" data-
parent="#accordionSidebar">

        <div class="bg-white py-
2 collapse-inner rounded">

```

```

<h6 class="collapse-
header">Custom
Components:</h6>

<a class="collapse-item"
href="buttons.html">Buttons</a
>

    <a class="collapse-
item"
href="cards.html">Cards</a>

    </div>

</div>

</li>

<!-- Nav Item - Utilities
Collapse Menu -->

<li class="nav-item">

    <a class="nav-link
collapsed" href="#" data-
toggle="collapse" data-
target="#collapseUtilities"

        aria-expanded="true"
aria-
controls="collapseUtilities">

        <i class="fas fa-fw fa-
wrench"></i>

        <span>Utilities</span>

    </a>

    <div id="collapseUtilities"
class="collapse" aria-
labelledby="headingUtilities"

        data-
parent="#accordionSidebar">

        <div class="bg-white py-
2 collapse-inner rounded">

            <h6 class="collapse-
header">Custom Utilities:</h6>

            <a class="collapse-
item" href="utilities-
color.html">Colors</a>

            <a class="collapse-
item" href="utilities-
border.html">Borders</a>

            <a class="collapse-
item" href="utilities-
animation.html">Animations</a
>

```

```

    <a class="collapse-
item" href="utilities-
other.html">Other</a>

    </div>

</div>

</li>

<!-- Divider -->

<hr class="sidebar-divide"

<!-- Heading -->

<div class="sidebar-
heading">

    Addons

</div>

<!-- Nav Item - Pages
Collapse Menu -->

<li class="nav-item">

    <a class="nav-link"
href="#" data-toggle="collapse"
data-target="#collapsePages"
aria-expanded="true"

        aria-
controls="collapsePages">

        <i class="fas fa-fw fa-
folder"></i>

        <span>Pages</span>

    </a>

    <div id="collapsePages"
class="collapse" aria-
labelledby="headingPages"

        data-
parent="#accordionSidebar">

        <div class="bg-white py-
2 collapse-inner rounded">

            <h6 class="collapse-
header">Login Screens:</h6>

            <a class="collapse-
item"
href="login.html">Login</a>

            <a class="collapse-
item"
href="register.html">Register</a
>

            <a class="collapse-
item" href="forgot-

```

```

password.html">Forgot
Password</a>

    <div class="collapse-
divider"></div>

    <h6 class="collapse-
header">Other Pages:</h6>

    <a class="collapse-
item" href="404.html">404
Page</a>

    <a class="collapse-
item " href="blank.html">Blank
Page</a>

    </div>

</div>

</li>

<!-- Nav Item - Charts -->

<li class="nav-item">

    <a class="nav-link"
href="charts.html">

        <i class="fas fa-fw fa-
chart-area"></i>

        <span>Charts</span></a>

    </li>

    <!-- Nav Item - Tables -->

    <li class="nav-item">

        <a class="nav-link"
href="tables.html">

            <i class="fas fa-fw fa-
table"></i>

            <span>Tables</span></a>

        </li> --}}

        {{-- <!-- Divider -->

        <hr class="sidebar-divide" d-
none d-md-block"> --}}

        <!-- Sidebar Toggler (Sidebar)
-->

        <div class="text-center d-
none d-md-inline">

        <button class="rounded-circle
border-0"
id="sidebarToggle"></button>

```

</div>	top: 0;	</h6>
	}	
	}	<p class="d-
ABSENSI.BLADE.PHP	</style>	inline">
@extends('main')	@endpush	<i class="fas
@push('css')	@section('content')	fa-clock"></i>
{{-- <link	{{-- tempat content --}}	<span
href="vendor/datatables/dataTables.bootstrap4.min.css"	<nav aria-label="breadcrumb">	id="clock">
rel="stylesheet">	<ol class="breadcrumb">	</p>
		</div>
<link	<li class="breadcrumb-	<div class="d-block
href="css/dataTables.bootstrap4.min.css" rel="stylesheet">	item"><a	mt-1">
	href="/">Dashboard	<button
<link	<li class="breadcrumb-item	type="button"
href="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist/css/select2.min.css"	active" aria-	id="btnMasuk"
rel="stylesheet" /> --}}	current="page">Absensi	class="btn btn-
		success btn-sm">
<link rel="stylesheet"	</nav>	<i class="fas
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">	@if (Auth::user()->role_id == 2)	fa-sign-in-alt"></i>
	<div class="card text-dark bg-	Masuk
<link rel="stylesheet"	BannerAbsen mb-3 mt-4">	</button>
href="https://cdn.datatables.net/1.10.25/css/dataTables.bootstrap4.min.css">	<div class="card-body">	<button
	<div class="container">	type="button"
<link rel="stylesheet"	<div class="row">	id="btnPulang"
href="https://cdn.datatables.net/responsive/2.2.9/css/responsive.bootstrap4.min.css">	<div class="col">	class="btn btn-
	<h3>	danger btn-sm">
<style>	Selamat Datang,	<i class="fas
@media print {	<small	fa-sign-out-alt"></i>
body * {	class="text-	Pulang
visibility: hidden;	primary"> {{ Auth::user()->nama }}</small>	</button>
}	</h3>	</div>
#table_absensi,	<!-- <div	</div>
#table_absensi * {	id="clock"></div> -->	</div>
visibility: visible;	</div>	</div>
}	<div class="col">	</div>
#table_absensi {	<div class="mt-0">	
position: absolute;	<h6 class="card-	@endif
left: 0;	title d-inline">	@if (Auth::user()->role_id == 2)
right:0;	Silahkan	
	Absen disini,	

```

<div class="container">

    <table
id="table_absensi_pegawai"
class="table table-bordered">

        <thead>

            <tr>

                <th>No.</th>

                <th style="width:
30%">Nama</th>

                <th style="width:
20%">Tanggal</th>

                <th>Jam</th>

                <th>Keterangan</th>

            </tr>

        </thead>

        <tbody>

            <!-- Data akan
dimasukkan oleh JavaScript
DataTables -->

        </tbody>

    </table>

</div>

@else

    <div class="container">

        <table id="table_absensi"
class="table table-bordered">

            @if (Auth::user()->role_id
== 1)

                <button class="btn btn-
danger btn-sm mt-1" data-
toggle="modal" data-
target="#data_absensi"
type="button"
onclick="window.print()">

                    <i class="fas fa-print "></i>
Cetak

                </button>

            @endif

            <thead>

                <tr>

                    <th>No.</th>

                    <th style="width:
30%">Nama</th>

                    <th style="width:
20%">Tanggal</th>

                    <th>Jam</th>

                    <th>Keterangan</th>

                </tr>

            </thead>

            <tbody>

                <!-- Modal -->

                {{ <div class="modal fade"
id="detail_data" tabindex="-1"
aria-
labelledby="exampleModalLabe
l" aria-hidden="true">

                    <div class="modal-dialog">

                        <div class="modal-content">

                            <div class="modal-header">

                                <h5 class="modal-title"
id="exampleModalLabel">Detai
l Data Pegawai</h5>

                                <button type="button"
class="close" data-
dismiss="modal" aria-
label="Close">

                                    <span aria-
hidden="true">&times;</span>

                                </button>

                            </div>

                            <div class="modal-body">

                                </div>

                            <div class="modal-footer">

                                <button type="button"
class="btn btn-secondary" data-
dismiss="modal">Close</button
>

                            </div>

                        </div>

                    </div>

                </div> --}}

                <div class="modal-dialog">

                    <div class="modal-content">

                        <div class="modal-header">

                            <h5 class="modal-title"
id="exampleModalLabel">Detai
l Data Pegawai</h5>

                            <button type="button"
class="close" data-
dismiss="modal" aria-
label="Close">

                                <span aria-
hidden="true">&times;</span>

                            </button>

                        </div>

                        <div class="modal-body">

                            </div>

                        <div class="modal-footer">

                            <button type="button"
class="btn btn-secondary" data-
dismiss="modal">Close</button
>

                        </div>

                    </div>

                </div> --}}

            </tbody>

        </table>

    </div>

@endsection

@push('scripts')

<script
src="https://cdn.datatables.net/1.
10.25/js/jquery.dataTables.min.j
s"></script>

<script
src="https://cdn.datatables.net/1.
10.25/js/dataTables.bootstrap4.
min.js"></script>

<script
src="https://cdn.datatables.net/re
sponsive/2.2.9/js/dataTables.resp
onsive.min.js"></script>

<script
src="https://cdn.datatables.net/re
sponsive/2.2.9/js/responsive.boo
tstrap4.min.js"></script>

{{ <script
src="https://cdn.jsdelivr.net/npm
/select2@4.1.0-
rc.0/dist/js/select2.min.js"></scri
pt>

<script
src="js/dataTables.min.js"></scr
ipt>

<script
src="js/dataTables.bootstrap4.mi
n.js"></script>

<script
src="vendor/datatables/jquery.da
taTables.js"></script> --}}

<script
src="js/absensi.js"></script>

@endpush

CUTI_USER.BLADE.PHP

@extends('main')

@push('css')

{{ <link
href="vendor/datatables/dataTab
les.bootstrap4.css"
rel="stylesheet">

<link
href="css/dataTables.bootstrap4.
min.css" rel="stylesheet"> --}}

```

```

<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">

<link rel="stylesheet"
href="https://cdn.datatables.net/1.10.25/css/dataTables.bootstrap4.min.css">

<link rel="stylesheet"
href="https://cdn.datatables.net/responsive/2.2.9/css/responsive.bootstrap4.min.css">

@endpush

@section('content')

<div class="container">

    <nav aria-label="breadcrumb">

        <ol class="breadcrumb">

            <li class="breadcrumb-item"><a href="#">Dashboard</a></li>

            <li class="breadcrumb-item active" aria-current="page">Pengajuan Cuti</li>

        </ol>

    </nav>

    <div class="container table-responsive">

        <table id="table_cuti" class="table table-striped table-bordered dt-responsive nowrap" style="width: 100%">

            <button class="btn btn-primary float-left btn-sm mt-2 mb-3" id="btnCuti" type="button"><i class="fas fa-inbox fa-sm"></i> Ajukan Cuti</button>

            <thead>

                <tr>

                    <th style="width: 5%">No.</th>

                    <th>Tanggal Pengajuan</th>

                    <th>Tanggal Mulai Cuti</th>


```

```

                    <th>Tanggal Akhir Cuti</th>

                    <th>status</th>

                </tr>

            </thead>

        </table>

    </div>

    @if(session('message'))

        <div class="alert alert-success">

            {{ session('message') }}

        </div>

    @endif

</div>

<div class="modal fade" id="modalCuti" tabindex="-1" aria-labelledby="exampleModalLabel" aria-hidden="true">

    <div class="modal-dialog">

        <div class="modal-content">

            <div class="modal-header">

                <h5 class="modal-title" id="exampleModalLabel">Pengajuan Cuti</h5>

                <button type="button" class="close" data-dismiss="modal" aria-label="Close">

                    <span aria-hidden="true">&times;</span>

                </button>

            </div>

            <div class="modal-body">

                <form id="formCuti" autocomplete="off">

                    @csrf

                    <div class="row">

                        <div class="col">


```

```

                            <div class="form-group">

                                <label for="tanggal_mulai">Tanggal Mulai Cuti:</label>

                                <input type="date" class="form-control" id="tanggal_mulai" name="tanggal_mulai" required>

                            </div>

                        </div>

                        <div class="col">

                            <div class="form-group">

                                <label for="tanggal_akhir">Tanggal Akhir Cuti:</label>

                                <input type="date" class="form-control" id="tanggal_akhir" name="tanggal_akhir" required>

                            </div>

                        </div>

                        <div class="form-group">

                            <label for="keterangan">Keterangan Cuti</label>

                            <textarea class="form-control" id="keterangan" name="keterangan" rows="3"></textarea>

                        </div>

                    </div>

                    <div class="modal-footer">

                        <button type="submit" class="btn btn-primary">Ajukan</button>

                        <button type="button" class="btn btn-secondary" data-dismiss="modal">Close</button>

                    </div>

                </form>

            </div>

        </div>

    </div>


```

```

        </div>

    </div>

</div>

</div>

    <div class="modal fade"
id="detail_data" tabindex="-1"
aria-
labelledby="exampleModalLabel"
aria-hidden="true">

        <div class="modal-dialog">

            <div class="modal-content">

                <div class="modal-
header">

                    <h5 class="modal-title"
id="exampleModalLabel">Keter-
angan Pengajuan Cuti</h5>

                    <button type="button"
class="close" data-
dismiss="modal" aria-
label="Close">

                        <span aria-
hidden="true">&times;</span>

                    </button>

                </div>

                <div class="modal-body">

                    <div class="row">

                        <div class="col">

                            <h5
for="">Keterangan</h5>

                            <p class=""
id="Keterangan">###</p>

                        </div>

                    </div>

                </div>

                <div class="modal-footer">

                    <button type="button"
class="btn btn-secondary" data-
dismiss="modal">Close</button>

                </div>

            </div>

        </div>

    </div>

</div>

```

```

    </div>

@endsection

@push('scripts')

<script
src="https://cdn.datatables.net/1.
10.25/js/jquery.dataTables.min.j
s"></script>

<script
src="https://cdn.datatables.net/1.
10.25/js/dataTables.bootstrap4.
min.js"></script>

<script
src="https://cdn.datatables.net/re
sponsive/2.2.9/js/dataTables.resp
onsive.min.js"></script>

<script
src="https://cdn.datatables.net/re
sponsive/2.2.9/js/responsive.boo
tstrap4.min.js"></script>

{{--

<script
src="js/dataTables.min.js"></scr
ipt>

<script
src="js/dataTables.bootstrap4.mi
n.js"></script>

<script
src="vendor/datatables/jquery.da
taTables.js"></script> --}}

<script
src="js/cuti_user.js"></script>

@endpush

CUTI.BLADE.PHP

@extends('main')

@push('css')

{{-- <link
href="vendor/datatables/dataTab
les.bootstrap4.css"
rel="stylesheet">

<link
href="css/dataTables.bootstrap4.
min.css" rel="stylesheet"> --}}

<link rel="stylesheet"
href="https://stackpath.bootstrap
cdn.com/bootstrap/4.5.2/css/boot
strap.min.css">

```

```

<link rel="stylesheet"
href="https://cdn.datatables.net/
1.10.25/css/dataTables.bootstrap
4.min.css">

<link rel="stylesheet"
href="https://cdn.datatables.net/r
esponsive/2.2.9/css/responsive.b
ootstrap4.min.css">

<style>

    @media print {

        body * {

            visibility: hidden;

        }

        #table_cuti, #table_cuti * {

            visibility: visible;

        }

        #table_cuti {

            position: absolute;

            left: 0;

            right: 0;

            top: 0;

        }

    }

</style>

@endpush

@section('content')

{{-- tempat content --}}

<nav aria-label="breadcrumb">

    <ol class="breadcrumb">

        <li class="breadcrumb-
item">Dashboard</li>

        <li class="breadcrumb-item
active" aria-
current="page">Pengajuan
Cuti</li>

    </ol>

</nav>

@if (Auth::user()->role_id == 3)

    <div class="container table-
responsive">

```

```

</thead>

<tr>

<th style="width:
5%">No.</th>

<th style="widths:
15%">Nama</th>

<th>Tanggal
Pengajuan</th>

<th>Tanggal Mulai
Cuti</th>

<th>Tanggal Akhir
Cuti</th>

<th>Aksi</th>

<th>keterangan</th>

</tr>

</thead>

</table>

</div>

@else

<div class="container table-
responsive">

<table id="table_cuti"
class="table table-bordered
table-striped display responsive"
style="width: 100%">

<button class="btn btn-
danger btn-sm mt-2 " data-
toggle="modal" data-
target="#data_pegawai"
type="button"
onclick="window.print()">

<i class="fas fa-print
"></i> Cetak</button>

<thead>

<tr>

<th style="width:
5%">No.</th>

<th style="widths:
15%">Nama</th>

```

```
@push('css')
```

```

{{-- <link
href="vendor/datatables/dataTables.bootstrap4.css"
rel="stylesheet">

<link
href="css/dataTables.bootstrap4.min.css" rel="stylesheet">

<link
href="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist/css/select2.min.css"
rel="stylesheet" /> --}}

<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">

<link rel="stylesheet"
href="https://cdn.datatables.net/1.10.25/css/dataTables.bootstrap4.min.css">

<link rel="stylesheet"
href="https://cdn.datatables.net/responsive/2.2.9/css/responsive.bootstrap4.min.css">

<style>

@media print {

    body * {

        visibility: hidden;

    }

    #table_pegawai,
    #table_pegawai * {

        visibility: visible;

    }

    #table_pegawai {

        position: absolute;

        left: 0;

        right: 0;

        top: 0;

    }

}

</style>

@endpush

@section('content')

```

```

{{-- tempat content --}}

<nav aria-label="breadcrumb">

    <ol class="breadcrumb">

        <li class="breadcrumb-item">Dashboard</li>

        <li class="breadcrumb-item active" aria-current="page">Data Pegawai</li>

    </ol>

</nav>

<div class="container">

    <div class="row-lg">

        <table
id="table_Daftarpegawai"
class="table table-bordered"
style="width: 100%">

            @if (Auth::user()->role_id == 3)

                <a class="btn btn-info float-left btn-sm mt-2 mb-3" href="mutasi" role="button"><i class="fas fa-wallet fas-sm"></i> Data Mutasi</a>

            @endif

        <thead>

            <tr>

                <th>No.</th>

                <th style="width: 28%">Nama</th>

                <th>Nomor STR</th>

                <th>Nomor Telepon</th>

                <th style="width: 15%">Unit Kerja</th>

                <th style="width: 23%">Jenis Kelamin</th>

                <th style="width: 5%" class="aksi">Aksi</th>

            </tr>

        </thead>

    </table>

```

```

</div>

</div>

<!-- Modal -->

<div class="modal fade" id="detail_data" tabindex="-1" aria-labelledby="exampleModalLabel" aria-hidden="true">

    <div class="modal-dialog">

        <div class="modal-content">

            <div class="modal-header">

                <h5 class="modal-title" id="exampleModalLabel">Detail Data Pegawai</h5>

                <button type="button" class="close" data-dismiss="modal" aria-label="Close">

                    <span aria-hidden="true">&times;</span>

                </button>

            </div>

            <div class="modal-body">

                <h4 class="lead" id="nama"></h4>

                <p class="text-small" id="noSTR"></p>

                <div class="row">

                    <div class="col">

                        <h5 for="">Unit Kerja</h5>

                        <p class="" id="unitKerja">###</p>

                    </div>

                </div>

                <div class="row">

                    <div class="col">

                        <h5 for="">Tempat, Tanggal Lahir</h5>

                        <p class=""><span id="Tempat">###</span>, <span id="tanggal">###</span></p>

                    </div>

                </div>

```

```

        <div class="col">

            <h5
for="">Pendidikan</h5>

            <p class=""
id="Pendidikan">###</p>

        </div>

    </div>

    <div class="row">

        <div class="col">

            <h5 for="">Alamat</h5>

            <p class=""
id="Alamat">###</p>

        </div>

    </div>

</div>

<div class="modal-footer">

    <button type="button"
class="btn btn-primary" data-
dismiss="modal">Close</button
>

</div>

</div>

</div>

</div>

{{-- end content --}}

@endsection

@push('scripts')

<script
src="https://cdn.datatables.net/1.
10.25/js/jquery.dataTables.min.j
s"></script>

<script
src="https://cdn.datatables.net/1.
10.25/js/dataTables.bootstrap4.
min.js"></script>

<script
src="https://cdn.datatables.net/re
sponsive/2.2.9/js/dataTables.resp
onsive.min.js"></script>

<script
src="https://cdn.datatables.net/re
sponsive/2.2.9/js/responsive.boo
tstrap4.min.js"></script>

```

```

{{-- <script
src="https://cdn.jsdelivr.net/npm
/select2@4.1.0-
rc.0/dist/js/select2.min.js"></scr
ipt>

<script
src="js/dataTables.min.js"></scr
ipt>

<script
src="js/dataTables.bootstrap4.mi
n.js"></script>

<script
src="vendor/datatables/jquery.da
taTables.js"></script> --}}

<script
src="js/pegawai.js"></script>

@endpush

```

DASHBOARD.BLADE.PHP

```

@extends('main')

@push('css')

<link
href="css/carousel/owl.carousel.
min.css" rel="stylesheet">

<link
href="css/carousel/owl.theme.de
fault.min.css" rel="stylesheet">

<style>

    #poto1{

        background-image:
url('/img/image-1.jpg');

        background-size: cover;

        background-position:
center;

        height: 100%;

        width: 100%;

    }

    #poto2{

        background-image:
url('/img/image-2.png');

        background-size: cover;

        background-position:
center;

```

```

        height: 100%;

        width: 100%;

    }

    #poto3{

        background-image:
url('/img/image-3.png');

        background-size: cover;

        background-position:
center;

        height: 100%;

        width: 100%;

    }

    #poto4{

        background-image:
url('/img/image-4.jpg');

        background-size: cover;

        background-position:
center;

        height: 100%;

        width: 100%;

    }

    #poto5{

        background-image:
url('/img/image-5.jpg');

        background-size: cover;

        background-position:
center;

        height: 100%;

        width: 100%;

    }

</style>

@endpush

@section('content')

{{-- tempat content --}}

<nav aria-label="breadcrumb">

    <ol class="breadcrumb">

        <li class="breadcrumb-item
active"><a
href="#">Dashboard</a></li>

```

```

</ol>
</nav>
<div class="container">
</div>
<div class="row">
  <div class="col">
    <div class="card"
style="background-
color:#433D8B ">
      <div class="card-body
text-white ">
        <div class="row">
          <div class="col">
            <h5 style="m-0"
style="margin:-10px">
              Total Pegawai
            </h5>
            <span class="p-0"
style="padding-top:-
100px">RSU Sriwijaya</span>
          </div>
          <div class="col
text-right">
            <h1><strong>
              {{ $pegawai }}
            </strong>
            </h1>
          </div>
        </div>
      </div>
    </div>
  </div>
  <div class="col">
    <div class="card"
style="background-
color:#478CCF ">
      <div class="card-body
text-white ">
        <div class="row">
          <div class="col">

```

```

<h5 style="m-0"
style="margin:-10px">
      Total Unit Kerja
    </h5>
    <span class="p-0"
style="padding-top:-
100px">RSU Sriwijaya</span>
  </div>
  <div class="col
text-right">
    <h1><strong>
      {{ $unitkerja }}
    </strong>
    </h1>
  </div>
</div>
</div>
<!-- Set up your HTML -->
<div class="row p-5">
  <div class="owl-carousel ">
    <div style="height: 500px"
id="poto1"> </div>
    <div style="height: 500px"
id="poto2"> </div>
    <div style="height: 500px"
id="poto3"> </div>
    <div style="height: 500px"
id="poto4"> </div>
    <div style="height: 500px"
id="poto5"> </div>
  </div>
</div>
{{ -- end content -- }}
@endsection @push('scripts')
<script
src="js/carousel/owl.carousel.mi
n.js"></script>

```

```

<script>
$(document).ready(function(){
  $(".owl-
carousel").owlCarousel({
    loop:true,
    items:1,
    animateOut:'fadeOut',
    autoplay:true,
    autoplayTimeout:2000,
  });
});
</script>
@endpush

DATA_DIRI.BLADE.PHP

@extends('main')

@push('css')

<link
href="vendor/datatables/dataTables.
bootstrap4.css"
rel="stylesheet">

<link
href="css/dataTables.bootstrap4.
min.css" rel="stylesheet">

<link
href="https://cdn.jsdelivr.net/np
m/select2@4.1.0-
rc.0/dist/css/select2.min.css"
rel="stylesheet" />

@endpush

@section('content')
{{ -- tempat content -- }}

<nav aria-label="breadcrumb">
  <ol class="breadcrumb">
    <li class="breadcrumb-
item"><a
href="/">Dashboard</a></li>
    <li class="breadcrumb-item
active" aria-
current="page">Data Diri</li>
  </ol>

```

```

</nav>
@section('content')
<div id="dataContainer"
    data-unitkerja="{{ $data-
>unit_kerja }}"
></div>
<nav aria-label="breadcrumb">
    <ol class="breadcrumb">
        <li class="breadcrumb-
item"><a
href="/">Dashboard</a></li>
        <li class="breadcrumb-item
active" aria-
current="page">Data Diri</li>
    </ol>
</nav>
<div class="container">
<div class="row justify-content-
center">
    <div class="col-md-11 mt-
2">
        <div class="card">
            <div class="card-
header text-center font-weight-
bold text-light bg-
primary">DATA DIRI</div>
            <small class="p-1 ml-
2 mb-0 mt-2">*Klik tombol
ubah data untuk memperbaharui
data.</small>
            <div class="card-body
text-dark">
                <form
autocomplete="off" id="form-
datadiri">
                    @csrf
                    <div
class="form-group row">
                        <label
class="col-sm-3 col-form-
label">Nama Lengkap<span
class="text-
danger">*</span></label>
                        <div class="col-
sm-12">
                            <input
type="text" readonly
class="form-control-plaintext "
id="nama" name="nama"
value="{{ $data->nama }}">
                        </div>
                    </div>
                    <div
class="form-row">
                        <div class="col-
md-6">
                            <label
class="col-form-label">Nomor
STR<span class="text-
danger">*</span></label>
                            <input
type="text" readonly
class="form-control-plaintext "
id="nomorSTR"
name="nomor_str"
value="{{ $data->nomor_str }}">
                        </div>
                        {{-- {{ $data-
>unit_kerja }} --}}
                    </div>
                    <div
class="col-md-6">
                        <label
class="col-form-label">Nama
Unit Kerja<span class="text-
danger">*</span></label>
                        <select
class="form-control" disabled
name="unit_kerja"
id="sellUnitkerja" style="width:
100%">
                            @if ($data-
>unit_kerja)
                                <option
selected value="{{ $data-
>unit_kerja }}">{{ $data-
>unit_kerja }}</option>
                            @endif
                        </select>
                    </div>
                </div>
                <div class="col-
sm-12">
                    <div class="col-
md-6 mb-3">
                        <label
for="validationTooltip03"
class="col-form-label">Jenis
Kelamin<span class="text-
danger">*</span></label>
                        <select
class="form-control " disabled
name="jenisKelamin"
id="jenisKelamin" style="width:
100%">
                            <option
value="">Pilih Jenis
kelamin</option>
                            <option
value="1" {{ $data-
>jenis_kelamin == 1 ? 'selected'
: " " }}>Laki-Laki</option>
                            <option
value="2" {{ $data-
>jenis_kelamin == 2 ? 'selected'
: " " }}>Perempuan</option>
                        </select>
                    </div>
                    <div class="col-
md-3 mb-3">
                        <label
for="validationTooltip01"
class="col-form-
label">Tempat<span
class="text-
danger">*</span></label>
                        <input
type="text" readonly
class="form-control-plaintext "
id="tempat" name="tempat"
value="{{ $data->tempat_lahir
?? '-' }}">
                    </div>
                    <div class="col-
md-3 mb-3">
                        <label
for="validationTooltip02"
class="col-form-label">Tanggal
Lahir<span class="text-
danger">*</span></label>
                        <input
type="date" disabled
class="form-control"

```

```

id="tanggal" name="tanggal"
value="{{ $data->tanggal_lahir
?? " }}" >

</div>

</div>

<div
class="form-row mt-3">

    <div class="col-
md-6">

        <label
class="col-form-label">Nomor
Telepon<span class="text-
danger">*</span></label>

        <input
type="text" readonly
class="form-control-plaintext "
id="nomorTlp"
name="nomorTlp" value="{{
$data->nomor_telepon ?? '-'
}}">

    </div>

    <div class="col-
md-6">

        <label
class="col-form-
label">Pendidikan<span
class="text-
danger">*</span></label>

        <input
type="text" readonly
class="form-control-plaintext "
id="pendidikan"
name="pendidikan" value="{{
$data->pendidikan ?? '-' }}">

    </div>

</div>

<div class="mb-3
mt-3">

    <label
for="validationTextarea">Alama
t<span class="text-
danger">*</span></label>

    <textarea
readonly class="form-control-
plaintext" id="alamat"
name="alamat" placeholder=""
>{{ $data->alamat ?? '-'
}}</textarea>

</div>

```

```

<button
type="submit" id="btnsimpan"
hidden class="btn btn-primary
mt-5">Simpan</button>

<button
type="button"
id="tombolForm" class="btn
btn-primary mt-5">Ubah
Data</button>

<button
type="button" id="tombolBatal"
hidden class="btn btn-danger
mt-5">Batalkan</button>

<a class="btn
btn-info btn-sm mt-5 p-2 ml-1"
href="mutasi-pegawai"
role="button"><i class="fas fa-
wallet fas-sm"></i> Data
Mutasi</a>

</form>

</div>

</div>

</div>

</div>

</div>

@endsection

{{ -- <div class="container">

    <table id="table_pegawai"
class="table table-bordered">

        <thead>

            <tr>

                <th>No.</th>

                <th style="width:
500%">Nama</th>

                <th>Unit Kerja</th>

                <th>Jenis
Kelamin</th>

                <th>Nomor STR</th>

                <th>Nomor
Telepon</th>

                <th style="width:
20px">Aksi</th>

            </tr>

        </thead>

```

```

<tbody>

    <!-- Data akan
dimasukkan oleh JavaScript
DataTables -->

</tbody>

</table>

</div>

<!-- Modal -->

<div class="modal fade"
id="detail_data" tabindex="-1"
aria-
labelledby="exampleModalLabe
l" aria-hidden="true">

    <div class="modal-dialog">

        <div class="modal-content">

            <div class="modal-header">

                <h5 class="modal-title"
id="exampleModalLabel">Detai
l Data Pegawai</h5>

                <button type="button"
class="close" data-
dismiss="modal" aria-
label="Close">

            </div>

            <span aria-
hidden="true">&times;</span>

        </div>

    </div>

    <div class="modal-body">

    </div>

    <div class="modal-footer">

        <button type="button"
class="btn btn-secondary" data-
dismiss="modal">Close</button
>

    </div>

</div>

</div> --}}

{{ -- end content -- }}

@endsection

@push('scripts')

```

```

<script
src="https://cdn.jsdelivr.net/npm
/select2@4.1.0-
rc.0/dist/js/select2.min.js"></scri
pt>

<script
src="js/dataTables.min.js"></scr
ipt>

<script
src="js/dataTables.bootstrap4.mi
n.js"></script>

<script
src="vendor/datatables/jquery.da
taTables.js"></script>

<script
src="js/data_diri.js"></script>

@endpush

```

MAIN.BLADE.PHP

```

<!DOCTYPE html>

<html lang="en">

<head>

@include('layout.head')

</head>

<body id="page-top">

    <!-- Page Wrapper -->

    <div id="wrapper">

        <!-- Sidebar -->

        @include('layout.sidebar')

        <!-- End of Sidebar -->

        <!-- Content Wrapper -->

        <div id="content-wrapper"
class="d-flex flex-column">

            <!-- Main Content -->

            <div id="content">

                <!-- Topbar -->

                @include('layout.header')

                <!-- End of Topbar -->

                <!-- Begin Page
Content -->

```

```

<div class="container-
fluid">

    @yield('content')

</div>

<!-- /.container-fluid --
>

</div>

<!-- End of Main
Content -->

<!-- Footer -->

@include('layout.footer')

<!-- End of Footer -->

</div>

<!-- End of Content
Wrapper -->

```

```

</div>

<!-- End of Page Wrapper -->

<!-- Scroll to Top Button-->

<a class="scroll-to-top
rounded" href="#page-top">

    <i class="fas fa-angle-
up"></i>

</a>

<!-- Logout Modal-->

<div class="modal fade"
id="logoutModal" tabindex="-1"
role="dialog" aria-
labelledby="exampleModalLabe
l"

    aria-hidden="true">

    <div class="modal-dialog"
role="document">

        <div class="modal-
content">

            <div class="modal-
header">

                <h5 class="modal-
title"
id="exampleModalLabel">Read
y to Leave?</h5>

                <button
class="close" type="button"

```

```

data-dismiss="modal" aria-
label="Close">

        <span aria-
hidden="true">×</span>

    </button>

</div>

<div class="modal-
body">Select "Logout" below if
you are ready to end your
current session.</div>

<div class="modal-
footer">

    <button class="btn
btn-secondary" type="button"
data-
dismiss="modal">Cancel</butto
n>

    <a class="btn btn-
primary"
href="login.html">Logout</a>

</div>

</div>

</div>

</div>

@include('layout.scripts')

</body>

</html>

```

MUTASI.BLADE.PHP

```

@extends('main')

@push('css')

<link
href="vendor/datatables/dataTab
les.bootstrap4.css"
rel="stylesheet">

<link
href="css/dataTables.bootstrap4.
min.css" rel="stylesheet">

<link
href="https://cdn.jsdelivr.net/np
m/select2@4.1.0-
rc.0/dist/css/select2.min.css"
rel="stylesheet" />

<link rel="stylesheet"
href="https://stackpath.bootstrap

```

```

cdn.com/bootstrap/4.5.2/css/bootstrap.min.css">

<link rel="stylesheet"
href="https://cdn.datatables.net/1.10.25/css/dataTables.bootstrap4.min.css">

<link rel="stylesheet"
href="https://cdn.datatables.net/responsive/2.2.9/css/responsive.bootstrap4.min.css">

<style>

    @media print {

        body * {

            visibility: hidden;

        }

        #table_mutasi, #table_mutasi * {

            visibility: visible;

        }

        #table_mutasi {

            position: absolute;

            left: 0;

            right: 0;

            top: 0;

        }

    }

</style>

@endpush

@section('content')

{{ -- tempat content -- }}

<nav aria-label="breadcrumb">

    <ol class="breadcrumb">

        <li class="breadcrumb-item">Dashboard</li>

        <li class="breadcrumb-item">Data Pegawai</li>

        <li class="breadcrumb-item active" aria-current="page">Data Mutasi Pegawai</li>

    </ol>

```

```

</nav>

<div class="container">

    @if (Auth::user()->role_id == 3)

        <div class="float-left">

            <a class="btn btn-primary btn-sm mt-2 mb-4" href="daftar-pegawai" role="button"><i class="fas fa-reply fa-sm"></i></i> Kembali</a>

        </div>

        @else

            <div class="float-left">

                <a class="btn btn-primary btn-sm mt-2 mb-4" href="pegawai" role="button"><i class="fas fa-reply fa-sm"></i></i> Kembali</a>

                <button class="btn btn-success mt-2 mb-4 ml-1 btn-sm" id="btnAddMutasi"><i class="fas fa-plus fa-sm"></i> Tambah Data</button>

                <button class="btn btn-danger btn-sm mt-2 mb-4 ml-1" data-toggle="modal" data-target="#data_mutasi" type="button" onclick="window.print()">

                    <i class="fas fa-print"></i> Cetak</button>

            </div>

        @endif

    @if (Auth::user()->role_id == 3)

        <table id="table_mutasi_direktur" class="table table-bordered" style="width: 100%">

            <thead>

                <tr>

                    <th style="width: 5%">No.</th>

                    <th style="width: 28%">Nama</th>

```

```

                <th style="width: 19%">Unit Kerja Lama</th>

                <th style="width: 19%">Unit Kerja Baru</th>

                <th style="width: 19%">Tanggal Pindah</th>

            </tr>

        </thead>

        <tbody>

        </tbody>

    </table>

    @else

        <table id="table_mutasi" class="table table-bordered" style="width: 100%">

            <thead>

                <tr>

                    <th style="width: 5%">No.</th>

                    <th style="width: 28%">Nama</th>

                    <th style="width: 19%">Unit Kerja Lama</th>

                    <th style="width: 19%">Unit Kerja Baru</th>

                    <th style="width: 19%">Tanggal Pindah</th>

                <th>Aksi</th>

            </tr>

        </thead>

        <tbody>

        </tbody>

    </table>

    @endif

    <div class="text-right mr-5 mt-3">

        <div class="modal fade" id="ModalAddData"

```

```

tabindex="-1" data-
backdrop="static" data-
keyboard="false" aria-
labelledby="exampleModalLabe
l" aria-hidden="true">

    <div class="modal-dialog
modal-lg">

        <div class="modal-
content">

            <div class="modal-
header">

                <h5 class="modal-title"
id="exampleModalLabel">Tam
bah Data Mutasi</h5>

                <button type="button"
class="close" data-
dismiss="modal" aria-
label="Close">

                    <span aria-
hidden="true">&times;</span>

                </button>

            </div>

            <div class="modal-
body">

                <form id="form-
mutasi" autocomplete="off">

                    @csrf

                    <div class="form-
group">

                        <label
for="exampleFormControlSelect
1">Nama Pegawai<span
class="text-
danger">*</span></label>

                        <select
class="form-control"
id="sellKry" name="nama"
style="width: 100%">

                            </select>

                        </div>

                        <div class="row
mt-4">

                            <div class="col">

                                <div
class="form-group">

                                    <label
for="exampleFormControlSelect
1">Nama Unit Kerja<span
class="text-
danger">*</span></label>

                                    <select
class="form-control"
name="unit_kerja"
id="sellUnitkerja" style="width:
100%">

                                        </select>

                                    </div>

                                </div>

                                <div class="col">

                                    <div
class="form-group">

                                        <label
for="exampleFormControlSelect
1">Nama Unit Kerja Baru <span
class="text-
danger">*</span></label>

                                        <select
class="form-control "
name="unit_kerja_baru"
id="sellUnitkerjabaru"
style="width: 100%">

                                            </select>

                                        </div>

                                    </div>

                                <div class="form-
group mt-2">

                                    <label
for="exampleInputPassword1">
Tanggal Pindah<span
class="text-
danger">*</span></label>

                                    <input
type="date"
name="tanggal_pindah"
class="form-control form-
control-sm"
id="exampleInputPassword1">

                                    </div>

                                </div>

                                <div class="modal-
footer">

                                    <button type="submit"
class="btn btn-
primary">Simpan</button>

                                    <button type="button"
class="btn btn-danger" data-
dismiss="modal">Batal</button>
                                </div>

                            </div>

                        </div>

                    </form>

                </div>

            </div>

        </div>

    </div>

    {{ -- end content -- }}

@endsection

@push('scripts')

<script
src="https://cdn.datatables.net/1.
10.25/js/jquery.dataTables.min.j
s"></script>

<script
src="https://cdn.datatables.net/1.
10.25/js/dataTables.bootstrap4.
min.js"></script>

<script
src="https://cdn.datatables.net/re
sponsive/2.2.9/js/dataTables.resp
onsive.min.js"></script>

<script
src="https://cdn.datatables.net/re
sponsive/2.2.9/js/responsive.boo
tstrap4.min.js"></script>

<script
src="https://cdn.jsdelivr.net/npm
/select2@4.1.0-
rc.0/dist/js/select2.min.js"></scri
pt>

<script
src="js/dataTables.min.js"></scr
ipt>

<script
src="js/dataTables.bootstrap4.mi
n.js"></script>

<script
src="vendor/datatables/jquery.da
taTables.js"></script>

<script
src="js/mutasi.js"></script>

```

```

@endpush
}
</tbody>
</table>
</div>
</style>
</div>
<div class="text-right mr-5 mt-3">
</div>
<div class="modal fade"
id="ModalAddData"
tabindex="-1" data-
backdrop="static" data-
keyboard="false" aria-
labelledby="exampleModalLabe
l" aria-hidden="true">
<div class="modal-dialog
modal-lg">
<div class="modal-
content">
<div class="modal-
header">
<h5 class="modal-title"
id="exampleModalLabel">Tam
bah Data Mutasi</h5>
<button type="button"
class="close" data-
dismiss="modal" aria-
label="Close">
<span aria-
hidden="true">&times;</span>
</button>
</div>
<div class="modal-
body">
<form id="form-
mutasi" autocomplete="off">
@csrf
<div class="form-
group">
<label
for="exampleFormControlSelect
1">Nama Pegawai<span
class="text-
danger">*</span></label>
<select
class="form-control"
id="sellKry" name="nama"
style="width: 100%">

```

```

        </select>
    </div>

    <div class="row mt-4">

        <div class="col">

            <div class="form-group">

                <label
                    for="exampleFormControlSelect1">Nama Unit Kerja<span
                        class="text-danger">*</span></label>

                <select
                    class="form-control"
                    name="unit_kerja"
                    id="sellUnitkerja" style="width: 100%">

                    </select>

                </div>

            </div>

            <div class="col">

                <div class="form-group">

                    <label
                        for="exampleFormControlSelect1">Nama Unit Kerja Baru <span
                            class="text-danger">*</span></label>

                    <select class="form-control"
                        name="unit_kerja_baru"
                        id="sellUnitkerjabaru"
                        style="width: 100%">

                        </select>

                    </div>

                </div>

            </div>

            <div class="form-group mt-2">

                <label
                    for="exampleInputPassword1">Tanggal Pindah<span
                        class="text-danger">*</span></label>

```

```

        <input
            type="date"
            name="tanggal_pindah"
            class="form-control form-control-sm"
            id="exampleInputPassword1">

    </div>

    <div class="modal-footer">

        <button type="submit"
            class="btn btn-primary">Simpan</button>

        <button type="button"
            class="btn btn-danger" data-dismiss="modal">Batal</button>

    </form>

</div>

</div>

</div>

{{ -- end content -- }}

@endsection

@push('scripts')

<script
    src="https://cdn.datatables.net/1.10.25/js/jquery.dataTables.min.js"></script>

<script
    src="https://cdn.datatables.net/1.10.25/js/dataTables.bootstrap4.min.js"></script>

<script
    src="https://cdn.datatables.net/responsive/2.2.9/js/dataTables.responsive.min.js"></script>

<script
    src="https://cdn.datatables.net/responsive/2.2.9/js/dataTables.bootstrap4.min.js"></script>

<script
    src="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist/js/select2.min.js"></script>

```

```

<script
    src="js/dataTables.min.js"></script>

<script
    src="js/dataTables.bootstrap4.min.js"></script>

<script
    src="vendor/datatables/jquery.dataTables.js"></script>

<script
    src="js/mutasi.js"></script>

@endpush

```

PEGAWAI.BLADE.PHP

```

@extends('main')

@push('css')

{{ -- <link
    href="vendor/datatables/dataTables.bootstrap4.css"
    rel="stylesheet">

<link
    href="css/dataTables.bootstrap4.min.css" rel="stylesheet">

<link
    href="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist/css/select2.min.css"
    rel="stylesheet" /> --}}

<link rel="stylesheet"
    href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">

<link rel="stylesheet"
    href="https://cdn.datatables.net/1.10.25/css/dataTables.bootstrap4.min.css">

<link rel="stylesheet"
    href="https://cdn.datatables.net/responsive/2.2.9/css/responsive.bootstrap4.min.css">

<style>

    @media print {

        body * {

            visibility: hidden;

        }
    }

```

```

#table_pegawai,
#table_pegawai * {
    visibility: visible;
}
#table_pegawai {
    position: absolute;
    left: 0;
    right: 0;
    top: 0;
}
}
</style>
@endpush
@section('content')
{{ -- tempat content -- }}
<nav aria-label="breadcrumb">
    <ol class="breadcrumb">
        <li class="breadcrumb-item">Dashboard</li>
        <li class="breadcrumb-item active" aria-current="page">Data Pegawai</li>
    </ol>
</nav>
<div class="container">
    <div class="row-lg">
        <table id="table_pegawai" class="table table-bordered" style="width: 100%">
            <a class="btn btn-info float-left btn-sm mt-2 mb-3" href="mutasi" role="button"><i class="fas fa-wallet fas-sm"></i> Data Mutasi</a>
            <button class="btn btn-danger btn-sm mt-2 mb3 ml-2" data-toggle="modal" data-target="#data_pegawai" type="button" onclick="window.print()">
                <i class="fas fa-print"></i> Cetak</button>

```

```

<thead>
    <tr>
        <th>No.</th>
        <th style="width: 28%">Nama</th>
        <th>Nomor STR</th>
        <th>Nomor Telepon</th>
        <th style="width: 15%">Unit Kerja</th>
        <th style="width: 23%">Jenis Kelamin</th>
        <th style="width: 20%" class="aksi">Aksi</th>
    </tr>
</thead>
</table>
</div>
<!-- Modal -->
<div class="modal fade" id="detail_data" tabindex="-1" aria-labelledby="exampleModalLabel" aria-hidden="true">
    <div class="modal-dialog">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title" id="exampleModalLabel">Detail Data Pegawai</h5>
                <button type="button" class="close" data-dismiss="modal" aria-label="Close">
                    <span aria-hidden="true">&times;</span>
                </button>
            </div>
            <div class="modal-body">
                <h4 class="lead" id="nama"></h4>

```

```

<p class="text-small" id="noSTR"></p>
<div class="row">
    <div class="col">
        <h5 for="">Unit Kerja</h5>
        <p class="" id="unitKerja">###</p>
    </div>
</div>
<div class="row">
    <div class="col">
        <h5 for="">Tempat, Tanggal Lahir</h5>
        <p class=""><span id="Tempat">###</span>, <span id="tanggal">###</span></p>
    </div>
</div>
<div class="col">
    <h5 for="">Pendidikan</h5>
    <p class="" id="Pendidikan">###</p>
</div>
<div class="row">
    <div class="col">
        <h5 for="">Alamat</h5>
        <p class="" id="Alamat">###</p>
    </div>
</div>
<div class="modal-footer">
    <button type="button" class="btn btn-primary" data-dismiss="modal">Close</button>
</div>
</div>
</div>

```

```

</div>

{{ -- end content -- }}

@endsection

@push('scripts')

<script
src="https://cdn.datatables.net/1.
10.25/js/jquery.dataTables.min.j
s"></script>

<script
src="https://cdn.datatables.net/1.
10.25/js/dataTables.bootstrap4.
min.js"></script>

<script
src="https://cdn.datatables.net/re
sponsive/2.2.9/js/dataTables.resp
onsive.min.js"></script>

<script
src="https://cdn.datatables.net/re
sponsive/2.2.9/js/responsive.boo
tstrap4.min.js"></script>

{{ -- <script
src="https://cdn.jsdelivr.net/npm
/select2@4.1.0-
rc.0/dist/js/select2.min.js"></scri
pt>

<script
src="js/dataTables.min.js"></scr
ipt>

<script
src="js/dataTables.bootstrap4.mi
n.js"></script>

<script
src="vendor/datatables/jquery.da
taTables.js"></script> -- }}

<script
src="js/pegawai.js"></script>

@endpush

```

WEB.PHP (ROUTES)

```

<?php

use
Illuminate\Support\Facades\Rou
te;

use
App\Http\Controllers\UserContr
oller;

```

```

use
App\Http\Controllers\PagesCont
roller;

use
App\Http\Controllers>LoginCont
roller;

use
App\Http\Controllers\CutiContr
oller;

Route::controller(LoginControll
er::class)->group(function(){

Route::get('Registrasi','registrasi'
);
Route::get('Login','HalamanLogi
n')->name('Login');

Route::POST('Registrasi/create','
CreateUser');

Route::POST('Login','Login')-
>name('Login.submit');

Route::get('Logout','Logout');

});

Route::middleware(['auth'])-
>group(function () {
Route::controller(PagesControlle
r::class)->group(function(){

Route::get('/', 'Dashboard')-
>name('Dashboard');

});

Route::controller(UserController
::class)->group(function(){

Route::get('data-
pegawai','data_pegawai');

Route::get('pegawai','index');

Route::get('mutasi-
pegawai','mutasiBy');

Route::get('daftar-
pegawai','daftarPegawai');

Route::get('pegawaiby/{id}','get
PegawaiBy');

Route::get('data-
mutasi/{id}','data_mutasi');

Route::get('mutasi','mutasi');
Route::get('GetDataKry','DataKr
y');
Route::get('GetDataUnitkerja','D
ataUnitkerja');

```

```

Route::delete('deletePegawai','de
letePegawai');
Route::get('data_diri','data_diri');
Route::POST('simpanDatadiri','s
impanDatadiri');
Route::get('absensi/{id}','proses
Absensi');

Route::get('data-
absensi','data_absensi');
Route::get('absensi','absensi');
Route::POST('tambahMutasi','st
oreMutasi');

Route::delete('deleteMutasi',
'deleteMutasi');

});

});

Route::controller(CutiController
::class)->group(function(){

// Route untuk pengajuan cuti
oleh user

Route::get('data-
cuti','data_cuti');

Route::get('cuti','cuti');

Route::get('data-
cutiBy','GetDataCutiBy');
Route::get('cuti_user','cuti_user')
;

Route::post('AksiCuti',
'AksiCuti');

Route::post('FormCuti',
'formCuti');

Route::post('{id}/status',
'updateStatus')-
>name('cuti.updateStatus');

});

// Route untuk halaman admin
melihat dan mengelola
pengajuan cuti

// Route::get('cuti',
[CutiController::class, 'index'])-
>name('cuti');

// Route::post('{id}/status',
[CutiController::class,
'updateStatus'])-
>name('admin.cuti.updateStatus'
);

// Route::get('pegawai',
[UserController::class, 'index']);

```

```
//
Route::get('pegawai/{id}','index'
);
```

TB_PEGAWAI.PHP (MODEL)

```
<?php

namespace App\Models;

use
Illuminate\Database\Eloquent\Fa
ctories\HasFactory;

use
Illuminate\Database\Eloquent\M
odel;

use
Illuminate\Database\Eloquent\So
ftDeletes;

class tb_pegawai extends Model
{

    use HasFactory, SoftDeletes;

    /**

        * The attributes that are mass
        assignable.

        *

        * @var array<int, string>

        */

    protected $table =
'tb_pegawai';

    protected $guarded = ['id'];

    protected $dates =
['deleted_at'];

}
```

TB_MASTER_UNITKERJA. PHP (MODEL)

```
<?php

namespace App\Models;

use
Illuminate\Database\Eloquent\Fa
ctories\HasFactory;
```

```
use
Illuminate\Database\Eloquent\M
odel;

use
Illuminate\Database\Eloquent\So
ftDeletes;

class tb_master_unitkerja
extends Model
{

    use HasFactory, SoftDeletes;

    /**

        * The attributes that are mass
        assignable.

        *

        * @var array<int, string>

        */

    protected $table =
'tb_master_unitkerja';

    protected $guarded = ['id'];

    protected $dates =
['deleted_at'];

}
```

TB_CUTI.PHP (MODEL)

```
<?php

namespace App\Models;

use
Illuminate\Database\Eloquent\Fa
ctories\HasFactory;

use
Illuminate\Database\Eloquent\M
odel;

use
Illuminate\Database\Eloquent\So
ftDeletes;

class tb_cuti extends Model
{

    use HasFactory, SoftDeletes;

    /**

        * The attributes that are mass
        assignable.
```

```
*

* @var array<int, string>

*/

protected $table = 'tb_cuti';

protected $guarded = ['id'];

protected $dates =
['deleted_at'];

}
```

TB_ABSENSI.PHP (MODEL)

```
<?php

namespace App\Models;

use
Illuminate\Database\Eloquent\Fa
ctories\HasFactory;

use
Illuminate\Database\Eloquent\M
odel;

use
Illuminate\Database\Eloquent\So
ftDeletes;

class tb_absensi extends Model
{

    use HasFactory, SoftDeletes;

    protected $table =
'tb_absensi';

    protected $guarded = ['id'];

    protected $dates =
['deleted_at'];

}
```