

LISTING CODE

log-halte/application/config/routes.php

```
<?php
defined('BASEPATH') or exit('No
direct script access allowed');
```

```
$route['default_controller'] = 'auth';
$route['404_override'] = 'Notfound';
$route['translate_uri_dashes'] =
FALSE;
```

```
$route['auth'] = 'Auth';
$route['sign-up'] = 'Auth/signup';
$route['sign'] = 'Auth/sign';
$route['logout'] = 'Auth/logout';
$route['verification'] =
'Auth/verification';
$route['logout'] = 'Auth/logout';
```

```
// Administrator
$route['dashboard'] = 'Admin/index';
$route['change-password'] =
'Admin/change_password';
$route['update-setting'] =
'Admin/updateSetting';
```

```
$route['users'] = 'Admin/users';
$route['add-users'] =
'Admin/add_user';
$route['delete-users/(:num)'] =
'Admin/delete_user/$1';
$route['activate/(:num)'] =
'Admin/activate/$1';
$route['update-users'] =
'Admin/update_user';
```

```
$route['petugas'] = 'Admin/petugas';
$route['add-petugas'] =
'Admin/addPetugas';
$route['update-petugas'] =
'Admin/updatePetugas';
$route['delete-petugas/(:any)'] =
'Admin/deletePetugas/$1';
```

```
$route['pic-halte/(:any)'] =
'Admin/picHalte/$1';
$route['add-pic'] = 'Admin/addPic';
$route['delete-pic/(:any)/(:any)'] =
'Admin/deletePic/$1/$2';
```

```
$route['halte'] = 'Admin/halte';
$route['add-halte'] =
'Admin/addHalte';
$route['update-halte'] =
'Admin/updateHalte';
$route['delete-halte/(:any)'] =
'Admin/deleteHalte/$1';
$route['foto-halte'] =
'Admin/fotoHalte';
```

```
$route['list-kondisi'] =
'Admin/listKondisi';
$route['ajukan-surat/(:any)'] =
'Admin/ajukanSurat/$1';
$route['cetak-surat'] =
'Admin/cetakSurat';
$route['delete-kondisi/(:any)'] =
'Admin/deleteKondisi/$1';
```

```
$route['kondisi'] = 'Admin/kondisi';
$route['add-kondisi'] =
'Admin/addKondisi';
```

```
$route['perbaikan'] =
'Admin/perbaikan';
$route['perbaikan-selesai'] =
'Admin/perbaikanSelesai';
$route['perbaikan-diproses/(:any)'] =
'Admin/perbaikanDiproses/$1';
$route['perbaikan-ditolak/(:any)'] =
'Admin/perbaikanDitolak/$1';
$route['daftar-perbaikan'] =
'Admin/daftarPerbaikan';
```

```
$route['penghapusan'] =
'Admin/penghapusan';
$route['cetak-penghapusan'] =
'Admin/cetakPenghapusan';
```

```
$route['cetak-laporan'] =
'Admin/cetakLaporan';
```

```
# Disable Controller access without
routing
$route['(.*)'] = "Notfound";
```

**log-halte/application/controllers/
Admin.php**

```
<?php
defined('BASEPATH') or exit('No
direct script access allowed');
```

```
class Admin extends CI_Controller
{
```

```
function __construct()
{
    parent::__construct();
    $this->load->library('session');
    $this->load->helper(array('url',
'download'));
}
```

```
if ($this->session-
>userdata('status') !=
"Administrator") {
    redirect(base_url("auth"));
} else {
```

```
    $this->load-
>model('M_default');
    $this->load->helper('url');
}
}
```

```
function index()
{
    $data['title'] = 'Dashboard';
    $this->load-
>view('templates/sidebar', $data);
    $this->load-
>view('auth/dashboard', $data);
    $this->load-
>view('templates/footer');
}
```

```
function change_password()
{
    $id = $this->input->post('id');
    $pw_lama = $this->input-
>post('pw_lama');
    $pw_baru = $this->input-
>post('pw_baru');
    $pw_baru2 = $this->input-
>post('pw_baru2');
    $username = $this->session-
>userdata('nama');
```

```
$where2 = array(
    'id' => $id
);
```

```
$get_pw = $this->db-
>get_where('user', ['username' =>
$username])->row_array();
$pw = $get_pw['password'];
if (password_verify($pw_lama,
$pw)) {
    if ($pw_baru == $pw_baru2)
    {
```

```
        $data = array(
            'password' =>
password_hash($this->input-
>post('pw_baru'),
PASSWORD_DEFAULT),
        );
        $this->M_default-
>update($where2, $data, 'user');
        $this->session-
>set_flashdata('message', 'data telah
diperbarui kedalam sistem, terima
kasih !');
```

```
        redirect('dashboard');
    } else {
        $this->session-
>set_flashdata('message', 'data tidak
sesuai, cek kembali password anda');
        redirect('dashboard');
    }
} else {
```

```

        $this->session-
>set_flashdata('message', 'data tidak
sesuai, cek kembali password anda');
        redirect('dashboard');
    }
}

function updateSetting()
{
    $id = $this->input->post('id');
    $nama = htmlspecialchars($this-
>input->post('nama'));
    $data = array(
        'nama' => $nama
    );
    $where = array(
        'id' => $id
    );

    $this->M_default-
>update($where, $data, 'user');
    $this->session-
>set_flashdata('message', 'data telah
diperbarui');
    redirect('dashboard');
}

function users()
{
    $data['title'] = 'Data Akun
Terdaftar';
    $data['subtitle'] = 'Pada halaman
ini anda dapat mengelola seluruh
akun yang terdapat didalam sistem';
    $data['user'] = $this->db-
>get_where('user')->result();
    $this->load-
>view('templates/sidebar', $data);
    $this->load-
>view('admin/akun', $data);
    $this->load-
>view('templates/footer');
}

function add_user()
{

```

```

    $username =
htmlspecialchars($this->input-
>post('username'));
    $password =
htmlspecialchars($this->input-
>post('password'));
    $nama = htmlspecialchars($this-
>input->post('nama'));
    $level = htmlspecialchars($this-
>input->post('level'));

    $data = array(
        'username' => $username,
        'password' =>
password_hash($password,
PASSWORD_DEFAULT),
        'nama' => $nama,
        'level' => $level,
    );

    $this->M_default->input($data,
'user');
    $this->session-
>set_flashdata('message', 'data user
telah ditambahkan');
    redirect('users');
}

function delete_user($id)
{
    $where = array('id' => $id);
    $this->M_default-
>hapus($where, 'user');
    $this->session-
>set_flashdata('message', 'data telah
dihapus');
    redirect('users');
}

function update_user()
{
    $id = $this->input->post('id');
    $username =
htmlspecialchars($this->input-
>post('username'));

```

```

        $nama = htmlspecialchars($this->input->post('nama'));
        $level = htmlspecialchars($this->input->post('level'));
        $data = array(
            'username' => $username,
            'level' => $level,
            'nama' => $nama
        );
        $where = array(
            'id' => $id
        );

        $this->M_default->update($where, $data, 'user');
        $this->session->set_flashdata('message', 'data telah diperbarui');
        redirect('users');
    }

    function petugas()
    {
        $data['title'] = 'Data Petugas Teknis Operasional UPTD Angkutan Massal';
        $data['subtitle'] = 'Pada halaman ini anda dapat mengelola seluruh data Petugas Teknis Operasional UPTD Angkutan Massal';
        $data['petugas'] = $this->db->query("SELECT * FROM tb_petugas")->result();
        $this->load->view('templates/sidebar', $data);
        $this->load->view('admin/petugas', $data);
        $this->load->view('templates/footer');
    }

    function addPetugas()
    {
        $nip = htmlspecialchars($this->input->post('nip'));

```

```

        $nama = htmlspecialchars($this->input->post('nama'));
        $jenis_kelamin = htmlspecialchars($this->input->post('jenis_kelamin'));
        $alamat = htmlspecialchars($this->input->post('alamat'));
        $tgl_lahir = htmlspecialchars($this->input->post('tgl_lahir'));
        $telepon = htmlspecialchars($this->input->post('telepon'));

        $row = $this->db->query("SELECT * FROM tb_petugas")->num_rows();
        $no = $row + 1;

        $data = array(
            'id_petugas' => 'PTG-' . $no,
            'nip' => $nip,
            'nama' => $nama,
            'jenis_kelamin' => $jenis_kelamin,
            'tgl_lahir' => $tgl_lahir,
            'alamat' => $alamat,
            'telepon' => $telepon
        );

        $this->M_default->input($data, 'tb_petugas');
        $this->session->set_flashdata('message', 'data petugas telah ditambahkan');

        $data2 = array(
            'username' => $nip,
            'password' => password_hash('petugas', PASSWORD_DEFAULT),
            'nama' => $nama,
            'level' => 'Petugas',
        );

```

```

        $this->M_default-
>input($data2, 'user');

        redirect('petugas');
    }

    function updatePetugas()
    {
        $id_petugas = $this->input-
>post('id_petugas');
        $nip = htmlspecialchars($this-
>input->post('nip'));
        $nama = htmlspecialchars($this-
>input->post('nama'));
        $jenis_kelamin =
htmlspecialchars($this->input-
>post('jenis_kelamin'));
        $tgl_lahir =
htmlspecialchars($this->input-
>post('tgl_lahir'));
        $telepon =
htmlspecialchars($this->input-
>post('telepon'));
        $alamat =
htmlspecialchars($this->input-
>post('alamat'));
        $data = array(
            'nip' => $nip,
            'jenis_kelamin' =>
$jenis_kelamin,
            'nama' => $nama,
            'tgl_lahir' => $tgl_lahir,
            'telepon' => $telepon,
            'alamat' => $alamat
        );

        $where = array(
            'id_petugas' => $id_petugas
        );

        $this->M_default-
>update($where, $data, 'tb_petugas');
        $this->session-
>set_flashdata('message', 'data telah
diperbarui');
        redirect('petugas');
    }

```

```

    }

    function
deletePetugas($id_petugas)
    {
        $where = array('id_petugas' =>
$id_petugas);
        $this->M_default-
>hapus($where, 'tb_petugas');
        $this->session-
>set_flashdata('message', 'data telah
dihapus');
        redirect('petugas');
    }

    function picHalte($id_petugas)
    {
        $data['title'] = 'Data PIC Halte
Petugas : ' . $id_petugas;
        $data['subtitle'] = 'Pada halaman
ini anda dapat mengelola seluruh data
pic halte yang terdapat didalam
sistem';
        $data['pic'] = $this->db-
>get_where('tb_halte', ['pic' =>
$id_petugas])->result();
        $data['id_petugas'] =
$id_petugas;
        $this->load-
>view('templates/sidebar', $data);
        $this->load->view('admin/pic',
$data);
        $this->load-
>view('templates/footer');
    }

    function addPic()
    {
        $id_petugas =
htmlspecialchars($this->input-
>post('id_petugas'));
        $id_halte =
htmlspecialchars($this->input-
>post('id_halte'));
        $data = array(
            'pic' => $id_petugas
        );
    }

```

```

    );

    $where = array(
        'id_halte' => $id_halte
    );

    $this->M_default-
>update($where, $data, 'tb_halte');
    $this->session-
>set_flashdata('message', 'data telah
ditambahkan');
    redirect('pic-halte/'
    $id_petugas);
}

function deletePic()
{
    $id_halte      =      $this->uri-
>segment(2);
    $id_petugas    =      $this->uri-
>segment(3);
    $data = array(
        'pic' => "
    );

    $where = array(
        'id_halte' => $id_halte
    );

    $this->M_default-
>update($where, $data, 'tb_halte');
    redirect('pic-halte/'
    $id_petugas);
}

function halte()
{
    $data['title'] = 'Data Halte';
    $data['subtitle'] = 'Pada halaman
ini anda dapat mengelola seluruh data
halte yang terdapat didalam sistem';
    $data['halte']    =      $this->db-
>get_where('tb_halte')->result();
    $this->load-
>view('templates/sidebar', $data);

```

```

    $this->load-
>view('admin/halte', $data);
    $this->load-
>view('templates/footer');
}

function addHalte()
{
    $nama_halte      =
htmlspecialchars($this->input-
>post('nama_halte'));
    $lokasi           =
htmlspecialchars($this->input-
>post('lokasi'));
    $kecamatan        =
htmlspecialchars($this->input-
>post('kecamatan'));
    $jenis = htmlspecialchars($this-
>input->post('jenis'));
    $perolehan         =
htmlspecialchars($this->input-
>post('perolehan'));
    $koordinat         =
htmlspecialchars($this->input-
>post('koordinat'));
    $rute = htmlspecialchars($this-
>input->post('rute'));

    $row              =      $this->db-
>query("SELECT      *      FROM
tb_halte")->num_rows();
    $no = $row + 1;

    $data = array(
        'id_halte' => 'HALTE-' . $no,
        'nama_halte' => $nama_halte,
        'lokasi' => $lokasi,
        'rute' => $rute,
        'kecamatan' => $kecamatan,
        'jenis' => $jenis,
        'perolehan' => $perolehan,
        'koordinat' => $koordinat,
        'gambar' => 'default.jpg'
    );

```

```

        $this->M_default->input($data,
'tb_halte');
        $this->session-
>set_flashdata('message', 'data halte
telah ditambahkan');
        redirect('halte');
    }

```

```

function updateHalte()
{
    $id_halte = $this->input-
>post('id_halte');
    $nama_halte =
htmlspecialchars($this->input-
>post('nama_halte'));
    $lokasi =
htmlspecialchars($this->input-
>post('lokasi'));
    $kecamatan =
htmlspecialchars($this->input-
>post('kecamatan'));
    $jenis = htmlspecialchars($this-
>input->post('jenis'));
    $perolehan =
htmlspecialchars($this->input-
>post('perolehan'));
    $koordinat =
htmlspecialchars($this->input-
>post('koordinat'));
    $rute = htmlspecialchars($this-
>input->post('rute'));

```

```

    $data = array(
        'nama_halte' => $nama_halte,
        'lokasi' => $lokasi,
        'rute' => $rute,
        'kecamatan' => $kecamatan,
        'jenis' => $jenis,
        'perolehan' => $perolehan,
        'koordinat' => $koordinat
    );
    $where = array(
        'id_halte' => $id_halte
    );

```

```

        $this->M_default-
>update($where, $data, 'tb_halte');
        $this->session-
>set_flashdata('message', 'data telah
diperbarui');
        redirect('halte');
    }

```

```

function deleteHalte($id_halte)
{
    $where = array('id_halte' =>
$id_halte);
    $this->M_default-
>hapus($where, 'tb_halte');
    $this->session-
>set_flashdata('message', 'data telah
dihapus');
    redirect('halte');
}

```

```

function fotoHalte()
{
    $id_halte = $this->input-
>post('id_halte');
    $config['upload_path'] =
'./assets/uploads';
    $config['allowed_types'] =
'JPG|jpg|JPEG|jpeg|PNG|png';
    $config['max_size'] =
'5120';
    $this->load->library('upload',
$config);

```

```

    if (!$this->upload-
>do_upload('gambar')) {
        $this->session-
>set_flashdata('pesan', 'format file
salah atau file terlalu besar');
    } else {
        $gambar = $this->upload-
>data('file_name');
        $data = array(
            'gambar' => $gambar
        );

```

```

        $where = array(

```

```

        'id_halte' => $id_halte
    );

    $this->M_default-
>update($where, $data, 'tb_halte');
    $this->session-
>set_flashdata('message', 'foto
berhasil diupload');
    redirect('halte');
}
$this->session-
>set_flashdata('pesan', 'format file
salah atau file terlalu besar');
    redirect('halte');
}

function kondisi()
{
    $data['title'] = 'Data Kondisi
Eksisting Halte Rutin Trans Musi';
    $data['subtitle'] = 'Pada halaman
ini anda dapat mengelola seluruh data
kondisi eksisting halte yang terdapat
didalam sistem';

    $nama = $this->session-
>userdata('nama');
    $user = $this->db-
>get_where('tb_petugas', ['nip' =>
$nama])->row_array();
    $id_petugas =
$user['id_petugas'];
    $data['id_petugas'] =
$id_petugas;

    $data['kondisi'] = $this->db-
>query("SELECT * FROM
tb_kondisi WHERE id_petugas =
'$id_petugas' ORDER BY id_kondisi
DESC")->result();
    $this->load-
>view('templates/sidebar', $data);
    $this->load-
>view('admin/kondisi', $data);
    $this->load-
>view('templates/footer');

```

```

    }

    function addKondisi()
    {
        $id_halte = $this->input-
>post('id_halte');
        $periode = $this->input-
>post('periode');
        $keterangan = $this->input-
>post('keterangan');

        $Indi1 = $this->input-
>post('Indi1');
        $Indi2 = $this->input-
>post('Indi2');
        $Indi3 = $this->input-
>post('Indi3');
        $Indi4 = $this->input-
>post('Indi4');
        $Indi5 = $this->input-
>post('Indi5');
        $Indi6 = $this->input-
>post('Indi6');
        $Indi7 = $this->input-
>post('Indi7');

        $Indikator1 = 0;
        $Indikator8 = 0;

        if ($Indi1 != "") {
            $kondisi = $Indi1;
            if ($Indi1 == "Layak Pakai") {
                $Indikator1 = 1;
                $Indikator2 = 0;
                $Indikator3 = 0;
                $Indikator4 = 0;
                $Indikator5 = 0;
                $Indikator6 = 0;
                $Indikator7 = 0;
                $Indikator8 = 0;
            } else {
                $Indikator1 = 0;
                $Indikator2 = 0;
                $Indikator3 = 0;
                $Indikator4 = 0;

```

```

        $Indikator5 = 0;
        $Indikator6 = 0;
        $Indikator7 = 0;
        $Indikator8 = 1;
    }
} else {

    $Indikator2 = ($Indi2 == 1) ?
1 : 0;
    $Indikator3 = ($Indi3 == 1) ?
1 : 0;
    $Indikator4 = ($Indi4 == 1) ?
1 : 0;
    $Indikator5 = ($Indi5 == 1) ?
1 : 0;
    $Indikator6 = ($Indi6 == 1) ?
1 : 0;
    $Indikator7 = ($Indi7 == 1) ?
1 : 0;

    $sum = $Indikator2 +
$Indikator3 + $Indikator4 +
$Indikator5 + $Indikator6 +
$Indikator7;

    if ($sum == 1) {
        $kondisi = "Rusak Ringan";
    } else if ($sum == 2) {
        $kondisi = "Rusak
Sedang";
    } else {
        $kondisi = "Rusak Berat";
    }
}

    $nama = $this->session-
>userdata('nama');
    $user = $this->db-
>get_where('tb_petugas', ['nip' =>
$nama])->row_array();
    $id_petugas =
$user['id_petugas'];

    $config['upload_path'] =
'./assets/uploads';

    $config['allowed_types'] =
'JPG|jpg|JPEG|jpeg|PNG|png';
    $config['max_size'] =
'5120';
    $this->load->library('upload',
$config);

    if (!$this->upload-
>do_upload('gambar')) {
        $this->session-
>set_flashdata('pesan', 'format file
salah atau file terlalu besar');
        redirect('kondisi');
    } else {
        $gambar = $this->upload-
>data('file_name');
        $data = array(
            'gambar' => $gambar,
            'id_halte' => $id_halte,
            'kondisi' => $kondisi,
            'i1' => $Indikator1,
            'i2' => $Indikator2,
            'i3' => $Indikator3,
            'i4' => $Indikator4,
            'i5' => $Indikator5,
            'i6' => $Indikator6,
            'i7' => $Indikator7,
            'i8' => $Indikator8,
            'keterangan' =>
$keterangan,
            'id_petugas' =>
$id_petugas,
            'periode' => $periode,
            'bukti' => "image.png"
        );

        $where = array(
            'id_halte' => $id_halte
        );

        $this->M_default-
>input($data, 'tb_kondisi');
        $this->session-
>set_flashdata('message', 'data
berhasil disimpan');
        redirect('kondisi');
    }
}

```

```

    }
}

function listKondisi()
{
    $data['title'] = 'Data Kondisi
Eksisting Halte Rutin Trans Musi';
    $data['subtitle'] = 'Pada halaman
ini anda dapat mengelola seluruh data
perbaikan halte yang terdapat didalam
sistem';

    $data['perbaikan'] = $this->db-
>query('SELECT * FROM
tb_kondisi ORDER BY id_kondisi
DESC')->result();
    $this->load-
>view('templates/sidebar', $data);
    $this->load->view('admin/list-
kondisi', $data);
    $this->load-
>view('templates/footer');
}

function ajukanSurat($id_kondisi)
{
    $data = array(
        'status' => "proses
permohonan"
    );
    $where = array('id_kondisi' =>
$id_kondisi);
    $this->M_default-
>update($where, $data, 'tb_kondisi');
    $this->session-
>set_flashdata('message', 'perbaikan
telah diajukan');
    redirect('list-kondisi');
}

function
deleteKondisi($id_kondisi)
{
    $where = array('id_kondisi' =>
$id_kondisi);

```

```

    $this->M_default-
>hapus($where, 'tb_kondisi');
    $this->session-
>set_flashdata('message', 'data telah
dihapus');
    redirect('list-kondisi');
}

function perbaikan()
{
    $data['title'] = 'Data Perbaikan
Halte Trans Musi';
    $data['subtitle'] = 'Pada halaman
ini anda dapat mengelola seluruh data
perbaikan halte yang terdapat didalam
sistem';

    $data['perbaikan'] = $this->db-
>query("SELECT * FROM
tb_kondisi WHERE kondisi != 'Layak
Pakai' AND kondisi != 'Rusak
Ringan' AND kondisi != 'Tidak
Layak' AND status != 'ditolak'
ORDER BY id_kondisi DESC")-
>result();
    $this->load-
>view('templates/sidebar', $data);
    $this->load-
>view('admin/perbaikan', $data);
    $this->load-
>view('templates/footer');
}

function
perbaikanDiproses($id_kondisi)
{
    $data = array(
        'status' => "proses perbaikan"
    );
    $where = array('id_kondisi' =>
$id_kondisi);
    $this->M_default-
>update($where, $data, 'tb_kondisi');
    $this->session-
>set_flashdata('message', 'perbaikan
diproses');

```

```

        redirect('perbaikan');
    }

    function perbaikanSelesai()
    {
        $tgl_selesai =
htmlspecialchars($this->input-
>post('tgl_selesai'));
        $id_kondisi =
htmlspecialchars($this->input-
>post('id_kondisi'));

        $config['upload_path'] =
'./assets/uploads';
        $config['allowed_types'] =
'JPG|jpg|JPEG|jpeg|PNG|png';
        $config['max_size'] =
'5120';
        $this->load->library('upload',
$config);

        if (! $this->upload-
>do_upload('bukti')) {
            $this->session-
>set_flashdata('pesan', 'format file
salah atau file terlalu besar');
        } else {
            $bukti = $this->upload-
>data('file_name');
            $data = array(
                'bukti' => $bukti,
                'status' => "selesai",
                'tgl_selesai' => $tgl_selesai
            );

            $where = array('id_kondisi'
=> $id_kondisi);
            $this->M_default-
>update($where, $data, 'tb_kondisi');
            $this->session-
>set_flashdata('message', 'perbaikan
selesai');
            redirect('perbaikan');
        }
    }

```

```

function
perbaikanDitolak($id_kondisi)
{
    $data = array(
        'status' => "ditolak"
    );
    $where = array('id_kondisi' =>
$id_kondisi);
    $this->M_default-
>update($where, $data, 'tb_kondisi');
    $this->session-
>set_flashdata('message', 'perbaikan
ditolak');
    redirect('perbaikan');
}

function penghapusan()
{
    $data['title'] = 'Data
Penghapusan Halte Trans Musi';
    $data['subtitle'] = 'Pada halaman
ini anda dapat mengelola seluruh data
penghapusan halte yang terdapat
didalam sistem';

    $data['penghapusan'] = $this-
>db->query("SELECT * FROM
tb_kondisi WHERE status = 'ditolak'
OR kondisi = 'Tidak Layak' ORDER
BY id_kondisi DESC")->result();
    $this->load-
>view('templates/sidebar', $data);
    $this->load-
>view('admin/penghapusan', $data);
    $this->load-
>view('templates/footer');
}

function cetakSurat()
{
    $data['title'] = 'Surat
Permohonan Bantuan Perbaikan dan
Perawatan Halte';
    $data['tgl_surat'] = $this->input-
>post('tgl_surat');

```

```

        $data['id_halte'] = $this->input-
>post('id_halte');
        $data['tujuan_surat'] = $this-
>input->post('tujuan_surat');

        $this->load->library('pdf');
        $this->pdf->setPaper('Legal',
'Portrait');
        $this->pdf-
>load_view('output/permohonan-
bantuan', $data);
    }

    function cetakPenghapusan()
    {
        $data['title'] = 'Surat
Permohonan Penghapusan Aset
Halte';
        $data['tgl_surat'] = $this->input-
>post('tgl_surat');
        $periode = $this->input-
>post('periode');
        $data['penghapusan'] = $this-
>db->query("SELECT * FROM
tb_kondisi WHERE (periode =
'$periode' AND status = 'ditolak') OR
(periode = '$periode' AND kondisi =
'Tidak Layak')")->result();
        $data['jumlah'] = $this->db-
>get_where('tb_kondisi', ['periode'
=> $periode, 'status' => 'ditolak'])-
>num_rows();
        $data['total'] = $this->db-
>query('SELECT * FROM tb_halte')-
>num_rows();
        $data['layak_pakai'] = $this-
>db->query("SELECT * FROM
tb_kondisi WHERE kondisi = 'Layak
pakai' AND periode = '$periode'")-
>num_rows();
        $data['rusak_ringan'] = $this-
>db->query("SELECT * FROM
tb_kondisi WHERE kondisi = 'Rusak
Ringan' AND periode = '$periode'")-
>num_rows();

```

```

        $data['rusak_sedang'] = $this-
>db->query("SELECT * FROM
tb_kondisi WHERE kondisi = 'Rusak
Sedang' AND periode = '$periode'")-
>num_rows();
        $data['rusak_berat'] = $this->db-
>query("SELECT * FROM
tb_kondisi WHERE kondisi = 'Rusak
Berat' AND periode = '$periode'")-
>num_rows();
        $data['tidak_layak'] = $this->db-
>query("SELECT * FROM
tb_kondisi WHERE kondisi = 'Tidak
Layak' AND periode = '$periode'")-
>num_rows();

        $this->load->library('pdf');
        $this->pdf->setPaper('Legal',
'Portrait');
        $this->pdf-
>load_view('output/surat-
penghapusan', $data);
    }

    function daftarPerbaikan()
    {
        $data['title'] = 'Laporan
Perbaikan Kondisi Eksisting Halte';
        $data['tgl_surat'] = $this->input-
>post('tgl_surat');
        $periode = $this->input-
>post('periode');
        $data['perbaikan'] = $this->db-
>query("SELECT * FROM
tb_kondisi WHERE status != 'ditolak'
AND kondisi != 'Tidak Layak' AND
kondisi != 'Rusak Ringan' AND
kondisi != 'Layak Pakai' AND periode
= '$periode'")->result();

        $this->load->library('pdf');
        $this->pdf->setPaper('Legal',
'Portrait');
        $this->pdf-
>load_view('output/daftar-
perbaikan', $data);

```

```

    }

    function cetakLaporan()
    {
        $jenis      =      $this->input-
>post('jenis');
        $periode    =      $this->input-
>post('periode');

        if ($jenis == "kondisi") {
            $data['title'] = 'Laporan
Kondisi Halte Periode ' . $periode;
            $data['laporan'] = $this->db-
>query("SELECT * FROM
tb_kondisi WHERE periode =
'$periode'")->result();

            $this->load->library('pdf');
            $this->pdf->setPaper('Legal',
'Portrait');
            $this->pdf-
>load_view('output/laporan', $data);
        } else if ($jenis == "perbaikan")
        {
            $data['title'] = 'Laporan
Perbaikan Halte Periode ' . $periode;
            $data['laporan'] = $this->db-
>query("SELECT * FROM
tb_kondisi WHERE status != 'ditolak'
AND kondisi != 'Tidak Layak' AND
kondisi != 'Layak Pakai' AND periode
= '$periode'")->result();

            $this->load->library('pdf');
            $this->pdf->setPaper('Legal',
'Portrait');
            $this->pdf-
>load_view('output/laporan', $data);
        } else if ($jenis ==
"penghapusan") {
            $data['title'] = 'Laporan
Penghapusan Halte Periode ' .
$periode;
            $data['laporan'] = $this->db-
>query("SELECT * FROM
tb_kondisi WHERE (periode =

```

```

'$periode' AND status = 'ditolak') OR
(periode = '$periode' AND kondisi =
'Tidak Layak')")->result();

            $this->load->library('pdf');
            $this->pdf->setPaper('Legal',
'Portrait');
            $this->pdf-
>load_view('output/laporan', $data);
        } else if ($jenis == "Rusak
Ringan") {
            $data['title'] = 'Laporan Halte
Rusak Ringan Periode ' . $periode;
            $data['laporan'] = $this->db-
>query("SELECT * FROM
tb_kondisi WHERE periode =
'$periode' AND kondisi = 'Rusak
Ringan'")->result();

            $this->load->library('pdf');
            $this->pdf->setPaper('Legal',
'Portrait');
            $this->pdf-
>load_view('output/laporan', $data);
        } else if ($jenis == "Rusak
Sedang") {
            $data['title'] = 'Laporan Halte
Rusak Sedang Periode ' . $periode;
            $data['laporan'] = $this->db-
>query("SELECT * FROM
tb_kondisi WHERE periode =
'$periode' AND kondisi = 'Rusak
Sedang'")->result();

            $this->load->library('pdf');
            $this->pdf->setPaper('Legal',
'Portrait');
            $this->pdf-
>load_view('output/laporan', $data);
        } else if ($jenis == "Rusak
Berat") {
            $data['title'] = 'Laporan Halte
Rusak Berat Periode ' . $periode;
            $data['laporan'] = $this->db-
>query("SELECT * FROM
tb_kondisi WHERE periode =

```

```
'$periode' AND kondisi = 'Rusak
Berat')->result();
```

```
        $this->load->library('pdf');
        $this->pdf->setPaper('Legal',
'Portrait');
        $this->pdf-
>load_view('output/laporan', $data);
    } else if ($jenis == "Layak
Pakai") {
        $data['title'] = 'Laporan Halte
Layak Pakai Periode ' . $periode;
        $data['laporan'] = $this->db-
>query("SELECT * FROM
tb_kondisi WHERE periode =
'$periode' AND kondisi = 'Layak
Pakai'")->result();
```

```
        $this->load->library('pdf');
        $this->pdf->setPaper('Legal',
'Portrait');
        $this->pdf-
>load_view('output/laporan', $data);
    } else if ($jenis == "Tidak
Layak") {
        $data['title'] = 'Laporan Halte
Tidak Layak Periode ' . $periode;
        $data['laporan'] = $this->db-
>query("SELECT * FROM
tb_kondisi WHERE periode =
'$periode' AND kondisi = 'Tidak
Layak'")->result();
```

```
        $this->load->library('pdf');
        $this->pdf->setPaper('Legal',
'Portrait');
        $this->pdf-
>load_view('output/laporan', $data);
    }
}
}
```

**log-halte/application/controllers/
Auth.php**
<?php

```
class Auth extends CI_Controller
{
```

```
    function __construct()
    {
        parent::__construct();
        $this->load->model('M_default');
        $this->load->library('session');
    }
```

```
    function index()
    {
        if ($this->session-
>userdata('status') != "") {
            redirect(base_url("dashboard"));
        }
        $this->load->view('auth/login');
    }
```

```
    function signup()
    {
        if ($this->session-
>userdata('status') != "") {
            redirect(base_url("dashboard"));
        }
        $this->load->view('auth/sign-up');
    }
```

```
    function verification()
    {
        if ($this->session-
>userdata('status') != "") {
            redirect(base_url("dashboard"));
        }
        $username =
htmlspecialchars($this->input-
>post('username'));
        $password =
htmlspecialchars($this->input-
>post('password'));
        $where = array(
            'username' => $username
        );
```



```

        <tr>
            <td
                align="center"><?= $no++ ?></td>
            <td><a
                style="color:black;" href="#" data-
                toggle="modal" data-target="#edit-
                user" id="btn-edit" data-id="<?= $u-
                >id; ?>" data-username="<?= $u-
                >username; ?>" data-password="<?=
                $u->password; ?>" data-nama="<?=
                $u->nama; ?>" data-level="<?= $u-
                >level; ?>"><?= $u->nama
                ?></a></td>
            <td><?= $u-
                >level ?></td>
            <td width="100"
                align="center">
                <a
                    href="delete-users/<?= $u->id ?>"
                    class="btn btn-danger btn-hapus">
                        <i class="fa
                            fa-trash"></i>
                </a>
            </td>
        </tr>
    <?php } ?>
</tbody>
</table>
</div>
</div>
</div>

<div class="modal fade" id="add-
user" tabindex="-1" role="dialog"
aria-
labelledby="exampleModalLabel"
aria-hidden="true">
    <div class="modal-dialog"
        role="document">
        <div class="modal-content">
            <div class="modal-header
                bg-primary">
                <h5 class="modal-title"
                    id="exampleModalLabel"
                    style="color:
                        white;">Tambah
                    Data</h5>

```

```

                <button class="close"
                    type="button" data-dismiss="modal"
                    aria-label="Close" style="color:
                        white;">
                <span
                    aria-
                    hidden="true">×</span>
            </button>
        </div>
        <div class="modal-body">
            <form class="form-
                horizontal" method="post"
                action="<?= base_url('add-users');
                ?>">
                <label><b>Username
                    : </b></label>
                <div class="form-
                    group">
                    <input type="text"
                        placeholder="Username"
                        name="username" class="form-
                        control" autocomplete="username"
                        required>
                </div>
                <label><b>Password :
                    </b></label>
                <div class="form-
                    group">
                    <input
                        type="password"
                        placeholder="Password"
                        name="password" class="form-
                        control" autocomplete="current-
                        password" required>
                </div>
                <label><b>Nama
                    lengkap : </b></label>
                <div class="form-
                    group">
                    <input type="text"
                        placeholder="Nama
                            Lengkap"
                        name="nama" class="form-control"
                        required>
                </div>

```

```

        <label><b>Level
login : </b></label>
        <div      class="form-
group">
            <select
name="level" class="form-control">

<option>Administrator</option>

<option>Kadin</option>
            <option>Ka
UPTD</option>
            </select>
        </div>
    </div>
    <div      class="modal-
footer">
        <button class="btn btn-
secondary" type="button" data-
dismiss="modal">
            <i class="fa fa-
times"></i>
        </button>

        <button type="submit"
class="btn btn-primary">
            <i class="fa fa-
check"></i>
        </button>
    </div>
</form>
</div>
</div>
</div>

<div class="modal fade" id="edit-
user" tabindex="-1" role="dialog"
aria-
labelledby="exampleModalLabel"
aria-hidden="true">
    <div      class="modal-dialog"
role="document">
        <div class="modal-content">
            <div class="modal-header
bg-primary">

```

```

        <h5 class="modal-title"
id="exampleModalLabel"
style="color: white;">Perbarui
Data</h5>
        <button class="close"
type="button" data-dismiss="modal"
aria-label="Close" style="color:
white;">
            <span      aria-
hidden="true">×</span>
        </button>
    </div>
    <div class="modal-body">
        <form class="form-
horizontal" method="post"
action="<?= base_url('update-users');
?>">
            <input type="hidden"
placeholder="Username" name="id"
id="id-akun" class="form-control">
            <label><b>Username
: </b></label>
            <div class="form-
group">
                <input type="text"
placeholder="Username"
name="username" class="form-
control" id="username-akun"
required>
            </div>
            <label><b>Nama
lengkap : </b></label>
            <div class="form-
group">
                <input type="text"
placeholder="Nama Lengkap"
name="nama" class="form-control"
id="nama-akun" required>
            </div>
            <label><b>Level
login : </b></label>
            <div class="form-
group">

```



```

        <tr>
        <td
align="center"><?= $no++ ?></td>
        <td><b><?= $u-
>nama_halte ?></b><br>
        <i class="fa fa-
map-marker"></i>&nbsp;   <?= $u-
>lokasi ?><br>
        <i class="fa fa-
map-marker"></i>&nbsp;   Kec. <?=
$u->kecamatan ?><br>
        <i class="fa fa-
map-marker"></i>&nbsp;   Koordinat.
<?= $u->koordinat ?><br>
        <hr>
        <span
class="badge badge-primary"><?=
$u->jenis ?></span>
        <span
class="badge badge-primary"><?=
$u->perolehan ?></span>
        <span
class="badge badge-primary"><?=
$u->rute ?></span>
        </td>
        <td width="100"
align="center">
        <button
type="button" class="btn btn-
primary" data-toggle="modal" data-
target="#edit-halte" id="btn-edit"
data-id="<?= $u->id_halte; ?>" data-
nama_halte="<?= $u->nama_halte;
?>" data-rute="<?= $u->rute; ?>"
data-kecamatan="<?= $u-
>kecamatan; ?>" data-lokasi="<?=
$u->lokasi; ?>" data-jenis="<?= $u-
>jenis; ?>" data-perolehan="<?= $u-
>perolehan; ?>" data-koordinat="<?=
$u->koordinat; ?>">
        <i class="fa
fa-pencil"></i>
        </button>
        <a
href="delete-halte/<?= $u->id_halte

```

```

?>" class="btn btn-danger btn-
hapus">
        <i class="fa
fa-trash"></i>
        </a>
        </td>
        </tr>
        <?php } ?>
        </tbody>
        </table>
        </div>
        </div>
        </div>

        <div class="modal fade" id="add-
halte" tabindex="-1" role="dialog"
aria-
labelledby="exampleModalLabel"
aria-hidden="true">
        <div class="modal-dialog
modal-lg" role="document">
        <div class="modal-content">
        <div class="modal-header
bg-primary">
        <h5 class="modal-title"
id="exampleModalLabel"
style="color: white;">Tambah
Data</h5>
        <button class="close"
type="button" data-dismiss="modal"
aria-label="Close" style="color:
white;">
        <span aria-
hidden="true">×</span>
        </button>
        </div>
        <div class="modal-body">
        <form class="form-
horizontal" method="post"
action="<?= base_url('add-halte');
?>">
        <div class="row">
        <div class="col-sm-
6">

```

```

<label><b>Nama Halte :
</b></label>

<div
class="form-group">
    <input
type="text" name="nama_halte"
class="form-control" required>
    </div>
</div>
<div class="col-sm-6">
    <label><b>Rute :
</b></label>
    <div
class="form-group">
        <select
name="rute" class="form-control">
            <option
value="">pilih..</option>
            <option>AAL - Ampera</option>
            <option>PI
- Sako</option>
            <option>PI
- Terminal Plaju</option>
            <option>AAL - Talang
Jambe</option>
        </select>
    </div>
</div>
<label><b>Lokasi :
</b></label>
<div class="form-group">
    <input type="text"
name="lokasi" class="form-control"
required>
    </div>
<div class="row">
    <div class="col-sm-6">
        <label><b>Kecamatan :
        </b></label>
        <div
class="form-group">
            <select
name="kecamatan" class="form-control">
                <option
value="">pilih..</option>
                <option>Alang-Alang
Lebar</option>
                <option>Bukit Kecil</option>
                <option>Gandus</option>
                <option>Ilir
Barat I</option>
                <option>Ilir
Barat II</option>
                <option>Ilir
Timur I</option>
                <option>Ilir
Timur II</option>
                <option>Jakabaring</option>
                <option>Kalidoni</option>
                <option>Kemuning</option>
                <option>Kertapati</option>
                <option>Plaju</option>
                <option>Sako</option>
                <option>Seberang Ulu I</option>
                <option>Seberang Ulu II</option>
                <option>Sematang Borang</option>
                <option>Sukarami</option>
            </select>
        </div>
    </div>
    <div class="col-sm-6">
        <div class="form-group">
            <input type="text"
name="nama_halte"
class="form-control" required>
        </div>
        <div class="form-group">
            <select
name="rute" class="form-control">
                <option
value="">pilih..</option>
                <option>AAL - Ampera</option>
                <option>PI
- Sako</option>
                <option>PI
- Terminal Plaju</option>
                <option>AAL - Talang
Jambe</option>
            </select>
        </div>
        <div class="form-group">
            <input type="text"
name="lokasi" class="form-control"
required>
        </div>
    </div>
</div>

```

```

        </div>
    </div>
    <div class="col-sm-6">
        <label><b>Jenis
: </b></label>
        <div
class="form-group">
            <select
name="jenis" class="form-control">
                <option>Permanent</option>
                <option>Portable</option>
            </select>
        </div>
    </div>
    <div class="row">
        <div class="col-sm-6">
            <label><b>Asal
Perolehan : </b></label>
            <div
class="form-group">
                <input
type="text" name="perolehan"
class="form-control">
            </div>
        </div>
        <div class="col-sm-6">
            <label><b>Koordinat : </b></label>
            <div
class="form-group">
                <input
type="text" name="koordinat"
class="form-control" required>
            </div>
        </div>
    <div class="modal-
footer">

```

```

        <button class="btn
btn-secondary" type="button" data-
dismiss="modal">
            <i class="fa fa-
times"></i>
        </button>
        <button
type="submit" class="btn btn-
primary">
            <i class="fa fa-
check"></i>
        </button>
    </div>
</form>
</div>
</div>
</div>
</div>
    <div class="modal fade" id="edit-
halte" tabindex="-1" role="dialog"
aria-
labelledby="exampleModalLabel"
aria-hidden="true">
        <div class="modal-dialog
modal-lg" role="document">
            <div class="modal-content">
                <div class="modal-header
bg-primary">
                    <h5 class="modal-title"
id="exampleModalLabel"
style="color: white;">Perbarui
Data</h5>
                    <button class="close"
type="button" data-dismiss="modal"
aria-label="Close" style="color:
white;">
                        <span aria-
hidden="true">×</span>
                    </button>
                </div>
                <div class="modal-body">
                    <form class="form-
horizontal" method="post"

```



```

<option>Seberang Ulu I</option>
<option>Seberang Ulu II</option>
<option>Sematang Borang</option>
<option>Sukarami</option>
    </select>
</div>
<div class="col-sm-6">
    <label><b>Jenis
: </b></label>
    <div
class="form-group">
        <select
name="jenis" id="jenis" class="form-
control">
<option>Permanent</option>
<option>Portable</option>
        </select>
    </div>
</div>
<div class="row">
    <div class="col-sm-6">
        <label><b>Asal
Perolehan : </b></label>
        <div
class="form-group">
            <input
type="text"      name="perolehan"
id="perolehan"  class="form-
control">
            </div>
        </div>
    <div class="col-sm-6">
        <label><b>Koordinat : </b></label>
            <div
class="form-group">
                <input
type="text"      name="koordinat"
id="koordinat"  class="form-control"
required>
            </div>
        </div>
    <div class="modal-
footer">
        <button class="btn btn-
secondary" type="button" data-
dismiss="modal">
            <i class="fa fa-
times"></i>
        </button>
        <button type="submit"
class="btn btn-primary">
            <i class="fa fa-
check"></i>
        </button>
    </div>
</form>
</div>
</div>
<script type="text/javascript">
    $(document).on('click', '#btn-
edit', function() {
        $('#modal-body
#id').val($(this).data('id'));
        $('#modal-body
#nama_halte').val($(this).data('nama
_halte'));
        $('#modal-body
#rute').val($(this).data('rute'));
        $('#modal-body
#lokasi').val($(this).data('lokasi'));
        $('#modal-body
#kecamatan').val($(this).data('kecam
atan'));
    });

```

```

$( '.modal-body
#jenis').val($(this).data('jenis'));
$( '.modal-body
#perolehan').val($(this).data('perolehan'));
$( '.modal-body
#koordinat').val($(this).data('koordinat'));
});
</script>

```

log-halte/application/views/admin/kondisi.php

```

<div class="flash-data" data-flashdata="<?=$this->session->flashdata('message') ?>"></div>
<div class="content-wrapper">
  <!-- START PAGE CONTENT-->
  <div class="page-heading">
    <h1 class="page-title"><b><?=$title ?></b></h1>
    <p class="mb-1 mt-0"><?=$subtitle ?></p>
  </div>
  <div class="page-content fade-in-up">
    <div class="ibox">
      <div class="ibox-body">
        <form class="form-horizontal" method="post"
        enctype="multipart/form-data"
        action="<?=$base_url('add-kondisi') ?>">
          <div class="row">
            <div class="col-sm-6">
              <label><b>Pilih Halte : </b></label>
              <select
                name="id_halte" class="form-control" style="height: 40px;">
                <option value="">pilih ..</option>
                <?php $halte = $this->db->query("SELECT * FROM

```

```

tb_halte WHERE pic = '$id_petugas')->result();
                foreach ($halte as $h) {
                  ?>
                  <option value="<?=$h->id_halte ?>"><?=$h->nama_halte ?></option>
                <?php } ?>
              </select>
            </div>
            <!--
            <div class="col-sm-3">
              <label><b>Kondisi Halte : </b></label>
              <div class="form-group">
                <select
                  name="kondisi" class="form-control" style="height: 40px;">
                  <option value="">pilih ..</option>
                  <option>Layak Pakai</option>
                  <option>Rusak Ringan</option>
                  <option>Rusak Sedang</option>
                  <option>Rusak Berat</option>
                  <option>Tidak Layak</option>
                </select>
              </div>
            </div>
            -->
            <div class="col-sm-3">
              <label><b>Bulan : </b></label>
              <input
                type="month" name="periode"
                min="2024-01" value="2024-01"
                class="form-control" style="height: 40px;" required>

```

```

        </div>
    <div class="col-sm-3">
        <label><b>Foto
Kondisi : </b></label>
        <div class="form-group">
            <input
type="file" name="gambar"
class="form-control">
        </div>
    </div>
</div>
<hr>
<div class="row">
    <div class="col-sm-5">
        <label><b>Indikator Kerusakan :
</b></label><br>
            <input
type="checkbox" id="Indi1"
name="Indi1" value="Layak Pakai">
            <label
for="Indi1">Tidak Ada
Kerusakan</label><br>
            <input
type="checkbox" id="Indi2"
name="Indi2" value="1">
            <label
for="Indi2">Coretan-
Coretan</label><br>
            <input
type="checkbox" id="Indi3"
name="Indi3" value="1">
            <label
for="Indi3">Papan Informasi
Pudar</label><br>
            <input
type="checkbox" id="Indi4"
name="Indi4" value="1">
            <label
for="Indi4">Lantai
Keropos</label><br>

```

```

        <input
type="checkbox" id="Indi5"
name="Indi5" value="1">
        <label
for="Indi5">Atap
Bocor</label><br>
        <input
type="checkbox" id="Indi6"
name="Indi6" value="1">
        <label
for="Indi6">Atap Lepas</label><br>
        <input
type="checkbox" id="Indi7"
name="Indi7" value="1">
        <label
for="Indi7">Kaca
Pecah</label><br>
        <input
type="checkbox" id="Indi1"
name="Indi1" value="Tidak Layak">
        <label
for="Indi1">Rusak
Keseluruhan</label><br>
    </div>
    <div class="col-sm-6">
        <label><b>Keterangan :
</b></label><br>
        <textarea
name="keterangan" rows="10"
cols="80"></textarea>
    </div>
</div>
<hr>
<div class="row">
    <div class="col-sm-12">
        <button
type="submit" class="btn btn-
primary" style="height: 40px;">
            Submit
        </button>
    </div>
</div>
</form>

```

```

        </div>
    </div>
    <div class="ibox">
        <div class="ibox-body">
            <table class="table table-
            striped table-bordered table-hover"
            id="example-table" cellspacing="0"
            width="100%">
                <thead>
                    <tr>
                        <th
                        width="30">NO.</th>
                        <th>INFORMASI
                        HALTEE</th>
                        <th>PERIODE</th>
                        <th>KONDISI</th>
                        <th>FOTO</th>
                    </tr>
                </thead>
                <tbody>
                    <?php
                    $no = 1;
                    foreach ($kondisi as
                    $u) {
                        $halte = $this->db-
                        >get_where('tb_halte', ['id_halte' =>
                        $u->id_halte])>row_array();
                        $nama_halte =
                        $halte['nama_halte'];
                        $lokasi =
                        $halte['lokasi'];
                        $kecamatan =
                        $halte['kecamatan'];
                        $koordinat =
                        $halte['koordinat'];
                        $jenis =
                        $halte['jenis'];
                        $perolehan =
                        $halte['perolehan'];
                        $rute =
                        $halte['rute'];

                        $i1 = $u->i1;

```

```

                        $checked1 = ($i1
                        == 1) ? 'checked' : "";
                        $i2 = $u->i2;
                        $checked2 = ($i2
                        == 1) ? 'checked' : "";
                        $i3 = $u->i3;
                        $checked3 = ($i3
                        == 1) ? 'checked' : "";
                        $i4 = $u->i4;
                        $checked4 = ($i4
                        == 1) ? 'checked' : "";
                        $i5 = $u->i5;
                        $checked5 = ($i5
                        == 1) ? 'checked' : "";
                        $i6 = $u->i6;
                        $checked6 = ($i6
                        == 1) ? 'checked' : "";
                        $i7 = $u->i7;
                        $checked7 = ($i7
                        == 1) ? 'checked' : "";
                        $i8 = $u->i8;
                        $checked8 = ($i8
                        == 1) ? 'checked' : "";

                        if ($u->kondisi ==
                        "Layak") {
                            $badge = "badge-
                            success";
                        } else if ($u-
                        >kondisi == "Tidak Layak") {
                            $badge = "badge-
                            danger";
                        } else if ($u-
                        >kondisi == "Layak Pakai") {
                            $badge = "badge-
                            primary";
                        } else {
                            $badge = "badge-
                            warning";
                        }
                    }
                <tr>
                    <td
                    align="center"><?=$no++ ?></td>
                    <td><b><?=$
                    $nama_halte ?></b><br>

```



```

        </table>
    </div>
</div>
</div>

log-halte/application/views/admin/
list-kondisi.php
<div class="flash-data" data-
flashdata="<?= $this->session-
>flashdata('message') ?>"></div>
<div class="content-wrapper">
    <!-- START PAGE CONTENT-->
    <div class="page-heading">
        <h1 class="page-title"><b><?=
$title ?></b></h1>
        <p class="mb-1 mt-0"><?=
$subtitle ?></p>
    </div>
    <div class="page-content fade-in-
up">
        <div class="ibox">
            <div class="ibox-body">
                <table class="table table-
striped table-bordered table-hover"
id="example-table" cellspacing="0"
width="100%">
                    <thead>
                        <tr>
                            <th
width="30">NO.</th>
                            <th>INFORMASI
HALTE</th>
                            <th>PERIODE</th>
                            <th>KONDISI</th>
                            <th>FOTO</th>
                            <th>STATUS</th>
                            <th>AKSI</th>
                        </tr>
                    </thead>
                    <tbody>
                        <?php
$no = 1;
foreach ($perbaikan as
$u) {

```

```

                        $halte = $this->db-
>get_where('tb_halte', ['id_halte' =>
$u->id_halte])->row_array();
                        $id_halte =
$halte['id_halte'];
                        $nama_halte =
$halte['nama_halte'];
                        $lokasi =
$halte['lokasi'];
                        $kecamatan =
$halte['kecamatan'];
                        $koordinat =
$halte['koordinat'];
                        $jenis =
$halte['jenis'];
                        $perolehan =
$halte['perolehan'];
                        $rute =
$halte['rute'];

                        $i1 = $u->i1;
                        $checked1 = ($i1
== 1) ? 'checked' : '';
                        $i2 = $u->i2;
                        $checked2 = ($i2
== 1) ? 'checked' : '';
                        $i3 = $u->i3;
                        $checked3 = ($i3
== 1) ? 'checked' : '';
                        $i4 = $u->i4;
                        $checked4 = ($i4
== 1) ? 'checked' : '';
                        $i5 = $u->i5;
                        $checked5 = ($i5
== 1) ? 'checked' : '';
                        $i6 = $u->i6;
                        $checked6 = ($i6
== 1) ? 'checked' : '';
                        $i7 = $u->i7;
                        $checked7 = ($i7
== 1) ? 'checked' : '';
                        $i8 = $u->i8;
                        $checked8 = ($i8
== 1) ? 'checked' : '';

```

```

        if ($u->kondisi ==
"Layak") {
            $badge = "badge-
success";
        } else if ($u-
>kondisi == "Tidak Layak") {
            $badge = "badge-
danger";
        } else if ($u-
>kondisi == "Layak Pakai") {
            $badge = "badge-
primary";
        } else {
            $badge = "badge-
warning";
        }

        $get_petugas =
$this->db->get_where('tb_petugas',
['id_petugas' => $u->id_petugas])-
>row_array();

        $petugas =
$get_petugas['nama'];
        ?>
        <tr>
            <td
align="center"><?= $no++ ?></td>
            <td><b><?=
$nama_halte ?></b><br>
                <i class="fa fa-
map-marker"></i>&nbsp;&nbsp;&nbsp;<?=
$lokasi ?><br>
                <i class="fa fa-
map-marker"></i>&nbsp;&nbsp;&nbsp;Kec. <?=
$kecamatan ?><br>
                <i class="fa fa-
map-marker"></i>&nbsp;&nbsp;&nbsp;Koordinat.
<?= $koordinat ?><br>
            <hr>
            <span
class="badge badge-primary"><?=
$jenis ?></span>
            <span
class="badge badge-primary"><?=
$perolehan ?></span>

```

```

        <span
class="badge badge-primary"><?=
$rute ?></span>
        <hr><i
class="fa
user"></i>&nbsp;&nbsp;&nbsp;<?=
strtoupper($petugas) ?>
        </td>
        <td><i class="fa
fa-calendar"></i>&nbsp;&nbsp;&nbsp;<?= $u-
>periode ?></td>
        <td><span
class="badge <?= $badge ?>"><?=
$u->kondisi
?></span><br><small><i>ket: <?=
$u->keterangan ?></i>
        <br><br>
        <label><b>Indikator Kerusakan :
</b></label><br>
        <input
type="checkbox" id="Indi1"
name="Indi1" <?= $checked1 ?>>
        <label
for="Indi1">Tidak Ada
Kerusakan</label><br>
        <input
type="checkbox" id="Indi2"
name="Indi2" <?= $checked2 ?>>
        <label
for="Indi2">Coretan-
Coretan</label><br>
        <input
type="checkbox" id="Indi3"
name="Indi3" <?= $checked3 ?>>
        <label
for="Indi3">Papan Informasi
Pudar</label><br>
        <input
type="checkbox" id="Indi4"
name="Indi4" <?= $checked4 ?>>
        <label
for="Indi4">Lantai
Keropos</label><br>

```

```

☐

```

```

<a href="#"
class="btn btn-success" data-
toggle="modal" data-target="#surat"
type="button" id="btn-edit" data-
id_halte="<?= $u->id_halte; ?>">
<i class="fa
fa-file"></i>
</a>
<a
href="delete-kondisi/<?= $u-
>id_kondisi ?>" class="btn btn-
danger btn-hapus">
<i class="fa
fa-trash"></i>
</a>
</td>
</tr>
<?php } ?>
</tbody>
</table>
</div>
</div>
</div>
<div class="modal fade" id="surat"
tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel"
aria-hidden="true">
<div class="modal-dialog"
role="document">
<div class="modal-content">
<div class="modal-header
bg-primary">
<h5 class="modal-title"
id="exampleModalLabel"
style="color: white;">Informasi
Tujuan Surat</h5>
<button class="close"
type="button" data-dismiss="modal"
aria-label="Close" style="color:
white;">
<span aria-
hidden="true">×</span>
</button>
</div>
<div class="modal-body">

```



```

<th>JENIS
KELAMIN</th>

<th>ALAMAT/TELEPON</th>
<th
align="center">AKSI</th>
</tr>
</thead>
<tbody>
<?php
$no = 1;
foreach ($petugas as
$u) {
    ?>
    <tr>
    <td
align="center"><?= $no++ ?></td>
    <td><?= $u->nip
?></td>
    <td><?= $u-
>nama ?></td>
    <td><?= $u-
>jenis_kelamin ?></td>
    <td><?= $u-
>alamat ?> | <?= $u->telepon ?></td>
    <td width="125"
align="center">
    <a href="#"
data-toggle="modal" data-
target="#edit-petugas" id="btn-edit"
data-id="<?= $u->id_petugas; ?>"
data-nip="<?= $u->nip; ?>" data-
nama="<?= $u->nama; ?>" data-
jenis_kelamin="<?= $u-
>jenis_kelamin; ?>" data-
tgl_lahir="<?= $u->tgl_lahir; ?>"
data-alamat="<?= $u->alamat; ?>"
data-telepon="<?= $u->telepon; ?>"
class="btn btn-primary">
    <i class="fa
fa-pencil"></i>
    </a>
    <a href="pic-
halte/<?= $u->id_petugas ?>"
class="btn btn-success">

```

```

    <i class="fa
fa-reorder"></i>
    </a>
    <a
href="delete-petugas/<?= $u-
>id_petugas ?>" class="btn btn-
danger btn-hapus">
    <i class="fa
fa-trash"></i>
    </a>
    </td>
    </tr>
    <?php } ?>
</tbody>
</table>
</div>
</div>
</div>

<div class="modal fade" id="add-
petugas" tabindex="-1" role="dialog"
aria-
labelledby="exampleModalLabel"
aria-hidden="true">
    <div class="modal-dialog"
role="document">
    <div class="modal-content">
    <div class="modal-header"
bg-primary">
    <h5 class="modal-title"
id="exampleModalLabel"
style="color: white;">Tambah
Data</h5>
    <button class="close"
type="button" data-dismiss="modal"
aria-label="Close" style="color:
white;">
    <span aria-
hidden="true">×</span>
    </button>
    </div>
    <div class="modal-body">
    <form class="form-
horizontal" method="post"
action="<?= base_url('add-petugas');
?>">

```

```

        <label><b>NIP      :
</b></label>
        <div      class="form-
group">
            <input
type="number"      name="nip"
class="form-control" required>
        </div>
        <label><b>Nama      :
</b></label>
        <div      class="form-
group">
            <input type="text"
name="nama"  class="form-control"
required>
        </div>
        <div class="row">
            <div class="col-sm-
6">
                <label><b>Jenis
Kelamin : </b></label>
                <div
class="form-group">
                    <select
name="jenis_kelamin"  class="form-
control">
<option>Laki-laki</option>
<option>Perempuan</option>
                    </select>
                </div>
            </div>
            <div class="col-sm-
6">
                <label><b>Tanggal      Lahir      :
</b></label>
                <div
class="form-group">
                    <input
type="date"      name="tgl_lahir"
class="form-control" required>
                </div>
            </div>
        </div>

```

```

        <label><b>Telepon  :
</b></label>
        <div      class="form-
group">
            <input
type="number"      name="telepon"
class="form-control" required>
        </div>
        <label><b>Alamat      :
</b></label>
        <div      class="form-
group">
            <input type="text"
name="alamat"  class="form-control"
required>
        </div>
        <div      class="modal-
footer">
            <button class="btn btn-
secondary"  type="button"  data-
dismiss="modal">
                <i  class="fa  fa-
times"></i>
            </button>
            <button type="submit"
class="btn btn-primary">
                <i  class="fa  fa-
check"></i>
            </button>
        </div>
    </form>
</div>
</div>
    <div class="modal fade" id="edit-
petugas" tabindex="-1" role="dialog"
aria-
labelledby="exampleModalLabel"
aria-hidden="true">
        <div      class="modal-dialog"
role="document">
            <div class="modal-content">

```

```

        <div class="modal-header
bg-primary">
            <h5 class="modal-title"
id="exampleModalLabel"
style="color: white;">Perbarui
Data</h5>
            <button class="close"
type="button" data-dismiss="modal"
aria-label="Close" style="color:
white;">
                <span aria-
hidden="true">×</span>
            </button>
        </div>
        <div class="modal-body">
            <form class="form-
horizontal" method="post"
action="<?=<= base_url('update-
petugas'); ?>">
                <input type="hidden"
name="id_petugas" id="id"
class="form-control">
                <label><b>NIP :
</b></label>
                <div class="form-
group">
                    <input type="text"
name="nip" class="form-control"
id="nip" required>
                </div>
                <label><b>Nama :
</b></label>
                <div class="form-
group">
                    <input type="text"
name="nama" class="form-control"
id="nama" required>
                </div>
                <div class="row">
                    <div class="col-sm-
6">
                        <label><b>Jenis
Kelamin : </b></label>
                        <div
class="form-group">

```

```

                            <select
name="jenis_kelamin"
id="jenis_kelamin" class="form-
control">
                                <option>Laki-laki</option>
                                <option>Perempuan</option>
                            </select>
                        </div>
                    </div>
                    <div class="col-sm-
6">
                        <label><b>Tanggal Lahir :
</b></label>
                        <div
class="form-group">
                            <input
type="date" name="tgl_lahir"
class="form-control" id="tgl_lahir"
required>
                        </div>
                    </div>
                    <label><b>Telepon :
</b></label>
                    <div class="form-
group">
                        <input type="text"
name="telepon" class="form-
control" id="telepon" required>
                    </div>
                    <label><b>Alamat :
</b></label>
                    <div class="form-
group">
                        <input type="text"
name="alamat" class="form-control"
id="alamat" required>
                    </div>
                </div>
            <div class="modal-
footer">

```

```
        <button class="btn btn-
secondary" type="button" data-
dismiss="modal">
            <i class="fa fa-
times"></i>
        </button>
```

```
        <button type="submit"
class="btn btn-primary">
            <i class="fa fa-
check"></i>
        </button>
    </div>
</form>
</div>
</div>
</div>
```

```
<script type="text/javascript">
    $(document).on('click', '#btn-
edit', function() {
        $('#modal-body
#id').val($(this).data('id'));
        $('#modal-body
#nip').val($(this).data('nip'));
        $('#modal-body
#nama').val($(this).data('nama'));
        $('#modal-body
#alamat').val($(this).data('alamat'));
        $('#modal-body
#telepon').val($(this).data('telepon'));
        $('#modal-body
#jenis_kelamin').val($(this).data('jeni
s_kelamin'));
        $('#modal-body
#tgl_lahir').val($(this).data('tgl_lahir'
));
    });
</script>
```