

## Listing Program

### *LoginAdmin.php*

```
<?php
echo "

<form      method=post      action="
enctype='multipart/form-data' id=fom3>

<table    style='width:500px;'    class=tb
width=300>

<tr  id=jd> <td colspan=2 align=left> <b
style='font-weight:bold;          font-
size:16px;'>LOGIN          </b><br>  <i
style='font-size:10px;'>inputlah    datamu
dibawah ini dengan lengkap </i></td> </tr>

<tr><td class=inp  >username</td> <td
class=ul  ><input  type=text  size=20
name=username
value=$w[username]></td></tr>

<tr><td class=inp  >password</td> <td
class=ul  ><input  type=password size=20
name=password
value=$w[password]></td></tr>

<tr><td></td><td><input      type=submit
name=login value='login'> </td></tr>

</table>

</form>

";

if(isset($_POST[login])){

$w=_selek("select * from user  where
Username=$_POST[username]'      and
Password='$_POST[password]'");

        if (empty($w)){

                echo  "<script>
alert('Maaf login anda tidak
diterima')</script>";

        }

}
```

```
else{

        $_SESSION[Username]=$w[Usern
ame];

        $_SESSION[Level]=$w[Level];

        BerhasilSimpan("utama.php",100);
}

}

?>
```

### *LoginReg.php*

```
<?php
echo "

<form      method=post      action="
enctype='multipart/form-data' id=fom3>

<table    style='width:500px;'    class=tb
width=300>

<tr  id=jd> <td colspan=2 align=left> <b
style='font-weight:bold;          font-
size:16px;'>LOGIN          </b><br>  <i
style='font-size:10px;'>inputlah    datamu
dibawah ini dengan lengkap </i></td> </tr>

<tr><td class=inp  >username</td> <td
class=ul  ><input  type=text  size=20
name=username
value=$w[username]></td></tr>

<tr><td class=inp  >password</td> <td
class=ul  ><input  type=password size=20
name=password
value=$w[password]></td></tr>

<tr><td></td><td><input      type=submit
name=login  value='login'>      <input
type=button                                name=lg
onclick=location.href='?menu=reg'
value='Register Baru'></td></tr>

</table>
```

```

</form>

";

if(isset($_POST[login])){

$w=_selek("select * from siswa where
username='$_POST[username]' and
password='$_POST[password]'");

        if (empty($w)){

                echo "<script>
alert('Maaf login anda tidak
diterima')</script>";

        }

        else{

$_SESSION[KodeSiswa]=$w[KodeSiswa];
        BerhasilSimpan("?menu=tes",100);

        }

?>

```

### ***Siswa.php***

```

<?php $gos=(empty($_REQUEST['gos']))? 'tabel'
:$_REQUEST['gos'];

$gos();

function tambah(){

//<input type=file name=Foto >

// $KodeSiswa= GetOption2('kategori',
"concat(KodeSiswa, ' - ', KodeSiswa)",
'KodeSiswa', $w['KodeSiswa'], "",
'KodeSiswa');

// $NIS= GetOption2('kategori',
"concat(KodeSiswa, ' - ', NIS)", 'NIS',
$w['NIS'], "", 'NIS');

// $Nama= GetOption2('kategori',
"concat(KodeSiswa, ' - ', Nama)", 'Nama',
$w['Nama'], "", 'Nama');

```

```

// $Umur= GetOption2('kategori',
"concat(KodeSiswa, ' - ', Umur)", 'Umur',
$w['Umur'], "", 'Umur');

// $KodeKelas= GetOption2('kategori',
"concat(KodeSiswa, ' - ', KodeKelas)",
'KodeKelas', $w['KodeKelas'], "",
'KodeKelas');

// $username= GetOption2('kategori',
"concat(KodeSiswa, ' - ', username)",
'username', $w['username'], "", 'username');

// $password= GetOption2('kategori',
"concat(KodeSiswa, ' - ', password)",
'password', $w['password'], "", 'password');

// $m0=_selek("select * from siswa where
KodeSiswa=$_POST[KodeSiswa]");

// $m1=_selek("select * from siswa where
NIS=$_POST[NIS]");

// $m2=_selek("select * from siswa where
Nama=$_POST[Nama]");

// $m3=_selek("select * from siswa where
Umur=$_POST[Umur]");

// $m4=_selek("select * from siswa where
KodeKelas=$_POST[KodeKelas]");

// $m5=_selek("select * from siswa where
username=$_POST[username]");

// $m6=_selek("select * from siswa where
password=$_POST[password]");

echo"

<div style='float:left; widht:300px;'>

<form method=post action="
enctype='multipart/form-data' id=fom3>

<table id=tb>

<tr><td class=inp >KodeSiswa</td> <td
class=ul ><input type=text size=60
name=KodeSiswa
value=$w[KodeSiswa]></td></tr>

```

```
<tr><td class=inp >NIS</td> <td class=ul
><input type=text size=60 name=NIS
value=$w[NIS]></td></tr>
```

```
<tr><td class=inp >Nama</td> <td class=ul
><input type=text size=60 name>Nama
value=$w>Nama]></td></tr>
```

```
<tr><td class=inp >Umur</td> <td class=ul
><input type=text size=60 name=Umur
value=$w[Umur]></td></tr>
```

```
<tr><td class=inp >KodeKelas</td> <td
class=ul ><input type=text size=60
name=KodeKelas
value=$w[KodeKelas]></td></tr>
```

```
<tr><td class=inp >username</td> <td
class=ul ><input type=text size=60
name=username
value=$w[username]></td></tr>
```

```
<tr><td class=inp >password</td> <td
class=ul ><input type=text size=60
name=password
value=$w[password]></td></tr>
```

```
<tr><td><input type=submit name=simpan
value='Simpan'></td></tr>
```

```
</table>
```

```
</form>
```

```
</div>
```

```
";
```

```
}
```

```
function tabel(){
```

```
$csiswa=csiswa($_POST[kat]);
```

```
echo"
```

```
<table class=tb>
```

```
<form id=fom method=post action="">
```

```
<tr><td colspan=2 id=jd>SISWA </td></tr>
```

```
<tr> <td class=inp>Kata Kunci </td> <td
class=ul> <select name=kat>
$csiswa</select> </td></tr>
```

```
<tr> <td class=inp>Cari File </td> <td
class=ul > <input style='float:left;' type=text
name=Cari value=$_POST[Cari]> <input
style='float:left;' type=image
src='img/cari.png' alt=submit name=xx
value =..> </td></tr>
```

```
</form>
```

```
</table>
```

```
<a id=tx
href='?menu=siswa&gos=tambah'>Tambah<
/a>
```

```
<a id=tx
href='?menu=siswa&gos=Cetak'>Cetak</a>
```

```
";
```

```
echo"
```

```
<table class=tb>
```

```
<tr id=jd>
```

```
<td class=ttl width=20
align=center>No</td>
```

```
<td class=ttl >KodeSiswa</td>
```

```
<td class=ttl >NIS</td>
```

```
<td class=ttl >Nama</td>
```

```
<td class=ttl >Umur</td>
```

```
<td class=ttl >KodeKelas</td>
```

```
<td class=ttl >username</td>
```

```
<td class=ttl >password</td>
```

```
<td class=ttl align=center width=60
>Action</td>
```

```
</tr>
```

```
";
```

```

if (empty($_POST[kat])) $wh=""; else
$wh="where $_POST[kat] like
'$_POST[Cari]";

$r=mysql_query("select * from siswa $wh
"); while($w=mysql_fetch_array($r)){

$n++;

if ($n % 2 == 0) $warna = '#E8E8E8';
else $warna = 'white';

echo"

<tr bgcolor=$warna>
<td align=center >$n</td>
<td class=ul >$w[KodeSiswa]</td>
<td class=ul >$w[NIS]</td>
<td class=ul >$w>Nama</td>
<td class=ul >$w[Umur]</td>
<td class=ul >$w[KodeKelas]</td>
<td class=ul >$w[username]</td>
<td class=ul >$w[password]</td>
<td width=60 align=center ><a
href="?menu=siswa&gos=ubah&KodeSiswa
=$w[KodeSiswa]">.ico('edit')."</a>
<a
href="?menu=siswa&gos=hapus&KodeSisw
a=$w[KodeSiswa] onclick=\"return
confirm('Apakah anda yakin akan
menghapus data ini?)">.ico('del')."</a>
</td>
<tr>
";
}
echo"

<tr> <td colspan=3>Jumlah Data
</td><td>$n </td> <td> </td></tr>
</table>
";
}

function lap(){
include_once "../dwo.lib.php";
include_once "../db.mysql.php";
include_once "../connectdb.php";
include_once "../ClassRC.php";

echo"

<h2></h2>

<table class=tb border=1 style='border-
collapse:collapse; border:1px solid black;
font-family:verdana; width:100%; font-
size:12px; padding:4px;'>
<tr id=jd>
<td>No</td>
<td>KodeSiswa</td>
<td>NIS</td>
<td>Nama</td>
<td>Umur</td>
<td>KodeKelas</td>
<td>username</td>
<td>password</td>
</tr>
";

if (empty($_POST[kat])) $wh=""; else
$wh="where $_POST[kat] like
'$_POST[Cari]";

```

```

$r=mysql_query("select * from siswa $wh
"); while($w=mysql_fetch_array($r)){

$n++;

// ini untuk selang seling

if ($n % 2 == 0) $warna = '#F0EFED';
else $warna = '#F3EFA6';

echo"

<tr bgcolor=$warna>

<td>$n</td>

<td>$w[KodeSiswa]</td>

<td>$w[NIS]</td>

<td>$w>Nama</td>

<td>$w>Umur</td>

<td>$w>KodeKelas</td>

<td>$w>username</td>

<td>$w>password</td>

</tr>

";

}

echo"

<tr> <td colspan=3>Jumlah Data
</td><td>$n </td> <td> </td></tr>

</table>

";

}\

function hapus(){

mysql_query("delete from siswa where
KodeSiswa='$_REQUEST[KodeSiswa]'");

BerhasilHapus("?menu=siswa&gos=tabel",5
00);

}

if(isset($_POST['simpan'])){

$w=GetFields('siswa','KodeSiswa',$_POST['
KodeSiswa'],'*');

if (empty($w))

{

//if($k[0]){

//hasil

//}elseif($k[1]){

//hasil

//}elseif($k[2]){

//hasil

//}

mysql_query("insert into siswa set
KodeSiswa=$_POST[KodeSiswa]',
NIS=$_POST[NIS]',
Nama=$_POST>Nama]',
Umur=$_POST>Umur]',
KodeKelas=$_POST>KodeKelas]',
username=$_POST>username]',
password=$_POST>password]'
");

BerhasilSimpan("?menu=siswa",500);

}

else

{

echo"

```

```

<script>
alert('Maaf data Sudah ada');
</script>
";
}
}
if(isset($_POST['ubah'])){
mysql_query("update siswa set
KodeSiswa=$_POST[KodeSiswa]',
NIS=$_POST[NIS]',
Nama=$_POST[Nama]',
Umur=$_POST[Umur]',
KodeKelas=$_POST[KodeKelas]',
username=$_POST[username]',
password=$_POST[password]'
where KodeSiswa=$_POST[KodeSiswa]'
");
BerhasilSimpan("menu=siswa&amp;gos=tabel",
500);
}
function ubah(){
$r=mysql_query("select * from siswa where
KodeSiswa=$_REQUEST[KodeSiswa]");
$w=mysql_fetch_array($r);
// $KodeSiswa= GetOption2('kategori',
"concat(KodeSiswa, ' - ', KodeSiswa)",
'KodeSiswa', $w['KodeSiswa'], "",
'KodeSiswa');
// $NIS= GetOption2('kategori',
"concat(KodeSiswa, ' - ', NIS)", 'NIS',
$w['NIS'], "", 'NIS');
// $Nama= GetOption2('kategori',
"concat(KodeSiswa, ' - ', Nama)", 'Nama',
$w['Nama'], "", 'Nama');
// $Umur= GetOption2('kategori',
"concat(KodeSiswa, ' - ', Umur)", 'Umur',
$w['Umur'], "", 'Umur');
// $KodeKelas= GetOption2('kategori',
"concat(KodeSiswa, ' - ', KodeKelas)",
'KodeKelas', $w['KodeKelas'], "",
'KodeKelas');
// $username= GetOption2('kategori',
"concat(KodeSiswa, ' - ', username)",
'username', $w['username'], "", 'username');
// $password= GetOption2('kategori',
"concat(KodeSiswa, ' - ', password)",
'password', $w['password'], "", 'password');
//include "combo.php";
echo"
&lt;div style='float:left; widht:300px;'&gt;
&lt;form method=post action="
enctype='multipart/form-data' id=fom3&gt;
&lt;table class=tb&gt;
//&lt;input type=file name=Foto &gt;
&lt;tr&gt;&lt;td class=inp &gt;KodeSiswa&lt;/td&gt; &lt;td
class=ul &gt;&lt;input type=text size=60
name=KodeSiswa
value=$w[KodeSiswa]&gt;&lt;/td&gt;&lt;/tr&gt;
&lt;tr&gt;&lt;td class=inp &gt;NIS&lt;/td&gt; &lt;td class=ul
&gt;&lt;input type=text size=60 name=NIS
value=$w[NIS]&gt;&lt;/td&gt;&lt;/tr&gt;
&lt;tr&gt;&lt;td class=inp &gt;Nama&lt;/td&gt; &lt;td class=ul
&gt;&lt;input type=text size=60 nameNama
value=$w>Nama></td></tr>
<tr><td class=inp >Umur</td> <td class=ul
><input type=text size=60 name=Umur
value=$w[Umur]></td></tr>

```

```
<tr><td class=inp >KodeKelas</td> <td
class=ul ><input type=text size=60
name=KodeKelas
value=$w[KodeKelas]></td></tr>
```

```
<tr><td class=inp >username</td> <td
class=ul ><input type=text size=60
name=username
value=$w[username]></td></tr>
```

```
<tr><td class=inp >password</td> <td
class=ul ><input type=text size=60
name=password
value=$w[password]></td></tr>
```

```
<tr><td><input type=submit name=ubah
value='Simpan'></td></tr>
```

```
</table>
```

```
</form>
```

```
</div>
```

```
";
```

```
}
```

```
function cetak(){
```

```
$kat=csiswa($_POST[kat]);
```

```
echo"
```

```
<form method=post
action='modul/siswa.php?gos=lap'>
```

```
<table style='width:50%;'>
```

```
<tr><td>Kata Kunci</td><td><select
name=kat>$kat</select></td></tr>
```

```
<tr><td>Cari</td> <td><input type=text
name=Cari values=$_POST[Cari]></td>
</tr>
```

```
<tr><td></td> <td><input type=submit
name=ok value=Cari></td> </tr>
```

```
</table>
```

```
</form>
```

```
";
```

```
}
```

```
function csiswa($minta){
```

```
$cb="cb
```

```
<option value='$minta'> $minta </option>
```

```
<option value='KodeSiswa'> KodeSiswa
</option>
```

```
<option value='NIS'> NIS </option>
```

```
<option value='Nama'> Nama </option>
```

```
<option value='Umur'> Umur </option>
```

```
<option value='KodeKelas'> KodeKelas
</option>
```

```
<option value='username'> username
</option>
```

```
<option value='password'> password
</option>
```

```
";
```

```
return $cb ;
```

```
}
```

```
?>
```

## Soal.php

```
<script>
```

```
$(document).ready(function(){
```

```
$("#Kategori").autocomplete("auto/UKatego
ri.php", {
selectFirst: true
```

```
});
```

```

});

function tm(str){
    var
    x=document.getElementById("Kategori").value;

    var jika;

    //jika= (x="Gambar") ? "sss" :
    "aaaa";

    if (str=="Gambar"){
        jika=" Jawaban A <br>
<input type=file name='JawabanA'> <br>" +
        " Jawaban B
<br> <input type=file name=JawabanB>
<br>" +
        " Jawaban C
<br> <input type=file name=JawabanC>
<br>" +
        " Jawaban D
<br> <input type=file name=JawabanD>
<br><tr><td class=inp >kUNCI
Jawaban</td> <td class=ul ><input
type=text size=60 name=Jawaban
value=$w[Jawaban]></td></tr>" +
        """;
    }else{
        jika="<table><tr>"+
        "<td> Jawaban A
<br> <input type=text name='JawabanA'>
</td>" +
        "<td> Jawaban
B <br> <input type=text name='JawabanB'>
</td>" +
        "<td> Jawaban
C <br> <input type=text name='JawabanC'>
</td>" +
        "<td> Jawaban D
<br> <input type=text name='JawabanD'>
</td><tr><td class=inp >kUNCI
Jawaban</td> <td class=ul ><input
type=text size=60 name=Jawaban
value=$w[Jawaban]></td></tr>" +
        "</table></tr>";
    }

    document.getElementById("tempil")
    ).innerHTML=jika;

    // voteable = (age < 18) ? "Too
young" : "Old enough";
}

</script>

<?php $gos=(empty($_REQUEST['gos']))?
'tabel' :$_REQUEST['gos'];

$gos();

function tambah(){
//<input type=file name=Foto >

// $KodeSoal= GetOption2('kategori',
"concat(KodeSoal, ' - ', KodeSoal)",
'KodeSoal', $w['KodeSoal'], ", 'KodeSoal'");

// $Nomor= GetOption2('kategori',
"concat(KodeSoal, ' - ', Nomor)", 'Nomor',
$w['Nomor'], ", 'Nomor'");

// $Isi= GetOption2('kategori',
"concat(KodeSoal, ' - ', Isi)", 'Isi', $w['Isi'], ",
'Isi'");

// $Kategori= GetOption2('kategori',
"concat(KodeSoal, ' - ', Kategori)",
'Kategori', $w['Kategori'], ", 'Kategori'");

$m0=_selek("select max(KodeJawaban)
as j from jawaban ");

$w=_selek("select max(KodeSoal) as j
from soal ");

```

```

// $m1=_selek("select * from soal where
Nomor='$_POST[Nomor]");

// $m2=_selek("select * from soal where
Isi='$_POST[Isi]");

// $m3=_selek("select * from soal where
Kategori='$_POST[Kategori]");

        $sol=$w[j]+1;

        $jb=$m0[j]+1;

echo"

<div style='float:left; widht:300px;*>

<form        method=post        action="
enctype='multipart/form-data' id=fom3>

<table id='tb'>

<tr><td                bgcolor=#C0C0C0
style='height:30px; padding:4px; text-
align:center;' colspan=2 >Soal</td></tr>

<tr><td class=inp >KodeSoal</td> <td
class=ul ><input type=text size=3
id=KodeSoal                name=KodeSoal
value=$sol></td></tr>

<tr><td class=inp >Isi</td> <td class=ul
><input id=Isi type=text size=100 name=Isi
value=$w[Isi]></td></tr>

<tr><td class=inp >Kategori</td> <td
class=ul ><input type=text size=10
onkeyup=iniRC2(this.value) id=Kategori
name=Kategori
value=$w[Kategori]></td></tr>

<tr><td></td><td></td>

        <div id=tampil3></div>

</td></tr>

</table>

</form>

```

```

</div>
";
}

function tabel(){
$csosal=csoal($_POST[kat]);

echo"

<table id=tb>

<form id=fom method=post action=">

<tr><td colspan=2 id=jd>SOAL </td></tr>

<tr> <td class=inp>Kata Kunci </td> <td
class=ul>        <select                name=kat>
$csosal</select> </td></tr>

<tr> <td class=inp>Cari File </td> <td
class=ul > <input style='float:left;' type=text
name=Cari value='$_POST[Cari]'> <input
style='float:left;'                type=image
src='img/cari.png' alt=submit name=xx
value =..> </td></tr>

</form>

</table>

<a                                id=tx
href='?menu=soal&gos=tambah'>Tambah</a>

<a                                id=tx
href='?menu=soal&gos=Cetak'>Cetak</a>

";

echo"

<table id=tb>

<tr id=jd>

<td                class=ttl                width=20
align=center>No</td>

<td class=ttl >KodeSoal</td>

```

```

<td class=ttl >Nomor</td>
<td class=ttl >Isi</td>
<td class=ttl >Kategori</td>
<td class=ttl align=center width=60
>Action</td>
</tr>
";
if (empty($_POST[kat])) $wh=""; else
$wh="where $_POST[kat] like
'$_POST[Cari]";
$r=mysql_query("select * from soal $wh ");
while($w=mysql_fetch_array($r)){
$n++;
if ($n % 2 == 0) $warna = '#E8E8E8';
else $warna = 'white';
mysql_query("update soal set
Nomor='$n' where
KodeSoal='$w[KodeSoal]'");
mysql_query("delete from soal
where Isi='");
echo"
<tr bgcolor=$warna>
<td align=center >$n</td>
<td class=ul >$w[KodeSoal]</td>
<td class=ul >$w[Nomor]</td>
<td class=ul >$w[Isi]</td>
<td class=ul >$w[Kategori]</td>
<td width=60 align=center ><a
href="?menu=soal&gos=ubah&KodeSoal=$
w[KodeSoal]">ubah</a>
<a
href="?menu=soal&gos=hapus&KodeSoal=$

```

```

w[KodeSoal] onclick="\return
confirm('Apakah anda yakin akan
menghapus data ini?')\" '>hapus</a>
</td>
<tr>
";
}
echo"
<tr> <td colspan=3>Jumlah Data
</td><td>$n </td> <td> </td></tr>
</table>
";
}
function lap(){
include_once "../dwo.lib.php";
include_once "../db.mysql.php";
include_once "../connectdb.php";
include_once "../ClassRC.php";
echo"
<h2></h2>
<table class=tb border=1 style='border-
collapse:collapse; border:1px solid black;
font-family:verdana; width:100%; font-
size:12px; padding:4px;'>
<tr id=jd>
<td>No</td>
<td>KodeSoal</td>
<td>Nomor</td>
<td>Isi</td>
<td>Kategori</td>

```

```

</tr>
";
if (empty($_POST[kat])) $wh=""; else
$wh="where $_POST[kat] like
'$_POST[Cari]";
$r=mysql_query("select * from soal $wh ");
while($w=mysql_fetch_array($r)){
$n++;

if ($n % 2 == 0) $warna = '#F0EFED';
else $warna = '#F3EFA6';
echo"
<tr bgcolor=$warna>
<td>$n</td>
<td>$w[KodeSoal]</td>
<td>$w[Nomor]</td>
<td>$w[Isi]</td>
<td>$w[Kategori]</td>
</tr>
";
}
echo"
<tr> <td colspan=3>Jumlah Data
</td><td>$n </td> <td> </td></tr>
</table>
";
}
function hapus(){
mysql_query("delete from soal where
KodeSoal=$_REQUEST[KodeSoal]");

```

```

BerhasilHapus("?menu=soal&gos=tabel",50
0);
}
if(isset($_POST['simpan'])){
mysql_query("insert into jawaban set
KodeJawaban=$_POST[KodeJawa
ban]',
KodeSoal=$_POST[KodeSoal]',
JawabanA=$_POST[JawabanA]',
JawabanB=$_POST[JawabanB]',
JawabanC=$_POST[JawabanC]',
JawabanD=$_POST[JawabanD]'
");
mysql_query("insert into kuncijawaban set
KodeKunci=$_POST[KodeKunci]',
KodeJawaban=$_POST[KodeJawaban]',
Jawaban=$_POST[Jawaban]'
");
//BerhasilSimpan("?menu=soal",500);
}
if(isset($_POST['simpan2']))
{
$a=masukGambar2("JawabanA");
$b=masukGambar2("JawabanB");
$c=masukGambar2("JawabanC");
$d=masukGambar2("JawabanD");
mysql_query("insert into jawaban set
KodeJawaban=$_POST[KodeJawa
ban]',
\\ KodeSoal=$_POST[KodeSoal]',
JawabanA='$a',
JawabanB='$b',

```

```

        JawabanC='$c',
        JawabanD='$d'
    );

    mysql_query("insert into kuncijawaban set
    KodeKunci='$_POST[KodeKunci]',
    KodeJawaban='$_POST[KodeJawaban]',
    Jawaban='$_POST[Jawaban]'
    ");

    //BerhasilSimpan("?menu=soal",500);
}

function masukGambar2($nama){

        $fileName =
$_FILES[$nama]['name'];
        $fileSize =
$_FILES[$nama]['size'];

        $fileError =
$_FILES[$nama]['error'];

    if($fileSize > 0 || $fileError == 0){

        $move =
move_uploaded_file($_FILES[$nama]['tmp
_name'], 'berkas/'.$fileName);}

        $hasil="berkas/$fileName" ;

        return $hasil;

    }

    if(isset($_POST['ubah'])){

    mysql_query("update soal set
    KodeSoal=$_POST[KodeSoal]',
    Nomor=$_POST[Nomor]',
    Isi=$_POST[Isi]',

```

```

    Kategori=$_POST[Kategori]'
    where KodeSoal=$_POST[KodeSoal]'
    ");

    BerhasilSimpan("?menu=soal&gos=tabel",5
    00);
}

function ubah(){

    $r=mysql_query("select * from soal where
    KodeSoal=$_REQUEST[KodeSoal]");
    $w=mysql_fetch_array($r);

    // $KodeSoal= GetOption2('kategori',
    "concat(KodeSoal, ' - ', KodeSoal)",
    'KodeSoal', $w['KodeSoal'], ", 'KodeSoal'");

    // $Nomor= GetOption2('kategori',
    "concat(KodeSoal, ' - ', Nomor)", 'Nomor',
    $w['Nomor'], ", 'Nomor'");

    // $Isi= GetOption2('kategori',
    "concat(KodeSoal, ' - ', Isi)", 'Isi', $w['Isi'], ",
    'Isi'");

    // $Kategori= GetOption2('kategori',
    "concat(KodeSoal, ' - ', Kategori)",
    'Kategori', $w['Kategori'], ", 'Kategori'");

    //include "combo.php";

    echo"

    <div style='float:left; widht:300px;>

    <form method=post action="
    enctype='multipart/form-data' id=fom3>

    <table class=tb>

    //<input type=file name=Foto >

    <tr><td class=inp >KodeSoal</td> <td
    class=ul ><input type=text size=60
    name=KodeSoal
    value=$w[KodeSoal]></td></tr>

```

```
<tr><td class=inp >Nomor</td> <td
class=ul ><input type=text size=60
name=Nomor value=$w[Nomor]></td></tr>
```

```
<tr><td class=inp >Isi</td> <td class=ul
><input type=text size=60 name=Isi
value=$w[Isi]></td></tr>
```

```
<tr><td class=inp >Kategori</td> <td
class=ul ><input type=text size=60
name=Kategori
value=$w[Kategori]></td></tr>
```

```
<tr><td><input type=submit name=ubah
value='Simpan'></td></tr>
```

```
</table>
```

```
</form>
```

```
</div>
```

```
";
```

```
}
```

```
function cetak(){
```

```
$kat=csoal($_POST[kat]);
```

```
echo"
```

```
<form method=post
action='modul/soal.php?gos=lap'>
```

```
<table style='width:50%;'>
```

```
<tr><td>Kata Kunci</td><td><select
name=kat>$kat</select></td></tr>
```

```
<tr><td>Cari</td> <td><input type=text
name=Cari values=$_POST[Cari]></td>
</tr>
```

```
<tr><td></td> <td><input type=submit
name=ok value=Cari></td> </tr>
```

```
</table>
```

```
</form>
```

```
";
```

```
}
```

```
function csoal($minta){
```

```
$cb="cb
```

```
<option value='$minta'> $minta </option>
```

```
<option value='KodeSoal'> KodeSoal
</option>
```

```
<option value='Nomor'> Nomor </option>
```

```
<option value='Isi'> Isi </option>
```

```
<option value='Kategori'> Kategori
</option>
```

```
";
```

```
return $cb ;
```

```
}
```

```
echo "
```

```
<script>
```

```
function iniRC2(str) {
```

```
if (str.length == 0) {
```

```
document.getElementById('tampil3').innerH
TML = ";
```

```
return;
```

```
} else {
```

```
var xmlhttp = new XMLHttpRequest();
```

```
xmlhttp.onreadystatechange =
function() {
```

```
if (xmlhttp.readyState == 4 &&
xmlhttp.status == 200) {
```

```
document.getElementById('tampil3').innerH
TML = xmlhttp.responseText;
```

```
}
```

```

    }
    var
    KodeSoal=document.getElementById('Kode
    Soal').value;

    var
    Isi=document.getElementById('Isi').value;

    var
    Kategori=document.getElementById('Kategori').value;

    xmlhttp.open('GET',
    'jwb.php?kategori='+str+'&KodeSoal='+Kode
    eSoal+'&Isi='+Isi+'&Kategori='+Kategori,
    true);

    xmlhttp.send("");
}
}
</script>
";
?>

```

### **User.php**

```

<?php $gos=(empty($_REQUEST['gos']))?
'tabel' :$_REQUEST['gos'];

$gos();

function tambah(){
//<input type=file name=Foto >

// $Username= GetOption2('kategori',
"concat(Username, ' - ', Username)",
'Username', $w['Username'], ", 'Username'");

// $Password= GetOption2('kategori',
"concat(Username, ' - ', Password)",
'Password', $w['Password'], ", 'Password'");

```

```

// $Level= GetOption2('kategori',
"concat(Username, ' - ', Level)", 'Level',
$w['Level'], ", 'Level'");

// $m0=_selek("select * from user where
Username='$_POST[Username]'");

// $m1=_selek("select * from user where
Password='$_POST[Password]'");

// $m2=_selek("select * from user where
Level='$_POST[Level]'");

echo"

<div style='float:left; widht:300px;>

<form method=post action="
enctype='multipart/form-data' id=fom3>

<table id=tb>

<tr><td class=inp >Username</td> <td
class=ul ><input type=text size=60
name=Username
value=$w[Username]></td></tr>

<tr><td class=inp >Password</td> <td
class=ul ><input type=text size=60
name=Password
value=$w[Password]></td></tr>

<tr><td class=inp >Level</td> <td class=ul
><input type=text size=60 name=Level
value=$w[Level]></td></tr>

<tr><td><input type=submit name=simpan
value='Simpan'></td></tr>

</table>

</form>

</div>

";
}

function tabel(){

```

```

$user=cuser($_POST[kat]);
echo"
<table class=tb>
<tr><td colspan=2 id=jd> U S E R
</td></tr>
<form id=fom method=post action=">
<tr> <td class=inp>Kata Kunci </td> <td
class=ul> <select name=kat>
$user</select> </td></tr>
<tr> <td class=inp>Cari File </td> <td
class=ul > <input style=float:left; type=text
name=Cari value=$_POST[Cari]> <input
style=float:left; type=image
src='img/cari.png' alt=submit name=xx
value =..> </td></tr>
</form>
</table>
<a id=tx
href=?menu=user&gos=tambah>Tambah</a>
<a id=tx
href=?menu=user&gos=Cetak>Cetak</a>
";
echo"
<table class=tb>
<tr id=jd>
<td class=ttl width=20
align=center>No</td>
<td class=ttl >Username</td>
<td class=ttl >Password</td>
<td class=ttl >Level</td>
<td class=ttl align=center width=60
>Action</td>
</tr>
";
if (empty($_POST[kat])) $wh=""; else
$wh="where $_POST[kat] like
'$_POST[Cari]";
$r=mysql_query("select * from user $wh ");
while($w=mysql_fetch_array($r)){
$n++;
if ($n % 2 == 0) $warna = '#E8E8E8';
else $warna = 'white';
echo"
<tr bgcolor=$warna>
<td align=center >$n</td>
<td class=ul >$w[Username]</td>
<td class=ul >$w[Password]</td>
<td class=ul >$w[Level]</td>
<td width=60 align=center ><a
href=?menu=user&gos=ubah&Username=$
w[Username]>".ico('edit')."</a>
<a
href=?menu=user&gos=hapus&Username=
$w[Username] onclick=\"return
confirm('Apakah anda yakin akan
menghapus data ini?')\" >".ico('del')."</a>
</td>
</tr>
";
}
echo"
<tr> <td colspan=3>Jumlah Data
</td><td>$n </td> <td> </td></tr>
</table>

```

```

";
}
function lap(){
include_once "../dwo.lib.php";
include_once "../db.mysql.php";
include_once "../connectdb.php";
include_once "../ClassRC.php";

echo"

<h2></h2>

<table class=tb border=1 style='border-
collapse:collapse; border:1px solid black;
font-family:verdana; width:100%; font-
size:12px; padding:4px;'>

<tr id=jd>

<td>No</td>

<td>Username</td>

<td>Password</td>

<td>Level</td>

</tr>

";

if (empty($_POST[kat])) $wh=""; else
$wh="where $_POST[kat] like
'$_POST[Cari]'";

$r=mysql_query("select * from user $wh ");
while($w=mysql_fetch_array($r)){

$n++;

if ($n % 2 == 0) $warna = '#F0EFED';

else $warna = '#F3EFA6';

echo"

<tr bgcolor=$warna>
";
}

function hapus(){

mysql_query("delete from user where
Username='$_REQUEST[Username]'");

BerhasilHapus("?menu=user&gos=tabel",50
0);

}

if(isset($_POST['simpan'])){

$w=GetFields('user','Username',$_POST['Us
ername'],'*');

if (empty($w))

{

//if($k[0]){

//hasil

//}elseif($k[1]){

//hasil

//}elseif($k[2]){

<td>$n</td>

<td>$_w[Username]</td>

<td>$_w[Password]</td>

<td>$_w[Level]</td>

</tr>

";

}

echo"

<tr> <td colspan=3>Jumlah Data

</td><td>$n </td> <td> </td></tr>

</table>

";

}

function hapus(){

mysql_query("delete from user where
Username='$_REQUEST[Username]'");

BerhasilHapus("?menu=user&gos=tabel",50
0);

}

if(isset($_POST['simpan'])){

$w=GetFields('user','Username',$_POST['Us
ername'],'*');

if (empty($w))

{

//if($k[0]){

//hasil

//}elseif($k[1]){

//hasil

//}elseif($k[2]){

```

```

//hasil
//}
mysql_query("insert into user set
Username='$_POST[Username]',
Password='$_POST[Password]',
Level='$_POST[Level]'
");

BerhasilSimpan("?menu=user",500);
}
else
{
echo"
<script>
alert('Maaf data Sudah ada');
</script>
";
}
}
if(isset($_POST['ubah'])) {
mysql_query("update user set
Username='$_POST[Username]',
Password='$_POST[Password]',
Level='$_POST[Level]'
where Username='$_POST[Username]'
");

```

```

BerhasilSimpan("?menu=user&gos=tabel",500);
}
function ubah(){
$R=mysql_query("select * from user where
Username='$_REQUEST[Username]'");
$W=mysql_fetch_array($R);
// $Username= GetOption2('kategori',
"concat(Username, ' - ', Username)",
'Username', $W['Username'], ", 'Username'");
// $Password= GetOption2('kategori',
"concat(Username, ' - ', Password)",
'Password', $W['Password'], ", 'Password'");
// $Level= GetOption2('kategori',
"concat(Username, ' - ', Level)", 'Level',
$W['Level'], ", 'Level'");
//include "combo.php";
echo"
<div style='float:left; widht:300px;'>
<form method=post action="
enctype='multipart/form-data' id=fom3>
<table class=tb>
//<input type=file name=Foto >
<tr><td class=inp >Username</td> <td
class=ul ><input type=text size=60
name=Username
value=$W[Username]></td></tr>
<tr><td class=inp >Password</td> <td
class=ul ><input type=text size=60
name=Password
value=$W[Password]></td></tr>
<tr><td class=inp >Level</td> <td class=ul
><input type=text size=60 name=Level
value=$W[Level]></td></tr>
<tr><td><input type=submit name=ubah
value='Simpan'></td></tr>

```

```

</table>

</form>

</div>

";

}

function cetak(){

$kat=cuser($_POST[kat]);

echo"

<form          method=post
action='modul/user.php?gos=lap'>

<table style='width:50%;'>

<tr><td>Kata      Kunci</td><td><select
name=kat>$kat</select></td></tr>

<tr><td>Cari</td> <td><input type=text
name=Cari   values=$_POST[Cari]></td>
</tr>

<tr><td></td> <td><input type=submit
name=ok value=Cari></td> </tr>

</table>

</form>

";

}

function cuser($minta){

$cb="cb

<option value='$minta'> $minta </option>

<option value='Username'> Username
</option>

<option value='Password'> Password
</option>

<option value='Level'> Level </option>

```

```

";

return $cb ;

}

?>

```

### Soal.php

```

<script>

$(document).ready(function(){

$("#Kategori").autocomplete("auto/UKatego
ri.php", {

selectFirst: true

});

});

function tm(str){

var

x=document.getElementById("Kategori").va
lue; var jika;

//jika= (x="Gambar") ? "sss" :
"aaaa";

if (str=="Gambar"){

jika=" Jawaban A <br>
<input type=file name='JawabanA'> <br>" +

" Jawaban B

<br> <input type=file name=JawabanB>
<br>" +

" Jawaban C

<br> <input type=file name=JawabanC>
<br>" +

" Jawaban D

<br> <input type=file name=JawabanD>
<br><tr><td class=inp >kUNCI
Jawaban</td> <td class=ul ><input

```

```

type=text    size=60    name=Jawaban
value=$w[Jawaban]></td></tr>" +
                """;
        }else{
                jika="<table><tr>" +
                        "<td> Jawaban A
<br> <input type=text name='JawabanA'>
</td>" +
                        "<td>  Jawaban
B <br> <input type=text name='JawabanB'>
</td>" +
                        "<td>  Jawaban
C <br> <input type=text name='JawabanC'>
</td>" +
                        " <td> Jawaban D
<br> <input type=text name='JawabanD'>
</td><tr><td    class=inp    >kUNCI
Jawaban</td>  <td    class=ul    ><input
type=text    size=60    name=Jawaban
value=$w[Jawaban]></td></tr>" +
                        "</table></tr>";
        }
        document.getElementById("tempil"
).innerHTML=jika;

        // voteable = (age < 18) ? "Too
young" : "Old enough";
}
</script>

<?php $gos=(empty($_REQUEST['gos']))?
'tabel':$_REQUEST['gos'];
$gos();
function tambah(){
//<input type=file name=Foto >
// $KodeSoal=  GetOption2('kategori',
"concat(KodeSoal, ' - ', KodeSoal)",
'KodeSoal', $w['KodeSoal'], ", 'KodeSoal'");
// $Nomor=  GetOption2('kategori',
"concat(KodeSoal, ' - ', Nomor)", 'Nomor',
$w['Nomor'], ", 'Nomor'");
// $Isi=  GetOption2('kategori',
"concat(KodeSoal, ' - ', Isi)", 'Isi', $w['Isi'], ",
'Isi'");
// $Kategori=  GetOption2('kategori',
"concat(KodeSoal, ' - ', Kategori)",
'Kategori', $w['Kategori'], ", 'Kategori'");
    $m0=_selek("select  max(KodeJawaban)
as j from jawaban ");
    $w=_selek("select max(KodeSoal)  as j
from soal ");
    // $m1=_selek("select * from soal where
Nomor=$_POST[Nomor]");
    // $m2=_selek("select * from soal where
Isi=$_POST[Isi]");
    // $m3=_selek("select * from soal where
Kategori=$_POST[Kategori]");
    $sol=$w[j]+1;
    $jb=$m0[j]+1;
echo"
<div style='float:left; widht:300px;'>
<form    method=post    action="
enctype='multipart/form-data' id=fom3>
<table id='tb'>
<tr><td    bgcolor=#C0C0C0
style='height:30px; padding:4px; text-
align:center;' colspan=2 >Soal</td></tr>
<tr><td    class=inp    >KodeSoal</td> <td
class=ul    ><input    type=text    size=3
id=KodeSoal    name=KodeSoal
value=$sol></td></tr>

```

```
<tr><td class=inp >Isi</td> <td class=ul
><input id=Isi type=text size=100 name=Isi
value=$w[Isi]></td></tr>
```

```
<tr><td class=inp >Kategori</td> <td
class=ul ><input type=text size=10
onkeyup=iniRC2(this.value) id=Kategori
name=Kategori
value=$w[Kategori]></td></tr>
```

```
<tr><td></td></tr>
```

```
<div id=tampil3></div>
```

```
</td></tr>
```

```
</table>
```

```
</form>
```

```
</div>
```

```
";
```

```
}
```

```
function tabel(){
```

```
$csoal=csoal($_POST[kat]);
```

```
echo"
```

```
<table id=tb>
```

```
<form id=fom method=post action="">
```

```
<tr><td colspan=2 id=jd>SOAL </td></tr>
```

```
<tr> <td class=inp>Kata Kunci </td> <td
class=ul> <select name=kat>
$csoal</select> </td></tr>
```

```
<tr> <td class=inp>Cari File </td> <td
class=ul > <input style='float:left;' type=text
name=Cari value=$_POST[Cari]> <input
style='float:left;' type=image
src='img/cari.png' alt=submit name=xx
value =..> </td></tr>
```

```
</form>
```

```
</table>
```

```
<a id=tx
href='?menu=soal&gos=tambah'>Tambah</a>
```

```
<a id=tx
href='?menu=soal&gos=Cetak'>Cetak</a>
```

```
";
```

```
echo"
```

```
<table id=tb>
```

```
<tr id=jd>
```

```
<td class=ttl width=20
align=center>No</td>
```

```
<td class=ttl >KodeSoal</td>
```

```
<td class=ttl >Nomor</td>
```

```
<td class=ttl >Isi</td>
```

```
<td class=ttl >Kategori</td>
```

```
<td class=ttl align=center width=60
>Action</td>
```

```
</tr>
```

```
";
```

```
if (empty($_POST[kat])) $wh=""; else
$wh="where $_POST[kat] like
'$_POST[Cari]";
```

```
$r=mysql_query("select * from soal $wh ");
while($w=mysql_fetch_array($r)){
```

```
$n++;
```

```
if ($n % 2 == 0) $warna = '#E8E8E8';
```

```
else $warna = 'white';
```

```
mysql_query("update soal set
Nomor='$n' where
KodeSoal='$w[KodeSoal]'");
```

```
mysql_query("delete from soal
where Isi='");
```

```

echo"

<tr bgcolor=$warna>
<td align=center >$n</td>
<td class=ul >$w[KodeSoal]</td>
<td class=ul >$w[Nomor]</td>
<td class=ul >$w[Isi]</td>
<td class=ul >$w[Kategori]</td>
<td width=60 align=center ><a
href=?menu=soal&gos=ubah&KodeSoal=$
w[KodeSoal]>ubah</a>
<a
href=?menu=soal&gos=hapus&KodeSoal=$
w[KodeSoal] onclick=\return
confirm('Apakah anda yakin akan
menghapus data ini?')\" >hapus</a>
</td>
<tr>
";
}

echo"

<tr> <td colspan=3>Jumlah Data
</td><td>$n </td> <td> </td></tr>
</table>

";
}

function lap(){
include_once "../dwo.lib.php";
include_once "../db.mysql.php";
include_once "../connectdb.php";
include_once "../ClassRC.php";
echo"

```

```

<h2></h2>

<table class=tb border=1 style='border-
collapse:collapse; border:1px solid black;
font-family:verdana; width:100%; font-
size:12px; padding:4px;'>

<tr id=jd>
<td>No</td>
<td>KodeSoal</td>
<td>Nomor</td>
<td>Isi</td>
<td>Kategori</td>
</tr>

";
if (empty($_POST[kat])) $wh=""; else
$wh="where $_POST[kat] like
'$_POST[Cari]";

$r=mysql_query("select * from soal $wh ");
while($w=mysql_fetch_array($r)){
$n++;

if ($n % 2 == 0) $warna = '#F0EFED';
else $warna = '#F3EFA6';

echo"

<tr bgcolor=$warna>
<td>$n</td>
<td>$w[KodeSoal]</td>
<td>$w[Nomor]</td>
<td>$w[Isi]</td>
<td>$w[Kategori]</td>
</tr>

```

```

";
}
echo"
<tr> <td colspan=3>Jumlah Data
</td><td>$n </td> <td> </td></tr>
</table>
";
}
function hapus(){
mysql_query("delete from soal where
KodeSoal='$_REQUEST[KodeSoal]'");
BerhasilHapus("?menu=soal&gos=tabel",50
0);
}
if(isset($_POST['simpan']))){
mysql_query("insert into jawaban set
KodeJawaban='$_POST[KodeJawa
ban]',
KodeSoal='$_POST[KodeSoal]',
JawabanA='$_POST[JawabanA]',
JawabanB='$_POST[JawabanB]',
JawabanC='$_POST[JawabanC]',
JawabanD='$_POST[JawabanD]'
");
mysql_query("insert into kuncijawaban set
KodeKunci='$_POST[KodeKunci]',
KodeJawaban='$_POST[KodeJawaban]',
Jawaban='$_POST[Jawaban]'
");
//BerhasilSimpan("?menu=soal",500);
}
function masukGambar2($nama){
$file_name =
$_FILES[$nama]['name'];
$file_size =
$_FILES[$nama]['size'];
}
//BerhasilSimpan("?menu=soal",500);
}
if(isset($_POST['simpan2']))
{
$a=masukGambar2("JawabanA");
$b=masukGambar2("JawabanB");
$c=masukGambar2("JawabanC");
$d=masukGambar2("JawabanD");
mysql_query("insert into jawaban set
KodeJawaban='$_POST[KodeJawa
ban]',
KodeSoal='$_POST[KodeSoal]',
JawabanA='$a',
JawabanB='$b',
JawabanC='$c',
JawabanD='$d'
");
mysql_query("insert into kuncijawaban set
KodeKunci='$_POST[KodeKunci]',
KodeJawaban='$_POST[KodeJawaban]',
Jawaban='$_POST[Jawaban]'
");
//BerhasilSimpan("?menu=soal",500);
}
function masukGambar2($nama){
$file_name =
$_FILES[$nama]['name'];
$file_size =
$_FILES[$nama]['size'];
}

```

```

        $fileError = // $Isi= GetOption2('kategori',
$_FILES[$nama]['error']; "concat(KodeSoal, ' - ', Isi)", 'Isi', $w['Isi'], ",
'Isi');

        if($fileSize > 0 || $fileError == 0){ // $Kategori= GetOption2('kategori',
            $move = "concat(KodeSoal, ' - ', Kategori)",
            move_uploaded_file($_FILES[$nama]['tmp "Kategori', $w['Kategori'], ", 'Kategori');
            _name'], 'berkas/'.$fileName);

            //include "combo.php";

            $hasil="berkas/$fileName"
            echo"

            return $hasil;

            <div style='float:left; widht:300px;'>

        } <form method=post action="
        if(isset($_POST['ubah'])){ enctype='multipart/form-data' id=fom3>

        mysql_query("update soal set <table class=tb>

        KodeSoal=$_POST[KodeSoal]', //<input type=file name=Foto >

        Nomor=$_POST[Nomor]', <tr><td class=inp >KodeSoal</td> <td
        class=ul ><input type=text size=60
        Isi=$_POST[Isi]', name=KodeSoal
        value=$w[KodeSoal]></td></tr>

        Kategori=$_POST[Kategori]' <tr><td class=inp >Nomor</td> <td
        class=ul ><input type=text size=60
        where KodeSoal=$_POST[KodeSoal]' name=Nomor value=$w[Nomor]></td></tr>

        "); <tr><td class=inp >Isi</td> <td class=ul
        ><input type=text size=60 name=Isi
        value=$w[Isi]></td></tr>

        BerhasilSimpan("?menu=soal&gos=tabel",5 <tr><td class=inp >Kategori</td> <td
        class=ul ><input type=text size=60
        name=Kategori
        value=$w[Kategori]></td></tr>

        00); <tr><td><input type=submit name=ubah
        value='Simpan'></td></tr>

        } </table>

        function ubah(){ </form>

        $r=mysql_query("select * from soal where </div>;

        KodeSoal=$_REQUEST[KodeSoal]"); }

        $w=mysql_fetch_array($r);

        // $KodeSoal= GetOption2('kategori', function cetak(){

        "concat(KodeSoal, ' - ', KodeSoal)", $kat=csoal($_POST[kat]);

        'KodeSoal', $w['KodeSoal'], ", 'KodeSoal');

        // $Nomor= GetOption2('kategori',
        "concat(KodeSoal, ' - ', Nomor)", 'Nomor',
        $w['Nomor'], ", 'Nomor');
    
```

```

echo"

<form method=post
action='modul/soal.php?gos=lap'>

<table style='width:50%;'>

<tr><td>Kata Kunci</td><td><select
name=kat>$kat</select></td></tr>

<tr><td>Cari</td> <td><input type=text
name=Cari values=$_POST[Cari]></td>
</tr>

<tr><td></td> <td><input type=submit
name=ok value=Cari></td> </tr>

</table>

</form>

";
}

function csoal($minta){
$cb="cb

<option value='$minta'> $minta </option>

<option value='KodeSoal'> KodeSoal
</option>

<option value='Nomor'> Nomor </option>

<option value='Isi'> Isi </option>

<option value='Kategori'> Kategori
</option>

";

return $cb ;
}

echo "

<script>

function iniRC2(str) {

```

```

if (str.length == 0) {
document.getElementById('tampil3').innerHTML
TML = "";

return;

} else {

var xmlhttp = new XMLHttpRequest();

xmlhttp.onreadystatechange =
function() {

if (xmlhttp.readyState == 4 &&
xmlhttp.status == 200) {

document.getElementById('tampil3').innerHTML
TML = xmlhttp.responseText;

}

}

var
KodeSoal=document.getElementById('Kode
Soal').value;

var
Isi=document.getElementById('Isi').value;

var
Kategori=document.getElementById('Kategori').value;

xmlhttp.open('GET',
'jwb.php?kategori='+str+'&KodeSoal='+Kod
eSoal+'&Isi='+Isi+'&Kategori='+Kategori,
true);

xmlhttp.send("");

}

}

</script>

";

?>

```

## ***Jawaban.php***

```
<?php $gos=(empty($_REQUEST['gos']))? 'tabel':$_REQUEST['gos'];
```

```
$gos();
```

```
function tambah(){
```

```
//<input type=file name=Foto >
```

```
// $KodeJawaban= GetOption2('kategori',  
"concat(KodeJawaban, ' - ', KodeJawaban)",  
'KodeJawaban', $w['KodeJawaban'], "  
'KodeJawaban');
```

```
// $KodeSoal= GetOption2('kategori',  
"concat(KodeJawaban, ' - ', KodeSoal)",  
'KodeSoal', $w['KodeSoal'], "  
'KodeSoal');
```

```
// $JawabanA= GetOption2('kategori',  
"concat(KodeJawaban, ' - ', JawabanA)",  
'JawabanA', $w['JawabanA'], "  
'JawabanA');
```

```
// $JawabanB= GetOption2('kategori',  
"concat(KodeJawaban, ' - ', JawabanB)",  
'JawabanB', $w['JawabanB'], "  
'JawabanB');
```

```
// $JawabanC= GetOption2('kategori',  
"concat(KodeJawaban, ' - ', JawabanC)",  
'JawabanC', $w['JawabanC'], "  
'JawabanC');
```

```
// $JawabanD= GetOption2('kategori',  
"concat(KodeJawaban, ' - ', JawabanD)",  
'JawabanD', $w['JawabanD'], "  
'JawabanD');
```

```
// $m0=_selek("select * from jawaban where  
KodeJawaban=$_POST[KodeJawaban]");
```

```
// $m1=_selek("select * from jawaban where  
KodeSoal=$_POST[KodeSoal]");
```

```
// $m2=_selek("select * from jawaban where  
JawabanA=$_POST[JawabanA]");
```

```
// $m3=_selek("select * from jawaban where  
JawabanB=$_POST[JawabanB]");
```

```
// $m4=_selek("select * from jawaban where  
JawabanC=$_POST[JawabanC]");
```

```
// $m5=_selek("select * from jawaban where  
JawabanD=$_POST[JawabanD]");
```

```
echo"
```

```
<div style='float:left; widht:300px;*>
```

```
<form method=post action="  
enctype='multipart/form-data' id=fom3>
```

```
<table id=tb>
```

```
<tr><td class=inp >KodeJawaban</td> <td  
class=ul ><input type=text size=60  
name=KodeJawaban  
value=$w[KodeJawaban]></td></tr>
```

```
<tr><td class=inp >KodeSoal</td> <td  
class=ul ><input id=KodeSoal type=text  
size=60 name=KodeSoal  
value=$w[KodeSoal]></td></tr>
```

```
<tr><td class=inp >JawabanA</td> <td  
class=ul ><input type=text size=60  
name=JawabanA  
value=$w[JawabanA]></td></tr>
```

```
<tr><td class=inp >JawabanB</td> <td  
class=ul ><input type=text size=60  
name=JawabanB  
value=$w[JawabanB]></td></tr>
```

```
<tr><td class=inp >JawabanC</td> <td  
class=ul ><input type=text size=60  
name=JawabanC  
value=$w[JawabanC]></td></tr>
```

```
<tr><td class=inp >JawabanD</td> <td  
class=ul ><input type=text size=60  
name=JawabanD  
value=$w[JawabanD]></td></tr>
```

```
<tr><td><input type=submit name=simpan  
value='Simpan'></td></tr>
```

```
</table>
```

```
</form>
```

```
</div>
```

```

";
}
function tabel(){
$jawaban=cjawaban($_POST[kat]);

echo"

<table class=tb>

<form id=fom method=post action=">

<tr><td colspan=2 id=jd> J A W A B A N
</td></tr>

<tr> <td class=inp>Kata Kunci </td> <td
class=ul> <select name=kat>
$jawaban</select> </td></tr>

<tr> <td class=inp>Cari File </td> <td
class=ul > <input style='float:left;' type=text
name=Cari value='$_POST[Cari]'; <input
style='float:left;' type=image
src='img/cari.png' alt=submit name=xx
value =..> </td></tr>

</form>

</table>

<a id=tx
href=?menu=jawaban&gos=tambah'>Tamb
ah</a>

<a id=tx
href=?menu=jawaban&gos=Cetak'>Cetak</
a>

";
echo"

<table class=tb>
<tr id=jd>

```

```

<td class=ttl width=20
align=center>No</td>

<td class=ttl >KodeJawaban</td>
<td class=ttl >KodeSoal</td>
<td class=ttl >JawabanA</td>
<td class=ttl >JawabanB</td>
<td class=ttl >JawabanC</td>
<td class=ttl >JawabanD</td>

<td class=ttl align=center width=60
>Action</td>

</tr>

";
if (empty($_POST[kat])) $wh=""; else
$wh="where $_POST[kat] like
'$_POST[Cari]";

$r=mysql_query("select * from jawaban
$wh "); while($w=mysql_fetch_array($r)){
$n++;
if ($n % 2 == 0) $warna = '#E8E8E8';
else $warna = 'white';

echo"

<tr bgcolor=$warna>
<td align=center >$n</td>

<td class=ul >$w[KodeJawaban]</td>
<td class=ul >$w[KodeSoal]</td>
<td class=ul >$w[JawabanA]</td>
<td class=ul >$w[JawabanB]</td>
<td class=ul >$w[JawabanC]</td>
<td class=ul >$w[JawabanD]</td>

```

```

<td width=60 align=center ><a
href="?menu=jawaban&gos=ubah&KodeJa
waban=$w[KodeJawaban]">.ico('edit')."</a
>

<a
href="?menu=jawaban&gos=hapus&KodeJa
waban=$w[KodeJawaban] onclick=\"return
confirm('Apakah anda yakin akan
menghapus data ini?')\" '>.ico('del')."</a>

</td>

<tr>

";
}
echo"
<tr> <td colspan=3>Jumlah Data
</td><td>$n </td> <td> </td></tr>

</table>

";
}

function lap(){
include_once "../dwo.lib.php";
include_once "../db.mysql.php";
include_once "../connectdb.php";
include_once "../ClassRC.php";
echo"
<h2></h2>

<table class=tb border=1 style='border-
collapse:collapse; border:1px solid black;
font-family:verdana; width:100%; font-
size:12px; padding:4px;'>

<tr id=jd>

<td>No</td>

```

```

<td>KodeJawaban</td>

<td>KodeSoal</td>

<td>JawabanA</td>

<td>JawabanB</td>

<td>JawabanC</td>

<td>JawabanD</td>

</tr>

";

if (empty($_POST[kat])) $wh=""; else
$wh="where $_POST[kat] like
'$_POST[Cari]";

$R=mysql_query("select * from jawaban
$wh "); while($w=mysql_fetch_array($R)){
$N++;

if ($N % 2 == 0) $warna = '#F0EFED';
else $warna = '#F3EFA6';

echo"

<tr bgcolor=$warna>

<td>$n</td>

<td>$w[KodeJawaban]</td>

<td>$w[KodeSoal]</td>

<td>$w[JawabanA]</td>

<td>$w[JawabanB]</td>

<td>$w[JawabanC]</td>

<td>$w[JawabanD]</td>

</tr>

";
}

echo"

```

```

<tr> <td colspan=3>Jumlah Data
</td><td>$n </td> <td> </td></tr>
</table>
";
}
function hapus(){
mysql_query("delete from jawaban where
KodeJawaban='$_REQUEST[KodeJawaban
]'");
BerhasilHapus("?menu=jawaban&gos=tabel
",500);
}

if(isset($_POST['simpan'])){
$w=GetFields('jawaban','KodeJawaban',$_P
OST['KodeJawaban'],'*');

if (empty($w))
{
//if($k[0]){
//hasil
//}elseif($k[1]){
//hasil
//}elseif($k[2]){
//hasil
//}
mysql_query("insert into jawaban set
KodeJawaban=$_POST[KodeJawaban]',
KodeSoal=$_POST[KodeSoal]',
JawabanA=$_POST[JawabanA]',
JawabanB=$_POST[JawabanB]',
JawabanC=$_POST[JawabanC]',
JawabanD=$_POST[JawabanD]'
where
KodeJawaban=$_POST[KodeJawaban]'
");
BerhasilSimpan("?menu=jawaban&gos=tab
el",500);
}

```

```

function ubah(){
    $r=mysql_query("select * from jawaban
    where
    KodeJawaban='$_REQUEST[KodeJawaban
    ]"); $w=mysql_fetch_array($r);

    // $KodeJawaban= GetOption2('kategori',
    "concat(KodeJawaban, ' - ', KodeJawaban)",
    'KodeJawaban', $w['KodeJawaban'], ",
    'KodeJawaban');

    // $KodeSoal= GetOption2('kategori',
    "concat(KodeJawaban, ' - ', KodeSoal)",
    'KodeSoal', $w['KodeSoal'], ", 'KodeSoal');

    // $JawabanA= GetOption2('kategori',
    "concat(KodeJawaban, ' - ', JawabanA)",
    'JawabanA', $w['JawabanA'], ", 'JawabanA');

    // $JawabanB= GetOption2('kategori',
    "concat(KodeJawaban, ' - ', JawabanB)",
    'JawabanB', $w['JawabanB'], ", 'JawabanB');

    // $JawabanC= GetOption2('kategori',
    "concat(KodeJawaban, ' - ', JawabanC)",
    'JawabanC', $w['JawabanC'], ", 'JawabanC');

    // $JawabanD= GetOption2('kategori',
    "concat(KodeJawaban, ' - ', JawabanD)",
    'JawabanD', $w['JawabanD'], ", 'JawabanD');

    //include "combo.php";

    echo"

    <div style='float:left; widht:300px;*>

    <form method=post action="
    enctype='multipart/form-data' id=fom3>

    <table class=tb>

    //<input type=file name=Foto >

    <tr><td class=inp >KodeJawaban</td> <td
    class=ul ><input type=text size=60
    name=KodeJawaban
    value=$w[KodeJawaban]></td></tr>

    <tr><td class=inp >KodeSoal</td> <td
    class=ul ><input type=text size=60

```

```

name=KodeSoal
value=$w[KodeSoal]></td></tr>

<tr><td class=inp >JawabanA</td> <td
class=ul ><input type=text size=60
name=JawabanA
value=$w[JawabanA]></td></tr>

<tr><td class=inp >JawabanB</td> <td
class=ul ><input type=text size=60
name=JawabanB
value=$w[JawabanB]></td></tr>

<tr><td class=inp >JawabanC</td> <td
class=ul ><input type=text size=60
name=JawabanC
value=$w[JawabanC]></td></tr>

<tr><td class=inp >JawabanD</td> <td
class=ul ><input type=text size=60
name=JawabanD
value=$w[JawabanD]></td></tr>

<tr><td><input type=submit name=ubah
value='Simpan'></td></tr>

</table>

</form>

</div>

";
}

function cetak(){
    $kat=cjawaban($_POST[kat]);

    echo"

    <form method=post
    action='modul/jawaban.php?gos=lap'>

    <table style='width:50%;*>

    <tr><td>Kata Kunci</td><td><select
    name=kat>$kat</select></td></tr>

```

```

<tr><td>Cari</td> <td><input type=text
name=Cari values=$_POST[Cari]></td>
</tr>

```

```

<tr><td></td> <td><input type=submit
name=ok value=Cari></td> </tr>

```

```

</table>

```

```

</form>

```

```

";

```

```

}

```

```

function cjawaban($minta){

```

```

$cb="cb

```

```

<option value='$minta'> $minta </option>

```

```

<option value='KodeJawaban'>
KodeJawaban </option>

```

```

<option value='KodeSoal'> KodeSoal
</option>

```

```

<option value='JawabanA'> JawabanA
</option>

```

```

<option value='JawabanB'> JawabanB
</option>

```

```

<option value='JawabanC'> JawabanC
</option>

```

```

<option value='JawabanD'> JawabanD
</option>

```

```

";

```

```

return $cb ;

```

```

}

```

```

?>

```

```

<script>

```

```

$(document).ready(function() {

```

```

$("#KodeSoal").autocomplete("auto/Usoal.p
hp", {

```

```

selectFirst: true

```

```

});

```

```

});

```

```

</script>

```

### ***Kuncijawaban.php***

```

<?php $gos=(empty($_REQUEST['gos']))?
'tabel' :$_REQUEST['gos'];

```

```

$gos();

```

```

function tambah(){

```

```

//<input type=file name=Foto >

```

```

// $KodeKunci= GetOption2('kategori',
"concat(KodeKunci, ' - ', KodeKunci)",
'KodeKunci', $w['KodeKunci'], "",
'KodeKunci');

```

```

// $KodeSoal= GetOption2('kategori',
"concat(KodeKunci, ' - ', KodeSoal)",
'KodeSoal', $w['KodeSoal'], "", 'KodeSoal');

```

```

// $KodeJawaban= GetOption2('kategori',
"concat(KodeKunci, ' - ', KodeJawaban)",
'KodeJawaban', $w['KodeJawaban'], "",
'KodeJawaban');

```

```

// $Jawaban= GetOption2('kategori',
"concat(KodeKunci, ' - ', Jawaban)",
'Jawaban', $w['Jawaban'], "", 'Jawaban');

```

```

// $m0=_selek("select * from kuncijawaban
where KodeKunci=$_POST[KodeKunci]");

```

```

// $m1=_selek("select * from kuncijawaban
where KodeSoal=$_POST[KodeSoal]");

```

```

// $m2=_selek("select * from kuncijawaban
where
KodeJawaban=$_POST[KodeJawaban]");

```

```

// $m3=_selek("select * from kuncijawaban
where Jawaban=$_POST[Jawaban]");

```

```

echo"

```

```

<div style='float:left; width:300px;*>
<form method=post action="
enctype='multipart/form-data' id=fom3>
<tr><td colspan=2 id=jd>SOAL </td></tr>
<table id=tb>
<tr><td class=inp >KodeKunci</td> <td
class=ul ><input type=text size=60
name=KodeKunci
value=$w[KodeKunci]></td></tr>
<tr><td class=inp >KodeJawaban</td> <td
class=ul ><input type=text id=KodeJawaban
size=60 name=KodeJawaban
value=$w[KodeJawaban]></td></tr>
<tr><td class=inp >Jawaban</td> <td
class=ul ><input type=text size=60
name=Jawaban
value=$w[Jawaban]></td></tr>
<tr><td><input type=submit name=simpan
value='Simpan'></td></tr>
</table>
</form>
</div>
";
}
function tabel(){
$ckuncijawaban=ckuncijawaban($_POST[k
at]);
echo"
<table class=tb>
<form id=fom method=post action=">
<tr><td colspan=2 id=jd>KUNCI
JAWABAN </td></tr>

```

```

<tr> <td class=inp>Kata Kunci </td> <td
class=ul> <select name=kat>
$ckuncijawaban</select> </td></tr>
<tr> <td class=inp>Cari File </td> <td
class=ul > <input style='float:left;' type=text
name=Cari value=$_POST[Cari]> <input
style='float:left;' type=image
src='img/cari.png' alt=submit name=xx
value =..> </td></tr>
</form>
</table>
<a id=tx
href='?menu=kuncijawaban&gos=tambah'>
Tambah</a>
<a id=tx
href='?menu=kuncijawaban&gos=Cetak'>Ce
tak</a>
";
echo"
<table class=tb>
<tr id=jd>
<td class=ttl width=20
align=center>No</td>
<td class=ttl >KodeKunci</td>
<td class=ttl >KodeSoal</td>
<td class=ttl >KodeJawaban</td>
<td class=ttl >Jawaban</td>
<td class=ttl align=center width=60
>Action</td>
</tr>
";
if (empty($_POST[kat])) $wh=""; else
$wh="where $_POST[kat] like
'$_POST[Cari]'";

```

```

$人是mysql_query("select * from
kunci jawaban $wh order by KodeJawaban
asc "); while($w=mysql_fetch_array($r)){

$人++;

if ($人 % 2 == 0) $warna = '#E8E8E8';

else $warna = 'white';

echo"

<tr bgcolor=$warna>

<td align=center >$人</td>

<td class=ul >$w[KodeKunci]</td>

<td class=ul >$w[KodeSoal]</td>

<td class=ul >$w[KodeJawaban]</td>

<td class=ul >$w[Jawaban]</td>

<td width=60 align=center ><a
href=?menu=kunci jawaban&gos=ubah&Ko
deKunci=$w[KodeKunci]>ubah</a>

<a
href=?menu=kunci jawaban&gos=hapus&K
odeKunci=$w[KodeKunci] onclick=\"return
confirm('Apakah anda yakin akan
menghapus data ini?')\" >hapus</a>

</td>

<tr>

";

}

echo"

<tr> <td colspan=3>Jumlah Data
</td><td>$人 </td> <td> </td></tr>

</table>

";

}

function lap(){

```

```

include_once "../dwo.lib.php";

include_once "../db.mysql.php";

include_once "../connectdb.php";

include_once "../ClassRC.php";

echo"

<h2></h2>

<table class=tb border=1 style='border-
collapse:collapse; border:1px solid black;
font-family:verdana; width:100%; font-
size:12px; padding:4px;'>

<tr id=jd>

<td>No</td>

<td>KodeKunci</td>

<td>KodeSoal</td>

<td>KodeJawaban</td>

<td>Jawaban</td>

</tr>

";

if (empty($_POST[kat])) $wh=""; else
$wh="where $_POST[kat] like
'$_POST[Cari]";

$人是mysql_query("select * from
kunci jawaban $wh ");
while($w=mysql_fetch_array($r)){

$人++;

if ($人 % 2 == 0) $warna = '#F0EFED';

else $warna = '#F3EFA6';

echo"

<tr bgcolor=$warna>

<td>$人</td>

```

```

<td>${w[KodeKunci]}</td>                                //hasil
<td>${w[KodeSoal]}</td>                                  //}
<td>${w[KodeJawaban]}</td>                              $k=split("-",$_POST[KodeJawaban]);
<td>${w[Jawaban]}</td>
</tr>
mysql_query("insert into kuncijawaban set
";
KodeKunci='$_POST[KodeKunci]',
}
KodeJawaban='${k[0]',
echo"
Jawaban='$_POST[Jawaban]'
");
<tr> <td colspan=3>Jumlah Data
BerhasilSimpan("?menu=kuncijawaban",50
</td><td>${n} </td> <td> </td></tr>
0);
</table>
}
";
}
else
function hapus(){
{
mysql_query("delete from kuncijawaban
echo"
where
<script>
KodeKunci='$_REQUEST[KodeKunci]' );
alert('Maaf data Sudah ada');
BerhasilHapus("?menu=kuncijawaban&gos
</script>
=tabel",500);
";
}
}
if(isset($_POST['simpan'])){
}
$w=GetFields('kuncijawaban','KodeKunci',$_
POST['KodeKunci'],'*');
}
if (empty($w))
if(isset($_POST['ubah'])){
{
$w=split("-
$_POST[KodeJawaban]);
mysql_query("update kuncijawaban set
KodeKunci='$_POST[KodeKunci]',
KodeJawaban='${k[0]',
Jawaban='$_POST[Jawaban]'
where KodeKunci='$_POST[KodeKunci]'

```

```

");
BerhasilSimpan("?menu=kuncijawaban&gos=tabel",500);
}
function ubah(){
    $r=mysql_query("select * from kuncijawaban where KodeKunci=$_REQUEST[KodeKunci]");
    $w=mysql_fetch_array($r);

    // $KodeKunci= GetOption2('kategori', "concat(KodeKunci, ' - ', KodeKunci)", 'KodeKunci', $w['KodeKunci'], " 'KodeKunci');

    // $KodeSoal= GetOption2('kategori', "concat(KodeKunci, ' - ', KodeSoal)", 'KodeSoal', $w['KodeSoal'], " 'KodeSoal');

    // $KodeJawaban= GetOption2('kategori', "concat(KodeKunci, ' - ', KodeJawaban)", 'KodeJawaban', $w['KodeJawaban'], " 'KodeJawaban');

    // $Jawaban= GetOption2('kategori', "concat(KodeKunci, ' - ', Jawaban)", 'Jawaban', $w['Jawaban'], " 'Jawaban');

    //include "combo.php";

    echo"
<div style='float:left; widht:300px;*>

<form method=post action="
enctype='multipart/form-data' id=fom3>

<table class=tb>

//<input type=file name=Foto >

<tr><td class=inp >KodeKunci</td> <td class=ul ><input type=text size=60 name=KodeKunci value=$w[KodeKunci]></td></tr>

<tr><td class=inp >KodeJawaban</td> <td class=ul ><input type=text size=60

```

```

name=KodeJawaban
value=$w[KodeJawaban]></td></tr>

<tr><td class=inp >Jawaban</td> <td class=ul ><input type=text size=60 name=Jawaban value=$w[Jawaban]></td></tr>

<tr><td><input type=submit name=ubah value='Simpan'></td></tr>

</table>

</form>

</div>

";
}
function cetak(){
    $kat=ckuncijawaban($_POST[kat]);
    echo"

<form method=post action='modul/kuncijawaban.php?gos=lap'>

<table style='width:50%;*>

<tr><td>Kata Kunci</td><td><select name=kat>$kat</select></td></tr>

<tr><td>Cari</td> <td><input type=text name=Cari values=$_POST[Cari]></td></tr>

<tr><td></td> <td><input type=submit name=ok value=Cari></td> </tr>

</table>

</form>

";
}
function ckuncijawaban($minta){
    $cb="cb

```

```

<option value='$minta'> $minta </option>

<option value='KodeKunci'> KodeKunci
</option>

<option value='KodeSoal'> KodeSoal
</option>

<option value='KodeJawaban'>
KodeJawaban </option>

<option value='Jawaban'> Jawaban
</option>

";
return $cb ;
}
?>

<script>
$(document).ready(function() {

$("#KodeJawaban").autocomplete("auto/UJawaban.php", {
                selectFirst: true
            });
});

</script>

```

### ***Penilaian.php***

```

<?php $gos=(empty($_REQUEST['gos']))? 'tabel':$_REQUEST['gos'];

$gos();

function tambah(){

//<input type=file name=Foto >

// $KodeNilai= GetOption2('kategori',
"concat(KodeNilai, ' - ', KodeNilai)",
'KodeNilai', $w['KodeNilai'], ", 'KodeNilai');

```

```

// $KodeSoal= GetOption2('kategori',
"concat(KodeNilai, ' - ', KodeSoal)",
'KodeSoal', $w['KodeSoal'], ", 'KodeSoal');

// $KodeSiswa= GetOption2('kategori',
"concat(KodeNilai, ' - ', KodeSiswa)",
'KodeSiswa', $w['KodeSiswa'], ",
'KodeSiswa');

// $JumlahSoal= GetOption2('kategori',
"concat(KodeNilai, ' - ', JumlahSoal)",
'JumlahSoal', $w['JumlahSoal'], ",
'JumlahSoal');

//
$JumlahJawabanBenar=
GetOption2('kategori', "concat(KodeNilai, '-
',
                JumlahJawabanBenar)",
'JumlahJawabanBenar',
$w['JumlahJawabanBenar'], ",
'JumlahJawabanBenar');

// $Skor= GetOption2('kategori',
"concat(KodeNilai, ' - ', Skor)", 'Skor',
$w['Skor'], ", 'Skor');

// $m0=_selek("select * from penilaian
where KodeNilai=$_POST[KodeNilai]");

// $m1=_selek("select * from penilaian
where KodeSoal=$_POST[KodeSoal]");

// $m2=_selek("select * from penilaian
where KodeSiswa=$_POST[KodeSiswa]");

// $m3=_selek("select * from penilaian
where
JumlahSoal=$_POST[JumlahSoal]");

// $m4=_selek("select * from penilaian
where
JumlahJawabanBenar=$_POST[JumlahJawabanBenar]");

// $m5=_selek("select * from penilaian
where Skor=$_POST[Skor]");

echo"

<div style='float:left; width:300px;'>

```

```
<form method=post action="
enctype='multipart/form-data' id=fom3>
```

```
<table id=tb>
```

```
<tr><td class=inp >KodeNilai</td> <td
class=ul ><input type=text size=60
name=KodeNilai
value=$w[KodeNilai]></td></tr>
```

```
<tr><td class=inp >Soal</td> <td class=ul
><input type=text size=60 name=KodeSoal
value=$w[KodeSoal]></td></tr>
```

```
<tr><td class=inp >Siswa</td> <td class=ul
><input type=text size=60
name=KodeSiswa
value=$w[KodeSiswa]></td></tr>
```

```
<tr><td class=inp >JumlahSoal</td> <td
class=ul ><input type=text size=60
name=JumlahSoal
value=$w[JumlahSoal]></td></tr>
```

```
<tr><td class=inp
>JumlahJawabanBenar</td> <td class=ul
><input type=text size=60
name=JumlahJawabanBenar
value=$w[JumlahJawabanBenar]></td></tr>
```

```
<tr><td class=inp >Skor</td> <td class=ul
><input type=text size=60 name=Skor
value=$w[Skor]></td></tr>
```

```
<tr><td><input type=submit name=simpan
value='Simpan'></td></tr>
```

```
</table>
```

```
</form>
```

```
</div>
```

```
";
```

```
}
```

```
function tabel(){
```

```
$cpenilaian=cpenilaian($_POST[kat]);
```

```
echo"
```

```
<table class=tb>
```

```
<tr><td colspan=2 id=jd>P E N I L A I A
N</td></tr>
```

```
<form id=fom method=post action=">
```

```
<tr> <td class=inp>Kata Kunci </td> <td
class=ul> <select name=kat>
$cpenilaian</select> </td></tr>
```

```
<tr> <td class=inp>Cari File </td> <td
class=ul > <input style='float:left;' type=text
name=Cari value='$_POST[Cari]'> <input
style='float:left;' type=image
src='img/cari.png' alt=submit name=xx
value =..> </td></tr>
```

```
</form>
```

```
</table>
```

```
<a id=tx
href="?menu=penilaian&gos=tambah">Tamb
ah</a>
```

```
<a id=tx
href="?menu=penilaian&gos=Cetak">Cetak<
/a>
```

```
";
```

```
echo"
```

```
<table class=tb>
```

```
<tr id=jd>
```

```
<td class=tth width=20
align=center>No</td>
```

```
<td class=tth >KodeNilai</td>
```

```
<td class=tth >KodeSoal</td>
```

```
<td class=tth >KodeSiswa</td>
```

```
<td class=tth >JumlahSoal</td>
```

```
<td class=tth >Jawaban Siswa</td>
```

```

<td class=ttl >JumlahJawabanBenar</td>

<td class=ttl >Skor</td>

<td class=ttl align=center width=60
>Action</td>

</tr>

";

if (empty($_POST[kat])) $wh=""; else
$wh="where a.$_POST[kat] like
'$_POST[Cari]";

$r=mysql_query("select * from penilaian a
left outer join soal b on
b.KodeSoal=a.KodeSoal
left outer join jawaban c
on c.KodeSoal=a.KodeSoal
left outer join kuncijawaban d on
d.KodeJawaban=c.KodeJawaban $wh ");
while($w=mysql_fetch_array($r)){

$n++;

if ($n % 2 == 0) $warna = '#E8E8E8';

else $warna = 'white';

if ($w[JB]==$w[Jawaban])

$xx=1;

else

$xx=0;

mysql_query("update
penilaian set Skor='$xx' where
KodeNilai='$w[KodeNilai]");

echo"

<tr bgcolor=$warna>

<td align=center >$n</td>

<td class=ul >$w[KodeNilai]---
$w[penilaian]</td>

<td class=ul >$w[Isi]</td>

```

```

<td class=ul >$w[KodeSiswa]</td>

<td class=ul >$w[JumlahSoal]</td>

<td class=ul >$w[JB]</td>

<td class=ul >$w[Jawaban]</td>

<td class=ul >$w[Skor]</td>

<td width=60 align=center ><a
href=?menu=penilaian&gos=ubah&KodeNi
lai=$w[KodeNilai]>".ico('del')."</a>

<a
href=?menu=penilaian&gos=hapus&KodeNi
ilai=$w[KodeNilai] onclick="return
confirm('Apakah anda yakin akan
menghapus data ini?)" ">".ico('edit')."</a>

</td>

<tr>

";

}

echo"

<tr> <td colspan=3>Jumlah Data
</td><td>$n </td> <td> </td></tr>

</table>

".
'
}

function tingkat($tk){

if ($tk < 80){

$has="Idiot";

}

elseif( ($tk>=80) && ($tk <=89)
){

```

```

        $has="Normal Rendah";
    }
    elseif( ($tk>=90) && ($tk <=109)
){
        $has="Normal Sedang";
    }
    elseif( ($tk>=110) && ($tk <=119)
){
        $has="Normal Tinggi";
    }
    elseif( ($tk>=120) && ($tk <=129)
){
        $has="Superior";
    }
    elseif( ($tk>=130) && ($tk <=139)
){
        $has="Sangat Cerdas";
    }
    elseif ($tk>=140) {
        $has="Genius";
    }
    return $has;
}

function tabel2(){
    $m=_selek("select * from siswa
where KodeSiswa='$_GET[KodeSiswa]'");
    echo"
<style>
        #tr{padding:7px; height:20px; font-
size:15px; color:Red;}
        $/style>
        <table class=tb width=100
style='padding:7px; font-family:tahoma;
font-size:12px; ' >
            <tr><td id=tr align=right >NIM
</td><td id=tr><a
href='?menu=BoxNilai&KodeSiswa=$m[Ko
deSiswa]'>$m[NIS] </a></td></tr>
            <tr><td id=tr align=right>Nama
</td><td id=tr>$m[Nama]</td></tr>
            <tr><td id=tr align=right>Umur
</td><td id=tr>$m[Umur]</td></tr>
        </table>
        <table class=tb>
            <tr id=jd>
                <td class=t1 width=20
align=center>No</td>
                <td class=t1 >KodeNilai</td>
                <td class=t1 >KodeSoal</td>
                <td class=t1 >KodeSiswa</td>
                <td class=t1 >JumlahSoal</td>
                <td class=t1 >Jawaban Siswa</td>
                <td class=t1 >JumlahJawabanBenar</td>
                <td class=t1 >Skor</td>
            </tr>
        </table>
        ".
        if (empty($_POST[kat])) $wh=""; else
$wh="where a.$_POST[kat] like
'$_POST[Cari]'";
        $r=mysql_query("select * from penilaian a
left outer join soal b on
b.KodeSoal=a.KodeSoal

```

```

        left outer join jawaban c on
        c.KodeSoal=a.KodeSoal

        left outer join kuncijawaban d on
        d.KodeJawaban=c.KodeJawaban where
        a.KodeSiswa='$_GET[KodeSiswa]' group
        by a.KodeSoal");
while($w=mysql_fetch_array($r)){

    $n++;

    if ($n % 2 == 0) $warna = '#E8E8E8';
    else $warna = 'white';

        if ($w[JB]==$w[Jawaban])
            $xx=1;
        else
            $xx=0;

        mysql_query("update
        penilaian set Skor='$xx' where
        KodeNilai='$w[KodeNilai]'");

        $sk=$sk+$w[Skor];

    echo"

    <tr bgcolor=$warna>

    <td align=center >$n</td>

    <td class=ul >$w[KodeNilai]---
    $w[penilaian]</td>

    <td class=ul >$w[Isi]</td>

    <td class=ul >$w[KodeSiswa]</td>

    <td class=ul >$w[JumlahSoal]</td>

    <td class=ul >$w[JB]</td>

    <td class=ul >$w[Jawaban]</td>

    <td class=ul >$w[Skor]</td>

    <tr>

";
}

    $ca=$m[Umur]+($sk/5);
    $iq=$ca*80/$m[Umur];
    $has=number_format($iq,0);
    echo"

    <tr> <td colspan=3>Jumlah Data
    </td><td>$n </td> <td> </td></tr>

    <tr> <td colspan=3>Jumlah Benar
    </td><td>$sk </td> <td> </td></tr>

    <tr> <td colspan=3>CA </td><td>$ca </td>
    <td> </td></tr>

    <tr> <td colspan=3>IQ </td><td>$has
    </td> <td> </td></tr>

    <tr> <td colspan=3>Kategori
    </td><td>".tingkat($has)." </td> <td>
    </td></tr>

</table>

";
}

function lap(){
    include_once "../dwo.lib.php";
    include_once "../db.mysql.php";
    include_once "../connectdb.php";
    include_once "../ClassRC.php";

    echo"

    <h2></h2>

    <table class=tb border=1 style='border-
    collapse:collapse; border:1px solid black;
    font-family:verdana; width:100%; font-
    size:12px; padding:4px;'>

    <tr id=jd>

```

```

<td>No</td>
<td>Nilai</td>
<td>Soal</td>
<td>KodeSiswa</td>
<td>JumlahSoal</td>
<td>JumlahJawabanBenar</td>
<td>Skor</td>
</tr>
";
if (empty($_POST[kat])) $wh=""; else
$wh="where $_POST[kat] like
'$_POST[Cari]'";
$r=mysql_query("select * from penilaian
$wh "); while($w=mysql_fetch_array($r)){
$n++;
if ($n % 2 == 0) $warna = '#F0EFED';
else $warna = '#F3EFA6';

echo"
<tr bgcolor=$warna>
<td>$n</td>
<td>$w[KodeNilai]</td>
<td>$w[KodeSoal]</td>
<td>$w[KodeSiswa]</td>
<td>$w[JumlahSoal]</td>
<td>$w[JumlahJawabanBenar]</td>
<td>$w[Skor]</td>
</tr>
";
}
echo"
<tr> <td colspan=3>Jumlah Data
</td><td>$n </td> <td> </td></tr>
</table>
";
}
function hapus(){
mysql_query("delete from penilaian where
KodeNilai='$_REQUEST[KodeNilai]' ");
BerhasilHapus("?menu=penilaian&gos=tabel",500);
}
if(isset($_POST['simpan'])){
$w=GetFields('penilaian','KodeNilai,$_POST[KodeNilai],*');
if (empty($w))
{
//if($k[0]){
//hasil
//}elseif($k[1]){
//hasil
//}elseif($k[2]){
//hasil
//}
mysql_query("insert into penilaian set
KodeNilai=$_POST[KodeNilai],
KodeSoal=$_POST[KodeSoal],
KodeSiswa=$_POST[KodeSiswa]',

```

```

JumlahSoal=$_POST[JumlahSoal]',
}

JumlahJawabanBenar=$_POST[JumlahJaw
abanBenar]',

Skor=$_POST[Skor]'
");
BerhasilSimpan("?menu=penilaian",500);
}
else
{
echo"
<script>
alert('Maaf data Sudah ada');
</script>
";
}
}

if(isset($_POST['ubah'])) {
mysql_query("update penilaian set
KodeNilai=$_POST[KodeNilai]',
KodeSoal=$_POST[KodeSoal]',
KodeSiswa=$_POST[KodeSiswa]',
JumlahSoal=$_POST[JumlahSoal]',
JumlahJawabanBenar=$_POST[JumlahJaw
abanBenar]',
Skor=$_POST[Skor]'
where KodeNilai=$_POST[KodeNilai]'
");
BerhasilSimpan("?menu=penilaian&gos=tab
el",500);
}
}

function ubah(){
$r=mysql_query("select * from penilaian
where
KodeNilai=$_REQUEST[KodeNilai]");
$w=mysql_fetch_array($r);

// $KodeNilai= GetOption2('kategori',
"concat(KodeNilai, ' - ', KodeNilai)",
'KodeNilai', $w['KodeNilai'], ", 'KodeNilai'");

// $KodeSoal= GetOption2('kategori',
"concat(KodeNilai, ' - ', KodeSoal)",
'KodeSoal', $w['KodeSoal'], ", 'KodeSoal'");

// $KodeSiswa= GetOption2('kategori',
"concat(KodeNilai, ' - ', KodeSiswa)",
'KodeSiswa', $w['KodeSiswa'], ",
'KodeSiswa'");

// $JumlahSoal= GetOption2('kategori',
"concat(KodeNilai, ' - ', JumlahSoal)",
'JumlahSoal', $w['JumlahSoal'], ",
'JumlahSoal'");

// $JumlahJawabanBenar=
GetOption2('kategori', "concat(KodeNilai, ' -
',
JumlahJawabanBenar)",
'JumlahJawabanBenar',
$w['JumlahJawabanBenar'],
",
'JumlahJawabanBenar'");

// $Skor= GetOption2('kategori',
"concat(KodeNilai, ' - ', Skor)", 'Skor',
$w['Skor'], ", 'Skor'");

//include "combo.php";

echo"
<div style='float:left; widht:300px;'>
<form method=post action="
enctype='multipart/form-data' id=fom3>

```

```

<table class=tb>

//<input type=file name=Foto >

<tr><td class=inp >KodeNilai</td> <td
class=ul ><input type=text size=60
name=KodeNilai
value=$w[KodeNilai]></td></tr>

<tr><td class=inp >KodeSoal</td> <td
class=ul ><input type=text size=60
name=KodeSoal
value=$w[KodeSoal]></td></tr>

<tr><td class=inp >KodeSiswa</td> <td
class=ul ><input type=text size=60
name=KodeSiswa
value=$w[KodeSiswa]></td></tr>

<tr><td class=inp >JumlahSoal</td> <td
class=ul ><input type=text size=60
name=JumlahSoal
value=$w[JumlahSoal]></td></tr>

<tr><td class=inp >JumlahJawabanBenar</td> <td class=ul
><input type=text size=60
name=JumlahJawabanBenar
value=$w[JumlahJawabanBenar]></td></tr>
>

<tr><td class=inp >Skor</td> <td class=ul
><input type=text size=60 name=Skor
value=$w[Skor]></td></tr>

<tr><td><input type=submit name=ubah
value='Simpan'></td></tr>

</table>

</form>

</div>

";

}

function cetak(){

$kat=cpenilaian($_POST[kat]);

```

```

echo"

<form method=post
action='modul/penilaian.php?gos=lap'>

<table style='width:50%;'>

<tr><td>Kata Kunci</td><td><select
name=kat>$kat</select></td></tr>

<tr><td>Cari</td> <td><input type=text
name=Cari values=$_POST[Cari]></td>
</tr>

<tr><td></td> <td><input type=submit
name=ok value=Cari></td> </tr>

</table>

</form>

";

}

function cpenilaian($minta){

$cb="cb

<option value='$minta'> $minta </option>

<option value='KodeNilai'> KodeNilai
</option>

<option value='KodeSoal'> KodeSoal
</option>

<option value='KodeSiswa'> KodeSiswa
</option>

<option value='JumlahSoal'> JumlahSoal
</option>

<option value='JumlahJawabanBenar'>
JumlahJawabanBenar </option>

<option value='Skor'> Skor </option>

";

return $cb ; }

?>

```

## ***Petunjuk.php***

```
<td>&nbsp;</td>
</tr>
</table>

.tb td{
border:1px solid black;
}
<!--
.style3 {
    font-size: 12px;
    font-weight: bold;
    padding:7px;
}
.style5 {font-size: 9px}
-->
</style>
<table width="464" border="1" class=tb
style="border-collapse:collapse;
padding:5px; font-family:tahoma;border:1px
solid black; font-size:12px;*>
<tr>
<td colspan="2"><span
class="style3">Petunjuk    Menjalankan
APlikasi ini <br>
</span><span    class="style5">Selamat
mencoba</span></td>
</tr> <tr>
<td>1.</td>
<td>&nbsp;</td>
</tr>
<tr>
<td>&nbsp;</td>
```