

LISTING PROGRAM

Index.php

```
<?php include'koneksi.php'; session_start(); ?>
<head>
    <title>.:halaman kotaku.:</title>
    <meta http-equiv="Content-Type" content="text/html;
charset=iso-8859-1" />
<meta name="KEYWORDS" content="" />
    <link rel="stylesheet" type="text/css"
href="css/styles.css" />

    <!--[if lte IE 6]>
        <link rel="stylesheet" type="text/css"
href="css/ie6.css" />
    <![endif]-->

    <script type="text/javascript" src="js/jquery-
1.5.2.min.js"></script>
    <script type="text/javascript" src="js/jquery.cycle.all.min.js"></script>
    <script type="text/javascript" src="js/functions.js"></script>
    <script type="text/javascript" src="js/jquery.maskMoney.min.js"></script>
    <script type="text/javascript">

function convertToRupiah (objek) {
    separator = ".";
    a = objek.value;
    b = a.replace(/\^d/g, "");
    c = "";
    panjang = b.length;
    j = 0; for (i = panjang; i > 0; i--) {
    j = j + 1; if ((j % 3) == 1) && (j != 1)) {
    c = b.substr(i-1,1) + separator + c; } else {
    c = b.substr(i-1,1) + c; } } objek.value = c; }

    </script>
</head>
<body>
<div id="page">
    <div id="container">
        <div id="header">
            <div id="social-icons">  
 
        </div>

        <div class="clearer"></div>
    </div><!--/end #header -->

    <div id="navigation-row">
        <ul id="navigation">
            <li><a href="index.php"
class="active">Home</a></li>
            <li><a href="index.php?pg=>Contact</a></li>
        </ul>
        <div class="clearer"></div>
    </div><!--/end #navigation-row -->

    <div id="image-slider">
        <a href="#" class="prev"></a>
        <ul>
            <li></li>
            <li></li>
        </ul>
        <a href="#" class="next"></a>
    </div><!--/end #image-slider -->
```

```
<div id="content"><!--/end .column-1-3 --><!--/end
.column-1-3 --><!--/end .column-1-3 -->

    <div class="clearer"></div>
    <div class="column-2-3">
        <div class="white-box">
            <div class="box-title"> <?
if($_SESSION['login']){?>
                Welcome <? echo $_SESSION['user']; } else
{?>
                <marquee>You Must Login <<=</marquee>
<? } ?>

            <div class="icon"></div>
        </div>

        <div class="box-content"><!--/end .post --><!--
-/end .post -->
            <?
switch($_GET[pg])
{
    case 'reg':{
        include "regksm.php";}break;
    case 'usul':{
        include "usulankegiatan.php";}break;
    case 'anggaran':{
        include "anggaranbiaya.php";}break;
    case 'rincian1':{
        include "rincian_adm_trs.php";}break;
    case 'rincian2':{
        include "rincian_alat.php";}break;
    case 'rincian3':{
        include "rincian_upah.php";}break;
    case 'upload':{
        include "upload_doc.php";}break;
    case 'kas':{
        include "pencatatan_kas.php";}break;
    case 'user':{
        include "user_login.php";}break;
    case 'view':{
        include "view.php";}break;
    case 'status':{
        include "status.php";}break;
    case 'anggota':{
        include "anggota.php";}break;
    case 'view_usulan':{
        include "view_usulan.php";}break;
    case 'laporan':{
        include "laporan.php";}break;
    case 'laporan_view':{
        include "laporan_msk_klr.php";}break;
    case 'view_doc':{
        include "view_doc.php";}break;
    case 'data':{
        include "data_anggota.php";}break;

    case 'logout':{
        include "logout.php";}break;

    default:{ if($_SESSION['login']){
        include 'home2.php';
    } else
        include 'home1.php';
    }

    break;
}
?>
        </div>
    </div>
```

```

</div><!--/end .column-2-3 -->

<div class="column-1-3">
  <div class="white-box">
    <div class="box-title">
      Categories
      <div class="icon"></div>
    </div>

    <? include'ddm.php'; ?>
  </div>

  <div class="spacer-small"></div>
</div><!--/end .column-1-3 -->

<div class="clearer"></div>
</div><!--/end #content -->

<div id="footer">
  <div class="footer-content">
    Copyright &copy; Politeknik Sriwijaya
  </div>
</div><!--/end #footer -->
</div><!--/end container -->
</div><!--/end #page -->
</body>
</html>

```

Index1.php

```

<?php include 'koneksi.php';
session_start();
?>
<table width="1100" border="1" align="center"
cellpadding="0" cellspacing="0">
  <tr>
    <th width="18%" height="200" scope="col">&nbsp;</th>
    <th width="82%" scope="col">&nbsp;</th>
  </tr>
  <tr>
    <td height="729" valign="top">
      <table width="100%" border="0" cellspacing="0"
cellpadding="0">
        <tr>
          <th scope="col"><?php include 'login.php'; ?></th>
        </tr>
      </table>
    <td width="100%" border="1" cellspacing="0"
cellpadding="0">
      <th scope="col">master</th>
      <tr>
        <td><a href="index.php?pg=user">user
login</a></td>
      </tr>
      <tr>
        <td><a href="index.php?pg=reg">reg ksm</a></td>
      </tr>
      <tr>
        <td>usulan kegiatan</td>
      </tr>
      <tr>
        <td>daftar anggota</td>
      </tr>
      <tr>
        <td align="center">laporan</td>
      </tr>
      <tr>
        <td>saldo</td>
      </tr>
      <tr>
        <td>keanggotaan ksm</td>
      </tr>
    </td>
  </tr>
</table>

```

```

<tr>
  <td>&nbsp;</td>
</tr>
</table>
<table width="100%" border="1" cellspacing="0"
cellpadding="0">
  <tr>
    <th scope="col">pimpinan</th>
  </tr>
  <tr>
    <td>laporan saldo</td>
  </tr>
  <tr>
    <td>laporan kegiatan</td>
  </tr>
  <tr>
    <td>&nbsp;</td>
  </tr>
  <tr>
    <td>&nbsp;</td>
  </tr>
</table>
<table width="100%" border="1" cellspacing="0"
cellpadding="0">
  <tr>
    <th scope="col">ksm</th>
  </tr>
  <tr>
    <td><a href="index.php?pg=usul">usulan
kegiatan</a></td>
  </tr>
  <tr>
    <td><a href="index.php?pg=anggaran">anggaran
biaya kegiatan</a></td>
  </tr>
  <tr>
    <td><a href="index.php?pg=upload">upload
doc</a></td>
  </tr>
  <tr>
    <td><a href="index.php?pg=kas">pencatatan buku
kas</a></td>
  </tr>
  <tr>
    <td align="center">rincian pengeluaran biaya</td>
  </tr>
  <tr>
    <td><a href="index.php?pg=rincian1">adm & transport</a></td>
  </tr>
  <tr>
    <td><a href="index.php?pg=rincian2">material dan
peralatan</a></td>
  </tr>
  <tr>
    <td><a href="index.php?pg=rincian3">upah tenaga
kerja</a></td>
  </tr>
  <tr>
    <td>&nbsp;</td>
  </tr>
  <tr>
    <td>&nbsp;</td>
  </tr>
  <tr>
    <td>&nbsp;</td>
  </tr>
  <tr>
    <td>&nbsp;</td>
  </tr>
</table></td>
<td align="left" valign="top" >
```

```

<?
switch($_GET['pg'])
{
case 'reg':
include "regksm.php";}break;
case 'usul':
include "usulankegiatan.php";}break;
case 'anggaran':
include "anggaranbiaya.php";}break;
case 'rincian1':
include "rincian_adm_trs.php";}break;
case 'rincian2':
include "rincian_alat.php";}break;
case 'rincian3':
include "rincian_upah.php";}break;
case 'upload':
include "upload_doc.php";}break;
case 'kas':
include "pencatatankas.php";}break;
case 'user':
include "user_login.php";}break;
?>

</td>
</tr>
<tr>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
</table>

```

Home1.php

```

<table width="100%" border="1" cellspacing="0"
cellpadding="0">
<tr>
<th height="34" scope="col"></th>
</tr>
</table>

```

Home2.php

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html;
charset=utf-8" />
<title>Untitled Document</title>
</head>

<body>
<table width="100%" border="1" cellspacing="0"
cellpadding="0">
<tr>
<th height="204" scope="col"></th>
</tr>
</table>
</body>
</html>

```

login.php

```

<form action="prologin.php" method="post" name="form1"
id="form1">
<table width="17%" border="1" align="center"
cellpadding="0" cellspacing="0">
<tr>
<td width="76%><input type="text" size="30"
name="user" placeholder="User Name"/></td>

```

```

</tr>
<tr>
<td><input type="password" name="pass" size="30"
placeholder="Password"/></td>
</tr>
<tr>
<td><input type="submit" value="Login" /></td>
</tr>
</table>
</form>

```

Prologin.php

```

<?php
session_start();
include'koneksi.php';
$user=$_POST['user'];
$pass=$_POST['pass'];
if(empty($user)&&empty($pass))
{
echo('<script type="text/javascript">alert("user /
password salah");window.location="index.php";</script>');
}
$query=mysqli_query($hubung,"select * from ksm where
nama='$user'");
if(mysqli_num_rows($query)>0)
{
$data=mysqli_fetch_array($query);
if($data['password']==($pass))
{
$_SESSION['login']=true;
$_SESSION['hak']=$data['hak'];
$_SESSION['user']=$data['nama'];
echo('<script
type="text/javascript">window.location="index.php"</script
>');
}
else
{
echo('<script type="text/javascript">alert("user /
password salah");window.location="index.php";</script>');
}
}
else
{
echo('<script type="text/javascript">alert("user / password
anda salah");window.location="index.php";</script>');
}
?>

```

Anggaranbiaya.php

```

<form action="index.php?pg=view" method="post">
<?php
session_start();
include "koneksi.php";
?>

<table width="100%" border="1" cellspacing="0"
cellpadding="0">
<tr>
<th height="51" colspan="9" scope="col">Anggaran
Anggaran Biaya Swadaya & PNPM/BLM<hr /></th>
</tr>
<tr>
<td colspan="5" align="right"><table width="100%"
border="0" cellspacing="0" cellpadding="0">
<tr>
<th width="27%" align="left"
scope="col">LOKASI</th>
<th width="5%" scope="col"></th>
```

```

<th width="68%" align="left" scope="col"><select name="lokasi" id="lokasi">
    <option value="0" selected="selected">Pilih Lokasi</option>
</?php

    $q=mysqli_query($hubung,"select * from ksm where nama='".$_SESSION['user']."'"); 
    $dt=mysqli_fetch_array($q);

    $query=mysqli_query($hubung,"select * from usulan where id_ksm='".$dt['id_ksm']."' and sts='terima'");

    while($row=mysqli_fetch_array($query))
    {
        <option value="php echo $row['id_usulan']; ?">
        <?php echo $row['lokasi']; ?>
    }
    ?
</select></th>
</tr>
</table></td>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td align="center" style="font-size:9px">(1)</td>
<td align="center" style="font-size:9px">(2)</td>
<td align="center" style="font-size:9px">(3)</td>
<td align="center" style="font-size:9px">(4)</td>
<td align="center" style="font-size:9px">(5)</td>
<td align="center" style="font-size:9px">(6)=(4)-(5)</td>
<td align="center" style="font-size:9px">(7)</td>
<td align="center" style="font-size:9px">(8)=(5)(7)</td>
<td align="center" style="font-size:9px">(9)=(6)(7)</td>
</tr>
<tr>
<td rowspan="6" align="center" valign="top">1</td>
<td><strong>TENAGA KERJA</strong></td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
</tr>
<tr>
<td>mandor</td>
<td align="center">HOK</td>
<td align="center"><input name="a1" type="text" size="1" id="a1" onkeyup="convertToRupiah(this)" /></td>
<td align="center"><input name="b1" type="text" size="1" id="b1" onkeyup="convertToRupiah(this)" /></td>
<td align="center">&nbsp;</td>
<td align="center"><input name="d1" type="text" size="3" id="d1" onkeyup="convertToRupiah(this)" /></td>
<td align="center">&nbsp;</td>
</tr>
<tr>
<td>kepala tukang</td>
<td align="center">HOK</td>
<td align="center"><input name="a2" type="text" size="1" id="a2" onkeyup="convertToRupiah(this)" /></td>
<td align="center"><input name="b2" type="text" size="1" id="b2" onkeyup="convertToRupiah(this)" /></td>
<td align="center">&nbsp;</td>
<td align="center"><input name="d2" type="text" size="3" id="d2" onkeyup="convertToRupiah(this)" /></td>
<td align="center">&nbsp;</td>
</tr>
<tr>
<td>tukang</td>
<td align="center">HOK</td>
<td align="center"><input name="a3" type="text" size="1" id="a3" onkeyup="convertToRupiah(this)" /></td>
<td align="center"><input name="b3" type="text" size="1" id="b3" onkeyup="convertToRupiah(this)" /></td>
<td align="center">&nbsp;</td>
<td align="center"><input name="d3" type="text" size="3" id="d3" onkeyup="convertToRupiah(this)" /></td>
<td align="center">&nbsp;</td>
</tr>
<tr>
<td>pekerja</td>
<td align="center">HOK</td>
<td align="center"><input name="a4" type="text" size="1" id="a4" onkeyup="convertToRupiah(this)" /></td>

```



```

<td align="center"><input name="kom" type="text" size="3" id="kom" onkeyup="convertToRupiah(this)"></td>
<td align="center" bgcolor="#999999">&nbsp;</td>
</tr>
<tr>
<td align="center" valign="top">&nbsp;</td>
<td>&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center" bgcolor="#999999">&nbsp;</td>
</tr>
<tr>
<td align="center" valign="top">&nbsp;</td>
<td>&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
</tr>
<tr>
<td colspan="7" align="right" valign="top">Jumlah Biaya (Rp)</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
</tr>
<tr>
<td colspan="7" align="right" valign="top">Jumlah Total Biaya upah swadaya &amp; pnpm/BLM</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
</tr>
<tr>
<td colspan="7" align="right" valign="top">Jumlah Total Biaya Konstruksi Swadaya &amp; PNPM/BLM</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
</tr>
<tr>
<td align="center" valign="top">&nbsp;</td>
<td>&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center"><input type="submit" value="View" /></td>
<td align="center">&nbsp;</td>
</tr>
</table>
</form>

```

anggota.php

```

<?php
if (isset($_GET['hal']))
{
    $id=$_GET['id'];
    if ($_GET['hal']=='edit')
    {
        $q2=mysqli_query($hubung,"select * from ksm where id_ksm='$id'");
        $dt2=mysqli_fetch_array($q2);
    }
    else if ($_GET['hal']=='hapus')
    {

```

```

        $q2=mysqli_query($hubung,"delete from ksm where id_ksm='$id'");
        echo'<script type="text/javascript">
        alert("delete");window.location="index.php?pg=anggota";</script>';
    }
}

if(isset($_POST['simpan']))
{
    $idksm=$_POST['id'];
    $ps=$_POST['pass'];
    $q2=mysqli_query($hubung,"update ksm set password='$ps' where id_ksm='$idksm'");
    echo'<script type="text/javascript"> alert("resset success");window.location="index.php?pg=anggota";</script>';
}

?>
<form action="" method="post">
<input type="hidden" name="id" value=<?php echo $dt2['id_ksm']; ?> readonly>
<table width="100%" border="1" cellspacing="0" cellpadding="0">
<tr>
<th height="48" colspan="3" scope="col">Resset Password<hr /></th>
</tr>
<tr>
<td width="16%">Nama KSM</td>
<td width="1%">:</td>
<td width="83%"><input type="text" name="user" value=<?php echo $dt2['nama']; ?> readonly></td>
</tr>
<tr>
<td>Password Baru</td>
<td>:

```

```

<table width="100%" border="1" cellspacing="0" cellpadding="0">
<tr>
<th align="left" scope="col">No</th>
<th align="left" scope="col">Nama KSM</th>
<th align="left" scope="col">Alamat</th>
<th align="left" scope="col">Kota</th>
<th align="left" scope="col">No Telpon</th>
<th align="left" scope="col">Hak Akses</th>
<th scope="col">Proses</th>
</tr>
<?php
$no=1;
$sqlx=mysqli_query($hubung,"select * from ksm where hak='anggota'");
while($datax=mysqli_fetch_array($sqlx)){
?>
<tr>
<td><?php echo $no; ?></td>
<td><?php echo $datax['nama']; ?></td>
<td><?php echo $datax['alamat']; ?></td>
<td><?php echo $datax['kota']; ?></td>
```

```

<td><?php echo $datax['no_telp']; ?></td>
<td><?php echo $datax['hak']; ?></td>
<td align="center">
<a href="index.php?pg=anggota&hal=edit&id=<?php
echo $datax['id_ksm'] ;?>"></a>
<a href="index.php?pg=anggota&hal=hapus&id=<?php
echo $datax['id_ksm'] ?>"></a>
</td>
</tr><?php $no++; } ?>
</table>

```

Cetak.php

```

<?php
session_start();
include 'koneksi.php';
$queryx1=mysqli_query($hubung,"select * from usulan a
inner join ksm b on a.id_ksm=b.id_ksm");
$dta=mysqli_fetch_array($queryx1);

?>
<table width="100%" border="01" cellspacing="0"
cellpadding="0">
<tr>
<th height="45" colspan="5" scope="col">Laporan
Pemasukan dan Pengeluaran<hr></th>
</tr>
<tr>
<th colspan="5" align="left" scope="col"><table
width="100%" border="0" cellspacing="0"
cellpadding="0">
<tr>
<th colspan="3" align="left" scope="col">&nbsp;</th>
</tr>
<tr>
<th width="21%" align="left" scope="col"><strong>Nama KSM</strong></th>
<th width="1%" align="center" scope="col"><strong>:</strong></th>
<th width="78%" align="left" scope="col"><?php
echo $dta['nama']; ?></th>
</tr>
<tr>
<td align="left" colspan="3" style="text-align: right;">Kegiatan</strong></td>
<td align="center" style="text-align: right;"><strong>:</strong></td>
<td align="left"><?php echo $dta['lokasi']; ?></td>
</tr>
</table></th>
</tr>
<tr>
<th align="left" scope="col">&nbsp;</th>
<th scope="col">&nbsp;</th>
<th scope="col">&nbsp;</th>
<th scope="col">&nbsp;</th>
<th align="right" style="text-align: left; width: 49%;">PEMASUKAN</th>
<th width="1%" scope="col"><?php
$s1=mysqli_query($hubung,"select sum(dr_swadaya) as
jum1,sum(dr_pnppm) as jum2 from alat a inner join ksm b
on a.id_ksm=b.id_ksm
where a.id_ksm='$_GET['idksm'].'
and a.id_lokasi='$_GET['idlokasi'].'"');
$d1=mysqli_fetch_array($s1);>&nbsp;</th>
<th width="29%" scope="col"><?php
echo $d1['jum1']+ $d1['jum2'];
?></th>
<th width="1%" scope="col"><?php
echo $d1['jum2'];
?></th>
<th width="20%" scope="col"><?php
echo $d1['jum1'];
?></th>
</tr>
<tr>
<th align="left" style="text-align: right;">TOTAL
PEMASUKAN</th>
<td align="center" style="text-align: right;"><?php
echo $d1['jum1']+ $d1['jum2'];
?></td>
<td align="center" style="text-align: right;"><?php
echo $d1['jum2'];
?></td>
<td align="center" style="text-align: right;"><?php
echo $d1['jum1'];
?></td>
<td align="center" style="text-align: right;"><?php
echo $d1['jum1'];
?></td>
<td align="center" style="text-align: right;"><?php
echo $d1['jum1'];
?></td>
</tr>
<tr>
<th align="left" style="text-align: right;">PENGELUARAN</th>
<td align="center" style="text-align: right;"><?php
echo $d1['jum2'];
?></td>
<td align="center" style="text-align: right;"><?php
echo $d1['jum1'];
?></td>
<td align="center" style="text-align: right;"><?php
echo $d1['jum1'];
?></td>
<td align="center" style="text-align: right;"><?php
echo $d1['jum1'];
?></td>
</tr>
<tr>
<td align="center" style="text-align: right;">Pembelian material dan peralatan</td>

```

```

$S2=mysqli_query($hubung,"select sum(dr_swadaya) as
jum3,sum(dr_pnppm) as jum4 from bahan a inner join ksm
b on a.id_ksm=b.id_ksm
where a.id_ksm='$_GET['idksm'].'
and a.id_lokasi='$_GET['idlokasi'].'"');
$d2=mysqli_fetch_array($S2);

$S3=mysqli_query($hubung,"select sum(dr_swadaya) as
jum5,sum(dr_pnppm) as jum6 from biaya_adm a inner join
ksm b on a.id_ksm=b.id_ksm
where a.id_ksm='$_GET['idksm'].'
and a.id_lokasi='$_GET['idlokasi'].'"');
$d3=mysqli_fetch_array($S3);

$S4=mysqli_query($hubung,"select sum(dr_swadaya) as
jum7,sum(dr_pnppm) as jum8 from tenaga_kerja a inner
join ksm b on a.id_ksm=b.id_ksm
where a.id_ksm='$_GET['idksm'].'
and a.id_lokasi='$_GET['idlokasi'].'"');
$d4=mysqli_fetch_array($S4);

$S5=mysqli_query($hubung,"select sum(dr_swadaya) as
jum9 from konsumsi a inner join ksm b on
a.id_ksm=b.id_ksm
where a.id_ksm='$_GET['idksm'].'
and a.id_lokasi='$_GET['idlokasi'].'"');
$d5=mysqli_fetch_array($S5);

$jumlah1=$d1['jum1']+ $d2['jum3']+ $d3['jum5']+ $d4['jum7']
+$d5['jum9'];

$jumlah2=$d1['jum2']+ $d2['jum4']+ $d3['jum6']+ $d4['jum8'];
?>
<tr>
<td>Transfer dana dari KBM</td>
<td align="center"><strong>:</strong></td>
<td><?php echo $jumlah2; ?></td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td>Swadaya Masyarakat</td>
<td align="center"><strong>:</strong></td>
<td><?php echo $jumlah1; ?></td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td align="center" colspan="3" style="text-align: right;">TOTAL
PEMASUKAN</td>
<td align="center" style="text-align: right;"><?php
echo $total=$jumlah1+$jumlah2;
?></td>
</tr>
<tr>
<td align="center" style="text-align: right;"><?php
echo $total;
?></td>
</tr>
<tr>
<th align="left" style="text-align: right;">PENGELUARAN</th>
<td align="center" style="text-align: right;"><?php
echo $total;
?></td>
</tr>
<tr>
<td align="center" style="text-align: right;">Pembelian material dan peralatan</td>

```



```

$(#b2').maskMoney();
$(#d2').maskMoney();

$(#a3').maskMoney();
$(#b3').maskMoney();
$(#d3').maskMoney();

$(#a4').maskMoney();
$(#b4').maskMoney();
$(#d4').maskMoney();

$(#cc1').maskMoney();
$(#dd1').maskMoney();
$(#ff1').maskMoney();

$(#cc2').maskMoney();
$(#dd2').maskMoney();
$(#ff2').maskMoney();

$(#cc3').maskMoney();
$(#dd3').maskMoney();
$(#ff3').maskMoney();

$(#cc4').maskMoney();
$(#dd4').maskMoney();
$(#ff4').maskMoney();

$(#ccc1').maskMoney();
$(#ddd1').maskMoney();
$(#fff1').maskMoney();

$(#ccc2').maskMoney();
$(#ddd2').maskMoney();
$(#fff2').maskMoney();

$(#ccc3').maskMoney();
$(#ddd3').maskMoney();
$(#fff3').maskMoney();

$(#ccc4').maskMoney();
$(#ddd4').maskMoney();
$(#fff4').maskMoney();

$(#aaaa1').maskMoney();
$(#bbbb1').maskMoney();
$(#dddd1').maskMoney();

$(#aaaa2').maskMoney();
$(#bbbb2').maskMoney();
$(#dddd2').maskMoney();

$(#aaaa3').maskMoney();
$(#bbbb3').maskMoney();
$(#dddd3').maskMoney();

$(#aaaa4').maskMoney();
$(#bbbb4').maskMoney();
$(#dddd4').maskMoney();

$(#aaaa5').maskMoney();
$(#bbbb5').maskMoney();
$(#dddd5').maskMoney();

$(#aaaa6').maskMoney();
$(#bbbb6').maskMoney();
$(#dddd6').maskMoney();

$(#aaaa7').maskMoney();
$(#bbbb7').maskMoney();
$(#dddd7').maskMoney();

$(#aaaa8').maskMoney();
$(#bbbb8').maskMoney();
$(#dddd8').maskMoney();

```

\$('#kom').maskMoney();
});

Data_anggota.php

```

<table width="100%" border="1" cellspacing="0"
cellpadding="0">
<tr>
<th align="center" scope="col">No</th>
<th align="left" scope="col">>Nama KSM</th>
<th align="left" scope="col">&nbsp;</th>
</tr>
<?php
$no=1;
$sqlx=mysqli_query($hubung,"select * from ksm");
while($datax=mysqli_fetch_array($sqlx)){
$id=$datax['id_ksm'];
?>
<tr>
<td align="center" valign="top"><?php echo $no;
?></td>
<td align="left" valign="top"><?php echo $datax['nama'];
?></td>
<td>

<table width="100%" border="0" cellspacing="0"
cellpadding="0">
<tr>
<th scope="col">nama</th>
<th scope="col">jabatan</th>
</tr>
<?php
$sqlz=mysqli_query($hubung,"select * from
anggota_ksm where id_anggota_ksm='".$id"");
while($dataz=mysqli_fetch_array($sqlz)){?>
<tr>
<th scope="col"><?php echo $dataz['nama']; ?></th>
<th scope="col"><?php echo $dataz['jabatan']; ?></th>
</tr>
<?php } ?>
</table>
</td>
</tr><?php $no++; } ?>
</table>

```

ddm.php

```

<?php include'koneksi.php'; session_start();?>
<html>
<head>
<link rel="stylesheet" href="css/normalize.css">
<link rel="stylesheet" href="css/style.css" media="screen" type="text/css" />
</head>
<body>
<ul>
<? if($_SESSION['login']){?>
<li class="dropdown"><a href="index.php?pg=logout" data-toggle="dropdown" title="halaman logout anda">Logout<i class="icon-arrow"></i></a><? } else{ ?>
<li class="dropdown"><a href="#" data-toggle="dropdown" title="halaman login anda">Login<i class="icon-arrow"></i></a>
<ul class="dropdown-menu">
<li><? include'login.php'; ?></li>
</ul>
</li><? } if ($_SESSION['login']){
if ($_SESSION['user']=='admin'){
?>
<li class="dropdown"><a href="#" data-toggle="dropdown" title="halaman penambahan user baru">Master<i class="icon-arrow"></i></a>
<ul class="dropdown-menu">
```

```

<li><a href="index.php?pg=reg">registrasi KSM</a></li>
<li><a href="index.php?pg=status">Usulan Kegiatan</a></li>
<li><a href="index.php?pg=anggota">Daftar Anggota</a></li>
</ul>
</li>
<? } }if ($_SESSION['login']){
    if
($_SESSION['hak']=='admin'||$_SESSION['hak']=='pimpinan'){
        ?
<li class="dropdown">
    <a href="#" data-toggle="dropdown" title="halaman penggunaan alat dan bahan kimia">Report<i class="icon-arrow"></i></a>
    <ul class="dropdown-menu">
        <li><a href="index.php?pg=data">Keanggotaan</a></li>
        <li><a href="index.php?pg=view_doc">Dokumentasi</a></li>
        <li><a href="index.php?pg=laporan">Pemasukan dan Pengeluaran</a></li>
        </ul><?php } }if ($_SESSION['login']){
            if ($_SESSION['hak']=='anggota'){
                ?
<li class="dropdown">
    <a href="#" data-toggle="dropdown" title="halaman pembuatan laporan">Master Data KSM<i class="icon-arrow"></i></a>
    <ul class="dropdown-menu">
        <li><a href="index.php?pg=usul">Usulan Kegiatan</a></li>
        <li><a href="index.php?pg=anggaran">Anggaran Biaya Kegiatan</a></li>
        <li><a href="index.php?pg=upload">Upload Doc</a></li>
        <li><a href="index.php?pg=kas">Pencatatan Buku KAS</a></li>
        </ul>
    </li>
    <li class="dropdown">
        <a href="#" data-toggle="dropdown" title="halaman rekaman aktivitas">Rincian Biaya<i class="icon-arrow"></i></a>
        <ul class="dropdown-menu">
            <li><a href="index.php?pg=rincian1">Adm dan Transport</a></li>
            <li><a href="index.php?pg=rincian2">Material dan Peralatan</a></li>
            <li><a href="index.php?pg=rincian3">Upah Tenaga Kerja</a></li>
            </ul>
        </li><? } }?>
    </ul>
    <p class="text-center">&ampnbsp</p>
</div>
<script src="js/index.js"></script>
</body>
</html>

```

Koneksi.php

```

<?php
$hubung=mysqli_connect('localhost','root','','tikapol') or die('<script Type="text/javascript">alert("salah koneksi'.mysql_error().")</script>');
?>

```

Laporan.php

```

<?php
session_start();
include 'koneksi.php';
$query=mysqli_query($hubung,"select * from usulan a inner join ksm b on a.id_ksm=b.id_ksm");
?>

<table width="100%" border="0" cellspacing="0">
<tr>
    <th height="41" colspan="4" scope="col">LAPORAN PEMASUKAN DAN PENGELUARAN KSM<hr></th>
</tr>
<tr>
    <td>NO</td>
    <td>NAMA KSM</td>
    <td>NAMA KEGIATAN</td>
    <td>LOKASI</td>
</tr>
<?php while ($row=mysqli_fetch_array($query)){ ?>
<tr>
    <td>&ampnbsp</td>
    <td><?php echo $row['nama']; ?></td>
    <td>
        <a href="index.php?pg=laporan_view&idksm=<?php
echo $row['id_ksm'];?>&lokasi=<?php
echo $row['lokasi'];?>&idlokasi=<?php
echo $row['id_usulan'];?>">
            <?php echo $row['nm_pekerjaan']; ?></a></td>
        <td><?php echo $row['lokasi']; ?></td>
    </tr>
    <?php } ?>
</table>
<?php
    if(isset($_POST['simpan'])){
        $sql2=mysqli_query($hubung,"update usulan set sts='".$_POST['statusx']."' where id_usulan='".$_POST['ids']."' ");
        if($sql2)
            {echo<script type="text/javascript">
alert("proses update succes");window.location="index.php?pg=status";</script>
}
    }
?>

```

Laporan_Masuk_Keluar.php

```

<?php
session_start();
include 'koneksi.php';
$queryx1=mysqli_query($hubung,"select * from usulan a inner join ksm b on a.id_ksm=b.id_ksm");
$dta=mysqli_fetch_array($queryx1);

?>
<table width="100%" border="0" cellspacing="0">
<tr>
    <th height="45" colspan="5" scope="col">Laporan Pemasukan dan Pengeluaran<hr></th>
</tr>
<tr>
    <th colspan="5" align="left" scope="col"><table width="100%" border="0" cellspacing="0" cellpadding="0">
        <tr>
            <th colspan="3" align="left" scope="col"><table width="100%" border="0" cellspacing="0" cellpadding="0">
                <tr>

```

```

<tr>
    <th scope="col">&nbsp;</th>
    <th scope="col">&nbsp;</th>
    <th align="right" scope="col">
<a href="pdf.php?idksm=<?php echo $_GET['idksm'];?>&idlokasi=<?php echo $_GET['idlokasi'];?>"><input type="submit" value="cetak"
/></a></th>
    </tr>
</table></th>
</tr>
<tr>
    <th width="21%" align="left" scope="col"><strong>Nama KSM</strong></th>
    <th width="1%" align="center" scope="col"><strong>:</strong></th>
    <th width="78%" align="left" scope="col"><?php echo $dta['nama']; ?></th>
</tr>
<tr>
    <td align="left"><strong>Lokasi Kegiatan</strong></td>
    <td align="center"><strong>:</strong></td>
    <td align="left"><?php echo $dta['lokasi']; ?></td>
</tr>
</table></th>
</tr>
<tr>
    <th align="left" scope="col">&nbsp;</th>
    <th scope="col">&nbsp;</th>
    <th scope="col">&nbsp;</th>
    <th scope="col">&nbsp;</th>
</tr>
<tr>
    <th width="49%" align="left" scope="col">PEMASUKAN</th>
    <th width="1%" scope="col">&nbsp;</th>
    <th width="29%" scope="col">&nbsp;</th>
    <th width="1%" scope="col">&nbsp;</th>
    <th width="20%" scope="col">&nbsp;</th>
</tr>
<?php
//echo $_GET['idksm'], $_GET['idlokasi'];
$s1=mysqli_query($hubung,"select a.dr_swadaya,
a.dr_pnpm from alat a inner join ksm b on
a.id_ksm=b.id_ksm
where a.id_ksm='$_GET['idksm'].'" and
a.id_lokasi='$_GET['idlokasi']."'");

$where a.id_ksm='$_GET['idksm'].'" and a.id_lokasi='$_GET['idlokasi']."'");

$no=1;
$jum1=0;
$jum2=0;
while ($d1=mysqli_fetch_array($s1)) {
    $swadaya[$no] = $d1['dr_swadaya'];
    $swadayaEdit[$no] = str_replace(", ", "", $swadaya[$no]);
    $jum1 = $jum1 + $swadayaEdit[$no];

    $pnpm[$no] = $d1['dr_pnpm'];
    $pnpmEdit[$no] = str_replace(", ", "", $pnpm[$no]);
    $jum2 = $jum2 + $pnpmEdit[$no];

    $no++;
}

$jum3=mysqli_query($hubung,"select a.dr_swadaya,
a.dr_pnpm from bahan a inner join ksm b on
a.id_ksm=b.id_ksm
where a.id_ksm='$_GET['idksm'].'" and
a.id_lokasi='$_GET['idlokasi']."'");

$jum3=0;
$jum4=0;
while ($d2=mysqli_fetch_array($s2)) {
    $swadaya[$no] = $d2['dr_swadaya'];

    $swadayaEdit[$no] = str_replace(", ", "", $swadaya[$no]);
    $jum3 = $jum3 + $swadayaEdit[$no];

    $pnpm[$no] = $d2['dr_pnpm'];
    $pnpmEdit[$no] = str_replace(", ", "", $pnpm[$no]);
    $jum4 = $jum4 + $pnpmEdit[$no];
}

$swadayaEdit[$no] = str_replace(", ", "", $swadaya[$no]);
$jum3 = $jum3 + $swadayaEdit[$no];

$pnpm[$no] = $d2['dr_pnpm'];
$pnpmEdit[$no] = str_replace(", ", "", $pnpm[$no]);
$jum4 = $jum4 + $pnpmEdit[$no];

$no++;
}

$s3=mysqli_query($hubung,"select a.dr_swadaya,
a.dr_pnpm from biaya_adm a inner join ksm b on
a.id_ksm=b.id_ksm
where a.id_ksm='$_GET['idksm'].'" and
a.id_lokasi='$_GET['idlokasi']."'");

$jum5=0;
$jum6=0;
while ($d3=mysqli_fetch_array($s3)) {
    $swadaya[$no] = $d3['dr_swadaya'];
    $swadayaEdit[$no] = str_replace(", ", "", $swadaya[$no]);
    $jum5 = $jum5 + $swadayaEdit[$no];

    $pnpm[$no] = $d3['dr_pnpm'];
    $pnpmEdit[$no] = str_replace(", ", "", $pnpm[$no]);
    $jum6 = $jum6 + $pnpmEdit[$no];
}

$no++;
}

$s4=mysqli_query($hubung,"select a.dr_swadaya,
a.dr_pnpm from tenaga_kerja a inner join ksm b on
a.id_ksm=b.id_ksm
where a.id_ksm='$_GET['idksm'].'" and
a.id_lokasi='$_GET['idlokasi']."'");

$jum7=0;
$jum8=0;
while ($d4=mysqli_fetch_array($s4)) {
    $swadaya[$no] = $d4['dr_swadaya'];
    $swadayaEdit[$no] = str_replace(", ", "", $swadaya[$no]);
    $jum7 = $jum7 + $swadayaEdit[$no];

    $pnpm[$no] = $d4['dr_pnpm'];
    $pnpmEdit[$no] = str_replace(", ", "", $pnpm[$no]);
    $jum8 = $jum8 + $pnpmEdit[$no];
}

$no++;
}

$s5=mysqli_query($hubung,"select a.dr_swadaya from
konsumsi a inner join ksm b on a.id_ksm=b.id_ksm
where a.id_ksm='$_GET['idksm'].'" and
a.id_lokasi='$_GET['idlokasi']."'");

$jum9=0;
while ($d5=mysqli_fetch_array($s5)) {
    $swadaya[$no] = $d5['dr_swadaya'];
    $swadayaEdit[$no] = str_replace(", ", "", $swadaya[$no]);
    $jum9 = $jum9 + $swadayaEdit[$no];

    $no++;
}

$jumlah1=$jum1+$jum3+$jum5+$jum7+$jum9;
$jumlah2=$jum2+$jum4+$jum6+$jum8;

?>
<tr>
    <td>Transfer dana dari KBM</td>
    <td align="center"><strong>:</strong></td>
    <td><?php echo number_format($jumlah2); ?></td>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
</tr>

```

```

<tr>
<td>Swadaya Masyarakat</td>
<td align="center"><strong>:</strong></td>
<td><?php echo number_format($jumlah1); ?></td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td colspan="3" align="right">TOTAL PEMASUKAN</td>
<td align="center"></td>
<td><?php $tot=$jumlah1+$jumlah2; echo number_format($tot); ?></td>
</tr>
<tr>
<td>&nbsp;</td>
<td align="center">&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td><strong>PENGELUARAN</strong></td>
<td align="center">&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td>Pembelian material dan peralatan</td>
<td align="center">&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td><?php
$lap=mysqli_query($hubung,"select * from material_peralatan where id_ksm='$_GET['idksm'].'" and lokasi='$_GET['idlokasi'].'"");
while($dt=mysqli_fetch_array($lap)){
?>
<tr>
<td><?php echo $dt[jenis]; ?></td>
<td align="center"><strong>:</strong></td>
<td><?php $t=str_replace(".","", $dt[total]); echo number_format($t); ?></td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<?php } ?>
<tr>
<td>Biaya Administrasi</td>
<td align="center">&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<?php
$lap=mysqli_query($hubung,"select * from biaya_transport where id_ksm='$_GET['idksm'].'" and lokasi='$_GET['idlokasi'].'"");
keperluan='administrasi';
while($dt=mysqli_fetch_array($lap)){
?>
<tr>
<td><?php echo $dt[keterangan]; ?></td>
<td align="center"><strong>:</strong></td>
<td><?php $j=str_replace(".","", $dt[jumlah]); echo number_format($j); ?></td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<?php } ?>
<tr>
<td>Biaya Transport</td>
<td align="center">&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<?php
$lap=mysqli_query($hubung,"select * from upah_tenagakerja where id_ksm='$_GET['idksm'].'" and lokasi='$_GET['idlokasi'].'"");
while($dt=mysqli_fetch_array($lap)){
?>
<tr>
<td><?php echo $dt[nama]; ?></td>
<td align="center"><strong>:</strong></td>
<td><?php $ju=str_replace(".","", $dt[total]); echo number_format($ju); ?></td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<?php } ?>
<tr>
<td><?php
$x1=mysqli_query($hubung,"select total from material_peralatan a inner join ksm b on a.id_ksm=b.id_ksm
where a.id_ksm='$_GET['idksm']' and a.lokasi='$_GET['idlokasi']'"');
$no=1;
$tos1=0;
while ($z1=mysqli_fetch_array($x1)) {
$total[$no] = $z1[total];
$totalEdit[$no] = str_replace(".","", $total[$no]);
$tos1 = $tos1 + $totalEdit[$no];
}
$no++;
?>
<td><?php
$x2=mysqli_query($hubung,"select jumlah from biaya_transport a inner join ksm b on a.id_ksm=b.id_ksm
where a.id_ksm='$_GET['idksm']' and a.lokasi='$_GET['idlokasi']'" and a.keperluan='administrasi');
$tos2=0;
while ($z2=mysqli_fetch_array($x2)) {
$jumlah[$no] = $z2[jumlah];
$jumlahEdit[$no] = str_replace(".","", $jumlah[$no]);
$tos2 = $tos2 + $jumlahEdit[$no];
}
$no++;
?>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
</tr>
<?php } ?>
<tr>
<td align="center"><strong>:</strong></td>
<td align="center"><strong>:</strong></td>
<td align="center"><strong>:</strong></td>
<td align="center"><strong>:</strong></td>
<td align="center"><strong>:</strong></td>
</tr>
<?php
$lap=mysqli_query($hubung,"select * from

```

```

}

$x3=mysqli_query($hubung,"select jumlah from
biaya_transport a inner join ksm b on a.id_ksm=b.id_ksm
where a.id_ksm='".$_GET['idksm']."' and
and a.lokasi='".$_GET['idlokasi']."' and
a.keperluan='transport'");

$tos3=0;
while ($z3=mysqli_fetch_array($x3)) {
$jumlah[$no] = $z3['jumlah'];
$jumlahEdit[$no] = str_replace(".", "",$jumlah[$no]);
$tos3 = $tos3 + $jumlahEdit[$no];

$no++;
}

$x4=mysqli_query($hubung,"select total from
upah_tenagakerja a inner join ksm b on
a.id_ksm=b.id_ksm
where a.id_ksm='".$_GET['idksm']."' and
a.lokasi='".$_GET['idlokasi']."'");

$tos4=0;
while ($z4=mysqli_fetch_array($x4)) {
$total[$no] = $z4['total'];
$totalEdit[$no] = str_replace(".", "",$total[$no]);
$tos4 = $tos4 + $totalEdit[$no];

$no++;
}
//echo $tos1,$tos2,$tos3,$tos4;
$tosall=$tos1+$tos2+$tos3+$tos4;

?>

<td colspan="3" align="right">TOTAL
PENGELUARAN</td>
<td align="center"></td>
<td><?php echo number_format($tosall); ?></td>
</tr>
<tr>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
</table>

```

Logout.php

```

<?php
session_start();
$_SESSION['login'] = false;
$_SESSION['right'] = "";
$_SESSION['user'] = "";
session_destroy();
?>
<script type="text/javascript">
alert("LOGOUT SUCCESS");
window.location = "index.php";
</script>

```

pdf.php

```

<?php
// Define relative path from this script to mPDF
$dokumen='PDF With MPDF'; //Beri nama file PDF
hasil.
define('_MPDF_PATH','MPDF57/');
include(_MPDF_PATH . "mpdf.php");

```

```

$mpdf=new mPDF('utf-8', 'A4'); // Create new mPDF
Document

//Beginning Buffer to save PHP variables and HTML tags
ob_start();
?>
<!--sekarang Tinggal Coding seperti biasanya. HTML,
CSS, PHP tidak masalah.-->
<!--CONTOH Code START-->
<?php
session_start();
include 'koneksi.php';
$queryx1=mysqli_query($hubung,"select * from usulan a
inner join ksm b on a.id_ksm=b.id_ksm");
$dta=mysqli_fetch_array($queryx1);

?>
<table width="100%" border="0" cellspacing="0"
cellpadding="0">
<tr>
<th height="45" colspan="5" align="center" scope="col"><h3>Laporan Pemasukan dan Pengeluaran</h3>
<p>&nbsp;</p> <hr style="border:solid"></th>
</tr>
<tr>
<th colspan="5" align="left" scope="col"><table width="100%" border="0" cellspacing="0"
cellpadding="0">
<tr>
<th colspan="3" align="left" scope="col">&nbsp;</th>
</tr>
<tr>
<th width="21%" align="left" scope="col"><strong>Nama KSM</strong></th>
<th width="1%" align="center" scope="col"><strong></strong></th>
<th width="78%" align="left" scope="col"><?php
echo $dta['nama']; ?></th>
</tr>
<tr>
<td align="left"><strong></strong></td>
<td align="left"><?php echo $dta['lokasi']; ?></td>
</tr>
</table></th>
</tr>
<tr>
<th align="left" scope="col">&nbsp;</th>
<th scope="col">&nbsp;</th>
<th scope="col">&nbsp;</th>
<th scope="col">&nbsp;</th>
<th scope="col">&nbsp;</th>
</tr>
<tr>
<th width="49%" align="left" scope="col">PEMASUKAN</th>
<th width="1%" scope="col">&nbsp;</th>
<th width="29%" scope="col">&nbsp;</th>
<th width="1%" scope="col">&nbsp;</th>
<th width="20%" scope="col">&nbsp;</th>
</tr>
<?php
$d1=mysqli_query($hubung,"select a.dr_swadaya,
a.dr_pnppm from alat a inner join ksm b on
a.id_ksm=b.id_ksm
where a.id_ksm='".$_GET['idksm']."' and
a.id_lokasi='".$_GET['idlokasi']."'");

$no=1;
$jum1=0;
$jum2=0;
while ($d1=mysqli_fetch_array($d1)) {
$swadaya[$no] = $d1['dr_swadaya'];
$swadayaEdit[$no] = str_replace(".", "",$swadaya[$no]);
}

```

```

$jumlah1 = $jumlah1 + $swadayaEdit[$no];
$pnpnm[$no] = $d1['dr_pnpnm'];
$pnpnmEdit[$no] = str_replace(" , "" , $pnpnm[$no]);
$jumlah2 = $jumlah2 + $pnpnmEdit[$no];

$no++;
}

$s2=mysqli_query($hubung,"select      a.dr_swadaya,
a.dr_pnpnm from bahan a inner join ksm b on
a.id_ksm=b.id_ksm
      where      a.id_ksm=".$_GET['idksm']."' and
a.id_lokasi=".$_GET['idlokasi']."'");

$jumlah3=0;
$jumlah4=0;
while ($d2=mysqli_fetch_array($s2)) {
  $swadaya[$no] = $d2['dr_swadaya'];
  $swadayaEdit[$no] = str_replace(" , "" , $swadaya[$no]);
  $jumlah3 = $jumlah3 + $swadayaEdit[$no];

  $pnpnm[$no] = $d2['dr_pnpnm'];
  $pnpnmEdit[$no] = str_replace(" , "" , $pnpnm[$no]);
  $jumlah4 = $jumlah4 + $pnpnmEdit[$no];

  $no++;
}

$s3=mysqli_query($hubung,"select      a.dr_swadaya,
a.dr_pnpnm from biaya_adm a inner join ksm b on
a.id_ksm=b.id_ksm
      where      a.id_ksm=".$_GET['idksm']."' and
a.id_lokasi=".$_GET['idlokasi']."'");

$jumlah5=0;
$jumlah6=0;
while ($d3=mysqli_fetch_array($s3)) {
  $swadaya[$no] = $d3['dr_swadaya'];
  $swadayaEdit[$no] = str_replace(" , "" , $swadaya[$no]);
  $jumlah5 = $jumlah5 + $swadayaEdit[$no];

  $pnpnm[$no] = $d3['dr_pnpnm'];
  $pnpnmEdit[$no] = str_replace(" , "" , $pnpnm[$no]);
  $jumlah6 = $jumlah6 + $pnpnmEdit[$no];

  $no++;
}

$s4=mysqli_query($hubung,"select      a.dr_swadaya,
a.dr_pnpnm from tenaga_kerja a inner join ksm b on
a.id_ksm=b.id_ksm
      where      a.id_ksm=".$_GET['idksm']."' and
a.id_lokasi=".$_GET['idlokasi']."'");

$jumlah7=0;
$jumlah8=0;
while ($d4=mysqli_fetch_array($s4)) {
  $swadaya[$no] = $d4['dr_swadaya'];
  $swadayaEdit[$no] = str_replace(" , "" , $swadaya[$no]);
  $jumlah7 = $jumlah7 + $swadayaEdit[$no];

  $pnpnm[$no] = $d4['dr_pnpnm'];
  $pnpnmEdit[$no] = str_replace(" , "" , $pnpnm[$no]);
  $jumlah8 = $jumlah8 + $pnpnmEdit[$no];

  $no++;
}

$jumlah9=mysqli_query($hubung,"select      a.dr_swadaya      from
konsumsi a inner join ksm b on a.id_ksm=b.id_ksm
      where      a.id_ksm=".$_GET['idksm']."' and
a.id_lokasi=".$_GET['idlokasi']."'");

$jumlah9=0;
while ($d5=mysqli_fetch_array($jumlah9)) {
  $swadaya[$no] = $d5['dr_swadaya'];
  $swadayaEdit[$no] = str_replace(" , "" , $swadaya[$no]);
  $jumlah9 = $jumlah9 + $swadayaEdit[$no];

  $no++;
}

$jumlah1=$jumlah1+$jumlah3+$jumlah5+$jumlah7+$jumlah9;
$jumlah2=$jumlah2+$jumlah4+$jumlah6+$jumlah8;

?>
<tr>
<td>Transfer dana dari KBM</td>
<td align="center"><strong>:</strong></td>
<td><?php echo number_format($jumlah2); ?></td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td>Swadaya Masyarakat</td>
<td align="center"><strong>:</strong></td>
<td><?php echo number_format($jumlah1); ?></td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td colspan="3" align="right">TOTAL PEMASUKAN</td>
<td align="center"></td>
<td><?php $tot=$jumlah1+$jumlah2; echo number_format($tot)?></td>
</tr>
<tr>
<td>&nbsp;</td>
<td align="center">&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td><strong>PENGELUARAN</strong></td>
<td align="center">&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td>Pembelian material dan peralatan</td>
<td align="center">&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<?php
$lap=mysqli_query($hubung,"select      *      from
material_peralatan where id_ksm=".$_GET['idksm']."' and
lokasi=".$_GET['idlokasi']."'");

while($dt=mysqli_fetch_array($lap)){
?>
<tr>
<td><?php echo $dt['jenis']; ?></td>
<td align="center"><strong>:</strong></td>
<td><?php echo $dt['total']; ?></td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<?php } ?>
<tr>
<td>Biaya Administrasi</td>
<td align="center">&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>

```

```

<?php
$lap=mysqli_query($hubung,"select      *      from
biaya_transport where id_ksm=".$_GET['idksm']."' and
lokasi=".$_GET['idlokasi']."' and
keperluan='administrasi'";
while($dt=mysqli_fetch_array($lap)){
?>
<tr>
<td><?php echo $dt['keterangan']; ?></td>
<td align="center"><strong>:</strong></td>
<td><?php echo $dt['jumlah']; ?></td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<?php } ?>
<tr>
<td>Biaya Transport</td>
<td align="center">&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<?php
$lap=mysqli_query($hubung,"select      *      from
biaya_transport where id_ksm=".$_GET['idksm']."' and
lokasi=".$_GET['idlokasi']."' and keperluan='transport'";
while($dt=mysqli_fetch_array($lap)){
?>
<tr>
<td><?php echo $dt['keterangan']; ?></td>
<td align="center"><strong>:</strong></td>
<td><?php echo $dt['jumlah']; ?></td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<?php } ?>
<tr>
<td>Biaya tukang</td>
<td align="center">&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<?php
$lap=mysqli_query($hubung,"select      *      from
upah_tenagakerja where id_ksm=".$_GET['idksm']."' and
lokasi=".$_GET['idlokasi']."'\"");
while($dt=mysqli_fetch_array($lap)){
?>
<tr>
<td><?php echo $dt['nama']; ?></td>
<td align="center"><strong>:</strong></td>
<td><?php echo $dt['total']; ?></td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<?php } ?>
<tr>
<?php
$x1=mysqli_query($hubung,"select      total      from
material_peralatan      a      inner      join      ksm      b      on
a.id_ksm=b.id_ksm
      where      a.id_ksm=".$_GET['idksm']."' and
a.lokasi=".$_GET['idlokasi']."'\"");
$no=1;
$tos1=0;
while ($z1=mysqli_fetch_array($x1)) {
  $total[$no] = $z1['total'];
  $totalEdit[$no] = str_replace(".", "", $total[$no]);
  $tos1 = $tos1 + $totalEdit[$no];
}
$no++;
?>
$x2=mysqli_query($hubung,"select      jumlah      from
biaya_transport a      inner      join      ksm b      on a.id_ksm=b.id_ksm
      where      a.id_ksm=".$_GET['idksm']."' and
a.lokasi=".$_GET['idlokasi']."'\"");
and
a.keperluan='administrasi';

$tos2=0;
while ($z2=mysqli_fetch_array($x2)) {
  $jumlah[$no] = $z2['jumlah'];
  $jumlahEdit[$no] = str_replace(".", "", $jumlah[$no]);
  $tos2 = $tos2 + $jumlahEdit[$no];
}
$no++;

$x3=mysqli_query($hubung,"select      jumlah      from
biaya_transport a      inner      join      ksm b      on a.id_ksm=b.id_ksm
      where      a.id_ksm=".$_GET['idksm']."' and
a.lokasi=".$_GET['idlokasi']."'\"");
and
a.keperluan='transport';

$tos3=0;
while ($z3=mysqli_fetch_array($x3)) {
  $jumlah[$no] = $z3['jumlah'];
  $jumlahEdit[$no] = str_replace(".", "", $jumlah[$no]);
  $tos3 = $tos3 + $jumlahEdit[$no];
}
$no++;

$x4=mysqli_query($hubung,"select      total      from
upah_tenagakerja      a      inner      join      ksm      b      on
a.id_ksm=b.id_ksm
      where      a.id_ksm=".$_GET['idksm']."' and
a.lokasi=".$_GET['idlokasi']."'\"");
and

$tos4=0;
while ($z4=mysqli_fetch_array($x4)) {
  $total[$no] = $z4['total'];
  $totalEdit[$no] = str_replace(".", "", $total[$no]);
  $tos4 = $tos4 + $totalEdit[$no];
}
$no++;
}
//echo $tos1,$tos2,$tos3,$tos4;
$tosall=$tos1+$tos2+$tos3+$tos4;
?>

<td      colspan="3"      align="right">TOTAL
PENGELUARAN</td>
<td align="center">:</td>
<td><?php echo number_format($tosall); ?></td>
</tr>
<tr>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
</table>
!--CONTOH Code END-->

<?php
$html = ob_get_contents(); //Proses untuk mengambil
hasil dari OB..
ob_end_clean();
//Here convert the encode for UTF-8, if you prefer the ISO-
8859-1 just change for $mpdf->WriteHTML($html);
$mpdf->WriteHTML(utf8_encode($html));
$mpdf->Output($nama_dokumen.".pdf",'I');
exit;
?>
```

Pencatatan_kas.php

```
<?php
session_start();
include 'koneksi.php';

?>
<form action="save_kas.php" method="post">
<table width="100%" border="0" cellspacing="0"
cellpadding="0">
<tr>
<th height="37" colspan="3" scope="col">Penerimaan
Kas</th>
</tr>
<?php
$q=mysqli_query($hubung,"select * from ksm where
nama='".$_SESSION['user']."'"); 
$dt=mysqli_fetch_array($q);
$dt['id_ksm'];
?>
<input type="hidden" name="id_ksm" value="<?php echo
$dt['id_ksm']; ?>" />
<tr>
<td>Lokasi</td>
<td align="center"></td>
<td><select name="lokasi" id="lokasi">
<option value="0" selected="selected">Pilih
Lokasi</option>
<?php
include "koneksi.php";

$query=mysqli_query($hubung,"select * from
usulan where id_ksm='".$dt['id_ksm']."' and sts='terima'
and sts='terima'");

while($row=mysqli_fetch_array($query))
{ ?>

<option value="<?php echo $row['id_usulan']; ?>">
<?php echo $row['lokasi']; ?>
<?php
}
?>
</select></td>
</tr>
<td>Tanggal</td>
<td align="center"></td>
<td><?php include'tanggal.php'; ?></td>
</tr>
<tr>
<td width="24%">Penerimaan Kas dari BKM</td>
<td width="1%" align="center"></td>
<td width="75%"><input name="masuk" type="text"
id="masuk" onkeyup="convertToRupiah(this)"></td>
</tr>
<tr>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td><input type="submit" value="Save"></td>
</tr>
</table></form>
<p>&nbsp;</p>
<table width="100%" border="1" cellspacing="0"
cellpadding="0">
<tr>
<th height="39" colspan="6" scope="col">
<form action="" method="post">
<table width="100%" border="0" cellspacing="0"
cellpadding="0">
<tr>
<th width="13%" scope="col">Lokasi</th>
<th width="2%" scope="col"></th>
```

```
<th width="14%" align="left" scope="col"><select
name="lokasi2">
<option value="0" selected="selected">Pilih
Lokasi</option>
<?php
$querx=mysqli_query($hubung,"select * from
usulan where id_ksm='".$dt['id_ksm']."' and sts='terima'");

while($row1=mysqli_fetch_array($querx))
{
?>
<option value="<?php echo $row1['id_usulan']; ?>
<?php echo $row1['lokasi']; ?>
</option>
<?php
}
?>
</select></th>
<th width="71%" align="left" scope="col"><input
type="submit" value="View"></th>
</tr>
</table></form></th>
</tr>
<tr>
<th height="39" colspan="6" scope="col">Buku
KAS</th>
</tr>
<tr>
<td><strong>Tanggal</strong></td>
<td><strong>Keterangan</strong></td>
<td><strong>No Bukti</strong></td>
<td><strong>Masuk</strong></td>
<td><strong>Keluar</strong></td>
<td><strong>Total</strong></td>
</tr>
<?php
$lokasi2=$_POST['lokasi2'];
$sql=mysqli_query($hubung,"select * from kas where
id_ksm='".$dt['id_ksm']."' and id_lokasi='$lokasi2'");
$sql2=mysqli_query($hubung,"select sum(masuk) as jum
from kas where id_ksm='".$dt['id_ksm']."' and
id_lokasi='$lokasi2'");
$data2=mysqli_fetch_array($sql2);
while($data=mysqli_fetch_array($sql)){
?
<tr>
<td><?php echo $data['tanggal']; ?></td>
<td><?php echo $data['keterangan']; ?></td>
<td><?php echo $data['no_bukti']; ?></td>
<td><?php echo $data['masuk']; ?></td><?php ?>
<td></td>
<td><?php echo $jum=$data2['jum']; ?></td>
</tr>
<?php
$sql3=mysqli_query($hubung,"select sum(jumlah) as
jum1 from biaya_transport where keperluan='administrasi'
and id_ksm='".$dt['id_ksm']."' and lokasi='$lokasi2'");
$data3=mysqli_fetch_array($sql3);

$sql4=mysqli_query($hubung,"select sum(jumlah) as
jum2 from biaya_transport where keperluan='transport'
and id_ksm='".$dt['id_ksm']."' and lokasi='$lokasi2'");
$data4=mysqli_fetch_array($sql4);

$sql5=mysqli_query($hubung,"select sum(total) as jum3
from material_perlatalan where
id_ksm='".$dt['id_ksm']."' and lokasi='$lokasi2'");
$data5=mysqli_fetch_array($sql5);
```

```

$sql6=mysqli_query($hubung,"select sum(total) as jum4
from upah_tenagakerja where
id_ksm=". $dt['id_ksm']."' and lokasi='$lokasi2'";
$data6=mysqli_fetch_array($sql6);

?>
<tr>
<td></td>
<td>Administrasi</td>
<td></td>
<td></td>
<td><?php echo $sal1=$data3['jum1']; ?></td>
<td></td>
</tr>
<tr>
<td></td>
<td>Trasportasi</td>
<td></td>
<td></td>
<td><?php echo $sal2=$data4['jum2']; ?></td>
<td></td>
</tr>
<tr>
<td></td>
<td>Material dan Peralatan</td>
<td></td>
<td></td>
<td><?php echo $sal3=$data5['jum3']; ?></td>
<td></td>
</tr>
<tr>
<td></td>
<td>Upah TenagaKerja</td>
<td></td>
<td><?php echo $sal4=$data6['jum4']; ?></td>
<td>
<?php echo $total=$sal1+$sal2+$sal3+$sal4;?>
</td>
</tr>
<tr>
<td colspan="5" align="right"><strong>Saldo Akhir</strong></td>
<td><?php echo $all=$jum-$total; ?></td>
</tr>
</table>

```

Registrasi_ksm.php

```

<? include 'koneksi.php' ?>
<form action="" method="post">
<table width="100%" border="0" cellspacing="0"
cellpadding="0">
<tr>
<th height="82" colspan="3" scope="col">Form
Registrasi KSM<hr /></th>
</tr>
<tr>
<td width="19%"><strong>Nama KSM</strong></td>
<td width="2%" align="center"></td>
<td width="79%"><input type="text"
name="namaksm"> </td>
</tr>
<tr>
<td valign="top"><strong>Alamat</strong></td>
<td align="center" valign="top"></td>
<td valign="top"><label for="alamat"></label>
<textarea name="alamat" id="alamat" cols="35"
rows="2"></textarea></td>
</tr>
<tr>
<td><strong>Kota</strong></td>
<td align="center"></td>
<td><input type="text" name="kota" id="kota" /></td>
</tr>
<tr>
<td><strong>Kecamatan</strong></td>
<td align="center"></td>
<td><input type="text" name="kec" id="kec" /></td>
</tr>
<tr>
<td><strong>Kelurahan</strong></td>
<td align="center"></td>
<td><input type="text" name="kel" id="kel" /></td>
</tr>
<tr>
<td><strong>RT/RW</strong></td>
<td align="center"></td>
<td><table width="100%" border="0" cellspacing="0"
cellpadding="0">
<tr>
<th width="27%" align="left" scope="col"><input
type="text" name="rt" id="rt" /></th>
<th width="31%" align="left" scope="col">Jumlah
Anggota</th>
<th width="2%" align="left" scope="col">L</th>
<th width="5%" align="left" scope="col"><input
name="L" type="text" value="" size="1" id="L" /></th>
<th width="2%" align="left" scope="col">P</th>
<th width="33%" align="left" scope="col"><input
name="P" type="text" value="" size="1" id="P" /></th>
</tr>
</table></td>
</tr>
<tr>
<td><strong>No telpon</strong></td>
<td align="center"></td>
<td><input type="text" name="no_telpo
id="no_telpo" /></td>
</tr>
<tr>
<td><strong>Password</strong></td>
<td align="center"></td>
<td><input type="password" name="pass"
id="pass" /></td>
</tr>
<tr>
<td height="143" colspan="3" style="background-color: #f2f2f2;">
<table width="100%" border="0" cellspacing="0"
cellpadding="0">
<tr>
<th width="3%" height="45" align="center" scope="col">No</th>
<th width="11%" align="left" scope="col">Nama</th>
<th width="27%" align="left" scope="col">JK</th>
<th width="16%" align="left" scope="col">Jabatan</th>
<th width="11%" align="left" scope="col">Umur</th>
<th width="17%" align="left" scope="col">Alamat</th>
<th width="15%" align="left" scope="col">Pekerjaan</th>
</tr>
<tr>
<td align="left" valign="top">1</td>
<td align="left" valign="top"><input type="text"
name="nm1" id="nm1" size="20" /></td>
<td align="left" valign="top"><input type="radio"
value="laki-laki" name="jk1" checked="checked" />
<input type="radio" name="jk1" value="perempuan" />
<td align="left" valign="top"><select name="jabatan1"
id="jabatan1">
<option>Ketua</option>
<option>Sekretaris</option>
<option>Bendahara</option>
<option>Anggota</option>
</select>

```

```

</td>
<td align="left" valign="top"><input name="u1"
type="text" value="" size="1" id="u1"></td>
<td align="left" valign="top"><textarea
name="alamat1" id="alamat1" cols="10"
rows="1"></textarea></td>
<td align="left" valign="top"><input name="pek1"
type="text" id="pek1" size="10"></td>
</tr>
<tr>
<td align="left" valign="top">2</td>
<td align="left" valign="top"><input name="nm2"
type="text" id="nm2" size="20"></td>
<td align="left" valign="top"><input type="radio"
value="laki-laki" name="jk2" />
L
<input type="radio" name="jk2" value="perempuan" />
P</td>
<td align="left" valign="top"><select
name="jabatan2">
<option>Ketua</option>
<option>Sekretaris</option>
<option>Bendahara</option>
<option>Anggota</option>
</select></td>
<td align="left" valign="top"><input type="text"
name="u2" size="1" id="u2"></td>
<td align="left" valign="top"><textarea
name="alamat2" id="alamat2" cols="10"
rows="1"></textarea></td>
<td align="left" valign="top"><input name="pek2"
type="text" id="pek2" size="10"></td>
</tr>
<tr>
<td align="left" valign="top">3</td>
<td align="left" valign="top"><input name="nm3"
type="text" id="nm3" size="20"></td>
<td align="left" valign="top"><input type="radio"
value="laki-laki" name="jk3" />
L
<input type="radio" name="jk3" value="perempuan" />
P</td>
<td align="left" valign="top"><select
name="jabatan3">
<option>Ketua</option>
<option>Sekretaris</option>
<option>Bendahara</option>
<option>Anggota</option>
</select></td>
<td align="left" valign="top"><input type="text"
name="u3" size="1" id="u3"></td>
<td align="left" valign="top"><textarea
name="alamat3" id="alamat3" cols="10"
rows="1"></textarea></td>
<td align="left" valign="top"><input name="pek3"
type="text" id="pek3" size="10"></td>
</tr>
<tr>
<td align="left" valign="top">4</td>
<td align="left" valign="top"><input name="nm4"
type="text" id="nm4" size="20"></td>
<td align="left" valign="top"><input type="radio"
value="laki-laki" name="jk4" />
L
<input type="radio" name="jk4" value="perempuan" />
P</td>
<td align="left" valign="top"><select
name="jabatan4">
<option>Ketua</option>
<option>Sekretaris</option>
<option>Bendahara</option>
<option>Anggota</option>
</select></td>
<td align="left" valign="top"><input type="text"
name="u4" size="1" id="u4"></td>

```

<td align="left" valign="top"><textarea
name="alamat4" id="alamat4" cols="10"
rows="1"></textarea></td>
<td align="left" valign="top"><input name="pek4"
type="text" id="pek4" size="10"></td>
</tr>
<tr>
<td align="left" valign="top">5</td>
<td align="left" valign="top"><input name="nm5"
type="text" id="nm5" size="20"></td>
<td align="left" valign="top"><input type="radio"
value="laki-laki" name="jk5" />
L
<input type="radio" name="jk5" value="perempuan" />
P</td>
<td align="left" valign="top"><select
name="jabatan5">
<option>Ketua</option>
<option>Sekretaris</option>
<option>Bendahara</option>
<option>Anggota</option>
</select></td>
<td align="left" valign="top"><input type="text"
name="u5" size="1" id="u5"></td>
<td align="left" valign="top"><textarea
name="alamat5" id="alamat5" cols="10"
rows="1"></textarea></td>
<td align="left" valign="top"><input name="pek5"
type="text" id="pek5" size="10"></td>
</tr>
</table></td>
</tr>
<tr>
<td> </td>
<td> </td>
<td> </td>
</tr>
<tr>
<td> </td>
<td> </td>
<td><input type="submit" value="save"
name="simpan"></td>
</tr>
</table>
</form>

<?php
if(isset(\$_POST['simpan']))
{

 \$simpan=mysqli_query(\$hubung,"insert into
 ksm
 values(NULL,".\$_POST['namaksm'].",
 ".\$_POST['alamat'].",".\$_POST['kota'].",".\$_POST['kec'].
 ","\$_POST['kel'].","\$_POST['rt'].",
 ".\$_POST['no_telp'].","\$_POST['L'].",
 ".\$_POST['P'].","\$_POST['pass']."' , 'anggota')")
 or
 die(mysqli_error(\$hubung));
 \$sql = mysqli_query(\$hubung,"select * from
 ksm") or die (mysqli_error(\$hubung));
 \$data=mysqli_fetch_array(\$sql);
 \$id=\$data['id_ksm'];

 \$simpan1=mysqli_query(\$hubung,"insert into
 anggota_ksm
 values(\$id,"\$_POST['nm1'].",
 "\$_POST['jk1'].", "\$_POST['jabatan1'].",
 "\$_POST['u1'].", "\$_POST['alamat1'].",
 "\$_POST['pek1'].")") or die(mysqli_error(\$hubung));
 \$simpan2=mysqli_query(\$hubung,"insert into
 anggota_ksm
 values(\$id,"\$_POST['nm2'].",
 "\$_POST['jk2'].", "\$_POST['jabatan2'].",
 "\$_POST['u2'].", "\$_POST['alamat2'].",
 "\$_POST['pek2'].")") or die(mysqli_error(\$hubung));
 \$simpan3=mysqli_query(\$hubung,"insert into
 anggota_ksm
 values(\$id,"\$_POST['nm3'].",
 "\$_POST['jk3'].", "\$_POST['jabatan3'].",
 "\$_POST['u3'].", "\$_POST['alamat3'].",
 "\$_POST['pek3'].")") or die(mysqli_error(\$hubung));
}

```

"$_POST['u3']."' , "$_POST['alamat3'].",
"$_POST['pek3']."' ) or die(mysql_error($hubung));
    $simpan4=mysql_query($hubung,"insert into
anggota_ksm           values($id,"$_POST['nm4'].",
"$_POST['jk4']."' , "$_POST['jabatan4'].",
"$_POST['u4']."' , "$_POST['alamat4'].",
"$_POST['pek4']."' ) or die(mysql_error($hubung));
    $simpan5=mysql_query($hubung,"insert into
anggota_ksm           values($id,"$_POST['nm5'].",
"$_POST['jk5']."' , "$_POST['jabatan5'].",
"$_POST['u5']."' , "$_POST['alamat5'].",
"$_POST['pek5']."' ) or die(mysql_error($hubung));
if($simpan&$simpan5){
    echo"<script>alert('Data berhasil
disimpan');</script>";
    echo "<meta http-equiv='refresh'
content='0;url=?'>";
}
?>

```

Rincian_adm_transport.php

```

<?php
session_start();
include'koneksi.php';
?>
<style type="text/css">
body,td,th {
    font-family: Arial, Helvetica, sans-serif;
    font-size: 14px;
}
</style>

<form action="save_adm_trs.php" method="post">
<table width="100%" border="1" cellspacing="0"
cellpadding="0">
<tr>
    <th height="53" colspan="3" scope="col">Pencatatan
Rincian Biaya<hr /></th>
</tr>

<input type="hidden" value="<?php echo $_GET['hal']; ?>" name="hal"/>
<input type="hidden" value="<?php echo $_GET['id']; ?>" name="id_adm"/>
<?php
$q=mysqli_query($hubung,"select * from ksm where
nama=".$_SESSION['user']."");
$dt=mysqli_fetch_array($q);
$dt=mysqli_fetch_array($q);

if (isset($_GET['hal']))
{
    $id=$_GET['id'];
    if ($_GET['hal']=='edit')
    {
        $q2=mysqli_query($hubung,"select *
from biaya_transport where id_adm_trans=$id");
        $dt2=mysqli_fetch_array($q2);
    }
    else if ($_GET['hal']=='hapus')
    {
        $q2=mysqli_query($hubung,"delete
from biaya_transport where id_adm_trans=$id");
        echo'<script type="text/javascript">
alert("delete");window.location="index.php?pg=rincian1";</
script>';
    }
}
?>

<input type="hidden" name="id_ksm" value="<?php echo
$dt['id_ksm']; ?>"/>
```

```

<tr>
    <td width="18%">Keperluan Biaya</td>
    <td width="3%" align="center">:</td>
    <td width="79%"><select name="ket_biaya">
<?php if(!empty($_GET['hal'])){ ?>
<option><?php echo $dt2['keperluan']; ?></option>
<option>-----</option><?php } ?>
<option>administrasi</option>
<option>transport</option>
</select></td>
</tr>
<tr>
    <td>Lokasi</td>
    <td align="center">:</td>
    <td><select name="lokasi">
<option selected="selected" value="0">Pilih Lokasi</option>
<?php
    include "koneksi.php";

```

```

    $query=mysqli_query($hubung,"select * from
usulan where id_ksm=".$_dt['id_ksm']."' and sts='terima'");
    if(!empty($_GET['hal'])){
        $los=$_GET['los'];
    }

```

```

    $query=mysqli_query($hubung,"select * from
usulan");

```

```

    $query=mysqli_query($hubung,"select * from
usulan where id_usulan=$los");
}
```

```

while($row=mysqli_fetch_array($query))
{
    ?>
    <?php if(!empty($_GET['hal'])){ ?>
        <option value="<?php if(!empty($_GET['hal])) echo
$row['id_usulan']; ?>" selected="selected">
        <?php if(!empty($_GET['hal])) echo $row['lokasi'];
?>
        </option>
        <option>-----</option><?php } ?>
        <option value="<?php echo $row['id_usulan']; ?>">
        <?php echo $row['lokasi']; ?>
        </option>
        <?php
    }
    ?>
</select></td>
</tr>
<tr>
    <td>Tanggal</td>
    <td align="center">:</td>
    <td><?php include'tanggal.php'; ?></td>
</tr>
<tr>
    <td>Keterangan</td>
    <td align="center">:</td>
    <td><input name="ket" type="text" id="ket"
value="<?php echo $dt2['keterangan']; ?>"/></td>
</tr>
<tr>
    <td>Nomor Bukti</td>
    <td align="center">:</td>
    <td><input name="no_bukti" type="text" id="no_bukti"
value="<?php echo $dt2['no_bukti']; ?>"/></td>
</tr>
<tr>
    <td>Jumlah</td>
    <td align="center">:</td>
    <td><input name="jumlah" type="text" id="jumlah"
onkeyup="convertToRupiah(this)" value="<?php echo
$dt2['jumlah']; ?>"/></td>

```

```

</tr>
<tr>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td><input type="submit" name="button" id="button" value="Save" /></td>
</tr>
</table></form>
<p>&nbsp;</p>
<table width="100%" border="1" cellspacing="0" cellpadding="0" ><hr />
<tr>
<th height="21" colspan="5" scope="col">
<form action="" method="post">
<table width="100%" border="0" cellspacing="0" cellpadding="0">
<tr>
<th width="4%" scope="col">Biaya</th>
<th width="0%" scope="col"></th>
<th width="9%" scope="col"><select name="ket_biaya2">
<option>administrasi</option>
<option>transport</option>
</select></th>
<th width="16%" align="right" scope="col">lokasi</th>
<th width="2%" scope="col"></th>
<th width="21%" align="left" scope="col"><select name="lokasi2">
<option value="0" selected="selected">Pilih Lokasi</option>
</select>
<?php
include "koneksi.php";

```

\$query=mysqli_query(\$hubung,"select * from usulan where id_ksm='".\$dt['id_ksm']."' and sts='terima'");

```

while($row=mysqli_fetch_array($query))
{
    ?
    <option value=<?php echo $row['id_usulan']; ?>>
    <?php echo $row['lokasi']; ?>
    </option>
    <?php
}
    ?
</select></th>
<th width="48%" align="left" scope="col"><input type="submit" name="button2" id="button2" value="Tampilkan" /></th>
</tr>
</table></form></th>
</tr>
<tr>
<th width="18%" height="44" align="left" scope="col">Tanggal</th>
<th width="30%" align="left" scope="col">Keterangan</th>
<th width="26%" align="left" scope="col">Nomor Bukti</th>
<th width="17%" align="left" scope="col">Jumlah</th>
<th width="9%" scope="col">Proses</th>
</tr>
<?php
if(isset($_POST['button2'])){
    $lokasi2=$_POST['lokasi2'];
    $ket2=$_POST['ket_biaya2'];
    $sql=mysqli_query($hubung,"select * from biaya_transport where lokasi='".$lokasi2' and keperluan='".$ket2"");
    while($data=mysqli_fetch_array($sql)){
        ?
        <tr>

```

```

<td><?php echo $data['tanggal']; ?></td>
<td><?php echo $data['keterangan']; ?></td>
<td><?php echo $data['no_bukti']; ?></td>
<td><?php echo $data['jumlah']; ?></td>
<td align="center">
<a href="index.php?pg=rincian1&hal=edit&id=<?php echo $data['id_adm_trans'] ;?>&los=<?php echo $data['lokasi'] ;?>"></a>
<a href="index.php?pg=rincian1&hal=hapus&id=<?php echo $data['id_adm_trans'] ?>"></a></td>
</tr>
<?php } ?>
</table>

```

Rincian_Alat.php

```

<style type="text/css">
body,td,th {
    font-family: Arial, Helvetica, sans-serif;
    font-size: 14px;
}
</style>
<form action="save_alat.php" method="post">

<input type="hidden" value=<?php echo $_GET['hal']; ?> name="hal"/>
<input type="hidden" value=<?php echo $_GET['id']; ?> name="id_material"/>
<?php
$q=mysqli_query($hubung,"select * from ksm where nama='".$_SESSION['user']."'"); 
$dtt=mysqli_fetch_array($q);
if (isset($_GET['hal'])) {
    $id=$_GET['id'];
    if ($_GET['hal']=='edit') {
        $q2=mysqli_query($hubung,"select * from material_perlatalan where id_material='$id'");
        $dt2=mysqli_fetch_array($q2);
    }
    else if ($_GET['hal']=='hapus') {
        $q2=mysqli_query($hubung,"delete from material_perlatalan where id_material='$id'");
        echo'<script type="text/javascript">
alert("delete");window.location="index.php?pg=rincian1";</script>';
    }
}
    ?
<input type="hidden" name="id_ksm" value=<?php echo $dt['id_ksm']; ?> />
<table width="100%" border="1" cellspacing="0" cellpadding="0" >
<tr>
<th height="53" colspan="3" scope="col">Pencatatan Rician Biaya Material dan Peralatan<hr /></th>
</tr>
<tr>
<td width="26%">Lokasi</td>
<td width="2%" align="center"></td>
<td width="72%"><select name="lokasi">
<option value="0" selected="selected">Pilih Lokasi</option>
<?php
include "koneksi.php";

```

\$query=mysqli_query(\$hubung,"select * from usulan where id_ksm='".\$dt['id_ksm']."' and sts='terima'");

```

        if(!empty($_GET['hal'])){
        $los=$_GET['los'];

        $query=mysqli_query($hubung,"select * from
usulan where id_ksm='".$dt['id_ksm']."' and sts='terima'");

        $query=mysqli_query($hubung,"select * from
usulan where id_usulan='".$los"");
        }

        while($row=mysqli_fetch_array($query))
        {
        ?>
        <?php if(!empty($_GET['hal'])){ ?>
        <option value="<?php if(!empty($_GET['hal'])) echo
$row['id_usulan']; ?>" selected="selected">
        <?php if(!empty($_GET['hal'])) echo $row['lokasi'];
?>
        </option>
        <option>-----</option><?php } ?>
<option value="<?php echo $row['id_usulan']; ?>">>
        <?php echo $row['lokasi']; ?>
        </option>
        <?php
        }
        ?>
        </select></td>
</tr>
<tr>
<td>Tanggal</td>
<td align="center">:</td>
<td><?php include'tanggal.php'; ?></td>
</tr>
<tr>
<td>jenis material</td>
<td align="center">:</td>
<td><input name="jenis" type="text" id="jenis"
value="<?php echo $dt2['jenis']; ?>"></td>
</tr>
<tr>
<td>Nomor Bukti</td>
<td align="center">:</td>
<td><input name="no_bukti" type="text" id="no_bukti"
value="<?php echo $dt2['no_bukti']; ?>"></td>
</tr>
<tr>
<td>Jumlah unit</td>
<td align="center">:</td>
<td><input name="jumlah" type="text" id="jumlah"
value="<?php echo $dt2['jumlah']; ?>"></td>
</tr>
<tr>
<td>Harga /unit</td>
<td align="center">:</td>
<td><input name="harga" type="text" id="harga"
onkeyup="convertToRupiah(this)" value="<?php echo
$dt2['harga_unit']; ?>"></td>
</tr>
<tr>
<td rowspan="2"><table width="100%" border="1"
cellspacing="0" cellpadding="0">
<tr>
<th rowspan="2" scope="col"><strong>Jlh
Rp</strong></th>
<th align="left" scope="col"><strong>swadaya</strong></th>
</tr>
<tr>
<td align="left"><strong>apbd</strong></td>
</tr>
</table></td>
<td align="center">:</td>

```

<td><input name="sw" type="text" id="sw"
onkeyup="convertToRupiah(this)" value="<?php echo
\$dt2['swadaya']; ?>"></td>
</tr>
<tr>
<td align="center">:</td>
<td><input name="apbd" type="text" id="apbd"
onkeyup="convertToRupiah(this)" value="<?php echo
\$dt2['apbd']; ?>"></td>
</tr>
<tr>
<td>Total</td>
<td>&nbsp</td>
<td><input name="total" type="text" id="total"
onkeyup="convertToRupiah(this)" value="<?php echo
\$dt2['total']; ?>"></td>
</tr>
<tr>
<td>&nbsp</td>
<td>&nbsp</td>
<td><input type="submit" name="button" id="button"
value="Save" /></td>
</tr>
</table></form>
<p>&nbsp</p><hr />

```

<th width="9%" rowspan="2" align="left" scope="col">total</th>
<th width="6%" rowspan="2" scope="col">proses</th>
</tr>
<tr>
<td width="11%" align="center">swadaya I</td>
<td width="4%" align="center">apbd</td>
</tr>
<?php
$lokasi=$_POST['lokasi2'];
$sql=mysqli_query($hubung,"select * from material_peralatan where lokasi='".$lokasi"');
while($data=mysqli_fetch_array($sql)){
?>

<tr>
<td><?php echo $data['tanggal'];?></td>
<td><?php echo $data['jenis'];?></td>
<td align="left"><?php echo $data['no_bukti'];?></td>
<td align="left"><?php echo $data['jumlah'];?></td>
<td align="left"><?php echo $data['harga_unit'];?></td>
<td align="left"><?php echo $data['swadaya'];?></td>
<td align="left"><?php echo $data['apbd'];?></td>
<td align="left"><?php echo $data['total'];?></td>
<td>
<a href="index.php?pg=rincian2&hal=edit&id=<?php echo $data['id_material'] ?>&los=<?php echo $data['lokasi'] ?>"></a>
<a href="index.php?pg=rincian2&hal=hapus&id=<?php echo $data['id_material'] ?>"></a></td>
</tr>

<?php } ?>
</table>

```

Rincian_upah.php

```

<style type="text/css">
body,td,th {
    font-family: Arial, Helvetica, sans-serif;
    font-size: 14px;
}
</style>
<form action="save_upah.php" method="post">

<input type="hidden" value="<?php echo $_GET['hal']; ?>" name="hal"/>
<input type="hidden" value="<?php echo $_GET['id']; ?>" name="id_upah"/>
<?php
$q=mysqli_query($hubung,"select * from ksm where nama='".$_SESSION['user']."'"); 
$dtt=mysqli_fetch_array($q);

if (isset($_GET['hal']))
{
    $id=$_GET['id'];
    if ($_GET['hal']=='edit')
    {
        $q2=mysqli_query($hubung,"select * from upah_tenagakerja where id_upah=$id");
        $dt2=mysqli_fetch_array($q2);
    }
    else if ($_GET['hal']=='hapus')
    {
        $q2=mysqli_query($hubung,"delete from upah_tenagakerja where id_material=$id");
        echo'<script type="text/javascript">
alert("delete");window.location="index.php?pg=rincian1";</script>';
    }
}
?>
```

```

<input type="hidden" name="id_ksm" value="<?php echo $dtt['id_ksm']; ?>" />
<table width="100%" border="1" cellspacing="0" cellpadding="0">
<tr>
<th height="53" colspan="3" scope="col">Pencatatan Rician Biaya Upah Tenaga Kerja<hr /></th>
</tr>
<tr>
<td width="24%">>Lokasi</td>
<td width="1%" align="center">>:</td>
<td width="75%">><select name="lokasi">
<option value="0" selected="selected">Pilih Lokasi</option>
<?php
    include "koneksi.php";
    $query=mysqli_query($hubung,"select * from usulan where id_ksm='".$dtt['id_ksm']."' and sts='terima'");
    if(!empty($_GET['hal'])){
        $los=$_GET['los'];
    }
    $query=mysqli_query($hubung,"select * from usulan");
    $query=mysqli_query($hubung,"select * from usulan where id_usulan='$los'");
}

while($row=mysqli_fetch_array($query))
{
    <?php if(!empty($_GET['hal'])){ ?>
        <option value="<?php if(!empty($_GET['hal'])) echo $row['id_usulan']; ?>" selected="selected">
            <?php if(!empty($_GET['hal'])) echo $row['lokasi']; ?>
        </option>
        <option>-----</option><?php } ?>
        <option value="<?php echo $row['id_usulan']; ?>">>
            <?php echo $row['lokasi']; ?>
        </option>
        <?php
    }
    </select></td>
</tr>
<tr>
<td>Tanggal</td>
<td align="center">>:</td>
<td><?php include'tanggal.php'; ?></td>
</tr>
<tr>
<td>Nama</td>
<td align="center">>:</td>
<td><input name="nama" type="text" id="nama" value="<?php echo $dt2['nama']; ?>"/></td>
</tr>
<tr>
<td>Nomor Bukti</td>
<td align="center">>:</td>
<td><input name="no_bukti" type="text" id="no_bukti" value="<?php echo $dt2['no_bukti']; ?>"/></td>
</tr>
<tr>
<td>jumlah hari</td>
<td align="center">>:</td>
<td><input name="jlh_hari" type="text" id="jlh_hari" value="<?php echo $dt2['jh_hari']; ?>"/></td>
</tr>
<tr>
<td>upah perhari</td>
<td align="center">>:</td>

```

```

<td><input name="upah" type="text" id="upah"
onkeyup="convertToRupiah(this)" value=<?php echo
$dt2['upah_perhari']; ?>/></td>
</tr>
<tr>
<td rowspan="2"><table width="100%" border="1"
cellspacing="0" cellpadding="0">
<tr>
<th rowspan="2" scope="col"><strong>Jlh
Rp</strong></th>
<th align="left" scope="col"><strong>swadaya</strong></th>
</tr>
<tr>
<td align="left"><strong>apbd</strong></td>
</tr>
</table></td>
<td align="center"></td>
<td><input name="sw" type="text" id="sw"
onkeyup="convertToRupiah(this)" value=<?php echo
$dt2['swadaya']; ?>/></td>
</tr>
<tr>
<td align="center"></td>
<td><input name="apbd" type="text" id="apbd"
onkeyup="convertToRupiah(this)" value=<?php echo
$dt2['apbd']; ?>/></td>
</tr>
<tr>
<td>Total</td>
<td>&nbsp;</td>
<td><input name="total" type="text" id="total"
onkeyup="convertToRupiah(this)" value=<?php echo
$dt2['total']; ?>/></td>
</tr>
<tr>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td><input type="submit" name="button" id="button"
value="Save" /></td>
</tr>
</table></form>
<p>&nbsp;</p><hr />
<table width="100%" border="1" cellspacing="0"
cellpadding="0">
<tr>
<th height="21" colspan="9" scope="col">
<form action="" method="post">
<table width="100%" border="0" cellspacing="0"
cellpadding="0">
<tr>
<th width="11%" scope="col">Lokasi</th>
<th width="3%" scope="col"></th>
<th width="10%" align="left" scope="col"><select
name="lokasi2">
<option value="0" selected="selected">Pilih
Lokasi</option>
<?php
    include "koneksi.php";
    $query=mysqli_query($hubung,"select * from
usulan where id_ksm='".$dt['id_ksm']."' and sts='terima'");
    while($row=mysqli_fetch_array($query))
    {
        ?
        <option value=<?php echo $row['id_usulan']; ?>>
        <?php echo $row['lokasi']; ?>
    </option>
    <?php
    }
    ?
    </select></th>

```

```

jumlah="'.$_POST['jumlah'].'"  

where id_adm_trans='id"');  

if($simpan){  

echo'<script type="text/javascript"> alert("proses update  

succes");window.location="index.php?pg=rincian1";</scrip  

t>' ;}  

else  

{echo'<script type="text/javascript"> alert("GAGAL  

UPDATE");window.location="index.php?pg=rincian1";</scr  

ipt>' ;}  

}  

else{  

$simpan=mysqli_query($hubung,"  

INSERT INTO  

biaya_transport  

VALUES(NULL,  

"'.$_POST['id_ksm'].'",  

"'.$_POST['ket_biaya'].'",  

"'.$_POST['lokasi'].'",  

"'.$_POST['tanggal'].'",  

"'.$_POST['ket'].'",  

"'.$_POST['no_bukti'].'",  

"'.$_POST['jumlah'].'");  

if($simpan){  

echo'<script type="text/javascript"> alert("proses  

succes");window.location="index.php?pg=rincian1";</scrip  

t>' ;}  

else  

{echo'<script type="text/javascript">  

alert("GAGAL");window.location="index.php?pg=rincian1";  

</script>' ;}  

}  

?>

```

Save_alat.php

```

<?php  

session_start();  

include 'koneksi.php';  

$hal=$_POST['hal'];  

if(!empty($hal)&&$hal=='edit')  

{  

$id=$_POST['id_material'];  

$simpan=mysqli_query($hubung,"  

update material_peralatan  

set  

lokasi=".$_POST['lokasi'].",  

tanggal=".$_POST['tanggal'].",  

jenis=".$_POST['jenis'].",  

no_bukti=".$_POST['no_bukti'].",  

jumlah=".$_POST['jumlah'].",  

harga_unit  

=".$_POST['harga'].",  

swadaya  

".$_POST['sw'].",  

apbd ="$_POST['apbd'].",  

total ="$_POST['total'].",  

where id_material='$id"');  

if($simpan){  

echo'<script type="text/javascript"> alert("proses update  

succes");window.location="index.php?pg=rincian2";</scrip  

t>' ;}  

else  

{echo'<script type="text/javascript"> alert("GAGAL  

UPDATE");window.location="index.php?pg=rincian2";</scr  

ipt>' ;}  

}  

else{

```

```

$simpan=mysqli_query($hubung,"  

INSERT INTO  

material_peralatan  

VALUES(NULL,  

"'.$_POST['id_ksm'].'",  

"'.$_POST['lokasi'].'",  

"'.$_POST['tanggal'].'",  

"'.$_POST['jenis'].'",  

"'.$_POST['no_bukti'].'",  

"'.$_POST['jumlah'].'",  

"'.$_POST['harga'].'",  

"'.$_POST['sw'].'",  

"'.$_POST['apbd'].'",  

"'.$_POST['total'].'");  

if($simpan){  

echo'<script type="text/javascript"> alert("proses  

succes");window.location="index.php?pg=rincian2";</scrip  

t>' ;}  

else  

{echo'<script type="text/javascript">  

alert("GAGAL");window.location="index.php?pg=rincian2";  

</script>' ;}  

?>

```

Save_doc.php

```

<?php  

session_start();  

include 'koneksi.php';  

$t_filename1 = $_FILES['1']['name'];  

$t_filesize1 = $_FILES['1']['size'];  

$t_filetype1 = $_FILES['1']['type'];  

move_uploaded_file($_FILES['1'][ "tmp_name"], "file/".$t_fil  

ename1);  

  

$t_filename2 = $_FILES['2']['name'];  

$t_filesize2 = $_FILES['2']['size'];  

$t_filetype2 = $_FILES['2']['type'];  

move_uploaded_file($_FILES['2'][ "tmp_name"], "file/".$t_fil  

ename2);  

  

$t_filename3 = $_FILES['3']['name'];  

$t_filesize3 = $_FILES['3']['size'];  

$t_filetype3 = $_FILES['3']['type'];  

move_uploaded_file($_FILES['3'][ "tmp_name"], "file/".$t_fil  

ename3);

```

```

$simpan=mysqli_query($hubung,"  

INSERT INTO dokumentasi  

VALUES(NULL,  

"'.$_POST['id_ksm'].'",  

"'.$_POST['lokasi'].'",  

'file/'.$t_filename1.',  

'file/'.$t_filename2.',  

'file.'/'.$t_filename3.'"));  

if($simpan){  

echo'<script type="text/javascript"> alert("proses  

succes");window.location="index.php?pg=upload";</scrip  

t>' ;}  

?>

```

Save_kas.php

```

<?php  

session_start();  

include 'koneksi.php';  

$simpan=mysqli_query($hubung,"  

INSERT INTO kas  

VALUES(NULL,

```

```
        "'.$_POST['id_ksm'].'",
        "'.$_POST['lokasi'].'",
        "'.$_POST['tanggal'].'",
        'Kas masuk dari BKM',
        "'.$_POST['masuk'].'",
        ")");
}

if($simpinan){
echo<script type="text/javascript">      alert("proses
succes");window.location="index.php?pg=kas";</script>';
}
else
{
echo<script type="text/javascript">
alert("GAGAL");window.location="index.php?pg=kas";<sc
ript>';
}

?>
```

Save Upah.php

```

<?php
session_start();
include 'koneksi.php';
$hal=$_POST['hal'];
if(!empty($hal)&&$hal=='edit')
{
$id=$_POST['id_upah'];
$simpan=mysqli_query($hubung,
update upah_tenagakerja
set
lokasi=". $_POST['lokasi'].",
tanggal=". $_POST['tanggal'].",
nama=". $_POST['nama'].",
no_bukti=". $_POST['no_bukti'].",
jlh_hari=". $_POST['jlh_hari'].",
upah_perhari=". $_POST['upah'].",
swadaya=". $_POST['sw'].",
apbd=". $_POST['apbd'].",
total=". $_POST['total']."
where id_upah=$id");

if($simpan){
echo'<script type="text/javascript"> alert("proses update
succes");window.location="index.php?pg=rincian3";</scrip
t>';
}
else
{echo'<script type="text/javascript"> alert("GAGAL
UPDATE");window.location="index.php?pg=rincian3";</scr
ipt>';
}
else{
$simpan=mysqli_query($hubung,
INSERT INTO
upah_tenagakerja
VALUES(NULL,
". $_POST['id_ksm'].",
". $_POST['lokasi'].",
". $_POST['tanggal'].",
". $_POST['nama'].",
". $_POST['no_bukti'].",
". $_POST['jlh_hari'].",
". $_POST['upah'].",
". $_POST['sw'].",
". $_POST['apbd'].",
". $_POST['total']."));
}

if($simpan){
echo'<script type="text/javascript"> alert("proses
succes");window.location="index.php?pg=rincian3";</scrip
t>';
}
else
{echo'<script
alert("GAGAL");window.location="index.php?pg=rincian3";
</script>';
}
}
?>

```

Save_usulan.php

```
<?php
session_start();
include 'koneksi.php';
$t_filename = $_FILES['file']['name'];
$t_filesize = $_FILES['file']['size'];
$t_filetype = $_FILES['file']['type'];
move_uploaded_file($_FILES["file"]["tmp_name"], "file/".$t_filename);
$simpan=mysqli_query($hubung,
    INSERT INTO usulan
    VALUES(NULL,
        "'.$_POST['ksm'].",
        "'.$_POST['kegiatan'].",
        "'.$_POST['namapek'].",
        "'.$_POST['vol'].",
        "'.$_POST['alasan'].",
        "'.$_POST['dusun'].",
        "'.$_POST['kel'].",
        "'.$_POST['jkk'].",
        "'.$_POST['jlk'].",
        "'.$_POST['jpr'].",
        "'.$_POST['mkk'].",
        "'.$_POST['mlk'].",
        "'.$_POST['mpr'].",
        "'.$_POST['miskin'].",
        "'.$_POST['metode'].",
        "'.$_POST['status'].",
        'file/'.$t_filename.""));
if($simpan){
    echo <script type="text/javascript">
        alert("proses");
    </script>
}
```

```
if($simpan){  
echo<script type="text/javascript"> alert("proses  
succes");window.location="index.php?pg=data";</script>'>}
```

?>

```
<?php  
session_start();
```

"L'ESPRESSO" - L'ESPRESSO

```
$c1=$_POST['a1']-$_POST['b1'];
$e1=$_POST['b1']*$_POST['d1'];
$f1=$c1*$_POST['d1'];
```

```
$c2=$_POST['a2']-$_POST['b2'];  
$e2=$_POST['b2']*$_POST['d2'];  
$f2=$c2*$_POST['d2'];
```

```
$c3=$_POST['a3']-$_POST['b3'];  
$e3=$_POST['b3']*$_POST['d3'];  
$f3=$c3*$_POST['d3'];
```

```
$c4=$_POST['a4']-$_POST['b4'];  
$e4=$_POST['b4']*$_POST['d4'];  
$f4=$c4*$_POST['d4'];
```

```
$simpan1=mysqli_query($hubung,"INSERT INTO tenaga_kerja VALUES( NULL,".$_POST['id_ksm'].",".$_POST['lokasi'].",'mandor','hok',
```

"".\$_POST['a1'].",

"".\$_POST['b1'].",

```

NULL,".$_POST['id_ksm'].",".$_POST['lokasi'].",'pekerja',
'hok',
".$_POST['c1'].",
".$_POST['a4'].",
".$_POST['d1'].",
".$_POST['b4'].",
".$_POST['e1'].",
".$_POST['f1'].",
");
$simpan2=mysqli_query($hubung,"INSERT      INTO
tenaga_kerja          VALUES(
NULL,".$_POST['id_ksm'].",".$_POST['lokasi'].",'kepala
tukang','hok',
".$_POST['a2'].",
".$_POST['b2'].",
".$_POST['c2'].",
".$_POST['d2'].",
".$_POST['e2'].",
".$_POST['f2'].",
);
$simpan3=mysqli_query($hubung,"INSERT      INTO
tenaga_kerja          VALUES(
NULL,".$_POST['id_ksm'].",".$_POST['lokasi'].",'tukang',
'hok',
".$_POST['a3'].",
".$_POST['aa1'].",
".$_POST['b3'].",
".$_POST['cc1'].",
".$_POST['dd1'].",
".$_POST['ee1'].",
".$_POST['ff1'].",
");
$simpan4=mysqli_query($hubung,"INSERT      INTO
tenaga_kerja          VALUES(

```

```

"".$_POST['gg1'].",
"".$_POST['hh1']."'"));
$simpan6=mysqli_query($hubung,"INSERT INTO bahan
VALUES(NULL,"".$_POST['id_ksm'].","".$_POST['lokasi']."
",
"".$_POST['aa4'].",
"".$_POST['aa2'].",
"".$_POST['bb4'].",
"".$_POST['bb2'].",
"".$_POST['cc4'].",
"".$_POST['cc2'].",
"".$_POST['dd4'].",
"".$_POST['dd2'].",
"".$_POST['ee4'].",
"".$_POST['ee2'].",
"".$_POST['ff4'].",
"".$_POST['ff2'].",
"".$_POST['gg4'].",
"".$_POST['gg2'].",
"".$_POST['hh4']."'"));

"".$_POST['hh2']."'"));
$simpan7=mysqli_query($hubung,"INSERT INTO bahan
VALUES(NULL,"".$_POST['id_ksm'].","".$_POST['lokasi']."
",
"".$_POST['aa3'].",
"".$_POST['bb3'].",
"".$_POST['cc3'].",
"".$_POST['dd3'].",
"".$_POST['ee3'].",
"".$_POST['ff3'].",
"".$_POST['gg3'].",
"$_POST['ccc1']-$_POST['ddd1'];
$ggg1=$_POST['ddd1']*$_POST['fff1'];
$hhh1=$eee1*$_POST['fff1'];
//save alat
$eee2=$_POST['ccc2']-$_POST['ddd2'];
$ggg2=$_POST['ddd2']*$_POST['fff2'];
$hhh2=$eee2*$_POST['fff2'];
$eee3=$_POST['ccc3']-$_POST['ddd3'];
$ggg3=$_POST['ddd3']*$_POST['fff3'];
$hhh3=$eee3*$_POST['fff3'];
$eee4=$_POST['ccc4']-$_POST['ddd4'];
$ggg4=$_POST['ddd4']*$_POST['fff4'];
$hhh4=$eee4*$_POST['fff4'];
$simpan9=mysqli_query($hubung,"INSERT INTO alat
VALUES(NULL,"".$_POST['id_ksm'].","".$_POST['lokasi']."
",
"".$_POST['aaa1'].",
"".$_POST['bbb1'].",

```

```

"$_POST['ccc1'].",
"$_POST['ddd3'].",
"$_POST['ddd1'].",
"$_POST['eee3'].",
"$_POST['eee1'].",
"$_POST['fff3'].",
"$_POST['fff1'].",
"$_POST['ggg3'].",
"$_POST['hhh3'].");
$simpan12=mysqli_query($hubung,"INSERT INTO alat
VALUES(NULL,'$_POST['id_ksm'].','$_POST['lokasi'].'
',
"$_POST['hhh1'].");
$simpan10=mysqli_query($hubung,"INSERT INTO alat
VALUES(NULL,'$_POST['id_ksm'].','$_POST['lokasi'].'
',
"$_POST['aaa4'].",
"$_POST['aaa2'].",
"$_POST['bbb4'].",
"$_POST['bbb2'].",
"$_POST['ccc4'].",
"$_POST['ccc2'].",
"$_POST['ddd4'].",
"$_POST['ddd2'].",
"$_POST['eee4'].",
"$_POST['fff4'].",
"$_POST['ggg4'].",
"$_POST['hhh4'].");
//save admin
$cccc1=$_POST['aaaa1']-$POST['bbbb1'];
$eeee1=$_POST['bbbb1']*$POST['ddd1'];
$ffff1=$cccc1*$POST['ddd1'];
$cccc2=$_POST['aaaa2']-$POST['bbbb2'];
$eeee2=$_POST['bbbb2']*$POST['ddd2'];
$ffff2=$cccc2*$POST['ddd2'];
$cccc3=$_POST['aaaa3']-$POST['bbbb3'];
$eeee3=$_POST['bbbb3']*$POST['ddd3'];
$ffff3=$cccc3*$POST['ddd3'];
$cccc4=$_POST['aaaa4']-$POST['bbbb4'];
$eeee4=$_POST['bbbb4']*$POST['ddd4'];
$ffff4=$cccc4*$POST['ddd4'];
$cccc5=$_POST['aaaa5']-$POST['bbbb5'];

```

```

$eeee5=$_POST['bbbb5']*$_POST['ddd5'];
$fff5=$ccc5*$_POST['ddd5'];

$ccc6=$_POST['aaaa6']-$POST['bbb6'];
$eee6=$_POST['bbb6']*$_POST['ddd6'];
$fff6=$ccc6*$_POST['ddd6'];

$ccc7=$_POST['aaaa7']-$POST['bbb7'];
$eee7=$_POST['bbb7']*$_POST['ddd7'];
$fff7=$ccc7*$_POST['ddd7'];

$ccc8=$_POST['aaaa8']-$POST['bbb8'];
$eee8=$_POST['bbb8']*$_POST['ddd8'];
$fff8=$ccc8*$_POST['ddd8'];

$simpan13=mysqli_query($hubung,"INSERT      INTO
biaya_adm          VALUES(
NULL,".$_POST['id_ksm'].",".$_POST['lokasi'].",'papan
nama proyek','rp',

".$_POST['aaaa1'].",
".$_POST['bbbb1'].",
".$_POST['cccc1'].",
".$_POST['dddd1'].",
".$_POST['eeee1'].",
".$_POST['ffff1']."' )");
$simpan14=mysqli_query($hubung,"INSERT      INTO
biaya_adm          VALUES(
NULL,".$_POST['id_ksm'].",".$_POST['lokasi'].",'adm
harian / mingguan','rp',

".$_POST['aaaa2'].",
".$_POST['bbbb2'].",
".$_POST['cccc2'].",
".$_POST['dddd2'].",
".$_POST['eeee2'].",
".$_POST['ffff2']."' )");
$simpan15=mysqli_query($hubung,"INSERT      INTO
biaya_adm          VALUES(
NULL,".$_POST['id_ksm'].",".$_POST['lokasi'].",'pelapor
an KSM','rp',
"".$_POST['aaaa3'].",
"".$_POST['bbb3'].",
"".$_POST['ccc3'].",
"".$_POST['ddd3'].",
"".$_POST['eee3'].",
"".$_POST['fff3']."' )");
$simpan16=mysqli_query($hubung,"INSERT      INTO
biaya_adm          VALUES(
NULL,".$_POST['id_ksm'].",".$_POST['lokasi'].",'Photoco
py','rp',

".$_POST['aaaa4'].",
".$_POST['bbbb4'].",
".$_POST['cccc4'].",
".$_POST['dddd4'].",
".$_POST['eeee4'].",
".$_POST['ffff4']."' )");
$simpan17=mysqli_query($hubung,"INSERT      INTO
biaya_adm          VALUES(
NULL,".$_POST['id_ksm'].",".$_POST['lokasi'].",'biaya
alat tulis','rp',

".$_POST['aaaa5'].",
".$_POST['bbb5'].",
".$_POST['ccc5'].",
".$_POST['ddd5'].",
"

```

```

"$_POST['eeee5'].",
"$_POST['ffff5']."'"));
$simpan18=mysqli_query($hubung,"INSERT      INTO
biaya_adm          VALUES(
NULL,"$_POST['id_ksm'].","$_POST['lokasi'].",'photo
0%,50% dan 100%','rp',
"$_POST['aaaa6'].",
"$_POST['bbbb6'].",
"$_POST['cccc6'].",
//save konsumsi
"$_POST['dddd6'].",
$simpan20=mysqli_query($hubung,"INSERT      INTO
konsumsi          VALUES(
NULL,"$_POST['id_ksm'].","$_POST['lokasi'].","","",
"$_POST['eeee6'].",
"$_POST['ffff6']."'"));
$simpan19=mysqli_query($hubung,"INSERT      INTO
biaya_adm          VALUES(
NULL,"$_POST['id_ksm'].","$_POST['lokasi'].",'materai',
'rp',
"$_POST['aaaa7'].",
"$_POST['konsumsi'].",
"$_POST['bbbb7'].",
"$_POST['cccc7'].",
if($simpan1&$simpan2&$simpan3&$simpan4&$simpan5&
$simpan6&$simpan7&$simpan8&$simpan9&$simpan10&
$simpan11&$simpan12&$simpan13&$simpan14&$simpa
n15&$simpan16&$simpan17&$simpan18&$simpan19&$si
mpan20){
echo'<script type="text/javascript">    alert("proses
succes");window.location="index.php?pg=anggaran";</scri
pt>';}
?>
Status.php
<?php
session_start();
include 'koneksi.php';
$query=mysqli_query($hubung,"select * from usulan a
inner join ksm b on a.id_ksm=b.id_ksm");
?>

<table width="100%" border="0" cellspacing="0"
cellpadding="0">
<tr>

```

```

<th height="41" colspan="5" scope="col">Daftar
Usulan Kegiatan KSM<hr></th>
</tr>
<tr>
<td>NO</td>
<td>NAMA KSM</td>
<td>NAMA KEGIATAN</td>
<td>STATUS</td>
<td>PROSES</td>
</tr>
<?php while ($row=mysqli_fetch_array($query)){ ?>
<tr>
<td>&nbsp;</td>
<td><?php echo $row['nama']; ?></td>
<td>


```

Tanggal.php

```

<link rel="stylesheet" type="text/css" media="all"
href="calendar/aqua/theme.css" title="Aqua" />
<script type="text/javascript"
src="calendar/calendar.js"></script>
<script type="text/javascript" src="calendar/calendar-
setup.js"></script>
<script type="text/javascript" src="calendar/calendar-
en.js"></script>
<input name="tanggal" type="text" id="tglfield" <?
echo('value="'.$dt2['tanggal'].'"');?>

<script type="text/javascript">
var newDate = new Date();
Calendar.setup({
    inputField : "tglfield",
    ifFormat : "%d-%m-%Y",
    button : "startDateTrig2",
    align : "cR",
    singleClick : true,
    date : newDate
});
```

</script>

Upload_doc.php

```

<?php
session_start();
include'koneksi.php';
$sql=mysqli_query($hubung,"select * from ksm where
nama='".$_SESSION['user']."' ");
$dtt=mysqli_fetch_array($sql);

?>
<form action="save_doc.php" method="post"
enctype="multipart/form-data">
<input type="hidden" name="id_ksm" value="<?php echo
$dtt['id_ksm']; ?>" />
<table width="100%" border="1" cellspacing="0"
cellpadding="0">
<tr>
<th height="50" colspan="3" scope="col">Upload
Dokumentasi<hr /></th>
</tr>
<tr>
<td>Lokasi</td>
<td align="center">:</td>
<td><select name="lokasi">
<option value="0" selected="selected">Pilih
Lokasi</option>
<?php
    $queryx=mysqli_query($hubung,"select * from
usulan where id_ksm='".$dtt['id_ksm']."' and sts='terima'");
    while($row1=mysqli_fetch_array($queryx))
    {
        ?>
        <option value="<?php echo $row1['id_usulan']; ?>">
        <?php echo $row1['lokasi']; ?>
        </option>
        <?php
    }
    ?>
</select></td>
</tr>
<tr>
<td width="13%">Upload Doc 0%</td>
<td width="2%" align="center">:</td>
<td width="85%"><input name="1" type="file"
id="1"></td>
</tr>
<tr>
<td>Upload Doc 50%</td>
<td align="center">:</td>
<td><input name="2" type="file" id="2"></td>
</tr>
<tr>
<td>Upload doc 100%</td>
<td align="center">:</td>
<td><input name="3" type="file" id="3"></td>
</tr>
<tr>
<td>&nbsp;</td>
<td align="center">&nbsp;</td>
<td><input type="submit" value="Save"></td>
</tr>
</table></form>
<br />
<table width="100%" border="1" cellspacing="0"
cellpadding="0">
<tr>
<th width="9%" height="35" scope="col">No</th>
<th width="19%" scope="col">Lokasi</th>
<th width="26%" scope="col">0%</th>
<th width="26%" scope="col">50%</th>
```

```

<th width="20%" scope="col">100%</th>
</tr>
<?php
$no=1;
$sql2=mysqli_query($hubung,"select * from dokumentasi
a inner join usulan b on b.id_usulan=a.lokasi where
a.id_ksm='".$dt['id_ksm']."'\"");
while ($data2=mysqli_fetch_array($sql2)){
?>
<tr>
<th scope="col"><?php echo $no; ?></th>
<th scope="col"><?php echo $data2['lokasi']; ?></th>
<th scope="col"></th>
<th scope="col"></th>
<th scope="col"></th>
</tr><?php $no++; } ?>
</table>
<p>&nbsp;</p>

```

User_login.php

```


| User Login</th>                                                                                                                                                                    |                                                                                         |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|--|
| >User Name</td> <td align="center" width="1%">&gt;&lt;strong&gt;:&lt;/strong&gt;&lt;/td&gt; &lt;td width="78%"&gt;&lt;input type="text" name="user" id="user"&gt;&lt;/td&gt; </td> | ><strong>:</strong></td> <td width="78%"><input type="text" name="user" id="user"></td> |  |
|                                                                                                                                                                                    |                                                                                         |  |
|                                                                                                                                                                                    |                                                                                         |  |
| &nbsp;</td> <td>&amp;nbsp;&lt;/td&gt; &lt;td&gt;&lt;input type="submit" value="save"&gt;&lt;/td&gt; </td>                                                                          | &nbsp;</td> <td><input type="submit" value="save"></td>                                 |  |


<br>


| User Name</th> <th scope="col">Hak Akses&lt;/th&gt; <th scope="col">Proses&lt;/th&gt; </th></th> | Hak Akses</th> <th scope="col">Proses&lt;/th&gt; </th> | Proses</th> |
|--------------------------------------------------------------------------------------------------|--------------------------------------------------------|-------------|
| &nbsp;</td> <td>&amp;nbsp;&lt;/td&gt; <td>&amp;nbsp;&lt;/td&gt; </td></td>                       | &nbsp;</td> <td>&amp;nbsp;&lt;/td&gt; </td>            | &nbsp;</td> |


<p>&nbsp;</p>

```

Usulankegiatan.php

```

<?php
session_start();
include'koneksi.php';
$sql=mysqli_query($hubung,"select * from ksm where
nama='".$_SESSION['user']."'\"");
$data=mysqli_fetch_array($sql);

?>
<form action="save_usulan.php" method="post"
enctype="multipart/form-data">
<table width="100%" border="1" cellspacing="0"
cellpadding="0">
Form Usulan
Kegiatan<hr /></th>
</tr>
></td>
<td width="81%"> <?php echo $data['kota']; ?></td>
></td>
<td><?php echo $data['kecamatan']; ?></td>
></td>
<td><?php echo $data['kelurahan']; ?></td>
></td>
<td><table width="70%" border="1" cellspacing="0"
cellpadding="0">
Nama KSM</th>
<th width="9%" scope="col">L</th>
<th width="10%" scope="col">P</th>
<th width="19%" scope="col">Jumlah</th>
><?php echo $data['nama']; ?>
<input type="hidden" name="ksm" value="<?php echo
$data['id_ksm']; ?>" /></td>
<td align="center">><?php echo $data['L']; ?></td>
<td align="center">><?php echo $data['P']; ?></td>
<td align="center">><?php $jum=$data['L']+ $data['P'];
echo $jum;></td>
></td>
<td><input type="text" name="kegiatan"
id="kegiatan"></td>
></td>
<td><input type="text" name="namapek"
id="namapek"></td>
></td>
<td><textarea name="vol" id="vol" cols="30"
rows="1"></textarea></td>


```

```

<td align="center"></td>
<td><textarea name="alasan" id="alasan" cols="30" rows="1"></textarea></td>
</tr>
<tr>
<td>Lokasi Pekerjaan</td>
<td align="center"></td>
<td><table width="100%" border="1" cellspacing="0" cellpadding="0">
<tr>
<th width="23%" align="center" scope="col">Dusun/RT/RW</th>
<th width="2%" scope="col"></th>
<th width="75%" align="left" scope="col"><input type="text" name="dusun" id="dusun"></th>
</tr>
<tr>
<td align="center"><strong>Kelurahan/Desa</strong></td>
<td align="center"><strong></strong></td>
<td align="left"><input type="text" name="kel" id="kel"></td>
</tr>
</table></td>
</tr>
<tr>
<td>Penerima Manfaat</td>
<td align="center"></td>
<td><table width="100%" border="1" cellspacing="0" cellpadding="0">
<tr>
<th width="17%" rowspan="3" scope="col">Jumlah</th>
<th width="15%" align="left" scope="col"><strong>
<input name="jkk" type="text" value="" size="1" id="jkk" />
KK</strong></th>
<th width="18%" rowspan="3" scope="col">Miskin</th>
<th width="19%" align="left" scope="col"><input name="mkk" type="text" value="" size="1" id="mkk" />
KK</th>
<th width="16%" rowspan="3" scope="col">Miskin</th>
<th width="15%" align="left" scope="col">&ampnbsp</th>
</tr>
<tr>
<td align="left"><strong>
<input name="jlk" type="text" value="" size="1" id="jlk" />
Lk</strong></td>
<td align="left"><strong>
<input name="mlk" type="text" value="" size="1" id="mlk" />
Lk</strong></td>
<td align="left"><input name="miskin" type="text" value="" size="1" id="miskin" />
%</td>
</tr>
<tr>
<td align="left"><strong>
<input name="jpr" type="text" value="" size="1" id="jpr" />
Pr</strong></td>
<td align="left"><strong>
<input name="mpr" type="text" value="" size="1" id="mpr" />
Pr</strong></td>
<td align="left">&ampnbsp</td>
</tr>
</table></td>
</tr>
<tr>
<td>Metode Konstruksi</td>
<td align="center"></td>

```

```

<td><input name="mk" type="radio" id="mk" value="Gotong Royong">
<label for="mk"></label>
Gotong Royong
<input name="mk" type="radio" id="mk" value="Semi Gotong Royong">
<label for="mk"></label>
Semi Gotong Royong
<input name="mk" type="radio" id="mk" value="Kerjasama Pihak Ketiga">
<label for="mk"></label>
Kerjasama Pihak Ketiga
</td>
</tr>
<tr>
<td>Status Tanah Lokasi Kegiatan</td>
<td align="center"></td>
<td><input type="text" name="status" id="status"></td>
</tr>
<tr>
<td>Upload Gambar</td>
<td align="center"></td>
<td><input name="file" type="file" id="file" /></td>
</tr>
<tr>
<td>&ampnbsp</td>
<td>&ampnbsp</td>
<td><input type="submit" value="Save"></td>
</tr>
<tr>
<td>&ampnbsp</td>
<td>&ampnbsp</td>
<td>&ampnbsp</td>
</tr>
</table>
</form>

```

View.php

```

<form action="simpan_biaya.php" method="post">
<?php
session_start();
$q=mysqli_query($hubung,"select * from ksm where nama='".$_SESSION['user']."'"); 
$d=mysqli_fetch_array($q);
?>
<input type="hidden" name="id_ksm" value="<?php echo $d['id_ksm']; ?>" />
<table width="100%" border="1" cellspacing="0" cellpadding="0">
<tr>
<th height="51" colspan="9" scope="col">Anggaran Anggaran Biaya Swadaya & PNPM/BLM<hr /></th>
</tr>
<tr>
<td>&ampnbsp</td>
<td><input type="hidden" name="lokasi" value="<?php echo $_POST['lokasi']; ?>"></td>
<td>&ampnbsp</td>
<td>&ampnbsp</td>
<td>&ampnbsp</td>
<td>&ampnbsp</td>
<td>&ampnbsp</td>
<td>&ampnbsp</td>
<td>&ampnbsp</td>
</tr>
<tr>
<td rowspan="2" align="center" bgcolor="#CCCC00" style="font-size:12px"><strong>NO</strong></td>
<td rowspan="2" align="center" bgcolor="#CCCC00" style="font-size:12px"><strong>URAIAN</strong></td>
<td rowspan="2" align="center" bgcolor="#CCCC00" style="font-size:12px"><strong>Satuan</strong></td>

```

```

<td colspan="3" align="center"
bgcolor="#CCCC00" style="font-size:12px"><strong>VOLUME KEBUTUHAN</strong><hr/></td>
<td rowspan="2" align="center"
bgcolor="#CCCC00" style="font-size:12px"><strong>HARGA SATUAN</strong></td>
<td colspan="2" align="center"
bgcolor="#CCCC00" style="font-size:12px"><strong>JUMLAH BIAYA</strong></td>
</tr>
<tr>
<td align="center" bgcolor="#CCCC00" style="font-size:12px"><strong>TOTAL</strong></td>
<td align="center" bgcolor="#CCCC00" style="font-size:12px"><strong>DARI SWADAYA</strong></td>
<td align="center" bgcolor="#CCCC00" style="font-size:12px"><strong>DARI PNPM/BKM</strong></td>
<td align="center" bgcolor="#CCCC00" style="font-size:12px"><strong>DARI SWADAYA</strong></td>
<td align="center" bgcolor="#CCCC00" style="font-size:12px"><strong>DARI PNPM/BKM</strong></td>
</tr>
<tr>
<td align="center" bgcolor="#CCCC00" style="font-size:9px">(1)</td>
<td align="center" bgcolor="#CCCC00" style="font-size:9px">(2)</td>
<td align="center" bgcolor="#CCCC00" style="font-size:9px">(3)</td>
<td align="center" bgcolor="#CCCC00" style="font-size:9px">(4)</td>
<td align="center" bgcolor="#CCCC00" style="font-size:9px">(5)</td>
<td align="center" bgcolor="#CCCC00" style="font-size:9px">(6)=(4)-(5)</td>
<td align="center" bgcolor="#CCCC00" style="font-size:9px">(7)</td>
<td align="center" bgcolor="#CCCC00" style="font-size:9px">(8)=(5)x(7)</td>
<td align="center" bgcolor="#CCCC00" style="font-size:9px">(9)=(6)x(7)</td>
</tr>
<tr>
<td rowspan="6" align="center" valign="top">1</td>
<td><strong>TENAGA KERJA</strong></td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
</tr>
<?php
if (strlen($_POST[a1])<=4) {
    $a1 = $_POST[a1];
} else if (strlen($_POST[a1])<=8) {
    $a1 = $_POST[a1]* 1000;
} else if (strlen($_POST[a1])<=12) {
    $a1 = $_POST[a1]* 1000000;
} else if (strlen($_POST[a1])<=16) {
    $a1 = $_POST[a1]* 1000000000;
}
?>

<?php
if (strlen($_POST[b1])<=4) {
    $b1 = $_POST[b1];
} else if (strlen($_POST[b1])<=8) {
    $b1 = $_POST[b1]* 1000;
} else if (strlen($_POST[b1])<=12) {
    $b1 = $_POST[b1]* 1000000;
} else if (strlen($_POST[b1])<=16) {
    $b1 = $_POST[b1]* 1000000000;
}
?>

$ b1 = $_POST[b1]* 1000000000;
}
?>

<?php
if (strlen($_POST[d1])<=4) {
    $d1 = $_POST[d1];
} else if (strlen($_POST[d1])<=8) {
    $d1 = $_POST[d1]* 1000;
} else if (strlen($_POST[d1])<=12) {
    $d1 = $_POST[d1]* 1000000;
} else if (strlen($_POST[d1])<=16) {
    $d1 = $_POST[d1]* 1000000000;
}
?>

<?php
if (strlen($_POST[a2])<=4) {
    $a2 = $_POST[a2];
} else if (strlen($_POST[a2])<=8) {
    $a2 = $_POST[a2]* 1000;
} else if (strlen($_POST[a2])<=12) {
    $a2 = $_POST[a2]* 1000000;
} else if (strlen($_POST[a2])<=16) {
    $a2 = $_POST[a2]* 1000000000;
}
?>

<?php
if (strlen($_POST[b2])<=4) {
    $b2 = $_POST[b2];
} else if (strlen($_POST[b2])<=8) {
    $b2 = $_POST[b2]* 1000;
} else if (strlen($_POST[b2])<=12) {
    $b2 = $_POST[b2]* 1000000;
} else if (strlen($_POST[b2])<=16) {
    $b2 = $_POST[b2]* 1000000000;
}
?>

<?php
if (strlen($_POST[d2])<=4) {
    $d2 = $_POST[d2];
} else if (strlen($_POST[d2])<=8) {
    $d2 = $_POST[d2]* 1000;
} else if (strlen($_POST[d2])<=12) {
    $d2 = $_POST[d2]* 1000000;
} else if (strlen($_POST[d2])<=16) {
    $d2 = $_POST[d2]* 1000000000;
}
?>

<?php
if (strlen($_POST[a3])<=4) {
    $a3 = $_POST[a3];
} else if (strlen($_POST[a3])<=8) {
    $a3 = $_POST[a3]* 1000;
} else if (strlen($_POST[a3])<=12) {
    $a3 = $_POST[a3]* 1000000;
} else if (strlen($_POST[a3])<=16) {
    $a3 = $_POST[a3]* 1000000000;
}
?>

<?php
if (strlen($_POST[b3])<=4) {
    $b3 = $_POST[b3];
} else if (strlen($_POST[b3])<=8) {
    $b3 = $_POST[b3]* 1000;
} else if (strlen($_POST[b3])<=12) {
    $b3 = $_POST[b3]* 1000000;
} else if (strlen($_POST[b3])<=16) {
    $b3 = $_POST[b3]* 1000000000;
}
?>

```

```

<?php
if (strlen($_POST[d3])<=4) {
    $d3 = $_POST[d3];
} else if (strlen($_POST[d3])<=8) {
    $d3 = $_POST[d3]* 1000;
} else if (strlen($_POST[d3])<=12) {
    $d3 = $_POST[d3]* 1000000;
} else if (strlen($_POST[d3])<=16) {
    $d3 = $_POST[d3]* 1000000000;
}
?>

<?php
if (strlen($_POST[a4])<=4) {
    $a4 = $_POST[a4];
} else if (strlen($_POST[a4])<=8) {
    $a4 = $_POST[a4]* 1000;
} else if (strlen($_POST[a4])<=12) {
    $a4 = $_POST[a4]* 1000000;
} else if (strlen($_POST[a4])<=16) {
    $a4 = $_POST[a4]* 1000000000;
}
?>

<?php
if (strlen($_POST[b4])<=4) {
    $b4 = $_POST[b4];
} else if (strlen($_POST[b4])<=8) {
    $b4 = $_POST[b4]* 1000;
} else if (strlen($_POST[b4])<=12) {
    $b4 = $_POST[b4]* 1000000;
} else if (strlen($_POST[b4])<=16) {
    $b4 = $_POST[b4]* 1000000000;
}
?>

<?php
if (strlen($_POST[d4])<=4) {
    $d4 = $_POST[d4];
} else if (strlen($_POST[d4])<=8) {
    $d4 = $_POST[d4]* 1000;
} else if (strlen($_POST[d4])<=12) {
    $d4 = $_POST[d4]* 1000000;
} else if (strlen($_POST[d4])<=16) {
    $d4 = $_POST[d4]* 1000000000;
}
?>

<?php
//cc1=====
=====

if (strlen($_POST[cc1])<=4) {
    $cc1 = $_POST[cc1];
} else if (strlen($_POST[cc1])<=8) {
    $cc1 = $_POST[cc1]* 1000;
} else if (strlen($_POST[cc1])<=12) {
    $cc1 = $_POST[cc1]* 1000000;
} else if (strlen($_POST[cc1])<=16) {
    $cc1 = $_POST[cc1]* 1000000000;
}
?>

<?php
if (strlen($_POST[dd1])<=4) {
    $dd1 = $_POST[dd1];
} else if (strlen($_POST[dd1])<=8) {
    $dd1 = $_POST[dd1]* 1000;
} else if (strlen($_POST[dd1])<=12) {
    $dd1 = $_POST[dd1]* 1000000;
} else if (strlen($_POST[dd1])<=16) {
    $dd1 = $_POST[dd1]* 1000000000;
}

?>

?>

<?php
if (strlen($_POST[ff1])<=4) {
    $ff1 = $_POST[ff1];
} else if (strlen($_POST[ff1])<=8) {
    $ff1 = $_POST[ff1]* 1000;
} else if (strlen($_POST[ff1])<=12) {
    $ff1 = $_POST[ff1]* 1000000;
} else if (strlen($_POST[ff1])<=16) {
    $ff1 = $_POST[ff1]* 1000000000;
}
?>

<?php
//cc2=
if (strlen($_POST[cc2])<=4) {
    $cc2 = $_POST[cc2];
} else if (strlen($_POST[cc2])<=8) {
    $cc2 = $_POST[cc2]* 1000;
} else if (strlen($_POST[cc2])<=12) {
    $cc2 = $_POST[cc2]* 1000000;
} else if (strlen($_POST[cc2])<=16) {
    $cc2 = $_POST[cc2]* 1000000000;
}
?>

<?php
if (strlen($_POST[dd2])<=4) {
    $dd2 = $_POST[dd2];
} else if (strlen($_POST[dd2])<=8) {
    $dd2 = $_POST[dd2]* 1000;
} else if (strlen($_POST[dd2])<=12) {
    $dd2 = $_POST[dd2]* 1000000;
} else if (strlen($_POST[dd2])<=16) {
    $dd2 = $_POST[dd2]* 1000000000;
}
?>

<?php
if (strlen($_POST[ff2])<=4) {
    $ff2 = $_POST[ff2];
} else if (strlen($_POST[ff2])<=8) {
    $ff2 = $_POST[ff2]* 1000;
} else if (strlen($_POST[ff2])<=12) {
    $ff2 = $_POST[ff2]* 1000000;
} else if (strlen($_POST[ff2])<=16) {
    $ff2 = $_POST[ff2]* 1000000000;
}
?>

<?php
//cc3-
if (strlen($_POST[cc3])<=4) {
    $cc3 = $_POST[cc3];
} else if (strlen($_POST[cc3])<=8) {
    $cc3 = $_POST[cc3]* 1000;
} else if (strlen($_POST[cc3])<=12) {
    $cc3 = $_POST[cc3]* 1000000;
} else if (strlen($_POST[cc3])<=16) {
    $cc3 = $_POST[cc3]* 1000000000;
}
?>

<?php
if (strlen($_POST[dd3])<=4) {
    $dd3 = $_POST[dd3];
} else if (strlen($_POST[dd3])<=8) {
    $dd3 = $_POST[dd3]* 1000;
} else if (strlen($_POST[dd3])<=12) {
    $dd3 = $_POST[dd3]* 1000000;
} else if (strlen($_POST[dd3])<=16) {
    $dd3 = $_POST[dd3]* 1000000000;
}
?>

```

```

<?php
if (strlen($_POST[ff3])<=4) {
$ff3 = $_POST[ff3];
}else if (strlen($_POST[ff3])<=8) {
$ff3 = $_POST[ff3]* 1000;
}else if (strlen($_POST[ff3])<=12) {
$ff3 = $_POST[ff3]* 1000000;
}else if (strlen($_POST[ff3])<=16) {
$ff3 = $_POST[ff3]* 1000000000;
}
?>

<?php
//cc4-
if (strlen($_POST[cc4])<=4) {
$cc4 = $_POST[cc4];
}else if (strlen($_POST[cc4])<=8) {
$cc4 = $_POST[cc4]* 1000;
}else if (strlen($_POST[cc4])<=12) {
$cc4 = $_POST[cc4]* 1000000;
}else if (strlen($_POST[cc4])<=16) {
$cc4 = $_POST[cc4]* 1000000000;
}
?>

<?php
if (strlen($_POST[dd4])<=4) {
$dd4 = $_POST[dd4];
}else if (strlen($_POST[dd4])<=8) {
$dd4 = $_POST[dd4]* 1000;
}else if (strlen($_POST[dd4])<=12) {
$dd4 = $_POST[dd4]* 1000000;
}else if (strlen($_POST[dd4])<=16) {
$dd4 = $_POST[dd4]* 1000000000;
}
?>

<?php
if (strlen($_POST[ff4])<=4) {
$ff4 = $_POST[ff4];
}else if (strlen($_POST[ff4])<=8) {
$ff4 = $_POST[ff4]* 1000;
}else if (strlen($_POST[ff4])<=12) {
$ff4 = $_POST[ff4]* 1000000;
}else if (strlen($_POST[ff4])<=16) {
$ff4 = $_POST[ff4]* 1000000000;
}
?>

<?php
//=====
=====

if (strlen($_POST[ccc1])<=4) {
$ccc1 = $_POST[ccc1];
}else if (strlen($_POST[ccc1])<=8) {
$ccc1 = $_POST[ccc1]* 1000;
}else if (strlen($_POST[ccc1])<=12) {
$ccc1 = $_POST[ccc1]* 1000000;
}else if (strlen($_POST[ccc1])<=16) {
$ccc1 = $_POST[ccc1]* 1000000000;
}
?>

<?php
if (strlen($_POST[ddd1])<=4) {
$ddd1 = $_POST[ddd1];
}else if (strlen($_POST[ddd1])<=8) {
$ddd1 = $_POST[ddd1]* 1000;
}else if (strlen($_POST[ddd1])<=12) {
$ddd1 = $_POST[ddd1]* 1000000;
}else if (strlen($_POST[ddd1])<=16) {
$ddd1 = $_POST[ddd1]* 1000000000;
}

}

}
?>

<?php
if (strlen($_POST[ffff1])<=4) {
$ffff1 = $_POST[ffff1];
}else if (strlen($_POST[ffff1])<=8) {
$ffff1 = $_POST[ffff1]* 1000;
}else if (strlen($_POST[ffff1])<=12) {
$ffff1 = $_POST[ffff1]* 1000000;
}else if (strlen($_POST[ffff1])<=16) {
$ffff1 = $_POST[ffff1]* 1000000000;
}
?>

<?php
if (strlen($_POST[ccc2])<=4) {
$ccc2 = $_POST[ccc2];
}else if (strlen($_POST[ccc2])<=8) {
$ccc2 = $_POST[ccc2]* 1000;
}else if (strlen($_POST[ccc2])<=12) {
$ccc2 = $_POST[ccc2]* 1000000;
}else if (strlen($_POST[ccc2])<=16) {
$ccc2 = $_POST[ccc2]* 1000000000;
}
?>

<?php
if (strlen($_POST[ddd2])<=4) {
$ddd2 = $_POST[ddd2];
}else if (strlen($_POST[ddd2])<=8) {
$ddd2 = $_POST[ddd2]* 1000;
}else if (strlen($_POST[ddd2])<=12) {
$ddd2 = $_POST[ddd2]* 1000000;
}else if (strlen($_POST[ddd2])<=16) {
$ddd2 = $_POST[ddd2]* 1000000000;
}
?>

<?php
if (strlen($_POST[ffff2])<=4) {
$ffff2 = $_POST[ffff2];
}else if (strlen($_POST[ffff2])<=8) {
$ffff2 = $_POST[ffff2]* 1000;
}else if (strlen($_POST[ffff2])<=12) {
$ffff2 = $_POST[ffff2]* 1000000;
}else if (strlen($_POST[ffff2])<=16) {
$ffff2 = $_POST[ffff2]* 1000000000;
}
?>

<?php
if (strlen($_POST[ccc3])<=4) {
$ccc3 = $_POST[ccc3];
}else if (strlen($_POST[ccc3])<=8) {
$ccc3 = $_POST[ccc3]* 1000;
}else if (strlen($_POST[ccc3])<=12) {
$ccc3 = $_POST[ccc3]* 1000000;
}else if (strlen($_POST[ccc3])<=16) {
$ccc3 = $_POST[ccc3]* 1000000000;
}
?>

<?php
if (strlen($_POST[ddd3])<=4) {
$ddd3 = $_POST[ddd3];
}else if (strlen($_POST[ddd3])<=8) {
$ddd3 = $_POST[ddd3]* 1000;
}else if (strlen($_POST[ddd3])<=12) {
$ddd3 = $_POST[ddd3]* 1000000;
}else if (strlen($_POST[ddd3])<=16) {
$ddd3 = $_POST[ddd3]* 1000000000;
}
?>

```

```

<?php
if (strlen($_POST[ffff3])<=4) {
$ffff3 = $_POST[ffff3];
}else if (strlen($_POST[ffff3])<=8) {
$ffff3 = $_POST[ffff3]* 1000;
}else if (strlen($_POST[ffff3])<=12) {
$ffff3 = $_POST[ffff3]* 1000000;
}else if (strlen($_POST[ffff3])<=16) {
$ffff3 = $_POST[ffff3]* 1000000000;
}
?>

<?php
if (strlen($_POST[ccc4])<=4) {
$ccc4 = $_POST[ccc4];
}else if (strlen($_POST[ccc4])<=8) {
$ccc4 = $_POST[ccc4]* 1000;
}else if (strlen($_POST[ccc4])<=12) {
$ccc4 = $_POST[ccc4]* 1000000;
}else if (strlen($_POST[ccc4])<=16) {
$ccc4 = $_POST[ccc4]* 1000000000;
}
?>

<?php
if (strlen($_POST[ddd4])<=4) {
$ddd4 = $_POST[ddd4];
}else if (strlen($_POST[ddd4])<=8) {
$ddd4 = $_POST[ddd4]* 1000;
}else if (strlen($_POST[ddd4])<=12) {
$ddd4 = $_POST[ddd4]* 1000000;
}else if (strlen($_POST[ddd4])<=16) {
$ddd4 = $_POST[ddd4]* 1000000000;
}
?>

<?php
if (strlen($_POST[ffff4])<=4) {
$ffff4 = $_POST[ffff4];
}else if (strlen($_POST[ffff4])<=8) {
$ffff4 = $_POST[ffff4]* 1000;
}else if (strlen($_POST[ffff4])<=12) {
$ffff4 = $_POST[ffff4]* 1000000;
}else if (strlen($_POST[ffff4])<=16) {
$ffff4 = $_POST[ffff4]* 1000000000;
}
?>

<?php
//=====
=====

if (strlen($_POST[aaaaa1])<=4) {
$aaaaa1 = $_POST[aaaaa1];
}else if (strlen($_POST[aaaaa1])<=8) {
$aaaaa1 = $_POST[aaaaa1]* 1000;
}else if (strlen($_POST[aaaaa1])<=12) {
$aaaaa1 = $_POST[aaaaa1]* 1000000;
}else if (strlen($_POST[aaaaa1])<=16) {
$aaaaa1 = $_POST[aaaaa1]* 1000000000;
}
?>

<?php
if (strlen($_POST[bbbb1])<=4) {
$bbbb1 = $_POST[bbbb1];
}else if (strlen($_POST[bbbb1])<=8) {
$bbbb1 = $_POST[bbbb1]* 1000;
}else if (strlen($_POST[bbbb1])<=12) {
$bbbb1 = $_POST[bbbb1]* 1000000;
}else if (strlen($_POST[bbbb1])<=16) {
$bbbb1 = $_POST[bbbb1]* 1000000000;
}
?>

<?php
if (strlen($_POST[dddd1])<=4) {
$dddd1 = $_POST[dddd1];
}else if (strlen($_POST[dddd1])<=8) {
$dddd1 = $_POST[dddd1]* 1000;
}else if (strlen($_POST[dddd1])<=12) {
$dddd1 = $_POST[dddd1]* 1000000;
}else if (strlen($_POST[dddd1])<=16) {
$dddd1 = $_POST[dddd1]* 1000000000;
}
?>

<?php
if (strlen($_POST[aaaaa2])<=4) {
$aaaaa2 = $_POST[aaaaa2];
}else if (strlen($_POST[aaaaa2])<=8) {
$aaaaa2 = $_POST[aaaaa2]* 1000;
}else if (strlen($_POST[aaaaa2])<=12) {
$aaaaa2 = $_POST[aaaaa2]* 1000000;
}else if (strlen($_POST[aaaaa2])<=16) {
$aaaaa2 = $_POST[aaaaa2]* 1000000000;
}
?>

<?php
if (strlen($_POST[bbbb2])<=4) {
$bbbb2 = $_POST[bbbb2];
}else if (strlen($_POST[bbbb2])<=8) {
$bbbb2 = $_POST[bbbb2]* 1000;
}else if (strlen($_POST[bbbb2])<=12) {
$bbbb2 = $_POST[bbbb2]* 1000000;
}else if (strlen($_POST[bbbb2])<=16) {
$bbbb2 = $_POST[bbbb2]* 1000000000;
}
?>

<?php
if (strlen($_POST[dddd2])<=4) {
$dddd2 = $_POST[dddd2];
}else if (strlen($_POST[dddd2])<=8) {
$dddd2 = $_POST[dddd2]* 1000;
}else if (strlen($_POST[dddd2])<=12) {
$dddd2 = $_POST[dddd2]* 1000000;
}else if (strlen($_POST[dddd2])<=16) {
$dddd2 = $_POST[dddd2]* 1000000000;
}
?>

<?php
if (strlen($_POST[aaaaa3])<=4) {
$aaaaa3 = $_POST[aaaaa3];
}else if (strlen($_POST[aaaaa3])<=8) {
$aaaaa3 = $_POST[aaaaa3]* 1000;
}else if (strlen($_POST[aaaaa3])<=12) {
$aaaaa3 = $_POST[aaaaa3]* 1000000;
}else if (strlen($_POST[aaaaa3])<=16) {
$aaaaa3 = $_POST[aaaaa3]* 1000000000;
}
?>

<?php
if (strlen($_POST[bbbb3])<=4) {
$bbbb3 = $_POST[bbbb3];
}else if (strlen($_POST[bbbb3])<=8) {
$bbbb3 = $_POST[bbbb3]* 1000;
}else if (strlen($_POST[bbbb3])<=12) {
$bbbb3 = $_POST[bbbb3]* 1000000;
}else if (strlen($_POST[bbbb3])<=16) {
$bbbb3 = $_POST[bbbb3]* 1000000000;
}
?>

<?php
if (strlen($_POST[dddd3])<=4) {

```

```

$dddd3 = $_POST[dddd3];
}else if (strlen($_POST[dddd3])<=8) {
$dddd3 = $_POST[dddd3]* 1000;
}else if (strlen($_POST[dddd3])<=12) {
$dddd3 = $_POST[dddd3]* 1000000;
}else if (strlen($_POST[dddd3])<=16) {
$dddd3 = $_POST[dddd3]* 1000000000;
}
?>

<?php
if (strlen($_POST[aaaaa4])<=4) {
$aaaaa4 = $_POST[aaaaa4];
}else if (strlen($_POST[aaaaa4])<=8) {
$aaaaa4 = $_POST[aaaaa4]* 1000;
}else if (strlen($_POST[aaaaa4])<=12) {
$aaaaa4 = $_POST[aaaaa4]* 1000000;
}else if (strlen($_POST[aaaaa4])<=16) {
$aaaaa4 = $_POST[aaaaa4]* 1000000000;
}
?>

<?php
if (strlen($_POST[bbbb4])<=4) {
$bbbb4 = $_POST[bbbb4];
}else if (strlen($_POST[bbbb4])<=8) {
$bbbb4 = $_POST[bbbb4]* 1000;
}else if (strlen($_POST[bbbb4])<=12) {
$bbbb4 = $_POST[bbbb4]* 1000000;
}else if (strlen($_POST[bbbb4])<=16) {
$bbbb4 = $_POST[bbbb4]* 1000000000;
}
?>

<?php
if (strlen($_POST[dddd4])<=4) {
$dddd4 = $_POST[dddd4];
}else if (strlen($_POST[dddd4])<=8) {
$dddd4 = $_POST[dddd4]* 1000;
}else if (strlen($_POST[dddd4])<=12) {
$dddd4 = $_POST[dddd4]* 1000000;
}else if (strlen($_POST[dddd4])<=16) {
$dddd4 = $_POST[dddd4]* 1000000000;
}
?>

<?php
if (strlen($_POST[aaaaa5])<=4) {
$aaaaa5 = $_POST[aaaaa5];
}else if (strlen($_POST[aaaaa5])<=8) {
$aaaaa5 = $_POST[aaaaa5]* 1000;
}else if (strlen($_POST[aaaaa5])<=12) {
$aaaaa5 = $_POST[aaaaa5]* 1000000;
}else if (strlen($_POST[aaaaa5])<=16) {
$aaaaa5 = $_POST[aaaaa5]* 1000000000;
}
?>

<?php
if (strlen($_POST[bbbb5])<=4) {
$bbbb5 = $_POST[bbbb5];
}else if (strlen($_POST[bbbb5])<=8) {
$bbbb5 = $_POST[bbbb5]* 1000;
}else if (strlen($_POST[bbbb5])<=12) {
$bbbb5 = $_POST[bbbb5]* 1000000;
}else if (strlen($_POST[bbbb5])<=16) {
$bbbb5 = $_POST[bbbb5]* 1000000000;
}
?>

<?php
if (strlen($_POST[dddd5])<=4) {
$dddd5 = $_POST[dddd5];
}else if (strlen($_POST[dddd5])<=8) {
$dddd5 = $_POST[dddd5]* 1000;
}else if (strlen($_POST[dddd5])<=12) {
$dddd5 = $_POST[dddd5]* 1000000;
}else if (strlen($_POST[dddd5])<=16) {
$dddd5 = $_POST[dddd5]* 1000000000;
}
?>

<?php
if (strlen($_POST[aaaaa6])<=4) {
$aaaaa6 = $_POST[aaaaa6];
}else if (strlen($_POST[aaaaa6])<=8) {
$aaaaa6 = $_POST[aaaaa6]* 1000;
}else if (strlen($_POST[aaaaa6])<=12) {
$aaaaa6 = $_POST[aaaaa6]* 1000000;
}else if (strlen($_POST[aaaaa6])<=16) {
$aaaaa6 = $_POST[aaaaa6]* 1000000000;
}
?>

<?php
if (strlen($_POST[bbbb6])<=4) {
$bbbb6 = $_POST[bbbb6];
}else if (strlen($_POST[bbbb6])<=8) {
$bbbb6 = $_POST[bbbb6]* 1000;
}else if (strlen($_POST[bbbb6])<=12) {
$bbbb6 = $_POST[bbbb6]* 1000000;
}else if (strlen($_POST[bbbb6])<=16) {
$bbbb6 = $_POST[bbbb6]* 1000000000;
}
?>

<?php
if (strlen($_POST[dddd6])<=4) {
$dddd6 = $_POST[dddd6];
}else if (strlen($_POST[dddd6])<=8) {
$dddd6 = $_POST[dddd6]* 1000;
}else if (strlen($_POST[dddd6])<=12) {
$dddd6 = $_POST[dddd6]* 1000000;
}else if (strlen($_POST[dddd6])<=16) {
$dddd6 = $_POST[dddd6]* 1000000000;
}
?>

<?php
if (strlen($_POST[aaaa7])<=4) {
$aaaa7 = $_POST[aaaa7];
}else if (strlen($_POST[aaaa7])<=8) {
$aaaa7 = $_POST[aaaa7]* 1000;
}else if (strlen($_POST[aaaa7])<=12) {
$aaaa7 = $_POST[aaaa7]* 1000000;
}else if (strlen($_POST[aaaa7])<=16) {
$aaaa7 = $_POST[aaaa7]* 1000000000;
}
?>

<?php
if (strlen($_POST[bbbb7])<=4) {
$bbbb7 = $_POST[bbbb7];
}else if (strlen($_POST[bbbb7])<=8) {
$bbbb7 = $_POST[bbbb7]* 1000;
}else if (strlen($_POST[bbbb7])<=12) {
$bbbb7 = $_POST[bbbb7]* 1000000;
}else if (strlen($_POST[bbbb7])<=16) {
$bbbb7 = $_POST[bbbb7]* 1000000000;
}
?>

<?php
if (strlen($_POST[dddd7])<=4) {
$dddd7 = $_POST[dddd7];
}else if (strlen($_POST[dddd7])<=8) {
$dddd7 = $_POST[dddd7]* 1000;
}else if (strlen($_POST[dddd7])<=12) {
$dddd7 = $_POST[dddd7]* 1000000;
}else if (strlen($_POST[dddd7])<=16) {
$dddd7 = $_POST[dddd7]* 1000000000;
}
?
```

```

$dddd7 = $_POST[dddd7]* 1000000000;
}

<?php
if (strlen($_POST[aaaa8])<=4) {
    $aaaa8 = $_POST[aaaa8];
} else if (strlen($_POST[aaaa8])<=8) {
    $aaaa8 = $_POST[aaaa8]* 1000;
} else if (strlen($_POST[aaaa8])<=12) {
    $aaaa8 = $_POST[aaaa8]* 1000000;
} else if (strlen($_POST[aaaa8])<=16) {
    $aaaa8 = $_POST[aaaa8]* 1000000000;
}
?

<?php
if (strlen($_POST[bbbb8])<=4) {
    $bbbb8 = $_POST[bbbb8];
} else if (strlen($_POST[bbbb8])<=8) {
    $bbbb8 = $_POST[bbbb8]* 1000;
} else if (strlen($_POST[bbbb8])<=12) {
    $bbbb8 = $_POST[bbbb8]* 1000000;
} else if (strlen($_POST[bbbb8])<=16) {
    $bbbb8 = $_POST[bbbb8]* 1000000000;
}
?

<?php
if (strlen($_POST[dddd8])<=4) {
    $dddd8 = $_POST[dddd8];
} else if (strlen($_POST[dddd8])<=8) {
    $dddd8 = $_POST[dddd8]* 1000;
} else if (strlen($_POST[dddd8])<=12) {
    $dddd8 = $_POST[dddd8]* 1000000;
} else if (strlen($_POST[dddd8])<=16) {
    $dddd8 = $_POST[dddd8]* 1000000000;
}
?

<?php

=====
=====

if (strlen($_POST[kom])<=4) {
    $kom = $_POST[kom];
} else if (strlen($_POST[kom])<=8) {
    $kom = $_POST[kom]* 1000;
} else if (strlen($_POST[kom])<=12) {
    $kom = $_POST[kom]* 1000000;
} else if (strlen($_POST[kom])<=16) {
    $kom = $_POST[kom]* 1000000000;
}

=====

?>

<tr>
<td>mandor</td>
<td align="center">HOK</td>
<td align="center"><input name="a1" type="text" readonly="readonly" value="<?php echo number_format($a1); ?>"></td>
<td align="center"><input name="b1" type="text" readonly="readonly" value="<?php echo number_format($b1); ?>"></td>
<td align="center"><input name="c1" type="text" readonly="readonly" value="<?php $c1=$a1-$b1;echo number_format($c1); ?>" readonly></td>

```

<input name="d1" type="text" readonly="readonly" value="<?php echo number_format(\$d1); ?>">	<input name="e1" type="text" readonly="readonly" value="<?php \$e1=\$b1*\$d1;echo number_format(\$e1); ?>" readonly>
<input name="f1" type="text" readonly="readonly" value="<?php \$f1=\$c1*\$d1;echo number_format(\$f1); ?>" readonly>	kepala tukang
<td align="center">HOK</td>	<td align="center">HOK</td>
<input name="a2" type="text" readonly="readonly" value="<?php echo number_format(\$a2); ?>">	<input name="b2" type="text" readonly="readonly" value="<?php echo number_format(\$b2); ?>">
<input name="c2" type="text" readonly="readonly" value="<?php \$c2=\$a2-\$b2;echo number_format(\$c2); ?>" readonly>	<input name="d2" type="text" readonly="readonly" value="<?php \$d2=\$c2*\$d2;echo number_format(\$d2); ?>">
<input name="e2" type="text" readonly="readonly" value="<?php \$e2=\$b2*\$d2;echo number_format(\$e2); ?>" readonly>	<input name="f2" type="text" readonly="readonly" value="<?php \$f2=\$c2*\$d2;echo number_format(\$f2); ?>" readonly>
<td align="center">HOK</td>	<td align="center">HOK</td>
<input name="a3" type="text" readonly="readonly" value="<?php echo number_format(\$a3); ?>">	<input name="b3" type="text" readonly="readonly" value="<?php echo number_format(\$b3); ?>">
<input name="c3" type="text" readonly="readonly" value="<?php \$c3=\$a3-\$b3;echo number_format(\$c3); ?>" readonly>	<input name="d3" type="text" readonly="readonly" value="<?php echo number_format(\$d3); ?>">
<input name="e3" type="text" readonly="readonly" value="<?php \$e3=\$b3*\$d3;echo number_format(\$e3); ?>" readonly>	<input name="f3" type="text" readonly="readonly" value="<?php \$f3=\$c3*\$d3;echo number_format(\$f3); ?>" readonly>
<td align="center">pekerja</td>	<td align="center">HOK</td>
<input name="a4" type="text" readonly="readonly" value="<?php echo number_format(\$a4); ?>">	<input name="b4" type="text" readonly="readonly" value="<?php echo number_format(\$b4); ?>">
<input name="c4" type="text" readonly="readonly" value="<?php \$c4=\$a4-\$b4;echo number_format(\$c4); ?>" readonly>	<input name="d4" type="text" readonly="readonly" value="<?php echo number_format(\$d4); ?>">

<input name="e4" type="text" readonly="readonly" size="3" value="<?php \$e4=\$b4*\$d4;echo number_format(\$e4);?>" />/td>	<input name="gg2" type="text" readonly="readonly" size="3" value="<?php \$gg2=\$dd2*\$ff2;echo number_format(\$gg2);?>" />/td>
<input name="f4" type="text" readonly="readonly" size="3" value="<?php \$f4=\$c4*\$d4;echo number_format(\$f4);?>" />/td>	<input name="hh2" type="text" readonly="readonly" size="3" value="<?php \$hh2=\$ee2*\$ff2;echo number_format(\$hh2);?>" />/td>
<td colspan="6" align="right">sub total tenaga kerja</td>	<input type="text" readonly="readonly" name="aa3" value="<?php echo \$_POST['aa3']; ?>" />/td>
<td align="center"><?php \$tot1=\$e1+\$e2+\$e3+\$e4; echo number_format(\$tot1); ?>/td>	<td align="center"><input name="bb3" type="text" readonly="readonly" size="1" value="<?php echo \$_POST['bb3']; ?>" />/td>
<td align="center"><?php \$tot2=\$f1+\$f2+\$f3+\$f4; echo number_format(\$tot2); ?>/td>	<td align="center"><input name="cc3" type="text" readonly="readonly" size="1" value="<?php echo number_format(\$cc3); ?>" />/td>
<td align="center" rowspan="6" valign="top">2</td>	<td align="center"><input name="dd3" type="text" readonly="readonly" size="1" value="<?php echo number_format(\$dd3); ?>" />/td>
<td align="center">BAHAN</td>	<td align="center"><input name="ee3" type="text" readonly="readonly" size="1" value="<?php \$ee3=\$cc3-\$dd3;echo number_format(\$ee3); ?>" />/td>
<td align="center"> </td>	<td align="center"><input name="ff3" type="text" readonly="readonly" size="3" value="<?php echo number_format(\$ff3); ?>" />/td>
<td align="center"> </td>	<td align="center"><input name="gg3" type="text" readonly="readonly" size="3" value="<?php \$gg3=\$dd3*\$ff3;echo number_format(\$gg3); ?>" />/td>
<td align="center"> </td>	<td align="center"><input name="hh3" type="text" readonly="readonly" size="3" value="<?php \$hh3=\$ee3*\$ff3;echo number_format(\$hh3); ?>" />/td>
<td align="center"> </td>	<td align="center"><input name="aa4" type="text" readonly="readonly" value="<?php echo \$_POST['aa4']; ?>" />/td>
<td align="center"><input name="bb1" type="text" readonly="readonly" size="1" value="<?php echo \$_POST['bb1']; ?>" />/td>	<td align="center"><input name="bb4" type="text" readonly="readonly" size="1" value="<?php echo \$_POST['bb4']; ?>" />/td>
<td align="center"><input name="cc1" type="text" readonly="readonly" size="1" value="<?php echo number_format(\$cc1); ?>" />/td>	<td align="center"><input name="cc4" type="text" readonly="readonly" size="1" value="<?php echo number_format(\$cc4); ?>" />/td>
<td align="center"><input name="dd1" type="text" readonly="readonly" size="1" value="<?php echo number_format(\$dd1); ?>" />/td>	<td align="center"><input name="dd4" type="text" readonly="readonly" size="1" value="<?php echo number_format(\$dd4); ?>" />/td>
<td align="center"><input name="ee1" type="text" readonly="readonly" size="1" value="<?php \$ee1=\$cc1-\$dd1;echo number_format(\$ee1); ?>" />/td>	<td align="center"><input name="ee4" type="text" readonly="readonly" size="1" value="<?php \$ee4=\$cc4-\$dd4;echo number_format(\$ee4); ?>" />/td>
<td align="center"><input name="ff1" type="text" readonly="readonly" size="3" value="<?php echo number_format(\$ff1); ?>" />/td>	<td align="center"><input name="ff4" type="text" readonly="readonly" size="3" value="<?php echo number_format(\$ff4); ?>" />/td>
<td align="center"><input name="gg1" type="text" readonly="readonly" size="3" value="<?php \$gg1=\$dd1*\$ff1;echo number_format(\$gg1); ?>" />/td>	<td align="center"><input name="gg4" type="text" readonly="readonly" size="3" value="<?php \$gg4=\$dd4*\$ff4;echo number_format(\$gg4); ?>" />/td>
<td align="center"><input name="hh1" type="text" readonly="readonly" size="3" value="<?php \$hh1=\$ee1*\$ff1;echo number_format(\$hh1); ?>" />/td>	<td align="center"><input name="hh4" type="text" readonly="readonly" size="3" value="<?php \$hh4=\$ee4*\$ff4;echo number_format(\$hh4); ?>" />/td>
<td align="center"><input type="text" readonly="readonly" name="aa2" value="<?php echo \$_POST['aa2']; ?>" />/td>	<td colspan="6" align="right">sub total bahan</td>
<td align="center"><input name="bb2" type="text" readonly="readonly" size="1" value="<?php echo \$_POST['bb2']; ?>" />/td>	<td align="center"><?php \$tot3=\$gg1+\$gg2+\$gg3+\$gg4; echo number_format(\$tot3); ?>/td>
<td align="center"><input name="cc2" type="text" readonly="readonly" size="1" value="<?php echo number_format(\$cc2); ?>" />/td>	<td align="center"><?php \$tot4=\$hh1+\$hh2+\$hh3+\$hh4; echo number_format(\$tot4); ?>/td>
<td align="center"><input name="dd2" type="text" readonly="readonly" size="1" value="<?php echo number_format(\$dd2); ?>" />/td>	<td align="center"><?php
<td align="center"><input name="ee2" type="text" readonly="readonly" size="1" value="<?php \$ee2=\$cc2-\$dd2;echo number_format(\$ee2); ?>" />/td>	<td align="center"><?php
<td align="center"><input name="ff2" type="text" readonly="readonly" size="3" value="<?php echo number_format(\$ff2); ?>" />/td>	<td align="center"><?php

```

<tr>
<td rowspan="6" align="center" valign="top">3</td>
<td align="center"><strong>ALAT</strong></td>
<td align="center">&nbsp;</td>

<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
</tr>
<tr>
<td align="center" type="text" readonly="readonly" name="aaa1" value="<?php echo $_POST['aaa1']; ?>"/></td>
<td align="center"><input name="bbb1" type="text" readonly="readonly" size="1" value="<?php echo $_POST['bbb1']; ?>"/></td>
<td align="center"><input name="ccc1" type="text" readonly="readonly" size="1" value="<?php echo number_format($ccc1); ?>"/></td>
<td align="center"><input name="ddd1" type="text" readonly="readonly" size="1" value="<?php echo number_format($ddd1); ?>"/></td>
<td align="center"><input name="eee1" type="text" readonly="readonly" size="1" value="<?php $eee1=$ccc1-$ddd1;echo number_format($eee1); ?>"/></td>
<td align="center"><input name="fff1" type="text" readonly="readonly" size="3" value="<?php echo number_format($fff1); ?>"/></td>
<td align="center"><input name="ggg1" type="text" readonly="readonly" size="3" value="<?php $ggg1=$ddd1*$fff1;echo number_format($ggg1); ?>"/></td>
<td align="center"><input name="hhh1" type="text" readonly="readonly" size="3" value="<?php $hhh1=$eee1*$fff1;echo number_format($hhh1); ?>"/></td>
</tr>
<tr>
<td align="center" type="text" readonly="readonly" name="aaa2" value="<?php echo $_POST['aaa2']; ?>="aaa2"/></td>
<td align="center"><input name="bbb2" type="text" readonly="readonly" size="1" value="<?php echo $_POST['bbb2']; ?>"/></td>
<td align="center"><input name="ccc2" type="text" readonly="readonly" size="1" value="<?php echo number_format($ccc2); ?>"/></td>
<td align="center"><input name="ddd2" type="text" readonly="readonly" size="1" value="<?php echo number_format($ddd2); ?>"/></td>
<td align="center"><input name="eee2" type="text" readonly="readonly" size="1" value="<?php $eee2=$ccc2-$ddd2;echo number_format($eee2); ?>"/></td>
<td align="center"><input name="fff2" type="text" readonly="readonly" size="3" value="<?php echo number_format($fff2); ?>"/></td>
<td align="center"><input name="ggg2" type="text" readonly="readonly" size="3" value="<?php $ggg2=$ddd2*$fff2;echo number_format($ggg2); ?>"/></td>
<td align="center"><input name="hhh2" type="text" readonly="readonly" size="3" value="<?php $hhh2=$eee2*$fff2;echo number_format($hhh2); ?>"/></td>
</tr>
<tr>
<td align="center" type="text" readonly="readonly" name="aaa3" value="<?php echo $_POST['aaa3']; ?>="aaa3"/></td>

```

```

<tr>
<td align="center" valign="top">&nbsp;</td>
<td>papan nama proyek</td>
<td align="center">Rp</td>
<td align="center"><input name="aaaa1" type="text"
readonly="readonly" size="1" value="<?php echo
number_format($aaaa1); ?>"></td>
<td align="center"><input name="bbbb1" type="text"
readonly="readonly" size="1" value="<?php echo
number_format($bbbb1); ?>"></td>
<td align="center"><input name="cccc1" type="text"
readonly="readonly" size="1" value="<?php
$cccc1=$aaaa1-$bbbb1;echo number_format($cccc1);
?>" readonly></td>
<td align="center"><input name="dddd1" type="text"
readonly="readonly" size="3" value="<?php echo
number_format($dddd1); ?>"></td>
<td align="center"><input name="eeee1" type="text"
readonly="readonly" size="3" value="<?php
$eeee1=$bbbb1*$dddd1;echo
number_format($eeee1);?>" readonly></td>
<td align="center"><input name="ffff1" type="text"
readonly="readonly" size="3" value="<?php
$ffff1=$cccc1*$dddd1;echo
number_format($ffff1);?>" readonly></td>
</tr>
<tr>
<td align="center" valign="top">&nbsp;</td>
<td>adm harian/mingguan</td>
<td align="center">Rp</td>
<td align="center"><input name="aaaa2" type="text"
readonly="readonly" size="1" value="<?php echo
number_format($aaaa2); ?>"></td>
<td align="center"><input name="bbbb2" type="text"
readonly="readonly" size="1" value="<?php echo
number_format($bbbb2); ?>"></td>
<td align="center"><input name="cccc2" type="text"
readonly="readonly" size="1" value="<?php
$cccc2=$aaaa2-$bbbb2;echo number_format($cccc2);
?>" readonly></td>
<td align="center"><input name="dddd2" type="text"
readonly="readonly" size="3" value="<?php echo
number_format($dddd2); ?>"></td>
<td align="center"><input name="eeee2" type="text"
readonly="readonly" size="3" value="<?php
$eeee2=$bbbb2*$dddd2;echo
number_format($eeee2);?>" readonly /></td>
<td align="center"><input name="ffff2" type="text"
readonly="readonly" size="3" value="<?php
$ffff2=$cccc2*$dddd2;echo
number_format($ffff2);?>" readonly></td>
</tr>
<tr>
<td align="center" valign="top">&nbsp;</td>
<td>pelaporan KSM</td>
<td align="center">Rp</td>
<td align="center"><input name="aaaa3" type="text"
readonly="readonly" size="1" value="<?php echo
number_format($aaaa3); ?>"></td>
<td align="center"><input name="bbbb3" type="text"
readonly="readonly" size="1" value="<?php echo
number_format($bbbb3); ?>"></td>
<td align="center"><input name="cccc3" type="text"
readonly="readonly" size="1" value="<?php
$cccc3=$aaaa3-$bbbb3;echo number_format($cccc3);
?>" readonly /></td>
<td align="center"><input name="dddd3" type="text"
readonly="readonly" size="3" value="<?php echo
number_format($dddd3); ?>"></td>
<td align="center"><input name="eeee3" type="text"
readonly="readonly" size="3" value="<?php
$eeee3=$bbbb3*$dddd3;echo
number_format($eeee3);?>" readonly/></td>
<td align="center"><input name="ffff3" type="text"
readonly="readonly" size="3" value="<?php
$ffff3=$cccc3*$dddd3;echo
number_format($ffff3);?>"></td>

```

```

$eeee6=$bbbb6*$dddd6;echo
number_format($eeee6);?>" readonly/></td>
<td align="center"><input name="ffff6" type="text"
readonly="readonly" size="3" value=<?php
$ffff6=$cccc6*$dddd6;echo number_format($ffff6);?>" readonly/></td>
</tr>
<tr>
<td align="center" valign="top">&ampnbsp</td>
<td>materai</td>
<td align="center">Rp</td>
<td align="center"><input name="aaaa7" type="text"
readonly="readonly" size="1" value=<?php echo
number_format($aaaa7); ?>/></td>
<td align="center"><input name="bbbb7" type="text"
readonly="readonly" size="1" value=<?php echo
number_format($bbbb7); ?>/></td>
<td align="center"><input name="cccc7" type="text"
readonly="readonly" size="1" value=<?php
$ccc7=$aaa7-$bbbb7;echo number_format($cccc7);
?>" readonly/></td>
<td align="center"><input name="dddd7" type="text"
readonly="readonly" size="3" value=<?php echo
number_format($dddd7); ?>/></td>
<td align="center"><input name="eeee7" type="text"
readonly="readonly" size="3" value=<?php
$eee7=$bbb7*$dddd7;echo number_format($eeee7);?>" readonly/></td>
<td align="center"><input name="ffff7" type="text"
readonly="readonly" size="3" value=<?php
$fff7=$ccc7*$ddd7;echo number_format($ffff7);?>" readonly /></td>
</tr>
<tr>
<td align="center" valign="top">&ampnbsp</td>
<td>pengujian kualitas air mineral</td>
<td align="center">Rp</td>
<td align="center"><input name="aaaa8" type="text"
readonly="readonly" size="1" value=<?php echo
number_format($aaaa8); ?>/></td>
<td align="center"><input name="bbbb8" type="text"
readonly="readonly" size="1" value=<?php echo
number_format($bbbb8); ?>/></td>
<td align="center"><input name="cccc8" type="text"
readonly="readonly" size="1" value=<?php
$ccc8=$aaa8-$bbbb8;echo number_format($cccc8);
?>" readonly/></td>
<td align="center"><input name="dddd8" type="text"
readonly="readonly" size="3" value=<?php echo
number_format($dddd8); ?>/></td>
<td align="center"><input name="eeee8" type="text"
readonly="readonly" size="3" value=<?php
$eee8=$bbb8*$ddd8;echo number_format($eeee8);?>" readonly /></td>
<td align="center"><input name="ffff8" type="text"
readonly="readonly" size="3" value=<?php
$fff8=$ccc8*$ddd8;echo number_format($ffff8);?>" readonly/></td>
</tr>
<tr>
<td align="center" valign="top">&ampnbsp</td>
<td>&ampnbsp</td>
<td align="center">&ampnbsp</td>
<td align="center">&ampnbsp</td>
<td align="center">&ampnbsp</td>
<td align="center" align="center"><?php
$tot7=$eeee1+$eeee2+$eeee3+$eeee4+$eeee5+$eeee6
+$eeee7+$eeee8; echo number_format($tot7); ?></td>
<td align="center" align="center"><?php
$tot8=$ffff1+$ffff2+$ffff3+$ffff4+$ffff5+$ffff6+$ffff7+$ffff8;
echo number_format($tot8); ?></td>
</tr>
<tr>

```

```

</tr>
<tr>
<td align="center" valign="top">&nbsp;</td>
<td>asset lainnya</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center" bgcolor="#999999">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center" bgcolor="#999999">&nbsp;</td>
</tr>
<tr>
<td align="center" valign="top">&nbsp;</td>
<td>&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center" bgcolor="#999999">&nbsp;</td>
</tr>
<tr>
<td align="center" valign="top">7</td>
<td><strong>KONSUMSI</strong></td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center" bgcolor="#999999">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center" bgcolor="#999999">&nbsp;</td>
</tr>
<tr>
<td align="center" valign="top">&nbsp;</td>
<td>konsumsi</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center" bgcolor="#999999">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center"><input name="konsumsi" type="text" readonly="readonly" id="konsumsi" value="<?php echo number_format($kom); ?>" size="3"></td>
<td align="center" bgcolor="#999999">&nbsp;</td>
</tr>
<tr>
<td align="center" valign="top">&nbsp;</td>
<td>&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center" bgcolor="#999999">&nbsp;</td>
</tr>
<tr>
<td align="center" valign="top">&nbsp;</td>
<td>&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center" colspan="7" align="right" valign="top">Jumlah Biaya (Rp)</td>
<td align="center"><?php $jumlah1=$tot1+$tot3+$tot5+$tot7+$kom; echo number_format($jumlah1); ?></td>

```

```

align="center">><?php
$jumlah2=$tot2+$tot4+$tot6+$tot8;
echo number_format($jumlah2); ?></td>
</tr>
<tr>
<td colspan="7" align="right" valign="top">Jumlah Total Biaya upah swadaya &amp; pnpm/BLM</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
</tr>
<tr>
<td colspan="7" align="right" valign="top">Jumlah Total Biaya Konstruksi Swadaya &amp; PNPM/BLM</td>
<td colspan="2" align="center"><?php
$total=$jumlah1+$jumlah2; echo number_format($total);
?></td>
</tr>
<tr>
<td align="center" valign="top">&nbsp;</td>
<td>&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center"><input type="submit" value="Save" /></td>
<td align="center">&nbsp;</td>
</tr>
</table>
</form>

```

View_doc.php

```

<form action="" method="post">
<table width="100%" border="1" cellspacing="0" cellpadding="0">
<tr>
<th height="35" colspan="5" scope="col"><table width="100%" border="0" cellspacing="0" cellpadding="0">
<tr>
<th width="22%" align="left" scope="col">Nama KSM</th>
<th width="3%" scope="col"></th>
<th width="15%" align="left" scope="col"><select name="lokasi">
<option value="0" selected="selected">Pilih Nama KSM</option>
<?php
$queryx=mysqli_query($hubung,"select * from ksm ");
while($row1=mysqli_fetch_array($queryx))
{
?>
<option value=<?php echo $row1['id_ksm']; ?>>
<?php echo $row1['nama']; ?>
</option>
<?php
}
?>
</select></th>
<th width="60%" align="left" scope="col"><input type="submit" value="View"></th>
</tr>
</table></form>
</th>
</tr>
<tr>
<th width="9%" height="35" scope="col">No</th>
<th width="19%" scope="col">Lokasi</th>
<th width="26%" scope="col">0%</th>
<th width="26%" scope="col">50%</th>

```

```

<th width="20%" scope="col">100%</th>
</tr>
<?php
$no=1;
$sql2=mysqli_query($hubung,"select * from dokumentasi
a inner join usulan b on b.id_usulan=a.lokasi where
a.id_ksm='".$_POST['lokasi']."'\"");
while ($data2=mysqli_fetch_array($sql2)){
?>
<tr>
<th scope="col"><?php echo $no; ?></th>
<th scope="col"><?php echo $data2['lokasi']; ?></th>
<th scope="col"></th>
<th scope="col"></th>
<th scope="col"></th>
</tr><?php $no++; } ?>
</table>

```

View_usulan.php

```

<?php
session_start();
include'koneksi.php';
$sql1=mysqli_query($hubung,"select * from usulan a inner
join ksm b on a.id_ksm=b.id_ksm where
a.id_ksm='".$_GET['idksm']."' and
a.lokasi='".$_GET['lokasi']."'\"");
$data1=mysqli_fetch_array($sql1);
?>





```

```

<th width="19%" scope="col">Jumlah</th>
</tr>
<tr>
<td align="center"><?php echo $data1['L']; ?></td>
<td align="center"><?php echo $data1['P']; ?></td>
<td align="center"><?php
$jum=$data1['L']+data1['P']; echo $jum?></td>
</tr>
</table></td>
</tr>
<tr>
<td valign="top">Kegiatan</td>
<td align="center" valign="top">:</td>
<td><?php echo $data1['kegiatan']; ?></td>
</tr>
<tr>
<td valign="top">Nama Pekerjaan</td>
<td align="center" valign="top">:</td>
<td><?php echo $data1['nm_pekerjaan']; ?></td>
</tr>
<tr>
<td valign="top">Volume Pekerjaan</td>
<td align="center" valign="top">:</td>
<td><?php echo $data1['volume']; ?></td>
</tr>
<tr>
<td valign="top">Alasan Pembangunan Prasarana</td>
<td align="center" valign="top">:</td>
<td><?php echo $data1['alasan']; ?></td>
</tr>
<tr>
<td align="top">Lokasi Pekerjaan</td>
<td align="center" valign="top">:</td>
<td><?php echo $data1['lokasi']; ?></td>
</tr>
<tr>
<td align="left">Penerima Manfaat</td>
<td align="center">:</td>
<td><table width="100%" border="1" cellspacing="0"
cellpadding="0">
<tr>
<th width="17%" rowspan="3" scope="col">Jumlah</th>
<th width="15%" align="left" scope="col"><strong>
<?php echo $data1['j_kk']; ?>
KK</strong></th>
<th width="18%" rowspan="3" scope="col">Miskin</th>
<th width="16%" rowspan="3" scope="col">Miskin</th>
<tr>
<td align="left"><?php echo $data1['m_kk']; ?>
KK</td>
<tr>
<td align="left"><?php echo $data1['m_kk']; ?>
KK</td>
<tr>
<td align="left"><strong>
<?php echo $data1['j_lk']; ?>
Lk</strong></td>
<td align="left"><strong>
<?php echo $data1['m_lk']; ?>
Lk</strong></td>
<td align="left"><?php echo $data1['m_lk']; ?>
Lk</td>
<td align="left"><?php echo $data1['m_lk']; ?>
Lk</td>
<td align="left"><?php echo $data1['m_lk']; ?>
Lk</td>
<td align="left"><strong>
<?php echo $data1['j_pr']; ?>
Pr</strong></td>
<td align="left"><strong>
<?php echo $data1['m_pr']; ?>
Pr</strong></td>
<td align="left"><?php echo $data1['m_pr']; ?>
Pr</td>
<td align="left">&ampnbsp</td>

```



```

$tot1 = $tot1 + $e1;
$tot2 = $tot2 + $f1; ?>

<tr>
  <td colspan="6" align="right"><strong>sub total tenaga kerja</strong></td>
  <td align="center"><?php echo number_format($tot1); ?></td>
  <td align="center"><?php echo number_format($tot2); ?></td>
</tr>
<tr>
  <td rowspan="6" align="center" valign="top">2</td>
  <td><strong>BAHAN</strong></td>
  <td align="center">&nbsp;</td>
  <td align="center">&nbsp;</td>
</tr>
<?php
  $sql2=mysqli_query($hubung,"select * from bahan a inner join ksm b on a.id_ksm=b.id_ksm
  where a.id_ksm=".$_GET['idksm']."
  and a.id_lokasi=".$_GET['idlokasi'].");
  $tot3=0;
  $tot4=0;
  while($data2=mysqli_fetch_array($sql2)){
?>
<tr>
  <td><?php echo $data2['uraian']; ?></td>
  <td align="center"><?php echo $data2['satuan']; ?></td>
  <td align="center"><input name="a1[$no]" type="text" readonly="readonly" size="1" value=<?php echo $data2['total']; ?>/></td>
  <td align="center"><input name="b1[$no]" type="text" readonly="readonly" size="1" value=<?php echo $data2['swadaya']; ?>/></td>
  <td align="center"><input name="c1[$no]" type="text" size="1" value=<?php $c1=str_replace(",","",$_data2['total'])-$str_replace(",","",$_data2['swadaya']);echo number_format($c1); ?>" readonly/></td>
  <td align="center"><input name="d1[$no]" type="text" readonly="readonly" size="3" value=<?php echo $data2['hrg_satuan']; ?>/></td>
  <td align="center"><input name="e1[$no]" type="text" size="3" value=<?php $e1=str_replace(",","",$_data2['swadaya'])*str_replace(",","",$_data2['hrg_satuan']);echo number_format($e1); ?>" readonly /></td>
  <td align="center"><input name="f1[$no]" type="text" size="3" value=<?php $f1=$c1*$str_replace(",","",$_data2['hrg_satuan']);echo number_format($f1); ?>" readonly/></td>
</tr>
<?php
  $tot3 = $tot3 + $e1;
  $tot4 = $tot4 + $f1; ?>
<tr>
  <td colspan="6" align="right"><strong>sub total bahan</strong></td>
  <td align="center"><?php
    // $tot3=$gg1+$gg2+$gg3+$gg4
    echo number_format($tot3); ?></td>
  <td align="center"><?php
    // $tot4=$hh1+$hh2+$hh3+$hh4;
    echo number_format($tot4); ?></td>
</tr>
<tr>
  <td rowspan="6" align="center" valign="top">3</td>

```

```

  <td><strong>ALAT</strong></td>
  <td align="center">&nbsp;</td>
  <td align="center">&nbsp;</td>
  <td align="center">&nbsp;</td>
  <td align="center">&nbsp;</td>
  <td align="center">&nbsp;</td>
</tr>
<?php
  $sql2=mysqli_query($hubung,"select * from alat a inner join ksm b on a.id_ksm=b.id_ksm
  where a.id_ksm=".$_GET['idksm']."
  and a.id_lokasi=".$_GET['idlokasi'].");
  $tot5=0;
  $tot6=0;
  while($data2=mysqli_fetch_array($sql2)){
?>
<tr>
  <td><?php echo $data2['uraian']; ?></td>
  <td align="center"><?php echo $data2['satuan']; ?></td>
  <td align="center"><input name="a1[$no]" type="text" readonly="readonly" size="1" value=<?php echo $data2['total']; ?>/></td>
  <td align="center"><input name="b1[$no]" type="text" readonly="readonly" size="1" value=<?php echo $data2['swadaya']; ?>/></td>
  <td align="center"><input name="c1[$no]" type="text" size="1" value=<?php $c1=str_replace(",","",$_data2['total'])-$str_replace(",","",$_data2['swadaya']);echo number_format($c1); ?>" readonly/></td>
  <td align="center"><input name="d1[$no]" type="text" readonly="readonly" size="3" value=<?php echo $data2['hrg_satuan']; ?>/></td>
  <td align="center"><input name="e1[$no]" type="text" size="3" value=<?php $e1=str_replace(",","",$_data2['swadaya'])*str_replace(",","",$_data2['hrg_satuan']);echo number_format($e1); ?>" readonly /></td>
  <td align="center"><input name="f1[$no]" type="text" size="3" value=<?php $f1=$c1*$str_replace(",","",$_data2['hrg_satuan']);echo number_format($f1); ?>" readonly/></td>
</tr>
<?php
  $tot5 = $tot5 + $e1;
  $tot6 = $tot6 + $f1; ?>
<tr>
  <td colspan="6" align="right"><strong>sub total alat</strong></td>
  <td align="center"><?php
    // $tot5=$gg1+$gg2+$gg3+$gg4;
    echo number_format($tot5); ?></td>
  <td align="center"><?php
    // $tot6=$hh1+$hh2+$hh3+$hh4;
    echo number_format($tot6); ?></td>
</tr>
<tr>
  <td align="center" valign="top">4</td>
  <td><strong>BIAYA ADMINISTRASI</strong></td>
  <td align="center">&nbsp;</td>
  <td align="center">&nbsp;</td>
  <td align="center">&nbsp;</td>
  <td align="center">&nbsp;</td>
</tr>
<?php
  $sql2=mysqli_query($hubung,"select * from biaya_adm a inner join ksm b on a.id_ksm=b.id_ksm

```

```

        where a.id_ksm=". $_GET['idksm']."
and a.id_lokasi=". $_GET['idlokasi']."'");

while($data2=mysqli_fetch_array($sql2)){
?>
<tr><td align="center"></td>
<td><?php echo $data2['uraian']; ?></td>
<td align="center"><?php echo $data2['satuan']; ?></td>
<td align="center"><input name="a1[$no]" type="text" readonly="readonly" size="1" value=<?php echo $data2['total']; ?>"></td>
<td align="center"><input name="b1[$no]" type="text" readonly="readonly" size="1" value=<?php echo $data2['swadaya']; ?>"></td>
<td align="center"><input name="c1[$no]" type="text" size="1" value=<?php $c1=str_replace(",","");
,$data2['total'])-str_replace(",",
",$data2['swadaya']);echo number_format($c1); ?>" readonly/></td>
<td align="center"><input name="d1[$no]" type="text" readonly="readonly" size="3" value=<?php echo $data2['hrg_satuan']; ?>"></td>
<td align="center"><input name="e1[$no]" type="text" size="3" value=<?php $e1=str_replace(",","");
,$data2['swadaya'])*str_replace(",",
",$data2['hrg_satuan']);echo number_format($e1); ?>" readonly/></td>
<td align="center"><input name="f1[$no]" type="text" size="3" value=<?php $f1=$c1*str_replace(",","");
,$data2['hrg_satuan']);echo number_format($f1); ?>" readonly/></td>
</tr>
<?php } ?>
<tr>
<td align="center" valign="top">5</td>
<td><strong>DANA TUNAI</strong></td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
</tr>
<tr>
<td align="center" valign="top">&nbsp;</td>
<td>uang</td>
<td align="center" bgcolor="#999999">&nbsp;</td>
</tr>
<tr>
<td align="center" valign="top">&nbsp;</td>
<td>&nbsp;</td>
<td align="center" bgcolor="#999999">&nbsp;</td>
</tr>
<tr>
<td align="center" valign="top">&nbsp;</td>
<td>&nbsp;</td>
<td align="center" bgcolor="#999999">&nbsp;</td>
</tr>
<tr>
<td align="center" valign="top">&nbsp;</td>
<td>&nbsp;</td>
<td align="center" bgcolor="#999999">&nbsp;</td>
</tr>
<tr>
<td align="center" valign="top">&nbsp;</td>
<td>&nbsp;</td>
<td align="center" bgcolor="#999999">&nbsp;</td>
</tr>
<tr>
<td align="center" valign="top">6</td>
<td><strong>TANAH/TANAMAN</strong></td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center" bgcolor="#999999">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center" bgcolor="#999999">&nbsp;</td>
</tr>
<tr>
<td align="center" valign="top">&nbsp;</td>
<td>tanah</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center" bgcolor="#999999">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center" bgcolor="#999999">&nbsp;</td>
</tr>
<tr>
<td align="center" valign="top">&nbsp;</td>
<td>tanaman produktif</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center" bgcolor="#999999">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center" bgcolor="#999999">&nbsp;</td>
</tr>
<tr>
<td align="center" valign="top">&nbsp;</td>
<td>asset lainnya</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center" bgcolor="#999999">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center" bgcolor="#999999">&nbsp;</td>
</tr>
<tr>
<td align="center" valign="top">&nbsp;</td>
<td>&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center" bgcolor="#999999">&nbsp;</td>
</tr>
<tr>
<td align="center" valign="top">7</td>
<td><strong>KONSUMSI</strong></td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center" bgcolor="#999999">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center">&nbsp;</td>
<td align="center" bgcolor="#999999">&nbsp;</td>
</tr>
<tr>
<?php
    $sql2=mysqli_query($hubung,"select * from konsumsi a inner join ksm b on a.id_ksm=b.id_ksm
        where a.id_ksm=". $_GET['idksm']."
        and a.id_lokasi=". $_GET['idlokasi']."'");
```

```

while($data2=mysqli_fetch_array($sql2)){
    <tr><td align="center"></td>
    <td><?php echo $data2['uraian']; ?></td>
    <td align="center"><?php echo $data2['satuan']; ?></td>
</tr>
<td align="center"></td>
<td align="center"></td>
<td align="center"></td>
<td align="center"></td>
<td align="center"><input name="e1" type="text" size="3" value=<?php $e1=$data2['dr_swadaya'];echo $e1;?> readonly /></td>
<td align="center"></td>
</tr>
<?php } ?>
<tr>
    <td align="center" valign="top">&ampnbsp</td>
    <td>&ampnbsp</td>
    <td align="center">&ampnbsp</td>
    <td align="center">&ampnbsp</td>
    <td align="center">&ampnbsp</td>
    <td align="center">&ampnbsp</td>
    <td align="center">&ampnbsp</td>
    <td align="center" bgcolor="#999999">&ampnbsp</td>
</tr>
<tr>
    <td align="center" valign="top">&ampnbsp</td>
    <td>&ampnbsp</td>
    <td align="center">&ampnbsp</td>
    <td align="center">&ampnbsp</td>
    <td align="center">&ampnbsp</td>
    <td align="center">&ampnbsp</td>
    <td align="center">&ampnbsp</td>
    <td align="center" bgcolor="#999999">&ampnbsp</td>
</tr>
<tr>
    <td align="center" valign="top">&ampnbsp</td>
    <td>&ampnbsp</td>
    <td align="center">&ampnbsp</td>
    <td align="center">&ampnbsp</td>
    <td align="center">&ampnbsp</td>
    <td align="center">&ampnbsp</td>
    <td align="center">&ampnbsp</td>
    <td align="center" colspan="7" style="text-align: center;">Jumlah Biaya  
(Rp)</td>
</tr>
<tr>
    <td colspan="7" align="right" valign="top">Jumlah Biaya  
(Rp)</td>
</tr>
<tr>
    <td colspan="7" align="right" style="text-align: right;">$s1=mysqli_query($hubung,"select a.dr_swadaya,  
a.dr_pnpm from alat a inner join ksm b on  
a.id_ksm=b.id_ksm  
where a.id_ksm='$_GET['idksm'].'" and  
a.id_lokasi='$_GET['idlokasi'].'"');  
$no=1;  
$jum1=0;  
$jum2=0;  
while ($d1=mysqli_fetch_array($s1)) {  
    $swadaya[$no] = $d1['dr_swadaya'];  
    $swadayaEdit[$no] = str_replace(",","",,$swadaya[$no]);  
    $jum1 = $jum1 + $swadayaEdit[$no];  
  
    $pnpm[$no] = $d1['dr_pnpm'];  
    $pnpmEdit[$no] = str_replace(",","",,$pnpm[$no]);  
    $jum2 = $jum2 + $pnpmEdit[$no];  
  
    $no++;  
}  
  
$s2=mysqli_query($hubung,"select a.dr_swadaya,  
a.dr_pnpm from bahan a inner join ksm b on  
a.id_ksm=b.id_ksm  
where a.id_ksm='$_GET['idksm'].'" and  
a.id_lokasi='$_GET['idlokasi'].'"');  
  
$jum3=0;  
$jum4=0;  
while ($d2=mysqli_fetch_array($s2)) {  
    $swadaya[$no] = $d2['dr_swadaya'];  
    $swadayaEdit[$no] = str_replace(",","",,$swadaya[$no]);  
    $jum3 = $jum3 + $swadayaEdit[$no];  
  
    $pnpm[$no] = $d2['dr_pnpm'];  
    $pnpmEdit[$no] = str_replace(",","",,$pnpm[$no]);  
    $jum4 = $jum4 + $pnpmEdit[$no];  
  
    $no++;  
}  
  
$s3=mysqli_query($hubung,"select a.dr_swadaya,  
a.dr_pnpm from biaya_adm a inner join ksm b on  
a.id_ksm=b.id_ksm  
where a.id_ksm='$_GET['idksm'].'" and  
a.id_lokasi='$_GET['idlokasi'].'"');  
  
$jum5=0;  
$jum6=0;  
while ($d3=mysqli_fetch_array($s3)) {  
    $swadaya[$no] = $d3['dr_swadaya'];  
    $swadayaEdit[$no] = str_replace(",","",,$swadaya[$no]);  
    $jum5 = $jum5 + $swadayaEdit[$no];  
  
    $pnpm[$no] = $d3['dr_pnpm'];  
    $pnpmEdit[$no] = str_replace(",","",,$pnpm[$no]);  
    $jum6 = $jum6 + $pnpmEdit[$no];  
  
    $no++;  
}  
  
$s4=mysqli_query($hubung,"select a.dr_swadaya,  
a.dr_pnpm from tenaga_kerja a inner join ksm b on  
a.id_ksm=b.id_ksm  
where a.id_ksm='$_GET['idksm'].'" and  
a.id_lokasi='$_GET['idlokasi'].'"');  
  
$jum7=0;  
$jum8=0;  
while ($d4=mysqli_fetch_array($s4)) {  
    $swadaya[$no] = $d4['dr_swadaya'];  
    $swadayaEdit[$no] = str_replace(",","",,$swadaya[$no]);  
    $jum7 = $jum7 + $swadayaEdit[$no];  
  
    $pnpm[$no] = $d4['dr_pnpm'];  
    $pnpmEdit[$no] = str_replace(",","",,$pnpm[$no]);  
    $jum8 = $jum8 + $pnpmEdit[$no];  
  
    $no++;  
}  
  
$s5=mysqli_query($hubung,"select a.dr_swadaya from  
konsumsi a inner join ksm b on a.id_ksm=b.id_ksm  
where a.id_ksm='$_GET['idksm'].'" and  
a.id_lokasi='$_GET['idlokasi'].'"');  
  
$jum9=0;  
while ($d5=mysqli_fetch_array($s5)) {  
    $swadaya[$no] = $d5['dr_swadaya'];  
    $swadayaEdit[$no] = str_replace(",","",,$swadaya[$no]);  
    $jum9 = $jum9 + $swadayaEdit[$no];  
  
    $no++;  
}  
  
$jumlahh1=$jum1+$jum3+$jum5+$jum7+$jum9;  
$jumlahh2=$jum2+$jum4+$jum6+$jum8;  
?>
```

