

```

HOME
<Global.Microsoft.VisualBasic.CompilerServices.DesignerGenerated()> _
Partial Class HOME
    Inherits
System.Windows.Forms.Form

    'Form overrides dispose to clean
    up the component list.

<System.Diagnostics.DebuggerNonUserCode()> _
    Protected Overrides Sub
Dispose(ByVal disposing As Boolean)
    Try
        If disposing AndAlso
components IsNot Nothing Then
            components.Dispose()
    End If
    Finally

MyBase.Dispose(disposing)
    End Try
End Sub

    'Required by the Windows Form
Designer
    Private components As
System.ComponentModel.IContainer

    'NOTE: The following procedure
is required by the Windows Form
Designer
    'It can be modified using the
Windows Form Designer.
    'Do not modify it using the code
editor.

<System.Diagnostics.DebuggerStepThrough()> _
    Private Sub
InitializeComponent()
        Dim resources As
System.ComponentModel.ComponentResourceManager =
New
System.ComponentModel.ComponentResourceManager(
GetType(HOME))
        Me.MenuStrip1 = New
System.Windows.Forms.MenuStrip()
        Me.ToolStripComboBox1 = New
System.Windows.Forms.ToolStripMenuItem()

```

```

Me.DATAANGGOTAToolStripMenuItem =
New
System.Windows.Forms.ToolStripItem()
        Me.DATAUSERToolStripMenuItem =
New
System.Windows.Forms.ToolStripItem()

```

```

Me.TTANSAKSIToolStripMenuItem = New
System.Windows.Forms.ToolStripItem()
        Me.SIMPANANToolStripMenuItem =
New
System.Windows.Forms.ToolStripItem()
        Me.PINJAMANToolStripMenuItem =
New
System.Windows.Forms.ToolStripItem()
        Me.ANGSURANToolStripMenuItem =
New
System.Windows.Forms.ToolStripItem()
        Me.LAPORANToolStripMenuItem =
New
System.Windows.Forms.ToolStripItem()

```

```

Me.LAPORANSIMPANANToolStripMenuItem =
New
System.Windows.Forms.ToolStripItem()
        Me.LAPORANPINJAMANToolStripMenuItem =
New
System.Windows.Forms.ToolStripItem()
        Me.KELUARToolStripMenuItem =
New
System.Windows.Forms.ToolStripItem()

```

```

Me.LAPORANANGGOTAToolStripMenuItem =
New
System.Windows.Forms.ToolStripItem()
        Me.LAPORANANGSURANToolStripMenuItem =
New
System.Windows.Forms.ToolStripItem()

```

```

Me.MenuStrip1.SuspendLayout()
    Me.SuspendLayout()
    '
    'MenuStrip1
    '

Me.MenuStrip1.Items.AddRange(New
System.Windows.Forms.ToolStripItem()
{Me.ToolStripComboBox1,
Me.TTANSAKSIToolStripMenuItem,
Me.LAPORANToolStripMenuItem,
Me.KELUARToolStripMenuItem})
    Me.MenuStrip1.Location = New
System.Drawing.Point(0, 0)
    Me.MenuStrip1.Name =
"MenuStrip1"
    Me.MenuStrip1.Padding = New
System.Windows.Forms.Padding(7, 2,
0, 2)
    Me.MenuStrip1.Size = New
System.Drawing.Size(829, 24)
    Me.MenuStrip1.TabIndex = 0
    Me.MenuStrip1.Text =
"MenuStrip1"
    '
    'ToolStripComboBox1
    '


Me.ToolStripComboBox1.DropDownItems.
AddRange(New
System.Windows.Forms.ToolStripItem()
{Me.DATAANGGOTAToolStripMenuItem,
Me.DATAUSERToolStripMenuItem})
    Me.ToolStripComboBox1.Font =
New System.Drawing.Font("Berlin Sans
FB Demi", 9.75!, 
System.Drawing.FontStyle.Bold,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
    Me.ToolStripComboBox1.Image =
 CType(resources.GetObject("ToolStrip
ComboBox1.Image"),
System.Drawing.Image)
    Me.ToolStripComboBox1.Name =
"ToolStripComboBox1"
    Me.ToolStripComboBox1.Size =
New System.Drawing.Size(84, 20)
    Me.ToolStripComboBox1.Text =
"&MASTER"
    '
    'DATAANGGOTAToolStripMenuItem
    '
    Me.DATAANGGOTAToolStripMenuItem.Imag
e =
CType(resources.GetObject("DATAANGGO
TAToolStripMenuItem.Image"),
System.Drawing.Image)
    Me.DATAANGGOTAToolStripMenuItem.Name
= "DATAANGGOTAToolStripMenuItem"
    Me.DATAANGGOTAToolStripMenuItem.Size
= New System.Drawing.Size(176, 22)
    Me.DATAANGGOTAToolStripMenuItem.Text
= "&DATA ANGGOTA"
    '
    'DATAUSERToolStripMenuItem
    '
    Me.DATAUSERToolStripMenuItem.Image =
CType(resources.GetObject("DATAUSERT
oolStripMenuItem.Image"),
System.Drawing.Image)
    Me.DATAUSERToolStripMenuItem.Name =
"DATAUSERToolStripMenuItem"
    Me.DATAUSERToolStripMenuItem.Size =
New System.Drawing.Size(176, 22)
    Me.DATAUSERToolStripMenuItem.Text =
"&DATA USER"
    '
    'TTANSAKSIToolStripMenuItem
    '
    Me.TTANSAKSIToolStripMenuItem.DropDo
wnItems.AddRange(New
System.Windows.Forms.ToolStripItem()
{Me.SIMPANANToolStripMenuItem,
Me.PINJAMANToolStripMenuItem,
Me.ANGSURANToolStripMenuItem})
    Me.TTANSAKSIToolStripMenuItem.Image =
 CType(resources.GetObject("TTANSAKSI
ToolStripMenuItem.Image"),
System.Drawing.Image)

```

```

Me.TTANSAKSIToolStripMenuItem.Name =
"TTANSAKSIToolStripMenuItem"

Me.TTANSAKSIToolStripMenuItem.Size =
New System.Drawing.Size(96, 20)

Me.TTANSAKSIToolStripMenuItem.Text =
"&TRANSAKSI"
'
'SIMPANANToolStripMenuItem

Me.SIMPANANToolStripMenuItem.Image =
CType(resources.GetObject("SIMPANANT
oolStripMenuItem.Image"),
System.Drawing.Image)

Me.SIMPANANToolStripMenuItem.Name =
"SIMPANANToolStripMenuItem"

Me.SIMPANANToolStripMenuItem.Size =
New System.Drawing.Size(137, 22)

Me.SIMPANANToolStripMenuItem.Text =
"&SIMPANAN"
'
PINJAMANToolStripMenuItem

Me.PINJAMANToolStripMenuItem.Image =
CType(resources.GetObject("PINJAMANT
oolStripMenuItem.Image"),
System.Drawing.Image)

Me.PINJAMANToolStripMenuItem.Name =
"PINJAMANToolStripMenuItem"

Me.PINJAMANToolStripMenuItem.Size =
New System.Drawing.Size(137, 22)

Me.PINJAMANToolStripMenuItem.Text =
"&PINJAMAN"
'
ANGSURANToolStripMenuItem

Me.ANGSURANToolStripMenuItem.Image =
CType(resources.GetObject("ANGSURANT
oolStripMenuItem.Image"),
System.Drawing.Image)

Me.ANGSURANToolStripMenuItem.Name =
"ANGSURANToolStripMenuItem"

Me.ANGSURANToolStripMenuItem.Size =
New System.Drawing.Size(137, 22)

Me.ANGSURANToolStripMenuItem.Text =
"&ANGSURAN"
'
LAPORANToolStripMenuItem

Me.LAPORANToolStripMenuItem.DropDown
Items.AddRange(New
System.Windows.Forms.ToolStripItem()
{Me.LAPORANSIMPANANToolStripMenuItem
,
Me.LAPORANPINJAMANToolStripMenuItem,
Me.LAPORANANGGOTAToolStripMenuItem,
Me.LAPORANANGSURANToolStripMenuItem
})

Me.LAPORANToolStripMenuItem.Image =
CType(resources.GetObject("LAPORANTO
olStripMenuItem.Image"),
System.Drawing.Image)

Me.LAPORANToolStripMenuItem.Name =
"LAPORANToolStripMenuItem"

Me.LAPORANToolStripMenuItem.Size =
New System.Drawing.Size(89, 20)

Me.LAPORANToolStripMenuItem.Text =
"&LAPORAN"
'
LAPORANSIMPANANToolStripMenuItem

Me.LAPORANSIMPANANToolStripMenuItem.
Image =
CType(resources.GetObject("LAPORANSI
MPANANToolStripMenuItem.Image"),
System.Drawing.Image)

Me.LAPORANSIMPANANToolStripMenuItem.
Name =
"LAPORANSIMPANANToolStripMenuItem"

Me.LAPORANSIMPANANToolStripMenuItem.

```

```

Size = New System.Drawing.Size(194,
22)

Me.LAPORANSIMPANANToolStripMenuItem.
Text = "&LAPORAN SIMPANAN"
'

'LAPORANPINJAMANToolStripMenuItem
'

Me.LAPORANPINJAMANToolStripMenuItem.
Image =
CType(resources.GetObject("LAPORANPI
NJAMANToolStripMenuItem.Image"),
System.Drawing.Image)

Me.LAPORANPINJAMANToolStripMenuItem.
Name =
"LAPORANPINJAMANToolStripMenuItem"

Me.LAPORANPINJAMANToolStripMenuItem.
Size = New System.Drawing.Size(194,
22)

Me.LAPORANPINJAMANToolStripMenuItem.
Text = "&LAPORAN PINJAMAN"
'

'KELUARToolStripMenuItem
'

Me.KELUARToolStripMenuItem.Image =
CType(resources.GetObject("KELUARToo
lStripMenuItem.Image"),
System.Drawing.Image)

Me.KELUARToolStripMenuItem.Name =
"KELUARToolStripMenuItem"

Me.KELUARToolStripMenuItem.Size =
New System.Drawing.Size(77, 20)

Me.KELUARToolStripMenuItem.Text =
"&KELUAR"
'

'LAPORANANGGOTAToolStripMenuItem
'

Me.LAPORANANGGOTAToolStripMenuItem.N
ame =
" LAPORANANGGOTAToolStripMenuItem"

Me.LAPORANANGGOTAToolStripMenuItem.S
ize = New System.Drawing.Size(194,
22)

Me.LAPORANANGGOTAToolStripMenuItem.T
ext = "&LAPORAN ANGGOTA"
'

'LAPORANANGSURANToolStripMenuItem
'

Me.LAPORANANGSURANToolStripMenuItem.
Name =
" LAPORANANGSURANToolStripMenuItem"

Me.LAPORANANGSURANToolStripMenuItem.
Size = New System.Drawing.Size(194,
22)

Me.LAPORANANGSURANToolStripMenuItem.
Text = "&LAPORAN ANGSURAN"
'

'HOME
'

Me.AutoScaleDimensions = New
System.Drawing.SizeF(7.0!, 16.0!)
Me.AutoScaleMode =
System.Windows.Forms.AutoScaleMode.F
ont
Me.BackColor =
System.Drawing.Color.White
Me.BackgroundImage =
CType(resources.GetObject("$this.Bac
kgroundImage"),
System.Drawing.Image)
Me.BackgroundImageLayout =
System.Windows.Forms.ImageLayout.Str
etch
Me.ClientSize = New
System.Drawing.Size(829, 311)

Me.Controls.Add(Me.MenuStrip1)
Me.Font = New
System.Drawing.Font("Berlin Sans FB
Demi", 9.75!,
System.Drawing.FontStyle.Bold,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
Me.MainMenuStrip =
Me.MenuStrip1
Me.Margin = New
System.Windows.Forms.Padding(3, 4,
3, 4)
Me.Name = "HOME"

```

```

        Me.Text = "HOME"
        Me.WindowState =
System.Windows.Forms.FormWindowState
.Maximized

Me.MenuStrip1.ResumeLayout(False)

Me.MenuStrip1.PerformLayout()
    Me.ResumeLayout(False)
    Me.PerformLayout()

End Sub
Friend WithEvents MenuStrip1 As
System.Windows.Forms.MenuStrip
Friend WithEvents
ToolStripComboBox1 As
System.Windows.Forms.ToolStripMenuItem
em
Friend WithEvents
DATAANGGOTAToolStripMenuItem As
System.Windows.Forms.ToolStripItem
em
Friend WithEvents
DATAUSERToolStripMenuItem As
System.Windows.Forms.ToolStripItem
em
Friend WithEvents
TTANSAKSIToolStripMenuItem As
System.Windows.Forms.ToolStripItem
em
Friend WithEvents
SIMPANANToolStripMenuItem As
System.Windows.Forms.ToolStripItem
em
Friend WithEvents
PINJAMANToolStripMenuItem As
System.Windows.Forms.ToolStripItem
em
Friend WithEvents
ANGSURANToolStripMenuItem As
System.Windows.Forms.ToolStripItem
em
Friend WithEvents
LAPORANToolStripMenuItem As
System.Windows.Forms.ToolStripItem
em
Friend WithEvents
LAPORANSIMPANANToolStripMenuItem As
System.Windows.Forms.ToolStripItem
em
Friend WithEvents
LAPORANPINJAMANToolStripMenuItem As

```

System.Windows.Forms.ToolStripItem
em

```

Friend WithEvents
KELUARToolStripMenuItem As
System.Windows.Forms.ToolStripItem
em
Friend WithEvents
LAPORANANGGOTAToolStripMenuItem As
System.Windows.Forms.ToolStripItem
em
Friend WithEvents
LAPORANANGSURANToolStripMenuItem As
System.Windows.Forms.ToolStripItem
em
End Class
```

LOGIIN

```

<Global.Microsoft.VisualBasic.CompilerServices.DesignerGenerated()> _
Partial Class LOGIN
    Inherits
System.Windows.Forms.Form

    'Form overrides dispose to clean
    up the component list.

    <System.Diagnostics.DebuggerNonUserCode()> _
    Protected Overrides Sub
Dispose(ByVal disposing As Boolean)
        Try
            If disposing AndAlso
components IsNot Nothing Then
                components.Dispose()
        End If
    Finally
        MyBase.Dispose(disposing)
    End Try
End Sub

    'Required by the Windows Form
    Designer
    Private components As
System.ComponentModel.IContainer

    'NOTE: The following procedure
    is required by the Windows Form
    Designer
    'It can be modified using the
    Windows Form Designer.
```

```

'Do not modify it using the code
editor.

<System.Diagnostics.DebuggerStepThrough()> _
Private Sub
InitializeComponent()
    Dim resources As
System.ComponentModel.ComponentResou
rceManager = New
System.ComponentModel.ComponentResou
rceManager(GetType(LOGIN))
    Me.btnbatal = New
System.Windows.Forms.Button()
    Me.btnmasuk = New
System.Windows.Forms.Button()
    Me.Label3 = New
System.Windows.Forms.Label()
    Me.Label2 = New
System.Windows.Forms.Label()
    Me.TextBox2 = New
System.Windows.Forms.TextBox()
    Me.TextBox1 = New
System.Windows.Forms.TextBox()
    Me.PictureBox1 = New
System.Windows.Forms.PictureBox()
    Me.PictureBox2 = New
System.Windows.Forms.PictureBox()
    CType(Me.PictureBox1,
System.ComponentModel.ISupportInitialize)
.BeginInit()
    CType(Me.PictureBox2,
System.ComponentModel.ISupportInitialize)
.BeginInit()
    Me.SuspendLayout()
'
'btnbatal
'

Me.btnbatal.Font = New
System.Drawing.Font("Times New
Roman", 9.75!,
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
    Me.btnbatal.Image =
CType(resources.GetObject("btnbatal.
Image"), System.Drawing.Image)
    Me.btnbatal.ImageAlign =
System.Drawing.ContentAlignment.Midd
leLeft
    Me.btnbatal.Location = New
System.Drawing.Point(493, 227)
System.Drawing.Size(87, 31)
Me.btnbatal.TabIndex = 60
Me.btnbatal.Text = "
Batal"

Me.btnbatal.UseVisualStyleBackColor
= True
'
'btnmasuk
'

Me.btnmasuk.Font = New
System.Drawing.Font("Times New
Roman", 9.75!,
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
    Me.btnmasuk.Image =
CType(resources.GetObject("btnmasuk.
Image"), System.Drawing.Image)
    Me.btnmasuk.ImageAlign =
System.Drawing.ContentAlignment.Midd
leLeft
    Me.btnmasuk.Location = New
System.Drawing.Point(367, 231)
    Me.btnmasuk.Name =
"btnmasuk"
    Me.btnmasuk.Size = New
System.Drawing.Size(87, 31)
    Me.btnmasuk.TabIndex = 59
    Me.btnmasuk.Text = "
Masuk"

Me.btnmasuk.UseVisualStyleBackColor
= True
'
'Label3
'

Me.Label3.BackColor =
System.Drawing.Color.Transparent
    Me.Label3.Font = New
System.Drawing.Font("Bernard MT
Condensed", 9.75!,
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
    Me.Label3.Location = New
System.Drawing.Point(349, 184)
    Me.Label3.Name = "Label3"
    Me.Label3.Size = New
System.Drawing.Size(97, 44)

```

```

        Me.Label3.TabIndex = 58
        Me.Label3.Text = "PASSWORD"
        Me.Label3.TextAlign =
System.Drawing.ContentAlignment.MiddleCenter
'
        'Label2
'
        Me.Label2.BackColor =
System.Drawing.Color.Transparent
        Me.Label2.Font = New
System.Drawing.Font("Bernard MT
Condensed", 9.75!,,
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
        Me.Label2.Location = New
System.Drawing.Point(349, 148)
        Me.Label2.Name = "Label2"
        Me.Label2.Size = New
System.Drawing.Size(97, 58)
        Me.Label2.TabIndex = 57
        Me.Label2.Text = "USERNAME"
        Me.Label2.TextAlign =
System.Drawing.ContentAlignment.MiddleCenter
'
        'TextBox2
'
        Me.TextBox2.BorderStyle =
System.Windows.Forms.BorderStyle.FixedSingle
        Me.TextBox2.Location = New
System.Drawing.Point(448, 195)
        Me.TextBox2.Name =
"TextBox2"
        Me.TextBox2.PasswordChar =
Global.Microsoft.VisualBasic.ChrW(42
)
        Me.TextBox2.Size = New
System.Drawing.Size(132, 20)
        Me.TextBox2.TabIndex = 56
'
        'TextBox1
'
        Me.TextBox1.BorderStyle =
System.Windows.Forms.BorderStyle.FixedSingle
        Me.TextBox1.Location = New
System.Drawing.Point(448, 169)
        Me.TextBox1.Name =
"TextBox1"
'
        Me.TextBox1.Size = New
System.Drawing.Size(132, 20)
        Me.TextBox1.TabIndex = 55
'
        'PictureBox1
'
        Me.PictureBox1.BackColor =
System.Drawing.Color.Transparent
Me.PictureBox1.BackgroundImageLayout =
System.Windows.Forms.ImageLayout.Center
        Me.PictureBox1.Image =
 CType(resources.GetObject("PictureBox1.Image"), System.Drawing.Image)
        Me.PictureBox1.Location =
New System.Drawing.Point(25, 12)
        Me.PictureBox1.Name =
"PictureBox1"
        Me.PictureBox1.Size = New
System.Drawing.Size(690, 117)
        Me.PictureBox1.SizeMode =
System.Windows.Forms.PictureBoxSizeModeM
ode.CenterImage
        Me.PictureBox1.TabIndex = 53
        Me.PictureBox1.TabStop =
False
'
        'PictureBox2
'
        Me.PictureBox2.Image =
 CType(resources.GetObject("PictureBox2.Image"), System.Drawing.Image)
        Me.PictureBox2.Location =
New System.Drawing.Point(95, 148)
        Me.PictureBox2.Name =
"PictureBox2"
        Me.PictureBox2.Size = New
System.Drawing.Size(176, 110)
        Me.PictureBox2.SizeMode =
System.Windows.Forms.PictureBoxSizeModeM
ode.StretchImage
        Me.PictureBox2.TabIndex = 61
        Me.PictureBox2.TabStop =
False
'
        'LOGIN
'
        Me.AutoScaleDimensions = New
System.Drawing.SizeF(6.0!, 13.0!)

```

```

        Me.AutoScaleMode =
System.Windows.Forms.AutoScaleMode.F
ont
        Me.BackColor =
System.Drawing.Color.White
        Me.ClientSize = New
System.Drawing.Size(738, 270)

Me.Controls.Add(Me.PictureBox2)
        Me.Controls.Add(Me.btnbatal)
        Me.Controls.Add(Me.btnmasuk)
        Me.Controls.Add(Me.Label3)
        Me.Controls.Add(Me.Label2)
        Me.Controls.Add(Me.TextBox2)
        Me.Controls.Add(Me.TextBox1)

Me.Controls.Add(Me.PictureBox1)
        Me.Name = "LOGIN"
        Me.Text = "LOGIN"
        CType(Me.PictureBox1,
System.ComponentModel.ISupportInitialize).EndInit()
        CType(Me.PictureBox2,
System.ComponentModel.ISupportInitialize).EndInit()
        Me.ResumeLayout(False)
        Me.PerformLayout()

End Sub
Friend WithEvents btnbatal As
System.Windows.Forms.Button
Friend WithEvents btnmasuk As
System.Windows.Forms.Button
Friend WithEvents Label3 As
System.Windows.Forms.Label
Friend WithEvents Label2 As
System.Windows.Forms.Label
Friend WithEvents TextBox2 As
System.Windows.Forms.TextBox
Friend WithEvents TextBox1 As
System.Windows.Forms.TextBox
Friend WithEvents PictureBox1 As
System.Windows.Forms.PictureBox
Friend WithEvents PictureBox2 As
System.Windows.Forms.PictureBox

End Class

USER
<Global.Microsoft.VisualBasic.CompilerServices.DesignerGenerated()> _
Partial Class USERS
    Inherits
System.Windows.Forms.Form

    'Form overrides dispose to clean
    up the component list.

<System.Diagnostics.DebuggerNonUserC
ode()> _
    Protected Overrides Sub
Dispose(ByVal disposing As Boolean)
        Try
            If disposing AndAlso
components IsNot Nothing Then
                components.Dispose()
        End If
    Finally
        MyBase.Dispose(disposing)
    End Try
End Sub

'Required by the Windows Form
Designer
Private components As
System.ComponentModel.IContainer

'NOTE: The following procedure
is required by the Windows Form
Designer
'It can be modified using the
Windows Form Designer.
'Do not modify it using the code
editor.

<System.Diagnostics.DebuggerStepThrough()> _
    Private Sub
InitializeComponent()
        Dim resources As
System.ComponentModel.ComponentResourceManager =
New System.ComponentModel.ComponentResourceManager(
GetType(USER))
        Me.Button3 = New
System.Windows.Forms.Button()
        Me.Button2 = New
System.Windows.Forms.Button()
        Me.Button1 = New
System.Windows.Forms.Button()
        Me.btnmasuk = New
System.Windows.Forms.Button()
        Me.agama = New
System.Windows.Forms.ComboBox()

```

```

Me.tgl_lahir = New
System.Windows.Forms.DateTimePicker()
Me.jk = New
System.Windows.Forms.ComboBox()
Me.Label11 = New
System.Windows.Forms.Label()
Me.Label10 = New
System.Windows.Forms.Label()
Me.Label9 = New
System.Windows.Forms.Label()
Me.tempat_lahir = New
System.Windows.Forms.TextBox()
Me.Label8 = New
System.Windows.Forms.Label()
Me.Label7 = New
System.Windows.Forms.Label()
Me.email = New
System.Windows.Forms.TextBox()
Me.Label6 = New
System.Windows.Forms.Label()
Me.telp = New
System.Windows.Forms.TextBox()
Me.Label4 = New
System.Windows.Forms.Label()
Me.alamat = New
System.Windows.Forms.TextBox()
Me.Label3 = New
System.Windows.Forms.Label()
Me.nama = New
System.Windows.Forms.TextBox()
Me.Label1 = New
System.Windows.Forms.Label()
Me.id_user = New
System.Windows.Forms.TextBox()
Me.Label2 = New
System.Windows.Forms.Label()
Me.PictureBox2 = New
System.Windows.Forms.PictureBox()
Me.username = New
System.Windows.Forms.TextBox()
Me.Label15 = New
System.Windows.Forms.Label()
Me.password = New
System.Windows.Forms.TextBox()
Me.Label12 = New
System.Windows.Forms.Label()
CType(Me.PictureBox2,
System.ComponentModel.ISupportInitialize).BeginInit()
Me.SuspendLayout()
'
Me.Button3.Font = New
System.Drawing.Font("Times New
Roman", 9.75!, System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
 CType(0, Byte))
Me.Button3.Image =
 CType(resources.GetObject("Button3.I
mage"), System.Drawing.Image)
Me.Button3.ImageAlign =
 System.Drawing.ContentAlignment.MiddleLeft
Me.Button3.Location = New
System.Drawing.Point(258, 520)
Me.Button3.Name = "Button3"
Me.Button3.Size = New
System.Drawing.Size(72, 31)
Me.Button3.TabIndex = 117
Me.Button3.Text = "
Keluar"
Me.Button3.UseVisualStyleBackColor =
True
'
'Button2
'
Me.Button2.Font = New
System.Drawing.Font("Times New
Roman", 9.75!, System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
 CType(0, Byte))
Me.Button2.Image =
 CType(resources.GetObject("Button2.I
mage"), System.Drawing.Image)
Me.Button2.ImageAlign =
 System.Drawing.ContentAlignment.MiddleLeft
Me.Button2.Location = New
System.Drawing.Point(187, 520)
Me.Button2.Name = "Button2"
Me.Button2.Size = New
System.Drawing.Size(65, 31)
Me.Button2.TabIndex = 116
Me.Button2.Text = "
Hapus"
Me.Button2.UseVisualStyleBackColor =
True
'
'Button1
'

```

```

        Me.Button1.Font = New
System.Drawing.Font("Times New
Roman", 9.75!, 
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
        Me.Button1.Image =
 CType(resources.GetObject("Button1.I
mage"), System.Drawing.Image)
        Me.Button1.ImageAlign =
System.Drawing.ContentAlignment.Midd
leLeft
        Me.Button1.Location = New
System.Drawing.Point(114, 520)
        Me.Button1.Name = "Button1"
        Me.Button1.Size = New
System.Drawing.Size(67, 31)
        Me.Button1.TabIndex = 115
        Me.Button1.Text = " Ubah"

Me.Button1.UseVisualStyleBackColor =
True
'
'btnmasuk
'

Me.btnmasuk.Font = New
System.Drawing.Font("Times New
Roman", 9.75!, 
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
        Me.btnmasuk.Image =
 CType(resources.GetObject("btnmasuk.
Image"), System.Drawing.Image)
        Me.btnmasuk.ImageAlign =
System.Drawing.ContentAlignment.Midd
leLeft
        Me.btnmasuk.Location = New
System.Drawing.Point(35, 520)
        Me.btnmasuk.Name =
"btnmasuk"
        Me.btnmasuk.Size = New
System.Drawing.Size(73, 31)
        Me.btnmasuk.TabIndex = 114
        Me.btnmasuk.Text = "
Simpan"

Me.btnmasuk.UseVisualStyleBackColor
= True
'
'agama
'

Me.agama.FormattingEnabled =
True
Me.agama.Items.AddRange(New
Object() {"Budha", "Hindu", "Islam",
"Katolik", "Kristen"})
Me.agama.Location = New
System.Drawing.Point(149, 427)
        Me.agama.Name = "agama"
        Me.agama.Size = New
System.Drawing.Size(121, 21)
        Me.agama.TabIndex = 111
'
'tgl_lahir
'

Me.tgl_lahir.Location = New
System.Drawing.Point(148, 401)
        Me.tgl_lahir.Name =
"tgl_lahir"
        Me.tgl_lahir.Size = New
System.Drawing.Size(200, 20)
        Me.tgl_lahir.TabIndex = 112
'
'jk
'

Me.jk.FormattingEnabled =
True
Me.jk.Items.AddRange(New
Object() {"Laki-Laki", "Perempuan"})
Me.jk.Location = New
System.Drawing.Point(149, 346)
        Me.jk.Name = "jk"
        Me.jk.Size = New
System.Drawing.Size(121, 21)
        Me.jk.TabIndex = 110
'
'Label11
'

Me.Label11.BackColor =
System.Drawing.Color.Transparent
        Me.Label11.Font = New
System.Drawing.Font("Bernard MT
Condensed", 9.0!, 
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
        Me.Label11.Location = New
System.Drawing.Point(35, 415)
        Me.Label11.Name = "Label11"
        Me.Label11.Size = New
System.Drawing.Size(107, 41)
        Me.Label11.TabIndex = 107
        Me.Label11.Text = "Agama"

```

```

        Me.Label11.TextAlign =
System.Drawing.ContentAlignment.MiddleCenter
        '
        'Label10
        '
        Me.Label10.BackColor =
System.Drawing.Color.Transparent
        Me.Label10.Font = New
System.Drawing.Font("Bernard MT
Condensed", 9.0!,,
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
        Me.Label10.Location = New
System.Drawing.Point(35, 388)
        Me.Label10.Name = "Label10"
        Me.Label10.Size = New
System.Drawing.Size(107, 41)
        Me.Label10.TabIndex = 106
        Me.Label10.Text = "Tanggal
Lahir"
        Me.Label10.TextAlign =
System.Drawing.ContentAlignment.MiddleCenter
        '
        'Label9
        '
        Me.Label9.BackColor =
System.Drawing.Color.Transparent
        Me.Label9.Font = New
System.Drawing.Font("Bernard MT
Condensed", 9.0!,,
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
        Me.Label9.Location = New
System.Drawing.Point(35, 362)
        Me.Label9.Name = "Label9"
        Me.Label9.Size = New
System.Drawing.Size(107, 41)
        Me.Label9.TabIndex = 105
        Me.Label9.Text = "Tempat
Lahir"
        Me.Label9.TextAlign =
System.Drawing.ContentAlignment.MiddleCenter
        '
        'tempat_lahir
        '
        Me.tempat_lahir.BorderStyle =
System.Windows.Forms.BorderStyle.FixedSingle
        Me.tempat_lahir.Location =
New System.Drawing.Point(148, 374)
        Me.tempat_lahir.Name =
"tempat_lahir"
        Me.tempat_lahir.Size = New
System.Drawing.Size(100, 20)
        Me.tempat_lahir.TabIndex =
98
        '
        'Label8
        '
        Me.Label8.BackColor =
System.Drawing.Color.Transparent
        Me.Label8.Font = New
System.Drawing.Font("Bernard MT
Condensed", 9.0!,,
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
        Me.Label8.Location = New
System.Drawing.Point(35, 334)
        Me.Label8.Name = "Label8"
        Me.Label8.Size = New
System.Drawing.Size(107, 41)
        Me.Label8.TabIndex = 104
        Me.Label8.Text = "Jenis
Kelamin"
        Me.Label8.TextAlign =
System.Drawing.ContentAlignment.MiddleCenter
        '
        'Label7
        '
        Me.Label7.BackColor =
System.Drawing.Color.Transparent
        Me.Label7.Font = New
System.Drawing.Font("Bernard MT
Condensed", 9.0!,,
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
        Me.Label7.Location = New
System.Drawing.Point(35, 307)
        Me.Label7.Name = "Label7"
        Me.Label7.Size = New
System.Drawing.Size(107, 41)
        Me.Label7.TabIndex = 109
        Me.Label7.Text = "Email"
        Me.Label7.TextAlign =
System.Drawing.ContentAlignment.MiddleCenter

```

```

'
'email
'

Me.email.BorderStyle =
System.Windows.Forms.BorderStyle.FixedSingle
    Me.email.Location = New
System.Drawing.Point(148, 319)
    Me.email.Name = "email"
    Me.email.Size = New
System.Drawing.Size(100, 20)
    Me.email.TabIndex = 97
'
'Label6
'

Me.Label6.BackColor =
System.Drawing.Color.Transparent
    Me.Label6.Font = New
System.Drawing.Font("Bernard MT
Condensed", 9.0!, 
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
    Me.Label6.Location = New
System.Drawing.Point(35, 281)
    Me.Label6.Name = "Label6"
    Me.Label6.Size = New
System.Drawing.Size(107, 41)
    Me.Label6.TabIndex = 103
    Me.Label6.Text = "No
Telepon"
    Me.Label6.TextAlign =
System.Drawing.ContentAlignment.MiddleLeft
'
'telp
'

Me.telp.BorderStyle =
System.Windows.Forms.BorderStyle.FixedSingle
    Me.telp.Location = New
System.Drawing.Point(148, 293)
    Me.telp.Name = "telp"
    Me.telp.Size = New
System.Drawing.Size(100, 20)
    Me.telp.TabIndex = 96
'
'Label4
'

Me.Label4.BackColor =
System.Drawing.Color.Transparent
    Me.Label4.Font = New
System.Drawing.Font("Bernard MT
Condensed", 9.0!, 
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
    Me.Label4.Location = New
System.Drawing.Point(35, 203)
    Me.Label4.Name = "Label4"
    Me.Label4.Size = New
System.Drawing.Size(107, 41)
    Me.Label4.TabIndex = 101
    Me.Label4.Text = "Alamat"
    Me.Label4.TextAlign =
System.Drawing.ContentAlignment.MiddleLeft
'
'alamat
'

Me.alamat.BorderStyle =
System.Windows.Forms.BorderStyle.FixedSingle
    Me.alamat.Location = New
System.Drawing.Point(148, 215)
    Me.alamat.Multiline = True
    Me.alamat.Name = "alamat"
    Me.alamat.Size = New
System.Drawing.Size(204, 72)
    Me.alamat.TabIndex = 94
'
'Label3
'

Me.Label3.BackColor =
System.Drawing.Color.Transparent
    Me.Label3.Font = New
System.Drawing.Font("Bernard MT
Condensed", 9.0!, 
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
    Me.Label3.Location = New
System.Drawing.Point(35, 172)
    Me.Label3.Name = "Label3"
    Me.Label3.Size = New
System.Drawing.Size(107, 41)
    Me.Label3.TabIndex = 100
    Me.Label3.Text = "Nama"
    Me.Label3.TextAlign =
System.Drawing.ContentAlignment.MiddleLeft
'
'nama
'

```

```

        Me.nama.BorderStyle =
System.Windows.Forms.BorderStyle.FixedSingleSingle
        Me.nama.Location = New
System.Drawing.Point(148, 184)
        Me.nama.Name = "nama"
        Me.nama.Size = New
System.Drawing.Size(204, 20)
        Me.nama.TabIndex = 93
'
'Label1
'
Me.Label1.BackColor =
System.Drawing.Color.Transparent
        Me.Label1.Font = New
System.Drawing.Font("Bernard MT
Condensed", 9.0!, System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
        Me.Label1.Location = New
System.Drawing.Point(35, 145)
        Me.Label1.Name = "Label1"
        Me.Label1.Size = New
System.Drawing.Size(107, 41)
        Me.Label1.TabIndex = 99
        Me.Label1.Text = "ID USER"
        Me.Label1.TextAlign =
System.Drawing.ContentAlignment.MiddleLeft
'
'id_user
'
Me.id_user.BorderStyle =
System.Windows.Forms.BorderStyle.FixedSingleSingle
        Me.id_user.Location = New
System.Drawing.Point(148, 157)
        Me.id_user.Name = "id_user"
        Me.id_user.Size = New
System.Drawing.Size(100, 20)
        Me.id_user.TabIndex = 92
'
'Label2
'
Me.Label2.BackColor =
System.Drawing.Color.Transparent
        Me.Label2.Font = New
System.Drawing.Font("Bernard MT
Condensed", 12.0!, System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
        Me.Label2.Location = New
System.Drawing.Point(50, 104)
        Me.Label2.Name = "Label2"
        Me.Label2.Size = New
System.Drawing.Size(107, 41)
        Me.Label2.TabIndex = 91
        Me.Label2.Text = "DATA USER"
        Me.Label2.TextAlign =
System.Drawing.ContentAlignment.MiddleCenter
'
PictureBox2
'
Me.PictureBox2.BackColor =
System.Drawing.Color.Transparent
        Me.PictureBox2.Image =
 CType(resources.GetObject("PictureBo
x2.Image"), System.Drawing.Image)
        Me.PictureBox2.Location =
New System.Drawing.Point(51, 23)
        Me.PictureBox2.Name =
"PictureBox2"
        Me.PictureBox2.Size = New
System.Drawing.Size(110, 79)
        Me.PictureBox2.SizeMode =
System.Windows.Forms.PictureBoxSizeMode
StretchImage
        Me.PictureBox2.TabIndex = 90
        Me.PictureBox2.TabStop =
False
'
'username
'
Me.username.BorderStyle =
System.Windows.Forms.BorderStyle.FixedSingleSingle
        Me.username.Location = New
System.Drawing.Point(148, 452)
        Me.username.Name =
"username"
        Me.username.Size = New
System.Drawing.Size(100, 20)
        Me.username.TabIndex = 96
'
'Label5
'
Me.Label5.BackColor =
System.Drawing.Color.Transparent
        Me.Label5.Font = New
System.Drawing.Font("Bernard MT
Condensed", 9.0!, System.Drawing.FontStyle.Regular,

```

```

System.Drawing.GraphicsUnit.Point,
(CType(0, Byte))
    Me.Label5.Location = New
System.Drawing.Point(35, 440)
    Me.Label5.Name = "Label5"
    Me.Label5.Size = New
System.Drawing.Size(107, 41)
    Me.Label5.TabIndex = 103
    Me.Label5.Text = "Username"
    Me.Label5.TextAlign =
System.Drawing.ContentAlignment.MiddleLeft
'
'password
'

Me.password.BorderStyle =
System.Windows.Forms.BorderStyle.FixedSingle
    Me.password.Location = New
System.Drawing.Point(148, 478)
    Me.password.Name =
"password"
    Me.password.PasswordChar =
Global.Microsoft.VisualBasic.ChrW(42
)
    Me.password.Size = New
System.Drawing.Size(100, 20)
    Me.password.TabIndex = 97
'
'Label12
'

Me.Label12.BackColor =
System.Drawing.Color.Transparent
    Me.Label12.Font = New
System.Drawing.Font("Bernard MT
Condensed", 9.0!, 
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
(CType(0, Byte)))
    Me.Label12.Location = New
System.Drawing.Point(35, 466)
    Me.Label12.Name = "Label12"
    Me.Label12.Size = New
System.Drawing.Size(107, 41)
    Me.Label12.TabIndex = 109
    Me.Label12.Text = "Password"
    Me.Label12.TextAlign =
System.Drawing.ContentAlignment.MiddleLeft
'
'USERS
'

Me.AutoScaleDimensions = New
System.Drawing.SizeF(6.0!, 13.0!)
    Me.AutoScaleMode =
System.Windows.Forms.AutoScaleMode.F
ont
    Me.BackColor =
System.Drawing.SystemColors.ButtonHi
ghlight
    Me.ClientSize = New
System.Drawing.Size(386, 574)
    Me.Controls.Add(Me.Button3)
    Me.Controls.Add(Me.Button2)
    Me.Controls.Add(Me.Button1)
    Me.Controls.Add(Me.btnmasuk)
    Me.Controls.Add(Me.agama)

Me.Controls.Add(Me.tgl_lahir)
    Me.Controls.Add(Me.jk)
    Me.Controls.Add(Me.Label11)
    Me.Controls.Add(Me.Label10)
    Me.Controls.Add(Me.Label9)

Me.Controls.Add(Me.tempat_lahir)
    Me.Controls.Add(Me.Label18)
    Me.Controls.Add(Me.Label12)
    Me.Controls.Add(Me.password)
    Me.Controls.Add(Me.Label17)
    Me.Controls.Add(Me.Label5)
    Me.Controls.Add(Me.email)
    Me.Controls.Add(Me.username)
    Me.Controls.Add(Me.Label6)
    Me.Controls.Add(Me.telp)
    Me.Controls.Add(Me.Label4)
    Me.Controls.Add(Me.alamat)
    Me.Controls.Add(Me.Label3)
    Me.Controls.Add(Me.nama)
    Me.Controls.Add(Me.Label11)
    Me.Controls.Add(Me.id_user)
    Me.Controls.Add(Me.Label12)

Me.Controls.Add(Me.PictureBox2)
    Me.Name = "USERS"
    Me.Text = "USER"
    CType(Me.PictureBox2,
System.ComponentModel.ISupportInitialize).BeginInit()
        Me.ResumeLayout(False)
        Me.PerformLayout()

End Sub
Friend WithEvents Button3 As
System.Windows.Forms.Button

```

```

        Friend WithEvents Button2 As
System.Windows.Forms.Button
        Friend WithEvents Button1 As
System.Windows.Forms.Button
        Friend WithEvents btnmasuk As
System.Windows.Forms.Button
        Friend WithEvents agama As
System.Windows.Forms.ComboBox
        Friend WithEvents tgl_lahir As
System.Windows.Forms.DateTimePicker
        Friend WithEvents jk As
System.Windows.Forms.ComboBox
        Friend WithEvents Label11 As
System.Windows.Forms.Label
        Friend WithEvents Label10 As
System.Windows.Forms.Label
        Friend WithEvents Label19 As
System.Windows.Forms.Label
        Friend WithEvents tempat_lahir
As System.Windows.Forms.TextBox
        Friend WithEvents Label8 As
System.Windows.Forms.Label
        Friend WithEvents Label7 As
System.Windows.Forms.Label
        Friend WithEvents email As
System.Windows.Forms.TextBox
        Friend WithEvents Label6 As
System.Windows.Forms.Label
        Friend WithEvents telp As
System.Windows.Forms.TextBox
        Friend WithEvents Label14 As
System.Windows.Forms.Label
        Friend WithEvents alamat As
System.Windows.Forms.TextBox
        Friend WithEvents Label3 As
System.Windows.Forms.Label
        Friend WithEvents nama As
System.Windows.Forms.TextBox
        Friend WithEvents Label11 As
System.Windows.Forms.Label
        Friend WithEvents id_user As
System.Windows.Forms.TextBox
        Friend WithEvents Label2 As
System.Windows.Forms.Label
        Friend WithEvents PictureBox2 As
System.Windows.Forms.PictureBox
        Friend WithEvents username As
System.Windows.Forms.TextBox
        Friend WithEvents Label15 As
System.Windows.Forms.Label
        Friend WithEvents password As
System.Windows.Forms.TextBox

```

```

        Friend WithEvents Label12 As
System.Windows.Forms.Label
End Class

DATA ANGGOTA
<Global.Microsoft.VisualBasic.CompilerServices.DesignerGenerated()> _
Partial Class DATAANGGOTA
    Inherits
System.Windows.Forms.Form

    'Form overrides dispose to clean
up the component list.

<System.Diagnostics.DebuggerNonUserCode()> _
Protected Overrides Sub
Dispose(ByVal disposing As Boolean)
    Try
        If disposing AndAlso
components IsNot Nothing Then
            components.Dispose()
    End If
    Finally
        MyBase.Dispose(disposing)
    End Try
End Sub

    'Required by the Windows Form
Designer
    Private components As
System.ComponentModel.IContainer

    'NOTE: The following procedure
is required by the Windows Form
Designer
    'It can be modified using the
Windows Form Designer.
    'Do not modify it using the code
editor.

<System.Diagnostics.DebuggerStepThrough()> _
Private Sub
InitializeComponent()
    Dim resources As
System.ComponentModel.ComponentResourceManager =
New
System.ComponentModel.ComponentResourceManager(
GetType(DATAANGGOTA))
    Me.Label2 = New
System.Windows.Forms.Label()

```

```

        Me.PictureBox2 = New
System.Windows.Forms.PictureBox()
        Me.TextBox1 = New
System.Windows.Forms.TextBox()
        Me.Label1 = New
System.Windows.Forms.Label()
        Me.DataGridView1 = New
System.Windows.Forms.DataGridView()
        Me.btnbatal = New
System.Windows.Forms.Button()
        Me.btnmasuk = New
System.Windows.Forms.Button()
        CType(Me.PictureBox2,
System.ComponentModel.ISupportInitialize).BeginInit()
        CType(Me.DataGridView1,
System.ComponentModel.ISupportInitialize).BeginInit()
        Me.SuspendLayout()
        '
        'Label2
        '
        Me.Label2.BackColor =
System.Drawing.Color.Transparent
        Me.Label2.Font = New
System.Drawing.Font("Bernard MT
Condensed", 12.0!, ,
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
        Me.Label2.Location = New
System.Drawing.Point(37, 93)
        Me.Label2.Name = "Label2"
        Me.Label2.Size = New
System.Drawing.Size(107, 41)
        Me.Label2.TabIndex = 79
        Me.Label2.Text = "DATA
ANGGOTA"
        Me.Label2.TextAlign =
System.Drawing.ContentAlignment.MiddleCenter
        '
        'PictureBox2
        '
        Me.PictureBox2.BackColor =
System.Drawing.Color.Transparent
        Me.PictureBox2.Image =
CType(resources.GetObject("PictureBox
x2.Image"), System.Drawing.Image)
        Me.PictureBox2.Location =
New System.Drawing.Point(38, 12)
        Me.PictureBox2.Name =
"PictureBox2"
        Me.PictureBox2.SizeMode =
System.Windows.Forms.PictureBoxSizeModeM
ode.StretchImage
        Me.PictureBox2.TabIndex = 78
        Me.PictureBox2.TabStop =
False
        '
        'TextBox1
        '
        Me.TextBox1.Location = New
System.Drawing.Point(733, 106)
        Me.TextBox1.Name =
"TextBox1"
        Me.TextBox1.Size = New
System.Drawing.Size(100, 20)
        Me.TextBox1.TabIndex = 80
        '
        'Label1
        '
        Me.Label1.BackColor =
System.Drawing.Color.Transparent
        Me.Label1.Font = New
System.Drawing.Font("Bernard MT
Condensed", 12.0!, ,
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
        Me.Label1.Location = New
System.Drawing.Point(620, 93)
        Me.Label1.Name = "Label1"
        Me.Label1.Size = New
System.Drawing.Size(107, 41)
        Me.Label1.TabIndex = 81
        Me.Label1.Text = "NAMA
ANGGOTA"
        Me.Label1.TextAlign =
System.Drawing.ContentAlignment.Midd
leCenter
        '
        'DataGridView1
        '
        Me.DataGridView1.ColumnHeadersHeight
SizeMode =
System.Windows.Forms.DataGridViewColumnHeadersHeightSizeModeColumnHeadersHeightSizeMode.AutoSize
        Me.DataGridView1.Location =
New System.Drawing.Point(23, 137)
        Me.DataGridView1.Name =
"DataGridView1"

```

```

        Me.DataGridView1.Size = New
System.Drawing.Size(814, 309)
        Me.DataGridView1.TabIndex =
82
'
        'btnbatal
'
        Me.btnbatal.Font = New
System.Drawing.Font("Times New
Roman", 9.75!, System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
        Me.btnbatal.Image =
 CType(resources.GetObject("btnbatal.
Image"), System.Drawing.Image)
        Me.btnbatal.ImageAlign =
System.Drawing.ContentAlignment.MiddleLeft
        Me.btnbatal.Location = New
System.Drawing.Point(750, 451)
        Me.btnbatal.Name =
"btnbatal"
        Me.btnbatal.Size = New
System.Drawing.Size(87, 31)
        Me.btnbatal.TabIndex = 84
        Me.btnbatal.Text = "
Tutup"
Me.btnbatal.UseVisualStyleBackColor
= True
'
        'btnmasuk
'
        Me.btnmasuk.Font = New
System.Drawing.Font("Times New
Roman", 9.75!, System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
        Me.btnmasuk.Image =
 CType(resources.GetObject("btnmasuk.
Image"), System.Drawing.Image)
        Me.btnmasuk.ImageAlign =
System.Drawing.ContentAlignment.MiddleLeft
        Me.btnmasuk.Location = New
System.Drawing.Point(657, 452)
        Me.btnmasuk.Name =
"btnmasuk"
        Me.btnmasuk.Size = New
System.Drawing.Size(87, 31)
        Me.btnmasuk.TabIndex = 83
        Me.btnmasuk.Text = "
Tambah"
Me.btnmasuk.UseVisualStyleBackColor
= True
'
        'DATAANGGOTA
'
        Me.AutoScaleDimensions = New
System.Drawing.SizeF(6.0!, 13.0!)
        Me.AutoScaleMode =
System.Windows.Forms.AutoScaleMode.F
ont
        Me.BackColor =
System.Drawing.Color.White
        Me.ClientSize = New
System.Drawing.Size(866, 489)
        Me.Controls.Add(Me.btnbatal)
        Me.Controls.Add(Me.btnmasuk)

Me.Controls.Add(Me.DataGridView1)
        Me.Controls.Add(Me.Label1)
        Me.Controls.Add(Me.TextBox1)
        Me.Controls.Add(Me.Label2)

Me.Controls.Add(Me.PictureBox2)
        Me.Name = "DATAANGGOTA"
        Me.Text = "DATAANGGOTA"
        CType(Me.PictureBox2,
System.ComponentModel.ISupportInitialize).EndInit()
        CType(Me.DataGridView1,
System.ComponentModel.ISupportInitialize).EndInit()
        Me.ResumeLayout(False)
        Me.PerformLayout()

End Sub
Friend WithEvents Label2 As
System.Windows.Forms.Label
Friend WithEvents PictureBox2 As
System.Windows.Forms.PictureBox
Friend WithEvents TextBox1 As
System.Windows.Forms.TextBox
Friend WithEvents Label1 As
System.Windows.Forms.Label
Friend WithEvents DataGridView1
As System.Windows.Forms.DataGridView
Friend WithEvents btnbatal As
System.Windows.Forms.Button
Friend WithEvents btnmasuk As
System.Windows.Forms.Button
End Class

```

```

DATA SIMPAN
<Global.Microsoft.VisualBasic.CompilerServices.DesignerGenerated()> _
Partial Class DATASIMPANAN
    Inherits
System.Windows.Forms.Form

    'Form overrides dispose to clean
    up the component list.

<System.Diagnostics.DebuggerNonUserCode()> _
    Protected Overrides Sub
Dispose(ByVal disposing As Boolean)
    Try
        If disposing AndAlso
components IsNot Nothing Then
            components.Dispose()
        End If
    Finally
        MyBase.Dispose(disposing)
    End Try
End Sub

    'Required by the Windows Form
Designer
    Private components As
System.ComponentModel.IContainer

    'NOTE: The following procedure
is required by the Windows Form
Designer
    'It can be modified using the
Windows Form Designer.
    'Do not modify it using the code
editor.

<System.Diagnostics.DebuggerStepThrough()> _
    Private Sub
InitializeComponent()
        Dim resources As
System.ComponentModel.ComponentResou
rceManager = New
System.ComponentModel.ComponentResou
rceManager(GetType(DATASIMPANAN))
        Me.btnbatal = New
System.Windows.Forms.Button()
        Me.btnmasuk = New
System.Windows.Forms.Button()

Me.DataGridView1 = New
System.Windows.Forms.DataGridView()
        Me.Label1 = New
System.Windows.Forms.Label()
        Me.TextBox1 = New
System.Windows.Forms.TextBox()
        Me.Label2 = New
System.Windows.Forms.Label()
        Me.PictureBox2 = New
System.Windows.Forms.PictureBox()
        CType(Me.DataGridView1,
System.ComponentModel.ISupportInitialize).
BeginInit()
        CType(Me.PictureBox2,
System.ComponentModel.ISupportInitialize).
BeginInit()
        Me.SuspendLayout()
        '
        'btnbatal
        '
        Me.btnbatal.Font = New
System.Drawing.Font("Times New
Roman", 9.75!),
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
        Me.btnbatal.Image =
CType(resources.GetObject("btnbatal.
Image"), System.Drawing.Image)
        Me.btnbatal.ImageAlign =
System.Drawing.ContentAlignment.MiddleCenter
        Me.btnbatal.Location = New
System.Drawing.Point(735, 456)
        Me.btnbatal.Name =
"btnbatal"
        Me.btnbatal.Size = New
System.Drawing.Size(87, 31)
        Me.btnbatal.TabIndex = 91
        Me.btnbatal.Text = "
Tutup"

Me.btnbatal.UseVisualStyleBackColor
= True
        '
        'btnmasuk
        '
        Me.btnmasuk.Font = New
System.Drawing.Font("Times New
Roman", 9.75!),
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))

```

```

        Me.btnAdd.Image =
 CType(resources.GetObject("btnadd.
Image"), System.Drawing.Image)
        Me.btnAdd.ImageAlign =
 System.Drawing.ContentAlignment.Midd
leLeft
        Me.btnAdd.Location = New
System.Drawing.Point(642, 457)
        Me.btnAdd.Name =
"btnadd"
        Me.btnAdd.Size = New
System.Drawing.Size(87, 31)
        Me.btnAdd.TabIndex = 90
        Me.btnAdd.Text = "
Tambah"

Me.btnAdd.UseVisualStyleBackColor
= True
'
'DataGridView1
'

Me.DataGridView1.ColumnHeadersHeight
SizeMode =
System.Windows.Forms.DataGridViewColumnCol
umnHeadersHeightSizeMode.AutoSize
        Me.DataGridView1.Location =
New System.Drawing.Point(8, 142)
        Me.DataGridView1.Name =
"DataGridView1"
        Me.DataGridView1.Size = New
System.Drawing.Size(814, 309)
        Me.DataGridView1.TabIndex =
89
'
'Label1
'

Me.Label1.BackColor =
System.Drawing.Color.Transparent
        Me.Label1.Font = New
System.Drawing.Font("Bernard MT
Condensed", 12.0!, ,
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
        Me.Label1.Location = New
System.Drawing.Point(605, 98)
        Me.Label1.Name = "Label1"
        Me.Label1.Size = New
System.Drawing.Size(74, 41)
        Me.Label1.TabIndex = 88
        Me.Label1.Text = "Nama"
        Me.Label1.TextAlign =
System.Drawing.ContentAlignment.Midd
leCenter
'
'TextBox1
'

Me.TextBox1.Location = New
System.Drawing.Point(685, 111)
        Me.TextBox1.Name =
"TextBox1"
        Me.TextBox1.Size = New
System.Drawing.Size(133, 20)
        Me.TextBox1.TabIndex = 87
'
'Label2
'

Me.Label2.BackColor =
System.Drawing.Color.Transparent
        Me.Label2.Font = New
System.Drawing.Font("Bernard MT
Condensed", 12.0!, ,
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
        Me.Label2.Location = New
System.Drawing.Point(22, 98)
        Me.Label2.Name = "Label2"
        Me.Label2.Size = New
System.Drawing.Size(178, 41)
        Me.Label2.TabIndex = 86
        Me.Label2.Text = "DATA
SIMPANAN ANGGOTA"
        Me.Label2.TextAlign =
System.Drawing.ContentAlignment.Midd
leCenter
'
'PictureBox2
'

Me.PictureBox2.BackColor =
System.Drawing.Color.Transparent
        Me.PictureBox2.Image =
CType(resources.GetObject("PictureBo
x2.Image"), System.Drawing.Image)
        Me.PictureBox2.Location =
New System.Drawing.Point(23, 17)
        Me.PictureBox2.Name =
"PictureBox2"
        Me.PictureBox2.Size = New
System.Drawing.Size(177, 79)
        Me.PictureBox2.SizeMode =
System.Windows.Forms.PictureBoxSizeModeM
ode.StretchImage
        Me.PictureBox2.TabIndex = 85

```

```

        Me.PictureBox2.TabStop =
False
'
'DATASIMPANAN
'

Me.AutoScaleDimensions = New
System.Drawing.SizeF(6.0!, 13.0!)
Me.AutoScaleMode =
System.Windows.Forms.AutoScaleMode.F
ont
Me.BackColor =
System.Drawing.SystemColors.ButtonHi
ghlight
Me.ClientSize = New
System.Drawing.Size(839, 509)
Me.Controls.Add(Me.btnbatal)
Me.Controls.Add(Me.btnmasuk)

Me.Controls.Add(Me.DataGridView1)
Me.Controls.Add(Me.Label1)
Me.Controls.Add(Me.TextBox1)
Me.Controls.Add(Me.Label2)

Me.Controls.Add(Me.PictureBox2)
Me.Name = "DATASIMPANAN"
Me.Text = "DATASIMPANAN"
 CType(Me.DataGridView1,
System.ComponentModel.ISupportInitialize).EndInit()
 CType(Me.PictureBox2,
System.ComponentModel.ISupportInitialize).EndInit()
Me.ResumeLayout(False)
Me.PerformLayout()

End Sub
Friend WithEvents btnbatal As
System.Windows.Forms.Button
Friend WithEvents btnmasuk As
System.Windows.Forms.Button
Friend WithEvents DataGridView1
As System.Windows.Forms.DataGridView
Friend WithEvents Label1 As
System.Windows.Forms.Label
Friend WithEvents TextBox1 As
System.Windows.Forms.TextBox
Friend WithEvents Label2 As
System.Windows.Forms.Label
Friend WithEvents PictureBox2 As
System.Windows.Forms.PictureBox
End Class

DATA PINJAM

```

```

<Global.Microsoft.VisualBasic.Compil
erServices.DesignerGenerated()> _
Partial Class DATAPINJAMAN
Inherits
System.Windows.Forms.Form

'Form overrides dispose to clean
up the component list.

<System.Diagnostics.DebuggerNonUserC
ode()> _
Protected Overrides Sub
Dispose(ByVal disposing As Boolean)
Try
If disposing AndAlso
components IsNot Nothing Then
components.Dispose()
End If
Finally
 MyBase.Dispose(disposing)
End Try
End Sub

'Required by the Windows Form
Designer
Private components As
System.ComponentModel.IContainer

'NOTE: The following procedure
is required by the Windows Form
Designer
'It can be modified using the
Windows Form Designer.
'Do not modify it using the code
editor.

<System.Diagnostics.DebuggerStepThro
ugh()> _
Private Sub
InitializeComponent()
Dim resources As
System.ComponentModel.ComponentResourceManager =
New
System.ComponentModel.ComponentResourceManager(
GetType(DATAPINJAMAN))
Me.btnbatal = New
System.Windows.Forms.Button()
Me.btnmasuk = New
System.Windows.Forms.Button()
Me.DataGridView1 = New
System.Windows.Forms.DataGridView()

```

```

        Me.Label1 = New
System.Windows.Forms.Label()
        Me.TextBox1 = New
System.Windows.Forms.TextBox()
        Me.Label2 = New
System.Windows.Forms.Label()
        Me.PictureBox2 = New
System.Windows.Forms.PictureBox()
        CType(Me.DataGridView1,
System.ComponentModel.ISupportInitialize).BeginInit()
        CType(Me.PictureBox2,
System.ComponentModel.ISupportInitialize).BeginInit()
        Me.SuspendLayout()
'
'btnbatal
'
Me.btnbatal.Font = New
System.Drawing.Font("Times New
Roman", 9.75!, 
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
        Me.btnbatal.Image =
CType(resources.GetObject("btnbatal.
Image"), System.Drawing.Image)
        Me.btnbatal.ImageAlign =
System.Drawing.ContentAlignment.Midd
leLeft
        Me.btnbatal.Location = New
System.Drawing.Point(734, 451)
        Me.btnbatal.Name =
"btnbatal"
        Me.btnbatal.Size = New
System.Drawing.Size(87, 31)
        Me.btnbatal.TabIndex = 91
        Me.btnbatal.Text = "
Tutup"
Me.btnbatal.UseVisualStyleBackColor
= True
'
'btncari
'
Me.btnmasuk.Font = New
System.Drawing.Font("Times New
Roman", 9.75!, 
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
        Me.btnmasuk.Image =
CType(resources.GetObject("btnmasuk.
Image"), System.Drawing.Image)
        Me.btnmasuk.ImageAlign =
System.Drawing.ContentAlignment.Midd
leLeft
        Me.btnmasuk.Location = New
System.Drawing.Point(641, 452)
        Me.btnmasuk.Name =
"btnmasuk"
        Me.btnmasuk.Size = New
System.Drawing.Size(87, 31)
        Me.btnmasuk.TabIndex = 90
        Me.btnmasuk.Text = "
Tambah"
Me.btnmasuk.UseVisualStyleBackColor
= True
'
'DataGridView1
'

Me.DataGridView1.ColumnHeadersHeight
SizeMode =
System.Windows.Forms.DataGridViewColumnHeadersHeightSizeModeCol
umnHeadersHeightSizeMode.AutoSize
        Me.DataGridView1.Location =
New System.Drawing.Point(7, 137)
        Me.DataGridView1.Name =
"DataGridView1"
        Me.DataGridView1.Size = New
System.Drawing.Size(814, 309)
        Me.DataGridView1.TabIndex =
89
'
'Label1
'
Me.Label1.BackColor =
System.Drawing.Color.Transparent
        Me.Label1.Font = New
System.Drawing.Font("Bernard MT
Condensed", 12.0!, 
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
        Me.Label1.Location = New
System.Drawing.Point(626, 93)
        Me.Label1.Name = "Label1"
        Me.Label1.Size = New
System.Drawing.Size(55, 41)
        Me.Label1.TabIndex = 88
        Me.Label1.Text = "Nama"

```

```

        Me.Label1.TextAlign =
System.Drawing.ContentAlignment.MiddleCenter
'
        'TextBox1
'

        Me.TextBox1.Location = New
System.Drawing.Point(687, 106)
        Me.TextBox1.Name =
"TextBox1"
        Me.TextBox1.Size = New
System.Drawing.Size(130, 20)
        Me.TextBox1.TabIndex = 87
'
        'Label2
'

        Me.Label2.BackColor =
System.Drawing.Color.Transparent
        Me.Label2.Font = New
System.Drawing.Font("Bernard MT
Condensed", 12.0!,,
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
        Me.Label2.Location = New
System.Drawing.Point(18, 94)
        Me.Label2.Name = "Label2"
        Me.Label2.Size = New
System.Drawing.Size(182, 41)
        Me.Label2.TabIndex = 86
        Me.Label2.Text = "DATA
PINJAMAN ANGGOTA"
        Me.Label2.TextAlign =
System.Drawing.ContentAlignment.MiddleCenter
'
        'PictureBox2
'

        Me.PictureBox2.BackColor =
System.Drawing.Color.Transparent
        Me.PictureBox2.Image =
CType(resources.GetObject("PictureBo
x2.Image"), System.Drawing.Image)
        Me.PictureBox2.Location =
New System.Drawing.Point(22, 12)
        Me.PictureBox2.Name =
"PictureBox2"
        Me.PictureBox2.Size = New
System.Drawing.Size(169, 79)
        Me.PictureBox2.SizeMode =
System.Windows.Forms.PictureBoxSizeModeM
ode.StretchImage
        Me.PictureBox2.TabIndex = 85
'
        Me.PictureBox2.TabStop =
False
'
        'DATAPINJAMAN
'

        Me.AutoScaleDimensions = New
System.Drawing.SizeF(6.0!, 13.0!)
        Me.AutoScaleMode =
System.Windows.Forms.AutoScaleMode.F
ont
        Me.ClientSize = New
System.Drawing.Size(829, 494)
        Me.Controls.Add(Me.btnbatal)
        Me.Controls.Add(Me.btnmasuk)

Me.Controls.Add(Me.DataGridView1)
        Me.Controls.Add(Me.Label1)
        Me.Controls.Add(Me.TextBox1)
        Me.Controls.Add(Me.Label2)

Me.Controls.Add(Me.PictureBox2)
        Me.Name = "DATAPINJAMAN"
        Me.Text = "PINJAMAN"
        CType(Me.DataGridView1,
System.ComponentModel.ISupportInitialize).EndInit()
        CType(Me.PictureBox2,
System.ComponentModel.ISupportInitialize).EndInit()
        Me.ResumeLayout(False)
        Me.PerformLayout()

End Sub
Friend WithEvents btnbatal As
System.Windows.Forms.Button
Friend WithEvents btnmasuk As
System.Windows.Forms.Button
Friend WithEvents DataGridView1
As System.Windows.Forms.DataGridView
Friend WithEvents Label1 As
System.Windows.Forms.Label
Friend WithEvents TextBox1 As
System.Windows.Forms.TextBox
Friend WithEvents Label2 As
System.Windows.Forms.Label
Friend WithEvents PictureBox2 As
System.Windows.Forms.PictureBox
End Class

DATA ANGSURAN
<Global.Microsoft.VisualBasic.Compile
rServices.DesignerGenerated()> _
Partial Class DATAANGSURAN

```

```

    Inherits
System.Windows.Forms.Form

    'Form overrides dispose to clean
    up the component list.

<System.Diagnostics.DebuggerNonUserC
ode()> _
    Protected Overrides Sub
Dispose(ByVal disposing As Boolean)
    Try
        If disposing AndAlso
components IsNot Nothing Then
            components.Dispose()
        End If
    Finally

MyBase.Dispose(disposing)
    End Try
End Sub

    'Required by the Windows Form
Designer
    Private components As
System.ComponentModel.IContainer

    'NOTE: The following procedure
is required by the Windows Form
Designer
    'It can be modified using the
Windows Form Designer.
    'Do not modify it using the code
editor.

<System.Diagnostics.DebuggerStepThrough()> _
    Private Sub
InitializeComponent()
        Dim resources As
System.ComponentModel.ComponentResou
rceManager = New
System.ComponentModel.ComponentResou
rceManager(GetType(DATAANGSURAN))
        Me.DataGridView1 = New
System.Windows.Forms.DataGridView()
        Me.Label1 = New
System.Windows.Forms.Label()
        Me.TextBox1 = New
System.Windows.Forms.TextBox()
        Me.Label2 = New
System.Windows.Forms.Label()
        Me.PictureBox2 = New
System.Windows.Forms.PictureBox()

    Me.Button3 = New
System.Windows.Forms.Button()
    Me.Button2 = New
System.Windows.Forms.Button()
    Me.Button4 = New
System.Windows.Forms.Button()
    Me.Label19 = New
System.Windows.Forms.Label()
    Me.angsuran = New
System.Windows.Forms.TextBox()
    Me.Label8 = New
System.Windows.Forms.Label()
    Me.total_pinjaman = New
System.Windows.Forms.TextBox()
    Me.Label3 = New
System.Windows.Forms.Label()
    Me.nama = New
System.Windows.Forms.TextBox()
    Me.Label4 = New
System.Windows.Forms.Label()
    Me.Label10 = New
System.Windows.Forms.Label()
    Me.IDanggota = New
System.Windows.Forms.TextBox()
    Me.sisa = New
System.Windows.Forms.TextBox()
    Me.Label11 = New
System.Windows.Forms.Label()
    Me.Label14 = New
System.Windows.Forms.Label()
    Me.IDcicilan = New
System.Windows.Forms.TextBox()
    Me.IDPinjaman = New
System.Windows.Forms.ComboBox()
    CType(Me.DataGridView1,
System.ComponentModel.ISupportInitialize).BeginInit()
    CType(Me.PictureBox2,
System.ComponentModel.ISupportInitialize).BeginInit()
    Me.SuspendLayout()
    '
    'DataGridView1
    '
    Me.DataGridView1.AllowUserToAddRows =
False
    Me.DataGridView1.AllowUserToDeleteRo
ws = False
    Me.DataGridView1.ColumnHeadersHeight
SizeMode =

```

```

System.Windows.Forms.DataGridViewColumnHeadersHeightSizeMode.AutoSize
    Me.DataGridView1.Location = New System.Drawing.Point(379, 53)
        Me.DataGridView1.Name = "DataGridView1"
            Me.DataGridView1.ReadOnly = True
                Me.DataGridView1.Size = New System.Drawing.Size(473, 447)
                    Me.DataGridView1.TabIndex = 96
                    '
                    'Label1
                    '
                    Me.Label1.BackColor = System.Drawing.Color.Transparent
                        Me.Label1.Font = New System.Drawing.Font("Bernard MT Condensed", 12.0!, System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, CType(0, Byte))
                            Me.Label1.Location = New System.Drawing.Point(661, 9)
                                Me.Label1.Name = "Label1"
                                    Me.Label1.Size = New System.Drawing.Size(55, 41)
                                        Me.Label1.TabIndex = 95
                                            Me.Label1.Text = "Nama"
                                                Me.Label1.TextAlign = System.Drawing.ContentAlignment.MiddleCenter
                                                '
                                                'TextBox1
                                                '
                                                Me.TextBox1.Location = New System.Drawing.Point(722, 22)
                                                    Me.TextBox1.Name = "TextBox1"
                                                        Me.TextBox1.Size = New System.Drawing.Size(130, 20)
                                                            Me.TextBox1.TabIndex = 94
                                                            '
                                                            'Label2
                                                            '
                                                            Me.Label2.BackColor = System.Drawing.Color.Transparent
                                                                Me.Label2.Font = New System.Drawing.Font("Bernard MT Condensed", 12.0!, System.Drawing.FontStyle.Regular,

```

System.Drawing.GraphicsUnit.Point, CType(0, Byte))

```

Me.Label2.Location = New System.Drawing.Point(21, 109)
    Me.Label2.Name = "Label2"
        Me.Label2.Size = New System.Drawing.Size(248, 41)
            Me.Label2.TabIndex = 93
                Me.Label2.Text = "DATA ANGSURAN PINJAMAN ANGGOTA"
                    Me.Label2.TextAlign = System.Drawing.ContentAlignment.MiddleCenter
                    '
                    'PictureBox2
                    '
                    Me.PictureBox2.BackColor = System.Drawing.Color.Transparent
                        Me.PictureBox2.Image = CType(resources.GetObject("PictureBox2.Image"), System.Drawing.Image)
                            Me.PictureBox2.Location = New System.Drawing.Point(25, 27)
                                Me.PictureBox2.Name = "PictureBox2"
                                    Me.PictureBox2.Size = New System.Drawing.Size(169, 79)
                                        Me.PictureBox2.SizeMode = System.Windows.Forms.PictureBoxSizeMode.StretchImage
                                            Me.PictureBox2.TabIndex = 92
                                                Me.PictureBox2.TabStop = False
                                                '
                                                'Button3
                                                '
                                                Me.Button3.Font = New System.Drawing.Font("Times New Roman", 9.75!, System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, CType(0, Byte))
                                                    Me.Button3.Image = CType(resources.GetObject("Button3.Image"), System.Drawing.Image)
                                                        Me.Button3.ImageAlign = System.Drawing.ContentAlignment.MiddleLeft
                                                            Me.Button3.Location = New System.Drawing.Point(222, 403)
                                                                Me.Button3.Name = "Button3"
                                                                    Me.Button3.Size = New System.Drawing.Size(72, 31)

```

```

        Me.Button3.TabIndex = 135
        Me.Button3.Text = "
Keluar"

Me.Button3.UseVisualStyleBackColor =
True
'
'Button2
'

        Me.Button2.Font = New
System.Drawing.Font("Times New
Roman", 9.75!,_
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
        Me.Button2.Image =
 CType(resources.GetObject("Button2.I
mage"), System.Drawing.Image)
        Me.Button2.ImageAlign =
System.Drawing.ContentAlignment.Midd
leLeft
        Me.Button2.Location = New
System.Drawing.Point(151, 403)
        Me.Button2.Name = "Button2"
        Me.Button2.Size = New
System.Drawing.Size(65, 31)
        Me.Button2.TabIndex = 134
        Me.Button2.Text = "
Hapus"

Me.Button2.UseVisualStyleBackColor =
True
'
'Button4
'

        Me.Button4.Font = New
System.Drawing.Font("Times New
Roman", 9.75!,_
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
        Me.Button4.Image =
 CType(resources.GetObject("Button4.I
mage"), System.Drawing.Image)
        Me.Button4.ImageAlign =
System.Drawing.ContentAlignment.Midd
leLeft
        Me.Button4.Location = New
System.Drawing.Point(72, 403)
        Me.Button4.Name = "Button4"
        Me.Button4.Size = New
System.Drawing.Size(73, 31)
        Me.Button4.TabIndex = 132
        Me.Button4.Text = "
Simpan"

Me.Button4.UseVisualStyleBackColor =
True
'
'Label9
'

        Me.Label9.BackColor =
System.Drawing.Color.Transparent
        Me.Label9.Font = New
System.Drawing.Font("Bernard MT
Condensed", 9.0!,_
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
        Me.Label9.Location = New
System.Drawing.Point(12, 303)
        Me.Label9.Name = "Label9"
        Me.Label9.Size = New
System.Drawing.Size(107, 41)
        Me.Label9.TabIndex = 126
        Me.Label9.Text = "Jumlah
Angsuran"
        Me.Label9.TextAlign =
System.Drawing.ContentAlignment.Midd
leLeft
'
'angsuran
'

        Me.angsuran.BorderStyle =
System.Windows.Forms.BorderStyle.Fix
edSingle
        Me.angsuran.Enabled = False
        Me.angsuran.Location = New
System.Drawing.Point(125, 316)
        Me.angsuran.Name =
"angsuran"
        Me.angsuran.Size = New
System.Drawing.Size(100, 20)
        Me.angsuran.TabIndex = 119
'
'Label8
'

        Me.Label8.BackColor =
System.Drawing.Color.Transparent
        Me.Label8.Font = New
System.Drawing.Font("Bernard MT
Condensed", 9.0!,_
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))

```

```

        Me.Label8.Location = New
System.Drawing.Point(12, 274)
        Me.Label8.Name = "Label8"
        Me.Label8.Size = New
System.Drawing.Size(107, 41)
        Me.Label8.TabIndex = 128
        Me.Label8.Text = "Jumlah
Pinjaman"
        Me.Label8.TextAlign =
System.Drawing.ContentAlignment.MiddleLeft
'
        'total_pinjaman
'

Me.total_pinjaman.BorderStyle =
System.Windows.Forms.BorderStyle.FixedSingle
        Me.total_pinjaman.Enabled =
False
        Me.total_pinjaman.Location =
New System.Drawing.Point(125, 287)
        Me.total_pinjaman.Name =
"total_pinjaman"
        Me.total_pinjaman.Size = New
System.Drawing.Size(100, 20)
        Me.total_pinjaman.TabIndex =
120
'
        'Label3
'
        Me.Label3.BackColor =
System.Drawing.Color.Transparent
        Me.Label3.Font = New
System.Drawing.Font("Bernard MT
Condensed", 9.0!, System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point, CType(0, Byte))
        Me.Label3.Location = New
System.Drawing.Point(12, 232)
        Me.Label3.Name = "Label3"
        Me.Label3.Size = New
System.Drawing.Size(107, 41)
        Me.Label3.TabIndex = 129
        Me.Label3.Text = "Nama"
        Me.Label3.TextAlign =
System.Drawing.ContentAlignment.MiddleLeft
'
        'nama
'

        Me.nama.BorderStyle =
System.Windows.Forms.BorderStyle.FixedSingle
        Me.nama.Enabled = False
        Me.nama.Location = New
System.Drawing.Point(125, 244)
        Me.nama.Name = "nama"
        Me.nama.Size = New
System.Drawing.Size(204, 20)
        Me.nama.TabIndex = 121
'
        'Label4
'
        Me.Label4.BackColor =
System.Drawing.Color.Transparent
        Me.Label4.Font = New
System.Drawing.Font("Bernard MT
Condensed", 9.0!, System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point, CType(0, Byte))
        Me.Label4.Location = New
System.Drawing.Point(12, 177)
        Me.Label4.Name = "Label4"
        Me.Label4.Size = New
System.Drawing.Size(107, 41)
        Me.Label4.TabIndex = 130
        Me.Label4.Text = "ID
PINJAMAN"
        Me.Label4.TextAlign =
System.Drawing.ContentAlignment.MiddleLeft
'
        'Label10
'
        Me.Label10.BackColor =
System.Drawing.Color.Transparent
        Me.Label10.Font = New
System.Drawing.Font("Bernard MT
Condensed", 9.0!, System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point, CType(0, Byte))
        Me.Label10.Location = New
System.Drawing.Point(12, 205)
        Me.Label10.Name = "Label10"
        Me.Label10.Size = New
System.Drawing.Size(107, 41)
        Me.Label10.TabIndex = 131
        Me.Label10.Text = "ID
ANGGOTA"

```

```

        Me.Label10.TextAlign =
System.Drawing.ContentAlignment.MiddleCenter
        '
        'IDanggota
        '
        Me.IDanggota.BorderStyle =
System.Windows.Forms.BorderStyle.FixedSingle
        Me.IDanggota.Enabled = False
        Me.IDanggota.Location = New
System.Drawing.Point(125, 217)
        Me.IDanggota.Name =
"IDanggota"
        Me.IDanggota.Size = New
System.Drawing.Size(100, 20)
        Me.IDanggota.TabIndex = 123
        '
        'sisa
        '
        Me.sisa.BorderStyle =
System.Windows.Forms.BorderStyle.FixedSingle
        Me.sisa.Enabled = False
        Me.sisa.Location = New
System.Drawing.Point(125, 343)
        Me.sisa.Name = "sisa"
        Me.sisa.Size = New
System.Drawing.Size(100, 20)
        Me.sisa.TabIndex = 119
        '
        'Label11
        '
        Me.Label11.BackColor =
System.Drawing.Color.Transparent
        Me.Label11.Font = New
System.Drawing.Font("Bernard MT
Condensed", 9.0!, System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
        Me.Label11.Location = New
System.Drawing.Point(12, 330)
        Me.Label11.Name = "Label11"
        Me.Label11.Size = New
System.Drawing.Size(107, 41)
        Me.Label11.TabIndex = 126
        Me.Label11.Text = "Sisa
Angsuran"
        Me.Label11.TextAlign =
System.Drawing.ContentAlignment.MiddleCenter
        '
        'Label14
        '
        Me.Label14.BackColor =
System.Drawing.Color.Transparent
        Me.Label14.Font = New
System.Drawing.Font("Bernard MT
Condensed", 9.0!, System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
        Me.Label14.Location = New
System.Drawing.Point(12, 150)
        Me.Label14.Name = "Label14"
        Me.Label14.Size = New
System.Drawing.Size(107, 41)
        Me.Label14.TabIndex = 140
        Me.Label14.Text = "ID
ANGSURAN"
        Me.Label14.TextAlign =
System.Drawing.ContentAlignment.MiddleCenter
        '
        'IDcicilan
        '
        Me.IDcicilan.BorderStyle =
System.Windows.Forms.BorderStyle.FixedSingle
        Me.IDcicilan.Location = New
System.Drawing.Point(125, 162)
        Me.IDcicilan.Name =
"IDcicilan"
        Me.IDcicilan.Size = New
System.Drawing.Size(100, 20)
        Me.IDcicilan.TabIndex = 139
        '
        'IDPinjaman
        '
        Me.IDPinjaman.FormattingEnabled =
True
        Me.IDPinjaman.Location = New
System.Drawing.Point(126, 190)
        Me.IDPinjaman.Name =
"IDPinjaman"
        Me.IDPinjaman.Size = New
System.Drawing.Size(99, 21)
        Me.IDPinjaman.TabIndex = 141
        '
        'DATAANGSURAN
        '
        Me.AutoScaleDimensions = New
System.Drawing.SizeF(6.0!, 13.0!)

```

```

        Me.AutoScaleMode =
System.Windows.Forms.AutoScaleMode.F
ont
        Me.BackColor =
System.Drawing.SystemColors.ButtonHi
ghlight
        Me.ClientSize = New
System.Drawing.Size(870, 512)

Me.Controls.Add(Me.IDPinjaman)
        Me.Controls.Add(Me.Label14)

Me.Controls.Add(Me.IDcicilan)
        Me.Controls.Add(Me.Button3)
        Me.Controls.Add(Me.Button2)
        Me.Controls.Add(Me.Button4)
        Me.Controls.Add(Me.Label11)
        Me.Controls.Add(Me.sisa)
        Me.Controls.Add(Me.Label19)
        Me.Controls.Add(Me.angsuran)
        Me.Controls.Add(Me.Label8)

Me.Controls.Add(Me.total_pinjaman)
        Me.Controls.Add(Me.Label3)
        Me.Controls.Add(Me.nama)
        Me.Controls.Add(Me.Label4)
        Me.Controls.Add(Me.Label10)

Me.Controls.Add(Me.IDAnggota)

Me.Controls.Add(Me.DataGridView1)
        Me.Controls.Add(Me.Label1)
        Me.Controls.Add(Me.TextBox1)
        Me.Controls.Add(Me.Label2)

Me.Controls.Add(Me.PictureBox2)
        Me.Name = "DATAANGSURAN"
        Me.Text = "DATAANGSURAN"
        CType(Me.DataGridView1,
System.ComponentModel.ISupportInitialize).BeginInit()
        CType(Me.PictureBox2,
System.ComponentModel.ISupportInitialize).BeginInit()
        Me.ResumeLayout(False)
        Me.PerformLayout()

End Sub
Friend WithEvents DataGridView1
As System.Windows.Forms.DataGridView
        Friend WithEvents Label1 As
System.Windows.Forms.Label
        Friend WithEvents TextBox1 As
System.Windows.Forms.TextBox
        Friend WithEvents Label2 As
System.Windows.Forms.Label
        Friend WithEvents PictureBox2 As
System.Windows.Forms.PictureBox
        Friend WithEvents Button3 As
System.Windows.Forms.Button
        Friend WithEvents Button2 As
System.Windows.Forms.Button
        Friend WithEvents Button4 As
System.Windows.Forms.Button
        Friend WithEvents Label19 As
System.Windows.Forms.Label
        Friend WithEvents angsuran As
System.Windows.Forms.TextBox
        Friend WithEvents Label8 As
System.Windows.Forms.Label
        Friend WithEvents total_pinjaman
As System.Windows.Forms.TextBox
        Friend WithEvents Label3 As
System.Windows.Forms.Label
        Friend WithEvents nama As
System.Windows.Forms.TextBox
        Friend WithEvents Label4 As
System.Windows.Forms.Label
        Friend WithEvents Label10 As
System.Windows.Forms.Label
        Friend WithEvents IDAnggota As
System.Windows.Forms.TextBox
        Friend WithEvents sisa As
System.Windows.Forms.TextBox
        Friend WithEvents Label11 As
System.Windows.Forms.Label
        Friend WithEvents Label14 As
System.Windows.Forms.Label
        Friend WithEvents IDCicilan As
System.Windows.Forms.TextBox
        Friend WithEvents IDPinjaman As
System.Windows.Forms.ComboBox
End Class

LAPORAN ANGGOTA
<Global.Microsoft.VisualBasic.Compil
erServices.DesignerGenerated()> -
Partial Class LAPORANGANGGOTA
    Inherits
System.Windows.Forms.Form

    'Form overrides dispose to clean
up the component list.

```

```

<System.Diagnostics.DebuggerNonUserCode()> _
    Protected Overrides Sub
Dispose(ByVal disposing As Boolean)
    Try
        If disposing AndAlso
components IsNot Nothing Then
            components.Dispose()
    End If
    Finally
        MyBase.Dispose(disposing)
    End Try
End Sub

'Required by the Windows Form
Designer
Private components As
System.ComponentModel.IContainer

'NOTE: The following procedure
is required by the Windows Form
Designer
'It can be modified using the
Windows Form Designer.
'Do not modify it using the code
editor.

<System.Diagnostics.DebuggerStepThrough()> _
    Private Sub
InitializeComponent()
    Dim resources As
System.ComponentModel.ComponentResou
rceManager = New
System.ComponentModel.ComponentResou
rceManager(GetType(LAPORANGANGGOTA))
    Me.Label2 = New
System.Windows.Forms.Label()
    Me.DateTimePicker2 = New
System.Windows.Forms.DateTimePicker(
)
    Me.DateTimePicker1 = New
System.Windows.Forms.DateTimePicker(
)
    Me.DataGridView1 = New
System.Windows.Forms.DataGridView()
    Me.Label1 = New
System.Windows.Forms.Label()
    Me.Button1 = New
System.Windows.Forms.Button()

Me.btnExit = New
System.Windows.Forms.Button()
Me.Label4 = New
System.Windows.Forms.Label()
Me.Button2 = New
System.Windows.Forms.Button()
Me.PictureBox2 = New
System.Windows.Forms.PictureBox()
 CType(Me.DataGridView1,
System.ComponentModel.ISupportInitialize
).BeginInit()
 CType(Me.PictureBox2,
System.ComponentModel.ISupportInitialize
).BeginInit()
    Me.SuspendLayout()

    'Label2
    '
    Me.Label2.AutoSize = True
    Me.Label2.Location = New
System.Drawing.Point(339, 93)
    Me.Label2.Name = "Label2"
    Me.Label2.Size = New
System.Drawing.Size(12, 13)
    Me.Label2.TabIndex = 125
    Me.Label2.Text = "/"
    '
    'DateTimePicker2
    '
    Me.DateTimePicker2.Location =
New System.Drawing.Point(357, 87)
    Me.DateTimePicker2.Name =
"DateTimePicker2"
    Me.DateTimePicker2.Size =
New System.Drawing.Size(140, 20)
    Me.DateTimePicker2.TabIndex =
123
    '
    'DateTimePicker1
    '
    Me.DateTimePicker1.Location =
New System.Drawing.Point(188, 87)
    Me.DateTimePicker1.Name =
"DateTimePicker1"
    Me.DateTimePicker1.Size =
New System.Drawing.Size(140, 20)
    Me.DateTimePicker1.TabIndex =
122
    '
    'DataGridView1
    '

```

```

Me.DataGridView1.AllowUserToAddRows
= False

Me.DataGridView1.AllowUserToDeleteRo
ws = False

Me.DataGridView1.BackgroundColor =
System.Drawing.SystemColors.ButtonHi
ghlight

Me.DataGridView1.ColumnHeadersHeight
SizeMode =
System.Windows.Forms.DataGridViewColumnCol
umnHeadersHeightSizeMode.AutoSize
Me.DataGridView1.Location =
New System.Drawing.Point(31, 179)
Me.DataGridView1.Name =
"DataGridView1"
Me.DataGridView1.ReadOnly =
True
Me.DataGridView1.Size = New
System.Drawing.Size(644, 172)
Me.DataGridView1.TabIndex =
121
'
'Label1
'
Me.Label1.BackColor =
System.Drawing.Color.Transparent
Me.Label1.Font = New
System.Drawing.Font("Bernard MT
Condensed", 12.0!,,
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
Me.Label1.Location = New
System.Drawing.Point(-10, 140)
Me.Label1.Name = "Label1"
Me.Label1.Size = New
System.Drawing.Size(712, 22)
Me.Label1.TabIndex = 120
Me.Label1.Text = "-----
-----"
& _
"-----
-----
"
Me.Label1.TextAlign =
System.Drawing.ContentAlignment.Midd
leCenter
'
'Button1
'
Me.Button1.Font = New
System.Drawing.Font("Times New
Roman", 9.75!,,
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
Me.Button1.Image =
 CType(resources.GetObject("Button1.I
mage"), System.Drawing.Image)
Me.Button1.ImageAlign =
System.Drawing.ContentAlignment.Midd
leLeft
Me.Button1.Location = New
System.Drawing.Point(516, 76)
Me.Button1.Name = "Button1"
Me.Button1.Size = New
System.Drawing.Size(87, 31)
Me.Button1.TabIndex = 118
Me.Button1.Text = "    Cari"
Me.Button1.UseVisualStyleBackColor =
True
'
'btnmasuk
'
Me.btnmasuk.Font = New
System.Drawing.Font("Times New
Roman", 9.75!,,
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
Me.btnmasuk.Image =
 CType(resources.GetObject("btnmasuk.I
mage"), System.Drawing.Image)
Me.btnmasuk.ImageAlign =
System.Drawing.ContentAlignment.Midd
leLeft
Me.btnmasuk.Location = New
System.Drawing.Point(607, 75)
Me.btnmasuk.Name =
"btnmasuk"
Me.btnmasuk.Size = New
System.Drawing.Size(87, 31)
Me.btnmasuk.TabIndex = 119
Me.btnmasuk.Text = "
Cetak"
Me.btnmasuk.UseVisualStyleBackColor
= True
'
'Label4
'

```

```

        Me.Label4.BackColor =
System.Drawing.Color.Transparent
        Me.Label4.Font = New
System.Drawing.Font("Bernard MT
Condensed", 12.0!, ,
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
        Me.Label4.Location = New
System.Drawing.Point(20, 93)
        Me.Label4.Name = "Label4"
        Me.Label4.Size = New
System.Drawing.Size(114, 58)
        Me.Label4.TabIndex = 117
        Me.Label4.Text = "LAPORAN
DATA ANGGOTA"
        Me.Label4.TextAlign =
System.Drawing.ContentAlignment.MiddleCenter
'
'Button2
'
Me.Button2.Location = New
System.Drawing.Point(106, 179)
        Me.Button2.Name = "Button2"
        Me.Button2.Size = New
System.Drawing.Size(75, 23)
        Me.Button2.TabIndex = 126
        Me.Button2.Text = "Button2"

Me.Button2.UseVisualStyleBackColor =
True
'
'PictureBox2
'
Me.PictureBox2.BackColor =
System.Drawing.Color.Transparent
        Me.PictureBox2.Image =
CType(resources.GetObject("PictureBo
x2.Image"), System.Drawing.Image)
        Me.PictureBox2.Location =
New System.Drawing.Point(24, 12)
        Me.PictureBox2.Name =
"PictureBox2"
        Me.PictureBox2.Size = New
System.Drawing.Size(110, 79)
        Me.PictureBox2.SizeMode =
System.Windows.Forms.PictureBoxSizeMode
StretchImage
        Me.PictureBox2.TabIndex =
127
        Me.PictureBox2.TabStop =
False
'
'LAPORANGANGGOTA
'
Me.AutoScaleDimensions = New
System.Drawing.SizeF(6.0!, 13.0!)
        Me.AutoScaleMode =
System.Windows.Forms.AutoScaleMode.F
ont
        Me.BackColor =
System.Drawing.SystemColors.ControlL
ightLight
        Me.ClientSize = New
System.Drawing.Size(706, 391)
Me.Controls.Add(Me.PictureBox2)
        Me.Controls.Add(Me.Label12)
Me.Controls.Add(Me.DateTimePicker2)
Me.Controls.Add(Me.DateTimePicker1)
Me.Controls.Add(Me.DataGridView1)
        Me.Controls.Add(Me.Label11)
        Me.Controls.Add(Me.Button1)
        Me.Controls.Add(Me.btnmasuk)
        Me.Controls.Add(Me.Label4)
        Me.Controls.Add(Me.Button2)
        Me.Name = "LAPORANGANGGOTA"
        Me.Text = "LAPORANGANGGOTA"
        CType(Me.DataGridView1,
System.ComponentModel.ISupportInitialize).BeginInit()
        CType(Me.PictureBox2,
System.ComponentModel.ISupportInitialize).BeginInit()
        Me.ResumeLayout(False)
        Me.PerformLayout()

End Sub
Friend WithEvents Label2 As
System.Windows.Forms.Label
Friend WithEvents
DateTimePicker2 As
System.Windows.Forms.DateTimePicker
Friend WithEvents
DateTimePicker1 As
System.Windows.Forms.DateTimePicker
Friend WithEvents DataGridView1
As System.Windows.Forms.DataGridView
Friend WithEvents Label1 As
System.Windows.Forms.Label
Friend WithEvents Button1 As
System.Windows.Forms.Button

```

```

        Friend WithEvents btnmasuk As
System.Windows.Forms.Button
        Friend WithEvents Label4 As
System.Windows.Forms.Label
        Friend WithEvents Button2 As
System.Windows.Forms.Button
        Friend WithEvents PictureBox2 As
System.Windows.Forms.PictureBox
End Class

LAPORAN SIMPAN
<Global.Microsoft.VisualBasic.CompilerServices.DesignerGenerated()> _
Partial Class LAPORANDATASIMPANAN
    Inherits
System.Windows.Forms.Form

    'Form overrides dispose to clean
    'up the component list.

    <System.Diagnostics.DebuggerNonUserCode()> _
        Protected Overrides Sub
Dispose(ByVal disposing As Boolean)
        Try
            If disposing AndAlso
components IsNot Nothing Then
                components.Dispose()
        End If
        Finally
MyBase.Dispose(disposing)
        End Try
    End Sub

    'Required by the Windows Form
    'Designer
    Private components As
System.ComponentModel.IContainer

    'NOTE: The following procedure
    'is required by the Windows Form
    'Designer
    'It can be modified using the
    'Windows Form Designer.
    'Do not modify it using the code
    'editor.

    <System.Diagnostics.DebuggerStepThrough()> _
        Private Sub
InitializeComponent()

```

```

        Dim resources As
System.ComponentModel.ComponentResourceManager =
New System.ComponentModel.ComponentResourceManager(
GetType(LAPORANDATASIMPANAN))
        Me.Label2 = New
System.Windows.Forms.Label()
        Me.TextBox1 = New
System.Windows.Forms.TextBox()
        Me.DateTimePicker2 = New
System.Windows.Forms.DateTimePicker()
        Me.DateTimePicker1 = New
System.Windows.Forms.DateTimePicker()
        Me.DataGridView1 = New
System.Windows.Forms.DataGridView()
        Me.Label1 = New
System.Windows.Forms.Label()
        Me.Button1 = New
System.Windows.Forms.Button()
        Me.btnmasuk = New
System.Windows.Forms.Button()
        Me.Label4 = New
System.Windows.Forms.Label()
        Me.PictureBox3 = New
System.Windows.Forms.PictureBox()
        Me.Button2 = New
System.Windows.Forms.Button()
        CType(Me.DataGridView1,
System.ComponentModel.ISupportInitialize).BeginInit()
        CType(Me.PictureBox3,
System.ComponentModel.ISupportInitialize).BeginInit()
        Me.SuspendLayout()
        '
        'Label2
        '
Me.Label2.AutoSize = True
Me.Label2.Location = New
System.Drawing.Point(358, 93)
Me.Label2.Name = "Label2"
Me.Label2.Size = New
System.Drawing.Size(12, 13)
Me.Label2.TabIndex = 114
Me.Label2.Text = "/"
        '
        'TextBox1
        '

```

```

        Me.TextBox1.BorderStyle =
System.Windows.Forms.BorderStyle.FixedSingleSingle
        Me.TextBox1.Location = New
System.Drawing.Point(501, 361)
        Me.TextBox1.Name =
"TextBox1"
        Me.TextBox1.Size = New
System.Drawing.Size(100, 20)
        Me.TextBox1.TabIndex = 113
'
'DateTimePicker2
'

Me.DateTimePicker2.Location =
New System.Drawing.Point(376, 87)
        Me.DateTimePicker2.Name =
"DateTimePicker2"
        Me.DateTimePicker2.Size =
New System.Drawing.Size(140, 20)
        Me.DateTimePicker2.TabIndex =
= 112
'
'DateTimePicker1
'

Me.DateTimePicker1.Location =
New System.Drawing.Point(207, 87)
        Me.DateTimePicker1.Name =
"DateTimePicker1"
        Me.DateTimePicker1.Size =
New System.Drawing.Size(140, 20)
        Me.DateTimePicker1.TabIndex =
= 111
'
'DataGridView1
'

Me.DataGridView1.AllowUserToAddRows =
= False

Me.DataGridView1.AllowUserToDeleteRo
ws = False

Me.DataGridView1.BackgroundColor =
System.Drawing.SystemColors.ButtonHi
ghlight

Me.DataGridView1.ColumnHeadersHeight
SizeMode =
System.Windows.Forms.DataGridViewColumnCol
umnHeadersHeightSizeMode.AutoSize
Me.DataGridView1.Location =
New System.Drawing.Point(50, 179)

        Me.DataGridView1.Name =
"DataGridView1"
        Me.DataGridView1.ReadOnly =
True
        Me.DataGridView1.Size = New
System.Drawing.Size(644, 172)
        Me.DataGridView1.TabIndex =
110
'
'Label1
'

Me.Label1.BackColor =
System.Drawing.Color.Transparent
        Me.Label1.Font = New
System.Drawing.Font("Bernard MT
Condensed", 12.0!, ,
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
        Me.Label1.Location = New
System.Drawing.Point(9, 140)
        Me.Label1.Name = "Label1"
        Me.Label1.Size = New
System.Drawing.Size(712, 22)
        Me.Label1.TabIndex = 109
        Me.Label1.Text = -----
-----
-----
-----
& -----
-----
-----
Me.Label1.TextAlign =
System.Drawing.ContentAlignment.Midd
leCenter
'
'Button1
'

Me.Button1.Font = New
System.Drawing.Font("Times New
Roman", 9.75!, ,
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
CType(0, Byte))
        Me.Button1.Image =
CType(resources.GetObject("Button1.I
mage"), System.Drawing.Image)
        Me.Button1.ImageAlign =
System.Drawing.ContentAlignment.Midd
leLeft
        Me.Button1.Location = New
System.Drawing.Point(535, 76)
        Me.Button1.Name = "Button1"

```

```

        Me.Button1.Size = New
        System.Drawing.Size(87, 31)
        Me.Button1.TabIndex = 107
        Me.Button1.Text = " Cari"
        Me.Button1.UseVisualStyleBackColor =
        True
        '
        'btnmasuk
        '
        Me.btnmasuk.Font = New
        System.Drawing.Font("Times New
        Roman", 9.75!,_
        System.Drawing.FontStyle.Regular,
        System.Drawing.GraphicsUnit.Point,
        CType(0, Byte))
        Me.btnmasuk.Image =
        CType(resources.GetObject("btnmasuk.
        Image"), System.Drawing.Image)
        Me.btnmasuk.ImageAlign =
        System.Drawing.ContentAlignment.Midd
        leLeft
        Me.btnmasuk.Location = New
        System.Drawing.Point(607, 355)
        Me.btnmasuk.Name =
        "btnmasuk"
        Me.btnmasuk.Size = New
        System.Drawing.Size(87, 31)
        Me.btnmasuk.TabIndex = 108
        Me.btnmasuk.Text = "
        Cetak"
        Me.btnmasuk.UseVisualStyleBackColor
        = True
        '
        'Label4
        '
        Me.Label4.BackColor =
        System.Drawing.Color.Transparent
        Me.Label4.Font = New
        System.Drawing.Font("Bernard MT
        Condensed", 12.0!,_
        System.Drawing.FontStyle.Regular,
        System.Drawing.GraphicsUnit.Point,
        CType(0, Byte))
        Me.Label4.Location = New
        System.Drawing.Point(39, 93)
        Me.Label4.Name = "Label4"
        Me.Label4.Size = New
        System.Drawing.Size(114, 58)
        Me.Label4.TabIndex = 106
        Me.Label4.Text = "LAPORAN
        DATA SIMPANAN"
        Me.Label4.TextAlign =
        System.Drawing.ContentAlignment.Midd
        leCenter
        '
        'PictureBox3
        '
        Me.PictureBox3.BackColor =
        System.Drawing.Color.Transparent
        Me.PictureBox3.BackgroundImageLayout =
        System.Windows.Forms.ImageLayout.Cen
        ter
        Me.PictureBox3.Image =
        CType(resources.GetObject("PictureBo
        x3.Image"), System.Drawing.Image)
        Me.PictureBox3.Location =
        New System.Drawing.Point(43, 12)
        Me.PictureBox3.Name =
        "PictureBox3"
        Me.PictureBox3.Size = New
        System.Drawing.Size(110, 79)
        Me.PictureBox3.SizeMode =
        System.Windows.Forms.PictureBoxSizeModeM
        ode.StretchImage
        Me.PictureBox3.TabIndex =
        105
        Me.PictureBox3.TabStop =
        False
        '
        'Button2
        '
        Me.Button2.Location = New
        System.Drawing.Point(125, 179)
        Me.Button2.Name = "Button2"
        Me.Button2.Size = New
        System.Drawing.Size(75, 23)
        Me.Button2.TabIndex = 115
        Me.Button2.Text = "Button2"
        Me.Button2.UseVisualStyleBackColor =
        True
        '
        'LAPORANDATASIMPANAN
        '
        Me.AutoScaleDimensions = New
        System.Drawing.SizeF(6.0!, 13.0!)
        Me.AutoScaleMode =
        System.Windows.Forms.AutoScaleMode.F
        ont
        Me.BackColor =
        System.Drawing.SystemColors.ButtonHi
        ghlight

```

```

        Me.ClientSize = New
System.Drawing.Size(731, 392)
        Me.Controls.Add(Me.Label2)
        Me.Controls.Add(Me.TextBox1)

        Me.Controls.Add(Me.DateTimePicker2)
        Me.Controls.Add(Me.DateTimePicker1)
        Me.Controls.Add(Me.DataGridView1)
            Me.Controls.Add(Me.Label1)
            Me.Controls.Add(Me.Button1)
            Me.Controls.Add(Me.btnmasuk)
            Me.Controls.Add(Me.Label14)

        Me.Controls.Add(Me.PictureBox3)
            Me.Controls.Add(Me.Button2)
            Me.Name =
" LAPORANDATASIMPANAN"
            Me.Text = " LAPORAN DATA
SIMPANAN"
            CType(Me.DataGridView1,
System.ComponentModel.ISupportInitialize).BeginInit()
            CType(Me.PictureBox3,
System.ComponentModel.ISupportInitialize).BeginInit()
            Me.ResumeLayout(False)
            Me.PerformLayout()

End Sub
Friend WithEvents Label2 As
System.Windows.Forms.Label
    Friend WithEvents TextBox1 As
System.Windows.Forms.TextBox
        Friend WithEvents
DateTimePicker2 As
System.Windows.Forms.DateTimePicker
        Friend WithEvents
DateTimePicker1 As
System.Windows.Forms.DateTimePicker
        Friend WithEvents DataGridView1
As System.Windows.Forms.DataGridView
        Friend WithEvents Label1 As
System.Windows.Forms.Label
        Friend WithEvents Button1 As
System.Windows.Forms.Button
        Friend WithEvents btnmasuk As
System.Windows.Forms.Button
        Friend WithEvents Label14 As
System.Windows.Forms.Label
        Friend WithEvents PictureBox3 As
System.Windows.Forms.PictureBox

```

```

        Friend WithEvents Button2 As
System.Windows.Forms.Button
End Class

LAPORAM PINJAM
<Global.Microsoft.VisualBasic.Compil
erServices.DesignerGenerated()> _
Partial Class LAPORANDATAPINJAMAN
    Inherits
System.Windows.Forms.Form

    'Form overrides dispose to clean
up the component list.

<System.Diagnostics.DebuggerNonUserC
ode()> _
    Protected Overrides Sub
Dispose(ByVal disposing As Boolean)
        Try
            If disposing AndAlso
components IsNot Nothing Then
                components.Dispose()
            End If
        Finally
            MyBase.Dispose(disposing)
        End Try
    End Sub

    'Required by the Windows Form
Designer
    Private components As
System.ComponentModel.IContainer

    'NOTE: The following procedure
is required by the Windows Form
Designer
    'It can be modified using the
Windows Form Designer.
    'Do not modify it using the code
editor.

<System.Diagnostics.DebuggerStepThrough()> _
    Private Sub
InitializeComponent()
        Dim resources As
System.ComponentModel.ComponentResourceManager =
New
System.ComponentModel.ComponentResourceManager

```

```

rceManager(GetType(LAPORANDATAPINJAM
AN))
    Me.Label2 = New
System.Windows.Forms.Label()
    Me.TextBox1 = New
System.Windows.Forms.TextBox()
    Me.DateTimePicker2 = New
System.Windows.Forms.DateTimePicker(
)
    Me.DateTimePicker1 = New
System.Windows.Forms.DateTimePicker(
)
    Me.DataGridView1 = New
System.Windows.Forms.DataGridView()
    Me.Label1 = New
System.Windows.Forms.Label()
    Me.Button1 = New
System.Windows.Forms.Button()
    Me.btnmasuk = New
System.Windows.Forms.Button()
    Me.Label4 = New
System.Windows.Forms.Label()
    Me.PictureBox3 = New
System.Windows.Forms.PictureBox()
    Me.Button2 = New
System.Windows.Forms.Button()
    CType(Me.DataGridView1,
System.ComponentModel.ISupportInitialize).BeginInit()
    CType(Me.PictureBox3,
System.ComponentModel.ISupportInitialize).BeginInit()
    Me.SuspendLayout()
    '
    'Label2
    '
    Me.Label2.AutoSize = True
    Me.Label2.Location = New
System.Drawing.Point(350, 97)
    Me.Label2.Name = "Label2"
    Me.Label2.Size = New
System.Drawing.Size(12, 13)
    Me.Label2.TabIndex = 113
    Me.Label2.Text = "/"
    '
    'TextBox1
    '
    Me.TextBox1.BorderStyle =
System.Windows.Forms.BorderStyle.FixedSingle
    Me.TextBox1.Location = New
System.Drawing.Point(478, 300)
    Me.TextBox1.Name = "TextBox1"
    Me.TextBox1.Size = New
System.Drawing.Size(100, 20)
    Me.TextBox1.TabIndex = 112
    '
    'DateTimePicker2
    '
    Me.DateTimePicker2.Location =
New System.Drawing.Point(370, 94)
    Me.DateTimePicker2.Name = "DateTimePicker2"
    Me.DateTimePicker2.Size = New
System.Drawing.Size(140, 20)
    Me.DateTimePicker2.TabIndex = 111
    '
    'DateTimePicker1
    '
    Me.DateTimePicker1.Location =
New System.Drawing.Point(201, 94)
    Me.DateTimePicker1.Name = "DateTimePicker1"
    Me.DateTimePicker1.Size = New
System.Drawing.Size(140, 20)
    Me.DateTimePicker1.TabIndex = 110
    '
    'DataGridView1
    '
    Me.DataGridView1.AllowUserToAddRows =
False
    Me.DataGridView1.AllowUserToDeleteRows =
False
    Me.DataGridView1.BackgroundColor =
System.Drawing.SystemColors.ButtonHighlight
    Me.DataGridView1.ColumnHeadersHeight =
System.Windows.Forms.DataGridViewColumnHeadersHeightSizeMode.ColumnHeadersHeightSizeMode
    Me.DataGridView1.ColumnHeadersHeightSizeMode =
System.Windows.Forms.DataGridViewColumnHeadersHeightSizeMode.AutoSize
    Me.DataGridView1.Location = New
System.Drawing.Point(44, 177)
    Me.DataGridView1.Name = "DataGridView1"
    Me.DataGridView1.ReadOnly = True
    Me.DataGridView1.Size = New
System.Drawing.Size(644, 181)

```

```

        Me.DataGridView1.TabIndex =
109
'
'Label1
'
Me.Label1.BackColor =
System.Drawing.Color.Transparent
Me.Label1.Font = New
System.Drawing.Font("Bernard MT
Condensed", 12.0!,,
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
 CType(0, Byte))
Me.Label1.Location = New
System.Drawing.Point(3, 147)
Me.Label1.Name = "Label1"
Me.Label1.Size = New
System.Drawing.Size(712, 22)
Me.Label1.TabIndex = 108
Me.Label1.Text = "-----"
-----
-----
& -
-----
-----
Me.Label1.TextAlign =
System.Drawing.ContentAlignment.MiddleCenter
'
'Button1
'
Me.Button1.Font = New
System.Drawing.Font("Times New
Roman", 9.75!,,
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
 CType(0, Byte))
Me.Button1.Image =
 CType(resources.GetObject("Button1.I
mage"), System.Drawing.Image)
Me.Button1.ImageAlign =
System.Drawing.ContentAlignment.Midd
leLeft
Me.Button1.Location = New
System.Drawing.Point(529, 83)
Me.Button1.Name = "Button1"
Me.Button1.Size = New
System.Drawing.Size(87, 31)
Me.Button1.TabIndex = 106
Me.Button1.Text = " Cari"
Me.Button1.UseVisualStyleBackColor =
True
'
'btnmasuk
'
Me.btnmasuk.Font = New
System.Drawing.Font("Times New
Roman", 9.75!,,
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
 CType(0, Byte))
Me.btnmasuk.Image =
 CType(resources.GetObject("btnmasuk.
Image"), System.Drawing.Image)
Me.btnmasuk.ImageAlign =
System.Drawing.ContentAlignment.Midd
leLeft
Me.btnmasuk.Location = New
System.Drawing.Point(601, 362)
Me.btnmasuk.Name =
"btnmasuk"
Me.btnmasuk.Size = New
System.Drawing.Size(87, 31)
Me.btnmasuk.TabIndex = 107
Me.btnmasuk.Text = "
Cetak"
Me.btnmasuk.UseVisualStyleBackColor
= True
'
'Label4
'
Me.Label4.BackColor =
System.Drawing.Color.Transparent
Me.Label4.Font = New
System.Drawing.Font("Bernard MT
Condensed", 12.0!,,
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
 CType(0, Byte))
Me.Label4.Location = New
System.Drawing.Point(33, 100)
Me.Label4.Name = "Label4"
Me.Label4.Size = New
System.Drawing.Size(114, 58)
Me.Label4.TabIndex = 105
Me.Label4.Text = "LAPORAN
DATA PINJAMAN"
Me.Label4.TextAlign =
System.Drawing.ContentAlignment.MiddleCenter
'
'PictureBox3
'

```

```

        Me.PictureBox3.BackColor =
System.Drawing.Color.Transparent

Me.PictureBox3.BackgroundImageLayout =
System.Windows.Forms.ImageLayout.Cen
ter
        Me.PictureBox3.Image =
CType(resources.GetObject("PictureBo
x3.Image"), System.Drawing.Image)
        Me.PictureBox3.Location =
New System.Drawing.Point(37, 23)
        Me.PictureBox3.Name =
"PictureBox3"
        Me.PictureBox3.Size = New
System.Drawing.Size(110, 79)
        Me.PictureBox3.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.SizeType.StretchImage
        Me.PictureBox3.TabIndex =
104
        Me.PictureBox3.TabStop =
False
'
'Button2
'
Me.Button2.Location = New
System.Drawing.Point(108, 197)
        Me.Button2.Name = "Button2"
        Me.Button2.Size = New
System.Drawing.Size(75, 23)
        Me.Button2.TabIndex = 114
        Me.Button2.Text = "Button2"

Me.Button2.UseVisualStyleBackColor =
True
'
'LAPORANDATAPINJAMAN
'
        Me.AutoScaleDimensions = New
System.Drawing.SizeF(6.0!, 13.0!)
        Me.AutoScaleMode =
System.Windows.Forms.AutoScaleMode.F
ont
        Me.BackColor =
System.Drawing.SystemColors.ButtonHi
ghlight
        Me.ClientSize = New
System.Drawing.Size(718, 416)
        Me.Controls.Add(Me.Label2)

Me.Controls.Add(Me.DateTimePicker2)

Me.Controls.Add(Me.DateTimePicker1)

Me.Controls.Add(Me.DataGridView1)
        Me.Controls.Add(Me.Label1)
        Me.Controls.Add(Me.Button1)
        Me.Controls.Add(Me.btnmasuk)
        Me.Controls.Add(Me.Label4)

Me.Controls.Add(Me.PictureBox3)
        Me.Controls.Add(Me.Button2)
        Me.Controls.Add(Me.TextBox1)
        Me.Name =
" LAPORANDATAPINJAMAN "
        Me.Text = " LAPORAN DATA
PINJAMAN "
        CType(Me.DataGridView1,
System.ComponentModel.ISupportInitialize).BeginInit()
        CType(Me.PictureBox3,
System.ComponentModel.ISupportInitialize).BeginInit()
        Me.ResumeLayout(False)
        Me.PerformLayout()

End Sub
Friend WithEvents Label2 As
System.Windows.Forms.Label
Friend WithEvents TextBox1 As
System.Windows.Forms.TextBox
Friend WithEvents
DateTimePicker2 As
System.Windows.Forms.DateTimePicker
Friend WithEvents
DateTimePicker1 As
System.Windows.Forms.DateTimePicker
Friend WithEvents
DateTimePicker As
System.Windows.Forms.DateTimePicker
Friend WithEvents DataGridView1
As System.Windows.Forms.DataGridView
Friend WithEvents Label1 As
System.Windows.Forms.Label
Friend WithEvents Button1 As
System.Windows.Forms.Button
Friend WithEvents btnmasuk As
System.Windows.Forms.Button
Friend WithEvents Label4 As
System.Windows.Forms.Label
Friend WithEvents PictureBox3 As
System.Windows.Forms.PictureBox
Friend WithEvents Button2 As
System.Windows.Forms.Button
End Class

LAPORAN ANGSURAN

```

```

<Global.Microsoft.VisualBasic.CompilerServices.DesignerGenerated()> _
Partial Class LAPORANANGSURAN
    Inherits
System.Windows.Forms.Form

    'Form overrides dispose to clean
    up the component list.

<System.Diagnostics.DebuggerNonUserCode()> _
    Protected Overrides Sub
Dispose(ByVal disposing As Boolean)
    Try
        If disposing AndAlso
components IsNot Nothing Then
            components.Dispose()
        End If
    Finally
        MyBase.Dispose(disposing)
    End Try
End Sub

    'Required by the Windows Form
Designer
    Private components As
System.ComponentModel.IContainer

    'NOTE: The following procedure
is required by the Windows Form
Designer
    'It can be modified using the
Windows Form Designer.
    'Do not modify it using the code
editor.

<System.Diagnostics.DebuggerStepThrough()> _
    Private Sub
InitializeComponent()
        Dim resources As
System.ComponentModel.ComponentResou
rceManager = New
System.ComponentModel.ComponentResou
rceManager(GetType(LAPORANANGSURAN))
        Me.PictureBox2 = New
System.Windows.Forms.PictureBox()
        Me.Label2 = New
System.Windows.Forms.Label()
        Me.DateTimePicker2 = New
System.Windows.Forms.DateTimePicker(
)
        Me.DateTimePicker1 = New
System.Windows.Forms.DateTimePicker(
)
        Me.DataGridView1 = New
System.Windows.Forms.DataGridView()
        Me.Label1 = New
System.Windows.Forms.Label()
        Me.Button1 = New
System.Windows.Forms.Button()
        Me.btnmasuk = New
System.Windows.Forms.Button()
        Me.Label4 = New
System.Windows.Forms.Label()
        Me.Button2 = New
System.Windows.Forms.Button()
        CType(Me.PictureBox2,
System.ComponentModel.ISupportInitialize).BeginInit()
        CType(Me.DataGridView1,
System.ComponentModel.ISupportInitialize).BeginInit()
        Me.SuspendLayout()
        '
        'PictureBox2
        '
        Me.PictureBox2.BackColor =
System.Drawing.Color.Transparent
        Me.PictureBox2.Image =
CType(resources.GetObject("PictureBo
x2.Image"), System.Drawing.Image)
        Me.PictureBox2.Location =
New System.Drawing.Point(12, 12)
        Me.PictureBox2.Name =
"PictureBox2"
        Me.PictureBox2.Size = New
System.Drawing.Size(110, 79)
        Me.PictureBox2.SizeMode =
System.Windows.Forms.PictureBoxSizeModeM
ode.StretchImage
        Me.PictureBox2.TabIndex =
137
        Me.PictureBox2.TabStop =
False
        '
        'Label2
        '
        Me.Label2.AutoSize = True
        Me.Label2.Location =
New System.Drawing.Point(327, 93)
        Me.Label2.Name = "Label2"
        Me.Label2.Size = New
System.Drawing.Size(12, 13)
        Me.Label2.TabIndex =
135

```

```

        Me.Label2.Text = "/"
        '
        'DateTimePicker2
        '
        Me.DateTimePicker2.Location =
        New System.Drawing.Point(345, 87)
        Me.DateTimePicker2.Name =
        "DateTimePicker2"
        Me.DateTimePicker2.Size =
        New System.Drawing.Size(140, 20)
        Me.DateTimePicker2.TabIndex =
        134
        '
        'DateTimePicker1
        '
        Me.DateTimePicker1.Location =
        New System.Drawing.Point(176, 87)
        Me.DateTimePicker1.Name =
        "DateTimePicker1"
        Me.DateTimePicker1.Size =
        New System.Drawing.Size(140, 20)
        Me.DateTimePicker1.TabIndex =
        133
        '
        'DataGridView1
        '

Me.DataGridView1.AllowUserToAddRows =
        False

Me.DataGridView1.AllowUserToDeleteRo-
ws = False

Me.DataGridView1.BackgroundColor =
        System.Drawing.SystemColors.ButtonHi-
ghlight

Me.DataGridView1.ColumnHeadersHeight =
        System.Windows.Forms.DataGridViewColumnHeader-
sHeightSizeMode.AutoSize
        Me.DataGridView1.Location =
        New System.Drawing.Point(19, 165)
        Me.DataGridView1.Name =
        "DataGridView1"
        Me.DataGridView1.ReadOnly =
        True
        Me.DataGridView1.Size = New
        System.Drawing.Size(644, 186)
        Me.DataGridView1.TabIndex =
        132
        '
        'Label1
        '
        Me.Label1.BackColor =
        System.Drawing.Color.Transparent
        Me.Label1.Font = New
        System.Drawing.Font("Bernard MT
        Condensed", 12.0!,_
        System.Drawing.FontStyle.Regular,
        System.Drawing.GraphicsUnit.Point,
        CType(0, Byte))
        Me.Label1.Location = New
        System.Drawing.Point(-22, 140)
        Me.Label1.Name = "Label1"
        Me.Label1.Size = New
        System.Drawing.Size(712, 22)
        Me.Label1.TabIndex = 131
        Me.Label1.Text = "-----"
        -----
        -----
        & _ -----
        -----
        -----
        Me.Label1.TextAlign =
        System.Drawing.ContentAlignment.Midd-
leCenter
        '
        'Button1
        '
        Me.Button1.Font = New
        System.Drawing.Font("Times New
        Roman", 9.75!,_
        System.Drawing.FontStyle.Regular,
        System.Drawing.GraphicsUnit.Point,
        CType(0, Byte))
        Me.Button1.Image =
        CType(resources.GetObject("Button1.I-
mage"), System.Drawing.Image)
        Me.Button1.ImageAlign =
        System.Drawing.ContentAlignment.Midd-
leLeft
        Me.Button1.Location = New
        System.Drawing.Point(504, 76)
        Me.Button1.Name = "Button1"
        Me.Button1.Size = New
        System.Drawing.Size(87, 31)
        Me.Button1.TabIndex = 129
        Me.Button1.Text = "    Cari"
        '
        Me.Button1.UseVisualStyleBackColor =
        True
        '
        'btnmasuk
        '

```

```

        Me.btnmasuk.Font = New
System.Drawing.Font("Times New
Roman", 9.75!, 
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
 CType(0, Byte))
        Me.btnmasuk.Image =
 CType(resources.GetObject("btnmasuk.
Image"), System.Drawing.Image)
        Me.btnmasuk.ImageAlign =
System.Drawing.ContentAlignment.MiddleLeft
        Me.btnmasuk.Location = New
System.Drawing.Point(595, 75)
        Me.btnmasuk.Name =
"btnmasuk"
        Me.btnmasuk.Size = New
System.Drawing.Size(87, 31)
        Me.btnmasuk.TabIndex = 130
        Me.btnmasuk.Text = "
Cetak"

Me.btnmasuk.UseVisualStyleBackColor
= True
'
        'Label4
'
        Me.Label4.BackColor =
System.Drawing.Color.Transparent
        Me.Label4.Font = New
System.Drawing.Font("Bernard MT
Condensed", 12.0!, 
System.Drawing.FontStyle.Regular,
System.Drawing.GraphicsUnit.Point,
 CType(0, Byte))
        Me.Label4.Location = New
System.Drawing.Point(8, 93)
        Me.Label4.Name = "Label4"
        Me.Label4.Size = New
System.Drawing.Size(114, 58)
        Me.Label4.TabIndex = 128
        Me.Label4.Text = "LAPORAN
DATA ANGSURAN"
        Me.Label4.TextAlign =
System.Drawing.ContentAlignment.MiddleCenter
'
        'Button2
'
        Me.Button2.Location = New
System.Drawing.Point(94, 179)
        Me.Button2.Name = "Button2"
        Me.Button2.Size = New
System.Drawing.Size(75, 23)
        Me.Button2.TabIndex = 136
        Me.Button2.Text = "Button2"
        Me.Button2.UseVisualStyleBackColor =
True
'
        'LAPORANANGSURAN
'
        Me.AutoScaleDimensions = New
System.Drawing.SizeF(6.0!, 13.0!)
        Me.AutoScaleMode =
System.Windows.Forms.AutoScaleMode.F
ont
        Me.ClientSize = New
System.Drawing.Size(695, 376)
        Me.Controls.Add(Me.PictureBox2)
        Me.Controls.Add(Me.Label2)
        Me.Controls.Add(Me.DateTimePicker2)
        Me.Controls.Add(Me.DateTimePicker1)
        Me.Controls.Add(Me.DataGridView1)
        Me.Controls.Add(Me.Label1)
        Me.Controls.Add(Me.Button1)
        Me.Controls.Add(Me.btnmasuk)
        Me.Controls.Add(Me.Label4)
        Me.Controls.Add(Me.Button2)
        Me.Name = "LAPORANANGSURAN"
        Me.Text = "LAPORANANGSURAN"
        CType(Me.PictureBox2,
System.ComponentModel.ISupportInitialize).EndInit()
        CType(Me.DataGridView1,
System.ComponentModel.ISupportInitialize).EndInit()
        Me.ResumeLayout(False)
        Me.PerformLayout()

End Sub
Friend WithEvents PictureBox2 As
System.Windows.Forms.PictureBox
Friend WithEvents Label2 As
System.Windows.Forms.Label
Friend WithEvents
DateTimePicker2 As
System.Windows.Forms.DateTimePicker
Friend WithEvents
DateTimePicker1 As
System.Windows.Forms.DateTimePicker

```

```
    Friend WithEvents DataGridView1
As System.Windows.Forms.DataGridView
    Friend WithEvents Label1 As
System.Windows.Forms.Label
    Friend WithEvents Button1 As
System.Windows.Forms.Button
    Friend WithEvents btnmasuk As
System.Windows.Forms.Button
    Friend WithEvents Label4 As
System.Windows.Forms.Label
    Friend WithEvents Button2 As
System.Windows.Forms.Button
End Class
```