

1. cek_login.php

```
<?php
include "../config/koneksi.php";
function antiinjection($data){
    $filter_sql =
mysql_real_escape_string(stripslashes(strip_tags(htmlspecialchars($data,ENT_QUOTES))));
    return $filter_sql;
}

$username = antiinjection($_POST['username']);
$pass    = antiinjection(md5($_POST['password']));

$login=mysql_query("SELECT * FROM admins WHERE
username='".$username' AND password='".$pass' AND blokir='N'");
$ketemu=mysql_num_rows($login);
$r=mysql_fetch_array($login);

// Apabila username dan password ditemukan
if ($ketemu > 0){
    session_start();
    $_SESSION['KCFINDER']=array();
    $_SESSION['KCFINDER']['disabled'] = false;
    $_SESSION['KCFINDER']['uploadURL'] = "../tinymcpuk/gambar";
    $_SESSION['KCFINDER']['uploadDir'] = "";

    $_SESSION[namauser]    = $r[username];
    $_SESSION[namalengkap] = $r[nama_lengkap];
    $_SESSION[passuser]    = $r[password];
    $_SESSION[leveluser]   = $r[level];

    header('location:media.php?module=home');
}
else{
    echo "<link href=../config/adminstyle.css rel=stylesheet type=text/css>";
    echo "<center>LOGIN GAGAL! <br>
        Username atau Password Anda tidak benar.<br>
        Atau account Anda sedang diblokir.<br>";
    echo "<a href=index.php><b>ULANGI LAGI</b></a></center>";
}
```

```
?>
```

2. content.php

```
<?php
include "../config/koneksi.php";
include "../config/library.php";
include "../config/fungsi_indotgl.php";
include "../config/fungsi_combobox.php";
include "../config/class_paging.php";
include "../config/fungsi_rupiah.php";

// Bagian Home
if ($_GET[module]=='home'){
    if ($_SESSION['leveluser']=='admin'){
        echo "<h2>Selamat Datang</h2>
              <p>Hai <b>$_SESSION[namalengkap]</b>, selamat datang di
              halaman Administrator.<br> Silahkan klik menu pilihan yang berada
              di sebelah kiri untuk mengelola content website. </p>

              <p>&nbsp;</p><p>&nbsp;</p><p>&nbsp;</p><p>&nbsp;</p><p>&nbsp;</p><p>&nbsp;</p>
              <p align=right>Login : $hari_ini, ";
        echo tgl_indo(date("Y m d"));
        echo " | ";
        echo date("H:i:s");
        echo " WIB</p>";
    }
}

// Bagian Modul
elseif ($_GET[module]=='modul'){
    if ($_SESSION['leveluser']=='admin'){
        include "modul/mod_modul/modul.php";
    }
}

elseif ($_GET[module]=='member'){
    if ($_SESSION['leveluser']=='admin'){
        include "modul/mod_member/member.php";
    }
}
```

```
}

// Bagian Kategori
elseif ($_GET[module]=='kategori'){
    if ($_SESSION['leveluser']=='admin'){
        include "modul/mod_kategori/kategori.php";
    }
}

elseif ($_GET[module]=='konsul'){
    if ($_SESSION['leveluser']=='admin'){
        include "modul/mod_konsultasi/konsultasi.php";
    }
}

elseif ($_GET[module]=='kat_artikel'){
    if ($_SESSION['leveluser']=='admin'){
        include "modul/mod_kat_artikel/kategori.php";
    }
}

// Bagian submenu
elseif ($_GET[module]=='submenu'){
    if ($_SESSION['leveluser']=='admin'){
        include "modul/mod_submenu/submenu.php";
    }
}

// Bagian submenu
elseif ($_GET[module]=='komentar'){
    if ($_SESSION['leveluser']=='admin'){
        include "modul/mod_komentar/komentar.php";
    }
}

elseif ($_GET[module]=='artikel'){
    if ($_SESSION['leveluser']=='admin'){
        include "modul/mod_artikel/berita.php";
    }
}
```

```
// Bagian Produk
elseif ($_GET[module]=='produk'){
    if ($_SESSION['leveluser']=='admin'){
        include "modul/mod_produk/produk.php";
    }
}

// Bagian Order
elseif ($_GET[module]=='order'){
    if ($_SESSION['leveluser']=='admin'){
        include "modul/mod_order/order.php";
    }
}

// Bagian Profil
elseif ($_GET[module]=='profil'){
    if ($_SESSION['leveluser']=='admin'){
        include "modul/mod_profil/profil.php";
    }
}

// Bagian Order
elseif ($_GET[module]=='hubungi'){
    if ($_SESSION['leveluser']=='admin'){
        include "modul/mod_hubungi/hubungi.php";
    }
}

// Bagian Cara Pembelian
elseif ($_GET[module]=='carabeli'){
    if ($_SESSION['leveluser']=='admin'){
        include "modul/mod_carabeli/carabeli.php";
    }
}

// Bagian Banner
elseif ($_GET[module]=='banner'){
    if ($_SESSION['leveluser']=='admin'){


```

```
        include "modul/mod_banner/banner.php";
    }
}

// Bagian Kota/Ongkos Kirim
elseif ($_GET[module]=='ongkoskirim'){
    if ($_SESSION['leveluser']=='admin'){
        include "modul/mod_ongkoskirim/ongkoskirim.php";
    }
}

// Bagian Password
elseif ($_GET[module]=='password'){
    if ($_SESSION['leveluser']=='admin'){
        include "modul/mod_password/password.php";
    }
}

// Bagian Laporan
elseif ($_GET[module]=='laporan'){
    if ($_SESSION['leveluser']=='admin'){
        include "modul/mod_laporan/laporan.php";
    }
}

// Bagian YM
elseif ($_GET[module]=='ym'){
    if ($_SESSION['leveluser']=='admin'){
        include "modul/mod_ym/ym.php";
    }
}

// Bagian Download
elseif ($_GET[module]=='download'){
    if ($_SESSION['leveluser']=='admin'){
        include "modul/mod_download/download.php";
    }
}

// Apabila modul tidak ditemukan
```

```
else{
    echo "<p><b>MODUL BELUM ADA ATAU BELUM
LENGKAP</b></p>";
}
?>
```

3. index.php

```
<html>
<head>
<title>Administrator Toko Online</title>
<script language="javascript">
function validasi(form){
    if (form.username.value == ""){
        alert("Anda belum mengisikan Username.");
        form.username.focus();
        return (false);
    }

    if (form.password.value == ""){
        alert("Anda belum mengisikan Password.");
        form.password.focus();
        return (false);
    }
    return (true);
}
</script>
<link href="style.css" rel="stylesheet" type="text/css" />
</head>
<body OnLoad="document.login.username.focus();">
<div id="header">
<div id="content">
    <h2>Login</h2>
    

    <form name="login" action="cek_login.php" method="POST"
onSubmit="return validasi(this)">
        <table>
            <tr><td>Username</td><td> : <input type="text"
name="username"></td></tr>
```

```
<tr><td>Password</td><td> : <input type="password"
name="password"></td></tr>
<tr><td colspan="2"><input type="submit" value="Login"></td></tr>
</table>
</form>
```

```
<p>&nbsp;</p>
</div>
<div id="footer">
    Copyright All rights reserved.
</div>
</div>
</body>
</html>
```

4. **logout.php**

```
<?php
    session_start();
    session_destroy();
    echo "<script>alert('Anda telah keluar dari Halaman Administrator');
window.location = './index.php'</script>";
?>
```

5. **media.php**

```
<?php
    error_reporting(0);

    session_start();

    if (empty($_SESSION[username]) AND empty($_SESSION[passuser])){
        echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
        echo "<a href=index.php><b>LOGIN</b></a></center>";
    }
    else{
?>

<html>
<head>
<title></title>
```

```

<script type="text/javascript"
src="../tinymce/tinymce/js/tinymce/tinymce.min.js"></script>
<script type="text/javascript">
    tinymce.init({
        selector: "textarea#loko",
        theme: "modern",
        plugins: [
            "advlist autolink lists link image charmap print preview
anchor",
            "searchreplace visualblocks code fullscreen",
            "insertdatetime media table contextmenu paste
responsivefilemanager "
        ],
        toolbar: "insertfile undo redo | responsivefilemanager | styleselect
| bold italic | alignleft aligncenter alignright alignjustify | bullist numlist
outdent indent | link image",
        image_advtab: true ,
        //autosave_ask_before_unload: false,
        max_height: 200,
        min_height: 300,
        height : 400,
        external_filemanager_path:"http://kusumasejati.com/filemanager/",
        filemanager_title:"Responsive Filemanager" ,
        external_plugins: { "filemanager" :
        "http://kusumasejati.com/tinymce/tinymce/js/tinymce/plugins/responsivefile
manager/plugin.min.js" }
    });
</script>

```

```

<link href="style.css" rel="stylesheet" type="text/css" />
</head>
<body>
<div id="header">
    <div id="menu">
        <ul>
            <li><a href=?module=home>? Home</a></li>
            <?php include "menu.php"; ?>
            <li><a href=logout.php>? Logout</a></li>

```

```

</ul>
<p>&nbsp;</p>
</div>

<div id="content">
    <?php include "content.php"; ?>
</div>

<div id="footer">
    Copyright &copy; 2016. All Rights Reserved.
</div>
</div>

</body>
</html>
<?php
}
?>
```

6. menu.php

```

<?php
include "../config/koneksi.php";

if ($_SESSION[leveluser]=='admin'){
    $sql=mysql_query("select * from modul where aktif='Y' order by urutan");
}
else{
    $sql=mysql_query("select * from modul where status='user' and aktif='Y'
order by urutan");
}
while ($m=mysql_fetch_array($sql)){
    echo "<li><a href='".$m[link]'">".$m[nama_modul]</a></li>";
}
?>
```

7. aksi_submenu.php

```

<?php
session_start();
if (empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
```

```

echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{
include "../../config/koneksi.php";
include "../../config/fungsi_thumb.php";
include "../../config/fungsi_seo.php";

$module=$_GET[module];
$act=$_GET[act];

// Hapus sub menu
if ($module=='submenu' AND $act=='hapus'){
mysql_query("DELETE FROM submenu WHERE id_sub='$_GET[id]'");
header('location:../../media.php?module='.$module);
}

// Input sub menu
elseif ($module=='submenu' AND $act=='input'){
$sub_seo = seo_title($_POST['nama_sub']);
mysql_query("INSERT INTO submenu(nama_sub,
id_kategori,
sub_seo)
VALUES('$_POST[nama_sub]',
'$_POST[menu_utama]',
'$sub_seo')");
header('location:../../media.php?module='.$module);
}

// Update sub menu
elseif ($module=='submenu' AND $act=='update'){
$sub_seo = seo_title($_POST['nama_sub']);
mysql_query("UPDATE submenu SET nama_sub = '$_POST[nama_sub]',
id_kategori = '$_POST[menu_utama]',
sub_seo = '$sub_seo'
WHERE id_sub = '$_POST[id]'");
header('location:../../media.php?module='.$module);
}
}

```

?>

8. submenu.php

```
<?php
session_start();
if (empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{
$aksi="modul/mod_submenu/aksi_submenu.php";
switch($_GET[act]){
// Tampil Sub Menu
default:
echo "<h2>Sub Menu</h2>
<input type=button class='tombol' value='Tambahkan Sub Menu'
onclick='window.location.href=?module=submenu&act=tambahsubmenu'>
<table>
<tr><th>No</th><th>Sub
Menu</th><th>Kategori</th><th>Aksi</th></tr>";
$stampil = mysql_query("SELECT * FROM submenu,kategori WHERE
submenu.id_kategori=kategori.id_kategori");

$no = 1;
while($r=mysql_fetch_array($stampil)){
echo "<tr><td>$no</td>
<td>$r[nama_sub]</td>
<td>$r[nama_kategori]</td>
<td><a
href=?module=submenu&act=editsubmenu&id=$r[id_sub]><b>Edit</b></a> |
<a
href=$aksi?module=submenu&act=hapus&id=$r[id_sub]><b>Hapus</b></a></td>
</tr>";
$no++;
}
}
```

```

echo "</table>";
break;

case "tambahsubmenu":
echo "<h2>Tambah Sub Menu</h2>
<form method=POST action='$aksi?module=submenu&act=input'>
<table>
<tr><td>Sub Menu</td> <td> : <input type=text
name='nama_sub'></td></tr>
<tr><td>Menu Utama</td> <td> :
<select name='menu_utama'>
<option value=0 selected>- Pilih Menu Utama -</option>;
$tampil=mysql_query("SELECT * FROM kategori ORDER BY
nama_kategori");
while($r=mysql_fetch_array($tampil)){
echo "<option value=$r[id_kategori]>$r[nama_kategori]</option>";
}
echo "</select></td></tr>
<tr><td colspan=2><input type=submit value=Simpan>
<input type=button value=Batal
onclick=self.history.back()></td></tr>
</table></form>";
break;

case "editsubmenu":
$edit = mysql_query("SELECT * FROM submenu WHERE
id_sub='$_GET[id]'");
$r = mysql_fetch_array($edit);

echo "<h2>Edit Sub Menu</h2>
<form method=POST action=$aksi?module=submenu&act=update>
<input type=hidden name=id value=$r[id_sub]>
<table>
<tr><td width=70>Sub Menu</td> <td> : <input type=text
name='nama_sub' value='$r[nama_sub]'></td></tr>
<tr><td>Menu Utama</td> <td> : <select name='menu_utama'>";

$tampil=mysql_query("SELECT * FROM kategori ORDER BY
nama_kategori");
if ($r[id_kategori]==0){

```

```

        echo "<option value=0 selected>- Pilih Kategori -</option>";
    }

    while($w=mysql_fetch_array($tampil)){
        if ($r[id_kategori]==$w[id_kategori]){
            echo "<option value=$w[id_kategori]
selected>$w[nama_kategori]</option>";
        }
        else{
            echo "<option
value=$w[id_kategori]>$w[nama_kategori]</option>";
        }
    }
    echo "</select></td></tr>
<tr><td colspan=2><input type=submit class='tombol' value=Update>
<input type=button class='tombol' value=Batal
onclick=self.history.back()></td></tr>
</table></form>";
    break;
}
}
?>
```

9. aksi_komentar.php

```

<?php
session_start();
if (empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{
include "../../config/koneksi.php";

$module=$_GET[module];
$act=$_GET[act];

// Hapus komentar
if ($module=='komentar' AND $act=='hapus'){


```

```

mysql_query("DELETE FROM komentar WHERE
id_komentar='$_GET[id]'");
header('location:../../media.php?module='.$module);
}

// Update komentar
elseif ($module=='komentar' AND $act=='update'){
mysql_query("UPDATE komentar SET nama_komentar =
'$_POST[nama_komentar]',
url      = '$_POST[url]',
isi_komentar = '$_POST[isi_komentar]',
aktif     = '$_POST[aktif]'
WHERE id_komentar = '$_POST[id]'");
header('location:../../media.php?module='.$module);
}
}
?>

```

10. komentar.php

```

<?php
session_start();
if (empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{
$aksi="modul/mod_komentar/aksi_komentar.php";
switch($_GET[act]){
// Tampil Komentar
default:
echo "<h2>Komentar</h2>
<table>

<tr><th>no</th><th>nama</th><th>komentar</th><th>aktif</th><th>aksi</th></tr>";

$p    = new Paging;
$batas = 10;
$posisi = $p->cariPosisi($batas);

```

```

$tampil=mysql_query("SELECT * FROM komentar ORDER BY
id_komentar DESC LIMIT $posisi,$batas");

$no = $posisi+1;
while ($r=mysql_fetch_array($tampil)){
echo "<tr><td>$no</td>
<td width=80>$r[nama_komentar]</td>
<td width=290>$r[isi_komentar]</td>
<td width=5 align=center>$r[aktif]</td>
<td><a
href=?module=komentar&act=editkomentar&id=$r[id_komentar]>Edit</a> |
<a
href=$aksi?module=komentar&act=hapus&id=$r[id_komentar]>Hapus</a>
</tr>";
$no++;
}
echo "</table>";
$jmldata=mysql_num_rows(mysql_query("SELECT * FROM
komentar"));
$jmlhalaman = $p->jumlahHalaman($jmldata, $batas);
$linkHalaman = $p->navHalaman($_GET[halaman], $jmlhalaman);

echo "<div id=paging>$linkHalaman</div><br>";
break;

case "editkomentar":
$edit = mysql_query("SELECT * FROM komentar WHERE
id_komentar='$_GET[id]'");
$r = mysql_fetch_array($edit);

echo "<h2>Edit Komentar</h2>
<form method=POST action=$aksi?module=komentar&act=update>
<input type=hidden name=id value=$r[id_komentar]>
<table>
<tr><td>Nama</td><td> : <input type=text name='nama_komentar'
size=30 value='$r[nama_komentar]'></td></tr>
<tr><td>Website</td><td> : <input type=text name='url' size=30
value='$r[url]'></td></tr>

```

```

<tr><td>Isi Komentar</td><td> <textarea name=isi_komentar
style='width: 600px; height: 150px;'>$r[isi_komentar]</textarea></td></tr>";

if ($r[aktif]=='Y'){
    echo "<tr><td>Aktif</td> <td> : <input type=radio name='aktif'
value='Y' checked>Y
                <input type=radio name='aktif' value='N'>
N</td></tr>";
}
else{
    echo "<tr><td>Aktif</td> <td> : <input type=radio name='aktif'
value='Y'>Y
                <input type=radio name='aktif' value='N'
checked>N</td></tr>";
}

echo "<tr><td colspan=2><input type=submit value=Update>
                <input type=button value=Batal
onclick=self.history.back()></td></tr>
            </table></form>";
break;
}
}
?>

```

11. aksi_berita.php

```

<?php
session_start();
if (empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
    echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
    echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{
include "../../config/koneksi.php";
include "../../config/library.php";
include "../../config/fungsi_thumb.php";
include "../../config/fungsi_seo.php";

$module=$_GET['module'];

```

```

$act=$_GET['act'];

// Hapus berita
if ($module=='artikel' AND $act=='hapus'){
    $data=mysql_fetch_array(mysql_query("SELECT gambar FROM berita
WHERE id_berita='$_GET[id]'"));
    if ($data['gambar']!=''){
        mysql_query("DELETE FROM berita WHERE id_berita='$_GET[id]'");
        unlink("../..../foto_berita/".$_GET[namafile]);
        unlink("../..../foto_berita/small_".$_GET[namafile]);
    }
    else{
        mysql_query("DELETE FROM berita WHERE id_berita='$_GET[id]'");
    }
    header('location:../../media.php?module='.$module);
}

// Input berita
elseif ($module=='artikel' AND $act=='input'){
    $lokasi_file = $_FILES['fupload']['tmp_name'];
    $tipe_file   = $_FILES['fupload']['type'];
    $nama_file   = $_FILES['fupload']['name'];
    $acak       = rand(1,99);
    $nama_file_unik = $acak.$nama_file;

    if (!empty($_POST['tag_seo'])){
        $tag_seo = $_POST['tag_seo'];
        $tag=implode(',',$tag_seo);
    }
    $judul_seo    = seo_title($_POST['judul']);

    // Apabila ada gambar yang diupload
    if (!empty($lokasi_file)){
        if ($tipe_file != "image/jpeg" AND $tipe_file != "image/pjpeg"){
            echo "<script>window.alert('Upload Gagal, Pastikan File yang di Upload
bertipe *.JPG');
            window.location='../../media.php?module=artikel';
        }
        else{
            UploadImage($nama_file_unik);
        }
    }
}

```

```
mysql_query("INSERT INTO berita(judul,
                                judul_seo,
                                id_kategori,
                                username,
                                isi_berita,
                                jam,
                                tanggal,
                                hari,
                                tag,
                                gambar)
VALUES('$_POST[judul]',
       '$judul_seo',
       '$_POST[kategori]',
       '$_SESSION[namauser]',
       '$_POST[isi_berita]',
       '$jam_sekarang',
       '$tgl_sekarang',
       '$hari_ini',
       '$tag',
       '$nama_file_unik')");

header('location:../../media.php?module='.$module);
}

}

else{
mysql_query("INSERT INTO berita(judul,
                                judul_seo,
                                id_kategori,
                                username,
                                isi_berita,
                                jam,
                                tanggal,
                                tag,
                                hari)
VALUES('$_POST[judul]',
       '$judul_seo',
       '$_POST[kategori]',
       '$_SESSION[namauser]',
       '$_POST[isi_berita]',
       '$jam_sekarang',
```

```

        '$tgl_sekarang',
        '$tag',
        '$hari_ini')");

header('location:../../media.php?module='.$module);
}

$jml=count($tag_seo);
for($i=0;$i<$jml;$i++){
    mysql_query("UPDATE tag SET count=count+1 WHERE
tag_seo='".$tag_seo[$i]."'");
}
}

// Update berita
elseif ($module=='artikel' AND $act=='update'){
$lokasi_file = $_FILES['fupload']['tmp_name'];
$tipe_file = $_FILES['fupload']['type'];
$nama_file = $_FILES['fupload']['name'];
$acak = rand(1,99);
$nama_file_unik = $acak.$nama_file;

if (!empty($_POST['tag_seo'])){
    $tag_seo = $_POST['tag_seo'];
    $tag=implode(',',$tag_seo);
}
}

$judul_seo = seo_title($_POST['judul']);

// Apabila gambar tidak diganti
if (empty($lokasi_file)){
    mysql_query("UPDATE berita SET judul      ='$_POST[judul]',
                                judul_seo  ='$judul_seo',
                                id_kategori ='$_POST[kategori]',

                                tag       ='$tag',
                                isi_berita ='$_POST[isi_berita]'

                                WHERE id_berita  ='$_POST[id]'");

header('location:../../media.php?module='.$module);
}
else{

```

```

if ($tipe_file != "image/jpeg" AND $tipe_file != "image/pjpeg"){
    echo "<script>window.alert('Upload Gagal, Pastikan File yang di Upload bertipe *.JPG');
    window.location='../../media.php?module=berita';
}
else{
    UploadImage($nama_file_unik);
    mysql_query("UPDATE berita SET judul      = '".$_POST[judul]',
                judul_seo   = '$judul_seo',
                id_kategori = '".$_POST[kategori]',
                tag        = '$tag',
                isi_berita  = '".$_POST[isi_berita]',
                gambar     = '$nama_file_unik'
                WHERE id_berita = '".$_POST[id]"');
    header('location:../../media.php?module='.$module);
}
}
}
}
?

```

12. berita.php

```

<?php
session_start();
if (empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
    echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
    echo "<a href='../../index.php'><b>LOGIN</b></a></center>";
}
else{

function GetCheckboxes($table, $key, $Label, $Nilai="") {
    $s = "select * from $table order by nama_tag";
    $r = mysql_query($s);
    $_arrNilai = explode(',', $Nilai);
    $str = "";
    while ($w = mysql_fetch_array($r)) {
        $_ck = (array_search($w[$key], $_arrNilai) === false)? "" : 'checked';

```

```

$str .= "<input type=checkbox name='".$key."[]' value='$w[$key]'"
$_ck>$w[$Label] ";
}
return $str;
}

$aksi="modul/mod_artikel/aksi_berita.php";
switch($_GET[act]){
// Tampil Berita
default:
echo "<h2 class='jd'>Berita</h2>
<input class='but flo' type=button value='Add New'
onclick=\"$window.location.href='?module=artikel&act=tambahberita';\">
<div class='cari flo'>
<form method=get action='$_SERVER[PHP_SELF]'>
<input type=hidden name=module value=berita>
<input type=text name=kata'> <input type=submit value='Search by
title'>
</form>
</div>
<div class='clear'></div>
";

if (empty($_GET['kata'])){
echo "<table class='tabel tabel-style'>
<tr><th>Title</th><th>Date</th><th>Action</th></tr>";

$p    = new Paging;
$batas = 10;
$posisi = $p->cariPosisi($batas);

if ($_SESSION[leveluser]=='admin'){
$tampil = mysql_query("SELECT * FROM berita ORDER BY id_berita
DESC LIMIT $posisi,$batas");
}
else{
$tampil=mysql_query("SELECT * FROM berita
WHERE username='$_SESSION[namauser]'
ORDER BY id_berita DESC LIMIT $posisi,$batas");
}
}

```

```

$no = $posisi+1;
while($r=mysql_fetch_array($tampil)){
    $tgl_posting=tgl_indo($r[tanggal]);
    echo "<tr>
        <td>$r[judul]</td>
        <td>$tgl_posting</td>
        <td><a href=?module=artikel&act=editberita&id=$r[id_berita]>Edit</a> |
            <a href=\"$aksi?module=artikel&act=hapus&id=$r[id_berita]&namafile=$r[gambar]\" onClick=\"return confirm('Apakah Anda benar-benar mau
menghapusnya?')\">Hapus</a></td>
        </tr>";
    $no++;
}
echo "</table>";

if ($_SESSION[leveluser]=='admin'){
    $jmldata = mysql_num_rows(mysql_query("SELECT * FROM berita"));
}
else{
    $jmldata = mysql_num_rows(mysql_query("SELECT * FROM berita
WHERE username='$_SESSION[namauser]'"));
}
$jmlhalaman = $p->jumlahHalaman($jmldata, $batas);
$linkHalaman = $p->navHalaman($_GET[halaman], $jmlhalaman);

echo "<div id=paging>$linkHalaman</div><br>";

break;
}
else{
echo "<table class='tabel tabel-style'>
<tr><th>Title</th><th>Date</th><th>Action</th></tr>";

$p    = new Paging9;
$batas = 15;
$posisi = $p->cariPosisi($batas);

```

```

if ($_SESSION[leveluser]=='admin'){
    $tampil = mysql_query("SELECT * FROM berita WHERE judul LIKE
'%$_GET[kata]%' ORDER BY id_berita DESC LIMIT $posisi,$batas");
}
else{
    $tampil=mysql_query("SELECT * FROM berita
        WHERE username='$_SESSION[namauser]'
        AND judul LIKE '%$_GET[kata]%'
        ORDER BY id_berita DESC LIMIT $posisi,$batas");
}

$no = $posisi+1;
while($r=mysql_fetch_array($tampil)){
    $tgl_posting=tgl_indo($r[tanggal]);
    echo "<tr>
        <td>$r[judul]</td>
        <td>$tgl_posting</td>
        <td><a
            href=?module=berita&act=editberita&id=$r[id_berita]>Edit</a> |
            <a
            href='$aksi?module=berita&act=hapus&id=$r[id_berita]&namafile=$r[gamb
ar]'>Hapus</a></td>
        </td></tr>";
    $no++;
}
echo "</table>";

if ($_SESSION[leveluser]=='admin'){
    $jmldata = mysql_num_rows(mysql_query("SELECT * FROM berita
WHERE judul LIKE '%$_GET[kata]%'"));
}
else{
    $jmldata = mysql_num_rows(mysql_query("SELECT * FROM berita
WHERE username='$_SESSION[namauser]' AND judul LIKE
'%$_GET[kata]%'"));
}
$jmlhalaman = $p->jumlahHalaman($jmldata, $batas);
$linkHalaman = $p->navHalaman($_GET[halaman], $jmlhalaman);

echo "<div id=paging>$linkHalaman</div><br>";

```

```

        break;
    }

case "tambahberita":
echo "<h2 class='jd'>Add Berita</h2>
<form method=POST action='$aksi?module=artikel&act=input'
enctype='multipart/form-data'>
<table style='border:none;'>
<tr><td>Judul : <br>
<input type=text name='judul' size=60></td></tr>
<tr><td>
Kategori : <br>
<select name='kategori'>
<option value=0 selected>- Pilih Kategori -</option>";
$tampil=mysql_query("SELECT * FROM kategori_artikel ORDER
BY nama_kategori");
while($r=mysql_fetch_array($tampil)){
echo "<option value=$r[id_kategori]>$r[nama_kategori]</option>";
}
echo "</select></td></tr>
<tr><td>
Isi Berita : <br>
<textarea name='isi_berita' style='width: 580px; height: 350px;' id='loko'></textarea></td></tr>
<tr><td>
Image Thumbnail : <br>
<input type=file name='fupload' size=40>
<br>Tipe gambar harus JPG/JPEG dan ukuran
lebar maks: 400 px</td></tr>";

echo "</td></tr>
<tr><td colspan=2><input type=submit value=Simpan>
<input type=button value=Batal
onclick=self.history.back()></td></tr>
</table></form>";
break;

```

```

case "editberita":
    $edit = mysql_query("SELECT * FROM berita WHERE
id_berita='$_GET[id]' AND username='$_SESSION[namauser]'");
    $r   = mysql_fetch_array($edit);

echo "<h2 class='jd'>Edit Berita</h2>
<form method=POST enctype='multipart/form-data'
action=$aksi?module=artikel&act=update>
<input type=hidden name=id value=$r[id_berita]>
<table>
<tr><td>Judul : <br><input type=text name='judul' size=60
value='$r[judul]'></td></tr>
<tr><td> Kategori : <br><select name='kategori'>";

$tampil=mysql_query("SELECT * FROM kategori_artikel ORDER
BY nama_kategori");
if ($r[id_kategori]==0){
    echo "<option value=0 selected>- Pilih Kategori -</option>";
}

while($w=mysql_fetch_array($tampil)){
if ($r[id_kategori]==$w[id_kategori]){
    echo "<option value=$w[id_kategori]
selected>$w[nama_kategori]</option>";
}
else{
    echo "<option
value=$w[id_kategori]>$w[nama_kategori]</option>";
}
}

echo "</select></td></tr>";

echo "<tr><td>Isi Berita : <br> <textarea id='loko' name='isi_berita'
style='width: 580px; height: 350px;'>$r[isi_berita]</textarea></td></tr>
<tr><td>Gambar : <br> ";
if ($r[gambar]!=""){
    echo "<img src='..foto_berita/small_$r[gambar]'>";
}

```

```

echo "</td></tr>
<tr><td>Ganti Gbr : <br> <input type='file' name='fupload' size=30>
*)</td></tr>
<tr><td colspan=2>*) Apabila gambar tidak diubah, dikosongkan
saja.</td></tr>";

$d = GetCheckboxes('tag', 'tag_seo', 'nama_tag', $r[tag]);

echo "<tr><td>Tag (Label)</td><td> $d </td></tr>";

echo "<tr><td colspan=2><input type='submit' value='Update'>
<input type='button' value='Batal
onclick=self.history.back()></td></tr>
</table></form>";
break;
}

}
?>
```

13. aksi_banner.php

```

<?php
session_start();
if (empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{
include "../../config/koneksi.php";
include "../../config/library.php";
include "../../config/fungsi_thumb.php";

$module=$_GET[module];
$act=$_GET[act];

// Hapus banner
if ($module=='banner' AND $act=='hapus'){


```

```

$data=mysql_fetch_array(mysql_query("SELECT gambar FROM banner
WHERE id_banner='$_GET[id]'"));
if ($data['gambar']!=''){
    mysql_query("DELETE FROM banner WHERE
id_banner='$_GET[id]'");
    unlink("../foto_banner/".$_GET[namafile]);
}
else{
    mysql_query("DELETE FROM banner WHERE id_banner='$_GET[id]'");
}
header('location:../../media.php?module='.$module);
}

// Input banner
elseif ($module=='banner' AND $act=='input'){
$lokasi_file = $_FILES['fupload']['tmp_name'];
$nama_file  = $_FILES['fupload']['name'];
$tipe_file  = $_FILES['fupload']['type'];

// Apabila ada gambar yang diupload
if (!empty($lokasi_file)){
    if ($tipe_file != "image/jpeg" AND $tipe_file != "image/pjpeg"){
        echo "<script>window.alert('Upload Gagal, Pastikan File yang di Upload
bertipe *.JPG');";
        window.location='../../media.php?module=banner';
    }
    else{
        UploadBanner($nama_file);
        mysql_query("INSERT INTO banner(judul,
url,
tgl_posting,
gambar)
VALUES('$_POST[judul]',
'$_POST[url]',
'$tgl_sekarang',
'$nama_file')");
    }
}
else{
    header('location:../../media.php?module='.$module);
}
}
else{

```

```

mysql_query("INSERT INTO banner(judul,
                                tgl_posting,
                                url)
VALUES('$_POST[judul]',
       '$tgl_sekarang',
       '$_POST[url]')");

header('location:../../media.php?module='.$module);
}

}

// Update banner
elseif ($module=='banner' AND $act=='update'){
$lokasi_file = $_FILES['fupload']['tmp_name'];
$nama_file  = $_FILES['fupload']['name'];
$tipe_file  = $_FILES['fupload']['type'];

// Apabila gambar tidak diganti
if (empty($lokasi_file)){
    mysql_query("UPDATE banner SET judul    = '$_POST[judul]',
                               url      = '$_POST[url]'
                           WHERE id_banner = '$_POST[id]'");

header('location:../../media.php?module='.$module);
}
else{
    if ($tipe_file != "image/jpeg" AND $tipe_file != "image/pjpeg"){
        echo "<script>window.alert('Upload Gagal, Pastikan File yang di Upload
bertipe *.JPG');";
        window.location='../../media.php?module=banner';
    }
    else{
        UploadBanner($nama_file);
        mysql_query("UPDATE banner SET judul    = '$_POST[judul]',
                               url      = '$_POST[url]',
                               gambar   = '$nama_file'
                           WHERE id_banner = '$_POST[id]'");

header('location:../../media.php?module='.$module);
    }
}
}
}
}

```

?>

14. banner.php

```
<?php
session_start();
if (empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{
$aksi="modul/mod_banner/aksi_banner.php";
switch($_GET[act]){
// Tampil Banner
default:
echo "<h2>Banner</h2>
<input type=button value='Tambah Banner'
onclick=location.href='?module=banner&act=tambahbanner'>
<table>
<tr><th>no</th><th>judul</th><th>url</th><th>tgl.
posting</th><th>aksi</th></tr>";
$tampil=mysql_query("SELECT * FROM banner ORDER BY id_banner
DESC");
$no=1;
while ($r=mysql_fetch_array($tampil)){
$tgl=tgl_indo($r[tgl_posting]);
echo "<tr><td>$no</td>
<td>$r[judul]</td>
<td><a href=$r[url] target=_blank>$r[url]</a></td>
<td>$tgl</td>
<td><a
href=?module=banner&act=editbanner&id=$r[id_banner]>Edit</a> |
<a
href='$aksi?module=banner&act=hapus&id=$r[id_banner]&namafile=$r[ga
mbar]'>Hapus</a>
</tr>";
$no++;
}
echo "</table>";
break;
}
```

```

case "tambahbanner":
    echo "<h2>Tambah Banner</h2>
        <form method=POST action='$aksi?module=banner&act=input'
        enctype='multipart/form-data'>
            <table>
                <tr><td>Judul</td><td> : <input type=text name='judul'
        size=30></td></tr>
                <tr><td>Url</td><td> : <input type=text name='url' size=50
        value='http://'/></td></tr>
                <tr><td>Gambar</td><td> : <input type=file name='fupload'
        size=40></td></tr>
                <tr><td colspan=2><input type=submit value=Simpan>
                    <input type=button value=Batal
        onclick=self.history.back()></td></tr>
            </table></form><br><br><br>";
    break;

case "editbanner":
    $edit = mysql_query("SELECT * FROM banner WHERE
id_banner='$_GET[id]'");
    $r   = mysql_fetch_array($edit);

    echo "<h2>Edit Banner</h2>
        <form method=POST enctype='multipart/form-data'
        action=$aksi?module=banner&act=update>
            <input type=hidden name=id value=$r[id_banner]>
            <table>
                <tr><td>Judul</td><td> : <input type=text name='judul' size=30
        value='$r[judul]'></td></tr>
                <tr><td>Url</td><td> : <input type=text name='url' size=50
        value='$r[url]'></td></tr>
                <tr><td>Gambar</td><td> : <img
        src='..foto_banner/$r[gambar]'></td></tr>
                <tr><td>Ganti Gbr</td><td> : <input type=file name='fupload'
        size=30> *></td></tr>
                <tr><td colspan=2>*) Apabila gambar tidak diubah, dikosongkan
        saja.</td></tr>
            <tr><td colspan=2><input type=submit value=Update>

```

```

        <input type=button value=Batal
        onclick=self.history.back()></td></tr>
    </table></form>";
    break;
}
}
?>
```

15. aksi_carabeli.php

```

<?php
session_start();
if (empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
    echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
    echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{
include "../../../config/koneksi.php";

$module=$_GET[module];
$act=$_GET[act];

// Update cara pembelian
if ($module=='carabeli' AND $act=='update'){
    mysql_query("UPDATE modul SET static_content = '$_POST[isi]'
        WHERE id_modul    = '$_POST[id]'");
    header('location:../../../media.php?module='.$module);
}
}
?>
```

16. carabeli.php

```

<?php
session_start();
if (empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
    echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
    echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{
```

```

$aksi="modul/mod_carabeli/aksi_carabeli.php";
switch($_GET[act]){
    // Tampil Cara Pembelian
    default:
        $sql = mysql_query("SELECT * FROM modul WHERE id_modul='45'");
        $r = mysql_fetch_array($sql);

        echo "<h2>Cara Pembelian</h2>
            <form method=POST action=$aksi?module=carabeli&act=update>
                <input type=hidden name=id value=$r[id_modul]>
                <table>
                    <tr><td><textarea name='isi' id='loko' style='width: 600px; height: 350px;'>$r[static_content]</textarea></td></tr>
                    <tr><td><input type=submit value=Update></td></tr>
                </form></table>";
        break;
    }
}
?>

```

17. aksi_hubungi.php

```

<?php
session_start();
if (empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
    echo "<link href='style.css' rel='stylesheet' type='text/css'>
        <center>Untuk mengakses modul, Anda harus login <br>";
    echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{
    include "../../../config/koneksi.php";

    $module=$_GET[module];
    $act=$_GET[act];

    // Hapus hubungi
    if ($module=='hubungi' AND $act=='hapus'){
        mysql_query("DELETE FROM hubungi WHERE
            id_hubungi='".$_GET[id]."');
        header('location:../../media.php?module='.$module);
    }
}

```

```
}
```

```
?>
```

18. hubungi.php

```
<?php
$aksi="modul/mod_hubungi/aksi_hubungi.php";
switch($_GET[act]){
// Tampil Hubungi Kami
default:
echo "<h2>Hubungi Kami</h2>
<table>

<tr><th>no</th><th>nama</th><th>email</th><th>subjek</th><th>tanggal
</th><th>aksi</th></tr>";

$p    = new Paging;
$batas = 10;
$posisi = $p->cariPosisi($batas);

$tampil=mysql_query("SELECT * FROM hubungi ORDER BY
id_hubungi DESC LIMIT $posisi, $batas");

$no = $posisi+1;
while ($r=mysql_fetch_array($tampil)){
$tgl=tgl_indo($r[tanggal]);
echo "<tr><td>$no</td>
<td>$r[nama]</td>
<td><a
href=?module=hubungi&act=balasemail&id=$r[id_hubungi]>$r[email]</a><
/td>
<td>$r[subjek]</td>
<td>$tgl</a></td>
<td><a
href=$aksi?module=hubungi&act=hapus&id=$r[id_hubungi]>Hapus</a>
</td></tr>";
$no++;
}
echo "</table>";
$jmldata=mysql_num_rows(mysql_query("SELECT * FROM hubungi"));
$jmlhalaman = $p->jumlahHalaman($jmldata, $batas);
```

```

$linkHalaman = $p->navHalaman($_GET[halaman], $jmlhalaman);

echo "<div id=paging>Hal: $linkHalaman</div><br>";
break;

case "balasemail":
    $tampil = mysql_query("SELECT * FROM hubungi WHERE
id_hubungi='$_GET[id]'");
    $r      = mysql_fetch_array($tampil);

echo "<h2>Reply Email</h2>
<form method=POST action=?module=hubungi&act=kirimemail>
<table>
<tr><td>Kepada</td><td> : <input type=text name=email' size=30
value='".$r[email]></td></tr>
<tr><td>Subjek</td><td> : <input type=text name=subjek' size=50
value='Re: $r[subjek]'></td></tr>
<tr><td>Pesan</td><td> <textarea name='pesan' style='width: 600px;
height: 350px;'><br><br><br><br>
```

```

-----  

-----  

$r[pesan]</textarea></td></tr>
<tr><td colspan=2><input type=submit value=Kirim>
        <input type=button value=Batal  

onclick=self.history.back()></td></tr>
</table></form>";
break;

case "kirimemail":
```

```

    $sql2 = mysql_query("select email_pengelola from modul where
id_modul='43'");
    $j2  = mysql_fetch_array($sql2);

    mail($_POST[email],$_POST[subjek],$_POST[pesan],"From:
$j2[email_pengelola]");
    echo "<h2>Status Email</h2>
<p>Email telah sukses terkirim ke tujuan</p>
<p>[ <a href=javascript:history.go(-2)>Kembali</a> ]</p>";
```

```
        break;
    }
?>
```

19. aksi_kategori_artikel.php

```
<?php
session_start();
if (empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
    echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
    echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{
include "../../../config/koneksi.php";
include "../../../config/fungsi_seo.php";

$module=$_GET[module];
$act=$_GET[act];

// Input kategori
if ($module=='kat_artikel' AND $act=='input'){
    $kategori_seo = seo_title($_POST['nama_kategori']);
    mysql_query("INSERT INTO kategori_artikel(nama_kategori,kategori_seo)
VALUES($_POST[nama_kategori],'$kategori_seo')");
    header('location:../../../media.php?module='.$module);
}

// Update kategori
elseif ($module=='kat_artikel' AND $act=='update'){
    $kategori_seo = seo_title($_POST['nama_kategori']);
    mysql_query("UPDATE kategori_artikel SET
nama_kategori='".$_POST[nama_kategori]', kategori_seo='".$kategori_seo'
        WHERE id_kategori = '".$_POST[id]"');
    header('location:../../../media.php?module='.$module);
}

else if ($module=='kat_artikel' AND $act=='hapus'){
    mysql_query("DELETE FROM kategori_artikel WHERE
id_kategori='".$_GET[id]"');
    header('location:../../../media.php?module='.$module);
```

```
}
```

```
}
```

```
?>
```

20. kategori_artikel.php

```
<?php
session_start();
if (empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{
$aksi="modul/mod_kat_artikel/aksi_kategori.php";
switch($_GET[act]){
// Tampil Kategori
default:
echo "<h2 class='jd'>Kategori Artikel</h2>
<input class='but' type='button value='Add New'
onclick=\"$window.location.href='?module=kat_artikel&act=tambahkategori';\"
">
<table class='tabel tabel-style'>
<tr><th>No</th><th>Title Kategori</th><th>Action</th></tr>";
$tampil=mysql_query("SELECT * FROM kategori_artikel ORDER BY
id_kategori DESC");
$no=1;
while ($r=mysql_fetch_array($tampil)){
echo "<tr><td>$no</td>
<td>$r[nama_kategori]</td>
<td><a
href=?module=kat_artikel&act=editkategori&id=$r[id_kategori]>Edit</a> |
<a
href=\"$aksi?module=kat_artikel&act=hapus&id=$r[id_kategori]\"
onClick=\"return confirm('Apakah Anda benar-benar mau
menghapusnya?')\">Hapus</a>
</td></tr>";
$no++;
}
}
```

```

echo "</table>";
echo "<div id=paging></div><br>";
break;

// Form Tambah Kategori
case "tambahkategori":
echo "<h2 class='jd'>Tambah Kategori Atikel</h2>
<form method=POST action='$aksi?module=kat_artikel&act=input'>
<table class='tabel-style'>
<tr><td>Nama Kategori</td><td> : <input type=text
name='nama_kategori'></td></tr>
<tr><td colspan=2><input type=submit name=submit value=Simpan>
<input type=button value=Batal
onclick=self.history.back()></td></tr>
</table></form>";
break;

// Form Edit Kategori
case "editkategori":
$edit=mysql_query("SELECT * FROM kategori_artikel WHERE
id_kategori='$_GET[id]'");
$r=mysql_fetch_array($edit);

echo "<h2 class='jd'>Edit Kategori Artikel</h2>
<form method=POST action=$aksi?module=kat_artikel&act=update>
<input type=hidden name=id value='$r[id_kategori]'>
<table class='tabel-style'>
<tr><td>Nama Kategori</td><td> : <input type=text
name='nama_kategori' value='$r[nama_kategori]'></td></tr>";
echo "<tr><td colspan=2><input type=submit value=Update>
<input type=button value=Batal
onclick=self.history.back()></td></tr>
</table></form>";
break;
}
}
?>
```

21. aksi_kategori.php

```
<?php
session_start();
if (empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
    echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
    echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{
include "../../../config/koneksi.php";
include "../../../config/fungsi_seo.php";

$module=$_GET[module];
$act=$_GET[act];

// Hapus Kategori
if ($module=='kategori' AND $act=='hapus'){
    mysql_query("DELETE FROM kategori WHERE
id_kategori='".$_GET[id]"');
    header('location:../../../media.php?module='.$module);
}

// Input kategori
elseif ($module=='kategori' AND $act=='input'){
    $kategori_seo = seo_title($_POST['nama_kategori']);
    mysql_query("INSERT INTO kategori(nama_kategori,kategori_seo)
VALUES($_POST[nama_kategori]','$kategori_seo')");
    header('location:../../../media.php?module='.$module);
}

// Update kategori
elseif ($module=='kategori' AND $act=='update'){
    $kategori_seo = seo_title($_POST['nama_kategori']);
    mysql_query("UPDATE kategori SET nama_kategori =
$_POST[nama_kategori]', kategori_seo='$kategori_seo' WHERE id_kategori
='$_POST[id]"');
    header('location:../../../media.php?module='.$module);
}
}
?>
```

22. kategori.php

```
<?php
$aksi="modul/mod_kategori/aksi_kategori.php";
switch($_GET[act]){
// Tampil Kategori
default:
echo "<h2>Kategori</h2>
<input type=button value='Tambah Kategori'
onclick=?window.location.href='?module=kategori&act=tambahkategori';">
<table>
<tr><th>no</th><th>nama kategori</th><th>aksi</th></tr>";
$tampil=mysql_query("SELECT * FROM kategori ORDER BY
id_kategori DESC");
$no=1;
while ($r=mysql_fetch_array($tampil)){
echo "<tr><td>$no</td>
<td>$r[nama_kategori]</td>
<td><a
href=?module=kategori&act=editkategori&id=$r[id_kategori]>Edit</a> |
<a
href=$aksi?module=kategori&act=hapus&id=$r[id_kategori]>Hapus</a>
</td></tr>";
$no++;
}
echo "</table>";
break;

// Form Tambah Kategori
case "tambahkategori":
echo "<h2>Tambah Kategori</h2>
<form method=POST action='$aksi?module=kategori&act=input'>
<table>
<tr><td>>Nama Kategori</td><td> : <input type=text
name='nama_kategori'></td></tr>
<tr><td colspan=2><input type=submit name=submit value=Simpan>
<input type=button value=Batal
onclick=self.history.back()></td></tr>
</table></form>";
break;
```

```

// Form Edit Kategori
case "editkategori":
    $edit=mysql_query("SELECT * FROM kategori WHERE
id_kategori='$_GET[id]'");
    $r=mysql_fetch_array($edit);

echo "<h2>Edit Kategori</h2>
<form method=POST action=$aksi?module=kategori&act=update>
<input type=hidden name=id value='$r[id_kategori]'>
<table>
<tr><td>>Nama Kategori</td><td> : <input type=text
name='nama_kategori' value='$r[nama_kategori]'></td></tr>
<tr><td colspan=2><input type=submit value=Update>
<input type=button value=Batal
onclick=self.history.back()></td></tr>
</table></form>";
break;
}
?>
```

23. laporan.php

```

<?php
session_start();
if (empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{
echo "<h2>Laporan</h2>
<input type=button value='Laporan Hari Ini'
onclick=\\\"window.location.href='modul/mod_laporan/pdf_toko_sekarang.php
';\\">

<form method=POST action='modul/mod_laporan/pdf_toko.php'>
<table>
<tr><td colspan=2><b>Laporan Per Periode</b></td></tr>
<tr><td>Dari Tanggal</td><td> : ">
```

```

        combotgl(1,31,'tgl_mulai',$tgl_skrg);
        combonamabln(1,12,'bln_mulai',$bln_sekarang);
        combothn(2000,$thn_sekarang,'thn_mulai',$thn_sekarang);

echo "</td></tr>
<tr><td>s/d Tanggal</td><td> : ";
combotgl(1,31,'tgl_selesai',$tgl_skrg);
combonamabln(1,12,'bln_selesai',$bln_sekarang);
combothn(2000,$thn_sekarang,'thn_selesai',$thn_sekarang);

echo "</td></tr>
<tr><td colspan=2><input type=submit value=Proses></td></tr>
</table>
</form>";
}

?>
```

24. pdf_toko.php

```

<?php
error_reporting(0);
session_start();
if (empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
    echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
    echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{

include "class.ezpdf.php";
include "../../config/koneksi.php";
include "rupiah.php";

$pdf = new Cezpdf();

// Set margin dan font
$pdf->ezSetCmMargins(3, 3, 3, 3);
$pdf->selectFont('fonts/Courier.afm');

$all = $pdf->openObject();
```

```

// Tampilkan logo
$pdf->setStrokeColor(0, 0, 0, 1);
$pdf->addJpegFromFile('logo.jpg',20,800,69);

// Teks di tengah atas untuk judul header
$pdf->addText(220, 820, 16,'<b>Laporan Penjualan</b>');
$pdf->addText(200, 800, 14,'<b>Toko Online Alice</b>');
// Garis atas untuk header
$pdf->line(10, 795, 578, 795);

// Garis bawah untuk footer
$pdf->line(10, 50, 578, 50);
// Teks kiri bawah
$pdf->addText(30,34,8,'Dicetak tgl:' . date( 'd-m-Y, H:i:s'));

$pdf->closeObject();

// Tampilkan object di semua halaman
$pdf->addObject($all, 'all');

// Baca input tanggal yang dikirimkan user
$mulai=$_POST[thn_mulai].'-'.$_POST[bln_mulai].'-'.$_POST[tgl_mulai];
$selesai=$_POST[thn_selesai].'-'.$_POST[bln_selesai].'-'
'.'.$_POST[tgl_selesai];

// Query untuk merelasikan kedua tabel di filter berdasarkan tanggal
$sql = mysql_query("SELECT orders.id_orders as
faktur,DATE_FORMAT(tgl_order, '%d-%m-%Y') as tanggal,
nama_produk,jumlah,harga
FROM orders, orders_detail, produk
WHERE (orders_detail.id_produk=produk.id_produk)
AND (orders_detail.id_orders=orders.id_orders)
AND (orders.status_order='Lunas')
AND (orders.tgl_order BETWEEN '$mulai' AND '$selesai')");
$jml = mysql_num_rows($sql);

if ($jml > 0){
$i = 1;
while($r = mysql_fetch_array($sql)){
$quantityharga=rp($r[jumlah]*$r[harga]);

```

```

$hargarp=rp($r[harga]);
$faktur=$r[faktur];

$data[$i]=array('<b>No</b>'=>$i,
                '<b>Faktur</b>'=>$faktur,
                '<b>Tanggal</b>'=>$r[tanggal],
                '<b>Nama Produk</b>'=>$r[nama_produk],
                '<b>Qty</b>'=>$r[jumlah],
                '<b>Harga</b>'=>$hargarp,
                '<b>Sub Total</b>'=>$quantityharga);
$total = $total+($r[jumlah]*$r[harga]);
$totqu = $totqu + $r[jumlah];
$i++;
}

$pdf->ezTable($data, ", ", ");

$tot=rp($total);
$pdf->ezText("\n\nTotal keseluruhan : Rp. {$tot}");
$pdf->ezText("\nJumlah yang terjual : {$jml} unit");
$pdf->ezText("Jumlah keseluruhan yg terjual: {$totqu} unit");

// Penomoran halaman
$pdf->ezStartPageNumbers(320, 15, 8);
$pdf->ezStream();
}
else{
$m=$_POST[tgl_mulai].'.'.$_POST[bln_mulai].'.'.$_POST[thn_mulai];
$s=$_POST[tgl_selesai].'.'.$_POST[bln_selesai].'.'.$_POST[thn_selesai];
echo "Tidak ada transaksi/order pada Tanggal $m s/d $s";
}
}
?>

```

25. pdf_toko_sekarang.php

```

<?php
session_start();
if (empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";

```

```

echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{
error_reporting(0);

include "class.ezpdf.php";
include "../../config/koneksi.php";
include "rupiah.php";

$pdf = new Cezpdf();

// Set margin dan font
$pdf->ezSetCmMargins(3, 3, 3, 3);
$pdf->selectFont('fonts/Courier.afm');

$all = $pdf->openObject();

// Tampilkan logo
$pdf->setStrokeColor(0, 0, 0, 1);
$pdf->addJpegFromFile('logo.jpg',20,800,69);

// Teks di tengah atas untuk judul header
$pdf->addText(180, 820, 16,'<b>Laporan Penjualan Harian</b>');
$pdf->addText(200, 800, 14,'<b>Toko Online Alice</b>');
// Garis atas untuk header
$pdf->line(10, 795, 578, 795);

// Garis bawah untuk footer
$pdf->line(10, 50, 578, 50);
// Teks kiri bawah
$pdf->addText(30,34,8,'Dicetak tgl:' . date( 'd-m-Y, H:i:s'));

$pdf->closeObject();

// Tampilkan object di semua halaman
$pdf->addObject($all, 'all');

$sekarang=date('Y-m-d');

// Query untuk merelasikan kedua tabel di filter berdasarkan tanggal

```

```

$sql = mysql_query("SELECT orders.id_orders as
faktur,DATE_FORMAT(tgl_order, '%d-%m-%Y') as tanggal,
nama_produk,jumlah,harga
FROM orders, orders_detail, produk
WHERE (orders_detail.id_produk=produk.id_produk)
AND (orders_detail.id_orders=orders.id_orders)
AND (orders.status_order='Lunas')
AND (orders.tgl_order='$sekarang')");
$jml = mysql_num_rows($sql);

if ($jml > 0){
$i = 1;
while($r = mysql_fetch_array($sql)){
$quantityharga=rp($r[jumlah]*$r[harga]);
$hargarp=rp($r[harga]);
$faktur=$r[faktur];

$data[$i]=array('<b>No</b>'=>$i,
'<b>Faktur</b>'=>$faktur,
'<b>Nama Produk</b>'=>$r[nama_produk],
'<b>Qty</b>'=>$r[jumlah],
'<b>Harga</b>'=>$hargarp,
'<b>Sub Total</b>'=>$quantityharga);
$total = $total+($r[jumlah]*$r[harga]);
$totqu = $totqu + $r[jumlah];
$i++;
}

$pdf->ezTable($data, ", ", ");

$tot=rp($total);
$pdf->ezText("\n\nTotal keseluruhan : Rp. {$tot}");
$pdf->ezText("\nJumlah yang terjual : {$jml} unit");
$pdf->ezText("Jumlah keseluruhan yg terjual: {$totqu} unit");

// Penomoran halaman
$pdf->ezStartPageNumbers(320, 15, 8);
$pdf->ezStream();
}
else{

```

```

$skrg=date('d-M-Y');
echo "Tidak ada transaksi/order pada Tanggal <b>$skrg</b><br /><br />
      <input type=button value=Kembali onclick=self.history.back()>";
}
}
?>
```

26. rupiah.php

```

<?php
function rp($uang){
    $rp = "";
    $digit = strlen($uang);

    while($digit > 3)
    {
        $rp = "." . substr($uang,-3) . $rp;
        $lebar = strlen($uang) - 3;
        $uang = substr($uang,0,$lebar);
        $digit = strlen($uang);
    }
    $rp = $uang . $rp . ",";
    return $rp;
}
?>
```

27. aksi_modul.php

```

<?php
session_start();
if (empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
    echo "<link href='style.css' rel='stylesheet' type='text/css'>
          <center>Untuk mengakses modul, Anda harus login <br>";
    echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{
    include "../../config/koneksi.php";

    $module=$_GET[module];
    $act=$_GET[act];

    // Hapus modul
```

```

if ($module=='modul' AND $act=='hapus'){
    mysql_query("DELETE FROM modul WHERE id_modul='$_GET[id]'");
    header('location:../../media.php?module='.$module);
}

// Input modul
elseif ($module=='modul' AND $act=='input'){
    // Cari angka urutan terakhir
    $u=mysql_query("SELECT urutan FROM modul ORDER by urutan
DESC");
    $d=mysql_fetch_array($u);
    $urutan=$d[urutan]+1;

    // Input data modul
    mysql_query("INSERT INTO modul(nama_modul,
                                link,
                                aktif,
                                urutan)
                VALUES('$_POST[nama_modul]',
                       '$_POST[link]',
                       '$_POST[aktif]',
                       '$urutan')");
    header('location:../../media.php?module='.$module);
}

// Update modul
elseif ($module=='modul' AND $act=='update'){
    mysql_query("UPDATE modul SET nama_modul =
'$_POST[nama_modul]',
                            link      = '$_POST[link]',
                            aktif     = '$_POST[aktif]',
                            urutan   = '$_POST[urutan]'
WHERE id_modul = '$_POST[id]'");
    header('location:../../media.php?module='.$module);
}
}
?>

```

28. modul.php

<?php

```

$aksi="modul/mod_modul/aksi_modul.php";
switch($_GET[act]){
    // Tampil Modul
    default:
        echo "<h2>Modul</h2>
            <input type=button value='Tambah Modul'
            onclick=\"$window.location.href='?module=modul&act=tambahmodul';\">
            <table>
                <tr><th>no</th><th>nama
modul</th><th>link</th><th>aktif</th><th>aksi</th></tr>";
                $tampil=mysql_query("SELECT * FROM modul ORDER BY urutan");
                while ($r=mysql_fetch_array($tampil)){
                    echo "<tr><td>$r[urutan]</td>
                        <td>$r[nama_modul]</td>
                        <td><a href=$r[link]>$r[link]</a></td>
                        <td align=center>$r[aktif]</td>
                        <td><a
href=?module=modul&act=editmodul&id=$r[id_modul]>Edit</a> |
                            <a
href=$aksi?module=modul&act=hapus&id=$r[id_modul]>Hapus</a>
                        </td></tr>";
                }
                echo "</table>";
                break;

    case "tambahmodul":
        echo "<h2>Tambah Modul</h2>
            <form method=POST action='$aksi?module=modul&act=input'>
            <table>
                <tr><td>Nama Modul</td> <td> : <input type=text
name='nama_modul'></td></tr>
                <tr><td>Link</td> <td> : <input type=text name='link'
size=30></td></tr>
                <tr><td>Aktif</td> <td> : <input type=radio name='aktif' value='Y'
checked>Y
                                <input type=radio name='aktif' value='N'>N
                </td></tr>
                <tr><td colspan=2><input type=submit value=Simpan>
                                <input type=button value=Batal
onclick=self.history.back()></td></tr>

```

```

        </table></form>";
        break;

    case "editmodul":
        $edit = mysql_query("SELECT * FROM modul WHERE
id_modul='$_GET[id]'");
        $r   = mysql_fetch_array($edit);

        echo "<h2>Edit Modul</h2>
        <form method=POST action=$aksi?module=modul&act=update>
        <input type=hidden name=id value='$r[id_modul]'>
        <table>
        <tr><td>>Nama Modul</td> <td> : <input type=text
name='nama_modul' value='$r[nama_modul]'></td></tr>
        <tr><td>Link</td> <td> : <input type=text name='link' size=30
value='$r[link]'></td></tr>";
        if ($r[aktif]=='Y'){
            echo "<tr><td>Aktif</td> <td> : <input type=radio name='aktif'
value='Y' checked>Y
                    <input type=radio name='aktif' value='N'>
N</td></tr>";
        }
        else{
            echo "<tr><td>Aktif</td> <td> : <input type=radio name='aktif'
value='Y'>Y
                    <input type=radio name='aktif' value='N'
checked>N</td></tr>";
        }
        echo "<tr><td>Urutan</td> <td> : <input type=text name='urutan'
size=1 value='$r[urutan]'></td></tr>
        <tr><td colspan=2><input type=submit value=Update>
                    <input type=button value=Batal
onclick=self.history.back()></td></tr>
        </table></form>";
        break;
    }
?>

```

29. aksi_password.php

```
<?php
```

```
session_start();
if (empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
    echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
    echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{
include "../../../config/koneksi.php";

$r=mysql_fetch_array(mysql_query("SELECT * FROM admins"));

$pass_lama=md5($_POST[pass_lama]);
$pass_baru=md5($_POST[pass_baru]);

if (empty($_POST[pass_baru]) OR empty($_POST[pass_lama]) OR
empty($_POST[pass_ulangi])){
    echo "<p align=center>Anda harus mengisikan semua data pada form Ganti
Password.<br />";
    echo "<a href=javascript:history.go(-1)><b>Ulangi Lagi</b></a></p>";
}
else{
// Apabila password lama cocok dengan password admin di database
if ($pass_lama==$r[password]){
    // Pastikan bahwa password baru yang dimasukkan sebanyak dua kali sudah
cocok
    if ($_POST[pass_baru]==$_POST[pass_ulangi]){
        mysql_query("UPDATE admins SET password = '$pass_baru'");
        header('location:../../../media.php?module=home');
    }
    else{
        echo "<p align=center>Password baru yang Anda masukkan sebanyak dua
kali belum cocok.<br />";
        echo "<a href=javascript:history.go(-1)><b>Ulangi Lagi</b></a></p>";
    }
}
else{
    echo "<p align=center>Anda salah memasukkan Password Lama Anda.<br
/>";
    echo "<a href=javascript:history.go(-1)><b>Ulangi Lagi</b></a></p>";
}
}
```

```
    }
}
?>
```

30. password.php

```
<?php
session_start();
if (empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
    echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
    echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{
    echo "<h2>Ganti Password</h2>
        <form method=POST
action=modul/mod_password/aksi_password.php>
        <table>
            <tr><td>Masukkan Password Lama</td><td> : <input type=text
name='pass_lama'></td></tr>
            <tr><td>Masukkan Password Baru</td><td> : <input type=text
name='pass_baru'></td></tr>
            <tr><td>Masukkan Lagi Password Baru</td><td> : <input type=text
name='pass_ulangi'></td></tr>
            <tr><td colspan=2><input type=submit value=Proses>
                <input type=button value=Batal
onclick=self.history.back()></td></tr>
        </table></form>";
}
?>
```

31. produk.php

```
<?php
session_start();
if (empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
    echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
    echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{
    $aksi="modul/mod_produk/aksi_produk.php";
}
```

```

switch($_GET[act]){
    // Tampil Produk
    default:
        echo "<h2>Produk</h2>
            <input type=button value='Tambah Produk'
            onclick='window.location.href=?module=produk&act=tambahproduk';\'>
            <table>
                <tr><th>no</th><th>nama
            produk</th><th>harga</th><th>aksi</th></tr>";
            $p      = new Paging;
            $batas  = 10;
            $posisi = $p->cariPosisi($batas);

            $stampil = mysql_query("SELECT * FROM produk ORDER BY
            id_produk DESC LIMIT $posisi,$batas");

            $no = $posisi+1;
            while($r=mysql_fetch_array($stampil)){
                $tanggal=tgl_indo($r[tgl_masuk]);
                $harga=format_rupiah($r[harga]);
                echo "<tr><td>$no</td>
                    <td>$r[nama_produk]</td>
                    <td>$harga</td>

                    <td><a
                    href=?module=produk&act=editproduk&id=$r[id_produk]>Edit</a> |
                    <a
                    href='$aksi?module=produk&act=hapus&id=$r[id_produk]&namafile=$r[gambar]'>Hapus</a></td>
                </tr>";
                $no++;
            }
            echo "</table>";

            $jmldata = mysql_num_rows(mysql_query("SELECT * FROM produk"));
            $jmlhalaman = $p->jumlahHalaman($jmldata, $batas);
            $linkHalaman = $p->navHalaman($_GET[halaman], $jmlhalaman);

```

```

echo "<div id=paging>Hal: $linkHalaman</div><br>";
break;

case "tambahproduk":
echo "<h2>Tambah Produk</h2>
<form method=POST action='$aksi?module=produk&act=input'
enctype='multipart/form-data'>
<table>
<tr><td width=100>Nama Produk</td> <td> : <input type=text
name='nama_produk' size=60></td></tr>
<tr><td>Kategori</td> <td> :
<select name='kategori'>
<option value=0 selected>- Pilih Kategori -</option>";
$tampil=mysql_query("SELECT * FROM kategori ORDER BY
nama_kategori");
while($r=mysql_fetch_array($tampil)){
echo "<option value=$r[id_kategori]>$r[nama_kategori]</option>";
}
echo "</select></td></tr>
<tr><td>Harga</td> <td> : <input type=text name='harga'
size=10></td></tr>
<tr><td>Deskripsi</td> <td> <textarea id='loko' name='deskripsi'
style='width: 580px; height: 350px;'></textarea></td></tr>
<tr><td>Gambar</td> <td> : <input type=file name='fupload'
size=40>
<br>Tipe gambar harus JPG/JPEG dan ukuran
lebar maks: 400 px</td></tr>
<tr><td colspan=2><input type=submit value=Simpan>
<input type=button value=Batal
onclick=self.history.back()></td></tr>
</table></form>";
break;

case "editproduk":
$edit = mysql_query("SELECT * FROM produk WHERE
id_produk='$_GET[id]'");
$r = mysql_fetch_array($edit);

echo "<h2>Edit Produk</h2>

```

```

<form method=POST enctype='multipart/form-data'
action=$aksi?module=produk&act=update>
    <input type=hidden name=id value=$r[id_produk]>
    <table>
        <tr><td width=70>Nama Produk</td> <td> : <input type=text
name='nama_produk' size=60 value='$r[nama_produk]'></td></tr>
        <tr><td>Kategori</td> <td> : <select name='kategori'>;
            $tampil=mysql_query("SELECT * FROM kategori ORDER BY
nama_kategori");
            if ($r[id_kategori]==0){
                echo "<option value=0 selected>- Pilih Kategori -</option>";
            }
            while($w=mysql_fetch_array($tampil)){
                if ($r[id_kategori]==$w[id_kategori]){
                    echo "<option value=$w[id_kategori]
selected>$w[nama_kategori]</option>";
                }
                else{
                    echo "<option
value=$w[id_kategori]>$w[nama_kategori]</option>";
                }
            }
            echo "</select></td></tr>
            <tr><td>Harga</td> <td> : <input type=text name='harga'
value=$r[harga] size=10></td></tr>
            <tr><td>Deskripsi</td> <td> <textarea id='loko' name='deskripsi'
style='width: 600px; height: 350px;'>$r[deskripsi]</textarea></td></tr>
            <tr><td>Gambar</td> <td> :
                <img src='..foto_produk/small_{$r[gambar]}'></td></tr>
            <tr><td>Ganti Gbr</td> <td> : <input type=file name='fupload'
size=30> *></td></tr>
            <tr><td colspan=2>*) Apabila gambar tidak diubah, dikosongkan
saja.</td></tr>
            <tr><td colspan=2><input type=submit value=Update>
                <input type=button value=Batal
onclick=self.history.back()></td></tr>
        </table></form>";
        break;
    
```

```
 }
}
?>
```

32. aksi_produk.php

```
<?php
session_start();
if (empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
    echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
    echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{
include "../../../config/koneksi.php";
include "../../../config/library.php";
include "../../../config/fungsi_thumb.php";
include "../../../config/fungsi_seo.php";

$module=$_GET[module];
$act=$_GET[act];

// Hapus produk
if ($module=='produk' AND $act=='hapus'){
    $data=mysql_fetch_array(mysql_query("SELECT gambar FROM produk
WHERE id_produk='$_GET[id]'"));
    if ($data['gambar']!=''){
        mysql_query("DELETE FROM produk WHERE
id_produk='$_GET[id]'");
        unlink("../..../foto_produk/$_GET[namafile]");
        unlink("../..../foto_produk/small_$_GET[namafile]");
    }
    else{
        mysql_query("DELETE FROM produk WHERE
id_produk='$_GET[id]'");
    }
    header('location:../../media.php?module='.$module);

mysql_query("DELETE FROM produk WHERE id_produk='$_GET[id]'");
header('location:../../media.php?module='.$module);
```

```

}

// Input produk
elseif ($module=='produk' AND $act=='input'){
    $lokasi_file = $_FILES['fupload']['tmp_name'];
    $tipe_file   = $_FILES['fupload']['type'];
    $nama_file   = $_FILES['fupload']['name'];
    $acak        = rand(1,99);
    $nama_file_unik = $acak.$nama_file;

    $produk_seo    = seo_title($_POST[nama_produk]);

    // Apabila ada gambar yang diupload
    if (!empty($lokasi_file)){
        if ($tipe_file != "image/jpeg" AND $tipe_file != "image/pjpeg"){
            echo "<script>window.alert('Upload Gagal, Pastikan File yang di Upload bertipe *.JPG');";
            window.location='../../media.php?module=produk';
        }
        else{
            UploadPro($nama_file_unik);

            mysql_query("INSERT INTO produk(nama_produk,
                                            produk_seo,
                                            id_kategori,
                                            harga,
                                            deskripsi,
                                            tgl_masuk,
                                            gambar)
                         VALUES('$_POST[nama_produk]',
                                '$produk_seo',
                                '$_POST[kategori]',
                                '$_POST[harga]',
                                '$_POST[deskripsi]',
                                '$tgl_sekarang',
                                '$nama_file_unik')");

            header('location:../../media.php?module='.$module);
        }
    }
    else{

```

```

mysql_query("INSERT INTO produk(nama_produk,
                                produk_seo,
                                id_kategori,
                                harga,
                                deskripsi,
                                tgl_posting)
VALUES('$_POST[nama_produk]',
       '$produk_seo',
       '$_POST[kategori]',
       '$_POST[harga]',
       '$_POST[deskripsi]',
       '$tgl_sekarang')");

header('location:../../media.php?module='.$module);
}

}

// Update produk
elseif ($module=='produk' AND $act=='update'){
$lokasi_file = $_FILES['fupload']['tmp_name'];
$tipe_file = $_FILES['fupload']['type'];
$nama_file = $_FILES['fupload']['name'];
$acak = rand(1,99);
$nama_file_unik = $acak.$nama_file;

$produk_seo = seo_title($_POST[nama_produk]);

// Apabila gambar tidak diganti
if (empty($lokasi_file)){
    mysql_query("UPDATE produk SET nama_produk =
'$_POST[nama_produk]',
                                produk_seo = '$produk_seo',
                                id_kategori = '$_POST[kategori]',
                                harga = '$_POST[harga]',
                                deskripsi = '$_POST[deskripsi]'
                                WHERE id_produk = '$_POST[id]'");
    header('location:../../media.php?module='.$module);
}
else{
    if ($tipe_file != "image/jpeg" AND $tipe_file != "image/pjpeg"){

```

```

echo "<script>window.alert('Upload Gagal, Pastikan File yang di Upload  

bertipe *.JPG');  

    window.location='../../media.php?module=produk'</script>";  

}  

else{  

    UploadPro($nama_file_unik);  

    mysql_query("UPDATE produk SET nama_produk =  

'$_POST[nama_produk]',  

        produk_seo = '$produk_seo',  

        id_kategori = '$_POST[kategori]',  

        harga = '$_POST[harga]',  

        deskripsi = '$_POST[deskripsi]',  

        gambar = '$nama_file_unik'  

        WHERE id_produk = '$_POST[id]');  

    header('location:../../media.php?module='.$module);  

}
}
}
}
?

```

33. aksi_profil.php

```

<?php
session_start();
if (empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
    echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
    echo "<a href='../../index.php'><b>LOGIN</b></a></center>";
}
else{
    include "../../../config/koneksi.php";
    include "../../../config/fungsi_thumb.php";

$module=$_GET[module];
$act=$_GET[act];

// Update profil
if ($module=='profil' AND $act=='update'){

```

```

mysql_query("UPDATE modul SET nama_toko      =
'$_POST[nama_toko]',
               meta_deskripsi = '$_POST[meta_deskripsi]',
               email_pengelola= '$_POST[email_pengelola]',
               nomor_hp      = '$_POST[nomor_hp]',
               static_content = '$_POST[isi]'

               WHERE id_modul      = '$_POST[id]"');

header('location:../../media.php?module='.$module);
}
}
?>

```

34. profil.php

```

<?php
$aksi="modul/mod_profil/aksi_profil.php";
switch($_GET[act]){
    // Tampil Profil
    default:
        $sql = mysql_query("SELECT * FROM modul WHERE id_modul='43'");
        $r = mysql_fetch_array($sql);

        echo "<h2>Profil Toko Online</h2>
              <form method=POST enctype='multipart/form-data'
action=$aksi?module=profil&act=update>
              <input type=hidden name=id value=$r[id_modul]>
              <table>
              <tr><td>>Nama Toko Online</td><td> : <input type=text
name='nama_toko' value='$r[nama_toko]' size=92></td></tr>
              <tr><td>Meta Deskripsi</td><td> : <input type=text
name='meta_deskripsi' value='$r[meta_deskripsi]' size=92></td></tr>
              <tr><td>Email Pengelola</td><td> : <input type=text
name='email_pengelola' value='$r[email_pengelola]' size=92></td></tr>
              <tr><td>No.HP Pengelola</td><td> : <input type=text
name='nomor_hp' value='$r[nomor_hp]' size=92></td></tr>
              <tr><td>Isi Profil Toko</td><td><textarea name='isi' style='width:
560px; height: 250px;' id='loko'$r[static_content]</textarea></td></tr>
              <tr><td colspan=2><input type=submit value=Update>
                  <input type=button value=Batal
onclick=self.history.back()></td></tr>
              </form></table>";

```

```

        break;
    }
?>

35. aksi_ym.php
<?php
session_start();
if (empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
    echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
    echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{
include "../../../config/koneksi.php";

$module=$_GET[module];
$act=$_GET[act];
$id=$_POST[id];

// Hapus YM
if ($module=='ym' AND $act=='hapus'){
    mysql_query("DELETE FROM mod_ym WHERE id='".$_GET[id]"");
    header('location:../../../media.php?module='.$module);
}

// Input YM
elseif ($module=='ym' AND $act=='input'){
    mysql_query("INSERT INTO mod_ym(nama,username)
VALUES('$_POST[nama]','$_POST[username]'')");
    header('location:../../../media.php?module='.$module);
}

// Update YM
elseif ($module=='ym' AND $act=='update'){
    mysql_query("UPDATE mod_ym SET
nama='$_POST[nama]',username='$_POST[username]' WHERE id = '$id'");
    header('location:../../../media.php?module='.$module);
}
}
?>
```

36. ym.php

```
<?php
$aksi="modul/mod_ym/aksi_ym.php";
switch($_GET[act]){
// Tampil YM
default:
echo "<h2>YM Status Module by MBJ</h2>
<input type=button value='Tambah YM'
onclick=\"window.location.href='?module=ym&act=tambahym';\">
<table>

<tr><th>no</th><th>nama</th><th>Username</th><th>aksi</th></tr>";
$tampil=mysql_query("SELECT * FROM mod_ym ORDER BY id
DESC");
$no=1;
while ($r=mysql_fetch_array($tampil)){
echo "<tr><td>$no</td>
<td>$r[nama]</td>
<td>$r[username]</td>
<td><a href=?module=ym&act=editym&id=$r[id]>Edit</a> |
<a href=$aksi?module=ym&act=hapus&id=$r[id]>Hapus</a>
</td></tr>";
$no++;
}
echo "</table>";
break;

// Form Tambah YM
case "tambahym":
echo "<h2>Tambah YM</h2>
<form method=POST action='$aksi?module=ym&act=input'>
<table>
<tr><td>Nama</td><td> : <input type=text name='nama'></td></tr>
<tr><td>Username</td><td> : <input type=text
name='username'></td></tr>
<tr><td colspan=2><input type=submit name=submit value=Simpan>
<input type=button value=Batal
onclick=self.history.back()></td></tr>
</table></form>";
break;
```

```

// Form Edit YM
case "editym":
    $edit=mysql_query("SELECT * FROM mod_ym WHERE
id='$_GET[id]'");
    $r=mysql_fetch_array($edit);

echo "<h2>Edit YM</h2>
<form method=POST action=$aksi?module=ym&act=update>
<input type=hidden name=id value='$r[id]'>
<table>
<tr><td>>Nama</td><td> : <input type=text name='nama'
value='$r[nama]'></td></tr>
<tr><td>Username</td><td> : <input type=text name='username'
value='$r[username]'></td></tr>
<tr><td colspan=2><input type=submit value=Update>
<input type=button value=Batal
onclick=self.history.back()></td></tr>
</table></form>";
break;
}
?>

```

37. library.php

```

<?php
//date_default_timezone_set('Asia/Jakarta'); // PHP 6 mengharuskan
penyebutan timezone.
$seminggu =
array("Minggu","Senin","Selasa","Rabu","Kamis","Jumat","Sabtu");
$hari = date("w");
$hari_ini = $seminggu[$hari];

$tgl_sekarang = date("Ymd");
$tgl_skrg   = date("d");
$bln_sekarang = date("m");
$thn_sekarang = date("Y");
$jam_sekarang = date("H:i:s");

$nama_bln=array(1=> "Januari", "Februari", "Maret", "April", "Mei",
"Juni", "Juli", "Agustus", "September",

```

```
    "Oktober", "November", "Desember");
?>
```

38. class_paging.php

```
<?php
// class paging untuk halaman administrator
class Paging{
// Fungsi untuk mencek halaman dan posisi data
function cariPosisi($batas){
if(empty($_GET[halaman])){
    $posisi=0;
    $_GET[halaman]=1;
}
else{
    $posisi = ($_GET[halaman]-1) * $batas;
}
return $posisi;
}

// Fungsi untuk menghitung total halaman
function jumlahHalaman($jmldata, $batas){
$jmlhalaman = ceil($jmldata/$batas);
return $jmlhalaman;
}

// Fungsi untuk link halaman 1,2,3 (untuk admin)
function navHalaman($halaman_aktif, $jmlhalaman){
$link_halaman = "";

// Link halaman 1,2,3, ...
for ($i=1; $i<=$jmlhalaman; $i++){
if ($i == $halaman_aktif){
    $link_halaman .= "<b>$i</b> | ";
}
else{
    $link_halaman .= "<a
href=$_SERVER[PHP_SELF]?module=$_GET[module]&halaman=$i>$i</a
> | ";
}
$link_halaman .= " ";
}
```

```

    }
    return $link_halaman;
}
}

// class paging untuk halaman produk (menampilkan semua produk)
class Paging2{
// Fungsi untuk mencek halaman dan posisi data
function cariPosisi($batas){
if(empty($_GET[halproduk])){
    $posisi=0;
    $_GET[halproduk]=1;
}
else{
    $posisi = ($_GET[halproduk]-1) * $batas;
}
return $posisi;
}

// Fungsi untuk menghitung total halaman
function jumlahHalaman($jmldata, $batas){
$jmlhalaman = ceil($jmldata/$batas);
return $jmlhalaman;
}

// Fungsi untuk link halaman 1,2,3
function navHalaman($halaman_aktif, $jmlhalaman){
$link_halaman = "";

// Link halaman 1,2,3, ...
for ($i=1; $i<=$jmlhalaman; $i++){
    if ($i == $halaman_aktif){
        $link_halaman .= "<b>$i</b> | ";
    }
    else{
        $link_halaman .= "<a href=halproduk-$i.html>$i</a> | ";
    }
    $link_halaman .= " ";
}

```

```

        return $link_halaman;
    }
}

// class paging untuk halaman kategori (menampilkan semua kategori)
class Paging3{
// Fungsi untuk mencek halaman dan posisi data
function cariPosisi($batas){
if(empty($_GET['halkategori'])){
    $posisi=0;
    $_GET['halkategori']=1;
}
else{
    $posisi = ($_GET['halkategori']-1) * $batas;
}
return $posisi;
}

// Fungsi untuk menghitung total halaman
function jumlahHalaman($jmldata, $batas){
$jmlhalaman = ceil($jmldata/$batas);
return $jmlhalaman;
}

// Fungsi untuk link halaman 1,2,3
function navHalaman($halaman_aktif, $jmlhalaman){
$link_halaman = "";
// Link halaman 1,2,3, ...
for ($i=1; $i<=$jmlhalaman; $i++){
if ($i == $halaman_aktif){
    $link_halaman .= "<b>$i</b> | ";
}
else{
    $link_halaman .= "<a href=halkategori-$_GET[id]-$i.html>$i</a> | ";
}
$link_halaman .= " ";
}
return $link_halaman;
}

```

```

}

// class paging untuk halaman agenda (menampilkan semua agenda)
class Paging4{
// Fungsi untuk mencek halaman dan posisi data
function cariPosisi($batas){
if(empty($_GET[halagenda])){
    $posisi=0;
    $_GET[halagenda]=1;
}
else{
    $posisi = ($_GET[halagenda]-1) * $batas;
}
return $posisi;
}

// Fungsi untuk menghitung total halaman
function jumlahHalaman($jmldata, $batas){
$jmlhalaman = ceil($jmldata/$batas);
return $jmlhalaman;
}

// Fungsi untuk link halaman 1,2,3
function navHalaman($halaman_aktif, $jmlhalaman){
$link_halaman = "";

// Link halaman 1,2,3, ...
for ($i=1; $i<=$jmlhalaman; $i++){
    if ($i == $halaman_aktif){
        $link_halaman .= "<b>$i</b> | ";
    }
    else{
        $link_halaman .= "<a href=halagenda-$i.html>$i</a> | ";
    }
    $link_halaman .= " ";
}
return $link_halaman;
}
}

```

```

// class paging untuk halaman download (menampilkan semua download)
class Paging5{
    // Fungsi untuk mencek halaman dan posisi data
    function cariPosisi($batas){
        if(empty($_GET[hownload])){
            $posisi=0;
            $_GET[hownload]=1;
        }
        else{
            $posisi = ($_GET[hownload]-1) * $batas;
        }
        return $posisi;
    }

    // Fungsi untuk menghitung total halaman
    function jumlahHalaman($jmldata, $batas){
        $jmlhalaman = ceil($jmldata/$batas);
        return $jmlhalaman;
    }

    // Fungsi untuk link halaman 1,2,3
    function navHalaman($halaman_aktif, $jmlhalaman){
        $link_halaman = "";

        // Link halaman 1,2,3, ...
        for ($i=1; $i<=$jmlhalaman; $i++){
            if ($i == $halaman_aktif){
                $link_halaman .= "<b>$i</b> | ";
            }
            else{
                $link_halaman .= "<a href=hownload-$i.html>$i</a> | ";
            }
            $link_halaman .= " ";
        }
        return $link_halaman;
    }
}

```

```

class PagingBerita{

function cariPosisi($batas){
if(empty($_GET['halaman'])){
    $posisi=0;
    $_GET['halaman']=1;
}
else{
    $posisi = ($_GET['halaman']-1) * $batas;
}
return $posisi;
}

function jumlahHalaman($jmldata, $batas){
$jmlhalaman = ceil($jmldata/$batas);
return $jmlhalaman;
}

function navHalaman($halaman_aktif, $jmlhalaman){
$link_halaman = "";

if($halaman_aktif > 1){
    $prev = $halaman_aktif-1;
    $link_halaman .= "<a href=halberita-1.html><< First</a>
                            <a href=halberita-$prev.html>< Prev</a> ";
}
else{
    $link_halaman .= "<span><< First</span> <span>< Prev</span> ";
}

$angka = ($halaman_aktif > 3 ? " ... " : " ");
for ($i=$halaman_aktif-2; $i<$halaman_aktif; $i++){
    if ($i < 1)
        continue;
    $angka .= "<a href=halberita-$i.html>$i</a> ";
}
}

```

```

}

$angka .= "<span>$halaman_aktif</span>";

for($i=$halaman_aktif+1; $i<($halaman_aktif+3); $i++){
if($i > $jmlhalaman)
    break;
$angka .= "<a href=halberita-$i.html>$i</a> ";
}
$angka .= ($halaman_aktif+2<$jmlhalaman ? " ... <a href=halberita-
$jmlhalaman.html>$jmlhalaman</a> " : " ");

$link_halaman .= "$angka";

if($halaman_aktif < $jmlhalaman){
    $next = $halaman_aktif+1;
    $link_halaman .= " <a href=halberita-$next.html>Next ></a>
                    <a href=halberita-$jmlhalaman.html>Last >></a> ";
}
else{
    $link_halaman .= " <span> Next > </span> <span>Last >> </span>";
}
return $link_halaman;
}
}

?>
```

39. fungsi_autolink.php

```

<?php
function autolink ($str){

$str = eregi_replace("[[:space:]]((f|ht)tps?:\/\/[a-z0-9~#% @\&:=?+\\\.,_-]+[a-z0-9~#% @\&=?+\\\._;-]+)", "\\\1<a href=\"\\\2\" target=\"_blank\">\\\2</a>", $str); //http

$str = eregi_replace("[[:space:]](www\.[a-z0-9~#% @\&:=?+\\\.,_-]+[a-z0-9~#% @\&=?+\\\._;-]+)", "\\\1<a href=\"http://\\\2\" target=\"_blank\">\\\2</a>", $str); // www.

$str = eregi_replace("[[:space:]](_\.0-9a-z-]+@[0-9a-z][0-9a-z-]+\.)+[a-z]{2,3})", "\\\1<a href=\"mailto:\\2\">\\\2</a>", $str); // mail
```

```

$str = eregi_replace("^((f|ht)tp:\:\/\/[a-z0-9~#% @\&:=?+\\.,-]+[a-z0-
9~#% @\&:=?+\_.;-]+)", "<a href=\"\\1\" target=\"_blank\">\\1</a>", $str);
//http
$str = eregi_replace("^/www\.[a-z0-9~#% @\&:=?+\\.,-]+[a-z0-
9~#% @\&:=?+\_.;-]+)", "<a href=\"http://\\1\" target=\"_blank\">\\1</a>",
$str); // www.
$str = eregi_replace("^(_).0-9a-z-]+@[0-9a-z][0-9a-z-]+\.)+[a-
z]{2,3})", "<a href=\"mailto:\\1\">\\1</a>", $str); // mail
return $str;
}
?>

```

40. fungsi_badword.php

```

<?php
function sensor($teks){
    $w = mysql_query("SELECT * FROM katajelek");
    while ($r = mysql_fetch_array($w)){
        $teks = str_ireplace($r[kata], $r[ganti], $teks);
    }
    return $teks;
}
?>

```

41. fungsi_combobox.php

```

<?php
function combotgl($awal, $akhir, $var, $terpilih){
    echo "<select name=$var>";
    for ($i=$awal; $i<=$akhir; $i++){
        $lebar=strlen($i);
        switch($lebar){
            case 1:
            {
                $g="0".$i;
                break;
            }
            case 2:
            {
                $g=$i;
                break;
            }
        }
        if ($g==$terpilih)
            echo "<option selected value=$g>$i</option>";
        else
            echo "<option value=$g>$i</option>";
    }
}
?>

```

```

        }
        if ($i==$terpilih)
            echo "<option value=$g selected>$g</option>";
        else
            echo "<option value=$g>$g</option>";
        }
        echo "</select> ";
    }

function combobln($awal, $akhir, $var, $terpilih){
    echo "<select name=$var>";
    for ($bln=$awal; $bln<=$akhir; $bln++){
        $lebar=strlen($bln);
        switch($lebar){
            case 1:
            {
                $b="0".$bln;
                break;
            }
            case 2:
            {
                $b=$bln;
                break;
            }
        }
        if ($bln==$terpilih)
            echo "<option value=$b selected>$b</option>";
        else
            echo "<option value=$b>$b</option>";
    }
    echo "</select> ";
}

function combothn($awal, $akhir, $var, $terpilih){
    echo "<select name=$var>";
    for ($i=$awal; $i<=$akhir; $i++){
        if ($i==$terpilih)
            echo "<option value=$i selected>$i</option>";
        else
            echo "<option value=$i>$i</option>";
    }
}

```

```

        }
        echo "</select> ";
    }

function combonamabln($awal, $akhir, $var, $terpilih){
    $nama_bln=array(1=> "Januari", "Februari", "Maret", "April", "Mei",
                    "Juni", "Juli", "Agustus", "September",
                    "Oktober", "November", "Desember");
    echo "<select name=$var>";
    for ($bln=$awal; $bln<=$akhir; $bln++){
        if ($bln==$terpilih)
            echo "<option value=$bln selected>$nama_bln[$bln]</option>";
        else
            echo "<option value=$bln>$nama_bln[$bln]</option>";
    }
    echo "</select> ";
}

?>

```

42. fungsi_indotgl.php

```

<?php
    function tgl_indo($tgl){
        $tanggal = substr($tgl,8,2);
        $bulan = getBulan(substr($tgl,5,2));
        $tahun = substr($tgl,0,4);
        return $tanggal.'.'.$bulan.'.'.$tahun;
    }

    function getBulan($bln){
        switch ($bln){
            case 1:
                return "Januari";
                break;
            case 2:
                return "Februari";
                break;
            case 3:
                return "Maret";
                break;
        }
    }

```

```

        case 4:
            return "April";
            break;
        case 5:
            return "Mei";
            break;
        case 6:
            return "Juni";
            break;
        case 7:
            return "Juli";
            break;
        case 8:
            return "Agustus";
            break;
        case 9:
            return "September";
            break;
        case 10:
            return "Oktober";
            break;
        case 11:
            return "November";
            break;
        case 12:
            return "Desember";
            break;
    }
}
?>

```

43. fungsi_rupiah.php

```

<?php
function format_rupiah($angka){
    $rupiah=number_format($angka,0,',','.');
    return $rupiah;
}
?>

```

44. fungsi_seo.php

```
<?php
function seo_title($s) {
    $c = array (' ');
    $d = array ('-',
        '/', '\\', '.', '#', ':', ';', '\'', "\\"", '[', ']', '{', '}', ')', '(', '|', '^', '~', '!', '@', '%', '$', '^', '&', '*', '=', '?', '+');

    $s = str_replace($d, " ", $s); // Hilangkan karakter yang telah disebutkan di
array $d

    $s = strtolower(str_replace($c, '-', $s)); // Ganti spasi dengan tanda - dan
ubah hurufnya menjadi kecil semua
    return $s;
}
?>
```

45. fungsi_thumb.php

```
<?php
function UploadImage($fupload_name){

    $vdir_upload = "../../foto_berita/";
    $vfile_upload = $vdir_upload . $fupload_name;

    move_uploaded_file($_FILES["fupload"]["tmp_name"], $vfile_upload);

    $im_src = imagecreatefromjpeg($vfile_upload);
    $src_width = imageSX($im_src);
    $src_height = imageSY($im_src);

    $dst_width = 70;
    $dst_height = 50;

    $im = imagecreatetruecolor($dst_width,$dst_height);
    imagecopyresampled($im, $im_src, 0, 0, 0, 0, $dst_width, $dst_height,
    $src_width, $src_height);
```

```
imagejpeg($im,$vdir_upload . "small_" . $fupload_name);

$dst_width2 = 400;
$dst_height2 = 250;

$im2 = imagecreatetruecolor($dst_width2,$dst_height2);
imagecopyresampled($im2, $im_src, 0, 0, 0, 0, $dst_width2, $dst_height2,
$src_width, $src_height);

imagejpeg($im2,$vdir_upload . "medium_" . $fupload_name);

imagedestroy($im_src);
imagedestroy($im);
imagedestroy($im2);
}

function UploadPro($fupload_name){

$vdir_upload = "../../foto_produk/";
$vfile_upload = $vdir_upload . $fupload_name;

move_uploaded_file($_FILES["fupload"]["tmp_name"], $vfile_upload);

$im_src = imagecreatefromjpeg($vfile_upload);
$src_width = imageSX($im_src);
$src_height = imageSY($im_src);

$dst_width = 70;
$dst_height = 50;

$im = imagecreatetruecolor($dst_width,$dst_height);
```

```
imagecopyresampled($im, $im_src, 0, 0, 0, 0, $dst_width, $dst_height,
$src_width, $src_height);

imagejpeg($im,$vdir_upload . "small_" . $fupload_name);

$dst_width2 = 400;
$dst_height2 = 250;

$im2 = imagecreatetruecolor($dst_width2,$dst_height2);
imagecopyresampled($im2, $im_src, 0, 0, 0, 0, $dst_width2, $dst_height2,
$src_width, $src_height);

imagejpeg($im2,$vdir_upload . "medium_" . $fupload_name);

imagedestroy($im_src);
imagedestroy($im);
imagedestroy($im2);
}

function UploadPasien($fupload_name){

$vdir_upload = "../../foto_pasien/";
$vfile_upload = $vdir_upload . $fupload_name;

move_uploaded_file($_FILES["fupload"]["tmp_name"], $vfile_upload);

$im_src = imagecreatefromjpeg($vfile_upload);
$src_width = imageSX($im_src);
$src_height = imageSY($im_src);

$dst_width = 160;
$dst_height = 160;
```

```
$im = imagecreatetruecolor($dst_width,$dst_height);
imagecopyresampled($im, $im_src, 0, 0, 0, 0, $dst_width, $dst_height,
$src_width, $src_height);

imagejpeg($im,$vdir_upload . "small_" . $fupload_name);

$dst_width2 = 160;
$dst_height2 = 160;

$im2 = imagecreatetruecolor($dst_width2,$dst_height2);
imagecopyresampled($im2, $im_src, 0, 0, 0, 0, $dst_width2, $dst_height2,
$src_width, $src_height);

imagejpeg($im2,$vdir_upload . "medium_" . $fupload_name);

imagedestroy($im_src);
imagedestroy($im);
imagedestroy($im2);
}

function UploadBanner($fupload_name){
//direktori banner
$vdir_upload = "../../foto_banner/";
$vfile_upload = $vdir_upload . $fupload_name;

//Simpan gambar dalam ukuran sebenarnya
move_uploaded_file($_FILES["fupload"]["tmp_name"], $vfile_upload);
}

function UploadFile($fupload_name){
//direktori file
$vdir_upload = "../../files/";
$vfile_upload = $vdir_upload . $fupload_name;
```

```
//Simpan gambar dalam ukuran sebenarnya  
move_uploaded_file($_FILES["fupload"]["tmp_name"], $vfile_upload);  
}  
  
?>
```

46. koneksi.php

```
<?php  
$server = "localhost";  
$username = "root";  
$password = "";  
$database = "arif";  
  
// Koneksi dan memilih database di server  
mysql_connect($server,$username,$password) or die("Koneksi gagal");  
mysql_select_db($database) or die("Database tidak bisa dibuka");  
?>
```

47. library.php

```
<?php  
//date_default_timezone_set('Asia/Jakarta'); // PHP 6 mengharuskan  
penyebutan timezone.  
$seminggu =  
array("Minggu", "Senin", "Selasa", "Rabu", "Kamis", "Jumat", "Sabtu");  
$hari = date("w");  
$hari_ini = $seminggu[$hari];  
  
$tgl_sekarang = date("Ymd");  
$tgl_skrg = date("d");  
$bln_sekarang = date("m");  
$thn_sekarang = date("Y");  
$jam_sekarang = date("H:i:s");  
  
$nama_bln=array(1=> "Januari", "Februari", "Maret", "April", "Mei",  
"Juni", "Juli", "Agustus", "September",  
"Oktober", "November", "Desember");  
?>
```

48. config.php

```
<?php
session_start();
mb_internal_encoding('UTF-8');
//-----
// DON'T COPY THIS VARIABLES IN FOLDERS config.php FILES
//-----

//*****
//Path configuration
//*****

// In this configuration the folder tree is
// root
//   |- source <- upload folder
//   |- thumbs <- thumbnail folder [must have write permission (755)]
//   |- filemanager
//   |- js
//     |- tinymce
//     |   |- plugins
//     |       |- responsivefilemanager
//     |       |- plugin.min.js

$root = rtrim($_SERVER['DOCUMENT_ROOT'],'/'); // don't touch this
parameter
$base_url="http://kusumasejati.com/"; // base url of site (without final /). If
you prefer relative urls leave empty
$upload_dir = '/upload/'; // path from base_url to base of upload folder (with
start and final /)
$current_path = '../upload/'; // relative path from filemanager folder to upload
folder (with final /)
//thumbs folder can't put inside upload folder
$thumbs_base_path = '../thumbs/'; // relative path from filemanager folder to
thumbs folder (with final /)

// OPTIONAL SECURITY
// if set to true only those will access RF whose url contains the access
key(akey) like:
```

```

// <input type="button"
href="../filemanager/dialog.php?field_id=imgField&lang=en_EN&akey=myP
rivateKey" value="Files">
// in tinymce a new parameter added:
filemanager_access_key:"myPrivateKey"
// example tinymce config:
// tiny init ...
//
// external_filemanager_path:"../filemanager/",
// filemanager_title:"Filemanager" ,
// filemanager_access_key:"myPrivateKey" ,
// ...
define('USE_ACCESS_KEYS', FALSE); // TRUE or FALSE

// add access keys eg: array('myPrivateKey', 'someoneElseKey');
// keys should only contain (a-z A-Z 0-9 \ . _ -) characters
// if you are integrating lets say to a cms for admins, i recommend making
keys randomized something like this:
// $username = 'Admin';
// $salt = 'dsflFWR9u2xQa' (a hard coded string)
// $akey = md5($username.$salt);
// DO NOT use 'key' as access key!
// Keys are CASE SENSITIVE!
$access_keys = array();

//-----
-----
// YOU CAN COPY AND CHANGE THESE VARIABLES INTO
FOLDERS config.php FILES TO CUSTOMIZE EACH FOLDER OPTIONS
//-----
-----

$MaxSizeUpload = 100; //Mb

// SERVER OVERRIDE
if ((int)(ini_get('post_max_size')) < $MaxSizeUpload){
    $MaxSizeUpload = (int)(ini_get('post_max_size'));
}

$default_language      = "en_EN"; //default language file name

```

```

$icon_theme          = "ico"; //ico or ico_dark you can cusatomize just
putting a folder inside filemanager/img
$show_folder_size    = TRUE; //Show or not show folder size in list view
feature in filemanager (is possible, if there is a large folder, to greatly increase
the calculations)
$show_sorting_bar    = TRUE; //Show or not show sorting feature in
filemanager
$transliteration     = FALSE; //active or deactivate the transliteration (mean
convert all strange characters in A..Za..z0..9 characters)
$convert_spaces      = FALSE; //convert all spaces on files name and folders
name with _
// -1: There is no lazy loading at all, 0: Always lazy-load images, 0+: The
minimum number of the files in a directory
// when lazy loading should be turned on.
$lazy_loading_file_number_threshold = 0;

//*****
//Images limit and resizing configuration
//*****

// set maximum pixel width and/or maximum pixel height for all images
// If you set a maximum width or height, oversized images are converted to
those limits. Images smaller than the limit(s) are unaffected
// if you don't need a limit set both to 0
$image_max_width = 0;
$image_max_height = 0;
$image_max_mode  = 'auto';
/*
# $option: 0 / exact = defined size;
#      1 / portrait = keep aspect set height;
#      2 / landscape = keep aspect set width;
#      3 / auto = auto;
#      4 / crop= resize and crop;
*/
//Automatic resizing //
// If you set $image_resizing to TRUE the script converts all uploaded images
exactly to image_resizing_width x image_resizing_height dimension

```

```

// If you set width or height to 0 the script automatically calculates the other
dimension
// Is possible that if you upload very big images the script not work to
overcome this increase the php configuration of memory and time limit
$image_resizing           = FALSE;
$image_resizing_width     = 0;
$image_resizing_height    = 0;
$image_resizing_mode      = 'auto'; // same as $image_max_mode
$image_resizing_override   = FALSE;
// If set to TRUE then you can specify bigger images than $image_max_width
& height otherwise if image_resizing is
// bigger than $image_max_width or height then it will be converted to those
values

//*****
// Default layout setting
//
// 0 => boxes
// 1 => detailed list (1 column)
// 2 => columns list (multiple columns depending on the width of the page)
// YOU CAN ALSO PASS THIS PARAMETERS USING SESSION VAR
=> $_SESSION['RF']['VIEW']=
//
//*****
$default_view = 0;

//set if the filename is truncated when overflow first row
$ellipsis_title_after_first_row = TRUE;

//*****
//Permissions configuration
//*****
$delete_files          = TRUE;
$create_folders         = TRUE;
$delete_folders         = TRUE;
$upload_files           = TRUE;
$rename_files            = TRUE;
$rename_folders          = TRUE;
$duplicate_files        = TRUE;
$copy_cut_files          = TRUE; // for copy/cut files

```

```

$copy_cut_dirs      = TRUE; // for copy/cut directories
$chmod_files       = FALSE; // change file permissions
$chmod_dirs         = FALSE; // change folder permissions
$preview_text_files = TRUE; // eg.: txt, log etc.
$edit_text_files   = TRUE; // eg.: txt, log etc.
$create_text_files = TRUE; // only create files with exts. defined in
$editable_text_file_exts

// you can preview these type of files if $preview_text_files is true
$previewable_text_file_exts = array('txt', 'log', 'xml');

// you can edit these type of files if $edit_text_files is true (only text based
files)
// you can create these type of files if $create_text_files is true (only text
based files)
// if you want you can add html,css etc.
// but for security reasons it's NOT RECOMMENDED!
$editable_text_file_exts = array('txt', 'log', 'xml');

// defines size limit for paste in MB / operation
// set 'FALSE' for no limit
$copy_cut_max_size = 100;
// defines file count limit for paste / operation
// set 'FALSE' for no limit
$copy_cut_max_count = 200;
//IF any of these limits reached, operation won't start and generate warning

*****  

//Allowed extensions (lowercase insert)
*****  

$ext_img = array('jpg', 'jpeg', 'png', 'gif', 'bmp', 'tiff', 'svg'); //Images
$ext_file = array('doc', 'docx', 'rtf', 'pdf', 'xls', 'xlsx', 'txt',
'csv', 'html', 'xhtml', 'psd', 'sql', 'log', 'fla', 'xml', 'ade', 'adp', 'mdb', 'accdb', 'ppt', 'pptx', 'o
dt', 'ots', 'ott', 'odb', 'odg', 'otp', 'otg', 'odf', 'ods', 'odp', 'css', 'ai'); //Files
$ext_video     = array('mov', 'mpeg', 'm4v', 'mp4', 'avi',
'mpg', 'wma', "flv", "webm"); //Video
$ext_music     = array('mp3', 'm4a', 'ac3', 'aiff', 'mid', 'ogg', 'wav'); //Audio
$ext_misc       = array('zip', 'rar', 'gz', 'tar', 'iso', 'dmg'); //Archives

```

```

$ext = array_merge($ext_img, $ext_file, $ext_misc, $ext_video,$ext_music);
//allowed extensions

/*****
* AVIARY config
*****
$aviary_active    = TRUE;
$aviary_key       = "dvh8qudbp6yx2bnp";
$aviary_secret    = "m6xaym5q42rpw433";
$aviary_version   = 3;
$aviary_language= 'en';

//The filter and sorter are managed through both javascript and php scripts
//because if you have a lot of
//file in a folder the javascript script can't sort all or filter all, so the
//filemanager switch to php script.
//The plugin automatic swich javascript to php when the current folder
//exceeds the below limit of files number
$file_number_limit_js = 500;

/*****
// Hidden files and folders
*****
// set the names of any folders you want hidden (eg "hidden_folder1",
//"hidden_folder2" ) Remember all folders with these names will be hidden
//(you can set any exceptions in config.php files on folders)
$hidden_folders = array();
// set the names of any files you want hidden. Remember these names will be
//hidden in all folders (eg "this_document.pdf", "that_image.jpg" )
$hidden_files = array('config.php');

/*****
* JAVA upload
*****
$java_upload = TRUE;
$JAVAMaxSizeUpload = 200; //Gb

/*****

```

```

//Thumbnail for external use creation
//*****


// New image resized creation with fixed path from filemanager folder after
uploading (thumbnails in fixed mode)
// If you want create images resized out of upload folder for use with external
script you can choose this method,
// You can create also more than one image at a time just simply add a value
in the array
// Remember than the image creation respect the folder hierarchy so if you are
inside source/test/test1/ the new image will create at
// path_from_filemanager/test/test1/
// PS if there isn't write permission in your destination folder you must set it
//
$fixed_image_creation      = FALSE; //activate or not the creation of
one or more image resized with fixed path from filemanager folder
$fixed_path_from_filemanager = array('../test','../test1'); //fixed path
of the image folder from the current position on upload folder
$fixed_image_creation_name_to_prepend = array(",test_"); //name to
prepend on filename
$fixed_image_creation_to_append     = array('_test'); //name to appendon
filename
$fixed_image_creation_width        = array(300,400); //width of image (you
can leave empty if you set height)
$fixed_image_creation_height       = array(200,"); //height of image (you
can leave empty if you set width)
/*
#      $option: 0 / exact = defined size;
#              1 / portrait = keep aspect set height;
#              2 / landscape = keep aspect set width;
#              3 / auto = auto;
#              4 / crop= resize and crop;
*/
$fixed_image_creation_option      = array('crop','auto'); //set the type of
the crop

// New image resized creation with relative path inside to upload folder after
uploading (thumbnails in relative mode)

```

```

// With Responsive filemanager you can create automatically resized image
inside the upload folder, also more than one at a time
// just simply add a value in the array
// The image creation path is always relative so if i'm inside source/test/test1
and I upload an image, the path start from here
//
$relative_image_creation      = FALSE; //activate or not the creation of
one or more image resized with relative path from upload folder
$relative_path_from_current_pos = array('thumb/','thumb/'); //relative
path of the image folder from the current position on upload folder
$relative_image_creation_name_to_prepend= array("test_"); //name to
prepend on filename
$relative_image_creation_name_to_append = array('_test'); //name to
append on filename
$relative_image_creation_width     = array(300,400); //width of image
(you can leave empty if you set height)
$relative_image_creation_height    = array(200,"); //height of image (you
can leave empty if you set width)
/*
#      $option: 0 / exact = defined size;
#          1 / portrait = keep aspect set height;
#          2 / landscape = keep aspect set width;
#          3 / auto = auto;
#          4 / crop= resize and crop;
*/
$relative_image_creation_option    = array('crop','crop'); //set the type of
the crop

// Remember text filter after close filemanager for future session
$remember_text_filter = FALSE;

?>

```

49. utils.php

```
<?php
```

```
if($_SESSION['RF']['verify'] != "RESPONSIVEfilemanager")
die('forbidden');
```

```
function deleteDir($dir) {
```

```

if (!file_exists($dir)) return true;
if (!is_dir($dir)) return unlink($dir);
foreach (scandir($dir) as $item) {
    if ($item == '.' || $item == '..') continue;
    if (!deleteDir($dir.DIRECTORY_SEPARATOR.$item)) return false;
}
return rmdir($dir);
}

function duplicate_file($old_path,$name){
    if(file_exists($old_path)){
        $info=pathinfo($old_path);
        $new_path=$info['dirname']."/".$name." ".$info['extension'];
        if(file_exists($new_path) && $old_path == $new_path) return false;
        return copy($old_path,$new_path);
    }
}

function rename_file($old_path,$name,$transliteration){
    $name=fix_filename($name,$transliteration);
    if(file_exists($old_path)){
        $info=pathinfo($old_path);
        $new_path=$info['dirname']."/".$name." ".$info['extension'];
        if(file_exists($new_path) && $old_path == $new_path) return false;
        return rename($old_path,$new_path);
    }
}

function rename_folder($old_path,$name,$transliteration){
    $name=fix_filename($name,$transliteration);
    if(file_exists($old_path)){
        $new_path=fix dirname($old_path)."/".$name;
        if(file_exists($new_path) && $old_path == $new_path) return false;
        return rename($old_path,$new_path);
    }
}

function create_img($imgfile, $imgthumb, $newwidth,
$newheight","", $option="crop") {
    $timeLimit= ini_get('max_execution_time');

```

```

set_time_limit(30);
$result= false;
if(image_check_memory_usage($imgfile,$newwidth,$newheight)){
    require_once('php_image_magician.php');
    $magicianObj = new imageLib($imgfile);
    $magicianObj -> resizeImage($newwidth, $newheight, $option);
    $magicianObj -> saveImage($imgthumb,80);
    $result= true;
}
set_time_limit($timeLimit);
return $result;
}

function makeSize($size) {
$units = array('B','KB','MB','GB','TB');
$u = 0;
while ( (round($size / 1024) > 0) && ($u < 4) ) {
    $size = $size / 1024;
    $u++;
}
return (number_format($size, 0) . " " . $units[$u]);
}

function foldersize($path) {
$total_size = 0;
$files = scandir($path);
$cleanPath = rtrim($path, '/'). '/';

foreach($files as $t) {
    if ($t != "." && $t != "..") {
        $currentFile = $cleanPath . $t;
        if (is_dir($currentFile)) {
            $size = foldersize($currentFile);
            $total_size += $size;
        }
        else {
            $size = filesize($currentFile);
            $total_size += $size;
        }
    }
}

```

```

    }

    return $total_size;
}

function filecount($path) {
    $total_count = 0;
    $files = scandir($path);
    $cleanPath = rtrim($path, '/'). '/';

    foreach($files as $t) {
        if ($t != "." && $t != "..") {
            $currentFile = $cleanPath . $t;
            if (is_dir($currentFile)) {
                $size = filecount($currentFile);
                $total_count += $size;
            }
            else {
                $total_count += 1;
            }
        }
    }

    return $total_count;
}

function create_folder($path=false,$path_thumbs=false){
    $oldumask = umask(0);
    if ($path && !file_exists($path))
        mkdir($path, 0755, true); // or even 01777 so you get the sticky bit set
    if($path_thumbs && !file_exists($path_thumbs))
        mkdir($path_thumbs, 0755, true) or die("$path_thumbs cannot be
found"); // or even 01777 so you get the sticky bit set
    umask($oldumask);
}

function check_files_extensions_on_path($path,$ext){
    if(!is_dir($path)){
        $fileinfo = pathinfo($path);
        if(!in_array(mb_strtolower($fileinfo['extension']),$ext))

```

```

        unlink($path);
    }else{
        $files = scandir($path);
        foreach($files as $file){
            check_files_extensions_on_path(trim($path,'')."/".$file,$ext);
        }
    }
}

function check_files_extensions_on_phar( $phar, &$files, $basepath, $ext ) {
    foreach( $phar as $file )
    {
        if( $file->isFile() )
        {
            if(in_array(mb_strtolower($file->getExtension()),$ext))
            {
                $files[] = $basepath.$file->getFileName();
            }
        }
        else if( $file->isDir() )
        {
            $iterator = new DirectoryIterator( $file );
            check_files_extensions_on_phar($iterator, $files, $basepath.$file-
>getFileName().'/', $ext);
        }
    }
}

function fix_get_params($str){
    return strip_tags(preg_replace( "/[^a-zA-Z0-9\.\[\]\-\ ]/", " ", $str));
}

function fix_filename($str,$transliteration,$convert_spaces=false){
    if ($convert_spaces) {
        $str=str_replace(' ','_', $str);
    }

    if($transliteration){
        if( function_exists( 'transliterator_transliterate' ) )
        {

```

```

    $str = transliterator_transliterate( 'Accents-Any', $str );
}
else
{
    $str = iconv('UTF-8', 'ASCII//TRANSLIT//IGNORE', $str);
}

$str = preg_replace( "/[^a-zA-Z0-9\.\[\]\-\]/", " ", $str );
}

$str=str_replace(array("", "", "/", "\\"), "", $str);
$str=strip_tags($str);

// Empty or incorrectly transliterated filename.
// Here is a point: a good file UNKNOWN_LANGUAGE.jpg could
become .jpg in previous code.
// So we add that default 'file' name to fix that issue.
if( strpos( $str, '.' ) === 0 )
{
    $str = 'file'.$str;
}

return trim( $str );
}

function fix dirname($str){
    return str_replace('~','dirname(str_replace(' ','~,$str)));
}

function fix strtoupper($str){
if( function_exists( 'mb_strtoupper' ) )
    return mb_strtoupper($str);
else
    return strtoupper($str);
}

function fix strtolower($str){
if( function_exists( 'mb_strtoupper' ) )
    return mb_strtolower($str);
}

```

```

    else
        return strtolower($str);
}

function fix_path($path,$transliteration,$convert_spaces=false){
    $info=pathinfo($path);
    $tmp_path = $info['dirname'];
    $str=fix_filename($info['filename'],$transliteration,$convert_spaces);
    if($tmp_path!="")
        return $tmp_path.DIRECTORY_SEPARATOR.$str;
    else
        return $str;
}

function base_url(){
    return sprintf(
        "%s://%s",
        isset($_SERVER['HTTPS']) && $_SERVER['HTTPS'] != 'off' ? 'https' :
        'http',
        $_SERVER['HTTP_HOST']
    );
}

function config_loading($current_path,$fld){
    if(file_exists($current_path.$fld.".config")){
        require_once($current_path.$fld.".config");
        return true;
    }
    echo "!!!!". $parent=fix_dirname($fld);
    if($parent!="." && !empty($parent)){
        config_loading($current_path,$parent);
    }
}

return false;
}

function image_check_memory_usage($img, $max_breedte, $max_hoogte){
    if(file_exists($img)){
        $K64 = 65536; // number of bytes in 64K

```

```

$memory_usage = memory_get_usage();
$memory_limit =
abs(intval(str_replace('M',"ini_get('memory_limit'))*1024*1024));
$image_properties = getimagesize($img);
$image_width = $image_properties[0];
$image_height = $image_properties[1];
$image_bits = $image_properties['bits'];
$image_memory_usage = $K64 + ($image_width * $image_height *
($image_bits ) * 2);
$thumb_memory_usage = $K64 + ($max_breedte * $max_hoogte *
($image_bits ) * 2);
$memory_needed = intval($memory_usage + $image_memory_usage +
$thumb_memory_usage);

if($memory_needed > $memory_limit){
    ini_set('memory_limit',(intval($memory_needed/1024/1024)+5) .
'M');
    if(ini_get('memory_limit') ==
(intval($memory_needed/1024/1024)+5) . 'M'){
        return true;
    }else{
        return false;
    }
}else{
    return true;
}
}else{
    return false;
}
}

function endsWith($haystack, $needle)
{
    return $needle === "" || substr($haystack, -strlen($needle)) === $needle;
}

function
new_thumbnails_creation($targetPath,$targetFile,$name,$current_path,$relative_image_creation,$relative_path_from_current_pos,$relative_image_creation_name_to_prepend,$relative_image_creation_name_to_append,$relative_i

```

```

mage_creation_width,$relative_image_creation_height,$relative_image_creat
ion_option,$fixed_image_creation,$fixed_path_from_filemanager,$fixed_im
age_creation_name_to_prepend,$fixed_image_creation_to_append,$fixed_im
age_creation_width,$fixed_image_creation_height,$fixed_image_creation_o
ption){

    //create relative thumbs
    $all_ok=true;
    if($relative_image_creation){
        foreach($relative_path_from_current_pos as $k=>$path){
            if($path!="" && $path[strlen($path)-1]!="") $path.= "/";
            if (!file_exists($targetPath.$path))
                create_folder($targetPath.$path,false);
            $info=pathinfo($name);
            if(!endsWith($targetPath,$path))
                if(!create_img($targetFile,
$targetPath.$path.$relative_image_creation_name_to-prepend[$k].$info['file
name'].$relative_image_creation_name_to_append[$k].".$.$info['extension'],
$relative_image_creation_width[$k], $relative_image_creation_height[$k],
$relative_image_creation_option[$k]))
                    $all_ok=false;
        }
    }
}

//create fixed thumbs
if($fixed_image_creation){
    foreach($fixed_path_from_filemanager as $k=>$path){
        if($path!="" && $path[strlen($path)-1]!="") $path.= "/";
        $base_dir=$path.substr_replace($targetPath, " ", 0, strlen($current_path));
        if (!file_exists($base_dir)) create_folder($base_dir,false);
        $info=pathinfo($name);
        if(!create_img($targetFile,
$base_dir.$fixed_image_creation_name_to-prepend[$k].$info['filename'].$fi
xed_image_creation_to_append[$k].".$.$info['extension'],
$fixed_image_creation_width[$k], $fixed_image_creation_height[$k],
$fixed_image_creation_option[$k]))
            $all_ok=false;
    }
}
return $all_ok;
}

```

```

// Get a remote file, using whichever mechanism is enabled
function get_file_by_url($url) {
    if (ini_get('allow_url_fopen')) {
        return file_get_contents($url);
    }
    if (!function_exists('curl_version')) {
        return false;
    }

    $ch = curl_init();

    curl_setopt($ch, CURLOPT_HEADER, 0);
    curl_setopt($ch, CURLOPT_RETURNTRANSFER, 1);
    curl_setopt($ch, CURLOPT_URL, $url);

    $data = curl_exec($ch);
    curl_close($ch);

    return $data;
}

// test for dir/file writability properly
function is_really_writable($dir){
    $dir = rtrim($dir, '/');
    // linux, safe off
    if (DIRECTORY_SEPARATOR == '/' && @ini_get("safe_mode") ==
FALSE){
        return is_writable($dir);
    }

    // Windows, safe ON. (have to write a file :S)
    if (is_dir($dir)){
        $dir = $dir.'/.md5(mt_rand(1,1000).mt_rand(1,1000));

        if (($fp = @fopen($dir, 'ab')) === FALSE){
            return FALSE;
        }
    }
}

```

```

fclose($fp);
@chmod($dir, 0755);
@unlink($dir);
return TRUE;
}
elseif ( ! is_file($dir) || ($fp = @fopen($dir, 'ab')) === FALSE){
    return FALSE;
}

fclose($fp);
return TRUE;
}

/***
* Check if a function is callable.
* Some servers disable copy,rename etc.
*
* Returns TRUE if callable and everything is OK
* Otherwise returns FALSE
*/
function is_function_callable($name){
    if (function_exists($name) === FALSE) return FALSE;
    $disabled = explode(',', ini_get('disable_functions'));
    return !in_array($name, $disabled);
}

// recursivly copies everything
function rcopy($source, $destination, $is_rec = FALSE) {
if (is_dir($source)) {
    if ($is_rec === FALSE){
        $pinfo = pathinfo($source);
        $destination = rtrim($destination,
        '/').DIRECTORY_SEPARATOR.$pinfo['basename'];
    }
    if (is_dir($destination) === FALSE){
        mkdir($destination, 0755, true);
    }
}

$files = scandir($source);
foreach ($files as $file){

```

```

        if ($file != "." && $file != "..") {
            rcopy($source.DIRECTORY_SEPARATOR.$file,
rtrim($destination, '/').DIRECTORY_SEPARATOR.$file, TRUE);
        }
    }
}
else {
    if (file_exists($source)){
        if (is_dir($destination) === TRUE){
            $pinfo = pathinfo($source);
            $dest2 = rtrim($destination,
'').DIRECTORY_SEPARATOR.$pinfo['basename'];
        }
        else {
            $dest2 = $destination;
        }

        copy($source, $dest2);
    }
}
}

// recursivly renames everything
// I know copy and rename could be done with just one function
// but i split the 2 because sometimes rename fails on windows
// Need more feedback from users and refactor if needed
function rrename($source, $destination, $is_rec = FALSE) {
    if (is_dir($source)) {
        if ($is_rec === FALSE){
            $pinfo = pathinfo($source);
            $destination = rtrim($destination,
'').DIRECTORY_SEPARATOR.$pinfo['basename'];
        }
        if (is_dir($destination) === FALSE){
            mkdir($destination, 0755, true);
        }

        $files = scandir($source);
        foreach ($files as $file){
            if ($file != "." && $file != "..") {

```

```

        rrename($source.DIRECTORY_SEPARATOR.$file,
rtrim($destination, '/').DIRECTORY_SEPARATOR.$file, TRUE);
    }
}
else {
    if (file_exists($source)){
        if (is_dir($destination) === TRUE){
            $pinfo = pathinfo($source);
            $dest2 = rtrim($destination,
'').DIRECTORY_SEPARATOR.$pinfo['basename'];
        }
        else {
            $dest2 = $destination;
        }
    }

    rename($source, $dest2);
}
}
}

// On windows rename leaves folders sometime
// This will clear leftover folders
// After more feedback will merge it with rrename
function rrename_after_cleaner($source) {
    $files = scandir($source);

    foreach ($files as $file) {
        if ($file != "." && $file != "..") {
            if (is_dir($source.DIRECTORY_SEPARATOR.$file)){

                rrename_after_cleaner($source.DIRECTORY_SEPARATOR.$file);
            }
            else {
                unlink($source.DIRECTORY_SEPARATOR.$file);
            }
        }
    }

    return rmdir($source);
}

```

```

}

function rchmod($source, $mode, $rec_option = "none", $is_rec = FALSE){
    if ($rec_option == "none")
    {
        chmod($source, $mode);
    }
    else
    {
        if ($is_rec === FALSE){
            chmod($source, $mode);
        }
    }

    $files = scandir($source);

    foreach ($files as $file)
    {
        if ($file != "." && $file != "..")
        {
            if (is_dir($source.DIRECTORY_SEPARATOR.$file))
            {
                if ($rec_option == "folders" || $rec_option == "both")
                {
                    chmod($source.DIRECTORY_SEPARATOR.$file, $mode);
                }
                rchmod($source.DIRECTORY_SEPARATOR.$file, $mode,
$rec_option, TRUE);
            }
            else
            {
                if ($rec_option == "files" || $rec_option == "both")
                {
                    chmod($source.DIRECTORY_SEPARATOR.$file, $mode);
                }
            }
        }
    }
}

```

```
function chmod_logic_helper($perm, $val){  
    $valid = array(  
        1 => array(1,3,5,7),  
        2 => array(2,3,6,7),  
        4 => array(4,5,6,7)  
    );  
  
    if (in_array($perm, $valid[$val])){  
        return TRUE;  
    }  
    else {  
        return FALSE;  
    }  
}  
  
function debugger($input, $trace = FALSE, $halt = FALSE){  
    ob_start();  
  
    echo "<br>----- DEBUG DUMP -----";  
    echo "<pre>";  
    var_dump($input);  
    echo "</pre>";  
  
    if ($trace){  
        if( is_php('5.3.6')){  
            $debug =  
                debug_backtrace(DEBUG_BACKTRACE_IGNORE_ARGS);  
        }  
        else{  
            $debug = debug_backtrace(FALSE);  
        }  
  
        echo "<br>-----STACK TRACE-----";  
        echo "<pre>";  
        var_dump($debug);  
        echo "</pre>";  
    }  
  
    echo "</pre>";  
    echo "-----<br>";
```

```

$ret = ob_get_contents();
ob_end_clean();

echo $ret;

if ($halt == TRUE){
    exit();
}

function is_php($version = '5.0.0'){
    static $phpVer;
    $version = (string)$version;

    if ( ! isset($phpVer[$version]))
    {
        $phpVer[$version] = (version_compare(PHP_VERSION, $version) < 0)
? FALSE : TRUE;
    }

    return $phpVer[$version];
}

?>

```

50. success.php

```

<html>
<head>
    <!--JUPLOAD_JSCRIPT-->
    <title>JUpload RESPONSIVE filemanager</title>
    <style>
        body{padding:0px; margin:0px;}
    </style>
    <meta http-equiv="refresh" content="3;url=index.php?path=<?php echo
strip_tags(preg_replace( "/[^a-zA-Z0-9\.\[\]\-\]/", "$_GET['path']); ?>">
</head>
<body>
    <center><br/><br/>
    

```

```
</center>
</body>
</html>
```

51. tengah.php

```
<?php
// Halaman utama (Home)
if ($_GET[module]=='home'){
    echo "
<div class='box2'>
";
    echo "      <div class='prod_box_big'>
          <div class=""></div>
          <div class='g'>

          <div class='product_img_big'>
              </div>
          <div class='details_big_box'>

              <div class='desk_pro'> $r[static_content]</div>
          </div>

      </div>
      <div class=""></div>

    </div>";
    echo "<div class='bot_kanan cl'>
          <fieldset class='radius'><legend
class='radius'>Info Promo</legend>
          <div>
              <ul>";
    $post=mysql_query("SELECT * FROM kategori_artikel, berita
WHERE kategori_artikel.id_kategori=berita.id_kategori
        
```

```
AND berita.id_kategori='40' order by id_berita DESC limit  
4");
```

```
$no=1;  
  
while($po=mysql_fetch_array($post)){  
    $isi_berita =  
        htmlentities(strip_tags($po['isi_berita']));  
    $detail =  
        substr($isi_berita,0,300);  
    $detail =  
        substr($isi_berita,0,strrpos($detail," "));  
    $judul2 = $po['judul'];  
    echo "<li>  
        <a href='berita-  
            $po[id_berita]-$po[judul_seo].html' title='$po[judul]'>$judul2</a>  
        <span  
            class='tgl'>Posting by Admin, ".tgl_indo($po['tanggal'])."</span>  
    ";  
    echo"  
        <p class='pg'>$detail [...]</p>  
        <div  
            class='cl'></div>  
        </li>";  
    $no++; }  
    echo "<div  
        class='cl'></div>  
  
    </ul>  
    <div class='semuaberita'><a  
        class='radius' href='semua-artikel.html'> [ Lihat Semua Artikel ] </a></div>  
    </div>  
    </div>";  
    echo "</fieldset></div>";  
}
```

```

else if ($_GET['module']=='detailberita'){
    echo "<div class='berita'>
        <div class='post-berita'>";
    $detail=mysql_query("SELECT * FROM berita,kategori_artikel
        WHERE kategori_artikel.id_kategori=berita.id_kategori
        AND id_berita='$_GET[id]'");
    $d = mysql_fetch_array($detail);
    $tgl = tgl_indo($d[tanggal]);
    $baca = $d[dibaca]+1;
    echo "<h2>".strtoupper($d[judul])."</h2>";
    echo "<span class='tgl-attrib'>
        Kategori: <b>$d[nama_kategori]</b> | Diposting oleh : <b>Admin</b>
        | $d[hari], $tgl - $d[jam] WIB
        - Dibaca: <b>$baca</b> kali</span>
        <a class='a2a_dd'
            href='http://www.addtoany.com/share_save'></br><img
            src='http://static.addtoany.com/buttons/share_save_171_16.png' width='171'
            height='16' border='0' alt='Share'/'></a>
        <script type='text/javascript'
            src='http://static.addtoany.com/menu/page.js'></script>
        <!-- Lockerz Share END -->
        ";
}

if ($d[gambar]!=""){
    echo "<p><span class=image><img class='flo'
src='foto_berita/medium_$d[gambar]' width='550' border=0></span></p>";
}

echo "<br /><div style='font-size:12px; line-
height:1.5'>$d[isi_berita]</div> <br />";

mysql_query("UPDATE berita SET dibaca=$d[dibaca]+1
    WHERE id_berita='$_GET[id]'");

echo "</div>

```

```

        </div>";
    }

else if($_GET['module']=='berita'){
echo "<div class='post-news'>";
    echo "<div class='center_title_bar font'>Semua Artikel</div><br>
";
    $p = new PagingBerita;
    $batas = 4;
    $posisi = $p->cariPosisi($batas);
    $post=mysql_query("SELECT * FROM berita order by id_berita desc
limit $posisi,$batas");
    $no=1;

while($po=mysql_fetch_array($post)){
    $isi_berita =
htmlentities(strip_tags($po['isi_berita']));
    $detail =
substr($isi_berita,0,500);
    $detail =
substr($isi_berita,0,strrpos($detail," "));

    echo "<div class='box-berita'>
        <h3><a
class='hed' href='berita-$po[id_berita]-
$po[judul_seo].html'$po[judul]</a></h3>
        <span
class='tgl'>Posting by Admin, ".tgl_indo($po['tanggal'])."</span>

        <p class='apg'>$detail. <a href='berita-$po[id_berita]-$po[judul_seo].html' class='sl'>Selengkapnya &raquo;</a></p>
    </div>
";
    $no++; }

echo "</div>";
$jmldata = mysql_num_rows(mysql_query("SELECT * FROM berita"));
$jmlhalaman = $p->jumlahHalaman($jmldata, $batas);

```

```

$linkHalaman = $p->navHalaman($_GET['halaman'], $jmlhalaman);
if($jmldata>$batas){
echo "<div id=paging>$linkHalaman</div><br>";
}

// Modul detail produk
elseif ($_GET[module]=='detailproduk'){
    // Tampilkan detail produk berdasarkan produk yang dipilih
    $detail=mysql_query("SELECT * FROM produk,kategori
        WHERE kategori.id_kategori=produk.id_kategori
        AND id_produk='".$_GET[id]"');
    $r = mysql_fetch_array($detail);

    include "diskon_stok.php";
    $stok      = $r['stok'];
    if($stok!=0){
        $ketersediaan="Barang Tersedia";
    } else {
        $ketersediaan="Barang tidak tersedia";
    }
    echo "<div class='center_title_bar'>Kategori: <a href='kategori-
$r[id_kategori]-$r[kategori_seo].html'
class='center_title_judul'>$r[nama_kategori]</a></div>
<div class='bag_pro'>
    <div class='j_pro'>$r[nama_produk] </div><br />
    <img src='foto_produk/$r[gambar]' border='0' width='550'
height='300' title='klik untuk memperbesar gambar' />
    <div class='soc_pro'>";
    ?>
    <div id="fb-root"></div>
    <div class="fb-like" data-href="http://kusumasejati.com" data-send="false"
data-layout="button_count" data-width="450" data-show-
faces="true"></div>
    <a href="https://twitter.com/share" class="twitter-share-button" data-url="""
data-via="your_screen_name" data-lang="en">Tweet</a>

<?php
                echo "</div>
                <div class='desk_pro'>$r[deskripsi]</div>";

```

```

echo "<div class='harga'>Harga &nbsp; &nbsp;
$divharga</div>
<div class='stok_pro'>Ketersediaan : <span
class='av'>&nbsp;</span>$ketersediaan </div>
<div class='qty'>";
if(isset($_SESSION['username'])){
    $user="Y";
} else {
    $user="N";
}
echo "<input type='button' class='cart2' value="
id='btn-order' /></div>
<div class='cl'></div>
<div id='f-order'>
<fieldset><legend>FORM ORDER</legend>

<p>Untuk melakukan pembelian barang diatas,
silahkan lengkapi form order berikut : </p>
<form action='simpanorder' method='post'>
<table class='form-ord'>
    <input type='hidden'
name='id_pro' value='$r[id_produk]' />
    <tr><td>Nama
Lengkap</td><td>&nbsp;</td><td><input type='hidden' name='status_mem'
value='$user' /><input type='text' name='nama' /></td></tr>
    <tr><td>Telp / Hp
</td><td>&nbsp;</td><td><input type='text' name='telp' /></td></tr>
    <tr><td>&nbsp;</td><td><input type='text' name='email' /></td></tr>
    <tr><td>Alamat
Pengiriman</td><td>&nbsp;</td><td><textarea
name='alamat'></textarea></td></tr>
    <tr><td>Jumlah Barang
</td><td>&nbsp;</td><td><input type='text' name='jml' /></td></tr>
    <tr><td></td><td>
colspan='2'>&nbsp;&nbsp;&nbsp;<input type='submit'
value='Kirim' />&nbsp;&nbsp;
    <input type='button'
value='Batal' id='batal' /></td></tr>

```

```

        </table>
        </form>
        </fieldset>
    </div>

</div>
';

}

elseif ($_GET[module]=='detailkategori'){
    // Tampilkan nama kategori
    $sq = mysql_query("SELECT nama_kategori from kategori where id_kategori='$_GET[id]'");
    $n = mysql_fetch_array($sq);

    echo "<div class='center_title_bar font'>Kategori:
$n[nama_kategori]</div>";

    // Tentukan berapa data yang akan ditampilkan per halaman (paging)
    $p    = new Paging3;
    $batas = 6;
    $posisi = $p->cariPosisi($batas);

    // Tampilkan daftar produk yang sesuai dengan kategori yang dipilih
    $sql = mysql_query("SELECT * FROM produk WHERE
id_kategori='$_GET[id]'"
                    ORDER BY id_produk DESC LIMIT $posisi,$batas");
    $jumlah = mysql_num_rows($sql);

    // Apabila ditemukan produk dalam kategori
    if ($jumlah > 0){
        while ($r=mysql_fetch_array($sql)){

include "diskon_stok.php";

```

```

echo "<div class='box-pro flo radius'><div class='center_prod_box'>
    <a href='produk-$r[id_produk]-$r[produk_seo].html'>
        <img src='foto_produk/medium_$r[gambar]' border='0' width='160'
height='110'></a>
        <div class='product_title'><a href='produk-$r[id_produk]-
$r[produk_seo].html'$r[nama_produk]</a></div>
        <div class='prod_price'>$divharga</div>

        <a href='produk-$r[id_produk]-$r[produk_seo].html'
class='prod_details'><div class='prod_details_tab trans'> &nbsp;</div> </a>

    </div></div>";

}

$jmldata = mysql_num_rows(mysql_query("SELECT * FROM produk
WHERE id_kategori='$_GET[id]'));
$jmlhalaman = $p->jumlahHalaman($jmldata, $batas);
$linkHalaman = $p->navHalaman($_GET[halkategori], $jmlhalaman);

echo "<div class='center_title_halaman'>Halaman : $linkHalaman </div>";
}
else{
    echo "<p align=center>Belum ada produk pada kategori ini.</p>";
}
}

// Menu utama di header

// Modul profil
elseif ($_GET[module]=='profilkami'){
    // Data profil mengacu pada id_modul=43
    $profil = mysql_query("SELECT * FROM modul WHERE
id_modul='43'");
    $r    = mysql_fetch_array($profil);

echo "<div class='center_title_bar'>Profil</div>

```

```

<div class='prod_box_big'>
    <div class='top_prod_box_big'></div>
    <div class='center_prod_box_big'>

        <div class='product_img_big'>
            <img src='images/profile-kami.jpg' width='520px' border='0' />
        </div>
        <div class='details_big_box'>

            <div class='desk_pro'> $r[static_content]</div>
            </div>

        </div>
        <div class='bottom_prod_box_big'></div>

    </div>;
}

// Modul cara pembelian
elseif ($_GET[module]=='carabeli'){
    // Data cara pembelian mengacu pada id_modul=45
    $profil = mysql_query("SELECT * FROM modul WHERE
id_modul='45'");
    $r      = mysql_fetch_array($profil);

echo "<div class='center_title_bar'>Cara Pembelian</div>
<div class='prod_box_big'>
    <div class='top_prod_box_big'></div>
    <div class='center_prod_box_big'>

        <div class='details_big_box'>
            <div class='product_title_big'>Prosedur Pembelian</div>
            <div class='desk_pro'>$r[static_content]</div>
        </div>
    </div>
    <div class='bottom_prod_box_big'></div>

```

```

        </div>";
    }

// Modul semua produk
elseif ($_GET[module]=='semuaproduk'){

echo "<div class='center_title_bar'>Semua Produk</div>
<div class='box2'>
";
// Tentukan berapa data yang akan ditampilkan per halaman (paging)
$p    = new Paging2;
$batas = 12;
$posisi = $p->cariPosisi($batas);

// Tampilkan semua produk
$sql=mysql_query("SELECT * FROM produk ORDER BY id_produk
DESC LIMIT $posisi,$batas");

while ($r=mysql_fetch_array($sql)) {

include "diskon_stok.php";

echo "<div class='box-pro_flo_radius'><div class='center_prod_box'>
<a href='produk-$r[id_produk]-$r[produk_seo].html'
class='prod_details' >
<img src='foto_produk/medium_$r[gambar]' border='0' width='160'
height='110' title='klik untuk memperbesar gambar' /></a>
<div class='product_title'><a href='produk-
$r[id_produk]-$r[produk_seo].html'$r[nama_produk]</a></div>
<div class='prod_price'>$divharga</div>

<a href='produk-$r[id_produk]-$r[produk_seo].html'
class='prod_details'><div class='prod_details_tab_trans'> &ampnbsp </div> </a>

</div></div>";
}

echo "</div>";
$jmldata = mysql_num_rows(mysql_query("SELECT * FROM
produk"));

```

```

$jmlhalaman = $p->jumlahHalaman($jmldata, $batas);
$linkHalaman = $p->navHalaman($_GET[halproduk], $jmlhalaman);

echo "<div class='clear'></div><div class='paging'>Halaman :
$linkHalaman </div>";
}

// Modul hubungi kami
elseif ($_GET[module]=='hubungikami'){
echo "<div class='center_title_bar'>Hubungi</div>
<div class='prod_box_big'>
    <div class='top_prod_box_big'></div>
    <div class='center_prod_box_big'>

        <div class='details_big_box'>
            <div class='product_title_big'>Hubungi Kami Secara Online:</div>

            <div>

                <table width=100% id='form-daftar'>
                    <form class='kotakke' action=hubungi-aksi.html method=POST>
                        <tr><td>Nama</td><td> <input type=text name=nama size=40
                    ></td></tr>
                        <tr><td>Email</td><td> <input type=text name=email size=40
                    ></td></tr>
                        <tr><td>Subjek</td><td> <input type=text name=subjek size=40
                    ></td></tr>
                        <tr><td valign=top>Pesan</td><td> <textarea name=pesan
                    style='width: 250px; height: 100px;'></textarea></td></tr>
                        <tr><td>&nbsp;</td><td><img src='captcha.php'></td></tr>
                        <tr><td>&nbsp;</td><td>(masukkan 6 kode di atas)<br /><br /><input
                    type=text name=kode size=6 maxlength=6><br /></td></tr>
                        </td><td colspan=2 class='subke'><input type=submit name=submit
                    value=Kirim class='klik'></td></tr>
                </form></table>
            </div>

```

```

        </div>
        </div>
        <div class='bottom_prod_box_big'></div>
    </div>";
}

// Modul hubungi aksi
elseif ($_GET[module]=='hubungiaksi'){
$nama=trim($_POST['nama']);
$email=trim($_POST['email']);
$subjek=trim($_POST['subjek']);
$pesan=trim($_POST['pesan']);

if (empty($nama)){
    echo "Anda belum mengisikan NAMA<br />
        <a href=javascript:history.go(-1)><b>Ulangi Lagi</b>" ;
}
elseif (empty($email)){
    echo "Anda belum mengisikan EMAIL<br />
        <a href=javascript:history.go(-1)><b>Ulangi Lagi</b>" ;
}
elseif (empty($subjek)){
    echo "Anda belum mengisikan SUBJEK<br />
        <a href=javascript:history.go(-1)><b>Ulangi Lagi</b>" ;
}
elseif (empty($pesan)){
    echo "Anda belum mengisikan PESAN<br />
        <a href=javascript:history.go(-1)><b>Ulangi Lagi</b>" ;
}
else{
    if(!empty($_POST['kode'])){
        if($_POST['kode']==$_SESSION['captcha_session']){
            mysql_query("INSERT INTO hubungi(nama,
                email,
                subjek,
                pesan,
                tanggal)
            VALUES('$_POST[nama]',
                '$_POST[email]',
```

```

        '$_POST[subjek]',
        '$_POST[pesan]',
        '$tgl_sekarang');");
echo "<div class='center_title_bar'>Hubungi Kami</div>
<div class='prod_box_big'>
    <div class='top_prod_box_big'></div>
    <div class='center_prod_box_big'>
        <div class='product_img_big'>
            <img src='foto_banner/gedung.jpg' border='0' />
        </div>
        <div class='details_big_box'>
            <div class='product_title_big'>Terimakasih</div>
            <div>
                <br />Terimakasih telah menghubungi kami.<br /><br /> Kami akan
segera membalasnya ke email Anda.
            </div>
        </div>
        </div>
    <div class='bottom_prod_box_big'></div>
</div>";
}else{
    echo "Kode yang Anda masukkan tidak cocok<br />
<a href=javascript:history.go(-1)><b>Ulangi
Lagi</b></a>";
}
}else{
    echo "Anda belum memasukkan kode<br />
<a href=javascript:history.go(-1)><b>Ulangi Lagi</b></a>";
}
}
}

// Modul hasil pencarian produk
elseif ($_GET['module']=='hasilcari'){
// menghilangkan spasi di kiri dan kanannya
$kata = trim($_POST['kata']);
// mencegah XSS
$kata = htmlentities(htmlspecialchars($kata), ENT_QUOTES);

```

```

// pisahkan kata per kalimat lalu hitung jumlah kata
$pisah_kata = explode(" ",$kata);
$jml_katakan = (integer)count($pisah_kata);
$jml_kata = $jml_katakan-1;

$cari = "SELECT * FROM produk WHERE " ;
for ($i=0; $i<=$jml_kata; $i++){
    $cari .= "deskripsi LIKE '%".$pisah_kata[$i]."' OR nama_produk LIKE
'%".$pisah_kata[$i]."'";
    if ($i < $jml_kata ){
        $cari .= " OR ";
    }
}
$cari .= " ORDER BY id_produk DESC LIMIT 7";
$hasil = mysql_query($cari);
$ketemu = mysql_num_rows($hasil);

echo "<div class='center_title_bar'>Hasil Pencarian</div>";

if ($ketemu > 0){
    echo "<div class='prod_details_cari'>Ditemukan <b>$ketemu</b> produk
dengan kata <font style='background-color:#00FFFF'><b>$kata</b></font> :
</div>";
    while($t=mysql_fetch_array($hasil)){
        // Tampilkan hanya sebagian isi produk
        $isi_produk = htmlentities(strip_tags($t['deskripsi'])); // mengabaikan tag
html
        $isi = substr($isi_produk,0,250); // ambil sebanyak 250 karakter
        $isi = substr($isi_produk,0,strrpos($isi, " ")); // potong per spasi kalimat
        echo "<div class='prod_box_big'>
            <div class='top_prod_box_big'></div>
            <div class='center_prod_box_big'>
                <div class='details_big_cari'>
                    <div class='product_title_big'><a href=produk-$t[id_produk]-
$t[produk_seo].html>$t[nama_produk]</a></div>
                    <div>
                        <br />$isi ...
                        <a href=produk-$t[id_produk]-
$t[produk_seo].html>selengkapnya</a>
                    </div>
                </div>
            </div>
        </div>
    
```

```

        </div>
        </div>
        <div class='bottom_prod_box_big'></div>
        </div>";
    }
}
else{
    echo "<p>Tidak ditemukan produk dengan kata <b>$kata</b></p>";
}
}

// Modul download katalog
elseif ($_GET['module']=='downloadkatalog'){
echo "<div class='center_title_bar'>Download Katalog</div>";
// Tampilkan daftar katalog download
$sql = mysql_query("SELECT * FROM download ORDER BY id_download DESC");

echo "<br /><br /><ul>";
while($d=mysql_fetch_array($sql)){
    echo "<li><a
href='downlot.php?file=$d[nama_file]'>$d[judul]</a></li>";
}
echo "</ul><br />";
}
else if($_GET['module']=="simpanorder"){
$id_pro=$_POST['id_pro'];
$nama=$_POST['nama'];
$telp=$_POST['telp'];
$email=$_POST['email'];
$al=$_POST['alamat'];
$jum=$_POST['jml'];
$status=$_POST['status_mem'];

$tgl_skrg = date("Ymd");
$jam_skrg = date("H:i:s");

$kode_ps=array('0','1','2','3','4','5','6','7','8','9');
shuffle($kode_ps);
}

```

```

reset($kode_ps);
$no=0;
foreach($kode_ps as $line)
{
$kode_pesanan.=strtoupper($line);
$no++;
if (($no >= 5)) break;
}

mysql_query("INSERT INTO
orders(no_order,tgl_order,jam_order,nama,telp,email,alamat,status_member)
VALUES('$kode_pesanan','$tgl_skrg','$jam_skrg','$nama','$telp','$email','$al'
,'$status')");

$id_ord=mysql_insert_id();

$simpan=mysql_query("INSERT INTO orders_detail set id_orders=$id_ord,
id_produk='$id_pro', jumlah='$jum'");
if($simpan){
echo "<script>alert('Terima Kasih, Order telah terkirim ! untuk total
transaksi , kami akan menghubungi anda via sms ke no hp yang anda gunakan
ketika melakukan order. '); window.location = 'home'</script>";
}

}

else if($_GET[module]=='notifikasi'){
echo "<div class='notifikasi'>REGISTRASI MEMBER SUKSES !
<p>Terima kasih telah mendaftar menjadi member kami,
kami telah mengirim email konfirmasi ke email anda, silahkan cek email
yang anda gunakan ketika melakukan pendaftaran anggota. Setelah kami
validasi, keanggotaan akan kami aktifkan dalam 1x24 jam (hari dan jam
kerja).</p>
</div>";
echo "<div class='center_title_bar font'>Galeri Mistik | Koleksi Benda
Bertuah</div>
<div class='box2'>
";
$sql=mysql_query("SELECT * FROM produk ORDER BY id_produk
DESC LIMIT 6");

```

```

while ($r=mysql_fetch_array($sql)){
    include "diskon_stok.php";

    echo "<div class='box-pro flo radius'>
        <a href='produk-$r[id_produk]-$r[produk_seo].html'
        class='prod_details' >
            <img src='foto_produk/small_$r[gambar]' border='0' height='110'
            title='klik untuk memperbesar gambar' /></a>
            <div class='product_title'><a href='produk-
            $r[id_produk]-$r[produk_seo].html'$r[nama_produk]</a></div>
            <div class='prod_price'>$divharga</div>

            <a href='produk-$r[id_produk]-$r[produk_seo].html'
            class='prod_details'><div class='prod_details_tab trans'> &ampnbsp </div> </a>

        </div>";
    }
    echo "</div>";
}

else if($_GET[module]=='pesan_konsultasi'){
    echo "<div class='notifikasi'>PESAN KONSULTASI ANDA BERHASIL
DIKIRIM !
    <p>Terima kasih atas kepercayaan anda, kami akan
menjawab pesan konsultasi anda dalam waktu 3x24 jam, ke email yang anda
gunakan pada saat pengisian form konsultasi, silahkan cek email anda nanti
secara berkala. </p>
    </div>";
    echo "<div class='center_title_bar font'>Galeri Mistik | Koleksi Benda
Bertuah</div>
<div class='box2'>
    ";
    $sql=mysql_query("SELECT * FROM produk ORDER BY id_produk
DESC LIMIT 6");
    while ($r=mysql_fetch_array($sql)){
        include "diskon_stok.php";

        echo "<div class='box-pro flo radius'>

```

```
        <a href='produk-$r[id_produk]-$r[produk_seo].html'
class='prod_details' >
        <img src='foto_produk/small_$r[gambar]' border='0' height='110'
title='klik untuk memperbesar gambar' /></a>
        <div class='product_title'><a href='produk-
$r[id_produk]-$r[produk_seo].html'$r[nama_produk]</a></div>
        <div class='prod_price'>$divharga</div>

        <a href='produk-$r[id_produk]-$r[produk_seo].html'
class='prod_details'><div class='prod_details_tab trans'> &nbsp; </div> </a>

        </div>";
    }
    echo "</div>";
}
?>
```

52. logout.php

```
<?php
session_start();
session_destroy();
echo "<script>alert('Terima atas kunjungannya'); window.location =
'home'</script>";
?>
```