

## Listing Adm

```
<?php  
  
namespace App;  
  
use Illuminate\Database\Eloquent\Model;  
  
class Adm extends Model  
{  
    //  
    protected $table='adm';  
    protected $fillable= ['id',  
  
'nip',  
  
'nama',  
    'jurusan_id',  
  
'golongan_id',  
  
'tgl_lahir',  
  
'agama',  
  
'no_hp',  
  
'pendidikan',  
  
'posisi',  
    'photo'];
```

```
protected $primaryKey='id';  
public $timestamps =false;  
public function showJurusan(){  
    return $this->belongsTo('App\Jurusan','jurusan_id');  
}  
  
public function showGol(){  
    return $this->belongsTo('App\Golongan','golongan_id');  
}
```

## Listing Dosen

```
<?php  
  
namespace App;  
  
use Illuminate\Database\Eloquent\Model;  
  
class Dosen extends Model  
{  
    //  
    protected $table='dosen';  
    protected $fillable= ['id',  
  
'nip',  
  
'photo');
```

```

        //scope jumlah status dosen
    public function scopeLulus($query){
        return $query -> where('status','=','1');
    }

    public function scopeBelum($query){
        return $query -> where('status','=','3')-
>orWhere('status','=',"");
    }

    public function scopeTidak($query){
        return $query -> where('status','=','2');
    }
}

protected $primaryKey='id';

public $timestamps =false;

public function showJurusan(){

    return $this-
>belongsTo('App\Jurusan','jurusan_id');

}

public function showGol(){

    return $this-
>belongsTo('App\Golongan','golongan_id'
);

}

```

**Listing Download**

?php

namespace App;

use Illuminate\Database\Eloquent\Model;

class Download extends Model

{

//

protected \$table = 'download';

protected \$fillable =

['nama\_file','tgl\_upload','downloaded','ket']

;

public \$timestamps = false;

```

protected $primaryKey = 'id';
}

namespace App;

use Illuminate\Database\Eloquent\Model;

```

### **Listing Gallery**

```

<?php

namespace App;

use Illuminate\Database\Eloquent\Model;

class Gallery extends Model
{
    //

    protected $table = 'gallery';

    protected $fillable =
['nama_gallery','tgl_upload'];

    public $timestamps = false;

    protected $primaryKey = 'id';

    public function hasImage(){
        return $this-
>hasMany('App\Image');
    }
}

```

```
class Golongan extends Model
```

```

{
    //

    protected $table ='golongan';

    protected $fillable
=['id','golongan','pangkat_id'];

    public $timestamps = false;

    protected $primaryKey = 'id';

    public static function boot(){
        parent::boot();

        static::deleting(function($model){
            $model->showPangkat()->detach();
        });
    }

    public function showPangkat(){
        return $this ->
belongsToMany('App\Pangkat');
    }
}
```

### **Listing Golongan**

```
<?php
```

## **Listing Image**

```
<?php  
namespace App;  
  
use Illuminate\Database\Eloquent\Model;  
  
class Image extends Model  
{  
    //  
    protected $table = 'images';  
    protected $fillable =  
        ['image','gallery_id'];  
    public $timestamps = false;  
    protected $primaryKey = 'id';  
  
    public function galleryName(){  
        return $this->belongsTo('App\Gallery');  
    }  
}
```

## **Listing Jurusan**

```
<?php  
namespace App;  
  
use Illuminate\Database\Eloquent\Model;
```

```
class Jurusan extends Model  
{  
    //  
    protected $table='jurusan';  
    protected $fillable =['id','jurusan'];  
    public $timestamps=false;  
}
```

## **Listing Materi**

```
<?php  
namespace App;  
  
use Illuminate\Database\Eloquent\Model;  
  
class Materi extends Model  
{  
    //  
    protected $table = 'materi';  
    protected $fillable =  
        ['id','nama_materi','workshop_id'];  
    public $timestamps = false;  
    protected $primaryKey = 'id';  
}
```

## **Listing News**

```
<?php  
  
namespace App;  
  
use Illuminate\Database\Eloquent\Model;  
  
class News extends Model  
  
{  
//  
protected $table = 'news';  
  
protected $fillable  
=['judul','slug_judul','img','tgl_posting','pos  
ted_by','isi'];  
  
public $timestamps = false;  
}
```

## **Listing Pangkat**

```
<?php  
  
namespace App;  
  
use Illuminate\Database\Eloquent\Model;  
  
class Pangkat extends Model  
  
{  
//  
}
```

```
protected $table ='pangkat';  
  
protected $fillable =['id','pangkat'];  
  
public $timestamps = false;  
protected $primaryKey = 'id';  
  
  
public static function boot(){  
    parent::boot();  
  
    static::deleting(function($model){  
        $model ->  
        showGolongan()->detach();  
    });  
}  
  
public function showGolongan(){  
    return $this-  
    >belongsToMany('App\Golongan');  
}  
  
public function  
getGolonganListAttribute(){  
    if($this->showGolongan()-  
    >count()<1){  
        return null;  
    }  
  
    else{  
        return $this-  
        >showGolongan()->select('golongan.id')-  
        >lists('id')->all();  
    }  
}
```

```

        }

    }

}

use Illuminate\Database\Eloquent\Model;

class SuratKeluar extends Model

{

    //

    protected $table = 'surat_keluar';

    protected $fillable =
['id','no_surat','tujuan','isi_surat','tgl_surat',
'file_surat_keluar','judul_surat'];

    public $timestamps = false;

    protected $primaryKey = 'id';

}

```

```

class Sk extends Model

{

    //

    protected $table = 'sk';

    protected $fillable =
['id','sk','workshop_id'];

    public $timestamps = false;

    protected $primaryKey = 'id';

}

```

### **Listing Surat Keluar**

```

<?php

namespace App;

```

### **Listing Surat Masuk**

```

<?php

namespace App;

use Illuminate\Database\Eloquent\Model;

class SuratMasuk extends Model

{

    //

    protected $table = 'surat_masuk';

    protected $fillable =
['id','no_surat','tujuan','isi_surat','tgl_surat',
'file_surat_masuk','judul_surat'];

    public $timestamps = false;

```

```

protected $primaryKey = 'id';           */
}

protected $hidden = [
    'password', 'remember_token',
];

}

<?php

```

namespace App;

```

use Illuminate\Foundation\Auth\User as
Authenticatable;

```

```

class User extends Authenticatable

```

```
{

```

```
/***

```

```

 * The attributes that are mass
assignable.

```

```

 *

```

```

 * @var array

```

```

*/

```

```

protected $fillable = [

```

```

    'name', 'email', 'password',

```

```

];

```

```
/***

```

```

 * The attributes that should be hidden
for arrays.

```

```

 *

```

```

 * @var array

```

**Listing Worksop**

```
<?php
```

```
namespace App;
```

```
use Illuminate\Database\Eloquent\Model;
```

```
class Workshop extends Model

```

```
{

```

```
//
```

```
protected $table = 'workshop';
```

```

protected $fillable =
['tema','tgl_mulai','tgl_selesai','tempat','nar
asumber','isi'];

```

```
public $timestamps = false;
```

```
protected $primaryKey = 'id';
```

```
public function hasMateri(){

```

```

    return $this ->

```

```
hasMany('App\Materi');
```

```
}
```

```
public function hasSk(){  
    return $this ->hasMany('App\Sk');  
}  
}
```