

LISTING KODE PROGRAM

Kategori PHP

```

<?php
$gos=(empty($_REQUEST['gos']))? 'tabel'
:$_REQUEST['gos'];
$gos();
function tambah(){
//<input type=file name=Foto >
// $KodeGudang= GetOption2('kategori ',
"concat(KodeKategori , ' - ', KodeKategori )",
'KodeKategori ', $w['KodeKategori'], ",
'KodeKategori ');
// $NamaGudang= GetOption2('kategori ',
"concat(KodeGudang, ' - ', NamaGudang)",
'NamaGudang', $w['NamaGudang'], ",
'NamaGudang');
// $m0=_selek("select * from kategori where
KodeKategori =$_POST[KodeKategori ]");
// $m1=_selek("select * from kategori where
KodeKategori =$_POST[KodeKategori ]");

$r=mysql_query("select * from kategori where
KodeKategori=$_GET[kd]");
$w=mysql_fetch_array($r);
echo"
<section class='panel panel-default col-md-5'>
  <header class='panel-heading font-bold'> Data
kategori</header>
  <div class='panel-body'>
    <form method=post action="" class='panel panel-
box' enctype='multipart/form-data' id=fom3>

      <div class='form-group'>
        <label>KodeKategori : </label>
        <input class='form-control'
placeholder='KodeKategori '
name=KodeKategori value='$w[KodeKategori]'
id=KodeKategori type='text'> </div>
        <div class='form-group'>
          <label>Kategori : </label>
          <input class='form-control'
placeholder='Kategori ' name=Kategori
value='$w[Kategori]' id=Kategori type='text'>
        </div>

        <input type=submit class='btn btn-sm
btn-default' name=simpan value='Simpan'>
      </form>
    </div>
  </section>

";
}

```

```

function tabel(){
//< i class='fa fa-plus'>
  echo"
<section style='color:black;' class='panel panel-
default'>
  <header class='panel-heading'> Data kategori
</header>
  <a class='btn btn-success'
href='?menu=kategori&gos=tambah'><i class='fa
fa-plus'> </i> Tambah </a>
  <div class='table-responsive'
id='growthrate'>
    <div id='example_wrapper'
class='dataTables_wrapper no-footer'>
      <table class='table table-striped m-b-none
dataTable no-footer' id='datatable'
role='grid' aria-describedby='example_info'
style='width: 896px;' cellspacing='0'
cellpadding='0' border='0'>
        <thead>
          <tr role='row'>
            <th>No</th>

            <th>KodeKategori</th>
            <th>Kategori</th>

            <th>Action</th>
          </tr>
        </thead>
        <tbody>

          if ($_SESSION[Level]==3){
            // $sql=" select * from kategori
where KodeGudang=$_SESSION[Username]' ";
          }else{
            $sql=" select * from kategori ";
          }

          $r=mysql_query($sql);
          while($w=mysql_fetch_array($r)){
            $n++;

            if ($n % 2 == 0) $warna =
'#f0f5f5';
            else $warna = '#ffffff';

          echo"
          <tr bgcolor=$warna>
            <td align=center >$n</td>

            <td>$w[KodeKategori]</td>
            <td>$w[Kategori]</td>

```

```

<td width=60 align=center ><a
href=?menu=kategori&gos=tambah&kd=$w[Kode
Kategori]><i class='fa fa-edit'></i></a>
<a
href=?menu=kategori&gos=hapus&kd=$w[KodeK
ategori]' onclick=\"return confirm('Apakah anda
yakin akan menghapus data ini?')\" ><i class='fa
fa-minus'></i></a>
</td>
</tr>
</table>
</div>
</div>
</section>
";
}

```

```

function hapus(){
mysql_query("delete from kategori where
KodeKategori='$_GET[kd]'");
BerhasilHapus("menu=kategori&gos=tabel",500);
}

if(isset($_POST['simpan'])){
$w=GetFields('kategori','KodeKategori','$_POST['
KodeKategori'],'*');

if (empty($w))
{
mysql_query("insert into kategori set
KodeKategori='$_POST[KodeKategori]' ,
Kategori='$_POST[Kategori]'");
}
else
{
mysql_query(" update kategori set
KodeKategori='$_POST[KodeKategori]' ,
Kategori='$_POST[Kategori]' where
KodeKategori = '$_POST[KodeKategori]'
");
}
echo "<!--<script> alert('Data berhasil disimpan ');
</script> -->";
}

```

Kursi

```

<?php
$gos=(empty($_REQUEST['gos'])? 'tabel'
:$_REQUEST['gos'];
$gos());
function tambah(){
//<input type=file name=Foto >
$KodeKategori= GetOption2('kategori',
"concat(KodeKategori , ' - ', Kategori)",
'KodeKategori ', $w['KodeKategori'], ",
'KodeKategori');
$KodeSup= GetOption2('sup',
"concat(KodeSup , ' - ', NamaSup)", 'KodeSup ',
$w['KodeSup'], ", 'KodeSup');
// $NamaGudang= GetOption2('kursi ',
"concat(KodeGudang, ' - ', NamaGudang)",
'NamaGudang', $w['NamaGudang'], ",
'NamaGudang');
// $m0=_selek("select * from kursi where
KodeKursi ='$_POST[KodeKursi ]'");
// $m1=_selek("select * from kursi where
KodeKursi ='$_POST[KodeKursi ]'");

$r=mysql_query("select * from kursi where
KodeKursi='$_GET[kd]'");
$w=mysql_fetch_array($r);
echo "
<section class='panel panel-default col-md-5'>
<header class='panel-heading font-bold'> Data
kursi</header>
<div class='panel-body'>
<form method=post action="" class='panel panel-
box' enctype='multipart/form-data' id=fom3>

<div class='form-group'>
<label>KodeKursi : </label>
<input class='form-control'
placeholder='KodeKursi ' name=KodeKursi
value='$w[KodeKursi]' id=KodeKursi type='text'>
</div>

<div class='form-group'>
<label>NamaKursi : </label>
<input class='form-control'
placeholder='NamaKursi ' name=NamaKursi
value='$w[NamaKursi]' id=NamaKursi type='text'>
</div>

<div class='form-group'>
<label>Jumlah : </label>
<input class='form-control'
placeholder='Jumlah ' name=Jumlah
value='$w[Jumlah]' id=Jumlah type='text'> </div>

<div class='form-group'>
<label>Harga : </label>
<input class='form-control'
placeholder='Harga ' name=Harga
value='$w[Harga]' id=Harga type='text'> </div>

<div class='form-group'>
<label>KodeSup : </label>

```

```

        <select class='form-control' name=KodeSup
id=KodeSup >
            $KodeSup
        </select>
    </div>
    <div class='form-group'>
        <label>KodeKategori : </label>
        <select class='form-control'
name=KodeKategori id=KodeKategori >
            $KodeKategori
        </select>
    </div>

    <input type=submit class='btn btn-sm
btn-default' name=simpan value='Simpan'>
</form>
</div>
</section>

";
}

function tabel(){

//< i class='fa fa-plus'>
    echo"
<section style='color:black;' class='panel panel-
default'>
    <header class='panel-heading'> Data kursi
</header>
    <a class='btn '
href='?menu=kursi&gos=tambah'><i class='fa fa-
plus'> </i> Tambah </a>
    <a class='btn ' href='laporan/kursi.php'><i
class='fa fa-print'> </i> Cetak </a>
    <div class='table-responsive'
id='growthrate'>
        <div id='example_wrapper'
class='dataTable_wrapper no-footer'>
            <table class='table table-striped m-b-none
dataTable no-footer' id='datatable'
            role='grid' aria-describedby='example_info'
style='width: 896px;' cellspacing='0'
            cellpadding='0' border='0'>
                <thead>
                    <tr role='row'>
                        <th>No</th>

                        <th>KodeKursi</th>
                        <th>NamaKursi</th>
                        <th>Jumlah</th>
                        <th>Harga</th>
                        <th>Nama Sup</th>
                        <th>Kategori</th>

                        <th>Action</th>

```

```

        </tr>
    </thead>
    <tbody>
";
        if ($_SESSION[Level]==3){
            //$sql=" select * from kursi
            where KodeGudang='$_SESSION[Username]' ";
        }else{
            $sql=" select * from kursi a left
            outer join kategori b on
            a.KodeKategori=b.KodeKategori left outer join sup
            c on a.KodeSup=c.KodeSup ";
        }

        $r=mysql_query($sql);
        while($w=mysql_fetch_array($r)){
            $n++;

            if ($n % 2 == 0) $warna =
            '#f0f5f5';
            else $warna = '#ffffff';

            echo"
            <tr bgcolor=$warna>
            <td align=center >$n</td>

            <td>$w[KodeKursi]</td>
            <td>$w[NamaKursi]</td>
            <td>$w[Jumlah]</td>
            <td>$w[Harga]</td>
            <td>$w[NamaSup]</td>
            <td>$w[Kategori]</td>

            <td width=60 align=center ><a
            href='?menu=kursi&gos=tambah&kd=$w[KodeKu
            rsi]'><i class='fa fa-edit'></i></a>
            <a
            href='?menu=kursi&gos=hapus&kd=$w[KodeKurs
            i]' onclick='return confirm("Apakah anda yakin
            akan menghapus data ini?")' '><i class='fa fa-
            minus'></i></a>
            </td>
            </tr>
            ";
        }
        echo"
        </tbody>
        </table>

        </div>
    </div>
</section>
";
}

```

```

function hapus(){
mysql_query("delete from kursi where
KodeKursi='$_GET[kd]'");
BerhasilHapus("menu=kursi&gos=tabel",500);
}

if(isset($_POST['simpan'])){
$w=GetFields('kursi','KodeKursi',$_POST['KodeK
ursi'],'*');

if (empty($w))
{
mysql_query("insert into kursi set
        KodeKursi=$_POST[KodeKursi] ,
NamaKursi=$_POST[NamaKursi] ,
Jumlah=$_POST[Jumlah] ,
Harga=$_POST[Harga] ,
KodeSup=$_POST[KodeSup] ,
KodeKategori=$_POST[KodeKategori] ");

}
else
{
mysql_query(" update kursi set
        KodeKursi=$_POST[KodeKursi] ,
NamaKursi=$_POST[NamaKursi] ,
Jumlah=$_POST[Jumlah] ,
Harga=$_POST[Harga] ,
KodeSup=$_POST[KodeSup] ,
KodeKategori=$_POST[KodeKategori] where
KodeKursi = '$_POST[KodeKursi]'
");

}
echo " <script> alert('Data berhasil disimpan ');
</script> ";
}

?>

?>

<?php
session_start();
error_reporting(0);
include_once "dwo.lib.php";

```

```

include_once "db.mysql.php";
include_once "connectdb.php";
include_once "ClassRC.php";

mysql_query("
CREATE temporary TABLE menu (No
varchar(90) DEFAULT NULL,Menu varchar(90)
DEFAULT NULL,Link varchar(90) DEFAULT
NULL,Level varchar(90) DEFAULT
NULL,MasterMenu varchar(90)
DEFAULT NULL)ENGINE=MyISAM DEFAULT
CHARSET=latin1;");

mysql_query("
INSERT INTO menu (No ,Menu ,Link ,Level
,MasterMenu ) VALUES
( '0','Kategori','kategori','1','Kategori' ) ,
( '1','Kursi','kursi','1','Kursi' ) ,
( '2','Pelanggan','pelanggan','1','Pelanggan' ) ,
( '3','sup','sup','1','sup' ) ,
( '4','Transaksi','tr','1','Transaksi' ) ,
( '4','Transaksi','trkasir','2','Transaksi' ) ,
( '6','User','user','1','User' ) ; ");
?>

<!DOCTYPE html>
<html class="app js no-touch no-android no-
chrome firefox no-iemobile no-ie no-ie8 no-ie10
no-ie11 no-ios no-ios7 ipad"
lang="en">

<head>
    <meta http-equiv="content-type"
content="text/html; charset=UTF-8">
    <meta charset="utf-8">
    <title>Aplikasi | Aplikasi Penjualan
Kursi</title>
    <meta name="description" content="app,
web app, responsive, admin dashboard, admin, flat,
flat ui, ui kit, off screen nav">
    <meta name="viewport"
content="width=device-width, initial-scale=1,
maximum-scale=1">
    <link rel="stylesheet"
href="template/app.css" type="text/css">
    <link rel="stylesheet"
href="template/bootstrap_calendar.css"
type="text/css">
    <link rel="stylesheet"
href="template/app.v1.css" type="text/css" />
    <!--[if lt IE 9]> <script
src="js/ie/html5shiv.js"></script> <script
src="js/ie/respond.min.js"></script> <script
src="js/ie/excanvas.js"></script> <![endif-->
    <script type="text/javascript" async=""
src="template/request.htm"></script>
    <style type="text/css">
        .jqstooltip {
            position: absolute;

```

```

left: 0px;
top: 0px;
visibility: hidden;
background: rgb(0, 0, 0)
transparent;
background-color: rgba(0, 0, 0,
0.6);
filter: progid:
DXImageTransform.Microsoft.gradient(startColors
tr=#99000000, endColorstr=#99000000);
-ms-filter:
"progid:DXImageTransform.Microsoft.gradient(sta
rtColorstr=#99000000, endColorstr=#99000000)";
color: white;
font: 10px arial, san serif;
text-align: left;
white-space: nowrap;
padding: 5px;
border: 1px solid white;
z-index: 10000;
}
.jqsfield {
color: white;
font: 10px arial, san serif;
text-align: left;
}
</style>
</head>
<body class="">
<section class="vbox">
<header style="background-
image:url('template/laba.jpg');" class="bg-white
header header-md navbar navbar-fixed-top-xs box-
shadow">
<div
style="height:120px;" class="navbar-header aside-
md dk">
<a class="btn
btn-link visible-xs" data-toggle="class:nav-off-
screen,open" data-target="#nav,html">
<i
class="fa fa-bars"></i> </a>
<a href=""
class="navbar-brand">

<span class="hidden-nav-xs"> </span> </a>
<a class="btn
btn-link visible-xs" data-toggle="dropdown" data-
target=".user">
<i
class="fa fa-cog"></i> </a>
</div>
<ul class="nav navbar-
nav hidden-xs">
<li
class="dropdown">

```

```

<a
href="#" class="dropdown-toggle" data-
toggle="dropdown">
<i class="fa fa-bars"></i> </a>
</li>
</ul>
<ul class="nav navbar-
nav navbar-right m-n hidden-xs nav-user user">
</ul>
</header>
<section>
<section class="hbox
stretch">
<!-- .aside -->
<aside
style="background-color:white;" class="bg-black
aside-md hidden-print hidden-xs" id="nav">
<section style="background-color:white;"
class="vbox">
<section style="background-
image:url('template/laba2.jpg');" color:green;"
class="w-f scrollable">
<div class="slimScrollDiv"
style="position: relative; overflow: hidden; width:
auto; height: 501px;">
<div class="slim-scroll"
data-height="auto" data-disable-fade-out="true"
data-distance="0" data-size="10px" data-
railopacity="0.2"
style="overflow:
hidden; width: auto; height: 501px;">
<div
class="clearfix wrapper dk nav-user hidden-xs">
<div
class="dropdown">
<a href="#" class="dropdown-toggle"
data-toggle="dropdown">
<span class="thumb avatar pull-
left m-r">

<i

```

```

class="on md b-
black"></i>
</span>
<li>
<a href="#">
clear">
<span
class="block m-t-xs">
<strong
class="font-bold text-lt"> </strong>
<b
class="caret"></b>
</span>
<span class="text-muted text-xs
block">Art
Director</span>
</span>
</a>
<ul class="dropdown-menu animated
fadeInRight m-t-xs">
<li>
<a
href="http://flatfull.com/themes/scale/docs.html">
Help</a>
</li>
<li class="divider"></li>
<li>
<a
href="http://flatfull.com/themes/scale/modal.lockm
e.html" data-toggle="ajaxModal">Logout</a>
</li>
</ul>
</div>
</li>
<li>
<a
href="http://flatfull.com/themes/scale/profile.html"
>Profile</a>
</li>
<div
class="text-muted text-sm hidden-nav-xs padder
m-t-sm m-b-sm">Start</div>

```

```
<ul
class="nav nav-main" data-ride="collapse">
  <li class="active">
    <a href="satu.php" class="auto">
      <i class="fa fa-home">
        </i>
      <span class="font-
bold">Home</span>
    </a>
  </li>
</ul>
```

```
<span
class="pull-right text-muted">
  <i
class="fa fa-check text"></i>
</span>
```

```
<?php
$r=mysql_query("select a.*, count(*) as j
from menu a where a.Level='$_SESSION[Level]'
group by MasterMenu ");
```

```
<i
class="fa fa-file">
</i>
<span
class="font-bold">'. $w[MasterMenu]. ' </span>
```

```
while($w=mysql_fetch_array($r)){
  if ($w[j] <=1)
```

```
</a>
<ul class="nav
dk">;
```

```
$mn=""?menu=$w[Link]";
else
  $mn="#";
```

```
$r2=mysql_query("select * from menu
where MasterMenu='$w[MasterMenu]' and
Level='$_SESSION[Level]' ");
```

```
while($w2=mysql_fetch_array($r2)){
  $mn2=""?menu=$w2[Link]";
```

```
echo'<li>
  <a
href="". $mn. "' class="auto">
```

```
echo'
  <li>
```

```

<a href="."$mn2." class="auto">
</li>
</ul>

<i class="fa fa-folder"></i>

<span>'.$w2[Menu].' </span>
</nav>
<!-- / nav -->

</div>
</a>

</li>};
echo '
</ul></li>;
}
?>

class="line dk hidden-nav-xs"></div>
<div
class="text-muted text-xs hidden-nav-xs padder m-
t-sm m-b-sm"> </div>

class="nav">
<ul
class="nav">
<li>
<a href="index.php">
<i class="fa fa-lock
text-info-dk"></i>
</a>

</li>
</ul>
</div>

</li>
</ul>
</div>
</a>

</li>
</ul>
</div>
class="slimScrollBar" style="background: rgb(0, 0,
0) none repeat scroll 0% 0%; width: 10px; position:
absolute; top: 0px; opacity: 0.4; display: none;
border-radius: 7px; z-index: 99; right: 0px; height:
445.037px;"></div>
<div
class="slimScrollRail" style="width: 10px; height:
100%; position: absolute; top: 0px; display: none;
border-radius: 7px; background: rgb(51, 51, 51)
none repeat scroll 0% 0%; opacity: 0.2; z-index:
90; right: 0px;"></div>
</div>
</section>
<div style="background-color:white;"
class="footer hidden-xs no-padder text-center-nav-
xs">
<a href="" data-
toggle="ajaxModal" class="btn btn-icon icon-
muted btn-inactive pull-right m-l-xs m-r-xs hidden-
nav-xs">
<i class="i i-
logout"></i> </a>
<a href="#nav" data-
toggle="class:nav-xs" class="btn btn-icon icon-
muted btn-inactive m-l-xs m-r-xs">
<i class="i i-circleleft
text"></i> <i class="i i-circleright text-active"></i>
</a>
</div>
</section>
<!-- /.aside -->

```



```

        <section
id="content">
        </li>
        <section class="hbox stretch">
        </a
        <section>
href="http://flatfull.com/themes/scale/ajax.pie.html
" class="text-muted" data-bjax="" data-target="#b-
c">
        <section
class="scrollable padder">
        <section
class="row m-b-md">
        <i class="i i-cycle"></i>
        <div
class="col-md-12">
        </a>
        </li>
        <h3 class="m-b-xs text-black">Halaman :
        </li>
        <a
href="#" class="panel-toggle text-muted">
        </h3>
        <i class="i i-plus text-active"></i>
        <?php if (empty($_GET[menu])){ include
"modul/tabel_tengah.php"; }else{ include
"modul/$_GET[menu].php"; } ?>
        <i class="i i-minus text"></i>
        </div>
        </a>
        </section>
        </li>
        <div
class="row">
        </ul> Connection
        </header>
        <div
class="col-sm-3 hide">
        <div class="panel-body text-
center bg-light lter" id="b-c">
        <section class="panel b-a">
        <div
class="easypiechart inline m-b m-t easyPieChart"
data-percent="60" data-line-width="4" data-bar-
color="#23aa8c"
        <header class="panel-heading b-
b b-light">
        <ul class="nav nav-pills
pull-right">
        data-track-

```

color="#c5d1da" data-color="#2a3844" data-scale-color="false" data-size="120" data-line-cap="butt"

data-animate="2000" style="width: 120px; height: 120px; line-height: 120px;">

<div>
60%
<div class="text text-xs">completed</div>
</div>
<canvas width="120" height="120"></canvas>
</div>

</div>
</section>
</div>
</div>

<div class="row bg-light dk m-b">
<div class="col-md-6 dker">
</div>
</div>

</section>
</section>
<!-- side content -->
<aside class="aside-md bg-black hide" id="sidebar">

<section class="vbox animated fadeInRight">
<section class="scrollable">

<div class="wrapper">Live feed
</div>

<ul class="list-group no-bg no-borders auto">
<li class="list-group-item">

<i class="fa fa-circle fa-stack-2x text-success"></i>
<i class="fa fa-reply fa-stack-1x text-white"></i>

Goody@gmail.com
sent
your
email
<small class="icon-muted">13
minutes
ago</small>

<li class="list-group-item">

<i class="fa fa-circle fa-stack-2x text-danger"></i>
<i class="fa fa-file-o fa-stack-1x text-white"></i>

<a

```

href="#">Mide@live.com</a>
invite
you
to
join
a
meeting
<small
class="icon-muted">20
ago</small>
</li>
<li class="list-group-item">
<span class="fa-stack pull-left m-
r-sm">
<i
class="fa fa-circle fa-
stack-2x text-info"></i>
<i
class="fa fa-map-
marker fa-stack-1x text-white"></i>
</span>
<span class="clear">
<a
href="#">Geoge@yahoo.com</a>
is
online
<small
class="icon-muted">1
hour
ago</small>
</li>
<li class="list-group-item">
<span class="fa-stack pull-left m-
r-sm">
<i
class="fa fa-circle fa-
stack-2x text-primary"></i>

```

```

<i
class="fa fa-info
fa-stack-1x text-white"></i>
</span>
<span class="clear">
<a
href="#"><strong>Admin</strong>
</a>
post
a
info
<small
class="icon-muted">1
day
ago</small>
</span>
</li>
</ul>
<div
class="wrapper"><strong>Friends</strong>
</div>
<ul
class="list-group no-bg no-borders auto">
<li class="list-group-item">
<div class="media">
<span class="pull-left
thumb-sm avatar">

<i
class="on b-
black bottom"></i>
</span>
<div class="media-
body">

```

```

</div>
</div>
href="#">Chris
Fox</a>
</div>
class="text-muted">about
2
hours
ago</small>
</div>
</div>
class="text-muted">about
2
minutes
ago</small>
</li>
</div>
<li class="list-group-item">
<div class="media">
</li>
<span class="pull-left
thumb-sm avatar">

<i
class="busy b-
black bottom"></i>
</span>
</div class="media-
body">
<div>
</div>
</div>
src="template/a2.png"
alt="...">
<i
class="on b-
black bottom"></i>
</span>
<div class="media-
body">
<div>
</div>
href="#">Dan
Doorack</a>
</div>
</div>
href="#">Amanda
Conlan</a>
class="text-muted">3
days

```

```

ago</small>
</li>
</div>
</ul>
</section>
</div>
</section>
</li>
</aside>
<li class="list-group-item">
</section>
<div class="media">
<a href="#" class="hide nav-off-screen-block" data-toggle="class:nav-off-screen,open" data-target="#nav,html"></a>
<span class="pull-left thumb-sm avatar">

<i class="away black bottom"></i>
</span>
<div class="media-body">
<div>
<a href="#">Lauren Taylor</a>
</div>
<small class="text-muted">about 2 minutes ago</small>
</div>
</div>
</section>
</section>
</script>
<!-- BOOTSTRAP SCRIPTS -->
<script src="assets/js/jquery-1.11.1.js"></script>
<script src="assets/js/bootstrap.js"></script>
<script src="js/scripts.js"></script>
<script type="text/javascript" src="js/bootstrap-3.1.1.min.js"></script>
<script src="js/tabel.js"></script>
<script src="js/tabel2.js"></script>
<script src="js/demo.js"></script>
<script>
$(function() {
    $('a[href*=#]').on('click', function(e) {
        e.preventDefault();
        $('html, body').animate({
            scrollTop: $(this).attr('href').offset().top}, 500, 'linear');
        });
});
</script>
<script>
$(function () {
    $('#datatable').DataTable();
    $('#example2').DataTable({
        "paging": true,
        "lengthChange": false,
        "searching": false,
        "ordering": true,
        "info": true,
        "autoWidth": false
    });
});
</script>
<script>

```

```

$(function () {
  $("#example3").DataTable();
  $("#example3").DataTable({
    "paging": true,
    "lengthChange": false,
    "searching": false,
    "ordering": true,
    "info": true,
    "autoWidth": false
  });
});
</script>

<script>
$(function () {
  $("#example4").DataTable();
  $("#example4").DataTable({
    "paging": true,
    "lengthChange": false,
    "searching": false,
    "ordering": true,
    "info": true,
    "autoWidth": false
  });
});
</script>

<div id="flotTip" style="display:
none; position: absolute; left: 1083px; top:
547px;"></div>
</body>

</html>
Pelanggan
<?php
$gos=(empty($_REQUEST['gos']))? 'tabel'
:$_REQUEST['gos'];
$gos();
function tambah(){
//<input type=file name=Foto >
// $KodeGudang= GetOption2('pelanggan ',
"concat(KodePelanggan , ' - ', KodePelanggan )",
'KodePelanggan ', $w['KodePelanggan ], ",
'KodePelanggan ');
// $NamaGudang= GetOption2('pelanggan ',
"concat(KodeGudang, ' - ', NamaGudang)",
'NamaGudang', $w['NamaGudang'], ",
'NamaGudang');
// $m0=_selek("select * from pelanggan where
KodePelanggan =$_POST[KodePelanggan ]");
// $m1=_selek("select * from pelanggan where
KodePelanggan =$_POST[KodePelanggan ]");

$r=mysql_query("select * from pelanggan where
KodePelanggan=$_GET[kd]");
$w=mysql_fetch_array($r);
echo"
<section class='panel panel-default col-md-5'>
<header class='panel-heading font-bold'> Data
pelanggan</header>

```

```

<div class='panel-body'>
  <form method=post action="" class='panel panel-
box' enctype='multipart/form-data' id=fom3>

    <div class='form-group'>
      <label>KodePelanggan : </label>
      <input class='form-control'
placeholder='KodePelanggan '
name=KodePelanggan
value='$w[KodePelanggan]' id=KodePelanggan
type='text'> </div>

    <div class='form-group'>
      <label>Nama : </label>
      <input class='form-control'
placeholder='Nama ' name=Nama
value='$w[Nama]' id=Nama type='text'> </div>

    <div class='form-group'>
      <label>Alamat : </label>
      <input class='form-control'
placeholder='Alamat ' name=Alamat
value='$w[Alamat]' id=Alamat type='text'> </div>

    <div class='form-group'>
      <label>Email : </label>
      <input class='form-control'
placeholder='Email ' name=Email
value='$w[Email]' id=Email type='text'> </div>

    <div class='form-group'>
      <label>Telpon : </label>
      <input class='form-control'
placeholder='Telpon ' name=Telpon
value='$w[Telpon]' id=Telpon type='text'> </div>

    <input type=submit class='btn btn-sm
btn-default' name=simpan value='Simpan'>
  </form>
</div>
</section>

";
}

function tabel(){
//< i class='fa fa-plus'>
echo"
<section style='color:black;' class='panel panel-
default'>
  <header class='panel-heading'> Data pelanggan
</header>
  <a class='btn '
href="?menu=pelanggan&gos=tambah"><i class='fa
fa-plus'> </i> Tambah </a>
  <a class='btn ' href='laporan/pelanggan.php'><i
class='fa fa-print'> </i> Cetak </a>
  <div class='table-responsive'
id='growthrate'>

```

```

<div id='example_wrapper'
class='dataTables_wrapper no-footer'>
  <table class='table table-striped m-b-none
dataTable no-footer' id='datatable'
  role='grid' aria-describedby='example_info'
  style='width: 896px; cellspacing='0'
  cellpadding='0' border='0'>
    <thead>
      <tr role='row'>
        <th>No</th>

        <th>KodePelanggan</th>
        <th>Nama</th>
        <th>Alamat</th>
        <th>Email</th>
        <th>Telpon</th>

        <th>Action</th>
      </tr>
    </thead>
    <tbody>
";

      if ($_SESSION[Level]==3){
        // $sql=" select * from pelanggan
        where KodeGudang=$_SESSION[Username] ";
        }else{
          $sql=" select * from pelanggan
";
        }

        $r=mysql_query($sql);
        while($w=mysql_fetch_array($r)){
          $n++;

          if ($n % 2 == 0) $warna =
'#0f5f5f';
          else $warna = '#ffffff';

        echo"
<tr bgcolor=$warna>
<td align=center >$n</td>

        <td>$w[KodePelanggan]</td>
        <td>$w[Nama]</td>
        <td>$w[Alamat]</td>
        <td>$w[Email]</td>
        <td>$w[Telpon]</td>

        <td width=60 align=center ><a
href='?menu=pelanggan&gos=tambah&kd=$w[Ko
dePelanggan]'><i class='fa fa-edit'></i></a>
<a
href='?menu=pelanggan&gos=hapus&kd=$w[Kod
ePelanggan]' onclick=\"return confirm('Apakah

```

```

anda yakin akan menghapus data ini?')\" '><i
class='fa fa-minus'></i></a>
</td>
</tr>
";
}
echo"
</tbody>
</table>

</div>
</div>
</section>
";
}

function hapus(){
mysql_query("delete from pelanggan where
KodePelanggan=$_GET[kd]" );
BerhasilHapus("?menu=pelanggan&gos=tabel",50
0);
}

if(isset($_POST['simpan'])){
$w=GetFields('pelanggan','KodePelanggan',$_POS
T['KodePelanggan'],*);

if (empty($w))
{

mysql_query("insert into pelanggan set

        KodePelanggan=$_POST[KodePelanggan
]', Nama=$_POST[Nama]',
Alamat=$_POST[Alamat]',
Email=$_POST[Email]',
Telpon=$_POST[Telpon]";");

}
else
{
mysql_query(" update pelanggan set

        KodePelanggan=$_POST[KodePelanggan
]', Nama=$_POST[Nama]',
Alamat=$_POST[Alamat]',
Email=$_POST[Email]',
Telpon=$_POST[Telpon]' where
KodePelanggan = '$_POST[KodePelanggan]'
");

}
echo "<!--<script> alert('Data berhasil disimpan ');
</script> -->";
}
?>

```