

## LISTING PROGRAM

### index.php

```
<!DOCTYPE html>

<html>

<head>

<title>E-TOEIC</title>

<link href="images/favicon.ico" rel="shortcut icon" />

<meta name="viewport" content="width=device-width, initial-scale=1">

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<meta name="keywords" content="Credit Login / Register Form Responsive Widget,Login form widgets, Sign up
Web forms , Login signup Responsive web form,Flat Pricing table,Flat Drop downs,Registration Forms,News letter
Forms,Elements" />

<script type="application/x-javascript"> addEventListener("load", function() { setTimeout(hideURLbar, 0); },
false); function hideURLbar(){ window.scrollTo(0,1); } </script>

<!-- Custom Theme files -->

<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all">

<link href="css/popuo-box.css" rel="stylesheet" type="text/css" media="all" />

<link href="css/style2.css" rel="stylesheet" type="text/css" media="all" />

<!-- //Custom Theme files -->

<!-- web font -->

<link href="fonts.googleapis.com/css?family=Oswald:400,700" rel="stylesheet">

<link href="fonts.googleapis.com/css?family=Open+Sans:300,400,600,700" rel="stylesheet">

<!-- //web font -->

</head>

<body>

<h1>Login/Register Form E-TOEIC</h1>

<div class="main-agileits">
```

```

<!--form-stars-here-->
    <div class="form-w3-agile">
        <h2>Login Form</h2>
        <form action="config/cek_login.php" method="post">
            <div class="form-sub-w3">
                <input type="text" name="username"
                    placeholder="Username " required="" />
            <div class="icon-w3">
                <i class="fa fa-user" aria-hidden="true"></i>
            </div>
        </div>
        <div class="form-sub-w3">
            <input type="password" name="password"
                placeholder="Password" required="" />
            <div class="icon-w3">
                <i class="fa fa-unlock-alt" aria-hidden="true"></i>
            </div>
        </div>
        <p class="p-bottom-w3ls">Forget Password? <a
href="reset_password.php"> Forget Password</a></p>
        <p class="p-bottom-w3ls">Are you new member? <a class="w3_play_icon1"
href="#small-dialog1"> Register here</a></p>
        <!--<img width=200 height=260 src='images/Under-construction.png'>-->
        <div class="submit-w3l">
            <input type="submit" value="Login">
        </div>
    </form>
</div>
<!--//form-ends-here-->
</div>
<div id="small-dialog1" class="mfp-hide">

```

```

        <div class="contact-form1">
            <div class="contact-w3-agileits">
                <h3>Register Form E-
                <form action="config/register.php"
TOEIC</h3>
method="post">
        <div class="form-sub-w3ls">
            <input name="email" placeholder="Your Active Email" class="mail"
type="email" required="">
                <div class="icon-agile">
                    <i class="fa fa-envelope-o" aria-hidden="true"></i>
                </div>
            </div>
        </div>
        <div
class="form-sub-w3ls">
            <input name="user" placeholder="Username" type="text" required="">
            <div class="icon-agile">
                <i class="fa fa-user" aria-hidden="true"></i>
            </div>
        </div>
        <div
class="form-sub-w3ls">
            <input name="pass" placeholder="Password" type="password"
required="">
            <div class="icon-agile">
                <i class="fa fa-unlock-alt" aria-hidden="true"></i>
            </div>
        </div>
        <div class="submit-w3l">
            <input type="submit" value="Register">
        </div>

```

</form>

</div>

</div>

<!-- copyright -->

<div class="copyright w3-agile">

<p> © 2017 E-TOEIC. Polytechnic Of Sriwijaya</a></p>

</div>

<!-- //copyright -->

<script type="text/javascript" src="js/jquery-2.1.4.min.js"></script>

<!-- pop-up-box -->

<script src="js/jquery.magnific-popup.js" type="text/javascript"></script>

<!--//pop-up-box -->

<script>

\$(document).ready(function() {

\$('.w3\_play\_icon,.w3\_play\_icon1,.w3\_play\_icon2').magnificPopup({

type: 'inline',

fixedContentPos: false,

fixedBgPos: true,

overflowY: 'auto',

closeBtnInside: true,

preloader: false,

midClick: true,

removalDelay: 300,

mainClass: 'my-mfp-zoom-in'

});

});

</script>

</body>

</html>

### Cek.logon.php

```
<?php
include'connection.php';
    session_start();

if(empty($_POST['username'])):
    echo "<script>alert('Maaf,Periksa Username anda.');"history.go(-1);</script>";
elseif(empty($_POST['password'])):
    echo "<script>alert('Maaf,Periksa Password anda.');"history.go(-1);</script>";
    exit();
endif;

$perintah_query=mysql_query(" SELECT *
FROM login
WHERE username = '$_POST[username]'
AND password = '$_POST[password]'");

    if($hasil_cek=mysql_num_rows($perintah_query))
    {
        //sukess
        $datauser=mysql_fetch_array($perintah_query);
        $_SESSION['user'] = $_POST['username'];
        $_SESSION['level'] = $datauser['level'];
        echo $_SESSION['level'];

header("location:../main.php");
    }else{
echo "<script>alert('Maaf, Username atau Password Anda Salah!');"history.go(-1);</script>";

    }

?>
```

### check.session.php

```
<?php
    session_start();
    $sesi = $_SESSION['sesiuser'];
if(empty($sesi)):
    echo "<script>alert('Anda tidak memiliki
sesi.');"location.href='index.php';</script>";
    exit();
endif;

?>
```

### connection.php

```
<?php
    $mysql_user="etoecsi_feri";
    $mysql_password="feri2017mi";
    $mysql_database="etoecsi_e_toeic";
    $mysql_host="127.0.0.1";
    $koneksi_db = mysql_connect($mysql_host, $mysql_user,
    $mysql_password);
```

```
mysql_select_db($mysql_database, $koneksi_db);
error_reporting(E_STRICT | ~E_NOTICE);
define( 'VALIDASI', 1 );
?>
```

### register.php

```
<?php
include "connection.php";
$user= $_POST['user'];
$pass= $_POST['pass'];
$email= $_POST['email'];

if(empty($user)):
    echo "<script>alert('Maaf,Periksa Username anda.');"history.go(-1);</script>";
elseif(empty($pass)):
    echo "<script>alert('Maaf,Periksa Password anda.');"history.go(-1);</script>";
    exit();
elseif(empty($email)):
    echo "<script>alert('Maaf,Email anda.');"history.go(-1);</script>";
    exit();
endif;
//panggil data
$sql="select * from login where username ='$user'";
$proses=mysql_query($sql);
$data=mysql_fetch_array($proses);
$kode = mysql_num_rows($proses);
if ($kode==""){

$query=mysql_query("insert into login set username='$user', password='$pass', email='$email', level='user'");
//list($username)=mysql_fetch_row($query);
if($query) :
    //$_SESSION['sesiuser']=$user;
    echo "<script>alert('Registration succeed! Please login first.');"
location.href='./index.php';</script>";
    else :
    echo "<script>alert('Registration failed!');"window.history.go(-1);</script>";
    endif;
} else {
echo "<script>alert('Registration failed! Username Alredy Exist.');"window.history.go(-1);</script>";
    exit();
}
?>
```

### main.php

```
<?php
session_start();
include ('config/connection.php');
include ('paginator.class.php');
defined("VALIDASI") or die( "Tidak diperkenankan mengakses file ini secara langsung !" );
if($_SESSION['level']=='admin' || $_SESSION['level']=='user') {
$page=$_GET['p'];
?>
<!DOCTYPE html>
```

```

<html>
<head>
<title>E-TOEIC</title>
<link href="images/favicon.ico" rel="shortcut icon" />
<!-- Dropzone css -->
<link href="css/dropzone-master/dist/dropzone.css" rel="stylesheet" type="text/css" />
<!-- for-mobile-apps -->
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<meta name="keywords" content="Teaching Responsive web template, Bootstrap Web Templates, Flat Web
Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG, SonyEricsson, Motorola web
design" />
<script type="application/x-javascript">addEventListener("load", function() { setTimeout(hideURLbar, 0); }, false);
    function hideURLbar(){ window.scrollTo(0,1); } </script>

<!-- //for-mobile-apps -->
<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style1.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/imagehover.css" rel="stylesheet" media="all">
<link type="text/css" rel="stylesheet" href="css/cm-overlay.css" />
<!-- js -->
<script type="text/javascript" src="js/jquery-2.1.4.min.js"></script>
<!--progrees bar-->
<link rel="stylesheet" type="text/css" href="css/component.css" />
<link rel="stylesheet" type="text/css" href="css/custom-bars.css" />
<!-- //js -->
<link href="//fonts.googleapis.com/css?family=Capriola" rel='stylesheet' type='text/css'>
<link
href="//fonts.googleapis.com/css?family=Open+Sans:400,300,300italic,400italic,600,600italic,700,700italic,800,800
italic" rel='stylesheet' type='text/css'>
<!-- start-smoth-scrolling -->
<script type="text/javascript" src="js/move-top.js"></script>
<script type="text/javascript" src="js/easing.js"></script>
<script type="text/javascript">
    jQuery(document).ready(function($) {
        $(".scroll").click(function(event){
            event.preventDefault();
            $('html,body').animate({ scrollTop:$(this.hash).offset().top},1000);
        });
    });
</script>
<!-- start-smoth-scrolling -->
<link href="css/animate.min.css" rel="stylesheet">
</head>

<body>
    <div class="header">
        <div class="container">
            <nav class="navbar navbar-default">
                <div class="navbar-header navbar-left">
                    <button type="button" class="navbar-toggle
collapsed" data-toggle="collapse" data-target="#bs-example-navbar-collapse-1">
                        <span class="sr-only">Toggle
navigation</span>

```

```

        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
    </button>
    <h1><a class="navbar-brand"
href="index.html"><span>E</span> - TOEIC</a></h1>
    </div>
    <!-- Collect the nav links, forms, and other content for
    toggling -->
    <div class="collapse navbar-collapse" id="bs-
example-navbar-collapse-1">
        <nav class="menu menu--shylock">
            <div
class="agileinfo_social_icons">
                <ul
class="agileinfo_social_icons1">
                    <li><a
href="https://www.facebook.com/pages/Politeknik-Negeri-Sriwijaya/104096339925842?fref=ts"
class="facebook"></a></li>
                    <li><a
href="https://twitter.com/kmhs_polsri" class="twitter"></a></li>
                    <li><a
href="plus.google.com" class="google"></a></li>
                </ul>
            </div>
            <ul class="nav navbar-nav">
                <li role="presentation"
                <?php if($page == 'home') echo 'class="active"';?><a href="main.php?p=home" class="hvr-bounce-to-
bottom">Home</a></li>
                <?php if ($_SESSION['level']=='admin'){ ?>
                <li role="presentation"
                <?php if($page == 'upload-view') echo 'class="active"';?><a href="main.php?p=upload-view" class="hvr-bounce-
to-bottom">Upload File</a></li>
                <li role="presentation"
                <?php if($page == 'course') echo 'class="active"';?><a href="main.php?p=course" class="hvr-bounce-to-
bottom">Course Data</a></li>
                <li role="presentation"
                <?php if($page == 'toeic') echo 'class="active"';?><a href="main.php?p=toeic" class="hvr-bounce-to-
bottom">Toeic Data</a></li>
                <li role="presentation"
                <?php if($page == 'forum') echo 'class="active"';?><a href="main.php?p=forum" class="hvr-bounce-to-
bottom">Forum</a></li>
                <?php } if ($_SESSION['level']=='user'){ ?>
                <li role="presentation"
                <?php if($page == 'course') echo 'class="active"';?><a href="main.php?p=course" class="hvr-bounce-to-
bottom">Course</a></li>
                <li role="presentation"
                <?php if($page == 'profile') echo 'class="active"';?><a href="main.php?p=profile" class="hvr-bounce-to-
bottom">Profile</a></li>
                <li role="presentation"
                <?php if($page == 'leaderboard') echo 'class="active"';?><a href="main.php?p=leaderboard" class="hvr-bounce-
to-bottom">Leaderboard</a></li>

```



```

<li role="presentation"
<?php if($page == 'forum') echo 'class="active"';?><a href="main.php?p=forum" class="hvr-bounce-to-
bottom">Forum</a></li>

<?php } ?>
<li><a
href="logout.php" class="hvr-bounce-to-bottom">Logout</a></li>
</ul>
<div class="clearfix"></div>
</nav>
</div>
</nav>
</div>
</div>
</div>

<?php
if(!empty($_GET['p'])) {
    if(file_exists("file/$_GET[p].php")) {
        include("file/$_GET[p].php");
    } else {
        echo "Error !<br/>Not Found !!!";
    }
} else {
include 'file/home.php';
}
?>

<!-- footer -->
<div class="footer">
    <div class="container">
        <div class="col-md-4 w3l_footer_grid">
            <h2><a href="main.php"><span>E</span> - TOEIC</a></h2>
            <p>TOEIC (<i>Test of English for International Communication</i>)
is a test of English proficiency for those whose native language
is not English.</p>
        </div>
        <div class="col-md-3 w3l_footer_grid">
            <h3>Address</h3>
            <ul class="w3_address">
                <li><i class="glyphicon glyphicon-map-marker" aria-
hidden="true"></i>Jl. Srijaya Negara Bukit Besar
                <span>Palembang City, South Sumatera
</span><span>Indonesia 30139</span></li>
                <li><i class="glyphicon glyphicon-education" aria-
hidden="true"></i><a href="http://www.polsri.ac.id">State Polytechnic Of Sriwijaya</a></li>
                <li><i class="glyphicon glyphicon-earphone" aria-
hidden="true"></i>+62711 353414 -<span>Fax : 62711 355918</span></li>
            </ul>
        </div>
        <div class="col-md-2 w3l_footer_grid">
            <h3>Navigation</h3>
            <ul class="agileinfo_footer_grid_nav">
                <li role="presentation" <?php if($page == 'home') ;?><a
href="main.php?p=home"><span class="glyphicon glyphicon-arrow-right" aria-
hidden="true"></span>Home</a></li>

```

```

                <li role="presentation" <?php if($page == 'course') ;?><a
href="main.php?p=course"><span class="glyphicon glyphicon-arrow-right" aria-
hidden="true"></span>Course</a></li>

                <?php if ($_SESSION['level']=='admin'){
echo "";
}if ($_SESSION['level']=='user'){
?>
                <li role="presentation" <?php if($page == 'profile');?><a
href="main.php?p=profile"><span class="glyphicon glyphicon-arrow-right" aria-
hidden="true"></span>Profile</a></li>

                <?php } ?>
                <li role="presentation" <?php if($page ==
'leaderboard');?><a href="main.php?p=leaderboard"><span class="glyphicon glyphicon-arrow-right" aria-
hidden="true"></span>Leaderboard</a></li>

                <li role="presentation" <?php if($page == 'forum');?><a
href="main.php?p=forum"><span class="glyphicon glyphicon-arrow-right" aria-
hidden="true"></span>Forum</a></li>
            </ul>
        </div>
        <div class="col-md-3 w3l_footer_grid">
            <h3>Social Media</h3>
            <ul class="agileinfo_social_icons1 agileinfo_social">
                <li><a href="https://www.facebook.com/pages/Politeknik-
Negeri-Sriwijaya/104096339925842?fref=ts" class="facebook"></a></li>
                <li><a href="https://twitter.com/kmhs_polsri"
class="twitter"></a></li>
                <li><a href="plus.google.com" class="google"></a></li>
            </ul>
        </div>
        <div class="clearfix"></div>
        <div class="w3agile_footer_copy">
            <p>© 2017 E-TOEIC. Polytechnic Of Sriwijaya</p>
        </div>
    </div>
</div>
<!-- //footer -->
<!-- for bootstrap working -->
    <script src="js/bootstrap.js"></script>
<!-- //for bootstrap working -->
<script src="js/jquery.tools.min.js"></script>
<script src="js/jquery.mobile.custom.min.js"></script>
<script src="js/jquery.cm-overlay.js"></script>
<script>
    $(document).ready(function(){
        $(''.cm-overlay').cmOverlay();
    });
</script>

<!-- here stars scrolling icon -->
    <script type="text/javascript">
        $(document).ready(function() {
            /*
                var defaults = {
                containerID: 'toTop', // fading element id
                containerHoverID: 'toTopHover', // fading element hover id
                scrollSpeed: 1200,

```

```

        easingType: 'linear'
    };
    */

    $.UtoTop({ easingType: 'easeOutQuart' });

    });
</script>
<!-- //here ends scrolling icon -->
<!-- Dropzone Plugin JavaScript -->
<script src="css/dropzone-master/dist/dropzone.js"></script>
<!-- TinyMce Plugin JavaScript -->
<script src="css/tinyMce/tinyMce.min.js"></script>
<script>
$(document).ready(function () {

if($("#mymce").length > 0){
tinymce.init({
selector: "textarea#mymce",
theme: "modern",
height:300,
plugins: [
"advlist autolink link image lists charmap print preview hr anchor pagebreak spellchecker",
"searchreplace wordcount visualblocks visualchars code fullscreen insertdatetime media nonbreaking",
"save table contextmenu directionality emoticons template paste textcolor"
],
toolbar: "insertfile undo redo | styleselect | bold italic | alignleft aligncenter alignright alignjustify | bullist numlist
outdent indent | link image | print preview media fullpage | forecolor backcolor emoticons",

});
}
});
</script>
</body>
</html>
<?php
}else{
header("location:index.php");
}
?>

```

## home.php

```

<div class="banner">

        <div class="w3agile_banner_info">
            <div class="container">
                <h3><font color="#99FFFF">E-</font><font
color="#FFFF00">TOEIC</font></h3>
                <h2><a><font color="#00FF00">E - learning
TOEIC</font></a></h2>
            </div>
        </div>
        <div class="w3_scroll">
            <div class="scroll-down">

```

```

        <span class="dot"></span>
        </div>
    </div>
    <div class="w3_banner_pos">
        
    </div>
</div>
<!-- //banner -->

<!-- banner-bottom -->
    <div id="about" class="banner-bottom">
        <div class="container">
            <h3 class="head">A<span>brief description <i>about</i> E-
TOEIC</span></h3>
            <div class="agileits_banner_bottom_grids">
                <div class="col-md-6 agileits_banner_bottom_grid_l">
                    <h4>Introduction TOEIC (<i>Test of English for
International Communication</i></h4>
                    <p>Communication skills in English are needed in today's
work environment. This ability is also one of the company's
considerations when it will lift people into employees.
TOEIC is one test for someone who does not use English as the language
of instruction. TOEIC results are not only used in the realm
of hiring new employees, but also used for the promotion process,
promotion, etc.</p>
                    <p>In the TOEIC test there are 200 questions consisting of
Listening Comprehension and Reading Comprehension. All questions have 4 (four)
multiple choices as answer choices. For the listening
consists of photograph, question-response, short conversation, and talk.
While for reading consists of incomplete sentence, text
completion, single passages, and double passage.</p>
                </div>
                <div class="col-md-6 agileits_banner_bottom_grid_r">
                    <div class="agileits_banner_btm_grid_r">
                        
                    </div>
                    <div class="agileits_banner_btm_grid_r_pos">
                        
                    </div>
                </div>
            </div>
            <div class="clearfix"></div>
        </div>
    </div>
<!-- //banner-bottom -->
<!-- banner-bottom1 -->
    <div class="banner-bottom1">
        <div class="col-md-6 agile_banner_bottom1_left">
            </div>
        <div class="col-md-6 agile_banner_bottom1_right">
            <h4>Usability TOEIC</h4>
            <p>TOEIC has usability, among others:</p>

```

```

        <ul>
            <li><span class="glyphicon glyphicon-hand-right" aria-
hidden="true"></span>English Language Measurement Capability</li>
            <li><span class="glyphicon glyphicon-hand-right" aria-
hidden="true"></span>Employee Recruitment</li>
            <li><span class="glyphicon glyphicon-hand-right" aria-
hidden="true"></span>Scholarship</li>
        </ul>
    </div>
<div class="clearfix"></div>
</div>
<!-- //banner-bottom1 -->
<!-- testimonials -->
    <div class="testimonials">
        <div class="container">
            <h3 class="head head1">U<span>E-TOEIC <i>user</i> testimony</span></h3>
            <ul id="flexiselDemo1">
                <li>
                    <div class="wthree_testimonials_grid_main">
                        <div class="wthree_testimonials_grid">
                            <h4>Under review</h4>
                            <p>Under review</p>
                            <div
class="wthree_testimonials_grid_pos">
                                
                            </div>
                        </div>
                        <div class="wthree_testimonials_grid1">
                            <h5>Indra Satriadi,S.T.,
M.Kom.</h5>
                            <p>Lecture And Head Of Program
Informatics Management</p>
                        </div>
                    </li>
                    <li>
                        <div class="wthree_testimonials_grid_main">
                            <div class="wthree_testimonials_grid">
                                <h4>Under review</h4>
                                <p>Under review</p>
                                <div
class="wthree_testimonials_grid_pos">
                                    
                                </div>
                            </div>
                            <div class="wthree_testimonials_grid1">
                                <h5>Rika Sadariawati, S.E.,
M.Si.</h5>
                                <p>Lecture</p>
                            </div>
                        </li>
                    </li>
                </ul>
            </div>
        </div>
    </div>

```

```
class="wthree_testimonials_grid_pos">
src="images/2.png" alt=" " class="img-responsive" />
```

```
M.Kom.</h5>
```

```
</li>
</ul>
```

```
true,
```

```
$("#flexiselDemo1").flexisel({
  visibleItems:1,
  animationSpeed: 1000,
  autoPlaySpeed: 3000,
  pauseOnHover: true,
  enableResponsiveBreakpoints: true,
  responsiveBreakpoints: {
    portrait: {
    },
    landscape: {
    },
    tablet: {
    }
  }
});
});
</script>
<script type="text/javascript" src="js/jquery.flexisel.js"></script>
</div>
```

```
<div class="wthree_testimonials_grid">
  <h4>Under review</h4>
  <p>Under review</p>
  <div
```

```
<img
```

```
</div>
```

```
</div>
```

```
<div class="wthree_testimonials_grid1">
  <h5>Ienda Meiriska, S.Kom.,
```

```
<p>Lecture</p>
```

```
</div>
```

```
</div>
```

```
<script type="text/javascript">
  $(window).load(function() {
```

```
autoPlay:
```

```
changeP
visibleIte
```

```
},
```

```
changeP
visibleIte
```

```
},
```

```
changeP
visibleIte
```

```
},
```

```
}
```

```
</div>
```

### course.php

```
<?php
defined("VALIDASI") or die( 'Not allowed to access this file directly ! ');
if($_SESSION['level']=='admin' || $_SESSION['level']=='user') {
    if ($_SESSION['level']=='admin'){
?>

<div class="services">
    <div class="container">
        <h3 class="head head2">M<span>Input <i>Meeting </i> Lesson</span></h3>

        <div class="agileinfo_services_grids">

<?php
$m=13;
for ($n=1;$n<=$m;$n++){
?>

        <a href="main.php?p=materi-show&id=meeting<?php echo"$n";?>"><!-- href
tarok disini -->
            <div class="col-md-4 agileinfo_services_grid">
                <div class="agileinfo_services_grid1">
                    <span class="glyphicon glyphicon-book" aria-
hidden="true"></span>
                    <h4>Meeting <?php echo"$n";?></h4>
                    <p></p>
                </div>
            </div>
        </a>

<?php
}
?>

        <div class="clearfix"></div>
    </div>
</div>

<?php } elseif ($_SESSION['level']=='user'){ ?>
<!-- services -->
    <div class="container">
        <h3 class="head head2">T<span>Start <i>TOEIC</i> Lesson</span></h3>

        <div class="grid_3 grid_5">
            <div class="alert alert-warning" role="alert">
                <strong>Warning!</strong> Please complete the meeting
and doing exercises gradually to proceed to the next meeting
            </div>

            <div class="agileinfo_services_grids">

<!--Meeting 1-->
<?php
//panggil data
$sql1="select * from latihan_soal where id_materi ='meeting1' and id_user='$_SESSION[user]";
```

```

$proses1=mysql_query($sql1);
$data1=mysql_fetch_array($proses1);
    if ($data1['status']=='Complete'){
?>
        <a href="main.php?p=latihan-view&id=meeting1">
            <div class="col-md-4 agileinfo_services_grid">
                <div class="agileinfo_services_grid1"
style="cursor:pointer;">
                    <span class="glyphicon glyphicon-book" aria-
hidden="true"></span>
                        <h6>Meeting 1</h6>
                        <h4>Meeting 1 is Complete</h4>
                    </div>
                </div>
            </a>
        </div>
    </a>
</php
} else {
?>
        <a href="main.php?p=latihan-show&id=meeting1">
            <div class="col-md-4 agileinfo_services_grid">
                <div class="agileinfo_services_grid1"
style="cursor:pointer;">
                    <span class="glyphicon glyphicon-book" aria-
hidden="true"></span>
                        <h6>Meeting 1</h6>
                        <h4>Meeting 1 is not Complete</h4>
                    </div>
                </div>
            </a>
        </div>
    </a>
</php
}
?>
<!--End Meeting 1-->
<!--Break-->
<!--Meeting 2-15-->
</php
$i=13;
for ($x=2;$x<$i;$x++){
    $y=$x+20;
    $z=$x-1;
//panggil data
$sql['$x']="select * from latihan_soal where id_materi ='meeting$z' and id_user='$_SESSION[user]'";
$proses['$x']=mysql_query($sql['$x']);
$data['$x']=mysql_fetch_array($proses['$x']);
    if ($data['$x']['status']=='Complete'){
//panggil data
$sql['$y']="select * from latihan_soal where id_materi ='meeting$x' and id_user='$_SESSION[user]'";
$proses['$y']=mysql_query($sql['$y']);
$data['$y']=mysql_fetch_array($proses['$y']);
    if ($data['$y']['status']==''){
?>
        <a href="main.php?p=latihan-show&id=meeting<?php echo"$x";?>">
            <div class="col-md-4 agileinfo_services_grid">
                <div class="agileinfo_services_grid1"
style="cursor:pointer;">

```



```

hidden="true"></span>
Complete </h4>
Complete </h4>
Complete</h4>
Complete</h4>
Complete</h4>
echo"$z";?</h4>
<!--End Meeting 2-15-->
<!--Break-->
<!--Toeic-->
//panggil data
$data_t=mysql_fetch_array(mysql_query("select * from latihan_soal
where id_user='$_SESSION[user]' and id_materi ='meeting12'"));
if ($data_t==true){
?>

```

```
<span class="glyphicon glyphicon-book" aria-
```

```
<h6>Meeting <?php echo"$x";?></h6>
```

```
<h4>Meeting <?php echo"$x";?> is not
```

```
</div>
```

```
</div>
```

```
</a>
```

```
<?php
```

```
} elseif ($data['$y']['status']=='Complete'){
```

```
?>
```

```
<a href="main.php?p=latihan-view&id=meeting<?php echo"$x";?>">
```

```
<div class="col-md-4 agileinfo_services_grid">
```

```
<div class="agileinfo_services_grid1"
```

```
style="cursor:pointer;">
```

```
<span class="glyphicon glyphicon-book" aria-
```

```
hidden="true"></span>
```

```
<h6>Meeting <?php echo"$x";?></h6>
```

```
<h4>Meeting <?php echo"$x";?> Is
```

```
</div>
```

```
</div>
```

```
</a>
```

```
<?php
```

```
}
```

```
?>
```

```
<?php
```

```
} else{
```

```
?>
```

```
<div class="col-md-4 agileinfo_services_grid">
```

```
<div class="agileinfo_services_grid1" style="cursor: not-
```

```
allowed;background:red;">
```

```
<span class="glyphicon glyphicon-book" aria-
```

```
hidden="true"></span>
```

```
<h6>Meeting <?php echo"$x";?></h6>
```

```
<h4>Please Complete Meeting <?php
```

```
</div>
```

```
</div>
```

```
<?php
```

```
}
```

```
}
```

```
?>
```

```
<!--End Meeting 2-15-->
```

```
<!--Break-->
```

```
<!--Toeic-->
```

```
<?php
```

```
//panggil data
```

```
$data_t=mysql_fetch_array(mysql_query("select * from latihan_soal
```

```
where id_user='$_SESSION[user]' and id_materi ='meeting12'"));
```

```
if ($data_t==true){
```

```
?>
```

```
<a href="main.php?p=toeic-set">
```

```
<div class="col-md-12 agileinfo_services_grid">
```

```

style="height:214px;cursor:pointer;">
aria-hidden="true"></span>
</div>
</div>
</a>
<?php
} else{
?>
<div class="col-md-12 agileinfo_services_grid">
<div class="agileinfo_services_grid1"
style="height:214px;cursor:not-allowed;background:red;">
aria-hidden="true"></span>
<h4>TOEIC TEST</h4>
<span class="glyphicon glyphicon-blackboard"
<h4>Please Complete All Meeting</h4>
</div>
</div>
<?php
}
?>
<!--End Toeic-->
<div class="clearfix"></div>
</div>
</div>
</div>
<?php
} else{
header("location:index.php");
}
} else{
header("location:index.php");
}
?>

```

### forum.php

```

<?php
defined("VALIDASI") or die( 'Not allowed to access this file directly ! ' );
if($_SESSION['level']==='admin' || $_SESSION['level']==='user') {
?>
<br>
<div class="container">
<!--.row-->
<div class="row">
<div class="col-md-12">
<div class="panel panel-info">
<div class="panel-heading">Discussion Forum</div>
<div class="panel-wrapper collapse in" aria-expanded="true">
<div class="panel-body">
<form name="f1" id="f1" method="post" action="main.php?p=forum-simpan" enctype="multipart/form-data">

```

```

        <input type="hidden" name="username" value="<?php echo
$_SESSION['user']?>">
<div class="form-body">
<hr>
<div class="row">
<div class="col-md-12">
<div class="form-group">
        <div class="scroll-komentar1">
            <div class="inner-komentar1">
                <?php
                    $i=1;
                    $sql_tbldata1=("SELECT login.username as username,
FROM chat,login
                    $psn1=mysql_query($sql_tbldata1) or die (mysql_error());
                    while($data1=mysql_fetch_object($psn1)){
                        $username=strtoupper($data1->username);
                        $chat=$data1->chat;
                        $date1 = date_create($data1->tanggal);
                        $tanggal1=date_format($date1, 'd M Y');
                        $date2 = date_create($data1->jam);
                        $jam=date_format($date2, 'H:i');
                    ?>
                <fieldset style="border:0px;">
                    <font style="color:blue;font-size:20px;float:left;font-
family:Jokerman;"><?php echo $username ?>&nbsp;   </font>
                    <font style="color:green;font-size:11px;float:left;"><?php echo
$tanggal1.'&nbsp;   &nbsp;  ' ?></font>
                    <font style="color:green;font-size:9px;float:left;"><?php echo $jam
?></font>
                    <br>
                    <font style="font-size:18px;float:left;font-family:Monotype
Corsiva;"><?php echo nl2br($chat) ?></font>
                </div><hr>
            </fieldset>
        <?php
            }
        ?>
        </div>
    </div>
    <div class="col-md-6">
<div class="form-group">
<textarea id="chat" name="chat" class="form-control" placeholder="Add a comment..."></textarea>
</div>
</div>
        <div class="col-md-8" style="float:right;">
            <div class="form-group">
                <button type="submit" class="btn btn-primary">&nbsp;   Send &nbsp;  </button>
                <a href="main.php?p=home"><button type="button" class="btn btn-danger">Cancel</button></a>
            </div>
        </div>
    </div>
</div>
    </div>

```

where lo

```

</div>
</form>
</div>
</div>
</div>
</div>
</div>
<!--./row-->
    </div>
</div>
<br>
<?php
}else{
echo '<script language="javascript">alert("Can not access data..!!"); document.location="index.php";</script>';
exit();
}
?>

```

### leaderboard.php

```

<?php
defined("VALIDASI") or die( 'Not allowed to access this file directly !' );
if($_SESSION['level']=='user') {
?>
        <div class="container">
            <h3 class="head head2">S<span>Leaderboard <i>Score</i> E-
TOEIC</span></h3>
<table width="100%" class="tabel">
<tr class="tr">
<th width="5%">No</th>
<th width="35%">User</th>
<th width="40%">Test</th>
<th width="10%">Score</th>
<th width="10%">Badge</th>
</tr>
<?php
$i=1;
$sql_tbldata=("SELECT * from leaderboard order by tipe_test desc, skor desc");
$psn=mysql_query($sql_tbldata) or die (mysql_error());
while($data=mysql_fetch_object($psn)){
?>
<tr class="tr2" valign="top">
<td align="center"><?php echo $i;?>.</td>
<td align="center"><?php echo strtoupper($data->id_user)?></td>
<td align="center"><?php echo strtoupper($data->tipe_test)?></td>
<td align="center"><?php echo $data->skor?></td>
<td align="center"><?php echo "<img width=25px; height=25px; src = badge/$data->badge>";?></td>
</tr>
<?php
$i++;
}
?>
</table>
</div>

```

```
<br>
<?php
}else{
echo '<script language="javascript">alert("Can not access data..!!"); document.location="index.php";</script>';
}
?>
```

### profile.php

```
<?php
defined("VALIDASI") or die( 'Not allowed to access this file directly ! ' );
if($_SESSION['level']=='user') {
$data_user=mysql_fetch_array(mysql_query("select * from login where username='$_SESSION[user]'"));
$data_badge=mysql_fetch_array(mysql_query("select * from leaderboard where id_user='$_SESSION[user]' order
by id_leaderboard desc limit 1"));
//panggil data
$sql_xp="select * from latihan_soal where id_user='$_SESSION[user]' order by id_soal_materi desc limit 1";
$proses_xp=mysql_query($sql_xp);
$data_xp=mysql_fetch_array($proses_xp);
    if ($data_xp['id_materi']=='meeting1' and $data_xp['status']=='Complete'){
        $xp='8%';
        $meeting='First';
    }elseif ($data_xp['id_materi']=='meeting2' and $data_xp['status']=='Complete'){
        $xp='16%';
        $meeting='Second';
    }elseif ($data_xp['id_materi']=='meeting3' and $data_xp['status']=='Complete'){
        $xp='24%';
        $meeting='Third';
    }elseif ($data_xp['id_materi']=='meeting4' and $data_xp['status']=='Complete'){
        $xp='32%';
        $meeting='Fourth';
    }elseif ($data_xp['id_materi']=='meeting5' and $data_xp['status']=='Complete'){
        $xp='40%';
        $meeting='Fiveth';
    }elseif ($data_xp['id_materi']=='meeting6' and $data_xp['status']=='Complete'){
        $xp='50%';
        $meeting='Sixth';
    }elseif ($data_xp['id_materi']=='meeting7' and $data_xp['status']=='Complete'){
        $xp='58%';
        $meeting='Seventh';
    }elseif ($data_xp['id_materi']=='meeting8' and $data_xp['status']=='Complete'){
        $xp='66%';
        $meeting='Eighth';
    }elseif ($data_xp['id_materi']=='meeting9' and $data_xp['status']=='Complete'){
        $xp='74%';
        $meeting='Nineth';
    }elseif ($data_xp['id_materi']=='meeting10' and $data_xp['status']=='Complete'){
        $xp='82%';
        $meeting='Tenth';
    }elseif ($data_xp['id_materi']=='meeting11' and $data_xp['status']=='Complete'){
        $xp='90%';
        $meeting='Eleventh';
    }elseif ($data_xp['id_materi']=='meeting12' and $data_xp['status']=='Complete'){
        $xp='100%';
        $meeting='Tweleveth';
    }
```

```

        }else{
        $xp='0%';
        $meeting='None';
        }
    ?>
<br>
<div class="container">
<!--.row-->
<div class="row">
<div class="col-md-12">
<div class="panel panel-info">
<div class="panel-heading"> Profile</div>
<div class="panel-wrapper collapse in" aria-expanded="true">
<div class="panel-body">
<form name="f1" id="f1" method="post" action="main.php?p=profile-update" enctype="multipart/form-data">
        <input type="hidden" name="username" value="<?php echo
$_SESSION['user']?>">
<div class="form-body">
<hr>
<div class="row">
                <div class="col-md-12">
                    <div class="form-group">
                        <div class="col-md-4">
                            <?php echo "<img
style=width:100%;height:210px;border-radius:20px; src = photo/$data_user[photo]>";?>
                            <input type="file"
name="photo" >
                        </div>
                        <div class="col-md-6">
                            <div class="form-
body">
                                <div
class="row">
                                    <div class="form-group">
                                        Name : <input type="text" name="nama" value="<?php echo $data_user['nama'] ?>" class="form-
control">
                                    </div>
                                    <div class="form-group">
                                        Meeting : <?php echo $meeting ?>
                                    </div>
                                    <div class="form-group">
                                        XP :
                                        <div class="progress progress-striped active">

```

```

<div clas
<span><
</div>

```



```

<fieldset>
<legend>TOEIC Data</legend>
<div align="center">
<a href="main.php?p=toEIC-tambah">
<button class="tambah-materi" type="submit"><i class="icon-white icon-plus"></i>Add ToEIC Data</button></a>
</div>
<table width="100%" class="tabel">
<tr class="tr">
<th width="4%" rowspan="2" class="th">No</th>
<th width="28%" rowspan="2">Questions</th>
<th colspan="4">Answer</th>
<th width="13%" rowspan="2">Key</th>
<th width="11%" rowspan="2">Action</th>
</tr>
<tr class="tr1">
<th width="14%">A</th>
<th width="12%">B</th>
<th width="12%">C</th>
<th width="12%">D</th>
</tr>
<?php
//buat kelas paginator baru dengan nama $page
$page = new paginator();
//atur jumlah baris per halaman
$page->items_per_page = 10;
$sql_tldata=("SELECT * FROM toEIC");
$sql_tldata .= " ORDER BY id_toEIC ASC";
$page->items_total = mysql_num_rows(mysql_query($sql_tldata));
$page->paginate();
$sql_tldata .= " $page->limit";
$query = mysql_query($sql_tldata);
echo mysql_error();
$prevPage = (int)$_GET['page']-1;
$i = $prevPage*(int)$_GET['ipp']+1;
$psn=mysql_query($sql_tldata) or die (mysql_error());
if(mysql_num_rows($psn) > 0):
while($data=mysql_fetch_object($psn)){
?>
<tr class="tr2" valign="top">
<td align="center"><?php echo $i;?>.</td>
<td><?php echo $data->pertanyaan?></td>
<td align="center"><?php echo $data->a?></td>
<td align="center"><?php echo $data->b?></td>
<td align="center"><?php echo $data->c?></td>
<td align="center"><?php echo $data->d?></td>
<td align="center"><?php echo $data->kunci_jawaban?></td>
<td align="center">
<a href="main.php?p=toEIC-edit&id=<?php echo $data->id_toEIC?>"><button class="edit"
type="submit">Edit</button></a>
<a href="main.php?p=toEIC-hapus&id=<?php echo $data->id_toEIC?>" onclick="return
confirm('Are you sure you want to delete this data?')"><button class="hapus" type="submit">Hapus</button></a>
</td>
</tr>
<?php
$i++;

```



```

}
else:
    echo "NO DATA.";
endif;
?>
<tr class="tr">
<td colspan="8">
        <ul class="pagination pagination-mini">
        <?php echo $page->display_pages();?>
        </ul>
</td>
</tr>
</table>
</fieldset>
</div>
<?php
}else{
echo '<script language="javascript">alert("Can not access data..!!"); document.location="index.php";</script>';
}
?>

```

### meeting.php

```

<!-- services -->
    <div class="services">
        <div class="container">
            <h3 class="head head2">E<span>Get More <i>English</i>
Lesson</span></h3>

            <div class="agileinfo_services_grids">

                <a href="main.php"><!-- href tarok disini -->
                    <div class="col-md-4 agileinfo_services_grid">
                        <div class="agileinfo_services_grid1">
                            <span class="glyphicon
glyphicon-book" aria-hidden="true"></span>
                                <h4>Past Tense</h4>
                                <p>tentang ??????</p>
                            </div>
                        </div>
                    </a><!-- tutup href disini -->

                    <a href="index.php">
                        <div class="col-md-4 agileinfo_services_grid">
                            <div class="agileinfo_services_grid1">
                                <span class="glyphicon
glyphicon-print" aria-hidden="true"></span>
                                    <h4>Vocabulary</h4>
                                    <p> TENTANG vocabulary</p>
                                </div>
                            </div>
                        </a>

                        <div class="col-md-4 agileinfo_services_grid">
                            <div class="agileinfo_services_grid1">

```

```
glyphicon-link" aria-hidden="true"></span>
<span class="glyphicon
<h4>To/Do</h4>
<p>mengenai To/Do</p>
</div>
</div>
<div class="clearfix"></div>
</div>
</div>
</div>
```

### **logout.php**

```
<?php
    session_start();

header("Location: index.php");
    session_destroy();
break;
?>
```