

1. index.php

```
<div class="col-md-8">
<div class="forms-main_agileits">
<div class="graph-form
agile_info_shadow">
  <h3 class="w3_inner_tittle two">Tugas
Baru</h3>
<div class="form-body">
<table id=example1 class="table table
striped table-bordered" role="grid" aria-
describedby="example1_info">
<thead>
<tr>
<th>No</th>
<th>KodeDetailTugas</th>
<th>KodeDetail</th>
<th>KodeTugas</th>
<th>Jarak</th>
<th>Jumlah</th>
<th>Status</th>
</tr>
</thead>
<tbody>
<?php
$r=mysql_query("select * from detailtugas
where Status='Tugas Baru'");
while($w=mysql_fetch_array($r)){
$n++;
echo"
<tr>
<td align=center >$n</td>
<td>$w[KodeDetailTugas]</td>
<td>$w[KodeDetail]</td>
<td>$w[KodeTugas]</td>
<td>$w[Jarak]</td>
<td>$w[Jumlah]</td>
<td>$w[Status]</td>
</tr>
";
}
?>
</tbody>
</table>
</div>
</div>
</div>
</div>
</div>
<?php
if($_GET[gos]=="hapus"){
mysql_query("delete from detailtugas where
KodeDetailTugas=$_REQUEST[KodeDetailTugas]" );
```

```
BerhasilHapus("?menu=detailtugas&gos=ta
bel",500);
}
if(isset($_POST['simpan'])){
$w=GetFields('detailtugas','KodeDetailTuga
s',$_POST['KodeDetailTugas'],'*');
if (empty($w))
{
mysql_query("insert into detailtugas set
KodeDetailTugas=$_POST[KodeDetailTuga
s]',
KodeDetail=$_POST[KodeDetail]',
KodeTugas=$_POST[KodeTugas]',
Jarak=$_POST[Jarak]',
Jumlah=$_POST[Jumlah]',
Status=$_POST[Status]'
");
BerhasilSimpan("?menu=detailperintah",500
);
}
else
{
mysql_query("update detailtugas
setKodeDetailTugas=$_POST[KodeDetailT
ugas]',
KodeDetail=$_POST[KodeDetail]
KodeTugas=$_POST[KodeTugas]',
Jumlah=$_POST[Jumlah]',
Status=$_POST[Status]' where
KodeDetailTugas=$_POST[KodeDetailTuga
s]'
");
BerhasilSimpan("?menu=detailperintah&gos
=tabel",500);
}
}
?>
<script>
function Buka_Tugas(){
window.open("func/tugas.php","", "width=50
0,height=500");
}
</script>
<script>
function Buka_Detail(){
window.open("func/detail.php","", "width=5
00,height=500");
}
</script>
```

2. user.php

```
<div class="col-md-4">
<div class="forms-main_agileits">
<div class="graph-form agile_info_shadow">
<h3 class="w3_inner_tittle two">Form user
</h3>
<div class="form-body">
<?php
$r=mysql_query("select * from user where
KodeUser=$_REQUEST[KodeUser]");
$w=mysql_fetch_array($r);
echo"
<form method=post action="
enctype='multipart/form-data' id=fom3>
<table class='table table-bordered table-
striped'>
<tr><td>KodeUser</td> <td><input
class='form-control' id=KodeUser type=text
name=KodeUser value='$w[KodeUser]'
readonly></td></tr>
<tr><td>KodePegawai</td> <td><input
onclick="\Buka_Pegawai()" class='form-
control' id=KodePegawai type=text
name=KodePegawai
value='$w[KodePegawai]'></td></tr>
<tr><td>Username</td> <td><input
class='form-control' id=Username type=text
name=Username
value='$w[Username]'></td></tr>
<tr><td>Password</td> <td><input
class='form-control' id=Password
type=password name=Password
value='$w[Password]'></td></tr>
<tr><td>Posisi</td> <td>
<select required='required' class='form-
control' id='Posisi' name=Posisi>
<option value="" selected disabled>Pilih
Posisi</option>
<option value=Supervisor name=Posisi
>Supervisor</option>
<option value=ManajerTragi name=Posisi
>Manager Tragi</option>
<option value=AsistenManajerHar
name=Posisi >Asisten Manager
Pemeliharaan</option>
<option value=ManajerPLN name=Posisi
>Manajer PLN</option>
</select>
</td></tr>
<tr><td colspan='2' align=center><input
type=submit class='btn btn-danger'
name=simpan value='Simpan'></td></tr>
</table>
</form>";
?>
</div>
</div>
</div>
<div class="col-md-8">
<div class="forms-main_agileits">
<div class="graph-form agile_info_shadow">
<h3 class="w3_inner_tittle two">Tabel user
</h3>
<div class="form-body">
<table id=example1 class="table table-
striped table-bordered" role="grid" aria-
describedby="example1_info">
<thead>
<tr>
<th>No</th>
<th>KodeUser</th>
<th>KodePegawai</th>
<th>Username</th>
<th>Password</th>
<th>Posisi</th>
<th>Action</th>
</tr>
</thead>
<tbody>
<?php
$r=mysql_query("select * from user ");
while($w=mysql_fetch_array($r)){
$n++;
if ($w[KodePegawai] == '1'){
$Posisi = "SuperVisior";
}else{
$Posisi = "ManagerTragi";
}
echo"
<tr>
<td align=center >$n</td>
<td>$w[KodeUser]</td>
<td>$w[KodePegawai]</td>
<td>$w[Username]</td>
<td>$w[Password]</td>
<td>$w[Posisi]</td>
<td width=60 align=center >
<a
href='?menu=user&gos=ubah&KodeUser=$
w[KodeUser]'><i class='fa fa-
pencil'></i></a>
<a
href='?menu=user&gos=hapus&KodeUser=
$w[KodeUser]' onclick="\return
confirm('Apakah anda yakin akan
```

```

menghapus data ini?)" '<i class='fa fa-
trash'></i></a>
</td>
</tr>
";
}
?>
</tbody>
</table>
</div>
</div>
</div>
</div>
<?php
if($_GET[gos]=="hapus"){
mysql_query("delete from user where
KodeUser=$_REQUEST[KodeUser]");
BerhasilHapus("?menu=user&gos=
tabel",500);
}
if(isset($_POST['simpan'])){
$w=GetFields('user','KodeUser',$_POST['K
odeUser'],'*');
if (empty($w))
{
mysql_query("insert into user set
KodeUser=$_POST[KodeUser]',
KodePegawai=$_POST[KodePegawai]',
Username=$_POST[Username]',
Password=$_POST[Password]',
Posisi=$_POST[Posisi]'
");
BerhasilSimpan("?menu=user",500);
}
else
{
mysql_query("update user
setKodeUser=$_POST[KodeUser]',
KodePegawai=$_POST[KodePegawai]',
Username=$_POST[Username]',
Password=$_POST[Password]',
Posisi=$_POST[Posisi]'
where KodeUser=$_POST[KodeUser]'
");
BerhasilSimpan("?menu=user&gos=tabel",5
00);
}}
?>
<script>
function Buka_Pegawai(){
window.open("func/pegawai.php","", "width
=500,height=500");
}</script>

```

3. pegawai.php

```

<div class="col-md-4">
<div class="forms-main_agileits">
<div class="graph-form
agile_info_shadow">
<h3 class="w3_inner_tittle two">Form
pegawai </h3>
<div class="form-body">
<?php
$r=mysql_query("select * from pegawai
where
KodePegawai=$_REQUEST[KodePegawai]
"); $w=mysql_fetch_array($r);
echo
<form method=post action="
enctype='multipart/form-data' id=fom3>
<table class='table table-bordered table-
striped'>
<tr><td>KodePegawai</td> <td><input
class='form-control' id=KodePegawai
type=text name=KodePegawai
value='$w[KodePegawai]'
readonly></td></tr>
<tr><td>NamaPegawai</td> <td><input
class='form-control' id>NamaPegawai
type=text name>NamaPegawai
value='$w[NamaPegawai]'></td></tr>
<tr><td>Alamat</td> <td><input
class='form-control' id=Alamat type=text
name=Alamat
value='$w[Alamat]'></td></tr>
<tr><td>Telepon</td> <td><input
class='form-control' id=Telepon type=text
name=Telepon value='$w[Telepon]'
></td></tr>
<tr><td colspan='2' align=center><input
type=submit class=btn btn-danger'
name=simpan value='Simpan'></td></tr>
</table>
</form>;
?>
</div>
</div>
</div>
</div>
<div class="col-md-8">
<div class="forms-main_agileits">
<div class="graph-form
agile_info_shadow">
<h3
class="w3_inner_tittle two">Tabel pegawai
</h3>
<div class="form-body">

```

```

<table id=example1 class="table table-
striped table-bordered" role="grid" aria-
describedby="example1_info">
<thead>
<tr>
<th>No</th>
<th>Kode Pegawai</th>
<th>Nama Pegawai</th>
<th>Alamat</th>
<th>Telepon</th>
<th>Action</th>
</tr>
</thead>
<tbody>
<?php
$r=mysql_query("select * from pegawai ");
while($w=mysql_fetch_array($r)){
$n++;
if ($w[KodePegawai] == '1'){
$Telepon = "Suvervisor";
}else{
$Telepon = "ManagerTragi";
}
echo"
<tr>
<td align=center >$n</td>
<td>$w[KodePegawai]</td>
<td>$w[NamaPegawai]</td>
<td>$w[Alamat]</td>
<td>$w[Telepon]</td>
<td width=60 align=center >
<a
href='?menu=pegawai&gos=ubah&KodePeg
awai=$w[KodePegawai] '><i class='fa fa-
pencil'></i></a>
u=pegawai&gos=hapus&KodePegawai=$w[
KodePegawai]' onclick=\"return
confirm('Apakah anda yakin akan
menghapus data ini?')\" '><i class='fa fa-
trash'></i></a>
</td>
</tr>
";
}
?>
</tbody>
</table>
</div>
</div>
</div>
</div>
<?php
if($_GET[gos]=="hapus"){

```

```

mysql_query("delete from pegawai where
KodePegawai=$_REQUEST[KodePegawai]
" );
BerhasilHapus("?menu=pegawai&gos=tabel
",500);
}
if(isset($_POST['simpan'])){
$w=GetFields('pegawai','KodePegawai',$_P
OST['KodePegawai'],'*');
if (empty($w))
{
mysql_query("insert into pegawai set
KodePegawai=$_POST[KodePegawai]',
NamaPegawai=$_POST[NamaPegawai]',
Alamat=$_POST[Alamat]',
Telepon=$_POST[Telepon]'
");
BerhasilSimpan("?menu=pegawai",500);
}
else
{
mysql_query("update pegawai set
KodePegawai=$_POST[KodePegawai]',
NamaPegawai=$_POST[NamaPegawai]',
Alamat=$_POST[Alamat]',
Telepon=$_POST[Telepon]'
where
KodePegawai=$_POST[KodePegawai]'
");
BerhasilSimpan("?menu=pegawai&gos=tab
el",500);
}
}
?>

```

4. tower.php

```

<div class="col-md-4">
<div class="forms-main_agileits">
<div class="graph-form
agile_info_shadow">
<h3 class="w3_inner_tittle two">Form
Tower </h3>
<div class="form-body">
<?php
$r=mysql_query("select * from tower where
KodeTower=$_REQUEST[KodeTower]");
$w=mysql_fetch_array($r);
echo"
<form method=post action="
enctype='multipart/form-data' id=fom3>
<table class='table table-bordered table-
striped'>
<tr><td>KodeTower</td> <td><input
class='form-control' id=KodeTower

```

```

type=text          name=KodeTower
value='$w[KodeTower]'
readonly></td></tr>
<tr><td>Penghantar</td>      <td><input
class='form-control'      id= Penghantar
type=text          name= Penghantar
value='$w[ Penghantar]'></td></tr>
<tr><td>Section</td>      <td><input
class='form-control' id=Section type=text
name=Section
value='$w[Section]'></td></tr>
<tr><td>LokasiTower</td>      <td><input
class='form-control'      id=LokasiTower
type=text          name=LokasiTower
value='$w[LokasiTower]'></td></tr>
<tr><td colspan='2' align=center><input
type=submit class='btn btn-danger'
name=simpan value='Simpan'></td></tr>
</table>
</form>;
?>
</div>
</div>
</div>
</div>
<div class="col-md-8">
<div class="forms-main_agileits">
<div class="graph-form
agile_info_shadow">
<h3 class="w3_inner_tittle two">Tabel
Tower </h3>
<div class="form-body">
<table id=example1 class="table table-
striped table-bordered" role="grid" aria-
describedby="example1_info">
<thead>
<tr>
<th>No</th>
<th>KodeTower</th>
<th>Penghantar</th>
<th>Section</th>
<th>LokasiTower</th>
<th>Action</th>
</tr>
</thead>
<tbody>
<?php
$r=mysql_query("select * from tower ");
while($w=mysql_fetch_array($r)){
$n++;
echo"
<tr>
<td align=center >$n</td>
<td>$w[KodeTower]</td>
<td>$w[ Penghantar]</td>

```

```

<td>$w[Section]</td>
<td>$w[LokasiTower]</td>
<td width=60 align=center>
<a
href='?menu=tower1 &KodeTower=$w[Kod
eTower]';<i class='fa fa-search'></i></a>
<a
href='?menu=tower&gos=ubah&KodeTowe
r=$w[KodeTower]';<i class='fa fa-
pencil'></i></a>
<a
href='?menu=tower&gos=hapus&KodeTow
er=$w[KodeTower]' onclick="return
confirm('Apakah anda yakin akan
menghapus data ini?')";<i class='fa fa-
trash'></i></a>
</td>
</tr>
";
}
?>
</tbody>
</table>
</div>
</div>
</div>
<?php
if($_GET[gos]=="hapus"){
mysql_query("delete from tower where
KodeTower='$_REQUEST[KodeTower]'");
BerhasilHapus("menu=tower&gos
=tabel",500);
}
if(isset($_POST['simpan'])){
$w=GetFields('tower','KodeTower',$_POST[
'KodeTower'],'*');
if (empty($w))
{
mysql_query("insert into tower set
KodeTower='$_POST[KodeTower]',
Penghantar='$_POST[Penghantar]',
Section='$_POST[Section]',
LokasiTower='$_POST[LokasiTower]'
");
BerhasilSimpan("menu=tower",500);
}
else
{
mysql_query("update tower set
KodeTower='$_POST[KodeTower]',
Penghantar='$_POST[Penghantar]',
Section='$_POST[Section]',
LokasiTower='$_POST[LokasiTower]'

```

```

        where
KodeTower='$_POST[KodeTower]'
");
BerhasilSimpan("?menu=tower&gos=tabel",
500);
}
}
?>

```

5. tower1.php

```

<div class="col-md-12">
<div class="forms-main_agileits">
<div class="graph-form
agile_info_shadow">
<h3 class="w3_inner_tittle two">Tabel
Tower</h3>
<div class="form-body">
<?php
$r=mysql_query("select * from tower where
KodeTower='$_REQUEST[KodeTower]");
while($w=mysql_fetch_array($r)){
echo"
<p><center><strong> Kode Penghantar :
$w[KodeTower]</strong></center></p>
<p><center><strong> Nama Penghantar :
$w[Penghantar]</strong></center></p>
<p><center><strong> Section :
$w[Section]</strong></center></p>
<br>
";
}
?>
<table id=example1 class="table table-
bordered table-striped dataTable"
role="grid" aria-
describedby="example1_info">
<thead>
<tr>
<th>No</th>
<th>KodeDetail</th>
<th>KodeTower</th>
<th>NomorTower</th>
</tr>
</thead>
<tbody>
<?php
$r=mysql_query("select * from tower a left
outer join detailtower b on
a.KodeTower=b.KodeTower where
a.KodeTower='$_REQUEST[KodeTower]'");
while($w=mysql_fetch_array($r)){
    $n++;
    echo"

```

```

<tr>
<td align=center >$n</td>
<td>$w[KodeDetail]</td>
<td>$w[KodeTower]</td>
<td>$w[NomorTower]</td>
</td>
</tr>";
}
?>
</tbody>
</table>
<a href="?menu=tower" class="btn btn-
danger" type="submit">Back</a>
</div>
</div>
</div>

```

6. detailtower.php

```

<div class="col-md-4">
<div class="forms-main_agileits">
<div class="graph-form
agile_info_shadow">
<h3 class="w3_inner_tittle two">Form
Detail Tower </h3>
<div class="form-body">
<?php
$r=mysql_query("select * from detailtower
where
KodeDetail='$_REQUEST[KodeDetail]");
$w=mysql_fetch_array($r);
echo"
<form method=post action="
enctype='multipart/form-data' id=fom3>
<table class='table table-bordered table-
striped'>
<tr><td>KodeDetail</td> <td><input
class='form-control' id=KodeDetail
type=text name=KodeDetail
value='$w[KodeDetail]' readonly
></td></tr>
<tr><td>KodeTower</td> <td><input
onclick="\Buka_Tower()" class='form-
control' id=KodeTower type=text
name=KodeTower
value='$w[KodeTower]'></td></tr>
<tr><td>NomorTower</td> <td><input
class='form-control' id=NomorTower
type=text name=NomorTower
value='$w[NomorTower]'></td></tr>
<tr><td colspan='2' align=center><input
type=submit class=btn btn-danger'
name=simpan value='Simpan'></td></tr>
</table>

```

```

</form>";
?>
</div>
</div>
</div>
</div>
<div class="col-md-8">
<div class="forms-main_agileits">
<div class="graph-form
agile_info_shadow">
<h3 class="w3_inner_tittle two">Tabel
Detail Tower </h3>
<div class="form-body">
<table id=example1 class="table table-
striped table-bordered" role="grid" aria-
describedby="example1_info">
<thead>
<tr>
<th>No</th>
<th>KodeDetail</th>
<th>KodeTower</th>
<th>NomorTower</th>
<th>Action</th>
</tr>
</thead>
<tbody>
<?php
$r=mysql_query("select * from detailtower
"); while($w=mysql_fetch_array($r)){
$n++;
echo"
<tr>
<td align=center >$n</td>
<td>$w[KodeDetail]</td>
<td>$w[KodeTower]</td>
<td>$w[NomorTower]</td>
<td width=60 align=center >
<a
href="?menu=detailtower&gos=ubah&Kode
Detail=$w[KodeDetail]"><i class='fa fa-
pencil'></i></a>
<a
href="?menu=detailtower&gos=hapus&Kode
Detail=$w[KodeDetail]' onclick=\`return
confirm('Apakah anda yakin akan
menghapus data ini?')\` "><i class='fa fa-
trash'></i></a>
</td>
</tr>
";
}?>
</tbody>
</table>
</div>
</div>

```

```

</div>
</div>
<?php
if($_GET[gos]=="hapus"){
mysql_query("delete from detailtower where
KodeDetail=$_REQUEST[KodeDetail]" );
BerhasilHapus("?menu=detailtower
&gos=tabel",500);
}
if(isset($_POST['simpan'])){
$w=GetFields('detailtower','KodeDetail',$_P
OST['KodeDetail'],'*');
if (empty($w))
{
mysql_query("insert into detailtower set
KodeDetail=$_POST[KodeDetail],
KodeTower=$_POST[KodeTower],
NomorTower=$_POST[NomorTower]'
");
BerhasilSimpan("?menu=detailtower",500);
}
else
{
mysql_query("update detailtower set
KodeDetail=$_POST[KodeDetail]',
KodeTower=$_POST[KodeTower]',
NomorTower=$_POST[NomorTower]'
where
KodeDetail=$_POST[KodeDetail]'
");
BerhasilSimpan("?menu=detailtower&gos=t
abel",500);
}
}?>
<script>
function Buka_Tower(){
window.open("func/tower.php", "", "width=5
00,height=500");
}
</script>

```

7. perintah.php

```

<div class="col-md-4">
<div class="forms-main_agileits">
<div class="graph-form
agile_info_shadow">
<h3 class="w3_inner_tittle two">Form
Tugas</h3>
<div class="form-body">
<?php
$r=mysql_query("select * from tugas where
KodeTugas=$_REQUEST[KodeTugas]");
$w=mysql_fetch_array($r);

```

```

echo"
<form      method=post      action="
enctype='multipart/form-data' id=fom3>
<table class='table table-bordered table-
striped'>
<tr><td>KodeTugas</td>      <td><input
class='form-control'      id=KodeTugas
type=text      name=KodeTugas
value='$w[KodeTugas]'
readonly></td></tr>
<tr><td>Perintah</td>      <td><input
class='form-control' id=Perintah type=text
name=Perintah
value='$w[Perintah]'></td></tr>
<tr><td>TanggalPerintah</td> <td><input
class='form-control' id=TanggalPerintah
type=date      name=TanggalPerintah
value='$w[TanggalPerintah]'></td></tr>
<tr><td>KodeTower</td>      <td><input
onclick='\"Buka_Tower()\"'      class='form-
control'      id=KodeTower      type=text
name=KodeTower      value='$w[KodeTower]'
></td></tr>
<tr><td>Keterangan</td>      <td><input
class='form-control'      id=Keterangan
type=text      name=Keterangan
value='$w[Keterangan]' ></td></tr>
<tr><td colspan='2' align=center><input
type=submit      class='btn      btn-danger'
name=simpan value='Simpan'></td></tr>
</table>
</form>;
?>
</div>
</div>
</div>
</div>
<div class="col-md-8">
<div class="forms-main_agileits">
<div      class="graph-form
agile_info_shadow">
<h3      class="w3_inner_tittle      two">Tabel
Tugas </h3>
<div class="form-body">
<table id=example1 class="table table-
striped table-bordered" role="grid" aria-
describedby="example1_info">
<thead>
<tr>
<th>No</th>
<th>KodeTugas</th>
<th>Perintah</th>
<th>TanggalPerintah</th>
<th>KodeTower</th>
<th>Keterangan</th>
<th>Action</th>
</tr>
</thead>
<tbody>
<?php
$r=mysql_query("select * from tugas ");
while($w=mysql_fetch_array($r)){
$n++;
echo"
<tr>
<td align=center >$n</td>
<td>$w[KodeTugas]</td>
<td>$w[Perintah]</td>
<td>$w[TanggalPerintah]</td>
<td>$w[KodeTower]</td>
<td>$w[Keterangan]</td>
<td width=60 align=center >
<a
href='?menu=perintah1&KodeTugas=$w[K
odeTugas]'><i class='fa fa-search'></i></a>
<a
href='laporan/laporan.php?kd=$w[KodeTug
as]'><i class='fa fa-print'></i></a>
<a
href='?menu=perintah&gos=ubah&KodeTu
gas=$w[KodeTugas]'><i class='fa      fa-
pencil'></i></a>
<a
href='?menu=perintah&gos=hapus&KodeTu
gas=$w[KodeTugas]'      onclick='\"return
confirm('Apakah      anda      yakin
menghapus data ini?')\"      '><i class='fa fa-
trash'></i></a>
</td>
</tr>
";
}
?>
</tbody>
</table>
</div>
</div>
</div>
<?php
if($_GET[gos]=="hapus"){
mysql_query("delete from tugas where
KodeTugas=$_REQUEST[KodeTugas]" );
BerhasilHapus("?menu=perintah&g
os=tabel",500);
}
if(isset($_POST['simpan'])){
$w=GetFields('tugas','KodeTugas',$_POST['
KodeTugas'],'*');
if (empty($w))

```



```

{
mysql_query("insert into tugas set
KodeTugas=$_POST[KodeTugas]',
Perintah=$_POST[Perintah]',
TanggalPerintah=$_POST[TanggalPerintah
]',
KodeTower=$_POST[KodeTower]',
Keterangan=$_POST[Keterangan]'
");
BerhasilSimpan("?menu=perintah",500);
}
else
{
mysql_query("update tugas set
KodeTugas=$_POST[KodeTugas]',
Perintah=$_POST[Perintah]',
TanggalPerintah=$_POST[TanggalPerintah
]',
KodeTower=$_POST[KodeTower]',
Keterangan=$_POST[Keterangan]'
where
KodeTugas=$_POST[KodeTugas]'
");
BerhasilSimpan("?menu=perintah&gos=tabel",500);
}
?>
<script>
function Buka_Tower(){
window.open("func/tower.php","", "width=500,height=500");
}
</script>

```

8. perintah1.php

```

<div class="col-md-12">
<div class="forms-main_agileits">
<div class="graph-form
agile_info_shadow">
<h3 class="w3_inner_tittle two">Status
Perintah Pemangkasan</h3>
<div class="form-body">
<?php
$r=mysql_query("select * from tugas a left
outer join tower b on
a.KodeTower=b.KodeTower where
KodeTugas=$_REQUEST[KodeTugas]");
while($w=mysql_fetch_array($r)){
echo"
<p><center><strong> Kode perintah :
$w[KodeTugas]</strong></center></p>
<p><center><strong> Perintah :
$w[Perintah]</strong></center></p>

```

```

<p><center><strong> Tanggal Perintah :
$w[TanggalPerintah]</strong></center></p>
<p><center><strong> Nama Penghantar :
$w[Penghantar]</strong></center></p>
<p><center><strong> Section :
$w[Section]</strong></center></p>
<p><center><strong> Lokasi Tower :
$w[LokasiTower]</strong></center></p>
<br>
";
}
?>
<table id=example1 class="table table-
bordered table-striped dataTable"
role="grid" aria-
describedby="example1_info">
<thead>
<tr>
<th>No</th>
<th>Kode Detail</th>
<th>Nomor Tower</th>
<th>Kode Tugas</th>
<th>Jarak</th>
<th>Jumlah</th>
<th>Status</th>
</tr>
</thead>
<tbody>
<?php
$r=mysql_query("select * from tugas a left
outer join detailtugas b on
a.KodeTugas=b.KodeTugas left outer join
detailtower c on b.KodeDetail=c.KodeDetail
where
a.KodeTugas=$_REQUEST[KodeTugas]");
while($w=mysql_fetch_array($r)){
$n++;
echo"
<tr>
<td align=center >$n</td>
<td>$w[KodeDetail]</td>
<td>$w[NomorTower]</td>
<td>$w[KodeTugas]</td>
<td>$w[Jarak]</td>
<td>$w[Jumlah]</td>
<td>$w[Status]</td>
</td>
</tr>";
}
?>
</tbody>
</table>
<a href="?menu=perintah" class="btn btn-
danger" type="submit">Back</a>

```

```

</div>
</div>
</div>
</div>

```

9. detailperintah.php

```

<div class="col-md-4">
<div class="forms-main_agileits">
<div class="graph-form agile_info_shadow">
<h3 class="w3_inner_tittle two">Form
Detail Tugas</h3>
<div class="form-body">
<?php
$r=mysql_query("select * from detailtugas
where
KodeDetailTugas='$_REQUEST[KodeDetailTugas]"); $w=mysql_fetch_array($r);
echo"
<form method=post action="
enctype='multipart/form-data' id=fom3>
<table class='table table-bordered table-striped'>
<tr><td>KodeDetailTugas</td> <td><input
class='form-control' id=KodeDetailTugas
type=text name=KodeDetailTugas
value='$w[KodeDetailTugas]'
readonly></td></tr>
<tr><td>KodeDetail</td> <td><input
onclick="\Buka_Detail()" class='form-control'
id=KodeDetail type=text
name=KodeDetail
value='$w[KodeDetail]'></td></tr>
<tr><td>KodeTugas</td> <td><input
onclick="\Buka_Tugas()" class='form-control'
id=KodeTugas type=text
name=KodeTugas
value='$w[KodeTugas]'></td></tr>
<tr><td>Jarak</td> <td><input class='form-control'
id=Jarak type=text name=Jarak
value='$w[Jarak]' ></td></tr>
<tr><td>Jumlah</td> <td><input
class='form-control' id=Jumlah type=text
name=Jumlah value='$w[Jumlah]'
></td></tr>
<tr><td>Status</td> <td>
<select required='required' class='form-control'
id='Status' name=Status>
<option value="" selected disabled>Pilih
Status</option>
<option value='Selesai Pengerjaan'
name=Status >Selesai Pengerjaan</option>
<option value='Tahap Pengerjaan'
name=Status >Tahap Pengerjaan</option>

```

```

<option value='Tugas Baru' name=Status
>Tugas Baru</option>
</select>
</td></tr>
<tr><td colspan='2' align=center><input
type=submit class=btn btn-danger'
name=simpan value='Simpan'></td></tr>
</table>
</form>";
?>
</div>
</div>
</div>
<div class="col-md-8">
<div class="forms-main_agileits">
<div class="graph-form agile_info_shadow">
<h3 class="w3_inner_tittle two">Tabel
Detail Tugas</h3>
<div class="form-body">
<table id=example1 class="table table-striped
table-bordered" role="grid" aria-describedby="example1_info">
<thead>
<tr>
<th>No</th>
<th>KodeDetailTugas</th>
<th>KodeDetail</th>
<th>KodeTugas</th>
<th>Jarak</th>
<th>Jumlah</th>
<th>Status</th>
<th>Action</th>
</tr>
</thead>
<tbody>
<?php
$r=mysql_query("select * from detailtugas
"); while($w=mysql_fetch_array($r)){
$n++;
echo"
<tr>
<td align=center >$n</td>
<td>$w[KodeDetailTugas]</td>
<td>$w[KodeDetail]</td>
<td>$w[KodeTugas]</td>
<td>$w[Jarak]</td>
<td>$w[Jumlah]</td>
<td>$w[Status]</td>
<td width=60 align=center >
<a
href='?menu=detailperintah&gos=ubah&KodeDetailTugas=$w[KodeDetailTugas]'><i
class='fa fa-pencil'></i></a>

```

```

<a
href="?menu=detailperintah&gos=hapus&K
odeDetailTugas=$w[KodeDetailTugas]'
onclick=\\"return confirm('Apakah anda
yakini akan menghapus data ini?')\" '<i
class='fa fa-trash'></i></a>
</td>
</tr>
";
}
?>
</tbody>
</table>
</div>
</div>
</div>
</div>
<?php
if($_GET[gos]=="hapus"){
mysql_query("delete from detailtugas where
KodeDetailTugas=$_REQUEST[KodeDetailTugas]");
BerhasilHapus("?menu=detailperintah&gos=tabel",500);
}
if(isset($_POST['simpan'])){
$w=GetFields('detailtugas','KodeDetailTugas',$_POST['KodeDetailTugas'],'*');
if (empty($w))
{
mysql_query("insert into detailtugas set
KodeDetailTugas=$_POST[KodeDetailTugas]',
KodeDetail=$_POST[KodeDetail]',
KodeTugas=$_POST[KodeTugas]',
Jarak=$_POST[Jarak]',
Jumlah=$_POST[Jumlah]',
Status=$_POST[Status]'
");
BerhasilSimpan("?menu=detailperintah",500);
}
else
{
mysql_query("update detailtugas set
KodeDetailTugas=$_POST[KodeDetailTugas]',
KodeDetail=$_POST[KodeDetail]',
KodeTugas=$_POST[KodeTugas]',
Jarak=$_POST[Jarak]',
Jumlah=$_POST[Jumlah]',
Status=$_POST[Status]'
where
KodeDetailTugas=$_POST[KodeDetailTugas]'

```

```

");
BerhasilSimpan("?menu=detailperintah&gos=tabel",500);
}
}
?>
<script>
function Buka_Tugas(){
window.open("func/tugas.php","", "width=500,height=500");
}
</script>
<script>
function Buka_Detail(){
window.open("func/detail.php","", "width=500,height=500");
}
</script>

```

10. tanggapan.php

```

<div class="col-md-4">
<div class="forms-main_agileits">
<div class="graph-form agile_info_shadow">
<h3 class="w3_inner_tittle two">Form Tanggapan</h3>
<div class="form-body">
<?php
$r=mysql_query("select * from tanggapan where
KodeTanggapan=$_REQUEST[KodeTanggapan]"); $w=mysql_fetch_array($r);
echo"
<form method=post action="
enctype='multipart/form-data' id=fom3>
<table class='table table-bordered table-striped'>
<tr><td>KodeTanggapan</td> <td><input class='form-control' id=KodeTanggapan type=text name=KodeTanggapan value='$w[KodeTanggapan]\' readonly></td></tr>
<tr><td>KodePegawai</td> <td><input onclick=\\"Buka_Pegawai()\" class='form-control' id=KodePegawai type=text name=KodePegawai value='$w[KodePegawai]\'></td></tr>
<tr><td>BeritaAcara</td> <td>
<select required='required' class='form-control' id='BeritaAcara' name=BeritaAcara>
<option value="" selected disabled>Pilih Status</option>

```

```

<option value='Selesai Pengerjaan'
name=Status >Selesai Pengerjaan</option>
<option value='Tahap Pengerjaan'
name=Status >Tahap Pengerjaan</option>
<option value='Tugas Baru' name=Status
>Tugas Baru</option>
</select>
</td></tr>
<tr><td>KodeTugas</td> <td><input
onclick="\Buka_Tugas()" class='form-
control' id=KodeTugas type=text
name=KodeTugas value='$w[KodeTugas]'
></td></tr>
<tr><td>KodeDetailTugas</td> <td><input
onclick="\Buka_Detail()" class='form-
control' id=KodeDetailTugas type=text
name=KodeDetailTugas
value='$w[KodeDetailTugas]' ></td></tr>
<tr><td>Foto/Bukti</td> <td><input
class='form-control' id=Foto type=file
name=Foto value='$w[Foto]' ></td></tr>
<tr><td colspan='2' align=center><input
type=submit class='btn btn-danger'
name=simpan value='Simpan'></td></tr>
</table>
</form>";
?>
</div>
</div>
</div>
</div>
<div class="col-md-8">
<div class="forms-main_agileits">
<div class="graph-form
agile_info_shadow">
<h3 class="w3_inner_tittle two">Tabel
Tanggapan </h3>
<div class="form-body">
<table id=example1 class="table table-
striped table-bordered" role="grid" aria-
describedby="example1_info">
<thead>
<tr>
<th>No</th>
<th>KodeTanggapan</th>
<th>KodePegawai</th>
<th>BeritaAcara</th>
<th>KodeTugas</th>
<th>KodeDetailTugas</th>
<th>Action</th>
</tr>
</thead>
<tbody>
<?php

```

```

$R=mysql_query("select * from tanggapan
"); while($w=mysql_fetch_array($R)){
$N++;
echo"
<tr>
<td align=center >$N</td>
<td>$w[KodeTanggapan]</td>
<td>$w[KodePegawai]</td>
<td>$w[BeritaAcara]</td>
<td>$w[KodeTugas]</td>
<td>$w[KodeDetailTugas]</td>
<td width=60 align=center >
<a
href='?menu=tanggapan1&KodeTugas=$w[
KodeTugas]'><i class='fa fa-
search'></i></a>
<a
href='?menu=tanggapan&gos=ubah&KodeT
anggapan=$w[KodeTanggapan]'><i
class='fa fa-pencil'></i></a>
<a
href='?menu=tanggapan&gos=hapus&Kode
Tanggapan=$w[KodeTanggapan]'
onclick="\return confirm('Apakah anda
yakin akan menghapus data ini?')\" '><i
class='fa fa-trash'></i></a>
</td>
</tr>
";
}
?>
</tbody>
</table>
</div>
</div>
</div>
</div>
<?php
if($_GET[gos]=="hapus"){
mysql_query("delete from tanggapan where
KodeTanggapan='$_REQUEST[KodeTangg
apan]'");
BerhasilHapus("?menu=tanggapan&gos=tab
el",500);
}
if(isset($_POST['simpan'])){
$w=GetFields('tanggapan','KodeTanggapan',
$_POST['KodeTanggapan'],'*');
if(empty($w))
{
$g=masukGambar("Foto");
mysql_query("insert into tanggapan set
KodeTanggapan='$_POST[KodeTanggapan
]',
KodePegawai='$_POST[KodePegawai]',

```

```

BeritaAcara=$_POST[BeritaAcara],
KodeTugas=$_POST[KodeTugas],
KodeDetailTugas=$_POST[KodeDetailTugas]',
Foto='$g'
");
mysql_query("update detailtugas set
Status=$_POST[BeritaAcara] where
KodeDetailTugas=$_POST[KodeDetailTugas]");
BerhasilSimpan("?menu=tanggapan",500);
}
else
{
$g=masukGambar("Foto");
mysql_query("update tanggapan set
KodeTanggapan=$_POST[KodeTanggapan
]',
KodePegawai=$_POST[KodePegawai]',
BeritaAcara=$_POST[BeritaAcara]',
KodeTugas=$_POST[KodeTugas]',
KodeDetailTugas=$_POST[KodeDetailTugas]',
Foto='$g'
where
KodeTanggapan=$_POST[KodeTanggapan
]");
mysql_query("update detailtugas set
Status=$_POST[BeritaAcara] where
KodeDetailTugas=$_POST[KodeDetailTugas]");
BerhasilSimpan("?menu=tanggapan&gos=tabel",500);
}
}
?>
<script>
function Buka_Pegawai(){
window.open("func/pegawai.php","", "width
=500,height=500");
}
</script>
<script>
function Buka_Tugas(){
window.open("func/tugas.php","", "width=500,height=500");
}
</script>
<script>
function Buka_Detail(){
window.open("func/detailtugas.php","", "width=500,height=500");
}
</script>

```

11. tanggapan1.php

```

<div class="col-md-12">
<div class="forms-main_agileits">
<div class="graph-form
agile_info_shadow">
<h3 class="w3_inner_tittle two">Status
Perintah Pemangkasan</h3>
<div class="form-body">
<?php
$r=mysql_query("select * from tugas a left
outer join tower b on
a.KodeTower=b.KodeTower where
a.KodeTugas=$_REQUEST[KodeTugas]'
");
while($w=mysql_fetch_array($r))
echo"
<p><center><strong> Kode perintah :
$w[KodeTugas]</strong></center></p>
<p><center><strong> Perintah :
$w[Perintah]</strong></center></p>
<p><center><strong> Tanggal Perintah :
$w[TanggalPerintah]</strong></center></p>
>
<p><center><strong> Nama Penghantar :
$w[Penghantar]</strong></center></p>
<p><center><strong> Section :
$w[Section]</strong></center></p>
<p><center><strong> Lokasi Tower :
$w[LokasiTower]</strong></center></p>
<br>
";
?>
<table id=example1 class="table table-
bordered table-striped dataTable"
role="grid" aria-
describedby="example1_info">
<thead>
<tr>
<th>No</th>
<th>KodeTanggapan</th>
<th>KodePegawai</th>
<th>BeritaAcara</th>
<th>KodeTugas</th>
<th>Jarak</th>
<th>Jumlah</th>
</tr>
</thead>
<tbody>
<?php
$r=mysql_query("select * from tanggapan a
left outer join tugas b on
a.KodeTugas=b.KodeTugas left outer join
detailtugas c on
a.KodeDetailTugas=c.KodeDetailTugas

```

```

where
a.KodeTugas=$_REQUEST[KodeTugas]");
while($w=mysql_fetch_array($r)){
    $n++;
    echo"
<tr>
<td align=center >$n</td>
<td>$w[KodeTanggapan]</td>
<td>$w[KodePegawai]</td>
<td>$w[BeritaAcara]</td>
<td>$w[KodeTugas]</td>
<td>$w[Jarak]</td>
<td>$w[Jumlah]</td>
</td>
</tr>";
}
?>
</tbody>
</table>
<a href="?menu=tanggapan" class="btn btn-
danger" type="submit">Back</a>
</div>
</div>
</div>
</div>
<div id="page-inner">
<div class="row">
<div class="col-md-12">
<h1 align="center" class="page-head-line">Foto
bukti</h1>
</div>
</div>
<!-- /. ROW -->
<div id="port-folio">
<div class="row " >
<?PHP
$r=mysql_query("select * from tugas a left
outer join tanggapan b on
a.KodeTugas=b.KodeTugas left outer join
tower c on
a.KodeTower=c.KodeTower where
a.KodeTugas=$_REQUEST[KodeTugas]'
"); while($w=mysql_fetch_array($r)){
?>
<div class="col-md-4 ">
<div class="portfolio-item awesome
mix_all" data-cat="awesome" >

<div class="overlay">
<p>
<span>
Nama Tower- <?php echo $w[Pengantar];
?>

```

```

</span>
Status <?php echo $w[BeritaAcara]; ?>
</p>
<a class="preview btn btn-info "
title="Keterangan " href="<?php echo
$w[Foto]; ?> "><i class="fa fa-plus fa-
2x"></i></a>
</div>
</div>
</div>
<?php
}
?>
</div>
</div>
<!-- /. PAGE INNER -->

```

12. pengerjaan.php

```

<div class="col-md-8">
<div class="forms-main_agileits">
<div class="graph-form
agile_info_shadow">
<h3 class="w3_inner_tittle two">Tahap
Pengerjaan</h3>
<div class="form-body">
<table id=example1 class="table table-
striped table-bordered" role="grid" aria-
describedby="example1_info">
<thead>
<tr>
<th>No</th>
<th>KodeDetailTugas</th>
<th>KodeDetail</th>
<th>KodeTugas</th>
<th>Jarak</th>
<th>Jumlah</th>
<th>Status</th>
</tr>
</thead>
<tbody>
<?php
$r=mysql_query("select * from detailtugas
where Status='Tahap Pengerjaan'");
while($w=mysql_fetch_array($r)){
    $n++;
    echo"
<tr>
<td align=center >$n</td>
<td>$w[KodeDetailTugas]</td>
<td>$w[KodeDetail]</td>
<td>$w[KodeTugas]</td>
<td>$w[Jarak]</td>
<td>$w[Jumlah]</td>
<td>$w[Status]</td>

```

```

</tr>
";
}
?>
</tbody>
</table>
</div>
</div>
</div>
</div>
<?php
if($_GET[gos]=="hapus"){
mysql_query("delete from detailtugas where
KodeDetailTugas=$_REQUEST[KodeDetailTugas]");
BerhasilHapus("?menu=detailtugas&gos=tabel",500);
}
if(isset($_POST['simpan'])){
$w=GetFields('detailtugas','KodeDetailTugas',$_POST['KodeDetailTugas'],'*');
if (empty($w))
{
mysql_query("insert into detailtugas set
KodeDetailTugas=$_POST[KodeDetailTugas]',
KodeDetail=$_POST[KodeDetail]',
KodeTugas=$_POST[KodeTugas]',
Jarak=$_POST[Jarak]',
Jumlah=$_POST[Jumlah]',
Status=$_POST[Status]'
");
BerhasilSimpan("?menu=detailperintah",500);
}
else
{
mysql_query("update detailtugas set
KodeDetailTugas=$_POST[KodeDetailTugas]',
KodeDetail=$_POST[KodeDetail]',
KodeTugas=$_POST[KodeTugas]',
Jarak=$_POST[Jarak]',
Jumlah=$_POST[Jumlah]',
Status=$_POST[Status]'
where
KodeDetailTugas=$_POST[KodeDetailTugas]'
");
BerhasilSimpan("?menu=detailperintah&gos=tabel",500);
}
}
?>
</script>

```

```

function Buka_Tugas(){
window.open("func/tugas.php","", "width=500,height=500");
}
</script>
<script>
function Buka_Detail(){
window.open("func/detail.php","", "width=500,height=500");
}
</script>

```

13. selesai.php

```

<div class="col-md-10">
<div class="forms-main_agileits">
<div class="graph-form agile_info_shadow">
<h3 class="w3_inner_tittle two">Selesai Pengerjaan</h3>
<div class="form-body">
<table id=example1 class="table table-striped table-bordered" role="grid" aria-describedby="example1_info">
<thead>
<tr>
<th>No</th>
<th>KodeDetailTugas</th>
<th>KodeDetail</th>
<th>KodeTugas</th>
<th>Jarak</th>
<th>Jumlah</th>
<th>Status</th>
<th>Action</th>
</tr>
</thead>
<tbody>
<?php
$r=mysql_query("select * from detailtugas where Status='Selesai Pengerjaan'");
while($w=mysql_fetch_array($r)){
$n++;
echo"
<tr>
<td align=center >$n</td>
<td>$w[KodeDetailTugas]</td>
<td>$w[KodeDetail]</td>
<td>$w[KodeTugas]</td>
<td>$w[Jarak]</td>
<td>$w[Jumlah]</td>
<td>$w[Status]</td>
<td>
<a class='btn btn-warning' href='laporan/laporan.php?kd=$w[KodeTugas]'><i class='fa fa-print'>Cetak</i></a>

```

```

</td>
</tr>
";
}
?>
</tbody>
</table>
</div>
</div>
</div>
</div>
<?php
if($_GET[gos]=="hapus"){
mysql_query("delete from detailtugas where
KodeDetailTugas=$_REQUEST[KodeDetailTugas]");
BerhasilHapus("?menu=detailtugas&gos=tabel",500);
}
if(isset($_POST['simpan'])){
$w=GetFields('detailtugas','KodeDetailTugas',$_POST['KodeDetailTugas'],'*');
if (empty($w))
{
mysql_query("insert into detailtugas set
KodeDetailTugas=$_POST[KodeDetailTugas]',
KodeDetail=$_POST[KodeDetail]',
KodeTugas=$_POST[KodeTugas]',
Jarak=$_POST[Jarak]',
Jumlah=$_POST[Jumlah]',
Status=$_POST[Status]'
");
BerhasilSimpan("?menu=detailperintah",500);
}
else
{
mysql_query("update detailtugas set
KodeDetailTugas=$_POST[KodeDetailTugas]',
KodeDetail=$_POST[KodeDetail]',
KodeTugas=$_POST[KodeTugas]',
Jarak=$_POST[Jarak]',
Jumlah=$_POST[Jumlah]',
Status=$_POST[Status]'
where
KodeDetailTugas=$_POST[KodeDetailTugas]'
");
BerhasilSimpan("?menu=detailperintah&gos=tabel",500);
}
}
?>

```