Listing Program
MainActivity.java

```
import android.annotation.SuppressLint;
import
im.delight.android.webview.AdvancedWebVie
w;
public class MainActivity extends
AppCompatActivity {
private WebView wvDakwah;
private ValueCallback<Uri>
mUploadMessage;
public ValueCallback<Uri[]> uploadMessage;
public static final int REQUEST_SELECT_FILE
= 100;
private final static int
FILECHOOSER_RESULTCODE = 1;

@Override
public void onActivityResult(int requestCode,
int resultCode, Intent intent)
  {
if(Build.VERSION.SDK_INT >=
Build.VERSION_CODES.LOLLIPOP)
    {
if (requestCode == REQUEST_SELECT_FILE)
      {
if (uploadMessage == null)
return;

uploadMessage.onReceiveValue(WebChromeC
lient.FileChooserParams.parseResult(resultCo
de, intent));
          uploadMessage = null;
       }
    }
else if (requestCode ==
FILECHOOSER_RESULTCODE)
    {
if (null == mUploadMessage)
return;
Uri result = intent == null || resultCode !=
MainActivity.RESULT_OK ? null :
intent.getData();

mUploadMessage.onReceiveValue(result);
        mUploadMessage = null;
    }
else
Toast.makeText(getApplicationContext(),
"Failed to Upload Image",
Toast.LENGTH_LONG).show();
  }
  @Override
protected void onCreate(Bundle
savedInstanceState) {
super.onCreate(savedInstanceState);
setContentView(R.layout.activity_main);
wvDakwah = (WebView)
findViewById(R.id.wvDakwah);
WebSettings mWebSettings =
wvDakwah.getSettings();
mWebSettings.setJavaScriptEnabled(true);
mWebSettings.setSupportZoom(false);
mWebSettings.setAllowFileAccess(true);
mWebSettings.setAllowFileAccess(true);
mWebSettings.setAllowContentAccess(true);
wvDakwah.setWebChromeClient(new
WebChromeClient() {
protected void
openFileChooser(ValueCallback uploadMsg,
String acceptType) {
          mUploadMessage = uploadMsg;
    Intent i = new
Intent(Intent.ACTION_GET_CONTENT);

i.addCategory(Intent.CATEGORY_OPENABLE);
i.setType("image/*");

startActivityForResult(Intent.createChooser(i,
"File Browser"),
FILECHOOSER_RESULTCODE);
       }
@RequiresApi(api =
Build.VERSION_CODES.LOLLIPOP)
public boolean
onShowFileChooser(WebView mWebView,
ValueCallback<Uri[]> filePathCallback,
WebChromeClient.FileChooserParams
fileChooserParams)
       {
   if (uploadMessage != null) {
uploadMessage.onReceiveValue(null);
uploadMessage = null;
        }
uploadMessage = filePathCallback;
          Intent intent =
fileChooserParams.createIntent();
try {             startActivityForResult(intent,
REQUEST_SELECT_FILE);
          }
catch (ActivityNotFoundException e) {
            uploadMessage = null;
Toast.makeText(getApplicationContext(),
"Cannot Open File Chooser",
Toast.LENGTH_LONG).show();
return false;
          }
```

```
return true;
        }
protected void
openFileChooser(ValueCallback<Uri>
uploadMsg, String acceptType, String capture)
        {
  mUploadMessage = uploadMsg;
   Intent intent = new
Intent(Intent.ACTION_GET_CONTENT);

intent.addCategory(Intent.CATEGORY_OPENA
BLE);            intent.setType("image/*");
startActivityForResult(Intent.createChooser(i
ntent, "File Browser"),
FILECHOOSER_RESULTCODE);
        }
protected void
openFileChooser(ValueCallback<Uri>
uploadMsg)
        {
           mUploadMessage = uploadMsg;
           Intent i = new
Intent(Intent.ACTION_GET_CONTENT);

i.addCategory(Intent.CATEGORY_OPENABLE);
i.setType("image/*");
startActivityForResult(Intent.createChooser(i,
"File Chooser"),
FILECHOOSER_RESULTCODE);
        }
    });      wvDakwah.setWebViewClient(new
WebViewClient());

wvDakwah.loadUrl("http://aplikasidakwah.
000webhostapp.com/android/");
}
public class WebViewClient extends
android.webkit.WebViewClient {
    @Override
public void onPageStarted(WebView view,
String url, Bitmap favicon) {
super.onPageStarted(view, url, favicon);
    }
    @Override
public boolean
shouldOverrideUrlLoading(WebView view,
String url) {
        view.loadUrl(url);
return true;
    }
    @Override
public void onPageFinished(WebView view,
String url) {
super.onPageFinished(view, url);
}
  }
  @Override
public void
onConfigurationChanged(Configuration
newConfig){
super.onConfigurationChanged(newConfig);
  }
}
```

Login

```
<?php
session_start();
if(isset($_SESSION['userid'])){
        header("Location: index.php");
}
?>
<!DOCTYPE html>
<!--[if IE 8]><html class="ie
ie8"><![endif]-->
<!--[if IE 9]><html class="ie
ie9"><![endif]-->
<!--[if gt IE 9]><!-->
<html><!--<![endif]-->
<!-- Specific Page Data -->
<!-- End of Data -->

<body id="pages" class="full-layout no-
nav-left no-nav-right  nav-top-fixed
background-login     responsive remove-
navbar login-layout   clearfix" data-
active="pages "  data-smooth-
scrolling="1">
        <div class="vd_body">
        <div class="content">
        <div class="container">
        <div class="vd_content-
wrapper">
        <div class="vd_container">
        <div class="vd_content
clearfix">
        <div class="vd_content-section
clearfix">
        <div class="vd_login-page">
        <div class="heading clearfix">
        <div class="logo">
```

```
		<h2 class="mgbt-xs-5"><img
src="img/logo_new.png"
alt="logo"></h2>
		</div>
		<h4 class="text-center font-
semibold vd_grey">SILAHKAN
MASUK</h4>
		</div>
		<div class="panel widget">
		<div class="panel-body">
		<div class="login-icon entypo-
icon"><i class="icon-key"></i></div>
		<form class="form-horizontal"
id="login-form" action="#"
role="form">
		<div id="notif"></div>
		<div class="alert alert-danger
vd_hidden">
		<button type="button"
class="close" data-dismiss="alert" aria-
hidden="true"><i class="icon-
cross"></i></button>
		<span class="vd_alert-icon"><i
class="fa fa-exclamation-circle
vd_red"></i></span><strong>Peringat
an!</strong> Harap lengkapi terlebih
dahulu form di bawah ini.</div><div
class="alert alert-success
vd_hidden"><button type="button"
class="close" data-dismiss="alert" aria-
hidden="true"><i class="icon-
cross"></i></button>
		<span class="vd_alert-icon"><i
class="fa fa-check-circle
vd_green"></i></span><strong>Selama
t datang!</strong>. </div><div
class="form-group  mgbt-xs-20">
		<div class="col-md-12">

<div
class="label-wrapper sr-only">

<label
class="control-label" for="userid">User
ID</label>
		</div> <div
class="vd_input-wrapper" id="userid-
input-wrapper">
		<span class="menu-
icon"><i class="fa fa-
user"></i></span>
		<input type="text"
placeholder="User ID" id="userid"
name="userid" class="required"
required autocomplete="off">
		</div>
		<div class="label-wrapper">
		<label class="control-label sr-
only"
for="password">Password</label>
		</div>
		<div class="vd_input-wrapper"
id="password-input-wrapper"
		<span class="menu-icon"><i
class="fa fa-lock"></i></span>
		<input type="password"
placeholder="Password" id="password"
name="password" class="required"
required>
		</div></div></div><div
id="vd_login-error" class="alert alert-
danger hidden">
		<i class="fa fa-exclamation-
circle fa-fw"></i> Please fill the
necessary field </div><div class="form-
group">
		<div class="col-md-12 text-
center mgbt-xs-5">

		<button class="btn vd_bg-green
vd_white width-100" type="submit"
id="login-submit">Login</button>

		<!-- .vd_body END  -->
		<a id="back-top" href="#" data-
action="backtop" class="vd_back-top
visible"><i class="fa  fa-angle-
up"></i></a>
		<!--
<a class="back-top" href="#" id="back-
top"><i class="icon-chevron-up icon-
white"></i></a> -->

		$(document).ready(function() {
			"use strict";
			var form_login =
$('#login-form');
```

```
                var notif = $('#notif',
form_login);
                form_login.validate({
                errorElement: 'div',
                errorClass: 'vd_red',
                focusInvalid: false,
                ignore: "",
                rules: {
                userid: {
                required: true},

                password: {
                required: true},},
                errorPlacement:
function(error, element) {
                if
(element.parent().hasClass("vd_checkbo
x") ||
element.parent().hasClass("vd_radio")){

        element.parent().append(error);
                } else if
(element.parent().hasClass("vd_input-
wrapper")){
        error.insertAfter(element.paren
t());}else {

        error.insertAfter(element);}},
                        invalidHandler:
function (event, validator) {
                        notif.html('<div
class="alert alert-danger">' +
'<button type="button" class="close"
data-dismiss="alert" aria-
hidden="true"><i class="icon-
cross"></i></button>' +'<span
class="vd_alert-icon"><i class="fa fa-
exclamation-circle
vd_red"></i></span><strong>Peringat
an!</strong> Harap lengkapi terlebih
dahulu form di bawah ini.' +
        '</div>');
        },
        highlight: function (element) {
        $(element).addClass('vd_bd-
red')
        $(element).parent().siblings('.he
lp-inline').removeClass('help-inline
hidden');
        if
($(element).parent().hasClass("vd_chec
kbox") ||
$(element).parent().hasClass("vd_radio"
)) {
        $(element).siblings('.help-
inline').removeClass('help-inline
hidden');}},
        unhighlight: function (element)
{

        $(element).closest('.control-
group').removeClass('error');},
                success: function (label,
element) {
                label

        .addClass('valid').addClass('help
-inline hidden')
                .closest('.control-
group').removeClass('error').addClass('
success');
        $(element).removeClass('vd_bd-
red');
                },
                submitHandler: function
(form) {
                $.ajax({
                type : 'POST',
                url  : 'app/source/login',
                data :
form_login.serialize(),
                success :
function(response){
                if (response.error ==
false) {
        $(form).find('#login-
submit').prepend('<i class="fa fa-
spinner fa-spin mgr-10"></i>')
notif.html('<div class="alert alert-
success">' +'<button type="button"
class="close" data-dismiss="alert" aria-
hidden="true"><i class="icon-
cross"></i></button>' +'<span
class="vd_alert-icon"><i class="fa fa-
check-circle
vd_green"></i></span><strong>Selama
t datang!</strong>' +'</div>');
```

```
        setTimeout(function(){window.location.href = "index.php"},2000);
        }
else{notif.html('<div class="alert alert-danger">' +'<button type="button" class="close" data-dismiss="alert" aria-hidden="true"><i class="icon-cross"></i></button>' +
'<span class="vd_alert-icon"><i class="fa fa-exclamation-circle vd_red"></i></span>' + response.msg +
        '</div>');
</body>
</html>
```

Khotbah

```
<div class="vd_content clearfix">
        <div class="vd_head-section clearfix">
<div class="vd_panel-header">
        <ul class="breadcrumb">
                <li><a href="index.php">Dashboard</a></li>
                <li class="active">Jadwal Dakwah</li>
                </ul>
                <div class="vd_panel-menu hidden-sm hidden-xs" data-intro="<strong>Expand Control</strong><br/>To expand content page horizontally, vertically, or Both. If you just need one button just simply remove the other button code." data-step=5  data-position="left">

        <div data-action="remove-navbar" data-original-title="Remove Navigation Bar Toggle" data-toggle="tooltip" data-placement="bottom" class="remove-navbar-button menu"><i class="fa fa-arrows-h"></i></div>

        <div data-action="remove-header" data-original-title="Remove Top Menu Toggle" data-toggle="tooltip" data-placement="bottom" class="remove-header-button menu"><i class="fa fa-arrows-v"></i></div>

        <div data-action="fullscreen" data-original-title="Remove Navigation Bar and Top Menu Toggle" data-toggle="tooltip" data-placement="bottom" class="fullscreen-button menu"><i class="glyphicon glyphicon-fullscreen"></i></div>
                </div>
        </div>
        <div class="vd_title-section clearfix">
                <div class="vd_panel-header">
                        <h1>Jadwal Dakwah</h1>
                </div>
        </div>
        <div class="vd_content-section clearfix">
                <div class="row">
                        <div class="col-md-12">
<div class="panel widget">
div class="panel-heading vd_bg-grey">
        <h3 class="panel-title"><span class="menu-icon"><i class="fa fa-dot-circle-o"></i></span> List Data </h3>
        </div>
        <div class="panel-body table-responsive">
<table class="table table-striped" id="data-tables">
<thead>
<tr>
        <th>NIK</th>
        <th>Nama Penceramah</th>
        <th>Masjid</th>
        <th>Tanggal</th>
        <th>Judul</th>
</tr>
</thead><tbody></tbody>
</table>
</div></div></div></div></div>
</div>
<div class="modal fade" id="modal-form" tabindex="-1" role="dialog" aria-labelledby="modal-form-label" aria-hidden="true">
        <div class="modal-dialog">
                <div class="modal-content">
<div class="modal-header vd_bg-blue vd_white">
```

```
<button type="button" class="close" data-dismiss="modal" aria-hidden="true"><i class="fa fa-times"></i></button>
<h4 class="modal-title" id="modal-form-label">Modal title</h4>
</div>
<div class="modal-body">
<div id="media"></div>
</div>
<div class="modal-footer background-login">
<button type="button" class="btn vd_btn vd_bg-grey" data-dismiss="modal">Tutup</button>
</div></div></div></div>
```

Masjid

```
<div class="vd_content clearfix">
	<div class="vd_head-section clearfix">
		<div class="vd_panel-header">
			<ul class="breadcrumb">

	<li><a href="index.php">Dashboard</a></li>
				<li class="active">Data Masjid</li>
			</ul>
			<div class="vd_panel-menu hidden-sm hidden-xs" data-intro="<strong>Expand Control</strong><br/>To expand content page horizontally, vertically, or Both. If you just need one button just simply remove the other button code." data-step=5  data-position="left">

	<div data-action="remove-navbar" data-original-title="Remove Navigation Bar Toggle" data-toggle="tooltip" data-placement="bottom" class="remove-navbar-button menu"><i class="fa fa-arrows-h"></i></div>

	<div data-action="remove-header" data-original-title="Remove Top Menu Toggle" data-toggle="tooltip" data-placement="bottom" class="remove-header-button menu"><i class="fa fa-arrows-v"></i></div>

	<div data-action="fullscreen" data-original-title="Remove Navigation Bar and Top Menu Toggle" data-toggle="tooltip" data-placement="bottom" class="fullscreen-button menu"><i class="glyphicon glyphicon-fullscreen"></i></div>
	</div>
	</div>
	</div>
	<div class="vd_title-section clearfix">
		<div class="vd_panel-header">
			<h1>Data Masjid</h1>
			<small class="subtitle">Klik kanan pada map di bawah ini untuk menambahkan data</small>
		</div>
	</div>
	<div class="vd_content-section pd-0 clearfix">
		<div id="map" style="height:500px; width:100%;"></div>
	</div>
</div>

<div class="modal fade" id="modal-form" tabindex="-1" role="dialog" aria-labelledby="modal-form-label" aria-hidden="true">
	<div class="modal-dialog">
		<div class="modal-content">
			<form class="form-horizontal" id="form-data" action="#" role="form">

	<div class="modal-header vd_bg-blue vd_white">
	<button type="button" class="close" data-dismiss="modal" aria-hidden="true"><i class="fa fa-times"></i></button>
	<h4 class="modal-title" id="modal-form-label">Modal title</h4
	</div>
<div class="modal-body">
</div>
<div class="modal-footer background-login">
```

```
<button type="button" class="btn vd_btn vd_bg-grey" data-dismiss="modal">Tutup</button>
<button type="submit" class="btn vd_btn vd_bg-blue" id="form-submit">Simpan</button>
</div></form></div></div></div>
```

Sholat

```
<div class="vd_content clearfix">
        <div class="vd_head-section clearfix">
        <div class="vd_panel-header">
        <ul class="breadcrumb">
        <li><a href="index.php">Dashboard</a></li>
        <li class="active">Jadwal Sholat</li>
        </ul>
        <div class="vd_panel-menu hidden-sm hidden-xs" data-intro="<strong>Expand Control</strong><br/>To expand content page horizontally, vertically, or Both. If you just need one button just simply remove the other button code." data-step=5  data-position="left">
        <div data-action="remove-navbar" data-original-title="Remove Navigation Bar Toggle" data-toggle="tooltip" data-placement="bottom" class="remove-navbar-button menu"><i class="fa fa-arrows-h"></i></div>
        <div data-action="remove-header" data-original-title="Remove Top Menu Toggle" data-toggle="tooltip" data-placement="bottom" class="remove-header-button menu"><i class="fa fa-arrows-v"></i></div>
        <div data-action="fullscreen" data-original-title="Remove Navigation Bar and Top Menu Toggle" data-toggle="tooltip" data-placement="bottom" class="fullscreen-button menu"><i class="glyphicon glyphicon-fullscreen"></i></div>
        </div></div></div>
        <div class="vd_title-section clearfix">
        <div class="vd_panel-header">
        <h1>Jadwal Sholat</h1>
        </div>
        </div>
        <div class="vd_content-section clearfix">
        <div class="row">
        <div class="col-md-12">
        <div class="panel widget">
        <div class="panel-heading vd_bg-grey">
        <h3 class="panel-title"> Widget Jadwal Sholat </h3>
        </div>
        <div class="panel-body table-responsive">
        <iframe src="https://www.jadwalsholat.org/adzan/monthly.php?id=177" height="810" width="430" frameborder="0"></iframe>
</div></div></div></div></div></div>
```

Khotib

```
<div class="vd_content clearfix">
        <div class="vd_head-section clearfix">
        <div class="vd_panel-header">
        <ul class="breadcrumb">
        <li><a href="index.php">Dashboard</a></li>
        <li class="active">Data Penceramah</li>
        </ul>
        <div class="vd_panel-menu hidden-sm hidden-xs" data-intro="<strong>Expand Control</strong><br/>To expand content page horizontally, vertically, or Both. If you just need one button just simply remove the other button code." data-step=5  data-position="left">
        <div data-action="remove-navbar" data-original-title="Remove Navigation Bar Toggle" data-
```

```
toggle="tooltip" data-
placement="bottom" class="remove-
navbar-button menu"><i class="fa fa-
arrows-h"></i></div>
        <div data-action="remove-
header" data-original-title="Remove
Top Menu Toggle" data-toggle="tooltip"
data-placement="bottom"
class="remove-header-button menu"><i
class="fa fa-arrows-v"></i></div>
        <div data-action="fullscreen"
data-original-title="Remove Navigation
Bar and Top Menu Toggle" data-
toggle="tooltip" data-
placement="bottom" class="fullscreen-
button menu"><i class="glyphicon
glyphicon-fullscreen"></i></div>
        </div> </div> </div>
        <div class="vd_title-section
clearfix">
                <div class="vd_panel-
header">
                <h1>Data
Penceramah</h1>
        </div>
        </div>
        <div class="vd_content-section
clearfix">
        <div class="row">
        <div class="col-md-12">
        <div class="panel widget">
                <div class="panel-
heading vd_bg-grey">
<h3 class="panel-title"><span
class="menu-icon"><i class="fa fa-dot-
circle-o"></i></span> List Data
</h3></div>
        <div class="panel-body table-
responsive">
              <table class="table table-
striped" id="data-tables">
<thead>         <tr>
<th>NIK</th>
<th>Nama Penceramah</th>
<th>Jenis Kelamin</th>
<th>Tempat, Tanggal Lahir</th>
<th>Alamat</th>
<th>Email</th>
<th>HP</th>
<th>Status</th>
<th></th></tr></thead>
        <tbody></tbody></table>
</div> </div> </div> </div>
        </div></div>
<div class="modal fade" id="modal-
form" tabindex="-1" role="dialog" aria-
labelledby="modal-form-label" aria-
hidden="true">
        <div class="modal-dialog">
        <div class="modal-content">
        <form class="form-horizontal"
id="form-data" action="#" role="form">
        <div class="modal-header
vd_bg-blue vd_white">
        <button type="button"
class="close" data-dismiss="modal"
aria-hidden="true"><i class="fa fa-
times"></i></button>
        <h4 class="modal-title"
id="modal-form-label">Modal
title</h4>
        </div>
        <div class="modal-body">
        <input type="hidden"
name="id" id="id">
        <div class="form-group">
        <label class="col-sm-4 control-
label">NIK</label>
        <div class="col-sm-7 controls">
        <input type="text" name="nik"
id="nik" readonly="true">
        </div></div><div class="form-
group">
        <label class="col-sm-4 control-
label">Nama Penceramah</label>
        <div class="col-sm-7 controls">
        <input type="text"
name="nama" id="nama"
readonly="true">
        </div></div>
        <div class="form-group">
        <label class="col-sm-4 control-
label">Jenis Kelamin</label>
        <div class="col-sm-7 controls">
        <select name="jeniskelamin"
id="jeniskelamin" disabled="true">
        <option
value="0">Perempuan</option>
```

```
        <option value="1">Laki-
Laki</option></select>
        </div> </div> <div
class="form-group">
        <label class="col-sm-4 control-
label">Tempat Lahir</label>
        <div class="col-sm-7 controls">
        <input type="text"
name="tempatlahir" id="tempatlahir"
readonly="true"></div></div>
        <div class="form-group">
        <label class="col-sm-4 control-
label">Tanggal Lahir</label>
        <div class="col-sm-7 controls">
        <input type="text"
name="tgllahir" id="tgllahir"
readonly="true"></div></div>
        <div class="form-group">
        <label class="col-sm-4 control-
label">Alamat</label>
        <div class="col-sm-7 controls">
        <input type="text"
name="alamat" id="alamat"
readonly="true">
        </div> </div>
        <div class="form-group">
        <label class="col-sm-4 control-
label">Email</label>
        <div class="col-sm-7 controls">
        <input type="text"
name="email" id="email"
readonly="true">
        </div>
        </div>
        <div class="form-group">
        <label class="col-sm-4 control-
label">HP</label>
        <div class="col-sm-7 controls">
        <input type="text" name="hp"
id="hp" readonly="true">
        </div></div>
        <div class="form-group">
        <label class="col-sm-4 control-
label">Status</label>
        <div class="col-sm-7 controls">
        <select name="status"
id="status">
        <option value="0">Non
Aktif</option>
        <option
value="1">Aktif</option>
        </select>
        </div>
        </div>
        <div id="notif"></div></div>
        <div class="modal-footer
background-login">
<button type="button" class="btn
vd_btn vd_bg-grey" data-
dismiss="modal">Tutup</button>
        <button type="submit"
class="btn vd_btn vd_bg-blue" id="form-
submit">Simpan</button>
</div></form></div></div><div>
```