

LISTING PROGRAM

```
<?php
    //    menampilkan pesan jika ada pesan
if (isset($_SESSION['pesan']) && $_SESSION['pesan'] <> '') {
echo '<div class="pesan">'. $_SESSION['pesan'].'</div>';
    }
    //    mengatur session pesan menjadi kosong
    $_SESSION['pesan'] = "";
    ?>
<?php
session_start();
error_reporting(0);
include_once "dwo.lib.php";
include_once "db.mysql.php";
include_once "connectdb.php";
include_once "ClassRC.php";
require_once "lib.session.php";
if (isset($_GET[keluar])){
    /**
        mysql_query("update rf_aset_akun set
        Online='0'
        where ID_Akun='".$_SESSION[Kode_Aset]."'");
    */
    session_destroy();
echo "<script>>window.location = "</script>";
}
if (login_check()){
echo "<script>>window.location = 'admin/'</script>";
exit(0);
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta name="description" content="">
<meta name="author" content="">
```

```
<title>DISPORA - Sumatera Selatan</title>
<!-- Bootstrap Core CSS -->
<link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
<!-- Custom Fonts -->
<link href="vendor/font-awesome/css/font-awesome.min.css" rel="stylesheet"
type="text/css">
<link href="https://fonts.googleapis.com/css?family=Montserrat:400,700"
rel="stylesheet" type="text/css">
<link href="https://fonts.googleapis.com/css?family=Kaushan+Script"
rel="stylesheet" type="text/css">
<link
href="https://fonts.googleapis.com/css?family=Droid+Serif:400,700,400italic,70
0italic" rel="stylesheet" type="text/css">
<link
href="https://fonts.googleapis.com/css?family=Roboto+Slab:400,100,300,700"
rel="stylesheet" type="text/css">
<!-- Theme CSS -->
<link href="css/agency.min.css" rel="stylesheet">
</head>
<body id="page-top" class="index">
<!-- Navigation -->
<nav id="mainNav" class="navbar navbar-default navbar-custom navbar-fixed-
top">
<div class="container">
<!-- Brand and toggle get grouped for better mobile display -->
<div class="navbar-header page-scroll">
<button type="button" class="navbar-toggle" data-toggle="collapse" data-
target="#bs-example-navbar-collapse-1">
<span class="sr-only">Toggle navigation</span> Menu <i class="fa fa-
bars"></i>
</button>
<a class="navbar-brand page-scroll" href="#page-top">Kepemudaan dan
Keolahragaan - DISPORA Sumsel</a>
</div>
<!-- Collect the nav links, forms, and other content for toggling -->
<div class="collapse navbar-collapse" id="bs-example-navbar-collapse-1">
<ul class="nav navbar-nav navbar-right">
<li class="hidden">
<a href="#page-top"></a>
</li>
<li>
<a class="page-scroll" href="#" style="color:#F7E607">Beranda</a>
</li>
<li>
```

```

<a href='#loginModal' data-toggle="modal" style="color:#F7E607">Login</a>
</li>
</ul>
</div>
<!-- /.navbar-collapse -->
</div>
<!-- /.container-fluid -->
</nav>
<!-- LOGIN MODAL -->
<div class="modal fade customModal" id="loginModal" tabindex="-1"
role="dialog">
<div class="modal-dialog">
<div class="modal-content">
<div class="panel panel-default formPanel">
<div class="panel-heading bg-color-1 border-color-1">
<h3 class="panel-title">Login</h3>
</div>
<div class="panel-body">
<form action="" method="POST" >
<div class="form-group formField">
<input type="text" class="form-control" name=Username placeholder="User
name">
</div>
<div class="form-group formField">
<input type="password" class="form-control" name=Password
placeholder="Password">
</div>
<div class="form-group formField">
<input type="submit" class="btn btn-primary btn-block bg-color-3 border-color-
3" name=login value="Log in">
</div>
</form>
</div>
</div>
</div>
</div>
</div>
<?php
if (isset($_POST[login])){
$Username = _injection($_POST[Username]);
$Password = _injection(md5($_POST[Password]));

```

```

if (!ctype_alnum($Username) OR !ctype_alnum($Password)){
echo "<script>location.href='#'</script> ";
}else{
    $w=_selek("select * from user left join kota on user.Id_Kota=kota.Id_Kota
where
                                user.Username='$Username' and
user.Password='$Password' ");
if (!empty($w)){
    session_start();
    $_SESSION[Kode]=$w[Id_User];
    $_SESSION[Username]=$w[Username];
    $_SESSION[Kode_Kota]=$w[Id_Kota];
    $_SESSION[Nama_Kota]=$w[Nama_Kota];
    $_SESSION[Level]=$w[Level];
    $_SESSION[Status_Kota]=$w[Status_Kota];
    $_SESSION[Nama]=$w[Nama];
                                define( 'VALIDASI', 1 );
if ($w[Level] == '0'){
    $_SESSION[Nama_Level]='Admin';
    }
else if($w[Level] == '1'){
    $_SESSION[Nama_Level]='Admin Daerah';
    }
    login_validate();
                                echo "<script> location.href='admin/index.php' </script>";
}else{
    echo "<script> alert('Maaf tidak bisa login '); </script>";
}}
}
?>
<!-- Header -->
<header>
<div class="container">
<div class="intro-text">
<div class="intro-lead-in" style="color:#F7E607">Aplikasi Pengolahan Data
Kepemudaan dan Keolahragaan<div>
<div class="intro-heading" style="color:#F7E607">Selamat Datang</div>
<a href="#" class="page-scroll btn btn-xl">Homepage</a>
</div>
</div>

```

```

</header>

<!-- Services Section -->

<footer>

<div class="container">

<div class="row">

<div class="col-md-4">

<span class="copyright">Copyright &copy; DISPORA 2017</span>

</div>

<div class="col-md-4">

<ul class="list-inline social-buttons">

<li><a href="#"><i class="fa fa-twitter"></i></a>

</li>

<li><a href="#"><i class="fa fa-facebook"></i></a>

</li>

<li><a href="#"><i class="fa fa-linkedin"></i></a>

</li>

</ul>

</div>

<div class="col-md-4">

<ul class="list-inline quicklinks">

<li><a href="#">Privacy Policy</a>

</li>

<li><a href="#">Terms of Use</a>

</li>

</ul>

</div>

</div>

</footer>

<!-- Portfolio Modals -->

<!-- Use the modals below to showcase details about your portfolio projects! -->

<!-- Portfolio Modal 1 -->

<!-- Portfolio Modal 2 -->

<!-- Portfolio Modal 3 -->

<!-- Portfolio Modal 4 -->

<!-- Portfolio Modal 5 -->

<!-- Portfolio Modal 6 -->

<!-- jQuery -->

```

```

<script src="vendor/jquery/jquery.min.js"></script>

<!-- Bootstrap Core JavaScript -->

<script src="vendor/bootstrap/js/bootstrap.min.js"></script>

<!-- Plugin JavaScript -->

<script src="https://cdnjs.cloudflare.com/ajax/libs/jquery-easing/1.3/jquery.easing.min.js" integrity="sha384-mE6eXfrb8jxl0rzJDBRanYqgBxtJ6Unn4/1F7q4xRRyiw7Vdgd9JP4ycT7x1iVsgb" crossorigin="anonymous"></script>

<!-- Contact Form JavaScript -->

<script src="js/jqBootstrapValidation.js"></script>

<script src="js/contact_me.js"></script>

<!-- Theme JavaScript -->

<script src="js/agency.min.js"></script>

<script type="text/javascript" src="css/jquery.min.js"></script>

<script type="text/javascript" src="css/highcharts.js"></script>

/body>

/html>

<?php

mysql_connect("localhost","root","");

mysql_select_db ("gubernur");

?>

<?php $gos=(empty($_REQUEST['gos']))? 'tabel' :$_REQUEST['gos'];

$gos();

function tambah(){

echo"

<div class='card'>

<div class='header'>

<h4 class='title'>Data Atlet</h4>

</div>

<div class='content'>

<form

method=post action="" enctype='multipart/form-data' id=fom3>

<label>Tambah Data Atlet</label>

<div class='row'>

<div class='col-md-6'>

<div class='form-group'>

```

```
<input type='text' class='form-control' name=Nama placeholder='Nama Atlet'
id='Nama' required data-validation-required-message='Input Password'>
```

```
</div>
```

```
<p class='help-block text-danger'></p>
```

```
</div>
```

```
<div class='col-md-6'>
```

```
</div>
```

```
<div class='form-group'>
```

```
<div class='col-md-6'>
```

```
<select class='form-control' name=Cabor id='Cabor'>
```

```
<div class='form-group'>
```

```
";
```

```
<input type='date' class='form-control' name=Tgl placeholder='tanggal Lahir
Atlet' id='Tgl' required data-validation-required-message='Input Password'>
```

```
$stampil=mysql_query("select * from cabor ORDER BY
Nama_Cabor");
```

```
<p class='help-block text-danger'></p>
```

```
echo"
```

```
</div>
```

```
<option value='belum milih' selected disabled>- Pilih Cabang Olahraga -
</option>
```

```
</div>
```

```
while($w=mysql_fetch_array($stampil))
```

```
<div class='col-md-6'>
```

```
{
```

```
<div class='form-group'>
```

```
echo"<option value=$w[Id_Cabor] >$w[Nama_Cabor]</option>" ;
```

```
<input type='text' class='form-control' name=Tempat placeholder='Tempat
Lahir Atlet' id='Tempat' required data-validation-required-message='Input
Password'>
```

```
}
```

```
echo"
```

```
<p class='help-block text-danger'></p>
```

```
</select>
```

```
</div>
```

```
<p class='help-block text-danger'></p>
```

```
</div>
```

```
</div>
```

```
<div
```

```
</div>
```

```
class='col-md-6'
```

```
<div class='form-group'>
```

```
<select class='form-control' name=Kota id='Kota'>
```

```
<div class='col-md-6'>
```

```
";
```

```
if
```

```
<div class='form-group'>
```

```
($_SESSION[Level]=='0'){
```

```
$stampil =mysql_query("select * from kota order by Nama_Kota
asc");
```

```
}else {
```

```
Kelamin</option>
```

```
$stampil =mysql_query("select * from kota
WHERE Id_Kota = '$_SESSION[Kode_Kota]' order by Nama_Kota asc");}
```

```
echo"
```

```
<option value='belum milih' selected
disabled>- Pilih Kota -</option> ";
```

```
while($w=mysql_fetch_array($stampil))
```

```
{ echo"<option
value=$w[Id_Kota] >$w[Nama_Kota]</option>" ;
```

```
echo"
```

```
</select>
```

```
<select name='JK' class='form-control' required>
```

```
<option value="" selected disabled>Jenis
```

```
<option value='L'>Laki-Laki</option>
```

```
<option value='P'>Perempuan</option>
```

```
</select>
```

```
<p class='help-block text-danger'></p>
```

```
<p class='help-block text-danger'></p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class='col-md-6'>
```

```
<div class='form-group'>
```

```
<input type='text' class='form-control' name=Usia placeholder='Usia Atlet'
id='Usia' required data-validation-required-message='Input Password'>
```

```
<p class='help-block text-danger'></p>
```

```

</div>
</div>
</div>
<div class='clearfix'></div>
<div class='col-lg-12 text-center'>
<div id='success'></div>
<input type='submit' class='btn btn-xl' name=simpan value='Simpan'>
</div>
</div>
</form> </div>
</div>
";
}
function tabel(){
$ouser=cuser($_POST[kat]);
echo"
<div class='card'>
<h4 class='title'>Data Atlet</h4>
</div>
<div class='content'>
<br>
<a class='btn btn-primary' id=tx href='?menu=atlet-
view&gos=tambah'>Tambah</a>
";
echo"
<table class='table table-hover table-striped'>
<thead>
<tr id=jd>
<td class=t1 width=20 align=center>No</td>
<td class=t1 >Nama Atlet</td>
<td class=t1 >Tempat, Tanggal Lahir</td>
<td class=t1 >Jenis Kelamin</td>
<td class=t1 >Cabang Olahraga</td>
<td class=t1 >Asal Daerah</td>
<td class=t1 >Usia</td>
<td class=t1 align=center width=60 >Action</td>
</tr>
</thead>
";
if (empty($_POST[kat])) $wh=""; else $wh="where $_POST[kat] like
'$_POST[Cari]'";
$w=mysql_query("select * from atlet left join cabor on
atlet.Id_Cabor=cabor.Id_Cabor left join kota on atlet.Id_Kota=kota.Id_Kota
ORDER BY Nama_Atlet ASC "); while($w=mysql_fetch_array($r)){
$n++;
if ($n % 2 == 0) $warna = '#F0EFED';
else $warna = '#F3EFA6';
echo"
<tbody>
<tr bgcolor=$warna>
<td align=center >$n</td>
<td class=ul >$w[Nama_Atlet]</td>
<td class=ul >$w[Tempat_Lahir], $w[Tgl_Lahir]</td>
<td class=ul >$w[JK]</td>
<td class=ul >$w[Nama_Cabor]</td>
<td class=ul >$w[Nama_Kota]</td>
<td class=ul >$w[Usia]</td>
";
if(($w[Id_Kota] == $_SESSION[Kode_Kota] ) or ($_SESSION[Level]=='0')){
echo"
<td width=60 align=center ><a class='pe-7s-edit' href='?menu=atlet-
view&gos=ubah&IdVenue=$w[Id_Atlet]'></a>
<a class='pe-7s-trash' href='?menu=atlet-
view&gos=hapus&IdVenue=$w[Id_Atlet]'></a> ";
}
echo"
</td>
<tr>
<tbody>
";
}
echo"
<tr><td colspan=3>Jumlah Data </td><td>$n </td><td></td></tr>
</table>
</div>
</div>
</div>
";
}
function hapus(){
mysql_query("delete from atlet where Id_Atlet='$_REQUEST[IdVenue]'");

```

```
BerhasilHapus("?menu=atlet-view&gos=tabel",500);
```

```
}
```

```
if(isset($_POST['simpan'])){
```

```
mysql_query("insert into atlet set
```

```
    Nama_Atlet='$_POST[Nama]',
```

```
    Tgl_Lahir='$_POST[Tgl]',
```

```
    Tempat_Lahir='$_POST[Tempat]',
```

```
    JK='$_POST[JK]',
```

```
    Id_Cabor='$_POST[Cabor]',
```

```
    Id_Kota='$_POST[Kota]',
```

```
    Usia='$_POST[Usia]
```

```
");
```

```
BerhasilSimpan("?menu=atlet-view",500);
```

```
}
```

```
if(isset($_POST['ubah'])){
```

```
mysql_query("update atlet set
```

```
    Nama_Atlet='$_POST[Nama]',
```

```
    Tgl_Lahir='$_POST[Tgl]',
```

```
    Tempat_Lahir='$_POST[Tempat]',
```

```
    JK='$_POST[JK]',
```

```
    Id_Cabor='$_POST[Cabor]',
```

```
    Id_Kota='$_POST[Kota]',
```

```
    Usia='$_POST[Usia]
```

```
where Id_Atlet =
```

```
'$_REQUEST[IdVenue]'
```

```
");
```

```
BerhasilSimpan("?menu=atlet-view&gos=tabel",500);
```

```
function ubah(){
```

```
$r=mysql_query("select * from atlet where Id_Atlet='$_REQUEST[IdVenue]' ");
```

```
$w=mysql_fetch_array($r);
```

```
echo"
```

```
<div class='card'>
```

```
<div class='header'>
```

```
<h4 class='title'>Data Atlet</h4>
```

```
</div>
```

```
<div class='content'>
```

```
<form method=post
```

```
action=" enctype='multipart/form-data' id=fom3>
```

```
<div class='row'><div class='col-md-6'>
```

```
<div class='form-group'>
```

```
<input type='text' class='form-control' name=Nama placeholder='Nama Atlet'  
id='Nama' value='$w[Nama_Atlet]' required data-validation-required-  
message='Input Password'>
```

```
<p class='help-block text-danger'></p>
```

```
</div>
```

```
</div>
```

```
class='col-md-6'>
```

```
<div class='form-group'>
```

```
<input type='date' class='form-control' name=Tgl placeholder='Nama Atlet'  
id='Tgl' value='$w[Tgl_Lahir]' required data-validation-required-message='Input  
Password'>
```

```
<p class='help-block text-danger'></p>
```

```
</div>
```

```
</div>
```

```
class='col-md-6'><div class='form-group'>
```

```
<input type='text' class='form-control' name=Tempat placeholder='Tempat  
Lahir Atlet' id='Tempat' value='$w[Tempat_Lahir]' required data-validation-  
required-message='Input Password'>
```

```
<p class='help-block text-danger'></p>
```

```
</div>
```

```
<div class='col-md-6'>
```

```
<div class='form-group'>
```

```
<select name='JK' class='form-control' required>
```

```
<option value=" disabled>Pilihan</option>;
```

```
if ($w[JK]=='L'){
```

```
echo"<option value='L' selected>Laki-Laki</option>
```

```
<option value='P'>Perempuan</option>;
```

```
}else if ($w[JK]=='P'){echo"
```

```
<option value='L'>Laki-Laki</option>
```

```
<option value='P' selected>Perempuan</option>;}
```

```
echo"
```

```
</select>
```

```
<p class='help-block text-danger'></p>
```

```
</div></div>
```

```
class='col-md-6'>
```

```
class='form-group'>
```

```
<select class='form-control' name=Cabor id='Cabor'>
```

```
$stampil=mysql_query("select * from cabor ORDER BY
```

```
Nama_Cabor");
```

```
echo"
```

```
<option  
value='belum milih' selected disabled>- Pilih Cabang Olahraga -</option>
```

```
while($w2=mysql_fetch_array($stampil))
```

```
{
```

```
if
```

```
($w[Id_Cabor]==$w2[Id_Cabor]){ $stest = 'selected'; }else{ $stest = " "; }
```

```
echo"<option value=$w2[Id_Cabor] $stest
```

```

>$w2[Nama_Cabor]/>option>" ;
    echo"
</div>
<p class='help-block text-danger'></p>
</div>
</div>
class='col-md-6'>
    <div class='form-group'>
        <select class='form-control' name=Kota id='Kota'>
            ";
            if ($_SESSION[Level]=='0'){
                $stampil =mysql_query("select * from kota
order by Nama_Kota asc");
            }else {
                $stampil
=mysql_query("select * from kota WHERE Id_Kota = '$_SESSION[Kode_Kota]'
order by Nama_Kota asc");}
            echo"
<option value='belum milih' selected disabled>- Pilih Lokasi -</option>
            while($w2=mysql_fetch_array($stampil) {
                if
($w[Id_Kota]==$w2[Id_Kota]){ $test = 'selected'; }else{ $test = "; };
                echo"<option
value=$w2[Id_Kota] $test >$w2[Nama_Kota]</option>" ;
            }
        echo"
    </select>
    <p class='help-block text-danger'></p>
</div>
</div>
    <div class='col-md-6'>
        <div class='form-group'>
            <input type='text' class='form-control' name=Usia placeholder='Usia Atlet'
id='Usia' value='$w[Usia]' required data-validation-required-message='Input
Password'>
            <p class='help-block text-danger'></p>
        </div>
        </div>
        <input type='submit' class='btn btn-info btn-fill pull-right'
name=ubah value='Simpan'>
        </div></div>
        </div>
";
}
function cetak(){
    $kat=cuser($_POST[kat]);
    echo"
    <form method=post action='modul/user.php?gos=lap'>
    <table style='width:50%;'>
        <tr><td>Kata Kunci</td><td><select name=kat>$kat</select></td></tr>
        <tr><td>Cari</td><td><input type=text name=Cari
values=$_POST[Cari]></td></tr>
        <tr><td></td><td><input type=submit name=ok value=Cari></td></tr>
        </table>
    </form>
    ";
}
function cuser($minta){
    $cb=""cb
    <option value='$minta'> $minta </option>
    <option value='IdUser'> IdUser </option>
    <option value='Username'> Username </option>
    <option value='Password'> Password </option>
    <option value='Level'> Level </option>
    ";
    return $cb ;
}
?>
CABOR-VIEW
<?php $gos=(empty($_REQUEST['gos']))? 'tabel' :$_REQUEST['gos'];
$gos();
function tambah(){
    echo" <div class='card'>
    <div class='header'>
    <h4 class='title'>Data Cabang Olahraga</h4>
    </div>
    <div class='content'>
    <form method=post
action="" enctype='multipart/form-data' id=fom3>
    <label>Nama Tipe</label>
    <div class='row'
    <div class='col-md-6'>
    <div class='form-group'>
    <input type='text' class='form-control' name=Nama placeholder='Nama Cabang
Olahraga' id='Nama' required data-validation-required-message='Input
Password'>
    <p class='help-block text-danger'></p>
    </div>
    </div>
    </div>
    <div class='clearfix'></div>
    <div class='col-lg-12 text-center'>

```

```

<div id='success'></div>
<input type='submit' class='btn btn-xl' name='simpan' value='Simpan'>
</div>
</div>
</form>          </div>
</div>
";
}
function tabel(){
$userid=cuser($_POST[kat]);
echo"
<div class='card'>
<div class='header'>
<h4 class='title'>Data Cabang Olahraga</h4>
</div>
<div class='content'>
<br>
<a class='btn btn-primary' id=tx href='?menu=cabor-view&gos=tambah'>Tambah</a>
";
echo"
<table class='table table-hover table-striped'>
<thead>
<tr id=jd>
<td class=ttl width=20 align=center>No</td>
<td class=ttl >Nama Cabang Olahraga</td>
<td class=ttl align=center width=60 >Action</td>
</tr>
</thead>
";
if (empty($_POST[kat])) $wh=""; else $wh="where $_POST[kat] like '$_POST[Cari]'";
$r=mysql_query("select * from cabor ORDER BY Nama_Cabor ASC ");
while($w=mysql_fetch_array($r)){
$n++;
if ($n % 2 == 0) $warna = '#F0EFED';
else $warna = '#F3EFA6';
echo"
<tbody>
<tr bgcolor=$warna>
<td align=center >$n</td>

```

```

<td class=ul >$w[Nama_Cabor]</td>
<td width=60 align=center ><a class='pe-7s-edit' href='?menu=cabor-view&gos=ubah&IdVenue=$w[Id_Cabor]'></a>
<a class='pe-7s-trash' href='?menu=cabor-view&gos=hapus&IdVenue=$w[Id_Cabor]'></a>
</td>
<tr>
<tbody>
";
}
echo"
<tr><td colspan=2>Jumlah Data </td><td>$n </td><td></td></tr>
</table>
</div>
</div>
";
}
function hapus(){
mysql_query("delete from cabor where Id_Cabor=$_REQUEST[IdVenue]" );
BerhasilHapus("?menu=cabor-view&gos=tabel",500);
}
if(isset($_POST['simpan'])){
mysql_query("insert into cabor set
Nama_Cabor=$_POST[Nama]
");
BerhasilSimpan("?menu=cabor-view",500);
}
if(isset($_POST['ubah'])){
mysql_query("update cabor set Nama_Cabor=$_POST[Nama]
whereId_Cabor = '$_REQUEST[IdVenue]'
");
BerhasilSimpan("?menu=cabor-view&gos=tabel",500);
function ubah(){
$r=mysql_query("select * from cabor where Id_Cabor=$_REQUEST[IdVenue]" );
$w=mysql_fetch_array($r);
echo"
<div class='card'>
<div class='header'>
<h4 class='title'>Data Cabang Olahraga</h4>
</div>

```



```

<div class='content'>
    <form method=post
    action=" enctype='multipart/form-data' id=fom3>
    <label>Nama Tipe</label>
    <div class='row'"> <div class='col-md-6'>
    <div class='form-group'>
    <input type='text' class='form-control' name=Nama placeholder='Nama Cabang
    Olahraga' id='Nama' value='$w[Nama_Cabor]' required >
    <p class='help-block text-danger'></p></div>
        </div>
    <input type='submit' class='btn
    btn-info btn-fill pull-right' name=ubah value='Simpan'>
        </form>
    </div>
    </div>
";
}
function cetak(){
    $kat=cuser($_POST[kat]);
    echo"
    <form method=post action='modul/user.php?gos=lap'>
    <table style='width:50%;'>
    <tr><td>Kata Kunci</td><td><select name=kat>$kat</select></td></tr>
    <tr><td>Cari</td><td><input type=text name=Cari
    values=$_POST[Cari]></td></tr>
    <tr><td></td><td><input type=submit name=ok value=Cari></td></tr>
    </table>
    </form>
";
}
function cuser($minta){
    $cb="cb
    <option value='$minta'> $minta </option>
    <option value='ldUser'> ldUser </option>
    <option value='Username'> Username </option>
    <option value='Password'> Password </option>
    <option value='Level'> Level </option>
";
    return $cb ;
}
?>

```

CARI PETA

```

<?php
session_start();
mysql_connect("localhost","root","");
mysql_select_db("olahraga");
?>
<style type="text/css">
    #map {
    margin: 10px;
    width: 600px;
    height: 300px;
    padding: 10px; z-index:0;
    }
</style>
<script
src="http://maps.google.com/maps/api/js?key=AlzaSyDDLk1t5vtPbs98Zm-
18qpX_DaFYZPTTrGg&sensor=false"
type="text/javascript"></script>
<div style="z-index:2," class="col-md-8">
    <div id="map"></div></div>
<script type="text/javascript">function updateMarkerPosition(latLng) {
    document.getElementById('latitude').value = [latLng.lat()]
    document.getElementById('longitude').value = [latLng.lng()]
} var locations = [ <?php $r=mysql_query("select * from lokasi");
while($w=mysql_fetch_array($r)){
    echo" [' $w[Nama_Lokasi] ', $w[Lat], $w[Lng], $w[ld_Lokasi] ],"; ?>
]; var map = new google.maps.Map(document.getElementById('map'), {
zoom: 5,
center: new google.maps.LatLng(-2.918110 104.727602),
mapTypeId: google.maps.MapTypeId.ROADMAP
});
var infowindow = new google.maps.InfoWindow();
var marker, i;
for (i = 0; i < locations.length; i++) {
    marker = new google.maps.Marker({
    position: new google.maps.LatLng(locations[i][1], locations[i][2]),
    map: map
    });
    google.maps.event.addListener(marker, 'click', (function(marker, i) {
    return function() {
    infowindow.setContent(locations[i][0]);
    infowindow.open(map, marker);

```

```

        //alert(locations[i][3]);
location.href="?p=detai_peta&kd="+locations[i][3];
    }
})(marker, i));
    }
</script>
DETAIL-PETA
<?php
session_start();
mysql_connect("localhost","root","");
mysql_select_db("olahraga");
echo"
<table id=example1 class=table>
<tr id=jd>
<th class=ttl width=20 align=center>No</th>
<th>Id_Venue</th>
<th>Nama_Venue</th><th>Kondisi</th><th>Tipe</th>
<th>Id_Jenis</th>
<th>Nama_Jenis</th><th>Nama_Lokasi</th><th>Nama_Kota</th>
<th>Status_Kota</th>
</tr>
";
$r=mysql_query("SELECT *
FROM venue
LEFT JOIN venue_tipe ON venue.Id_Tipe = venue_tipe.Id_Tipe
LEFT JOIN venue_jenis ON venue.Id_Jenis = venue_jenis.Id_Jenis
LEFT JOIN lokasi ON venue.Id_Lokasi = lokasi.Id_Lokasi
LEFT JOIN kota ON lokasi.Id_Kota = kota.Id_Kota
where venue.Id_Lokasi='$_GET[kd]'
ORDER BY Nama_Venue ASC");
while($w=mysql_fetch_array($r)){
$n++;
echo"
<tr bgcolor=$warna>
<td align=center >$n</td>
<td>$w[Id_Venue]</td>
<td>$w[Nama_Venue]</td>
<td>$w[Kondisi]</td>
<td>$w[Tipe]</td>
<td>$w[Nama_Jenis]</td>
<td>$w[Nama_Lokasi]</td>

```

```

<td>$w[Nama_Kota]</td>
<td>$w[Status_Kota]</td>
</tr>";
}echo"
<tr><td colspan=3>Jumlah Data </td><td>$n </td><td></td></tr>
</table>";
?>GIS<?phpsession_start();mysql_connect("localhost","root","");mysql_select_
db("olahraga");?>
<div class='card'><div class='header'><h4 class='title'>Data GIS Lokasi Sarana
dan Prasarana</h4></div><div class='content'><style type="text/css">
    #map {
margin: 10px;
width: 600px;
height: 300px;
padding: 10px; z-index:0;
    } </style>
<script
src="http://maps.google.com/maps/api/js?key=AlzaSyDDLk1t5vtPbs98Zm-
18qpX_DaFYZPTrGg&sensor=false"
type="text/javascript"></script>
<div style=" " class="col-md-8">
    <div id="map"></div>
</div>
<script type="text/javascript">
function updateMarkerPosition([latLng] {
document.getElementById('latitude').value = [latLng.lat()]
document.getElementById('longitude').value = [latLng.lng()]
} var locations = [
<?php$r=mysql_query("select * from lokasi
");while($w=mysql_fetch_array($r){
    echo '[' $w[Nama_Lokasi] ', $w[Lat], $w[Lng], $w[Id_Lokasi] ],"; } ?>
]; var map = new google.maps.Map(document.getElementById('map'), {
zoom: 5, center: new google.maps.LatLng(-2.918110, 104.727602),
mapTypeId: google.maps.MapTypeId.ROADMAP
}); var infowindow = new google.maps.InfoWindow();
var marker, i; for (i = 0; i < locations.length; i++) {
    marker = new google.maps.Marker({ position: new
google.maps.LatLng(locations[i][1], locations[i][2]), map: maz })
google.maps.event.addListener(marker, 'click', (function(marker, i) return
function() {
infowindow.setContent(locations[i][0]); infowindow.open(map, marker);
        //alert(locations[i][3]);
location.href="?menu=detai_peta&kd="+locations[i][3];
})(marker, i) }
</script></div></div></div>

```

JENIS SARANA-VIEW

```
<?php $gos=(empty($_REQUEST['gos']))? 'tabel' :$_REQUEST['gos'];
$gos();
function tambah(){ echo"
<div class='card'><div class='header'>
<h4 class='title'>Data Kategori Sarana</h4></div>
<div class='content'>
<form method=post action="" enctype='multipart/form-data' id=fom3>
<label>Nama Kategori</label>
<div class='row'>
div class='col-md-6'><div class='form-group'>
<input type='text' class='form-control' name=Nama placeholder='Nama
Kategori Sarana' id='Nama' required data-validation-required-message='Input
Password'><p class='help-block text-danger'></p></div></div>
</div><div class='clearfix'></div>
<div class='col-lg-12 text-center'>
<div id='success'></div><input type='submit' class='btn btn-xl' name=simpan
value='Simpan'></div></div></form></div></div>; }
function tabel(){$cuser=cuser($_POST[kat]); echo"<div class='card'><div
class='header'><h4 class='title'>Kategori Sarana</h4></div><div
class='content'>
<br><a class='btn btn-primary' id=txhref='?menu=jenissarana-
view&gos=tambah'>Tambah</a>; echo"
<table class='table table-hover table-striped'><thead>
<tr id=jd><td class=ttl width=20 align=center>No</td>
<td class=ttl >Nama Kategori Sarana</td>
<td class=ttl align=center width=60 >Action</td></tr></thead>;
if (empty($_POST[kat])) $wh=""; else $wh="where $_POST[kat] like
'$_POST[Cari]";
$r=mysql_query("select * from venue_jenis ORDER BY Nama_Jenis ASC ");
while($w=mysql_fetch_array($r)){
$n++; if ($n % 2 == 0) $warna = '#F0EFED';
else $warna = '#F3EFA6'; echo" <tbody><tr bgcolor=$warna><td align=center
>$n</td>
<td class=ul >$w[Nama_Jenis]</td>
<td width=60 align=center ><a class='pe-7s-edit' href='?menu=jenissarana-
view&gos=ubah&IdVenue=$w[Id_Jenis]'></a><a class='pe-7s-trash'
href='?menu=jenissarana-
view&gos=hapus&IdVenue=$w[Id_Jenis]'></a></td><tr><tbody>; } echo"
<tr><td colspan=2>Jumlah Data </td><td>$n
</td><td></td></tr></table></div></div></div>; }function hapus(){
mysql_query("delete from venue_jenis where Id_Jenis=$_REQUEST[IdVenue]""
);
BerhasilHapus(")?menu=jenissarana-view&gos=tabel",500); }
if(isset($_POST['simpan'])){ mysql_query("insert into venue_jenis set
Nama_Jenis=$_POST[Nama]
");
```

```
BerhasilSimpan(")?menu=jenissarana-view",500);
}if(isset($_POST['ubah'])){ $ysql_query("update venue_jenis set
Nama_Jenis=$_POST[Nama]'where Id_Jenis = '$_REQUEST[IdVenue]
");BerhasilSimpan(")?menu=jenissarana-view&gos=tabel",500); }function
ubah(){ $r=mysql_query("select * from venue_jenis where
Id_Jenis=$_REQUEST[IdVenue] "); $w=mysql_fetch_array($r);
echo" <div class='card'><div class='header'>
<h4 class='title'>Data Kategori Sarana</h4></div><div class='content'>
<form method=post action=""
enctype='multipart/form-data' id=fom3>
<label>Nama Kategori</label>
<div class='row'>
<div class='col-md-6'><div class='form-group'>
<input type='text' class='form-control' name=Nama placeholder='Nama Sarana'
id='Nama' value='$w[Nama_Jenis]' required ><p class='help-block text-
danger'></p></div></div>
</div><input type='submit' class='btn btn-info btn-fill pull-right' name=ubah
value='Simpan'></form>
</div></div>; } function cetak(){ $kat=cuser($_POST[kat]); echo" <form
method=post action='modul/user.php?gos=lap'><table
style='width:50%;'><tr><td>Kata Kunci</td><td><select
name=kat>$kat</select></td></tr><tr><td>Cari</td><td><input type=text
name=Cari values=$_POST[Cari]></td></tr>
<tr><td></td><td><input type=submit name=ok
value=Cari></td></tr></table></form> ";} function cuser($minta){$cb="cb
<option value='$minta' >$minta </option><option value='IdUser'> IdUser
</option><option value='Username'> Username
</option><option value='Password'> Password </option><option value='Level'>
Level </option> ";return $cb ; }?>
```

KEPEMUDAAN VIEW

```
<?php $gos=(empty($_REQUEST['gos']))? 'tabel' :$_REQUEST['gos']; $gos();
function tambah(){ echo" <div class='card'><div class='header'><h4
class='title'>Data Kepemudaan</h4></div><div class='content'>
<form method=post action="" enctype='multipart/form-data'
id=fom3><label>Data Login User</label><div class='row'><div class='col-md-
6'><div class='form-group'><select class='form-control' name=Pendidikan
id='Pendidikan'>$stampil =mysql_query("select * from pendidikan order by
Pendidikan asc");echo"<option value='belum memilih' selected disabled>- Pilih
Pendidikan -</option>";
while($w=mysql_fetch_array($stampil)){
echo"<option value=$w[Id_Pendidikan] >$w[Pendidikan]</option>";
}
echo"
</select>
<p class='help-block text-danger'></p>
</div>
<div class='col-md-6'>
<div class='form-group'>
<select class='form-control' name=Kota id='Kota'>
";if ($_SESSION[Level]==0){
```



```

<option value='belum milih' selected disabled>- Pilih Pendidikan -
</option> ";

while($w2=mysql_fetch_array($stampil)) {if
($w2[Id_Pendidikan]==$w2[Id_Pendidikan]){ $stest = 'selected'; }else{ $stest = ""; }
echo"<option
value=$w2[Id_Pendidikan] $stest >$w2[Pendidikan]</option>"; } echo"
</select><p class='help-block text-danger'></p></div></div>

<div class='col-md-6'><div class='form-group'><select class='form-control'
name=Kota id='Kota'>;if ($ _SESSION[Level]==0){ $stampil
=mysql_query("select * from kota order by Nama_Kota asc");}else {
$stampil =mysql_query("select *
from kota WHERE Id_Kota = '$ _SESSION[Kode_Kota]' order by Nama_Kota
asc");}

echo"
<option value='belum milih' selected
disabled>- Pilih Lokasi -</option> ";
while($w2=mysql_fetch_array($stampil)) {if ($w2[Id_Kota]==$w2[Id_Kota]){
$stest = 'selected'; }else{ $stest = ""; } } echo"<option value=$w2[Id_Kota] $stest
>$w2[Nama_Kota]</option>"; } echo" </select>

<p class='help-block text-danger'></p></div></div>

<div class='col-md-6'><div class='form-group'><select class='form-control'
name=JK id='JK'>

<option value="" selected disabled >Pilih Jenis Kelamin</option>;if
($w2[Jenis_Kelamin]==L){echo"

<option value='L' selected >Laki-Laki</option><option value='P'
>Perempuan</option>;}else if ($w2[Jenis_Kelamin]==P){ echo"<option
value='L' >Laki-Laki</option>
<option value='P' selected >Perempuan</option>;} echo" </select>

<p class='help-block text-danger'></p></div></div>

<div class='col-md-6'><div class='form-group'>

<input type='text' class='form-control' name=Jumlah placeholder='Jumlah'
id='Jumlah' value=$w2[Jumlah_Pemuda] required data-validation-required-
message='Input Password'>

<p class='help-block text-danger'></p></div>

</div>

</div><input type='submit' class='btn btn-info btn-fill pull-right' name=ubah
value='Simpan'></form></div></div></div>;

} function cetak(){ $kat=cuser($ _POST[kat]);

echo"<form method=post action='modul/user.php?gos=lap'>

<table style='width:50%;'>

<tr><td>Kata Kunci</td><td><select name=kat>$kat</select></td></tr>

<tr><td>Cari</td><td><input type=text name=Cari
values=$ _POST[Cari]></td></tr>

<tr><td></td><td><input type=submit name=ok value=Cari></td></tr>

</table>

</form> ";} function cuser($minta){$cb="cb

<option value=$minta'> $minta </option>

<option value='IdUser'> IdUser </option>

```

```

<option value='Username'> Username </option>

<option value='Password'> Password </option>

<option value='Level'> Level </option>

";return $cb ; }?KOTA-VIEW<?php $gos=(empty($ _REQUEST['gos']))? 'tabel'
:$ _REQUEST['gos']; $gos(); function tambah(){ echo"

<div class='card'><div class='header'><h4 class='title'>Data Kota</h4>

</div><div class='content'><form method=post action="
enctype='multipart/form-data' id=fom3>

<label>Data Login User</label>

<div class='row'><div class='col-md-6'><div class='form-group'><input
type='text' class='form-control' name=Nama placeholder='Nama Kota'
id='Nama' required data-validation-required-message='Input Password'><p
class='help-block text-danger'></p>

</div></div>

<div class='col-md-6'><div class='form-group'><select class='form-control'
name=Status id='Status'><option value='belum milih' selected disabled>- Pilih
Status -</option><option name=Kota value=Kab. >Kabupaten</option><option
name=Kota value=Kota >Kota</option></select>

</div></div>

</div>

<div class='clearfix'></div><div class='col-lg-12 text-center'><div
id='success'></div><input type='submit' class='btn btn-xl' name=simpan
value='Simpan'></div>

</div></form></div></div>; }function tabel(){$cuser=cuser($ _POST[kat]);
echo" <div class='card'><div class='header'><h4 class='title'>Data
Kota</h4></div><div class='content'>

<br><a class='btn btn-primary' id=tx href='?menu=kota-
view&gos=tambah'>Tambah</a>; echo" <table class='table table-hover table-
striped'><thead><tr id=jd><td class=ttl width=20 align=center>No</td><td
class=ttl>Nama Kota</td><td class=ttl >Status</td>

<td class=ttl align=center width=60 >Action</td></tr></thead>;

if (empty($ _POST[kat])) $wh=""; else $wh="where $ _POST[kat] like
'$ _POST[Cari]'";$r=mysql_query("select * from kota ORDER BY Nama_Kota ASC
"); while($w=mysql_fetch_array($r)){ $n++; if ($n % 2 == 0) $warna = '#FOEFED';
else $warna = '#F3EFA6';

echo" <tbody><tr bgcolor=$warna><td align=center >$n</td><td class=ul
>$w[Nama_Kota]</td><td class=ul >$w[Status_Kota]</td><td width=60
align=center ><a class='pe-7s-edit' href='?menu=kota-
view&gos=ubah&IdVenue=$w[Id_Kota]'></a>

<a class='pe-7s-trash' href='?menu=kota-
view&gos=hapus&IdVenue=$w[Id_Kota]'></a>

</td><tr><tbody>; } echo" <tr><td colspan=3>Jumlah Data </td><td>$n
</td></tr></tbody></table></div></div></div>; }function hapus(){
mysql_query("delete from kota where Id_Kota=$ _REQUEST[IdVenue]"
);BerhasilHapus(" ?menu=kota-view&gos=tabel",500);

}if(isset($ _POST['simpan'])){ mysql_query("insert into kota set
Nama_Kota='$ _POST[Nama]',Status_Kota='$ _POST[Status]'");BerhasilSimpan("
?menu=kota-view",500); }if(isset($ _POST['ubah'])){ mysql_query("update kota
set Nama_Kota='$ _POST[Nama]',Status_Kota='$ _POST[Status]'where Id_Kota =
'$ _REQUEST[IdVenue]'");BerhasilSimpan(" ?menu=kota-view&gos=tabel",500); }

function ubah(){

$r=mysql_query("select * from kota where Id_Kota=$ _REQUEST[IdVenue] ");
$w=mysql_fetch_array($r);

```

```

echo"

<div class='card'>

<div class='header'>

<h4 class='title'>Data Kota</h4>

</div>

<div class='content'>

<form method=post

action=" enctype='multipart/form-data' id=fom3>

<div class='row'>

<div class='col-md-6'><div class='form-group'>

<input type='text' class='form-control' name=Nama placeholder='Nama Kota'

id='Nama' value='$w[Nama_Kota]' required >

<p class='help-block text-danger'></p></div></div> <div class='col-md-

6'><div class='form-group'><select name='Status' class='form-control'

required> <option value="" disabled>Pilihan</option>; if

($w[Status_Kota]=='Kab.'){ echo" <option value='Kab.'

selected>Kabupaten</option> <option value='Kota'>Kota</option>;

}

else if

($w[Status_Kota]=='Kota'){ echo" <option

value='Kab.'>Kabupaten</option>

<option value='Kota'>Kota</option>;}echo"</select><p

class='help-block text-danger'></p>

</div></div>

</div><input type='submit' class='btn btn-info btn-fill pull-right' name=ubah

value='Simpan'>

</form>

</div></div></div>;" } function cetak(){ $kat=cuser($_POST[kat]); echo"

<form method=post action='modul/user.php?gos=lap'>

<table style='width:50%;'>

<tr><td>Kata Kunci</td><td><select name=kat>$kat</select></td></tr>

<tr><td>Cari</td><td><input type=text name=Cari

values=$_POST[Cari]></td></tr>

<tr><td></td><td><input type=submit name=ok

value=Cari></td></tr></table></form> ";

} function cuser($minta){$cb="cb

<option value='$minta'> $minta </option>

<option value='IdUser'> IdUser </option>

<option value='Username'> Username </option>

<option value='Password'> Password </option>

<option value='Level'> Level </option>

";

return $cb ; }>LAPORAN-ATLET

<div class='card'><div class='header'>

```

```

<h4 class='title'>Data Laporan Atlet</h4>

</div><div class='content'>

<table class="table2" width="100%" border="1" bordercolor="#dee3e7"

cellspacing="0">

<script type="text/javascript" src="assets/css/jquery.min.js"></script>

<script type="text/javascript"

src="assets/css/highcharts.js"></script>

<?php

$Sql_tbldata=("select * from venue_jenis ");

$psn=mysql_query($Sql_tbldata) or die (mysql_error());?>

<tr style="background:white;">

<th width="30">No</th><th width="40">Nama Kota</th><th

width="60">Nama Atlet</th>

<th width="50">Tempat Tanggal Lahir</th>

<th width="20">Jenis Kelamin</th><th width="80">Cabang Olah Raga</th><th

width="30">Usia</th><th width="30">Total</th>

</tr><?php$query1="select * from kota ";

$stampil=mysql_query($query1); while($w=mysql_fetch_array($stampil))

{

$n++;echo "<tr><td> $n

</td><td>$w[Nama_Kota]</td><td></td><td></td><td></td><td></td><td></td><td></td></tr>";

$query11="select * from atlet

left join cabor on

atlet.Id_Cabor=cabor.Id_Cabor

where Id_Kota='$w[Id_Kota]";

$stampil1=mysql_query($query11); $hitungang =

mysql_num_rows($stampil1);

echo "<td>$hitungang Orang</td>";

while($w1=mysql_fetch_array($stampil1))

{

$n2++;

echo " <tr>

<td></td><td></td><td>$w1[Nama_Atlet]</td><td>$w1[Tempat_La

hir],$w1[Tgl_Lahir]</td><td>$w1[JK]</td><td>$w1[Nama_Cabor]</td><td>$w

1[Usia]</td> <td></td></tr>";

}

$hitung2=mysql_query("select * from atlet");

$total = mysql_num_rows($hitung2);

$pr="select * from atletwhere JK='P'"; $lk="select * from atletwhere JK='L'";

$pra=mysql_query($pr); $lka=mysql_query($lk); $perem =

mysql_num_rows($pra); $laki = mysql_num_rows($lka);

?>

</table>

<br>

Total Laki-Laki : <?php echo $laki; ?> Orang<br>

Total Perempuan : <?php echo $perem; ?> Orang<br>

Total Atlet : <?php echo $total; ?> Orang

```

```

<br>
<br>
<br>
<td style="text-align:left;">
<a href="?p=atlet-cetak">
<button class="tambah" type="submit"></i>Cetak</button>
</a>
</td>
<div id="contoh" style="width: 100%; height: 500px"></div>
<script type="text/javascript">
$( '#contoh' ).highcharts({
    chart: { type: 'column'
    }, title: { text: 'DATA ATLET'
    }, subtitle: { text: 'Prov. Sumatera Selatan'
    },
    xAxis: { categories: ['Kab. / Kota'
    ] }, yAxis: { min: 0, title: { text: 'Total'
    } },
    plotOptions: {
    column: {
    pointPadding: 0.2,
    borderWidth: 0
    }
    }, series: [
<?php $q=mysql_query("select * from atlet left join kota on
atlet.Id_Kota=kota.Id_Kota");
        while($r=mysql_fetch_array($q)){
            $q2=mysql_query("select count(Id_Atlet) as atle from atlet where
            Id_Kota='".$r["Id_Kota"].""); $r2=mysql_fetch_array($q2);
            echo "{ name: '".$r["Nama_Kota"]."', data:
            [". $r2["atle"]. "]}";
        }
    ?>
    ]
});
</script></div></div>
</div>

```

LAPORAN ATLET

```

<div class='card'><div class='header'><h4 class='title'>Data Laporan Cabang
Olahraga</h4></div><div class='content'>
<table class="table2" width="100%" border="1" bordercolor="#dee3e7"
cellspacing="0">
<script type="text/javascript" src="assets/css/jquery.min.js"></script>
<script type="text/javascript"
src="assets/css/highcharts.js"></script><?php
$Sql_tbldata=("select * from venue_jenis ");
        $psn=mysql_query($Sql_tbldata) or die (mysql_error());?>
<tr style="background:white;"><th width="30">No</th><th
width="120">Nama Cabor</th><th width="40">Nama Kota</th><th
width="20">Jumlah</th>
</tr><?php $query1="select * from cabor ";
        $stampil=mysql_query($query1); while($w=mysql_fetch_array($stampil))
{$n++;
echo "<tr><td> $n </td><td>$w[Nama_Cabor]</td><td></td>";
$query11="select * from kota";$stampil1=mysql_query($query11);
        $stampil1a=mysql_query("select * from kotaleft join atlet on
kota.Id_Kota=atlet.Id_Kota where Id_Cabor='$w[Id_Cabor]'");$hitungana =
mysql_num_rows($stampil1a); echo "<td>$hitungana Cabang</td>";
while($w1=mysql_fetch_array($stampil1)) {
        $hitung=mysql_query("select * from atlet where Id_Cabor='$w[Id_Cabor]' and
Id_Kota='$w1[Id_Kota]'");
        $hitungana =
        mysql_num_rows($hitung);
        $n2++;
echo "<tr>
<td></td><td></td><td>$w1[Nama_Kota]</td><td>$hitungana Cabang</td>
</tr>";}}
        $hitung2=mysql_query("select * from atlet");$hitunggan2 =
mysql_num_rows($hitung2);?>
<th colspan=3>Total</th><th ><?php echo $hitunggan2; ?> Cabang</th>
</table><br><br><br><td style="text-align:left;"><a href="?p=cabor-
cetak"><button class="tambah" type="submit"></i>Cetak</button></a></td>
<div id="contoh" style="width: 100%; height: 500px"></div><script
type="text/javascript">
$( '#contoh' ).highcharts({chart: { type: 'column'},title: {text: 'DATA ATLET'},

```



```
$Salam = mysql_num_rows($plgdata14);

$plgdata15 = mysql_query("SELECT * FROM venue where Id_Lokasi='15' and
Id_Jenis='".$data[Id_Jenis]."'");

$Muba = mysql_num_rows($plgdata15);$plgdata16 = mysql_query("SELECT *
FROM venue where Id_Lokasi='16' and Id_Jenis='".$data[Id_Jenis]."'");

$Muratara = mysql_num_rows($plgdata16);

$plgdata17 = mysql_query("SELECT * FROM venue where
Id_Jenis='".$data[Id_Jenis]."'");

$plg17 = mysql_num_rows($plgdata17);

?><tr valign="center" style="background:white;">

<td style="text-align:center;"><?php echo $data>Nama_Jenis; ?></td><td
style="text-align:center;"><?php echo $plg; ?></td>

<td style="text-align:center;"><?php echo $banyuasin; ?></td><td style="text-
align:center;"><?php echo $lahat; ?></td><td style="text-align:center;"><?php
echo $llg; ?></td><td style="text-align:center;"><?php echo $enim; ?></td><td
style="text-align:center;"><?php echo $rawas; ?></td><td style="text-
align:center;"><?php echo $oi; ?></td><td style="text-align:center;"><?php
echo $oki; ?></td><td style="text-align:center;"><?php echo $oku; ?></td><td
style="text-align:center;"><?php echo $okut; ?></td>

<td style="text-align:center;"><?php echo $okus; ?></td><td style="text-
align:center;"><?php echo $salam; ?></td><td style="text-align:center;"><?php
echo $muba; ?></td><td style="text-align:center;"><?php echo $prabu; ?></td>

<td style="text-align:center;"><?php echo $muratara; ?></td><td style="text-
align:center;"><?php echo $pali; ?></td><td style="text-align:center;"><?php
echo $plg17; ?></td></tr><?php $i++;}

?></table><br><br><br><td style="text-align:left;">
```

```
<a href="?p=prasarana-cetak"><button class="tambah"
type="submit"></i>Cetak</button>

</a></td><div id="contoh" style="width: 100%; height: 500px"></div>

<script type="text/javascript">$( '#contoh').highcharts({

chart: {type: 'column'

},title: {text: 'DATA PRASARANA'},subtitle: {text: 'Prov. Sumatera Selatan'},xAxis:
{ categories: ['Prasarana'] },yAxis: { min: 0,title: {text: 'Total' } } }</Options:
{column: { pointPadding: 0.2,borderWidth: 0

},series: [ <?php $q=mysql_query("select * from venue left join lokasi on
venue.Id_Lokasi=lokasi.Id_Lokasi left join kota on
lokasi.Id_Kota=kota.Id_Kota");while($r=mysql_fetch_array($q)){$q2=mysql_qu
ery("select count(Id_Atlet) as atle from atlet where
Id_Kota='".$r["Id_Kota"]."'");$r2=mysql_fetch_array($q2);echo "{ name:
'".$r["Nama_Venue"]."',data: [ ".$r2["atle"]." ],";}

?> ]</script></div></div>

</div>
```

Lokasi Sarana-View

```
<?php $gos=(empty($_REQUEST['gos']))? 'tabel' : $_REQUEST['gos'];

$gos(); function tambah(){

echo " <div class='card'><div class='header'><h4 class='title'>Data
Lokasi</h4></div><div class='content'><form method=post action=""
enctype='multipart/form-data' id=fom3>

<label>Data Login User</label> <div class='row'>

<div class='col-md-6'><div class='form-group'>
```

```
<input type='text' class='form-control' name=Nama placeholder='Nama Lokasi'
id='Nama' required data-validation-required-message='Input Password'>

<p class='help-block text-danger'></p></div></div>

<div class='col-md-6'><div class='form-group'><select class='form-control'
name=Kota id='Kota'>;if ($ _SESSION[Level]=='0'){ $stampil
=mysql_query("select * from kota order by Nama_Kota asc");}else { $stampil
=mysql_query("select * from kota WHERE Id_Kota = '$ _SESSION[Kode_Kota]'
order by Nama_Kota asc");}echo"<option value='belum memilih' selected
disabled>- Pilih Kabuapten/Kota -</option>";

while($w=mysql_fetch_array($stampil))

{ echo"<option value=$w[Id_Kota] >$w>Nama_Kota</option>"; }

echo"

</select><p class='help-block text-danger'></p>

</div></div>

<div class='col-md-6'><div class='form-group'>

<input type='text' class='form-control' name=Lng placeholder='Longitude'
id='Lng' required data-validation-required-message='Input Password'>

<p class='help-block text-danger'></p>

</div></div>

<div class='col-md-6'><div class='form-group'>

<input type='text' class='form-control' name=Lat placeholder='Latitude' id='Lat'
required data-validation-required-message='Input Password'>

<p class='help-block text-danger'></p></div></div>

</div><div class='clearfix'></div>

<div class='col-lg-12 text-center'><div id='success'></div><input type='submit'
class='btn btn-xl' name=simpan value='Simpan'>

</div></div>

</form></div>

</div>"; }

function tabel(){ $cuser=cuser($_POST[kat]); echo"

<div class='card'><div class='header'>

<h4 class='title'>Lokasi Sarana</h4></div>

<div class='content'>

<br>

<a class='btn btn-primary' id=tx href=?menu=lokasisarana-
view&gos=tambah>Tambah</a>";

echo" <table class='table table-hover table-striped'>

<thead><tr id=jd><td class=ttl width=20 align=center>No</td><td class=ttl
>Nama Lokasi</td>

<td class=ttl >Nama Kota</td><td class=ttl >Longitude</td><td class=ttl
>Latitude</td><td class=ttl align=center width=60 >Action</td>

</tr></thead>"; if (empty($_POST[kat])) $wh=""; else $wh="where $_POST[kat]
like '$ _POST[Cari]'";
```

```

$R=mysql_query("select * from lokasi left join kota on
lokasi.Id_Kota=kota.Id_Kota ORDER BY Nama_Lokasi ASC ");
while($W=mysql_fetch_array($R)){

$N++; if ($N % 2 == 0) $Warna = '#F0EFED';

else $Warna = '#F3EFA6'; echo"

<tr bgcolor=$Warna>

<td align=center >$N</td><td class=ul >$W[Nama_Lokasi]</td><td class=ul
>$W[Nama_Kota]</td><td class=ul >$W[Lng]</td><td class=ul >$W[Lat]</td>
";if(($W[Id_Kota] == $_SESSION[Kode_Kota] ) or ($_SESSION[Level]=='0')){

echo"

<td width=60 align=center ><a class='pe-7s-edit' href='?menu=lokasisarana-
view&gos=ubah&IdVenue=$W[Id_Lokasi]'></a>

<a class='pe-7s-trash' href='?menu=lokasisarana-
view&gos=hapus&IdVenue=$W[Id_Lokasi]'></a> ";

}echo"</td>

<tr><tbody>";

} echo" <tr><td colspan=3>Jumlah Data </td><td>$N
</td><td></td></tr></table></div></div>

</div>"; }function hapus(){

mysql_query("delete from lokasi where Id_Lokasi='$_REQUEST[IdVenue]' );

BerhasilHapus(" ?menu=lokasisarana-view&gos=tabel",500);

}if(isset($_POST['simpan'])){

mysql_query("insert into lokasi set

Nama_Lokasi='$_POST[Nama]',Id_Kota='$_POST[Kota]',
Lng='$_POST[Lng]', Lat='$_POST[Lat]'

");BerhasilSimpan(" ?menu=lokasisarana-view",500);

}if(isset($_POST['ubah'])){ mysql_query("update lokasi set
Nama_Lokasi='$_POST[Nama]', Id_Kota='$_POST[Kota]',

Lng='$_POST[Lng]', Lat='$_POST[Lat]' where Id_Lokasi = '$_REQUEST[IdVenue]'

");BerhasilSimpan(" ?menu=lokasisarana-view&gos=tabel",500); }

function ubah(){

$R=mysql_query("select * from lokasi where Id_Lokasi='$_REQUEST[IdVenue]'
"); $W=mysql_fetch_array($R); echo" <div class='card'><div class='header'><h4
class='title'>Data Lokasi Sarana</h4></div><div class='content'><form
method=post action="" enctype='multipart/form-data' id=fom3<<div
class='row'><div class='col-md-6'><div class='form-group'><input type='text'
class='form-control' name=Nama placeholder='Nama Lokasi Sarana' id='Nama'
value='$W[Nama_Lokasi]' required ><p class='help-block text-
danger'></p></div></div>

<div class='col-md-6'><div class='form-group'><select class='form-control'
name=Kota id='Kota'>;if ($_SESSION[Level]=='0'){ $Stampil
=mysql_query("select * from kota order by Nama_Kota asc");}else { $Stampil
=mysql_query("select * from kota WHERE Id_Kota = '$_SESSION[Kode_Kota]'
order by Nama_Kota asc");}

echo" <option value='belum
milih' selected disabled>- Pilih Lokasi -</option>
";while($W2=mysql_fetch_array($Stampil) ) {
if ($W[Id_Kota]==$W2[Id_Kota]){ $stest = 'selected'; }else{ $stest = ""; };
echo"<option value=$W2[Id_Kota] $stest >$W2[Nama_Kota]</option>"; }
echo" </select><p class='help-block text-danger'></p></div></div>

```

```

<div class='col-md-6'><div class='form-group'><input type='text' class='form-
control' name=Lng placeholder='Longitude' id='Lng' value='$W[Lng]' required
><p class='help-block text-danger'></p>

</div></div><div class='col-md-6'><div class='form-group'><input type='text'
class='form-control' name=Lat placeholder='Latitude' id='Lat' value='$W[Lat]'
required ><p class='help-block text-danger'></p></div></div>

</div>

<input type='submit' class='btn btn-info btn-fill pull-right' name=ubah
value='Simpan'></form>

</div></div></div>";

} function cetak(){ $kat=cuser($_POST[kat]); echo" <form method=post
action='modul/user.php?gos=lap'><table style='width:50%;'><tr><td>Kata
Kunci</td><td><select
name=kat>$kat</select></td></tr><tr><td>Cari</td><td><input type=text
name=Cari values=$_POST[Cari]></td></tr><tr><td></td><td><input
type=submit name=ok value=Cari></td></tr></table></form> ";} function
cuser($minta){ $cb="cb

<option value=' $minta' > $minta </option><option value='IdUser'> IdUser
</option><option value='Username'> Username </option><option
value='Password'> Password </option><option value='Level'> Level </option>
";return $cb ; }

?>

```

Potensi View

```

<?php $gos=(empty($_REQUEST['gos']))? 'tabel' :$_REQUEST['gos']; $gos();
function tambah(){ echo"

<div class='card'><div class='header'><h4 class='title'>Data
Potensi</h4></div><div class='content'><form method=post action=""
enctype='multipart/form-data' id=fom3>

<label>Data Login User</label>

<div class='row'><div class='col-md-6'><div class='form-group'><input
type='text' class='form-control' name=Nama placeholder='Nama Atlet'
id='Nama' required data-validation-required-message='Input Password'><p
class='help-block text-danger'></p>

</div>

<div class='col-md-6'><div class='form-group'>

<input type='date' class='form-control' name=Tgl placeholder='Nama Atlet'
id='Tgl' required data-validation-required-message='Input Password'>

<p class='help-block text-danger'></p></div>

</div>

<div class='col-md-6'><div class='form-group'>

<input type='text' class='form-control' name=Tempat placeholder='Tempat Lahir Atlet'
id='Tempat' required data-validation-required-message='Input Password'>

<p class='help-block text-danger'></p></div></div>

<div class='col-md-6'><div class='form-group'> name='JK' class='form-control'
required>

<option
value="" selected disabled>Pilihan</option>

<optionvalue='L'>Laki-

```

```

Laki</option>
<optionvalue='P'>Perempuan</option></select>

<p class='help-block text-danger'></p></div></div>

<div class='col-md-6'><div class='form-group'><select class='form-control'
name=Cabor id='Cabor'>;

$stampil=mysql_query("select * from cabor ORDER BY Nama_Cabor");echo"
<option value='belum milih' selected disabled>- Pilih Cabang Olahraga -
</option>

";while($w=mysql_fetch_array($stampil)) { echo"<option
value=$w[Id_Cabor] >$w[Nama_Cabor]</option>"; }</select><p class='help-
block text-danger'></p></div></div>

<div class='col-md-6'><div class='form-group'><select class='form-control'
name=Kota id='Kota'>; ($_SESSION[Level]==0){ $stampil =mysql_query("select
* from kota order by Nama_Kota asc");}else {$stampil =mysql_query("select *
from kota WHERE Id_Kota = '$_SESSION[Kode_Kota]' order by Nama_Kota
asc");}echo" <option value='belum milih' selected disabled>- Pilih Kota -
</option> ";

while($w=mysql_fetch_array($stampil)) { echo"<option value=$w[Id_Kota]
>$w[Nama_Kota]</option>"; } echo"

</select><p class='help-block text-danger'></p></div></div>

<div class='col-md-6'><div class='form-group'>

<input type='text' class='form-control' name=Usia placeholder='Usia Atlet'
id='Usia' required data-validation-required-message='Input Password'><p
class='help-block text-danger'></p></div></div>

<div class='col-md-
6'><div class='form-group'><input type='text' class='form-control'
name=Sekolah placeholder='Nama Sekolah' id='Sekolah' required data-
validation-required-message='Input Password'><p class='help-block text-
danger'></p>

</div></div>

</div> <div class='clearfix'></div>

<div class='col-lg-12 text-center'><div id='success'></div><input type='submit'
class='btn btn-xl' name=simpan value='Simpan'>

</div></div></form></div></div>

"; }function tabel(){$cuser=cuser($_POST[kat]);

echo"<div class='card'><div class='header'>

<h4 class='title'>Data Potensi Atlet</h4></div>

<div class='content'>

<br><a class='btn btn-primary' id=tx href='?menu=potensi-
view&gos=tambah'>Tambah</a>;

echo" <table class='table table-hover table-striped'><thead><tr id=jd><td
class=ttl width=20 align=center>No</td><td class=ttl >Nama Atlet</td><td
class=ttl >Tempat, Tanggal Lahir</td><td class=ttl >JenisKelamin</td><td
class=ttl >Cabang Olahraga</td><td class=ttl >Asal Daerah</td><td class=ttl
>Sekolah</td><td class=ttl >Usia</td><td class=ttl align=center width=60
>Action</td></tr></thead>

"; if (empty($_POST[kat])) $wh=""; else $wh="where $_POST[kat] like
'$_POST[Cari]'";$r=mysql_query("select * from potensi left join cabor on
potensi.Id_Cabor=cabor.Id_Cabor
left join kota onpotensi.Id_Kota=kota.Id_Kota ORDER BYNama_PotensiASC
");while($w=mysql_fetch_array($r)){ $n++;
if ($n % 2 == 0) $warna = '#F0EFED'; else $warna = '#F3EFA6';

echo" <tbody><tr bgcolor=$warna>

<td align=center >$n</td><td class=ul>$w[Nama_Potensi]</td><td class=ul
>$w[Tempat_Lahir], $w[Tgl_Lahir]</td><td class=ul >$w[JK]</td><td class=ul
>$w[Nama_Cabor]</td>

<td class=ul >$w[Nama_Kota]</td><td class=ul >$w[Nama_Sekolah]</td><td
class=ul >$w[Usia]</td>

";

if(($w[Id_Kota] == $_SESSION[Kode_Kota] ) or ($_SESSION[Level]==0)){

<td width=60 align=center ><a class='pe-7s-edit' href='?menu=potensi-
view&gos=ubah&IdVenue=$w[Id_Potensi]'></a>

<a class='pe-7s-trash' href='?menu=potensi-
view&gos=hapus&IdVenue=$w[Id_Potensi]'></a> ";

echo"</td><tr><tbody>";

} echo" <tr><td colspan=3>Jumlah Data </td><td>$n </td><td></td></tr>

</div></div></div>";

}function hapus(){ mysql_query("delete from potensi where
Id_Potensi=$_REQUEST[IdVenue]"); BerhasilHapus(")?menu=potensi-
view&gos=tabel",500); }

if(isset($_POST['simpan'])){ mysql_query("insert into potensi set
Nama_Potensi=$_POST[Nama]',

Tempat_Lahir=$_POST[Tempat]', Tgl_Lahir=$_POST[Tgl]',
Id_Cabor=$_POST[Cabor]',Id_Kota=$_POST[Kota]',

JK=$_POST[JK]', Nama_Sekolah=$_POST[Sekolah]', Usia=$_POST[Usia]'

");BerhasilSimpan(")?menu=potensi-view",500);

}if(isset($_POST['ubah'])){

mysql_query("update potensi set Nama_Potensi=$_POST[Nama]',
Tempat_Lahir=$_POST[Tempat]',Tgl_Lahir=$_POST[Tgl]',
Id_Cabor=$_POST[Cabor]',Id_Kota=$_POST[Kota]', JK=$_POST[JK]',
Nama_Sekolah=$_POST[Sekolah]', Usia=$_POST[Usia]'

where Id_Potensi = '$_REQUEST[IdVenue]'

");BerhasilSimpan(")?menu=potensi-view&gos=tabel",500); }function ubah(){

$r=mysql_query("select * from potensi where
Id_Potensi=$_REQUEST[IdVenue] "); $w=mysql_fetch_array($r);

echo" <div class='card'><div class='header'><h4 class='title'>Data
Potensi</h4></div><div class='content'><form method=post action="
enctype='multipart/form-data' id=fom3>

<div class='row'>

<div class='col-md-6'><div class='form-group'><input type='text' class='form-
control' name=Nama placeholder='Nama Atlet' id='Nama'
value=$w[Nama_Potensi]' required data-validation-required-message='Input
Password'><p class='help-block text-danger'></p></div></div>

<div class='col-md-6'><div class='form-group'><input type='date' class='form-
control' name=Tgl placeholder='Nama Atlet' id='Tgl' value=$w[Tgl_Lahir]'
required data-validation-required-message='Input Password'><p class='help-
block text-danger'></p></div></div>

```



```
value=1 >Baik</option> <option name=Kota value=0
>Buruk</option></select><p class='help-block text-danger'></p></div></div>
```

```
<div class='col-md-6'> <div
class='form-group'><select class='form-control' name=Kategori id='Kategori'>
Stampil=mysql_query("select * from venue_jenis ORDER
BY Nama_Jenis");echo " <option value='belum milih' selected disabled>- Pilih
Kategori -</option>
```

```
while($w=mysql_fetch_array($stampil))
```

```
echo "<option value=$w[Id_Jenis] >$w>Nama_Jenis</option>" ; }
```

```
echo " </select><p class='help-block text-danger'></p></div></div>
```

```
</div>
```

```
<div class='clearfix'></div><div class='col-lg-12 text-center'><div
id='success'></div><input type='submit' class='btn btn-xl' name=simpan
value='Simpan'>
```

```
</div></div>
```

```
</form> </div>
```

```
</div>;
```

```
}function tabel(){$cuser=cuser($_POST[kat]); echo "
```

```
<div class='card'><div class='header'><h4 class='title'>Sarana dan
Prasarana</h4>
```

```
</div><div class='content'><br><a class='btn btn-primary' id=tx
href='?menu=sarana-view&gos=tambah'>Tambah</a>
```

```
"; echo " <table class='table table-hover table-striped'><thead><tr id=jd<td
class=ttl width=20 align=center>No</td><td class=ttl >Nama Sarana</td><td
class=ttl >Kategori</td><td class=ttl >Tipe</td><td class=ttl >Lokasi</td><td
class=ttl >Daerah</td><td class=ttl >Kondisi</td><td class=ttl align=center
width=60 >Action</td></tr></thead>"; if (empty($_POST[kat])) $wh=""; else
$wh="where $_POST[kat] like '$_POST[Cari]";
```

```
$r=mysql_query("select * from venue left join venue_tipe on
venue.Id_Tipe=venue_tipe.Id_Tipeleft join venue_jenis on
venue.Id_Jenis=venue_jenis.Id_Jenis
```

```
left join lokasi on venue.Id_Lokasi=lokasi.Id_Lokasi
```

```
left join kota on lokasi.Id_Kota=kota.Id_Kota ORDER BY Nama_Venue ASC ");
while($w=mysql_fetch_array($r)){
```

```
$n++; if ($n % 2 == 0) $warna = '#F0EFED';
```

```
else $warna = '#F3EFA6'; echo "
```

```
<tbody><tr bgcolor=$warna><td align=center >$n</td>
```

```
<td class=ul >$w>Nama_Venue</td><td class=ul w>Nama_Jenis</td><td
class=ul >$w[Tipe]</td><td class=ul >$w>Nama_Lokasi</td><td class=ul
>$w>Nama_Kota</td> ";if($w[Kondisi] == '1'){ $kondisi = "Baik";}else{$kondisi
= "Buruk";}echo "<td class=ul >kondisi</td> ";if(($w[Id_Kota] ==
$_SESSION[Kode_Kota] ) or ($_SESSION[Level]=='0')){
```

```
echo "
```

```
<td width=60 align=center ><a class='pe-7s-edit' href='?menu=sarana-
view&gos=ubah&IdVenue=$w[Id_Venue]'></a>
```

```
<a class='pe-7s-trash' href='?menu=sarana-
view&gos=hapus&IdVenue=$w[Id_Venue]'></a> ";
```

```
}echo "</td><tr><tbody> } echo " <tr><td colspan=3>Jumlah Data </td><td>$n
</td><td></td></tr></table></div></div>
```

```
</div>"; }function hapus(){ mysql_query("delete fromvenue where
Id_Venue=$_REQUEST[IdVenue]" ); BerhasilHapus("?menu=sarana-
view&gos=tabel",500); }if(isset($_POST[simpan])){ mysql_query("insert into
venue set Nama_Venue=$_POST>Nama]',d_Lokasi=$_POST[Lokasi]
```

```
Id_Tipe=$_POST[Tipe]', Kondisi=$_POST[Kondisi]',
=
```

```
?>
```

