

LISTING PROGRAM

- Connect.php

```
<?php
error_reporting(0);
mysql_connect("localhost","root","");
mysql_select_db("db_aset");

function cari($sql){
    $r=mysql_query($sql);
    return $w=mysql_fetch_array($r);
}

?>
```

- Index.php

```
<?php
session_start();
error_reporting(0);
include_once "connect.php";

?>
<!DOCTYPE html>
<html >
<head>
<meta charset="UTF-8">
<title>APLIKASI PENGOLAHAN MANAJEMEN
ASET TETAP</title>

<link rel='stylesheet prefetch'
href='http://maxcdn.bootstrapcdn.com/font-
awesome/4.2.0/css/font-awesome.min.css'>

<link rel="stylesheet" href="css/style.css">
</head>

<body>
<?php
echo"
<div class='login-form'>
<h3>Kanwil DJPBN Prov. Sumsel</h3>
<center><img width='50px' height='50px'
src='img/Logo-kemkeu-id.png'></center>
<form action="" method='post'>
<div class='form-group '>
<input type='text' class='form-control'
placeholder='Username' name='Username'>
<i class='fa fa-user'></i>
</div>
<div class='form-group'>
<input type='password' class='form-control'
placeholder='Password' name='Password'>
<i class='fa fa-lock'></i>
</div>
<button type='submit' class='log-btn'
name=login>Log in</button>
</form>
```

```
</div>
";
?>

<?php
if (isset($_POST[login])) {
    $w=cari("select *
from user where Username='$_POST[Username]' and
Password='$_POST[Password]' ");
    if (empty($w)){
        echo
        "<script> alert('Maaf login tidak diterima '); </script>";
    }else {
        session_start();
        $_SESSION[Username]=$w[Username];
        $_SESSION[KodeUser]=$w[KodeUser];
        $_SESSION[Level]=$w[Level];
        echo
        "<script> location.href='admin.php' </script>";
        login_validate();
    }
}
?>
<script
src="http://cdnjs.cloudflare.com/ajax/libs/jquery/2.1.3/j
query.min.js"></script>
<script src="js/index.js"></script>
</body>
</html>
```

- Admin.php

```
<?php
session_start();
error_reporting(0);
include_once "method/dwo.lib.php";
```

```

include_once "method/db.mysql.php";
include_once "method/ClassRC.php";
include_once "method/connectdb.php";
require_once "method/lib.session.php";

if (isset($_GET[logout])){
    session_destroy();
    echo "<script>>window.location =
'index.php'</script>";
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-
width, initial-scale=1.0">
    <title>APLIKASI PENGOLAHAN MANAJEMEN
ASET TETAP</title>

    <link rel="stylesheet" type="text/css"
href="bootstrap/css/bootstrap.min.css" />
    <link rel="stylesheet" type="text/css" href="font-
awesome/css/font-awesome.min.css" />
    <link rel="stylesheet" type="text/css"
href="css/local.css" />

    <script type="text/javascript" src="js/jquery-
1.10.2.min.js"></script>
    <script type="text/javascript"
src="bootstrap/js/bootstrap.min.js"></script>

    <!-- you need to include the shieldui css and js assets
in order for the charts to work -->
    <link rel="stylesheet" type="text/css"
href="http://www.shieldui.com/shared/components/late
st/css/light-bootstrap/all.min.css" />
    <link id="gridcss" rel="stylesheet" type="text/css"
href="http://www.shieldui.com/shared/components/late
st/css/dark-bootstrap/all.min.css" />

    <script type="text/javascript"
src="http://www.shieldui.com/shared/components/late
t/js/shieldui-all.min.js"></script>
    <script type="text/javascript"
src="http://www.prepbootstrap.com/Content/js/gridDat
a.js"></script>
</head>
<body>
    <div id="wrapper">
        <nav class="navbar navbar-inverse navbar-fixed-
top" role="navigation">
            <div class="navbar-header">
                <button type="button" class="navbar-toggle"
data-toggle="collapse" data-target=".navbar-ex1-
collapse">
                    <span class="sr-only">Toggle
navigation</span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                </button>

```

```

                <a class="navbar-brand"
href="index.html">Admin Panel</a>
            </div>
            <div class="collapse navbar-collapse navbar-
ex1-collapse">
                <ul id="active" class="nav navbar-nav side-
nav">
                    <?php
                    if
                    ($_SESSION[Level]=="1"){
                        ?>
                        <li class="selected"><a
href="index.php"><i class="fa fa-bullseye"></i>
Dashboard</a></li>
                        <li><a
href="?menu=user"><i class="fa fa-users"></i> Data
User</a></li>
                        <li><a href="?menu=aset"><i class="fa
fa-tasks"></i>Data Aset</a></li>
                        <li><a href="?menu=ruang"><i class="fa
fa-globe"></i> Data Ruang</a></li>
                        <li><a href="?menu=mutasi"><i class="fa
fa-list-ol"></i> Data Mutasi</a></li>
                        <li><a
href="Laporan/laporan.php"><i class="fa fa-
book"></i> Laporan Aset</a></li>
                        <li><a
href="Laporan/mutasi.php"><i class="fa fa-
book"></i> Laporan Mutasi</a></li>
                        <li><a
href="Laporan/ruang.php"><i class="fa fa-book"></i>
Laporan Ruang</a></li>
                        <li><a
href="?logout"><i class="fa fa-circle-o"></i>
Logout</a></li>
                    <?php
                    } else {
                        ?>
                        <li
class="selected"><a href="index.php"><i class="fa fa-
bullseye"></i> Dashboard</a></li>
                        <li><a
href="Laporan/laporan.php"><i class="fa fa-
book"></i> Laporan Aset</a></li>
                        <li><a
href="Laporan/mutasi.php"><i class="fa fa-
book"></i> Laporan Mutasi</a></li>
                        <li><a
href="Laporan/ruang.php"><i class="fa fa-book"></i>
Laporan Ruang</a></li>
                        <li><a
href="?logout"><i class="fa fa-circle-o"></i>
Logout</a></li>
                    <?php
                    }
                <?>
            </ul>
        </div>
    </nav>
    <div id="page-wrapper">

```

```

<div class="row">
  <div class="col-lg-12">
    <h1>Menu Utama <small>Pengolahan
Data Aset</small></h1>
    <div class="alert alert-dismissable alert-
warning">
      <button data-dismiss="alert"
class="close" type="button">&times;</button>
      Kantor Wilayah Direktorat Jenderal
Perbendaharaan Provinsi Sumatera Selatan
    <br />
    </div>
  </div>
</div>

```

```

<div class="row">
  <div class="col-lg-12">
    <div class="panel panel-primary">
      <?php
if (empty($_GET[menu]))
  include "main.php";
  else
  include "modul/$_GET[menu].php";
?>
    </div>
  </div>
</div>
</div>
</div>
<!-- /#wrapper -->

```

```

<script type="text/javascript">
  jQuery(function ($) {
    var performance = [12, 43, 34, 22, 12, 33, 4, 17,
22, 34, 54, 67],
    visits = [123, 323, 443, 32],
    traffic = [
      {
        Source: "Direct", Amount: 323, Change:
53, Percent: 23, Target: 600
      },
      {
        Source: "Refer", Amount: 345, Change:
34, Percent: 45, Target: 567
      },
      {
        Source: "Social", Amount: 567, Change:
67, Percent: 23, Target: 456
      },
      {
        Source: "Search", Amount: 234, Change:
23, Percent: 56, Target: 890
      },
      {
        Source: "Internal", Amount: 111, Change:
78, Percent: 12, Target: 345
      }
    ];

```

```

$("#shieldui-chart1").shieldChart({
  theme: "dark",

  primaryHeader: {
    text: "Visitors"

```

```

  },
  exportOptions: {
    image: false,
    print: false
  },
  dataSeries: [{
    seriesType: "area",
    collectionAlias: "Q Data",
    data: performance
  }
  ]
});

```

```

$("#shieldui-chart2").shieldChart({
  theme: "dark",
  primaryHeader: {
    text: "Traffic Per week"
  },
  exportOptions: {
    image: false,
    print: false
  },
  dataSeries: [{
    seriesType: "pie",
    collectionAlias: "traffic",
    data: visits
  }
  ]
});

```

```

$("#shieldui-grid1").shieldGrid({
  dataSource: {
    data: traffic
  },
  sorting: {
    multiple: true
  },
  rowHover: false,
  paging: false,
  columns: [
    { field: "Source", width: "170px", title:
"Source" },
    { field: "Amount", title: "Amount" },
    { field: "Percent", title: "Percent", format:
"{0} %" },
    { field: "Target", title: "Target" },
  ]
});
</script>

```

```

<script type="text/javascript"
src="js/bootstrap-3.1.1.min.js"></script>
<script src="js/tabel.js"></script>
<script src="js/tabel2.js"></script>
<script src="js/demo.js"></script>
<script>
$(function () {
  $("#example1").DataTable();
  $("#example2").DataTable({
    "paging": true,
    "lengthChange": false,
    "searching": false,
    "ordering": true,
    "info": true,
    "autoWidth": false
  });

```

```

});
</script>
<script>
$(function () {
    $("#example3").DataTable();
    $("#example3").DataTable({
        "paging": true,
        "lengthChange": false,
        "searching": false,
        "ordering": true,
        "info": true,
        "autoWidth": false
    });
});
</script>
<script>
$(function () {
    $("#example4").DataTable();
    $("#example4").DataTable({
        "paging": true,
        "lengthChange": false,
        "searching": false,
        "ordering": true,
        "info": true,
        "autoWidth": false
    });
});
</script>
</body>
</html>

```

- Aset.php

```

<div class="col-md-4">
    <div class="forms-main_agileits">
        <div class="graph-form agile_info_shadow">
            <h3 class="w3_inner_tittle two">Form aset </h3><div class="form-body">
                <?php
                    $r=mysql_query("select * from aset
                    where KodeAset='$_REQUEST[KodeAset]'");
                    $w=mysql_fetch_array($r);
                    echo"
                    <form method=post action="
                    enctype='multipart/form-data' id=fom3>
                    <input class='form-control'
                    id=KodeAset type=hidden name=KodeAset
                    value='$w[KodeAset]' readonly>
                    <table class='table
                    table-bordered table-striped'>
                        <tr><td>NamaAset</td>
                        <td><input
                        class='form-control' id>NamaAset
                        type=text
                        name>NamaAset value=$w>NamaAset]></td></tr>
                        <tr><td>Merk</td>
                        <td><input class='form-
                        control' id=Merk
                        type=text
                        name=Merk
                        value='$w[Merk]'></td></tr>
                    </table>
                    <input class='form-
                    control' id=KodeRuang
                    type=text
                    name=KodeRuang
                    value='$w[KodeRuang]'></td></tr>
                    <tr><td colspan='2' align=center><input
                    type=submit
                    class='btn btn-danger'
                    value='Simpan'></td></tr>
                    </form>;
                </div>
            </div>
        </div>
    </div>

```

```

        </div>
    </div>
    <td>$w[Bahan]</td>
</div>
<div class="col-md-8">
    <div
class="forms-main_agileits">
        <div
class="graph-form agile_info_shadow">
            <h3 class="w3_inner_tittle" style="width:60px; text-align:center">Tabel aset </h3>
            <div
class="form-body">
                <table
id=example1 class="table table-striped table-bordered"
role="grid" aria-describedby="example1_info">
                    <thead>
                        <tr>
                            <th>No</th>
                            <th>Nama aset</th>
                            <th>Merk</th>
                            <th>No
Sertifikat/Seri</th>
                            <th>Bahan</th>
                            <th>Nama Ruang</th>
                            <th>Action</th>
                        </tr>
                    </thead>
                    <tbody>
                        <?php
                        $r=mysql_query("select *
from aset a left outer join ruang b on
a.KodeRuang=b.KodeRuang");
                        while($w=mysql_fetch_array($r)){
                            $n++;
                            echo"
                            <tr>
                                <td align=center
                                >$n</td>
                                <td align=center
                                >$w[NamaAset]</td>
                                <td align=center
                                >$w[Merk]</td>
                                <td align=center
                                >$w[NoSeri]</td>
                                <td align=center
                                >$w[Bahan]</td>
                                <td align=center
                                >$w[NamaRuang]</td>
                                <td align=center
                                ><a href=?
                                menu=detailaset&KodeAset=$w[KodeAset]><i
                                class='glyphicon glyphicon-search'></i></a>
                                <a href=?
                                menu=aset&gos=ubah&KodeAset=$w[KodeAset]><i
                                class='glyphicon glyphicon-pencil'></i></a>
                                <a href=?
                                menu=aset&gos=hapus&KodeAset=$w[KodeAset]
                                onclick=\"return confirm('Apakah anda yakin akan
                                menghapus data ini?')\" ><i class='glyphicon
                                glyphicon-trash'></i></a>
                                </td>
                            </tr>
                        ";
                        }
                    </tbody>
                </table>
            </div>
        </div>
    </div>
</div>

```

```

</div>
TanggalPerolehan='$_POST[TanggalPerolehan]',
    Harga='$_POST[Harga]',

    MasaManfaat='$_POST[MasaManfaat]',
    KodeRuang='$_POST[KodeRuang]'
    where KodeAset='$_POST[KodeAset]'
");
BerhasilSimpan("?menu=aset&gos=tabel",500);

</div>

</div>

<?php
if($_GET[gos]=="hapus"){
mysql_query("delete      aset      where
KodeAset='$_REQUEST[KodeAset]' ");
    BerhasilHapus("?menu=aset&gos=tabel",500);
}
if(isset($_POST['simpan'])){
    $w=GetFields('aset','KodeAset',
    $_POST['KodeAset'],'*');

if (empty($w))
{

mysql_query("insert into aset set
    KodeAset='$_POST[KodeAset]',
    NamaAset='$_POST[NamaAset]',
    Merk='$_POST[Merk]',
    NoSeri='$_POST[NoSeri]',
    Bahan='$_POST[Bahan]',

    CaraPerolehan='$_POST[CaraPerolehan]',

    TanggalPerolehan='$_POST[TanggalPerolehan]',
    Harga='$_POST[Harga]',

    MasaManfaat='$_POST[MasaManfaat]',
    KodeRuang='$_POST[KodeRuang]'
");

BerhasilSimpan("?menu=aset",500);
}
else
{
mysql_query("update aset set

    KodeAset='$_POST[KodeAset]',

    NamaAset='$_POST[NamaAset]',
    Merk='$_POST[Merk]',
    NoSeri='$_POST[NoSeri]',
    Bahan='$_POST[Bahan]',

    CaraPerolehan='$_POST[CaraPerolehan]',

```

```

TanggalPerolehan='$_POST[TanggalPerolehan]',
    Harga='$_POST[Harga]',

    MasaManfaat='$_POST[MasaManfaat]',
    KodeRuang='$_POST[KodeRuang]'
    where KodeAset='$_POST[KodeAset]'
");
BerhasilSimpan("?menu=aset&gos=tabel",500);

```

```

?>
<script>
    function Buka_Ruang(){
        window.open("func/ruang.php","", "width=500,height=500");
    }
</script>

```

- Detail.php

```
<div class="col-md-12">
```

```
<div class="forms-main_agileits">
```

```
<div      class="graph-form
agile_info_shadow">
```

```
<h3      class="w3_inner_tittle
two">Tabel Detail aset </h3>
```

```
<div
class="form-body">
```

```
<?php
```

```

    $r=mysql_query("select * from aset a left outer
    join ruang b on a.KodeRuang=b.KodeRuang

```

```

        where
a.KodeAset='$_REQUEST[KodeAset]'
while($w=mysql_fetch_array($r)){
    echo"
    <table class='table table-striped table-bordered'
    role='grid' aria-describedby='example1_info'>
        <thead>
            <tr>
                <th align=center><b>Data aset</b></th>
                <th align=center><b>Keterangan</b></th>
            </tr>
            <tr>
                <th>Nama
                aset</th>
                <th>$_w[NamaAset]</th>
            </tr>
            <tr>
                <th>Merk</th>
                <th>$_w[Merk]</th>
            </tr>
            <tr>
                <th>NoSeri</th>
                <th>$_w[NoSeri]</th>
            </tr>
            <tr>
                <th>Bahan</th>
                <th>$_w[Bahan]</th>
            </tr>
            <tr>
                <th>Cara
                Perolehan</th>
                <th>$_w[CaraPerolehan]</th>
            </tr>
            <tr>
                <th>Tanggal
                Perolehan</th>
                <th>$_w[TanggalPerolehan]</th>
            </tr>
            <tr>
                <th>Harga</th>
                <th>$_w[Harga]</th>
            </tr>
            <tr>
                <th>Masa
                Manfaat</th>
                <th>$_w[MasaManfaat]</th>
            </tr>
            <tr>
                <th>Kode
                Ruang</th>
                <th>$_w[Kode
                Ruang]</th>
            </tr>
            <tr>
                <th>Nama
                Ruang</th>
                <th>$_w[NamaRuang]</th>
            </tr>
        </thead>
        <tbody>
            <tr>
                <td align=center><b>Detailaset.php
                </td>
                <td align=center><b>Keterangan</b></td>
            </tr>
        </tbody>
    </table>
    ";
    $r=mysql_query("select * from aset a left outer
    join ruang b on a.KodeRuang=b.KodeRuang
    where
    a.KodeAset='$_REQUEST[KodeAset]' ");
}
?>

```

```

while($w=mysql_fetch_array($r))                php                <?

                                echo"

                                <br>

                                <table class='table table-striped table-bordered'
                                role='grid' aria-describedby='example1_info'
                                href='?menu=aset' type=submit class='btn btn-
                                danger'>Back</a>                <a
                                <thead>
                                <tr
                                class=c><td align=center><b>Data aset</b></td><td
                                align=center><b>Keterangan</b></td></tr>
                                <tr
                                class=c><th>Nama
                                aset</th><th>$w[NamaAset]</th></tr>
                                <tr
                                class=c><th>Merk</th><th>$w[Merk]</th></tr>
                                <tr
                                class=c><th>NoSeri</th><th>$w[NoSeri]</th></tr>
                                <tr
                                class=c><th>Bahan</th><th>$w[Bahan]</th></tr>
                                <tr
                                class=c><th>Cara
                                Perolehan</th><th>$w[CaraPerolehan]</th></tr>
                                <tr
                                class=c><th>Tanggal
                                Perolehan</th><th>$w[TanggalPerolehan]</th></tr>
                                <tr
                                class=c><th>Harga</th><th>$w[Harga]</th></tr>
                                <tr
                                class=c><th>Masa
                                Manfaat</th><th>$w[MasaManfaat]</th></tr>
                                <tr
                                class=c><th>Kode
                                Ruang</th><th>$w[KodeRuang]</th></tr>
                                <tr
                                class=c><th>Nama
                                Ruang</th><th>$w[NamaRuang]</th></tr>

                                </table>

                                ";
                                <div class="graph-form
                                agile_info_shadow">
                                <h3 class="w3_inner_tittle
                                two">Form mutasi </h3>
                                <div
                                class="form-body">
                                <?php

```



```
$r=mysql_query("select * from mutasi where
KodeMutasi='$_REQUEST[KodeMutasi]");
$w=mysql_fetch_array($r);
```

</table>

</form>

";

?>

</div>

echo"

</div>

```
<form
method=post action="" enctype='multipart/form-data'
id=fom3>
```

</div>

```
<input
class='form-control' id=KodeMutasi type=hidden
name=KodeMutasi value='$w[KodeMutasi]' readonly>
```

<div class="col-md-8">

```
<table
class='table table-bordered table-striped'>
```

<div class="forms-main_agileits">

```
<tr><td>Kode Aset</td> <td><input
class='form-control' onclick=\"Buka_Aset()\"
id=KodeAset type=text name=KodeAset
value=$w[KodeAset]></td></tr>
```

<div class="graph-form agile_info_shadow">

```
<tr><td>Nama Aset</td> <td><input
class='form-control' id>NamaAset type=text
name>NamaAset value=$w>NamaAset></td></tr>
```

<h3 class="w3_inner_tittle two">Tabel mutasi </h3>

<div

```
<tr><td>Tanggal Mutasi</td> <td><input
class='form-control' id=TanggalMutasi type=date
name=TanggalMutasi
value='$w[TanggalMutasi]'></td></tr>
```

<table id=example1 class="table table-striped table-bordered"
role="grid" aria-describedby="example1_info">

```
<tr><td>Keterangan</td> <td><input
class='form-control' id=Keterangan type=text
name=Keterangan value='$w[Keterangan]' ></td></tr>
```

<thead>

```
<tr><td
colspan='2' align=center><input type=submit
class='btn btn-danger' name=simpan
value='Simpan'></td></tr>
```

<tr>

```

<th>No</th>
<td align=center
>$n</td>
<th>Kode Mutasi</th>
<td>$w[KodeMutasi]</td>
<th>Kode Aset</th>
<td>$w[KodeAset]</td>
<th>Nama Aset</th>
<td>$w[NamaAset]</td>
<th>Tanggal Mutasi</th>
<td>$w[TanggalMutasi]</td>
<th>Keterangan</th>
<td>$w[Keterangan]</td>
</tr>
</thead>
<tbody>
<tr>
<td align=center >
<a href=?
menu=mutasi&gos=ubah&KodeMutasi=$w[KodeMuta
si]><i class='glyphicon glyphicon-pencil'></i></a>
<td align=center >
<a href=?
menu=mutasi&gos=hapus&KodeMutasi=$w[KodeMut
asi]' onclick=\"return confirm('Apakah anda yakin akan
menghapus data ini?')\" '><i class='glyphicon
glyphicon-trash'></i></a>
</td>
</tr>
</tbody>
</table>
<?php
    $r=mysql_query("select * from mutasi
"); while($w=mysql_fetch_array($r)){
        echo"
        $n++;
    ";
}
</tr>

```

```

        }
        KodeAset='$_POST[KodeAset]',
        NamaAset='$_POST[NamaAset]',
        TanggalMutasi='$_POST[TanggalMutasi]',
        Keterangan='$_POST[Keterangan]'
        where
        KodeMutasi='$_POST[KodeMutasi]'
    ");
    BerhasilSimpan("?menu=mutasi&gos=tabel",500);

</tbody>

</table>

</div>

</div>

</div>

</div>

<?php
if($_GET[gos]=="hapus"){
mysql_query("delete from mutasi where
KodeMutasi=$_REQUEST[KodeMutasi]");
BerhasilHapus("?
menu=mutasi&gos=tabel",500);
}
if(isset($_POST['simpan'])){
$w=GetFields('mutasi','KodeMutasi',
$_POST['KodeMutasi'],'*');

if (empty($w))
{
mysql_query("insert into mutasi set
        KodeMutasi=$_POST[KodeMutasi]',
        KodeAset=$_POST[KodeAset]',
        NamaAset=$_POST[NamaAset]',

        TanggalMutasi=$_POST[TanggalMutasi]',
        Keterangan=$_POST[Keterangan]'
    ");
    $r=mysql_query("select * from ruang where
    KodeRuang=$_REQUEST[KodeRuang]");
    $w=mysql_fetch_array($r);
    mysql_query("delete from aset where
    KodeAset=$_REQUEST[KodeAset]");

    BerhasilSimpan("?menu=mutasi",500);
}
else
{
mysql_query("update mutasi set
        KodeMutasi=$_POST[KodeMutasi]',

```

```

?>
<script>
function Buka_Aset(){
window.open("func/aset.php","", "width=500,height=500");
}
</script>

```

- ruang.php

```

<div class="forms-main_agileits">
<div class="graph-form
agile_info_shadow">
<h3 class="w3_inner_tittle
two">Form ruang </h3>
<div
class="form-body">
<?php

```

```

    $r=mysql_query("select * from ruang where
    KodeRuang=$_REQUEST[KodeRuang]");
    $w=mysql_fetch_array($r);

```

```

        echo"
        <div class="graph-form
        agile_info_shadow">
        <form
        method=post action=" enctype='multipart/form-data'
        id=fom3>
        <h3 class="w3_inner_title
        two">Tabel ruang </h3>
        <table
        class='table table-bordered table-striped'>
        <div
        class="form-body">
        <tr><td>KodeRuang</td> <td><input
        class='form-control' id=KodeRuang type=text
        name=KodeRuang value='$w[KodeRuang]'
        readonly></td></tr> <table id=example1 class="table table-striped table-
        bordered" role="grid" aria-
        describedby="example1_info">
        <tr><td>NamaRuang</td> <td><input
        class='form-control' id=NamaRuang type=text
        name=NamaRuang
        value='$w[NamaRuang]'></td></tr>
        <thead>
        <tr>
        <th>No</th>
        <th>KodeRuang</th>
        <th>NamaRuang</th>
        <th>Action</th>
        <tr>
        <td colspan='2' align=center><input
        class='btn btn-danger'
        type=submit
        name=simpan
        value='Simpan'></td></tr>
        </table>
        </form>";
        ?>
        </div>
        </div>
        </div>
        </div>
        <div class="col-md-8">
        <div class="forms-main_agileits">
        <?php

```



```

        NamaRuang='$_POST[NamaRuang]'
        where
        KodeRuang='$_POST[KodeRuang]'
    ");
    BerhasilSimpan("?menu=ruang&gos=tabel",500);

}
}
?>

```

- user.php

```

        <div class="col-md-4">

        <div class="forms-main_agileits">

        <div class="graph-form
        agile_info_shadow">

        <h3 class="w3_inner_tittle
        two">Form user </h3>

        <div
        class="form-body">

        <?php

        $r=mysql_query("select * from user where
        KodeUser='$_REQUEST[KodeUser]'");
        $w=mysql_fetch_array($r);

        ?>
    
```

```

        <tr><td>KodeUser</td>      <td><input
        class='form-control'      id=KodeUser      type=text
        name=KodeUser              value='$w[KodeUser]'
        readonly></td></tr>
    
```

```

        <tr><td>KodeAlumni</td>      <td><input
        class='form-control'      id=KodeAlumni      type=text
        name=KodeAlumni
        value='$w[KodeAlumni]'></td></tr>
    
```

```

        <tr><td>Username</td>      <td><input
        class='form-control'      id=Username      type=text
        name=Username value='$w[Username]'></td></tr>
    
```

```

        <tr><td>Password</td>      <td><input
        class='form-control'      id=Password      type=password
        name=Password value='$w[Password]'></td></tr>
    
```

```

        <tr><td>Level</td> <td><input class='form-
        control'      id=Level      type=text      name=Level
        value='$w[Level]' ></td></tr>
    
```

```

        <div
        <?php
        colspan='2'      align=center><input
        class='btn      btn-danger'
        value='Simpan'></td></tr>
        <tr><td
        </table>
    
```

```

        </table>
        </form>";
    ?>
    </div>
    </div>
    echo"
    <form
    method=post action="" enctype='multipart/form-data'
    id=fom3>
    </div>
    <table
    <div class="col-md-8">
    class='table table-bordered table-striped'>
    
```

```

<div class="forms-main_agileits">
</thead>
<tbody>
<div class="graph-form
agile_info_shadow">
<h3 class="w3_inner_tittle
two">Tabel user </h3>
<?php
class="form-body">
<div
$w=mysql_query("select * from user
"); while($w=mysql_fetch_array($r)){
<table id=example1 class="table table-striped table-
bordered" role="grid" aria-
describedby="example1_info">
$w++;
<thead>
echo"
<tr>
<tr>
<th>No</th>
<td align=center
>$n</td>
<th>KodeUser</th>
<th>KodeAlumni</th>
<td>$w[KodeUser]</td>
<th>Username</th>
<td>$w[KodeAlumni]</td>
<th>Password</th>
<td>$w[Username]</td>
<th>Level</th>
<td>$w[Password]</td>
<th>Action</th>
<td>$w[Level]</td>
</tr>

```



```

}
$t="$t"
</tbody>
</table>

<br>
<br>
<br><br>
<br>
<br>
<br>
<p align=right>
</tr>
<strong>Pimpinan Kanwil Ditjen
Perbendaharaan Palembang</strong><br></p>
<bR>
<br>
<p align=right>
</tr>
<br>
<br>
<strong><u>Sudarso,
MM.</u></strong></br>
<br>
<strong>NIP.196808161989121002</strong></br>
</body>
";
return $t;
}

function sela($sql){
$r=mysql_query($sql);
return $w=mysql_fetch_array($r);
}

?>

$r=mysql_query("select * from mutasi ");
while($w=mysql_fetch_array($r)) {
$n++;
$t="$t"
<tr>
<td align=center >$n</td>
<td>$w[NamaAset]</td>
<td>$w[TanggalMutasi]</td>
<td>$w[Keterangan]</td>
</tr>
<strong><u>Sudarso,
MM.</u></strong></br>
<br>
<strong>NIP.196808161989121002</strong></br>
</body>
";
return $t;

function sela($sql){
$r=mysql_query($sql);
return $w=mysql_fetch_array($r);

?>

```



```

<thead>
<tr>
<th>No</th>
<th>KodeRuang</th>
<th>NamaRuang</th>
</tr>
</thead>
<tbody>
";
$r=mysql_query("select * from ruang ");
while($w=mysql_fetch_array($r)) {
$n++;
$t="$t
<tr>
<td align=center >$n</td>
<td>$w[KodeRuang]</td>
<td>$w[NamaRuang]</td>
</tr>
";
}
$t="$t
</tbody>
</table>
<br>
<br>
<br>
<br>
<br>
<p align=right>
<strong>Pimpinan Kanwil Ditjen
Perbendaharaan Palembang</strong><br></p>
<br>
<p align=right>
<strong><u>Sudarso,
MM.</u></strong></br>
<br>
<strong>NIP.196808161989121002</strong></br>
</body>
";
return $t;
function sela($sql){
    $r=mysql_query($sql);
    return $w=mysql_fetch_array($r);
}
?>

```