


LAMPIRAN 5:

HASIL UJI ASUMSI KLASIK

HASIL UJI NORMALITAS

Charts



NPar Tests

One-Sample Kolmogorov-Smirnov Test

		Standardized Predicted Value
N		100
Normal Parameters ^{a,b}	Mean	,0000000
	Std. Deviation	1,00000000
Most Extreme Differences	Absolute	,066
	Positive	,060
	Negative	-,066
Test Statistic		,066

Asymp. Sig. (2-tailed)	,200 ^{c,d}
------------------------	---------------------

- a. Test distribution is Normal.
- b. Calculated from data.
- c. Lilliefors Significance Correction.
- d. This is a lower bound of the true significance.

HASIL UJI MULTIKOLINEARITAS


Coefficients^a

Model		Collinearity Statistics	
		Tolerance	VIF
1	Transparansi	,861	1,161
	Akuntabilitas	,992	1,008
	Pengawasan	,866	1,155

a. Dependent Variable: Kinerja Anggaran Berkonsep Value For Money

HASIL UJI HETEROKEDASTISITAS

Charts



HASIL UJI AUTOKOLERASI

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	,749 ^a	,562	,548	,29733	2,126

- a. Predictors: (Constant), Pengawasan, Akuntabilitas, Transparansi
b. Dependent Variable: Kinerja anggaran berkonsep value for money